

John Deere -2022 Price List  
**700L CRAWLER DOZER**



**JOHN DEERE**

01-Mar-2022

Code	Description	QTY	List Price (USD)
23D0T	<p><b>700L CRAWLER DOZER</b></p> <p>700L Standard Equipment                      ENGINE                      John Deere PowerTech Plus 6.8L Certified to EPA FT4 / EU Stage V emissions                      135 SAE Net hp (101 kw)                      Turbocharged with Charged Air Cooler                      No Power Derating up to 10,000 ft Altitude                      Wet Sleeve Cylinder Liners                      Isolation-Mounted                      Electronic Fuel Injection                      Electronic Control with Automatic Engine Protection                      Vertical Spin-on Engine Oil Filter                      Vertical Spin-on Dual Stage Fuel Filter                      Oil-to-Water Engine Oil Cooler                      Dual Safety Element Dry-Type Air Cleaner, Evacuator Valve                      Eco Mode                      500 hr. Engine Oil Change Interval                      COOLING SYSTEM                      Cool-On-Demand Variable Speed Engine Fan                      Engine Coolant -34 Degree F (-37 Degree C)                      Coolant Recovery Tank                      10-Fin/in. Engine Coolant Radiator                      10-Fin/in. Hydrostatic/Hydraulic Oil-to-Air Cooler                      10-Fin/in. Air-to-Air Charge Air Cooler                      ELECTRICAL                      24 Volt System                      110 Amp Alternator for canopy units / 145 Amp Alternator for cab units                      (2) Batteries with 190 Minute Reserve Capacity, 950 CCA                      Master Electric Disconnect Switch                      Bypass Start Safety Cover on Starter                      Positive Terminal Battery Covers                      Blade-Type Fuses                      Electrical Master Disconnect                      Pre-wired for Work Lights and Underseat Heater (canopy)                      (2) Cab Mounted and (2) Rear Mounted Halogen Lights w/ (2) reflectors                      HYDRAULICS                      28 gpm (106 L/Min) Fixed Displacement Hydraulic Gear Pump                      Three-Function Electro-Hydraulic (EH) Controls with Proportional Angle Function                      POWER TRAIN                      Dual Path Hydrostatic Transmission                      Variable Displacement Piston Pump and Motor Combination                      Automatic Load Sensing for Speed and Power Management                      AutoTracking Steering Control                      8 Micron Vertical Spin-on Filter                      Single Lever-Steering, Direction / Speed Control with Counter Rotation and Horn                      Combined Decelerator/Brake Pedal                      Selectable reverse speed ratios 100%, 115%, 130% or independent of forward ground speed                      Electronic Control with Automatic Transmission Protection                      26.9 Gallon (101.8 Liter) Reservoir with Sight Gauge                      Triple Reduction Final Drives with Wet Multi-Disk Brakes                      Primary and Secondary Service Brakes (Conforms to ISO10265)                      Automatic Spring-Applied, Hydraulic Released Park Brake (Conforms to ISO 10265)</p>	1	\$222,388.00

4000 hr. Oil Change Interval  
 Transmission Diagnostic Ports  
 Selectable Decelerator Mode  
 UNDERCARRIAGE  
 Oscillating Undercarriage  
 Maximum Life Undercarriage with Moderate Single Grouser Track Shoes  
 Adjustable Track Sag  
 Segmented Sprockets  
 Front and Rear Chain Guides  
 OPERATOR STATION:  
 JDLink Ultimate Machine Monitoring System w/ 5-year Message Service  
 Modular Design ROPS/FOPS Operator Station (Conforms to SAE J1040 - ISO 3471)  
 Viscous Isolated  
 Left and Right Front Access  
 Front, door and rear wipers and washers (cab)  
 Floormat  
 Large Color Display Located in Front Console  
 Interior Sound Treatment  
 Slip-Resistant Steps and Ergonomically Located Handholds for Left, Right Access (Conforms to SAE J185 - ISO 2867)  
 Air-suspension Seat  
 Operator Presence System  
 Thigh Support  
 Lumbar  
 Backrest Tilt  
 Height, Weight and Fore-Aft  
 Side Console Leg Cushions  
 Adjustable Armrests  
 3 in. (76 mm) Orange Seat Belt with Retractors (Conforms to SAE J386 - ISO 6683)  
 Lunch Box Storage  
 Glove (Storage) Box  
 Cupholders (x2)  
 Built-in Operator's Manual Storage Compartment and Manual  
 12 Volt Power Port

Gauges  
 Engine Coolant Temperature  
 Transmission Oil Temperature  
 Hydraulic Oil Temperature  
 Engine Oil Pressure  
 Fuel Level  
 DEF Level

Warnings  
 Stop  
 Caution  
 Low Alternator Voltage  
 Engine Air Filter Restriction  
 Transmission Filter Restriction  
 Hydraulic Filter Restriction  
 Water in Fuel  
 Transmission Pressure Low  
 Coolant Level Low  
 Diesel Exhaust Fluid (DEF) Contaminated Indicator  
 Engine Emissions Systems Malfunction Indicator

Indicators  
 Park Brake  
 Fasten-Seat-Belt

Operator Presence (Seat Switch)  
Exhaust Filter Cleaning Indicator  
Exhaust Filter Auto Cleaning Disabled Indicator  
Neutral Rotate Mode  
Rear Aux Mode Ripper, Winch, Generic Rear Aux  
Transmission Warmup Mode  
Blade Float  
Auto Blade Control Indicator  
Displayed on Main Screen  
Tachometer  
Hourmeter  
Transmission Direction (F,N,R, RTN to N, P) and Speed (SIG 1.0-3.0)  
Transmission Display (Forward Setting)  
Transmission Display (Reverse Setting)  
Exhaust Filter Status  
Ambient Temperature (Engine Air Inlet Temp)  
Clock

Displayed on Secondary Screen  
Machine Diagnostic Service Code(s)  
Fuel Efficiency Runtime Screen  
Horn, Electric (Conforms to SAE J994, J1446, ISO 9533)  
Coded Keyless Start with Electric Fuel Shut Off  
Interior Mounted Rearview Mirror (Conforms to SAE J985)  
OVERALL VEHICLE  
Unitized Mainframe with:  
Integrated Front Tow Loop  
Reinforced Engine and Mid-frame Bottom Guards  
Integral Transmission Guard  
Hinged Bottom Access Covers (Bolt-On)  
Perforated Engine Side Shields  
Heavy-Duty Perforated Front Grille with Hose Protection  
Lockable Vandal Protection for:  
Engine Access Panel  
Rear Service Doors  
Fuel tank  
Instrument Panel  
Hydrostatic/Hydraulic Reservoir - Need wrench to access  
Environmental Drains  
69.2 Gallon (262 Liter) Fuel Tank:  
Wide Mouth Fuel Filler Cap  
Shut Off Valve at Tank Outlet  
Ground Level Fueling  
Reverse Warning Alarm with Guarding (Conforms to SAE J994, J1446)

23DOT	700L CRAWLER DOZER	1	\$222,388.00
-------	--------------------	---	--------------

ENGINE

Engine	Basic Factory Options - Required
--------	----------------------------------

0940	John Deere 6 Cyl EPA FT4 Engine John Deere PowerTech Plus 6 Cyl EPA FT4/EU Stage V Compliant 6.8 L (414 cu. in.)		\$3,453.00
------	--	--	------------

135 net hp (101 kW) @ 1800 rpm - No power derating up to 10,000 ft altitude

Engine Fan Drive Basic Factory Options - Required

3510 Standard Hydraulic Fan Drive No Added Cost

3520 Automatic Reversing Hydraulic Fan \$1,509.00

Fuel Filtration Field Installed Attachments - Optional

9060 Severe-Duty Fuel Filter \$531.00

For use where fuel quality is questionable and/or additional water separation is required. Filter base contains fuel heater.

Exhaust Field Installed Attachments - Optional

9065 Chrome Exhaust \$520.00

Miscellaneous Field Installed Attachments - Optional

9070 Fluid Sample Ports \$336.00

9075 Quick Service Bank for Transmission, Hydraulic, Engine oil & Engine Coolant Fluid changes \$900.00

Remote service banks are located inside engine and tank compartments; utilizes industry standard quick disconnect couplers.

Coolant Heater Field Installed Attachments - Optional

9530 Coolant Heater, Electric \$144.00

120 Volt

Air Pre-Cleaner

Field Installed Attachments - Optional

9130 Engine Air Precleaner - Rotary \$501.00  
 Intended for high dust applications to extend engine air filter life. Not required in most applications; will negatively impact over-hood visibility.

PACKAGES

Dozer Configuration

Basic Factory Options - Required

1055 XLT PAT (Extra Long Track Power - Angle - Tilt) Dozer No Added Cost  
 1778 mm (70 in.) Gauge - 7 Roller Track Frame

1075 LGP PAT (Low Ground Pressure Power - Angle - Tilt) Dozer \$1,332.00  
 1981 mm (78 in.) Gauge - 7 Roller Track Frame

UNDERCARRIAGE

Track Shoes and Chain

Basic Factory Options - Required

4671 24 Inch (610 mm) Moderate Service Shoes - Extended Life Undercarriage (\$1,694.00)  
 Sealed and Lubricated Track (SALT) with SC2 Bushings

4555 22 Inch (559 mm) Moderate Service Shoes - Heavy Duty Undercarriage (\$7,274.00)  
 Sealed and Lubricated Track (SALT)

4570 24 Inch (610 mm) Moderate Service Shoes - Heavy Duty Undercarriage (\$7,211.00)  
 Sealed and Lubricated Track (SALT)  
 Availability for this track option is limited and may exceed standard lead time.

4590 30 Inch (762 mm) Moderate Service Shoes - Heavy Duty Undercarriage (\$6,547.00)  
 Sealed and Lubricated Track (SALT)

4655 22 Inch (559 mm) Moderate Service Shoes - Extended Life Undercarriage (\$2,064.00)

	Sealed and Lubricated Track (SALT) with SC2 Bushings	
4690	30 Inch (762 mm) Moderate Service Shoes - Extended Life Undercarriage Sealed and Lubricated Track (SALT) with SC2 Bushings	(\$760.00)
4755	22 Inch (559 mm) Moderate Service Shoes - Max Life Undercarriage Sealed and Lubricated Track (SALT) with SC2 Bushings and larger track links, rollers and idlers.	No Added Cost
4770	24 Inch (610 mm) Moderate Service Shoes - Max Life Undercarriage Sealed and Lubricated Track (SALT) with SC2 Bushings and larger track links, rollers and idlers. Availability for this track option is limited and may exceed standard lead time.	\$645.00
4790	30 Inch (762 mm) Moderate Service Shoes - Max Life Undercarriage Sealed and Lubricated Track (SALT) with SC2 Bushings and larger track links, rollers and idlers.	\$1,340.00

**BLADE**

Dozer Blade

Basic Factory Options - Required

All Blades include Straight End Bits and Bolt-On Cutting Edges.  
Blades are not installed, but shipped with Crawler Dozer.

7074	PAT Blade - 121 Inch (3078 mm) Requires code 1055 (XLT PAT) 3.4 cu. m (4.4 cu. yd.) capacity	\$4,589.00
7078	PAT Blade - 127 Inch (3231 mm) Requires code 1055 (XLT PAT) 3.5 cu. m (4.6 cu. yd.) capacity	\$4,819.00
7095	PAT Blade - 133 Inch (3383 mm) Requires code 1075 (LGP PAT) 3.6 cu. m (4.8 cu. yd.) capacity	\$5,749.00
7098	PAT Blade - 145 Inch (3688 mm) Requires code 1075 (LGP PAT) 3.9 cu. m (5.1 cu. yd.) capacity	\$6,267.00

**HYDRAULICS**

Hydraulics for Dozer Blade and Attachments

Basic Factory Options - Required

7750	3 Function Electro-Hydraulics (EH) for Power-Angle-Tilt (PAT)	No Added Cost
------	---	---------------

Does not include auxiliary hydraulics

7760 4 Function Electro-Hydraulics (EH) for Power-Angle-Tilt (PAT) \$1,440.00  
 Includes auxiliary plumbing for rear implement

Hydraulic Pump Basic Factory Options - Required

7925 Standard Hydraulic Pump No Added Cost

7985 Thru Drive Hydraulic Pump for use with Direct Drive (PTO) Winch \$530.00  
 For use with Deere 4000S Winch (mechanical drive)  
 Includes external spline for driveshaft.

Greases, Fuel, Oil, & Coolant Basic Factory Options - Required

8010 Hydraulic And Hydrostatic Oil - Hydrau No Added Cost  
 Standard Factory Fill.  
 Provides All-Season capability in ambient temperatures ranging from -25C (-13F) to 50C (122F).

8020 Hydraulic and Hydrostatic Oil - Hydrau XR, Final Drive Oil - Low Vis Hygard \$578.00  
 Optional Factory Fill.  
 Intended for colder climates with extreme cold ambient temperatures, provides All-Season capability in ambient temperature ranging from -40C to 40C (-40F to 104F).

Winch Field Installed Attachments - Optional

9401 Model 4000 Standard Speed Winch - Power In, Freespool Out \$20,019.00

9402 Model 4000 Standard Speed Winch - Power In, Power Out \$22,592.00

9410 Winch Fairlead, Four Roller \$3,938.00

Hydraulics Field Installed Attachments - Optional

BYT11898 EH Control & Plumbing for Rear Mechanical Winch - Power In/Power Out - Field Kit \$2,109.00  
 Includes joystick, driveshaft, winch control valve, and accumulator for installing a 4000 Series winch. Machine must be equipped with Thru Drive Hydraulic Pump for use with Direct Drive (PTO) Winch (code 7985). Also order BYT11922 for auxiliary plumbing to winch.  
 Mounting brackets should be sourced separately - see service parts.

BYT11899 EH Control & Plumbing for Rear Mechanical Winch - Power In/Freespool Out - Field Kit \$1,394.00  
 Includes joystick, driveshaft, and winch control valve for installing a 4000 Series winch. Machine must be equipped with Thru Drive Hydraulic Pump for use with Direct Drive (PTO) Winch (code 7985). Also order BYT11922 for auxiliary plumbing to winch.  
 Mounting brackets should be sourced separately - see service parts.

BYT11900 Auxiliary Valve Section - Field Kit \$344.00  
 Includes joystick and hydraulic valve section for auxiliary function.

BYT11921 Auxiliary Plumbing for Rear Attachment - Field Kit \$233.00  
 Plumbing to rear of machine for rear attachments.

BYT11922 Auxiliary Plumbing for Winch - Field Kit \$450.00  
 Plumbing to rear of machine for winch.

BYT11991 Auxiliary Plumbing for Rear Attachment - Field Kit \$314.00  
 Plumbing to rear of machine for rear attachments.

OPERATOR'S STATION AND CONTROLS

Canopy or Cab Basic Factory Options - Required

5025 Canopy with Under-Seat Heater No Added Cost

5085 Cab With Roof Mounted Air Conditioner/Heater \$22,995.00

Seat Basic Factory Options - Required

5855 Air Suspension Comfort Control High Back Vinyl Seat No Added Cost



Vinyl-covered high-back seat includes pan tilt, pan extend, lumbar adjustment and air suspension with full damping capability. 3 in. (76 mm) retractable seat belt. Requires Code 5025.

5885 Deluxe Seat, Cloth with Air Suspension \$662.00

Fabric-covered high-back seat includes pan tilt, pan extend, lumbar adjustment and air suspension with full damping capability. 3 in. (76 mm) retractable seat belt.

5890 Premium Seat, Heated and Ventilated with Air Suspension \$1,020.00

Leather-accented high-back seat includes pan tilt, pan extend, lumbar adjustment and air suspension with full damping capability. 3 in. (76 mm) retractable seat belt.

Radio Field Installed Attachments - Optional

9501 Premium Radio with Bluetooth \$1,120.00

AM/FM/Weather Band (WB) Radio with Bluetooth, Remote Aux and Remote USB Port

Mirrors Field Installed Attachments - Optional

9365 External Mounted Rear Attachments Mirror \$133.00

Miscellaneous Field Installed Attachments - Optional

9503 Automatic Temperature Control \$530.00

HVAC system automatically adjusts temperature and fan speed to meet desired in-cab temperature.

9505 Fire Extinguisher Bracket \$71.00

Bracket in cab to securely stow 2.5 lbs fire extinguisher.

9454 Full Screens for Cab \$8,250.00

Factory designed/installed option. Includes side screens, rear screen, door screens, front screen, and AC condenser guard. For limb risers, order code 9142.

9455 Rear Screen for Cab \$1,815.00

Factory designed/installed option

9450 Rear Screen for Canopy \$1,415.00

JOHN DEERE WORKSIGHT™

Machine Connectivity

Basic Factory Options - Required

Machine connectivity functions require cellular coverage. Usage of JDLink System requires customer's acceptance of the terms of the John Deere Telematics System Contract.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

170K	JDLink™ Includes integrated cab wiring harness, antenna, and JDLink™ Modem (MTG).  JDLink™ connectivity is enabled separately through the JDLink™ website. Connectivity service is subject to country availability.	No Added Cost
------	--	---------------

170R	JDLink™ Satellite Includes integrated cab wiring harness, antenna, JDLink™ Modem's (Cellular MTG & Satellite MTG).  JDLink™ connectivity is enabled separately through the JDLink™ website. Connectivity service is subject to country availability.	\$3,000.00
------	---	------------

Grade Control

Basic Factory Options - Required

2502	SmartGrade Ready including Slope Control SmartGrade Ready includes harnesses, sensors, and controls to enable a future upgrade to SmartGrade 3D Mastless Grade Control using field kit.  Slope Control automatically controls the cross slope and/or mainfall angle without the need for additional equipment (e.g. GNSS, laser reference, etc.). Grade information is displayed through the primary vehicle display.	\$6,400.00
------	--	------------

2503	SmartGrade 3D Mastless Grade Control including Slope Control Mastless 3D GNSS grade control system fully integrated into the cab and structures. Consists of dual-band radio that is capable of receiving both UHF and 915 MHz, sensors, integrated display and Topcon software compatible with Topcon file formats. Includes Auto SmartGrade which automatically adjusts the blade when encountering heavy loads, reducing track slip to improve fuel economy and prolong track life. Also includes Remote Display Access (RDA) and Wireless Data Transfer (WDT) for integrated connectivity and support.  Slope Control automatically controls the cross slope and/or mainfall angle without the need for additional equipment (e.g. GNSS, laser reference, etc.). Grade information is displayed through the primary vehicle display.	\$95,400.00
------	---	-------------

2575	No Grade Control Installed	No Added Cost
------	----------------------------	---------------

DESTINATION AND LANGUAGE

Operator's Manual and Decals Basic Factory Options - Required

2605 English Operator Manual No Added Cost

2610 Spanish Operator Manual No Added Cost

2615 French Operator Manual No Added Cost

Shipping Preparation Field Installed Attachments - Optional

9909 Non-Export Rust Preventive Coating \$151.00  
 Coating protects exposed unpainted surfaces from road salt during shipment.

FRAME

Grille Field Installed Attachments - Optional

9325 Heavy Duty Grille \$552.00  
 Reinforced plate grille for increased protection of cooling fan.

ELECTRICAL

Work Lights Field Installed Attachments - Optional

9166 Premium LED Light Package \$1,300.00  
 6 high output LED lights (16,800 lumens) replace the 4 standard halogen lights.

12 Volt Power Field Installed Attachments - Optional

9370	2nd - 12 Volt Power Port	\$224.00
------	--------------------------	----------

Miscellaneous	Field Installed Attachments - Optional
---------------	--

9180	Engine Compartment Light	\$114.00
------	--------------------------	----------

Beacon Lighting	Field Installed Attachments - Optional
-----------------	--

9521	Beacon Light	\$295.00
------	--------------	----------

RIPPER

Ripper	Field Installed Attachments - Optional
--------	--

9191	Heavy Duty Parallelogram Ripper with 5 Shank Pockets and (3) Shank/Teeth Requires code 7760 (4 Section PAT Valve) Not for use with other Rear Attachment	\$16,916.00
------	--	-------------

HITCHES

Hitches	Field Installed Attachments - Optional
---------	--

9340	Retrieval Hitch w/ Single Rear Counterweight 501 kg (1106 lb.) Not for use with other rear attachment	\$4,506.00
------	---	------------

9343	Retrieval Hitch w/o Rear Counterweight 31 kg (68 lb.) Not for use with other rear attachment	\$646.00
------	--	----------

WEIGHTS AND BALLASTING

Counterweight Field Installed Attachments - Optional

9345	Extended Rigid Drawbar with Single Rear Counterweight 562 kg (1240 lb.) Not for use with other rear attachment	\$5,514.00
9250	Single Rear Counterweight 469 kg (1035 lb.) Not for use with other rear attachment	\$3,913.00
9347	Extended Rigid Drawbar w/o Rear Counterweight 93 kg (205 lb.) Includes pin Not for use with other rear attachment	\$1,654.00
9430	Rigid Drawbar for use with Winch 33 kg (73 lb.) Only for use with winch	\$730.00

GUARDS

Guards Field Installed Attachments - Optional

9150	Full Length Rock Guards Recommended for applications in rock over 3 in. (76 mm) or sideslopes greater than 2:1. Not recommended for waste or other material packing applications.	\$2,100.00
9142	Limb Risers (Sweeps) Factory designed/installed option	\$3,650.00
9139	LGP Final Drive Guard	\$660.00
9460	Condenser Guard	\$1,550.00

MISCELLANEOUS

Miscellaneous Field Installed Attachments - Optional

## Frame Attachment

## Field Installed Attachments - Optional

BYT11009	Front Counterweight, 317 Lb. (144 Kg) - Field Kit Includes mounting hardware.	\$1,125.00
BYT11049	Heavy Duty Parallelogram Ripper with 5 Shank Pockets and (3) Shank/Teeth - Field Kit Requires 4 Function Hydraulics and Auxiliary Plumbing.	\$16,014.00

## Guards

## Field Installed Attachments - Optional

BYT11738	Limb Risers (Sweeps) - Field Kit Factory designed arched limb risers.	\$3,535.00
BYT11937	Rear Screen for Canopy	\$952.00
BYT11936	Rear Screen for Cab Requires machine to be equipped with code 5085.	\$1,733.00
BYT11935	Full Enclosure Cab Screens	\$7,828.00
BYT12041	Condenser Guard Field Kit	\$1,050.00
BYT12272	Rear Tank Fender Guard	\$2,892.00

## Overall Vehicle

## Field Installed Attachments - Optional

BYT11081	Severe Duty Fuel Filter - Field Kit For use where fuel quality is questionable and/or additional water separation is required. Filter base contains fuel heater.	\$434.00
BYT11205	Engine Air Precleaner - Rotary - Field Kit	\$507.00

Intended for high dust applications to extend engine air filter life. Not required in most applications; will negatively impact over-hood visibility.

Powertrain & Cooling

Field Installed Attachments - Optional

BYT11879 Automatic Reversing Hydraulic Fan - Field Kit \$1,464.00

BYT11882 Quick Service Bank for Transmission, Hydraulic, Engine Oil & Engine Coolant Fluid Changes - Field Kit \$732.00  
Remote service banks are located inside engine and tank compartments; utilizes industry standard quick disconnect couplers.

Winches

Field Installed Attachments - Optional

BYT12229 Rear Winch Mounting Kit with Rear Aux \$5,492.00  
For use with 700L.  
Required to install 4000 series winch with provisions for hydraulic rear aux ports. Contains the mounting weldment, vent line, driveshaft, driveshaft yoke with U-Joint clamps, harness, and a bracket for the rear of the hydraulic pump. Does not include winch.

BYT12228 Rear Winch Mounting Kit without Rear Aux \$5,493.00  
For use with 700L  
Required to install 4000 series winch that does not require installation of hydraulic rear aux ports. Contains the mounting weldment, vent line, driveshaft, driveshaft yoke with U-Joint clamps, harness, and a bracket for the rear of the hydraulic pump. Does not include winch.

BYT12231 Rear Aux Joystick Control Kit \$372.00  
For use with 700L.  
Joystick control for winch installation on units not built with 4th function valve.

BYT12204 Model JD4000 Standard Speed Winch - Power In, Power Out Field Kit \$11,162.00  
For use with 700L.  
Complete installation requires winch, mounts and controls.  
Winch only, winch mounting kit is required in addition to this kit for complete installation on 700L. BYT12228 or BYT12229 is required. Accumulator Kit is also required to complete installation, BYT12230 must be ordered.

BYT12203 Model JD4000 Standard Speed Winch - Power In, Free Spool Out Field Kit \$10,317.00  
For use with 700L  
Complete installation requires winch, mounts and controls.  
Winch only, winch mounting kit is required in addition to this kit for complete installation on 700L. BYT12228 or BYT12229 is required.

PACCAR Winch Div

Field Installed Attachments - Optional

Contact PACCAR for below Winch installation instructions  
(Carco Winch)

800 E. Dallas, P.O. Box 547  
 Broken Arrow, OK 74013-0547  
 Phone: 918-251-8511  
 www.paccarwinch.com

AT523204	50B PTO Winch - Standard Speed	\$41,463.00
----------	--------------------------------	-------------

AT523203	H50 HYSTAT Winch	\$35,573.00
----------	------------------	-------------

AT523205	50B PTO Winch - Slow Speed	\$41,463.00
----------	----------------------------	-------------

Grade Control	Field Installed Attachments - Optional
---------------	--

BYT10712	Trimble Ready Installation Field Kit (Y 2502, Y 2575); Kit for use with Trimble Earthworks, mastless grade control system.	\$16,970.00
----------	---	-------------

BYT10713	Leica Ready Installation Field Kit (Y 2502, Y 2575); Kit for use with Leica's iCON 3D, masted grade control system.	\$13,570.00
----------	--	-------------

BYT11894	Machine Monitor and Topcon Grade Control Monitor Swap Kit (700L & 750L) Kit for 700L & 750L swaps the location of machine and grade control displays to provide better visibility to the grade control display.	\$480.00
----------	--	----------

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.