

**JOHN DEERE**

Current Date 11Jan2021

710L BACKHOE LOADER

710L Standard Equipment

ENGINE:

John Deere PowerTech EWL
4.5L Turbocharged
4-Cylinder Engine
Serpentine Belt with
Automatic Belt Tensioner
Vertical Spin-On Engine Oil
Filter
Primary and Secondary Spin-
on Fuel filter with Water
Separator
Dual Safety Element Dry-
Type Air Cleaner With
Evacuator Valve
Vertical Curved Exhaust
Stack
Exhaust Aftertreatment
System
COOLING SYSTEM:
Engine Radiator
Engine Coolant -40 Degrees
F (-40C)
Coolant Recovery Tank with
Low Level Indicator
Cooling Fan with Fan Guard
Oil-to-Water Engine Oil
Cooler
Oil to Air Hydraulic Oil Cooler
Oil to Air Transmission Oil
Cooler
Fold-Out Hinged Cooling
System
High Ambient Temperature
Engine Coolant
POWERTRAIN:
Powershift Transmission with
Torque Converter
Auto-Shift Feature (On/Off)
Vertical Spin-on
Transmission Filter
Single Electric Transmission
Control Lever
(Forward/Neutral/Reverse)
with integrated gear
selection & horn
Electronic Transmission

HYDRAULICS:

52 GPM (197 L/m) Axial
Piston Pump - PCLS Closed
Center system
Dedicated Hydraulic
Reservoir
6 Micron Spin-On
Replaceable Element
"O" Ring Face Seal
Connectors
Circuit Relief Valve
Protection
Economy Mode
Auto Idle
Lift Mode Provides up to
15% Additional Cranning
Capacity
BACKHOE:
17 Ft. 3 In. (5.26 m) Digging
Depth (Extendible
Dipperstick,
Retracted)
Backhoe Transport Lock
Lever
Swing Locking Pin Stored in
Op. Station
2-Lever Pilot Controls with
Pattern Selection Reversible
Pad
Stabilizer Feet with
integrated lock Stabilizer
Valve with
Two-Direction Anti-Drift
Valves
Less Bucket with Bucket Pins
Backhoe boom includes
mounting hole for optional
boom protection
plate.
LOADER:
Return-To-Dig Feature
Bucket Level Indicator
Hydraulic Self-Leveling (anti-
spill)
Single Lever Control with
Electric Clutch Cut-off Switch

Slip-Resistant Steps and
Ergonomically Located
Handholds (Conforms to
SAE J185)
Seat, Deluxe Deep Foam,
Vinyl Cover, High Back with
Adjustable:
Suspension for
Weight/Height
Fore-Aft
Lumbar Adjustments
Flip-up Arm Rests
3 In. Orange Seat Belt with
Retractor
Tilt Steering
Fuel Gauge
Engine Coolant Temperature
Gauge
Transmission Oil
Temperature Gauge
Electric Monitor System with
Audible and Visual Warning:
Air Cleaner restriction
Low Alternator Voltage
Engine Oil Pressure
Hydraulic Filter Restriction
Park Brake On-Off
Low Brake Pressure
Seat Belt
Engine Coolant Temperature
Fuel
Electric Hourmeter/
Tachometer / Voltmeter
Machine Diagnostics
Sealed Switch Module
Keyless Start
Machine Security
12 Volt Outlets (1)
Horn (Conforms to SAE
J994, J1446)
Interior Rearview Mirror
(Conforms to SAE J985)
Rotary Hand Throttle
Suspended Foot Throttle
Operator's Manual Storage
Compartment

<p>Controller with On-board Diagnostics Rigid Mounted Rear Axle with 4-Planet Final Drive Differential Lock, Foot Switch Activated, Protection On/Off Mechanical Limited Slip Front Wheel Drive Hydrostatic Power Steering with Emergency Manual Mode Power-Assisted Hydraulic Service Brakes Inboard, Wet Disc, Self-Adjusting and Self-Equalizing (Conforms to ISO 3450) Power-Assisted Hydraulic Service Brakes Inboard, Wet Disc, Self-Adjusting and Self-Equalizing (Conforms to ISO 3450) Parking/Emergency Brake: Independent of Service Brakes (Conforms to ISO 3450) Spring Applied, Hydraulically Released, Wet Multi-Disc</p>	<p>Less Bucket with Bucket Pins Loader Boom Service Lock High-Visibility Loader Arms ELECTRICAL: 12 Volt System 160 Amp Alternator (4) Four Front Driving/Working, (4) Four Rear Working and (2) Side Docking Halogen Lights (32,500 Candlepower Each) (2) Front and (2) Rear Turn Signal/ Flashing (2) Rear Stop and Tail (2) Rear Reflectors Blade Type Multi-Fused Circuits Dual Batteries with 360 Min. Reserve Capacity (1850 CCA) Pre-wired for Rotating Beacon By-Pass Start Safety Cover on Starter Positive Terminal Battery Covers OPERATOR STATION: Modular-design ROPS/FOPS (Level 2) canopy with molded roof (meets ISO 3449 and ISO 3471/SAE J1040): Isolation mounted Left and Right Front Access</p>	<p>Integrated Cup Holder with Form Fitting Rubber Insert Lockable Right Hand Storage Coat Hook OVERALL VEHICLE: (2) Front and (2) Rear Built-In Tie Downs One Piece Unitized Construction Mainframe 600 lb. (272 Kg.) Auxiliary Counterweight Dent Resistant Rear Fenders Vandal Protection Locking for: Engine Hood Tool Box 46 Gal. (174.1 L) Fuel Tank Hydraulic Reservoir DEF Tank Instrument Panel 4.3 Gal. (16.3 L) DEF Tank Reverse Warning Alarm 21L - 28 In. 18 PR Rear & 15 - 19.5 In. 12 PR Front Tires Ground Level Fueling Remote Grease Bank for Front Axle Tilt Hood with (2) Service Positions JDLink Ultimate in Approved Countries</p>
--	--	--

Required - You must select one from each category

BASE MACHINE

Description	Code	Price
710L BACKHOE LOADER	0AC1T	\$213,434.00



OPERATOR'S MANUAL AND DECALS

Description	Code	Price
English Decals with English Operator and Safety Manuals	2401	No Added Cost

English decals installed and English operator's manual.
Requires engine code 1065.

English Decals with Spanish Decals and Manuals Separate	2403	No Added Cost
---	------	---------------

English decals installed with Spanish decal packet included with English and Spanish operator's manual.
Requires engine code 1065.

2404 No Added Cost

English Decals with French Decals and Manuals Separate

English decals installed with French decal packet included with English and French operator's manual.
Requires engine code 1065.



MACHINE CONNECTIVITY

Machine connectivity functions require cellular coverage. Usage of JDLINK System requires customer's acceptance of the terms of the John Deere Telematics System Contract.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

Description	Code	Price
JDLINK Ultimate 5 Year Subscription	170C	No Added Cost

Includes JDLINK hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and now includes all Ultimate Connectivity features - Wireless Data Transfer (WDT) enabling automatic data transfer from TimberMatic and Waratah H16 Measuring Systems to TimberManager and MyJohnDeere, supporting TimberOffice 5 Software. Additionally, Ultimate now includes Limited Internet features supporting optional ForestSight Solutions such as advance mapping systems and Remote Display Access (RDA) features supported by TeamViewer applications. JDLINK utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLINK hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLINK customer account must be created to access JDLINK Ultimate data. Go to www.StellarSupport.com to renew or update JDLINK subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

JDLINK Ultimate Dual 5 Year Subscription	170J	\$2,233.00
--	------	------------

Includes JDLINK hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and now includes all cellular dependent Ultimate Connectivity features - Wireless Data Transfer (WDT) enabling automatic data transfer from TimberMatic and Waratah H16 Measuring Systems to TimberManager and MyJohnDeere, supporting TimberOffice 5 Software. Additionally, Ultimate Dual now includes Limited Internet features supporting optional ForestSight Solutions such as advance mapping systems and Remote Display Access (RDA) features supported by TeamViewer applications when cellular signal is available. JD Link Ultimate Dual works with the 4G LTE MTG to automatically transmit compressed summary data over a satellite network when a cellular network is not available. JDLINK utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLINK hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLINK customer account must be created to access JDLINK Ultimate data. Go to www.StellarSupport.com to renew or update JDLINK subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software

agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

FRONT AXLE AND TRANSMISSION

Description	Code	Price
2 Wheel Drive Autoshift Transmission	3025	(\$8,406.00)

With AutoShift 5F/3R Transmission.
Autoshift can turned on/off in the SSM. When Autoshift if off, Backhoe will operate with Powershift transmission.

Mechanical Front Wheel Drive (MFWD) with Limited Slip Differential Autoshift Transmission	3095	No Added Cost
---	------	---------------

4F/3R Autoshift Transmission.
Autoshift can turned on/off in the SSM. When Autoshift if off, Backhoe will operate with Powershift transmission.

OPERATOR'S STATION

Description	Code	Price
Canopy (ROPS/FOPS)	2015	No Added Cost

Isolation mounted Modular design ROPS/FOPS Level 2 (meets ISO 3449 & ISO 3471 / SAE J1040) Molded roof.
Molded floor mats is optional.
Keyless Start.
Deluxe Mechanical Suspension Deluxe, Vinyl, Swivel Seat with Lumbar Adjustment and Arm Rests, Fully Adjustable.
3 In. Retractable Seat Belt.
(2) front driving/working halogen lights - 32,500 Candlepower Each
(2) rear working halogen lights - 32,500 Candlepower Each
(6) additional work roof lights adds 2 front, 2 rear and 1 on each side of roof
(4) turn signal/flashing/rear stop/tail lights - 2 front and rear
(2) rear reflectors

Cab	2035	\$13,933.00
-----	------	-------------

Isolation mounted Modular design ROPS/FOPS Level 2 (meets ISO 3449 & ISO 3471 / SAE J1040) Molded roof.
Tinted safety glass.
Deluxe interior trim.
Headliner.
Molded floor mats.
Less radio (Cab includes power connector for radio and threaded bosses for mounting brackets - see radio kit installation instructions).
Air Conditioning 26,000 BTU.
CFC free R134a refrigerant.
Heater/defrosters/pressurizer, 40,000 BTU, 10 speed.
Deluxe Mechanical Suspension, Cloth, Swivel Seat with Lumbar Adjustment and Arm Rests, Fully Adjustable.
Keyless Start.
3 inch Orange Seat Belt with retractor.
Tilt Steering Wheel.
Interior Rearview Mirror.
Front 2-speed wiper with windshield washer and rear 1-speed wiper.
(2) front driving/working halogen lights - 32,500 Candlepower Each
(2) rear working halogen lights - 32,500 Candlepower Each
(6) additional work roof lights adds 2 front, 2 rear and 1 on each side of

roof
(4) turn signal/flashing/rear stop/tail lights - 2 front and rear
(2) rear reflector

See Order As Desired codes for additional Cab options not included in standard Cab (i.e. Air Suspension Seat, Radio, Sun Visor).

WHEELS AND TIRES

Orders with custom codes are exempt from order response targets. Not all custom codes may be published. If there are specific configuration needs that you don't see available, please contact Dealer Marketing Assistance Center (DMAC): (563) 589-6660. DMAC can also provide assistance in referring Dealers to aftermarket options for customized attachments and field kit installations.

Description	Code	Price
<u>For use with MFWD</u>		
Galaxy 21L-28 18PR Rear & 15-19.5 12PR Front Tires	4472	No Added Cost
Requires axle code 3095.		
Galaxy 20.5-25 18PR Rear & 15-19.5 16PR Front Tires	4478	No Added Cost
Requires axle code 3095.		
Custom Code - FIRESTONE 20.5-25 L-2 16 PR Rear & 15-19.5 SS-1 12 PR Front Tires	48K2	\$2,998.00
Requires axle code 3095.		
<u>For use with 2 Wheel Drive</u>		
Galaxy 20.5-25 16PR Rear & 14.5/75-16.1 16PR Front Tires	4438	No Added Cost
Requires axle code 3025.		

BATTERIES

Description	Code	Price
Dual Maintenance Free Batteries	8675	\$481.00
350 Minute Reserve Capacity (1900 CCA). Recommended for temperatures below 32 degrees F (0 degrees C).		
Dual Maintenance Free Batteries With Disconnect and Jump Post	8685	\$544.00
350 Minute Reserve Capacity (1900 CCA). Recommended for use in ambient temperatures BELOW 32 degrees F (0 degrees C).		

BACKHOE DIPPERSTICK

Description	Code	Price
Standard Dipperstick	6010	No Added Cost
Includes extended stabilizer legs.		
	6020	\$10,722.00

Extendible Dipperstick

Includes extended stabilizer legs.
Requires code 8490 counterweight.

▼ BACKHOE AUXILIARY HYDRAULICS

Description	Code	Price
No Auxiliary	6210	No Added Cost

Requires code 6020.

Auxiliary Hydraulic with One Way Flow (Hammer)	6220	\$5,401.00
--	------	------------

Includes plumbing to end of dipperstick.

Auxiliary Hydraulic with One & Two Way Flow (Hammer & Thumb/Swinger)	6230	\$8,583.00
--	------	------------

Includes plumbing to end of dipperstick for one way flow valve.
Less plumbing for two way flow valve.

Auxiliary Hydraulic with Two Way Flow	6240	\$200.00
---------------------------------------	------	----------

Requires standard dipperstick code 6010.
Includes left foot pedal for operation of 2-way flow auxiliary circuit with mechanical control (code 5225) or activation of left thumb roller if equipped with pilot controls (code 5285).
Does not include plumbing or relief valves.
Plumbing field kit (AT194368) can be used to provide relief valves and instructions for fabricating required hoses.

▼ BACKHOE CONTROLS

Description	Code	Price
Pilot Controls, Two Lever, with Pattern Selection	5285	No Added Cost

▼ BACKHOE BUCKETS

For Deere buckets:
All buckets include lift holes.
Fanggs teeth are standard on HD buckets.
Fabricated teeth are standard on regular buckets.

Description	Code	Price
Less Backhoe Bucket with Bucket Pins	5600	No Added Cost

24" (610 mm) Wide, Heavy-Duty, 11.0 Cu. Ft. (0.31 M3) Capacity Bucket	5696	\$2,478.00
---	------	------------

Bucket includes TK Teeth.

30" (762 mm) Wide, Heavy-Duty, 15.0 Cu. Ft. (0.42 M3) Capacity Bucket	5736	\$2,650.00
---	------	------------

Bucket includes TK Teeth.

36" (914 mm) Wide, Heavy-Duty, 18.8 Cu. Ft. (0.53 M3) Capacity Bucket	5776	\$3,092.00
---	------	------------

Bucket includes TK Teeth.

LOADER BUCKETS

Loader Buckets include Skid Plates and Lift Hooks unless stated otherwise.

Description	Code	Price
Less Loader Bucket with Pins for Buckets or Front Attachments	7600	No Added Cost

Old Style pins will be necessary with older buckets and attachments.

Pin-On Loader Buckets

Requires codes 7025 or 7080 Loader Hydraulics.

Wide Multipurpose Bucket	7685	\$7,278.00
--------------------------	------	------------

1.3 Cu. Yd. (1.0 Cu. M.), 96 in. (2.44 M).
Requires Code 7080, Three Function Hydraulics.
Includes reversible cutting edge for moldboard and back of clamshell.
Does not include front bolt-on cutting edges or skid plates.
Pre-Punched for (8) tooth shanks OR T126774 Reversible Bolt-On Cutting Edge.
Two built-in lift loops.

Multipurpose Bucket with Bolt On Teeth	7696	\$7,998.00
--	------	------------

1.375 Cu. Yd. (1.00 Cu. M.) Multipurpose Bucket - 96 In. (2.44 M) with Two Lift Loops.
Requires code 7080 hydraulics.
Includes reversible cutting edge for moldboard and back of clamshell.
Does not include skid plates or front bolt-on cutting edge.

1.62 Cu. Yd. (1.24 Cu. M.) Bucket 96 Inch (2.44 M.)with Auxiliary Cutting Edge and Skid Shoes	7665	\$4,374.00
---	------	------------

1.87 Cu. Yd. (1.43 Cu. M.) Bucket with Bolt-On Cutting Edge and Skid Plates	7680	\$5,329.00
---	------	------------

96 in. (2.44 m) wide.
Includes Reversible Bolt-On Cutting Edge.
Two built-in lift loops.
Includes Ride Control.

Coupler Loaders Buckets

Requires codes 7035 or 7085 Loader Coupler

Less Coupler Bucket	7605	No Added Cost
---------------------	------	---------------

2.0 cu.yd. (1.5 cu. m.) Coupler Bucket with Bolt-on Cutting Edge and Skid Plates with 2 Lift Loops	7695	\$5,654.00
--	------	------------

96 in. (2.44 m) wide
Includes Reversible Bolt-On Cutting Edge with Skid Plates and two built-in lift loops.

LOADER CONTROLS

All selections come with Return to Dig feature.

Description	Code	Price
Two-Function Loader Hydraulics, Single Lever	7025	No Added Cost
Single lever loader control with electric clutch disconnect and momentary MFWD. Includes Ride Control.		
Loader Coupler, 2-Function Hydraulics, Single Lever	7035	\$7,002.00
Includes Auto Ride Control, option 9115. Single lever loader control with electric clutch disconnect and momentary MFWD. Will accept G, J, K and L-Series loader coupler buckets		
Three-Function Loader Hydraulics, Single Lever	7080	\$3,268.00
Single lever loader control with electric clutch disconnect, momentary MFWD, transmission quick-shift, and electro-hydraulic auxiliary control. For multi-purpose bucket and front attachments. Includes valve with circuit relief and 5 In. (12.7 mm) hoses and steel lines to loader cross tube.		
Loader Coupler, 3-Function Hydraulics, Single Lever	7085	\$9,267.00
Includes Auto Ride Control, option 9115. Single lever loader control with electric clutch disconnect, momentary MFWD, transmission quick-shift, and electro-hydraulic auxiliary control. For multi-purpose coupler bucket and front attachments. Includes valve with circuit relief and .5 in. (12.7 mm) hoses and steel lines to loader cross tube. Will accept G, J, K, and L-Series loader coupler buckets.		

COUNTERWEIGHT

Description	Code	Price
600 lbs. (272 kg.) Counterweight	8480	No Added Cost
Recommended for backhoe with a standard dipperstick or backhoe with a front loader coupler.		
1500 lbs. (680 kg.) Counterweight	8490	\$1,721.00
Recommended for extended backhoe or a backhoe with pin-on standard loader bucket.		

ENGINE

Description	Code	Price
John Deere PowerTech EWL 4.5L (276 Cu. In.) Engine Meets Final Tier 4 and Stage IV Emissions	1065	\$9,363.00
Net Peak Power of 148 Hp. For use only in areas where EPA Final Tier 4/EU Stage IV is required.		
SeriesTurbocharged. Wet Sleeve Cylinder Liners. 4 Valves / Cylinder. Electronically Controlled HPCR Fuel Delivery System, B20 Biodiesel		

Compatible.
Serpentine Belt with Automatic Belt Tensioner.
Enclosed Safety Fan Guard.
Vertical Spin-On Engine Oil Filter.
Spin-On Fuel Filter with Water Separator.
Dual Safety Element Dry-Type Air Cleaner with Evacuator Valve.
Underhood Exhaust Filter and Catalysts (DOC, DPF, and SCR).
Automatic Exhaust Filter Regeneration.
Diesel Exhaust Fluid (DEF) Injection System.
Glow Plugs.
Electronically controlled, variable-speed cooling fan.

Optional - Select as desired**OPERATOR'S STATION**

Orders with custom codes are exempt from order response targets. Not all custom codes may be published. If there are specific configuration needs that you don't see available, please contact Dealer Marketing Assistance Center (DMAC): (563) 589-6660. DMAC can also provide assistance in referring Dealers to aftermarket options for customized attachments and field kit installations.

Description	Code	Price
Front View Mirror	9060	\$82.00
Headliner - Canopy	9117	\$149.00
Tilt Steering - Canopy	9118	\$561.00
Floor Mat - Canopy	9119	\$374.00
Left Side Console Storage with Cup Holders	9210	\$81.00
Radio, Bosch Premium Package	9916	\$1,356.00
AM/FM/Weather Radio, Bluetooth capable with microphone, 3.5mm auxiliary input, USB input, roof power port, roof storage compartment.		
Radio, Bosch Basic Package	9917	\$873.00
AM/FM/Weather Radio		
Sun Visor	9919	\$95.00
Exterior Rear View Mirrors (2)	9920	\$343.00
Seat, Cloth Air-Suspension	9965	\$503.00
For enclosed Cab.		
Seat, Cloth Air-Suspension - Heated	9970	\$994.00
For enclosed Cab.		
Seat, Vinyl Air-Suspension	9975	\$503.00
For open ROPS or enclosed Cab.		

**LIGHTING**

Description	Code	Price
	9905	\$588.00

Strobe Light with Magnetic Mount

Light is shipped loose in the cab.

LED Light Package	9116	\$1,053.00
-------------------	------	------------

Includes factory installed 2 LED spot lights and 8 LED flood lights in lieu of the standard halogen light package.

▼ **STABILIZER LEGS**

Orders with custom codes are exempt from order response targets. Not all custom codes may be published. If there are specific configuration needs that you don't see available, please contact Dealer Marketing Assistance Center (DMAC): (563) 589-6660. DMAC can also provide assistance in referring Dealers to aftermarket options for customized attachments and field kit installations.

Description	Code	Price
Heavy-Duty Stabilizer Pads	9947	\$462.00

Laminated and reinforced rubber, compressed on edge within the steel shoe for improved durability and wear performance.

Custom Code - Short Stabilizer Legs	90T1	\$3,546.00
-------------------------------------	------	------------

Transport width 93 in.---Operating width 13 ft, 5 in.

▼ **ENGINE**

Description	Code	Price
Chrome Exhaust Extension	9045	\$178.00

Engine Coolant Heater	9080	\$172.00
-----------------------	------	----------

120 Volt.
Includes 120-Amp Alternator.

▼ **OIL SAMPLING PORTS**

Description	Code	Price
Diagnostic Oil Sampling Ports	9515	\$207.00

Includes 4 ports:
Engine oil
Engine coolant
Transmission oil
Hydraulic oil

▼ **HYDRAULIC OIL**

Description	Code	Price
Hydraulic Fluid - Hydrau XR Synthetic Oil	9088	\$608.00

Intended for colder climates with extreme cold ambient temperatures down to -40C (-40F). Provides all-season capability in ambient temperatures ranging from -40C to 40C (-40F to 104F).

▼ **PAINT AND RUST PROTECTION**

Description	Code	Price
Finish Paint - Decals Not Installed	9800	\$165.00
Non-Export Rust Preventive Coating	9909	\$172.00
Coating protects exposed unpainted surfaces from road salt during shipment.		

ATTACHMENTS FOR FIELD CONVERSION

Description	Code	Price
<u>Backhoe Buckets</u>		
BKH Pin-On Bucket 18 In. (457 mm) Severe-Duty 7.5 Cu. Ft.	AT437354	\$3,674.00
BKH Pin-on Bucket 24 In. (610 mm) Heavy-Duty Bucket 11.0 Cu. Ft.	AT437355	\$3,351.00
BKH Pin-on Bucket 30 In. (762 mm) Heavy-Duty 14.5 Cu. Ft.	AT437357	\$3,541.00
BKH Pin-on Bucket 36 In. (914 mm) Heavy-Duty 18.0 Cu. Ft.	AT437359	\$3,846.00
BKH Pin-on Bucket 36 In. (914 mm) Severe-Duty 18.0 Cu. Ft.	AT437360	\$5,388.00
<u>Counterweight</u>		
Counterweight, Front, 1,500 lbs (680 kg)	AT458682	\$2,023.00
Counterweight, Front, 600 lbs (272 kg)	AT458681	\$1,002.00
<u>Engine</u>		
Environmental Drain Kit	AT393180	\$595.00
<u>Guards</u>		
Backhoe Boom Protection Plate, Bolt-On	AT333761	\$608.00
Average installation, 1.5 hours. * Bolts to underside of backhoe boom. * Recommended for rental, lease, thumbs/clamps, swingers, jaw buckets, and non-Deere attachments on couplers.		
Bottom Guard	AT465778	\$614.00
MFWD Wheel Fender Kit	AT439395	\$766.00
Stabilizer Guard	AT315225	\$873.00
<u>Hydraulics</u>		
Accu-Swing Kit for Backhoe	AT448456	\$492.00
Auxiliary Backhoe Hydraulic Plumbing Kit, Two-Way for Thumb, Clamp, Swinger or Jaw Bucket	AT194368	\$278.00

Average installation, 2 hours.
Includes two circuit reliefs, fittings, clamps and hardware.
For Low Flow intermittent usage.
Requires Dealer to make eight hoses per installation instructions.
Requires unit to have unused 5th, 6th or 7th 2 way hydraulic functions and foot pedal to activate.
Not required with factory thumb installation codes 9230 and 9235.

Auxiliary Loader Control Valve w/3 Function Hydraulics - 1 Lever for Multipurpose Bucket and Front Attachments	BYT11689	\$5,046.00
--	----------	------------

For use on 710L base machine code 0AC1T.
Must order applicable Software Part Number in JDPoint for Field Kit to function properly.

Controlled Lowering Device for Backhoe Boom Cylinder	AT431342	\$3,120.00
--	----------	------------

Meets ISO 8643.
To be used on a Boom in the retracted/locked position.
Kit includes load control valve, hoses, fittings, clamps, connectors and o-rings.

Controlled Lowering Device for Backhoe Dipper (Crowd) Cylinder	AT431343	\$2,556.00
--	----------	------------

Requires prior installation of AT431342 Controlled Lowering Device for Backhoe Boom Cylinder Kit. Meets ISO 8643. To be used on a standard and extendable dipper in the retracted/locked position. Load holding valve in the event of hose failure. Kit includes load control valve, hoses, fittings, clamps, connectors and o-rings.

Loader Coupler, Hydraulic	BYT10280	\$8,391.00
---------------------------	----------	------------

Selective Flow Control Kit (1 way flow for use with hammer or compactor)	BYT11701	\$1,759.00
--	----------	------------

For use on Backhoes with a Serial Number 390995 and Higher.
Selective flow control to the backhoe valve for switch control of auxiliary hydraulics.
Does not include plumbing kit.

Sixth Function Valve Kit (2 way flow for thumb swinger or grapple)	BYT11992	\$3,048.00
--	----------	------------

For use on Backhoes with a Serial Number 390995 and Higher.
Must order applicable Software Part Number in JDPoint for Field Kit to function properly.
Valve section and two hoses.
For use with Pilot Controls 5285.
If the machine is not equipped with single lever loader control (SLLC) and loader auxiliary, also order:
AT472332 Auxiliary Valve Controller (AVC)
AT432173 Wiring Harness
14M7303 Nut (Qty 4)
19M7775 Cap Screw M6 X 16 (Qty 4)

Lighting

6 inch Amber Warning Light with LED Beacon and Magnetic Roof Mounting Kit	AT313592	\$267.00
---	----------	----------

LED Flood Light Kit	AT445009	\$223.00
---------------------	----------	----------

LED Spot Light Kit	AT445010	\$223.00
<u>Loader Buckets</u>		
LDR Coupler Bucket 1.5 Cu. Yd. (1.15 Cu. M.) Heavy Duty Long Lip	AT308965	\$3,885.00
LDR Coupler Bucket 2.0 Cu. Yd. (1.5 Cu. M.) with Bolt-on Cutting Edge and Skid Plates with Two Lift Loops	AT309342	\$6,805.00
LDR Coupler Multi-Purpose Bucket 1.31 Cu. Yd. (1.0 Cu. M.) 96 In. (2.44 M.) wide with Two Lift Loops	BYT10709	\$8,161.00
LDR Pin-On Bucket 1.62 Cu. Yd. (1.24 Cu. M.) with Auxiliary Cutting Edge and Skid Plates	AT188049	\$4,464.00
LDR Pin-On Bucket 1.87 Cu. Yd. (1.43 Cu. M.) with Auxiliary Cutting Edge, Skid Plates & Two Lift Loops	AT188048	\$5,743.00
LDR Pin-On Multi-Purpose Bucket 1.31 Cu. Yd. (1.0 Cu. M.) 96 In. (2.44 M) wide with Two Lift Loops	BYT10706	\$7,927.00
<u>Miscellaneous</u>		
60 in. (1.52 m) Coupler Fork Frame Carriage w/ (2) 48 in. (1.219 m) Tines	BYT10664	\$5,499.00
60 in. (1.52 m) Coupler Fork Frame Carriage w/ (2) 60 in. (1.52 m) Tines	BYT10665	\$5,789.00
Jump Start and Battery Disconnect Kit	AT462684	\$247.00
Mounting kit for multi-purpose (ABC) Dry Chemical Fire Extinguisher	AT408903	\$100.00
Pivotable Beacon Bracket	AT451194	\$104.00
Rear Wiring Harness for Hammer, Auto Greaser	BYT10330	\$180.00
<u>Operator's Station</u>		
(2) External Rear View Mirrors	AT186155	\$293.00
Beacon/Strobe Ready Wiring Kit	AT313589	\$35.00
Canopy (ROPS/FOPS) to Quarter Cab Conversion Kit	BYT10250	\$405.00
Heated Seat Kit	BYT10673	\$270.00
License Plate Bracket	AT446496	\$59.00
License Plate Bracket and Light	AT187707	\$233.00
Mechanical to Air Seat Conversion	BYT10670	\$816.00
Mechanical to Air Seat Suspension	BYT10672	\$816.00
Operator Manual Tether Cables for ROPS or Cab	AT192032	\$28.00
Radio Auxiliary kit	AT451676	\$291.00
Radio, Basic Package	BYT10718	\$882.00

Radio, Basic Package	BYT11384	\$882.00
Radio, Premium Package	BYT11385	\$1,370.00
Radio, Premium Package	BYT10717	\$1,370.00
Slow Moving Vehicle Emblem	AT186288	\$115.00
Sun Visor	AT186307	\$96.00
Universal XM-Tuner Installation Kit	BYT11328	\$358.00
Includes hardware and brackets to add XM capability to radio.		
<u>Stabilizer Legs</u>		
Heavy Duty Stabilizer Pads	AT376410	\$467.00
Standard Stabilizer Street Pads	AT376409	\$234.00