

John Deere -2022 Price List
75G EXCAVATOR



JOHN DEERE

01-Mar-2022

Code	Description	QTY	List Price (USD)
------	-------------	-----	------------------

0091FF	75G EXCAVATOR	1	\$139,853.00
--------	---------------	---	--------------

ENGINE:

Yanmar 4TNV98C 3.3L - certified with EPA Final Tier 4 emissions
 57 SAE Net HP
 Direct Injection
 Antifreeze Protection to -34 degrees F (-37 degrees C)
 Single Dry-Type Air Filter
 Electric Fuel Shutoff
 Low-Noise Fan with Guard
 Full Flow Oil Filter
 Heavy-Duty Low Maintenance Batteries
 Fuel Filter
 Isolation Mounted
 Radiator/Oil Cooler Trash Screen
 50 Amp Alternator - 24 Volt
 Automatic Belt Tension Device
 Water Separator

HYDRAULICS:

Open Center with Two Variable Displacement Pumps
 Hydraulic Shut-Off Lever
 Hydraulic Pilot Controls
 Axial Piston Swing Motor
 Multiple Wet Disk Swing Brake
 Boom Reduced-Drift Valves
 Mechanical Pattern Changer
 Hand Controlled Proportional Auxiliary Hydraulics Plumbed to the
 End of the Boom

UNDERCARRIAGE:

450 mm (18 In.) Rubber Pad Track Shoes
 Front Track Guide
 Propel Motor Shield
 Planetary Final Drive
 Two-Speed Propel
 Axial Piston Propel Motor
 Back-fill Blade

UPPER STRUCTURE:

Rear-view Mirrors (right, left, and rear)
 Toolbox
 Vandal Locks for:
 Cab Door
 Service Doors
 Fuel Cap
 Hydraulic Reservoir
 Toolbox
 Work lights:
 One Mounted on Frame
 One Mounted on Boom
 Counterweight 2,877 lbs. (1,305 kg)

FRONT ATTACHMENTS:

WC Thermal Spraying of Bucket Joint
 Dirt Seal on all Bucket Pins
 One Piece Boom
 Less Bucket

OPERATOR'S STATION:

Adjustable Control Positions (Levers to Seat, Seat to Pedals)
 Arm Rests
 Pilot Control Shut-Off Lever
 Short Stroke, Low Effort Pilot Levers
 Deluxe Adjustable Cloth Seat with Suspension
 Multi-function, Color LCD Monitor System with:
 Diagnostic Capability
 Systems Monitoring Capability
 Multiple Language Capability
 Maintenance Tracking
 Engine Coolant Temperature Gauge
 Engine Coolant Temperature Warning Indicator with
 Audible Alarm
 Engine Oil Pressure Warning Indicator with Audible Alarm
 Fuel Gauge with Low Fuel Indicator
 Work Mode Indicator
 Auto Idle Indicator
 Alternator Charge Indicator
 Air Filter Restriction Indicator
 Fault Code Alert Indicator
 Check Engine Indicator
 Wiper Mode Indicator
 Work Lights On Indicator
 Fuel Rate Display
 Clock
 Hour Meter
 Mode Selection:
 One Work Mode
 Two Power Modes
 Numerous Attachment Modes

Auto-Climate Control/Air Conditioner, Heater with Pressurizer
 AM-FM Radio
 Machine Information Center (MIC)
 Windshield Wiper/Washer with Intermittent Speed
 Cell Phone Power Outlet
 2 In. Retractable Seat Belt
 Tinted Safety Glass
 Hot/Cold Box Compartment
 Horn
 Two Cup Holders
 Interior Light
 Coat Hook
 Floor Mat
 Motion Alarm with Cancel Switch
 Transparent Tinted Roof Hatch with Sunshade
 Four Fluid-Filled Elastic Mounts
 Easy Access Air Conditioning Filter

0091FF	75G EXCAVATOR	1	\$139,853.00
--------	---------------	---	--------------

UNDERCARRIAGE

Track Shoes			Basic Factory Options - Required
-------------	--	--	----------------------------------

3205	600 mm (24in.) Track Shoes Triple Semi-Grouser Shoes w/ Blade		\$1,020.00
------	--	--	------------

3265	Rubber Crawler Pads Steel track shoes with vulcanized rubber pads bonded to top of shoes. 450 mm (18 In.) Rubber Pads w/ Blade		No Added Cost
------	--	--	---------------

ARM

Arm			Basic Factory Options - Required
-----	--	--	----------------------------------

7060	2.12 M (6 Ft. 11 In.) Arm Assembly with Bucket Cylinder and Linkage		\$6,791.00
------	---	--	------------

MISCELLANEOUS

Miscellaneous			Field Installed Attachments - Optional
---------------	--	--	--

Miscellaneous			Field Installed Attachments - Optional
---------------	--	--	--

BYT11472	Pin Kit, 75/85 Excavator Bucket Pin Field Kit	\$406.00
----------	---	----------

Hydraulic Couplers	Field Installed Attachments - Optional
--------------------	--

BYT10499	Thumb Kit, Direct with Coupler Works with machines equipped without aux selector valve, SN 017498 or less. For machines JD75G / ZX75 SN 017499 and greater To be used with hydraulic coupler AT442602 For machine with selector valve, order Thumb kit BYT12156 instead.	\$5,409.00
----------	---	------------

BYT10498	Thumb Kit, Direct without Coupler Works with machines equipped without aux selector valve, SN 017498 or less. For machines JD75G / ZX75 SN 017499 and greater For machine with selector valve, order Thumb Kit BYT12155 instead	\$5,409.00
----------	---	------------

AT442602	Hydraulic Quick Coupler For use with John Deere backhoe buckets only. Will not interface with standard excavator buckets. Extra pins required can be ordered through service parts: T185832 T185831	\$7,931.00
----------	---	------------

Hydraulics	Field Installed Attachments - Optional
------------	--

AT442872	Hydraulic Filter Restriction Indicator Kit For iT4 and FT4 only.	\$797.00
----------	---	----------

AT436726	Auxiliary Hydraulic Lines – Boom to Arm Newer machines with serial numbers listed below now include these components and would no longer require AT436726. Deere/Zaxis 75 Serial No: 017499 (including and greater than) Deere/Zaxis 85 Serial No: 021949 (including and greater than)	\$1,182.00
----------	---	------------

AT390776	Single Pedal Propel Kit	\$2,143.00
----------	-------------------------	------------

BUCKETS

Buckets	Field Installed Attachments - Optional
---------	--

AT437346	BKH Pin-on Bucket 36 In. (914 mm) Heavy-Duty; 12.5 Cu. Ft. (0.35 Cu. M.) Must include hydraulic coupler AT442602 if ordered for excavator usage.	\$1,907.00
AT437345	BKH Pin-on Bucket 30 In. (762 mm) Heavy-Duty 10.0 Cu. Ft. (0.28 Cu. M.) Must include hydraulic coupler AT442602 if ordered for excavator usage.	\$1,835.00
AT437340	BKH Pin-on Bucket 18 In. (457 mm) Heavy-Duty 5.1 Cu. Ft. (0.14 Cu. M.) Must include hydraulic coupler AT442602 if ordered for excavator usage.	\$1,487.00
AT437616	BKH Pin-on Bucket 36 In. (914 mm) Ditching 12.5 Cu. Ft. (0.35 Cu. M.) Must include hydraulic coupler AT442602 if ordered for excavator usage. Ditching bucket does not include teeth.	\$1,810.00
AT437344	BKH Pin-on Bucket 24 In. (610 mm) Heavy-Duty 8.8 Cu. Ft. (0.25 Cu. M.) Must include hydraulic coupler AT442602 if ordered for excavator usage.	\$1,772.00

Buckets, Heavy-Duty

Field Installed Attachments - Optional

BYT11023	36 IN (914 mm), 0.46 yd3 (0.35 M3) Heavy-Duty Bucket (Pin-on Bucket) Includes Six (6) John Deere TK-Series Fanggs Teeth (TK225FD)	\$1,893.00
BYT11021	24 IN (610 mm), 0.33 yd3 (0.25 M3) Heavy-Duty Bucket (Pin-on Bucket) Includes Five (5) John Deere TK-Series Fanggs Teeth (TK225FD)	\$1,677.00
BYT11022	30 IN (762 mm), 0.37 yd3 (0.28 M3) Heavy-Duty Bucket (Pin-on Bucket) Includes Five (5) John Deere TK-Series Fanggs Teeth (TK225FD)	\$1,759.00
BYT11024	36 IN (914mm), 0.49yd3 (0.38 M3) Ditch-cleaning Bucket (Pin-on Bucket) Includes reversible bolt-on cutting edge	\$1,744.00

Hydraulic Thumb Kits

Field Installed Attachments - Optional

BYT12156	Direct Thumb Kit, 42 in. with Selector Valve Works with machines equipped with aux selector valve, SN 021949 and greater. To be used with hydraulic coupler AT442602	\$5,409.00
----------	--	------------

BYT12155	Direct Thumb Kit, 37 in. with Selector Valve Works with machines equipped with aux selector valve, SN 017499 and greater	\$5,409.00
----------	---	------------

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.