

844L WHEEL LOADER

01-Mar-2022



JOHN DEERE

Code	Description	QTY	List Price (USD)
------	-------------	-----	------------------

7720DW	844L WHEEL LOADER	1	\$571,069.00
--------	-------------------	---	--------------

POWERTRAIN:

5 Speed Transmission with Lock-Up Torque Converter
 Electronically Controlled Fully Automated Shift System
 Quick Shift Button on Loader Control Lever with 2 Selectable Modes
 Automatic / Manual Shift Modes
 Programmable Maximum High Gear
 Transmission Clutch Disconnect with 4 Selectable Settings
 Transmission Clutch Calibration Engaged from Monitor
 100% Locking Front and Conventional Rear Differentials with Inboard
 Mounted Heavy Duty Planetary Gears
 Heavy Duty Self Adjusting Front and Rear Power Brakes
 Electrically Actuated Automatic Spring Applied, Hydraulically Released, Wet Multi-Disc Park Brake
 Transmission Fill Tube and Sight Gauge
 2000 Hour Transmission Filter
 Wheel Spin Control System

COOLING:

Quad-Cool System:
 Heavy Duty, Debris Resistant and High Ambient Cooling Package
 2 Side access to all Coolers
 Cooling System isolated from Engine Compartment
 Engine Radiator
 Integral Engine Oil Cooler
 Hydraulic Oil Cooler (Oil to Air)
 Transmission Oil Cooler (Oil to Air)
 Charge Air Cooler (Air to Air)
 Air Conditioner Condenser
 Coolant Recovery Tank
 Antifreeze, -34F (-37 C)
 Cool-on Demand Swing out Fan
 Automatic Reversing Hydraulic Fan
 Enclosed Fan Safety Guard
 Front and Rear Axle Coolers

HYDRAULICS:

2 Function -- 2-Lever Single Axis Electrohydraulic Controls
 Joystick Steering with Lever Mounted FNR Control
 Variable-Displacement, Load-Sensing Axial Piston Steering
 Hydraulic Pump; Closed-Center System
 2 Variable-Displacement, Load-Sensing Axial-Piston Implement Pumps; Closed-Center System
 In Cab Adjustable Automatic Boom Height Kickout/Return To Carry/Bucket Return To Dig
 Ride Control, Automatic with Monitor Adjustable Speed Settings
 Hydraulic Function Enable/ Disable
 Hydraulic Reservoir with Sight Gauge and Fill Strainer
 Hydraulic Diagnostic Ports
 (2) 4000 Hour In-Tank Filters

ELECTRICAL:

24 Volt Electrical System
 Solid State Electrical Power Distribution System
 150 Amp Alternator
 (2) Heavy Duty Batteries - each 1400 Cold Cranking amps/440 minute Reserve Capacity
 Remote Jump Starting Terminals with Covers
 By-Pass Start Safety Cover at Starter
 Lockable Master Electrical Disconnect Switch
 Starting Switch with Electric Fuel Shut Off
 Pre-wired for Beacon/Strobe Light
Lights:
 (1) Engine Compartment Light
 (1) LED Coolant Reservoir Illumination Light
 (2) Halogen Driving Lights with Guards
 (4) Front, (2) Rear Cab and 2-Rear Grille mounted Work Lights
 LED Turn Signals and Flashers
 LED Stop and Tail Lights
 Horn, Electric
 Reverse Warning Alarm
 Voltage Converter for 24V to 12V / 30 Amps
 Multi-Function / Multi-Language LCD Color Monitor
includes:
DIGITAL INSTRUMENTS
ANALOG Display:
 Hydraulic Oil Temperature
 Engine Coolant Temperature
 Transmission Oil Temperature
 Engine Oil Pressure
DIGITAL Display:
 Engine RPM
 Transmission Gear / Direction Indicator
 Hour Meter
 Fuel Level
 DEF Level (FT4 Only)
 Speedometer
 Odometer
 Outside Temperature
 Fuel Consumption Rate
 Integrated Cycle Counter with 5 Categories
 Indicator Lights for Standard and Selected Options
 Indicator Lights for Amber Caution and Red Stop
 Operator Warning Messages
BUILT-IN DIAGNOSTICS:
 Diagnostic Code Details
 Sensor Values
 Calibrations
 Individual Circuit Tester
MENU DISPLAY:

Codes
Machine Settings
Diagnostics
Monitor Settings

OPERATOR'S STATION:

Isolation Mounted ROPS/FOPS Quiet Cab with:
Air Conditioning, Heater, Defroster and Pressurizer
Keyless Start with Multiple Security Modes
Sealed Switch Module with Function Indicators
Deluxe Heated And Ventilated Seat with
Leather/Fabric, High-Wide Back with Head Rest
Seat Pan Tilt and Extend Adjustment
Suspension for Weight/Height with Fore-Aft Adjustment
Vertical and Horizontal Adjustable Arm Rests
Hydraulic Controls Integrated to Seat
3-Inch High Visibility Blaze Orange Seat Belt with Retractor
Seat Belt Latching Monitoring System
(2) Cup Holders
Lunch box (Cooler) Holder
LED Dome and Reading Light
(3) 12 Volt Power Ports
Front Sun Visor
Premium Radio with Blue Tooth Connectivity
Rubber Floor Mat

Operator's Manual Storage Compartment
(2) Powered and Heated Outside Mirrors
(2) Inside Rear View Mirrors
Front and Rear Intermittent Windshield Wiper and Washers
Left and Right-Side Cab Access
Slip-Resistant Steps and Ergonomically Located Handholds
Front Window Washing Platforms
5000lb Capacity Anchor Point for Fall Arrest Lanyard Tie Off
Ring
CB Radio Ready With CB Mounting Bracket, Power and
Antennae Wiring

OVERALL VEHICLE:

Level 1 and Level 2 Sound Package
Automatic Greasing System with Selectable Grease Interval
Settings
(2) Programmable Multi-Function Buttons Located on
Hydraulic Implement Controls
Bushed Pin Joints (including Static Joints on Bucket and
Steering
Cylinder)
Bushed Steering Cylinder Pin Joints on Loader Frame
Cab Left and Right Handrails, Steps and Platforms
Cast Bumper with Rear Hitch and Locking Pin
Lift Eyes
Front, Mid, and Rear Tie Downs
Front Fenders
Articulation Locking Bar
40 Degree Steering Articulation to Each Side with Rubber
Cushion Stops on Frame
Vandal Protection With Lockable Engine Enclosures, Right
Counterweight

Compartment, Battery Box, Filler Access for Right and Left Radiators/Fuel/Hydraulic/Transmission
 Fluid Sampling Ports for Engine, Transmission, Hydraulic, Axles Oils and Engine Coolant
 Environmental Drains with Hoses for Engine, Transmission, Hydraulic
 Oils and Engine Coolant
 Fuel Tank Fill Strainer
 Ground Level Fueling (and DEF - FT4 Only)
 Ground Level Lubrication
 Same Side Ground Level Daily Servicing
 Left and Right Engine Frame Steps and Handholds
 Storage Compartment
 Transmission Side Access Guards
 Front and Rear Bottom Guards
 Heavy Duty Fuel Tank Guard

7720DW	844L WHEEL LOADER	1	\$571,069.00
--------	-------------------	---	--------------

DESTINATION AND LANGUAGE

Operator's Manual and Decals	Basic Factory Options - Required
------------------------------	----------------------------------

2605	English Decals and Manuals		No Added Cost
------	----------------------------	--	---------------

2606	No-Text Decals with English Operator's Manual		No Added Cost
------	---	--	---------------

2610	Spanish Decals and Manuals		No Added Cost
------	----------------------------	--	---------------

2615	French Decals and Manuals		No Added Cost
------	---------------------------	--	---------------

2620	Russian Decals and Manuals		No Added Cost
------	----------------------------	--	---------------

2625	Portuguese with No Text Labels		No Added Cost
------	--------------------------------	--	---------------

Gathering Group Configurations	Basic Factory Options - Required
--------------------------------	----------------------------------

0810	Standard Gathering Group	No Added Cost
0820	Russian Gathering Group Includes: 220 Volt Engine Block Coolant Heater Russian License Plate Bracket and Light EAC CONFORMITY TAG Requires: Code 8240 Rear Camera And a Strobe Beacon with code 8275 or 8285 or 8296	\$847.00
0850	Brazilian Gathering Group Includes: Brazil Battery Label Requires Code 9520 (License Plate Bracket and Light)	\$35.00
0860	Australian Gathering Group Includes: Australian Compliance Document	\$35.00

PACKAGES

Machine Configuration

Basic Factory Options - Required

1010	Standard Wheel Loader	No Added Cost
1047	Log Handler The Log Handler Package is a configuration designed for heavy lift applications using log forks or sorting grapples to handle logs and lumber. It is not approved for bucket or digging applications. Please consult the Service Administration Manual as unapproved applications may result in loss of warranty. Attention: 844L Log and Pipe Handler Linkage is different than the Base 844L Linkage Code 2010 Standard Z-BAR. Please contact DMAC for correct attachment pin-up requirements specific for the 844L Log and Pipe Handler Linkage. The package Includes: Increased counterweighting for 15% greater tipping load than a standard 844 and also includes 12% larger diameter tilt cylinders. Requires code: 2403 - Three Function Hydraulics 2070 - Log Loader & Pipe Handler Linkage 8960 - No Bucket	\$6,500.00

1048	Pipe Handler The Pipe Handler Package is a configuration designed for heavy lift applications using log forks or sorting grapples to handle logs and lumber. It is not approved for bucket or digging applications. Please consult the Service Administration Application as unapproved applications may result in loss of warranty.	\$6,500.00
------	---	------------

Attention: 844L Log and Pipe Handler Linkage is different than the Base 844L Linkage Code 2010 Standard Z-BAR.
Please contact DMAC for correct attachment pin-up requirements specific for the 844L Log and Pipe Handler Linkage.

The package Includes: Increased counterweighting for 15% greater tipping load than a standard 844 and also includes 12% larger diameter tilt cylinders.

Requires code:

- 2403 - Three Function Hydraulics
- 2070 - Log Loader & Pipe Handler Linkage
- 8960 - No Bucket

ENGINE		
Engine		Basic Factory Options - Required
0910	<p>John Deere Powertech Engine</p> <p>13.5L meets EPA Tier 3 and EU Stage IIIA Emissions (417 Net Peak hp)</p> <p>Turbocharged, Charge Air Cooled Wet Sleeve Cylinder Liners Programmable Auto-Idle and Auto-Shutdown Selected Idle Adjustment from 900-1250 RPM Starter Protection 4 Valves / Cylinder Cooled Exhaust Gas Recirculation Automatic Derating for Exceeded System Temperatures Electronically Controlled Fuel Delivery System Serpentine Drive Belt with Automatic Tensioner Under Hood Dual Element Air Cleaner with Restriction Indicator Under Hood Prescreened Air Intake Under Hood Muffler with Curved Exhaust Stack Dual-Stage Fuel Filter and Water Separator 500 Hour Vertical Spin-on Oil Filter Engine Compartment Light Remote Jump Starting Lugs Automatic Engine Cool-down Timer</p>	\$36,760.00
0924	<p>John Deere PowerTech Engine</p> <p>13.5L meets EPA FT4 and EU Stage V Emissions (417 Net Peak hp)</p> <p>Turbocharged, Charge Air Cooled Wet Sleeve Cylinder Liners Programmable Auto-Idle and Auto-Shutdown Selected Idle Adjustment from 900-1250 RPM Starter Protection 4 Valves / Cylinder Cooled Exhaust Gas Recirculation Automatic Derating for Exceeded System Temperatures Electronically Controlled MEUI Fuel Delivery System, B20 Biodiesel Compatible Electrical Fuel Priming System Serpentine Drive Belt with Automatic Tensioner Under Hood Dual Element Air Cleaner with Restriction Indicator Under Hood Exhaust Filter and Catalysts with Curved Exhaust Stack Automatic Exhaust Filter Regeneration Dual-Stage Fuel Filter and Water Separator 500 Hour Vertical Spin-on Oil Filter</p>	\$63,650.00

Oil crankcase filter, Lifetime
 Engine Compartment Light
 Remote Jump Starting Lugs
 Automatic Engine Cool-down Timer

Exhaust Basic Factory Options - Required

1310 Flat Black Curved Stack No Added Cost

1330 Chrome Curved Stack \$830.00

Fuel Filtration Basic Factory Options - Required

1610 Standard Fuel Filter with Water Separator and Standard Fuel Fill No Added Cost
 Not Available on Code 0910 EPA T3/EU Stage IIIA Engines

1620 Severe Duty Fuel Filter with Water Separator and Heater \$976.00
 Not Available on Code 0924 EPA FT4 /EU Stage V Engines

1630 Standard Fuel Filter with Water Separator and Fast Fuel \$830.00
 Not Available on Code 0910 EPA T3/EU Stage IIIA Engines

Engine Field Installed Attachments - Optional

9020 Cold Weather Starting \$581.00
 Recommended for cold starts below -10 degrees F (-23 C)
 Includes Automatic Ether Start Aid and Engine Block Heater.
 Unit is not factory shipped with Ether can installed. Dealer must install.

9045 Quick Fluid Service with Environmental Drain \$850.00
 Coupling system for Engine Oil, Transmission Fluid, Hydraulic Fluid and Engine Coolant.

9055 Throttle Lock \$215.00
 This feature adds the convenience of holding the engine at a constant engine speed for long travel distances or other constant engine speed needs without the operator having to hold the accelerator pedal position.

ELECTRICAL

Alternator

Basic Factory Options - Required

1220	150 Amp Alternator	\$675.00
------	--------------------	----------

Converter

Basic Factory Options - Required

2715	15 Amp Converter Requires code 1215 140 amp alternator or code 1220 150 amp alternator	\$115.00
------	---	----------

2730	30 Amp Converter Requires code 1215 140 amp alternator or code 1220 150 amp alternator	\$265.00
------	---	----------

Lighting

Basic Factory Options - Required

7120	Halogen Work and Drive Lights LED Front Turn/Marker & Rear Turn/Brake Lights	No Added Cost
------	---	---------------

7140	Premium LED Work and Drive Lights All exterior machine lights are LED LED Front Turn/Marker & Rear Turn/Brake Lights	\$2,114.00
------	--	------------

DRIVETRAIN

Transmission

Basic Factory Options - Required

1120	5-Speed Powershift Transmission with Lock-up Torque Converter	No Added Cost
------	---	---------------

Axles

Basic Factory Options - Required

3044	Axles with Conventional Differentials	No Added Cost
3046	Front Hydraulically Locking Differential & Rear Conventional Differential Axles	\$1,708.00
3049	High Traction - Front and Rear Hydraulically Locking Differential Axles	\$3,415.00
	Differential Lock	Basic Factory Options - Required
3110	Automatic Differential Lock Allows operator to switch on Automatic Diff Lock providing continual differential lock in all conditions, minimizing tire spin. Requires code 9410 Transmission and Bottom Guards.	\$1,429.00
3120	Manual Axle Differential Lock	No Added Cost
3130	Non Locking Differential	No Added Cost
	LINKAGE	
	Linkage Configuration	Basic Factory Options - Required
2010	Standard Z-BAR	No Added Cost
2070	Log Loader and Pipe Handler Linkage Attention: 844L Log and Pipe Handler Linkage is different than the Base 844L Linkage Code 2010 Standard Z-BAR. Please contact DMAC for correct attachment pin-up requirements specific for the 844L Log and Pipe Handler Linkage. Includes 12% larger diameter tilt cylinders.	\$3,000.00
	LUBRICATION	Basic Factory Options - Required
5700	Autolube	No Added Cost

5705	Less Autolube	(\$6,000.00)
------	---------------	--------------

HYDRAULICS

Hydraulic Controls	Basic Factory Options - Required
--------------------	----------------------------------

2350	Single Axis Lever Controls Provides an individual hydraulic function control lever for each function. Only available for 2 function and 3 function hydraulics.	No Added Cost
------	---	---------------

2360	Joystick Controls Provides a single lever (joystick) control for the boom and the bucket. Optional 3rd and 4th functions are controlled with proportional thumb rollers integrated in the joystick handle (If equipped for applicable models).	\$571.00
------	---	----------

HYDRAULIC SYSTEM	Basic Factory Options - Required
------------------	----------------------------------

2402	Two Function Hydraulics Controls Boom and Bucket only.	No Added Cost
------	---	---------------

2403	Three Function Hydraulics Controls Boom and Bucket and adds an auxiliary function and boom lines.	\$4,500.00
------	--	------------

Hydraulic Fluid	Basic Factory Options - Required
-----------------	----------------------------------

1970	Hydrau Hydraulic Fluid	No Added Cost
------	------------------------	---------------

1975	Hydrau XR Hydraulic Fluid Optional factory fill. Required for colder climates with operation below -25C (-13F) and extreme cold ambient temperatures down to -40C (-40F). Provides all-season capability in ambient temperatures ranging from -40C to 40C (-40F to 104F).	\$535.00
------	---	----------

Hydraulics	Field Installed Attachments - Optional
------------	--

BYT11499	Pin Disconnect - Hydraulic Control System for Quick Coupler Locking Pins on Z-Bar linkage units	\$1,497.00
BYT11501	Kit, 3rd Function Hydraulics, Does Not Include Controls Includes third function hydraulic valve section. Does not include in-cab control function. Kit does not include hoses and will require dealer to manufacture hoses per installation instructions	\$3,445.00
BYT11543	Single Axis Controls Conversion to Joystick Controls (2 or 3-Function) To convert from 2 or 3-Lever single axis controls to single joystick hydraulic control lever with integrated auxiliary function roller.	\$1,253.00

OPERATOR'S STATION AND CONTROLS

Cab / ROPS

Basic Factory Options - Required

1905	Standard Cab The following options are REQUIRED on the standard cab: 2120 Steering Wheel Only 2220 Deluxe Cloth Seat 2715 15 Amp Converter The following options are ONLY AVAILABLE on the standard cab: 8250 No Rear Camera or Radar Object Detection System (If camera is not required for regional homologation requirements) 8310 Standard Exterior Mirrors 8380 No radio Allows lowest cost configuration. The following options are NOT AVAILABLE in the standard cab configuration: 8370 Premium Radio 2105 Joystick Steering Only 2240 Premium Seat	No Added Cost
------	--	---------------

1910	Premium Cab Requires/Includes the following option codes in order to qualify for package group price: 2240 Premium Seat 2730 30 amp Voltage Converter 8240 Rear Camera Only OR 8235 Rear Camera and Radar Object Detection System 8350 Remote Powered and Heated Exterior Mirrors 8370 Premium Radio Also includes Cab Automatic Temperature Control System.	(\$512.00)
------	---	------------

A/C Charge

Basic Factory Options - Required

8450	Cab with Air A/C Charge	No Added Cost
8460	Cab with Air Export A/C - No Charge Recommended for units that require to be containerized for overseas shipment.	No Added Cost
	Seat	Basic Factory Options - Required
2220	Deluxe Seat, Cloth with Air Suspension Fabric Covered Seat with Back Rest Extension includes Lumbar Adjustment and Air Suspension with Full Damping Capability. Not Available with Premium Cab code 1910	No Added Cost
2240	Premium Seat, Heated and Ventilated with Heavy Duty Air Suspension Leather Accented Seat with Back Rest Extensions includes Pan Tilt, Pan Extend, Lumbar Adjustment and Air Suspension with Full Damping Capability. Not Available with Standard Cab code 1905	\$1,295.00
	MONITOR	Basic Factory Options - Required
1940	7 inch Monitor	No Added Cost
1945	7 inch Monitor with Dedicated Rear Camera Display Provides a separate and dedicated 7 inch display monitor for displaying continuous rear view camera imagery and allowing standard monitor to display without interruption.	\$1,645.00
	Mirrors	Basic Factory Options - Required
8310	Standard Exterior Mirrors Not Available with Premium Cab code 1910	No Added Cost
8350	Remote Powered and Heated Exterior Mirrors	\$712.00

Radio Basic Factory Options - Required

8370 Premium Radio \$850.00
 AM/FM/Weather Band (WB) Radio with Bluetooth,
 Remote Aux and Remote USB Port
 Requires Premium Cab Code 1910

8380 No Radio No Added Cost
 Requires Standard Cab Code 1905

REAR OBJECT DETECTION Basic Factory Options - Required

8235 Rear Camera and Radar Object Detection System \$3,304.00
 Display shows view behind the machine and provides audible alert. Rear view is displayed in video-enabled color monitor or
 dedicated color monitor.

8240 Rear Camera Only No Added Cost

BEACONS Basic Factory Options - Required

8275 LED Strobe Beacon with Left Beacon Bracket \$275.00
 A yellow strobe beacon on hinged bracket mounted to the rear left side of the cab exterior.

8285 LED Strobe Beacon with Dual Beacon Bracket \$443.00
 A yellow strobe beacon on hinged bracket mounted to the rear left side of the cab exterior and second bracket is mounted
 on right rear side for fitment of a of second beacon of customers choice color.

8290 Left Beacon Bracket Only \$168.00
 Hinged bracket only mounted to the rear left side of the cab exterior.

8293 Dual Beacon Bracket Only \$336.00
 Hinged bracket only mounted to the rear left and right sides of the cab exterior.

8295 External Seat Belt Indicator with Single Right Bracket \$225.00
 The Seat Belt Indicator Light is a Green Strobe Beacon mounted on the rear right of the cab that lights whenever the seat
 belt is latched whenever the machine is powered on.

8296	External Seat Belt Indicator with Dual Bracket and LED Strobe Beacon	\$393.00
	The Seat Belt Indicator Light is a Green Strobe Beacon mounted on the rear right of the cab that lights whenever the seat belt is latched whenever the machine is powered on. A yellow strobe beacon on hinged bracket mounted to the rear left side of the cab exterior.	

8298	No Strobe Beacon or Beacon Bracket	No Added Cost
------	------------------------------------	---------------

Operator's Station	Field Installed Attachments - Optional
--------------------	--

9115	Powered Cab Fresh Air Pre-Cleaner	\$945.00
	Extends cab air filter change intervals.	

9136	Rear Sunvisor	\$100.00
------	---------------	----------

9140	Fire Extinguisher	\$149.00
	5.0 lbs. multi purpose (ABC) Dry Chemical Fire Extinguisher mounted inside the cab to the left front ROPS post.	

STEERING

Steering Systems	Basic Factory Options - Required
------------------	----------------------------------

2105	Joystick Steering Only	No Added Cost
------	------------------------	---------------

2120	Steering Wheel Only	\$500.00
------	---------------------	----------

2125	Joystick Steering Only with Secondary Steering	\$5,500.00
------	--	------------

2130	Steering Wheel Only with Secondary Steering	\$6,000.00
------	---	------------

PAYLOAD SCALE

Payload Scale Basic Factory Options - Required

2870 No Payload Scale with Cycle Counter \$119.00
 Z-Bar and High Lift Linkage models will be shipped payload scale ready.
 A payload scale whole good field kit may be added at a later time to install a Payload Scale.

2875 Topcon Payload Scale with Cycle Counter \$7,850.00
 Option includes the Topcon Loadmaster Alpha 100 Payload Scale integrated with JDLink™ to track and visualize payload weighing data. System will be installed during machine assembly at the factory. Calibration, service, and support will be provided by the John Deere Dealer.

2880 Topcon Payload Scale and Printer with Cycle Counter \$9,250.00
 Option includes the Topcon Loadmaster Alpha 100 Payload Scale integrated with JDLink™ to track and visualize payload weighing data. Option also includes a printer that connects directly into the Topcon display. System will be installed during machine assembly at the factory. Calibration, service, and support will be provided by the John Deere Dealer.

Payload Scale Field Installed Attachments - Optional

BYT11837 John Deere Payload Printer \$1,414.00
 For TopCon Alpha 100 Payload Scale

BYT11545 John Deere Payload Scale Kit \$7,929.00
 Kit includes the Topcon Loadmaster Alpha 100 Payload Scale integrated with JDLink to track and visualize payload weighing data. This scale kit fits only the 744L, 824L, and 844L (including Aggregate Handler) models only. Printer is available as a separate field kit.
 Calibration, service, and support will be provided by the John Deere Dealer.

JOHN DEERE WORKSIGHT™

Machine Connectivity Basic Factory Options - Required

Machine connectivity functions require cellular coverage. Usage of JDLink System requires customer's acceptance of the terms of the John Deere Telematics System Contract.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

1741 No JDLink (\$1,320.00)

170K JDLink™ No Added Cost
 Includes integrated cab wiring harness, antenna, and JDLink™ Modem (MTG).

JDLINK™ connectivity is enabled separately through the JDLINK™ website. Connectivity service is subject to country availability.

170R	JDLINK™ Satellite	\$3,215.00
	Includes integrated cab wiring harness, antenna, JDLINK™ Modem's (Cellular MTG & Satellite MTG).	
	JDLINK™ connectivity is enabled separately through the JDLINK™ website. Connectivity service is subject to country availability.	

FENDER

Fenders Basic Factory Options - Required

5540	Full Width Front Fenders	No Added Cost
	Includes full width front fenders, left side steps, as well as both left and right side platforms.	
	Fender width is wider than tire by design to capture more tire spray but is susceptible to damage if tire brushes against objects from the side.	

5550	Full Width Front and Rear Fenders	\$3,489.00
	Includes full width front and rear fenders, left side steps, as well as both left and right side platforms.	
	Fender width is wider than tire by design to capture more tire spray but is susceptible to damage if tire brushes against objects from the side.	
	Mudflaps are included but wiper flaps are NOT.	

5553	Roading Fenders Front and Rear	\$3,614.00
	Includes full width front and rear fenders, left side steps, as well as both left and right side platforms. Mudflaps and front wiper flaps are included to minimize spray in load and carry applications on firm footing.	
	Fender width is wider than tire by design to capture more tire spray but is susceptible to damage if tire brushes against objects from the side. Mudflaps are designed to be low and catch tirespray but can be torn if the operator spins out and then backs over them. Trimming is recommended or order Code 5550 Full Width Front and Rear Fenders.	

WHEELS AND TIRES

Wheels and Tires Basic Factory Options - Required

All Tires are tubeless and include rims, axle stops when required, and come in sets of 4.
Tire chain use requires Axle Stops.
NOTE: If a No Brand Preference code is selected a 9000 code in the Optional Equipment - Order as Desired section will automatically be selected as well. This is required to enable the factory to source this order.

29.5R25 L3 Radial Tires with 5 Piece Rims

4921	29.5R25 No Brand Preferred Radial L3 1-Star Tires with 5 pc. Rims	\$21,056.00
------	---	-------------

5001	29.5R25 Michelin Radial XHA2 L3 2-Star Tires with 5 pc. Rims	\$37,396.00
5002	29.5R25 Bridgestone Radial L3 1-Star Tires with 5 pc. Rims	\$35,523.00
5003	29.5R25 Titan Radial STL3 L3 1-Star Tires with 5 pc. Rims	\$23,028.00
5004	29.5R25 Bridgestone Radial L3 1-Star Tires with 5 pc. Rims	\$35,523.00
	29.5R25 L5 Radial Tires with 5 Piece Rims	
4922	29.5R25 No Brand Preferred Radial L5 1-Star Tires with 5 pc. Rims	\$55,576.00
5005	29.5R25 Bridgestone Radial VSDL L5 1-Star Tires with 5 pc. Rims	\$56,661.00
5031	29.5R25 Michelin Radial XLD L5 1-Star Tires with 5 pc. Rims	\$58,496.00
5032	29.5R25 Bridgestone Radial VSDL L5 1-Star Tires with 5 pc. Rims	\$56,661.00
	875/65R29 L3 Radial Tires with 5 Piece Rims	
4923	875/65R29 L3 Radial No Brand Preferred Tires with 5 pc. Rims	\$41,764.00
5006	875/65R29 Bridgestone Radial VTS L3 1-Star Tires with 5 pc. Rims	\$42,420.00

5035	875/65R29 Bridgestone Radial VTS L3 1-Star Tires with 5 pc. Rims	\$42,420.00
5036	875/65R29 Michelin Radial XHA2 L3 1-Star Tires with 5 pc. Rims	\$43,800.00
	Other Tire Options	
4817	29.5R25 Michelin Radial XTXL L4 3-Star Tires with 5 pc. Rims	\$53,300.00
4912	29.5-25 Firestone Bias SRG LD L3 28 Ply Rating Tires with 5 pc. Rims	\$24,830.00
	Tire Pressure Monitoring	Basic Factory Options - Required
5310	Tire Pressure Monitoring System	\$1,700.00
5320	Less Tire Pressure Monitoring System	No Added Cost
	Tire Brand Preference	Field Installed Attachments - Optional
	No Tire Brand Preference	
9702	29.5R25 No Brand Preferred L3 1-Star Tires with 5 pc rims	No Added Cost
9703	29.5R25 No Brand Preferred L5 1-Star Tires with 5 pc rims	No Added Cost

9704	875/65R9 No Brand Preferred L3 1-Star Tires with 5 pc rims	No Added Cost
WORK TOOLS		
	Buckets	Basic Factory Options - Required
8960	No Bucket	No Added Cost
8969	6.25 Cu. Yd. (4.6 Cu. M) Spade Nose Rock Bucket less Adapters (Smooth Edge) With Replaceable Bucket Liner and Side Wear Plates, Integral Spill Guard, Skid Shoes, with Bolt-On Cutting Edges and Side Cutters	\$48,086.00
8971	6.25 Cu. Yd. (4.6 Cu. M) Spade Nose Rock Bucket with Teeth With Replaceable Bucket Liner and Side Wear Plates, Integral Spill Guard, Skid Shoes, Teeth with Segmented Cutting Edges and Side Cutters	\$48,097.00
8977	7.25 Cu. Yd. (5.6 Cu. M) GP Bucket without Wear Plates Straight side cutters. Includes lower side cutter protection. Includes exterior side wear protection (cheek plate) and bushed static joints. Bolt on spill sheet can be installed - see options below. Does not include the integrated spill deflector. For bucket liners see Dealer Parts.	\$30,951.00
8979	7.25 Cu. Yd. (5.6 Cu. M) GP Bucket with Wear Plates Straight side cutters. Includes lower side cutter protection. Includes interior and exterior side wear protection (cheek plates), bucket liner, and bushed static joints. Bolt on spill sheet can be installed - see options below. Does not include the integrated spill deflector.	\$32,608.00
8981	7.5 Cu. Yd. (5.7 Cu. M) Enhanced Production Material Handling Narrow Bucket without Wear Plates Curved profile side cutters for improved material retention. Includes exterior side wear protection (cheek plate), integrated spill deflector, and replaceable bushed static joints. Does not allow installation of bolt on spillguard. Has provisions for lower side cutter protection guard, available through Dealer Parts.	\$34,726.00
8983	7.5 Cu. Yd. (5.7 Cu. M) Enhanced Production GP Bucket without Wear Plates Curved profile side cutters for improved material retention. Includes exterior side wear protection (cheek plate), integrated spill deflector, and replaceable bushed static joints. Does not allow installation of bolt on spillguard. Has provisions for lower side cutter protection guard, available through Dealer Parts.	\$30,892.00
8985	7.5 Cu. Yd. (5.7 Cu. M) Enhanced Production GP Bucket with Wear Plates Curved profile side cutters for improved material retention. Includes interior and exterior side wear protection (cheek plates), bucket liner, integrated spill deflector, and replaceable bushed static joints. Does not allow installation of bolt on spillguard. Has provisions for lower side cutter protection guard, available through Dealer Parts.	\$32,599.00
8987	8.0 Cu. Yd. (6.1 Cu. M) Enhanced Production Material Handling Bucket without Wear Plates	\$32,623.00

Curved profile side cutters for improved material retention. Includes exterior side wear protection (cheek plate), integrated spill deflector, and replaceable bushed static joints. Does not allow installation of bolt on spillguard. Has provisions for lower side cutter protection guard, available through Dealer Parts.

8989 8.0 Cu. Yd. (6.1 Cu. M) Enhanced Production Material Handling Bucket with Wear Plates \$34,330.00

Curved profile side cutters for improved material retention. Includes interior and exterior side wear protection (cheek plates), bucket liner, integrated spill deflector, and replaceable bushed static joints. Does not allow installation of bolt on spillguard. Has provisions for lower side cutter protection guard, available through Dealer Parts.

CUTTING EDGES AND TEETH

Basic Factory Options - Required

8881 Bolt-on Cutting Edge \$2,100.00

8883 Bolt-on Cutting Edge - Narrow Bucket Only \$1,995.00

8886 Bolt on Jagz Cutting Edge \$4,515.00

8889 Teeth with Segments \$5,500.00

8890 No Bucket Edge or Teeth No Added Cost
 Required when ordering code 8960 No Bucket

Bucket Spillguards

Field Installed Attachments - Optional

9795 Bolt-on Bucket Spill Guard for Use with 7.25 Cu. Yd. Buckets \$1,728.00
 For 7.25 cu. yd. Pin-on buckets - Requires Code 8977 and 9879 buckets. This does not fit Enhanced Production Buckets.

Hydraulic Couplers

Field Installed Attachments - Optional

9310 Quick Coupler Hydraulic System (Pin Disconnect) \$1,525.00
 For use with field installed Attachment couplers.
 Includes hydraulic lines from control valve to loader boom cross tube, electric switch and solenoid valve.

FRAME AND CHASSIS

Rear Hitch and Counterweights

Basic Factory Options - Required

8110 Main Counterweight No Added Cost

8130 Less Counterweight and Rear Hitch (\$3,310.00)
 For use on Waste Handler with solid or foam filled tires OR field kit "Rear Access Platform with Steps & Hand Holds", must be purchased for solid or foam filled tires.

MISCELLANEOUS

Miscellaneous

Field Installed Attachments - Optional

9210 Electrical Corrosion Prevention Package \$1,425.00
 Preventive corrosion treatment for use in corrosive environments. Preventive corrosion treatment includes dielectric grease for electrical connections and polyurethane-based sealant on exposed terminals.

9520 License Plate Bracket \$177.00
 Includes light for night time illumination.

9525 Slow Moving Vehicle (SMV) Emblem \$157.00

9800 Finish Paint - Decals Not Installed No Added Cost
 For custom paint.
 Non-Paintable charcoal grey cab roof.
 Decals packaged with machine.
 Safety decals installed.

9909 Shipping Rust Preventive Coating - Non Export \$235.00
 Coating protects exposed unpainted surfaces from road salt during shipment.

9675 Attachment Recognition \$980.00
 Enables Asset Tracking Beacons to allow hydraulic settings to change while swapping attachments for applicable machines.

Custom Codes

Field Installed Attachments - Optional

Miscellaneous Field Installed Attachments - Optional

AT519021	Attachment Recognition	\$1,087.80
	Enables Asset Tracking Beacons to allow hydraulic settings to change while swapping attachments for applicable machines.	
	Software Only Kit to be ordered through Service Parts.	

BYT11374	844KIII/844L Kit, High-Flow Splash Fuel Fill, Right Side	\$392.00
	Allows 60 gpm splash filling.	

Powertrain & Cooling Field Installed Attachments - Optional

AT362998	Automatic Axle Differential Lock (Auto-Diff/Lock)	\$1,581.00
----------	---	------------

AT424415	Automatic Ether Starting Aid	\$353.00
	For use with FT4 engines.	

AT464502	Fast Fill Fuel System	\$2,417.00
	For use with Stage 2/Tier 3/FT4 Engines.	
	Kit includes a new fast fuel compatible fuel tank and all necessary fast fuel connections.	
	150 gpm fill rate.	

BYT11253	Powered Cab Air Pre-Cleaner	\$878.00
	Extends cab air filter change intervals	

BYT11532	Kit, Engine Block Heater - 13.5L 120V	\$124.00
	Includes remote plug-in at rear of loader and associated harnesses.	

BYT11502	Tire Pressure Monitoring System - 25" Rim Sensor Mounting - Less Sensors	\$940.00
	Tire Pressure Sensors must be ordered from parts to assure freshest battery life.	

BYT11504	Tire Pressure Monitoring System - 29" Rim Sensor Mounting - Less Sensors	\$941.00
	Tire Pressure Sensors must be ordered from parts to assure freshest battery life.	

Overall Vehicle Field Installed Attachments - Optional

AT368286	Slow Moving Vehicle (SMV) Emblem and Bracket For use with IT4/FT4 engines.	\$121.00
BYT11510	Kit, Rear Fender Only, 29.5R25 Tires Intended for wet applications. Mudflaps may need to be trimmed to higher height or removed if the customer is operating in soft ground conditions to avoid getting ripped off while backing out of holes.	\$2,850.00
BYT11380	KIT, WHEEL CHOCKS & BRACKET Wheel Chocks & Bracket that holds a pair of Checkers Brand (Part Number MC3010) Wheel Chocks. These brackets can be accessed from ground level and are mounted under the platform steps so they are easy for the operator access when getting on and off the machine.	\$1,700.00
BYT11535	Kit, Quick Service For FT4/Stage V or EPA Tier 3/Stage IIIA Engines	\$722.00
BYT11524	Kit, Front Fender Extensions, 875/65R29 Tires Adds additional length to front fenders to reduce tire spray while traveling at high speeds.	\$1,130.00
BYT11320	Kit, Platform Toe Kicks Adds toe kicks to left and right platforms to meet local requirements.	\$258.00
BYT11493	Kit, Autolube Deere autolube system integrated with JDLink. Will require field installation at additional cost.	\$5,667.00
BYT11511	Kit, Rear Fender Only, 875/65R29 Tires Intended for wet applications. Mudflaps may need to be trimmed to higher height or removed if the customer is operating in soft ground conditions to avoid getting ripped off while backing out of holes.	\$3,107.00
BYT11393	Kit, Platform Railing Extension To 1M Height Extends left and right platform railings to 1 meter height to meet local requirements.	\$4,012.00
BYT11467	KIT, FRONT FENDER EXTENSIONS, 26.5R25, 29.5R25, 775/65R29 TIRES Adds additional length to front fenders to reduce tire spray while traveling at high speeds.	\$1,130.00
BYT11520	Kit, Dual Beacon Bracket Left and Right Beacon Brackets Only - Beacon Not Included	\$392.00
BYT11514	Kit, 24V Aux Electrical Output Provides 24V output to allow operation of electrical solenoid valves or other electrical components from the hydraulic controls through the multi-function button.	\$179.00

BYT11519	Kit, Beacon Bracket Left Beacon Bracket Only - Beacon Not Included	\$196.00
BYT11521	Kit, External Seat Belt Indicator Includes Right Beacon bracket and green strobe beacon that indicates if it the seat belt is latched for external awareness. With the machine powered up, the green strobe beacon will flash anytime the belt is latched regardless if it is in park or not.	\$321.00
BYT11525	Kit, Roding Fender, Front Wipers Only - L3 Tires Only These cannot be used with L4 or L5 tires due to increased tire heights. These are intended to reduce spray while traveling forward at high speeds.	\$207.00
BYT11505	Kit, Beacon Single, Orange	\$169.00
Hydraulics		Field Installed Attachments - Optional
BYT11268	3rd Function Single Axis Lever In-cab control lever only for updating units equipped with two-function single axis controls to three-function single axis controls. Not for use with joystick control lever. Does not include hydraulic valve section or any associated plumbing.	\$318.00
BYT11187	Joystick Controls Conversion to Single Axis Controls (3-Function) To convert from single joystick hydraulic control lever with FNR and auxiliary function to 3-Lever single axis controls with steering column FNR lever.	\$1,591.00
BYT11250	Joystick Controls Conversion to Single Axis Controls (2-Function) To convert from single joystick hydraulic control lever with FNR to 2-Lever single axis controls with steering column FNR lever.	\$1,275.00
Operator Environment		Field Installed Attachments - Optional
BYT11265	Dedicated 7-inch Rear Camera Display Provides a separate and dedicated 7 inch display monitor for displaying continuous rear view camera imagery and allowing standard monitor to display without interruption.	\$1,527.00
BYT11259	24 Volt to 12 Volt - 30 Amp Converter	\$341.00
BYT11219	Secondary Steering for Steering Wheel Only - Installation Instructions and Software Only REQUIRES BYT11214, Kit, Secondary Steering Parts Kit. This kit is only installation instructions and instructions for software update for the loader to enable this feature.	\$11.00

BYT11210	Steering Joystick Only to Steering Wheel & Joystick - Instructions and Software REQUIRES BYT11212, Kit, Joystick Steering to add or convert to Steering Wheel Parts Kit This kit is only installation instructions and instructions for software update for the loader to enable this feature.	\$11.00
BYT11215	Steering Wheel Only to Steering Wheel & Joystick - Instructions and Software Only REQUIRES BYT11216, Kit, Steering Wheel to add or convert to Joystick Steering Parts Kit This kit is only installation instructions and instructions for software update for the loader to enable this feature.	\$11.00
BYT11218	Steering Wheel Only To Steering Joystick Only - Instructions and Software Only REQUIRES BYT11216, Kit, Steering Wheel to add or convert to Joystick Steering Parts Kit This kit is only installation instructions and instructions for software update for the loader to enable this feature.	\$11.00
BYT11214	Secondary Steering Parts Kit REQUIRES ORDERING THE APPROPRIATE INSTALLATION INSTRUCTIONS TO ENABLE THE CORRECT SOFTWARE UPDATE FOR THIS FEATURE TO FUNCTION. SEE APPROPRIATE KITS. REQUIRES BYT11217 or BYT11219	\$5,667.00
BYT11211	Steering Joystick Only to Steering Wheel Only - Instructions and Software REQUIRES BYT11212, Kit, Joystick Steering to add or convert to Steering Wheel Parts Kit This kit is only installation instructions and instructions for software update for the loader to enable this feature.	\$11.00
BYT11588	Satellite Radio Installation Kit Kit includes a Satellite Radio Antenna, Satellite Radio Receiver, Satellite Radio Harness, and mounting brackets to allow the existing radio to receive and play Satellite radio broadcast signals. The kit does not include a Satellite radio subscription and an existing radio is required.	\$382.00
BYT11217	Secondary Steering for Joystick Steering Only - Installation Instructions and Software Only REQUIRES BYT11214, Kit, Secondary Steering Parts Kit. This kit is only installation instructions and instructions for software update for the loader to enable this feature.	\$11.00
BYT11213	Steering Wheel Only to Steering Joystick Only for Machines w/ Secondary Steering - Instructions and Software REQUIRES BYT11216, Kit, Steering Wheel to add or convert to Joystick Steering Parts Kit This kit is only installation instructions and instructions for software update for the loader to enable this feature.	\$11.00
BYT11516	FNR to RNF Transmission Direction Control Switch Reversed Pattern Decal This kit provides the in-cab sticker to correctly show the direction of the steering lever, transmission directional control switch on loaders that have the pattern reversed from F-N-R (Forward - Neutral - Reverse) to R-N-F.	\$11.00
BYT11216	Joystick Steering Parts Kit REQUIRES ORDERING THE APPROPRIATE INSTALLATION INSTRUCTIONS TO ENABLE THE CORRECT SOFTWARE UPDATE FOR THIS FEATURE TO FUNCTION. SEE APPROPRIATE KITS. REQUIRES BYT11218 or BYT11215 or BYT11213	\$8,273.00

BYT11209	Steering Joystick Only to Steering Wheel Only for Machines w/ Secondary Steering - Instructions and Software REQUIRES BYT11212, Kit, Joystick Steering to add or convert to Steering Wheel Parts Kit This kit is only installation instructions and instructions for software update for the loader to enable this feature.	\$11.00
BYT11212	Steering Wheel Parts Kit REQUIRES ORDERING THE APPROPRIATE INSTALLATION INSTRUCTIONS TO ENABLE THE CORRECT SOFTWARE UPDATE FOR THIS FEATURE TO FUNCTION. SEE APPROPRIATE KITS. Includes Steering Column Mounted FNR shifter REQUIRES BYT11210 or BYT11211 or BYT11209	\$5,005.00
BYT11526	Rear Camera and Rear Object Radar Detection Display shows view behind the machine and provides audible alert. Rear view is displayed in video-enabled color monitor or dedicated color monitor.	\$4,072.00
BYT11515	Kit, Throttle Lock Software This feature adds the convenience of holding the engine at a constant engine speed for long travel distances or other constant engine speed needs without the operator having to hold the accelerator pedal position.	\$200.00
BYT11527	Rear Camera Only Display shows view behind the machine. Rear view is displayed in video-enabled color monitor or dedicated color monitor.	\$1,007.00
BYT11503	Premium AM/FM/Weather Band (WB) with Bluetooth, Remote Aux and Remote USB Port Radio	\$789.00

ADDITIONAL INFORMATION

4WD Loader Simulator Field Installed Attachments - Optional

4WD Loader Operator Training Simulator
 - JD Bookstore order code: SIM5700
 - JD Bookstore Price: \$15,997

Includes software, replica joysticks, foot pedals, steering wheel and integrated seat. Item ordered through the JD Bookstore.

BUCKETS

Buckets & Bucket Wear Components Field Installed Attachments - Optional

BYT10112	KIT, Teeth and Segments with Side Cutters for 7.5 and 8.0 Cu. Yd. Enhanced Production Buckets Adding Teeth and Segments to 8.0 YD Pin-On Buckets BYT10100 or BYT10101 may not provide expected performance when using in applications other than loose material.	\$6,951.00
----------	---	------------

BYT10100	KIT, 8.0 YD PIN-ON BUCKET w/o WEAR PLATES 8.0 Cu. Yd. (6.1 Cu. M.) Enhanced Production General Purpose Bucket without Wear Plates. No Ground Engaging Tools Installed. Updated bucket profile for easier loading. Curved profile side cutters for improved material retention. Includes lower side cutter protection guard, exterior side wear protection (cheek plate), integrated spill deflector, and replaceable bushed static joints. Does not allow installation of bolt on spillguard. This bucket is designed to be a material handling bucket and used for loose material only. Adding Teeth and Segments Attachment BYT10112 may not provide expected performance when using in applications other than loose material.	\$30,131.00
AT322748	KIT, Wear Plates for 7.25 cu.yd. GP Bucket Will not fit Enhanced Production Buckets	\$3,784.00
AT332269	KIT, 7.25 YD PIN-ON BUCKET w/o WEAR PLATES Standard Greased / NeverGrease Pin Joint compatible 7.25 Cu. Yd. (5.5 cm) General Purpose Bucket. Includes Replaceable Side Wear Plates and Skid Shoes for S/N 612720 and above. For Bucket Liners, Cutting Edges and Rock Kickers see Dealer Parts.	\$32,023.00
BYT10098	KIT, 7.5 YD PIN-ON BUCKET w/o WEAR PLATES 7.5 Cu. Yd (5.7 Cu. M.) Enhanced Production General Purpose Bucket without Wear Plates. No Ground Engaging Tools Installed. Updated bucket profile for easier loading. Curved profile side cutters for improved material retention. Includes lower side cutter protection guard, exterior side wear protection (cheek plate), integrated spill deflector, and replaceable bushed static joints. Does not allow installation of bolt on spillguard.	\$28,382.00
AT324242	Kit, Rock Kickers (2) End plates to deflect rocks away from bucket sides. Rock Kickers are end plates with angled wear surface from the side of the bucket-deflect rocks away from machine to protect tires.	\$1,631.00
BYT10113	Bolt On Cutting Edge with Side Cutters for 7.5 and 8.0 Cu. Yd. Enhanced Production Buckets	\$4,377.00
AT336078	KIT, 7.25 YD PIN-ON BUCKET w/ WEAR PLATES Standard Greased / NeverGrease Pin Joint compatible 7.25 Cu. Yd. (5.5 cm) General Purpose Bucket. Includes Replaceable Interior, Exterior and Side Wear Plates and Skid Shoes for S/N 612720 and above. Bucket does not include cutting edge or bucket side cutters.	\$33,659.00
BYT10308	KIT, 7.5 YD SPECIAL NARROW PIN-ON BUCKET w/o WEAR PLATES Narrow 118 inch wide bucket for loading narrow hoppers or very narrow trucks or trailers, common to the California market. Bucket is narrower than outside edges of tires and compromises cleaning up around loading areas. Is not recommended for excavating or digging below ground. If your customer does not load narrow trucks and loads typical tandem-axle or longer bed trucks, this bucket is not recommended. Is designed for handling processed aggregates. Includes enhanced production bucket features with updated bucket profile for easier loading. Curved profile side cutters for improved material retention. Includes lower side cutter protection guard, exterior side wear protection (cheek plate), integrated spill deflector, and replaceable bushed static joints. Does not allow installation of bolt on spillguard.	\$38,448.00
BYT10101	KIT, 8.0 YD PIN-ON BUCKET w/ WEAR PLATES 8.0 Cu. Yd. (6.1 Cu. M.) Enhanced Production General Purpose Bucket with Wear Plates. No Ground Engaging Tools Installed. Updated bucket profile for easier loading. Curved profile side cutters for improved material retention. Includes lower side cutter protection guard, exterior side wear protection (cheek plate), integrated spill deflector, and replaceable bushed static joints. Does not allow installation of bolt on spillguard.	\$31,854.00

This bucket is designed to be a material handling bucket and used for loose material only.

Adding Teeth and Segments Attachment BYT10112 may not provide expected performance when using in applications other than loose material.

AT336071	KIT, SPADE NOSE ROCK PIN-ON BUCKET, 6.25 YD FOR USE WITH TEETH Includes Replaceable Bucket Liner and Side Wear Plates, Integral Spill Guard, Skid Shoes, with Teeth and Segmented Cutting Edges and Side Cutters.	\$54,308.00
AT310673	Kit, Bolt On Cutting Edge with Side Cutters for 7.0, 7.25 and 7.75 cu. yd. Buckets	\$4,377.00
BYT10099	KIT, 7.5 YD PIN-ON BUCKET w/ WEAR PLATES 7.5 Cu. Yd (5.7 Cu. M.) Enhanced Production General Purpose Bucket with Wear Plates. No Ground Engaging Tools Installed. Updated bucket profile for easier loading. Curved profile side cutters for improved material retention. Includes lower side cutter protection guard, interior and exterior side wear protection (cheek plates), bucket liner, integrated spill deflector, and replaceable bushed static joints. Does not allow installation of bolt on spillguard.	\$30,106.00
AT346114	KIT, SPADE NOSE ROCK PIN-ON BUCKET, 6.25 YD FOR USE WITH BOLT ON EDGES 6.25 Cu. Yd. (5.2 cu. yd) Standard Linkage Flat Bottom Spade Nose Rock Bucket. Includes Replaceable Bucket Liner and Side Wear Plates, Integral Spill Guard, Skid Shoes, with Bolt-On Cutting Edges and Side Cutters.	\$50,791.00
AT310680	KIT, BOLT ON SPILL GUARD FOR 7.25 YD PIN-ON BUCKET ONLY For use on 7.25 clipped corner buckets. Bolt on Spillguards adds 0.4 cubic yards to Bucket Capacity. Not compatible with Enhanced Production Buckets.	\$1,865.00
BYT10115	KIT, Wear Plates for 7.5 & 8.0 Cu. Yd. Enhanced Production Buckets	\$4,209.00
AT346884	Kit, Jagz Cutting Edges for 7.25 cy buckets	\$4,024.00
AT400172	Kit, Bolt-On Teeth and Segmented Cutting Edges and Side Wing Wear plates for 7.25 c.y. Bucket	\$6,951.00
BYT10114	KIT, JAGZ CUTTING EDGE, 7.5 yd & 8.0 yd	\$4,024.00
AT322753	KIT, WEAR PLATES SPADE NOSE ROCK BUCKET Wear parts are made of abrasion resistant steel (AR400) Side wear plates (inner and outer) -- 4 pieces Bottom heal wear plates (outer) -- 2 pieces Bucket liners -- 3 pieces	\$3,366.00

Manufacturer's Specific charges and other dealer availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.