

## 870 P Excavator Base Machine



JOHN DEERE

01-Mar-2022

Code	Description	QTY	List Price (USD)
04N0FF	870 P Excavator Base Machine	1	\$1,250,278.00
	<p>HYDRAULICS:</p> <p>Open Center, Load Sensing with Variable Displacement Pumps</p> <p>Hydraulic Pilot Controls</p> <p>Axial Piston Swing Motor</p> <p>Multiple Wet Disk Swing Brake</p> <p>Auxiliary Valve Section</p> <p>Adjustable Flow for Attachments Through Monitor</p> <p>Boom and Arm Reduced Drift Valves</p> <p>Hydraulic Tank Site Gauge</p> <p>4,000 Hour Hydraulic Oil Change Interval</p>		
	<p>UNDERCARRIAGE:</p> <p>Two Speed Propel</p> <p>Axial Piston Propel Motors</p> <p>Propel Motor Shields</p> <p>Planetary Final Drives</p> <p>Sealed Track Chain</p> <p>Front and Center Track Guides</p> <p>X-Frame Car Body</p> <p>Hydraulic Track Adjuster</p> <p>Spring Applied Hydraulic Released Propel Brake</p>		
	<p>UPPER STRUCTURE:</p> <p>Right and Left Mirrors</p> <p>Toolbox</p> <p>Vandal Locks for:</p> <p>Cab Door</p> <p>Service Doors</p> <p>Fuel Cap</p> <p>Tool Box</p> <p>Work Lights:</p> <p>One Mounted on Frame</p> <p>Two Mounted on Boom</p> <p>Two Mounted on Cab</p> <p>Debris Screen in Side Panel</p> <p>Remote Mounted Engine Oil Filter</p>		
	<p>FRONT ATTACHMENT:</p> <p>Centralized Lubrication System</p> <p>Boom Cylinders with Plumbing</p> <p>Dirt Seals on Bucket Pins</p> <p>Less Boom</p> <p>Less Arm</p> <p>Less Bucket</p>		
	<p>OPERATOR'S STATION:</p> <p>Adjustable Control Positions (Levers to Seat, Seat to Pedals)</p> <p>4" Arm Rests Attached to Side Consoles</p> <p>Pilot Control Shut-Off Lever</p> <p>Short Stroke, Low Effort Pilot Levers</p> <p>Deluxe Adjustable, Heated Cloth Seat with Air Suspension, Reclining Backrest, Headrest, and Adjustable Lumbar Support</p>		

Multifunction, Color LCD Monitor System with:  
 Diagnostic Capability  
 Systems Monitoring Capability  
 Multiple Language Capability  
 Maintenance Tracking  
 Engine Coolant Temperature Gauge  
 Engine Coolant Temperature Warning Indicator with Audible Alarm  
 Engine Oil Pressure Warning Indicator with Audible Alarm  
 Fuel Gauge with Low Fuel Indicator  
 DEF Gauge with Low DEF Indicator  
 Work Mode Indicator  
 Auto Idle Indicator  
 Auto Shut Down Indicator  
 Alternator Charge Indicator  
 Air Filter Restriction Indicator  
 Fault Code Alert Indicator  
 Check Engine Indicator  
 Wiper Mode Indicator  
 Work Lights On Indicator  
 Fuel Rate Display  
 Clock  
 Hour Meter  
 Mode Selection:  
 One Work Mode  
 Three Power Modes  
 Boom Mode  
 Numerous Attachment Modes  
 Engine Oil Level Indicator  
 Engine Coolant Level Indicator  
 Auto-Climate Control/Air Conditioner, Heater with Pressurizer  
 AM-FM Radio  
 Rear View Camera  
 Machine Information Center (MIC)  
 Windshield Wiper/Washer with Intermittent Speed  
 12V-60W, 5 Amp Cell Phone Power Outlet  
 2 In. Retractable Seat Belt  
 Tinted Safety Glass  
 Hot/Cold Box Compartment  
 Horn  
 Two Cup Holders  
 Interior Light  
 Coat Hook  
 Floor Mat  
 Motion Alarm with Cancel Switch  
 Transparent Tinted Roof Hatch with Sunshade  
 Easy Access Air Conditioning Filter

04NOFF	870 P Excavator Base Machine	1	\$1,250,278.00
--------	------------------------------	---	----------------

DESTINATION AND LANGUAGE

Destination Codes	Basic Factory Options - Required
-------------------	----------------------------------

0202	Destination Code - United States		No Added Cost
------	----------------------------------	--	---------------

Operator's Manual and Decals Basic Factory Options - Required

0259 English Decals and Customer Delivery Packet No Added Cost

PACKAGES

Trim Packages Basic Factory Options - Required

0621 Package 1 No Added Cost

- Includes:
- 13,300kg (29,300 lb) Counterweight
  - 900 mm (36 in.) Steel Track with Double Grouser Shoes
  - 8.4m (27 ft. 7 in.) Boom
  - 4.4m (14 ft. 5 in.) Arm
  - JDLink Hardware

0622 Package 2 \$21,300.00

- Includes:
- Counterweight Removal System
  - 12,400kg (27,300 lb) Counterweight for Counterweight Removal System
  - 900 mm (36 in.) Steel Track with Double Grouser Shoes
  - 8.4m (27 ft. 7 in.) Boom
  - 4.4m (14 ft. 5 in.) Arm
  - JDLink Hardware

0623 Package 3 \$45,300.00

- Includes:
- Counterweight Removal System
  - 12,400kg (27,300) Counterweight for Counterweight Removal System
  - 900 mm (36 in.) Steel Track with Double Grouser Shoes
  - 7.1m (23 ft. 3 in.) ME (Mass Excavating) Boom
  - 2.95m (9 ft. 8 in.) ME (Mass Excavating) Arm
  - JDLink Hardware

0624 Package 4 \$16,900.00

- Includes:
- Counterweight Removal System
  - 12,400kg (27,300 lb) Counterweight for Counterweight Removal System
  - 900 mm (36 in.) Steel Track with Double Grouser Shoes
  - 8.4m (27 ft. 7 in.) Boom
  - 3.7m (12 ft. 2 in.) Arm
  - JDLink Hardware

0625 Package 5 \$49,500.00

- Includes:
- Counterweight Removal System
  - 12,400kg (27,300 lb) Counterweight for Counterweight Removal System

- 1020 mm (40 in.) Steel Track with Double Grouser Shoes
- 10m (32 ft. 10 in.) Boom
- 4.4m (14 ft. 5 in.) Arm
- JDLink Hardware

JOHN DEERE WORKSIGHT™

Machine Connectivity

Basic Factory Options - Required

Machine connectivity functions require cellular coverage. Usage of JDLink System requires customer's acceptance of the terms of the John Deere Telematics System Contract.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

170K	JDLink™ Includes integrated cab wiring harness, antenna, and JDLink Modem (MTG).  JDLink connectivity is enabled separately through the JDLink website. Connectivity service is subject to country availability.	No Added Cost
------	---	---------------

MISCELLANEOUS

Operator Environment

Field Installed Attachments - Optional

AT173678	3 Inch Seat Belt	\$137.58
----------	------------------	----------

BYT11141	Full Length Front Guards After Serial # 050212	\$1,547.00
----------	---	------------

Hydraulics

Field Installed Attachments - Optional

AT327652	Control Handle for Auxiliary Hydraulics, Left-Hand  Requires control solenoid for either 1-way or 2-way auxiliary hydraulics. Recommended for use with auxiliary hydraulic lines.	\$530.00
----------	--	----------

AT390776	Single Pedal Propel Kit	\$2,143.00
----------	-------------------------	------------

Guards

Field Installed Attachments - Optional

AT419609	Cab FOPS Guard FOPS Level II, ISO 10262 Certified	\$4,680.00
----------	--	------------

Overall Vehicle

Field Installed Attachments - Optional

BYT11005	Vandal Covers After Serial # 050212	\$3,053.00
----------	--	------------

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.