



JOHN DEERE

Current Date 06Jan2021

## 944K LOADER

## POWERTRAIN:

Hybrid Electric Drivetrain  
 2 Brushless, A/C Generators  
 Solid State Power Electronics  
 4 Brushless, A/C Wheel Motors  
 Electronically Controlled, Fully Automatic, Shift System Programmable  
 Maximum, High Speed Range  
 Quick Shift Button in Bucket Tilt Lever  
 Heavy Duty Planetaries  
 Heavy Duty, Self-Adjusting, Power, Wet-Disc Service Brakes  
 Electronically Actuated, Automatic Spring Applied, Hydraulically Released, Wet Multi-Disc Park Brakes for Each Wheel  
 Generator/Pump Drive Fill Tube and Dip Stick  
 Traction Control System

## COOLING:

Quad-Cool System:  
 Heavy Duty, Trash Resistant and High Ambient Cooling Package  
 2-Side access to all Coolers  
 Cooling System isolated from Engine  
 Compartment  
 Engine Radiator  
 Integral Engine Oil Cooler  
 Charge Air Cooler (Air to Air)  
 Hydraulic Oil Cooler (Oil

Master Electrical Disconnect Switch  
 Starting Switch with Electric Fuel Shut Off  
 Pre-wired for Beacon/Strobe Light  
 Lights:  
 (1) Engine Compartment Light  
 (2) Halogen Driving Lights with Guards  
 (4) Front, (2) Rear Cab and 2-Rear Grille mounted Work Lights  
 LED Turn Signals and Flashers  
 LED Stop and Tail Lights  
 Stairway lighting with ground level and in-cab switches  
 Programmable Courtesy Lights  
 Horn, Electric  
 Reverse Warning Alarm  
 Voltage Converter for 24V to 12V / 8 Amps  
 Multi-Function / Multi-Language LCD Color Monitor includes:  
 DIGITAL INSTRUMENTS  
 ANALOG Display:  
 Hydraulic Oil Temperature  
 Engine Coolant Temperature  
 Electric Motor/Final Drive Oil Temperature  
 Engine Oil Pressure  
 DIGITAL Display:  
 Engine RPM  
 Speed Range / Direction Indicator  
 Hour Meter  
 Fuel Level  
 Speedometer  
 Odometer

Rear Camera  
 Joystick Steering w/ Speed Range  
 Shift, Horn and FNR  
 3-Inch, High-Visibility, Blaze Orange  
 Seat Belt with Retractor  
 (1) Cup Holder  
 Lunch box (Cooler) Holder  
 Dome and Reading Light  
 (2) 12 Volt Power Ports  
 Sun Visor  
 Radio Ready  
 Rubber Floor Mat  
 Operator's Manual Storage  
 Compartment  
 (2) Outside Mirrors and (1) Inside Rear View Mirror  
 Front and Rear Intermittent  
 Windshield Wiper and Washers  
 Left and Right Side Cab Access  
 Slip-Resistant Steps and Ergonomically Located Handholds  
 (4) Certified Tie Off Points on Cab Roof  
 OVERALL VEHICLE:  
 Level 1 and Level 2 Sound Package  
 Bushed Pin Joints (including Static Joints on Bucket and Steering Cylinder)  
 Bushed Steering Cylinder Pin Joints on Loader Frame  
 NeverGrease Rear Axle Oscillation  
 Cab Left and Right Handrails, Steps and Platforms  
 Cast Bumper with Rear Hitch and Locking Pin  
 Front, Mid and Rear Tie Downs  
 Front Fenders  
 Articulation Locking Bar  
 40 Degree Steering Articulation to Each Side with Rubber Cushion Stops and Hydraulic Relief Valves on Frame  
 Vandal Protection With Lockable Engine Enclosures, Right Counterweight  
 Compartment, Battery Box, Filler Access for Right and Left

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22

to Air)	Outside Temperature	Radiators/Fuel/Hydraulic/Transmission
Generator and Drive	Fuel Consumption Rate	Fluid Sampling Ports for Engine,
Gearbox Cooler (Oil to	Integrated Cycle	Generator Drive, Hydraulic,
Air)	Counter with 5	Motor/Final Drive Oils and Engine
Power Electronics Cooler	Categories	Coolant
(Anti-Freeze to Air)	Indicator Lights for	Environmental Drains for Engine,
Wheel Motor and Final	Standard and Selected	Generator Drive Gear Box, Hydraulic
Drive Oil Coolers (Oil to	Options	Oils and Engine Coolant
Air)	Indicator Lights for	Fuel Tank Fill Strainer
Coolant Recovery Tank	Amber Caution and Red	Ground Level Fueling
Antifreeze, -34F (-37 C)	Stop	Ground Level Lubrication
Cool-on Demand,	Operator Warning	Right-side, Ground-Level Service
Swing-out, Hydraulically	Messages	Center
Driven Fan	BUILT-IN	Left and Right Engine Frame Steps
Enclosed Fan Safety	DIAGNOSTICS:	and Handholds
Guard	Diagnostic Code Details	Storage Compartment
HYDRAULICS:	Sensor Values	Front Frame Bottom Guards
Load Sensing Hydraulic	Calibrations	Heavy Duty Fuel Tank Guard
System	Individual Circuit Tester	
2 Function -- 2-Lever	MENU DISPLAY:	
Fingertip Electro-	Codes	
Hydraulic Control	Machine Settings	
In Cab Adjustable	Diagnostics	
Settings:	Monitor Settings	
Boom Height Kickout	OPERATOR'S STATION:	
Automatic Return To	Isolation Mounted	
Carry	ROPS/FOPS Quiet Cab	
Automatic Return to Dig	with:	
Hydraulic Function	Air Condition, Heater,	
Enable/ Disable	Defroster and	
Hydraulic Reservoir with	Pressurizer	
Sight Gauge and Fill	Keyless Start with	
Strainer	Multiple Security Modes	
Hydraulic Diagnostic	Sealed Switch Module	
Ports	with Function Indicators	
4000 Hour In-Tank	Deluxe Heated Seat	
Filters	with Leather/Fabric,	
ELECTRICAL:	High-Wide Back with	
24 Volt Electrical	Head Rest	
System	Extension, Adjustable	
Solid State Electrical	Air Suspension for	
Power Distribution	Weight/Height with	
System	Fore-Aft	
150 Amp Alternator	Adjustment and	
(2) Heavy Duty	Adjustable Arm Rests	
Batteries - each 1400	Hydraulic Controls	
Cold Cranking	Integrated to Seat	
amps/440 minute	Backlit Sealed Switch	
Reserve Capacity	Module with Function	
Battery Terminal Safety	Indicators	
Covers		
By-Pass Start Safety		
Cover at Starter		

**Required** - You must select one from each category
 BASE MACHINE

FOB Davenport, Ia.

"As not all option codes have field kits, please review your order option codes and available kits prior to placing a machine order"

Description	Code	Price
944K LOADER	8990T	\$907,311.00

 GATHERING GROUP CONFIGURATIONS

Description	Code	Price
Standard Gathering Group	0810	No Added Cost

 OPERATOR'S MANUAL AND DECALS

Description	Code	Price
English Labels and Decals	2605	No Added Cost
Spanish Labels and Decals	2610	No Added Cost
French Labels and Decals	2615	No Added Cost

 ENGINE

Description	Code	Price
John Deere PowerTech PSS	0924	\$66,196.00

13.5L meets EPA FT4 and EU Stage IV Emissions (536 Net Peak hp)  
For use only in areas where EPA Final Tier 4/EU Stage IV is required.

Turbocharged, Charge Air Cooled  
Wet Sleeve Cylinder Liners  
Programmable Auto-Idle and Auto-Shutdown  
Selected Idle Adjustment from 900-1250 RPM  
Starter Protection  
4 Valves / Cylinder  
Cooled Exhaust Gas Recirculation  
Automatic Derating for Exceeded System Temperatures  
Electronically Controlled MEUI Fuel Delivery System, B20 Biodiesel Compatible  
Electrical Fuel Priming System  
Serpentine Drive Belt with Automatic Tensioner  
Under Hood Dual Element Air Cleaner with Restriction Indicator  
Under Hood Exhaust Filter and Catalysts with Curved Exhaust Stack  
Automatic Exhaust Filter Regeneration  
Dual-Stage Fuel Filter and Water Separator  
500 Hour Vertical Spin-on Oil Filter  
Oil crankcase filter, Lifetime  
Engine Compartment Light  
Remote Jump Starting Lugs  
Automatic Engine Cool-down Timer

 ENGINE FAN DRIVE

Description	Code	Price
Standard Fan Drive	1510	No Added Cost

	Automatic Reversing Hydraulic Fan	1520	\$1,825.00
▼	EXHAUST		
	<b>Description</b>	<b>Code</b>	<b>Price</b>
	Engine Exhaust with Flat Black Curved Stack	1310	No Added Cost
	Engine Exhaust with Chrome Curved Stack	1330	\$1,150.00
▼	FUEL FILTRATION AND FAST FILL		
	<b>Description</b>	<b>Code</b>	<b>Price</b>
	Standard Fuel Filter & Water Separator	1610	No Added Cost
	Standard Fuel Filters and Water Separator with Fast Fill	1630	\$1,924.00
▼	CONVERTER		
	<b>Description</b>	<b>Code</b>	<b>Price</b>
	24 Volt to 12 Volt - 8 Amp Converter	2708	No Added Cost
	24 Volt to 12 Volt - 15 Amp Converter	2715	\$115.00
	24 Volt to 12 Volt - 30 Amp Converter	2730	\$265.00
▼	LIGHTING		
	<b>Description</b>	<b>Code</b>	<b>Price</b>
	Halogen Work and Drive Lights	7120	No Added Cost
	LED Front Turn/Marker & Rear Turn/Brake Lights		
	Premium LED Work and Drive Lights	7140	\$2,199.00
	All exterior machine lights are LED LED Front Turn/Marker & Rear Turn/Brake Lights		
	Deluxe LED Work Lights	7150	\$5,096.00
	All drive and working lights are LED. Adds additional two lights on front and additional two LED lights on loader mast. LED Front Turn/Marker & Rear Turn/Brake Lights		
▼	BATTERIES		
	<b>Description</b>	<b>Code</b>	<b>Price</b>
	Two 1400 CCA Batteries	5410	No Added Cost
	Four 1400 CCA Batteries	5420	\$1,300.00
	Additional Batteries for Cold Environments		
▼	TURN SIGNALS		
	<b>Description</b>	<b>Code</b>	<b>Price</b>

Turn Signals and Switch	2310	No Added Cost
-------------------------	------	---------------

▼ WHEELS AND TIRES

All Tires are tubeless and include rims, axle stops when required, and come in sets of 4.  
Tire chain use requires Axle Stops.

Description	Code	Price
<b><u>35/65R33 L4 Radial Tires with 5 Piece Rims</u></b>		
Bridgestone VSNT Two Star	5010	\$41,000.00
Michelin XTXL Three Star	5039	\$42,500.00
Michelin XLDD1 L4 Two Star	5046	\$41,500.00
<b><u>35/65R33 L5 Bias Ply Tires with 5 Piece Rims</u></b>		
Should not be used in load and carry applications.		
Bridgestone DL 42 PR (Ply Rating)	5025	\$41,000.00
<b><u>35/65R33 L5 Radial Tires with 5 Piece Rims</u></b>		
Should not be used in load and carry applications.		
Bridgestone VSDL Two Star	5020	\$44,000.00
Michelin XMINE D2 Two Star	5040	\$47,000.00
Michelin XLD D2 Two Star	5045	\$44,000.00

▼ TIRE PRESSURE MONITORING

Description	Code	Price
Tire Pressure Monitoring System	5310	\$1,700.00
Less Tire Pressure Monitoring System	5320	No Added Cost

▼ FENDERS

Description	Code	Price
Fenders	5540	No Added Cost
Standard Front and Rear Fenders		
Fenders	5550	\$4,368.00
Mud Flaps and Rear Fender Extensions		

▼ LINKAGE CONFIGURATION

Description	Code	Price
Standard Z-BAR	2010	No Added Cost
Standard Length Loader Boom		
High Lift Z-BAR	2020	\$7,800.00

Long Length Loader Boom  
Adds 18 inches (457.2mm) height to bucket hinge pin, fully raised.

## BUCKETS

Capacity rating is with auxiliary cutting edge or teeth with segments installed.

Description	Code	Price
<p>8.5 Cu. Yd. (6.5 Cu. M.) Heavy Duty Granite Spade-Nose Rock Bucket</p> <p>With TK550 Adapters, Wear Liners and Top Cutting Edge Protection This bucket can only be equipped with teeth or segments: Requires Code 7410 (Penetration Teeth) OR 7420 (Heavy Abrasion Teeth) AND 7510 (Double Bevel Cutting Segment) OR 7520 (Half-Arrow Curring Segment and Cover Plates).</p> <p>Also requires order codes 9780 (Side Bar Protection) AND 9782 (Bolt-On Skid Plate for Spade-Nose Cutting Edge).</p>	7240	\$75,000.00
<p>9.0 Cu. Yd. (6.88 Cu. M.) Spade-Nose Rock Bucket w/ TK550 Adapters</p> <p>This bucket can only be equipped with teeth or segments: Requires Code 7410 (Penetration Teeth) OR 7420 (Heavy Abrasion Teeth) AND 7510 (Double Bevel Cutting Segment) OR 7520 (Half-Arrow Cutting Segment and Cover Plates).</p> <p>Does not include any side bar protection, must be ordered separately if required.</p>	7210	\$62,000.00
<p>9.0 Cu. Yd. (6.88 Cu. M.) Spade-Nose Rock Bucket Less Adapters (Smooth Edge)</p> <p>Requires Codes 7450 (Less Teeth) AND 7530 (Bolt-On Cutting Edge, Spade-Nose (Smooth Edge)). Does not include any side bar protection, must be ordered separately if required. Teeth Adapters cannot be installed on this bucket since the weld-in cutting edge is thinner than the toothed bucket and hole pattern will allow segments to bolt up.</p>	7230	\$60,000.00
<p>10.0 Cu. Yd. (7.65 Cu. M.) Spade-Nose Rock Bucket w/ TK550 Adapters</p> <p>This bucket can only be equipped with teeth or segments: Requires Code 7410 (Penetration Teeth) OR 7420 (Heavy Abrasion Teeth) AND 7510 (Double Bevel Cutting Segment) OR 7520 (Half-Arrow Cutting Segment and Cover Plates).</p> <p>Does not include any side bar protection, must be ordered separately if required.</p>	7262	\$64,000.00
<p>10.0 Cu. Yd. (7.65 Cu. M.) Spade-Nose Rock Bucket Less Adapters (Smooth Edge)</p> <p>Requires Codes 7450 (Less Teeth) AND 7530 (Bolt-On Cutting Edge, Spade-Nose (Smooth Edge)). Does not include any side bar protection, must be ordered separately if required. Teeth Adapters cannot be installed on this bucket since the weld-in cutting edge is thinner than the toothed bucket and hole pattern will allow segments to bolt up.</p>	7264	\$62,000.00
	7260	\$47,000.00

### 10 Cu. Yd. (7.65 Cu. M.) General Purpose Bucket with Straight Edge Only (Not Spade-Nose)

Teeth and Segments are not available with this bucket.

Less Bucket with Bucket Pins 7270 No Added Cost

Requires Code 7450 (Less Teeth) AND 7550 (Less Segments/Cutting Edge).

Machine conversion form must be submitted and approved for warranty coverage to be started. Please consult DMAC for application assistance before ordering.

#### TEETH

Description	Code	Price
TK550LD Penetration Teeth	7410	\$1,540.00
Set of 8		
TK550LDH Heavy Abrasion Teeth	7420	\$1,840.00
Set of 8		
Less Teeth	7450	No Added Cost

#### SEGMENTS OR CUTTING EDGES

Description	Code	Price
45 MM Bolt-On Double Bevel Cutting Segments	7510	\$2,200.00
Set of 7		
Bolt-On Half-Arrow Cutting Segments and Cover Plates	7520	\$2,500.00
Set of 7		
Bolt-On Cutting Edge, Spade-Nose (Smooth Edge)	7530	\$3,600.00
Set of 5 Cutting Edges.		
Only available with bucket order code 7230 - Spade-Nose Rock Bucket Less Adapters.		
Bolt-On Cutting Edge, Straight (Not for Spade- Nose Buckets)	7540	\$2,650.00
Set of 3 Cutting Edges and 2 End Bits.		
Only available with bucket order code 7260 - General Purpose Bucket with Straight Edge Only.		
Less Segments/Cutting Edge	7550	No Added Cost

#### RIDE CONTROL

Description	Code	Price
Ride Control	2510	\$9,204.00

Less Ride Control	2520	No Added Cost
-------------------	------	---------------

▼ A/C CHARGE

Description	Code	Price
Cab with Air A/C Charge	8450	No Added Cost

▼ MIRRORS

Description	Code	Price
Standard Outside Mirrors	8310	No Added Cost
Heated Outside Mirrors	8320	\$649.00

▼ PAYLOAD SCALE

Description	Code	Price
No Payload Scale	2890	No Added Cost

▼ MACHINE CONNECTIVITY

Machine connectivity functions require cellular coverage. Usage of JDLINK System requires customer's acceptance of the terms of the John Deere Telematics System Contract.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

Description	Code	Price
JDLINK Ultimate 5 Year Subscription	170C	No Added Cost

Includes JDLINK hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and now includes all Ultimate Connectivity features Wireless Data Transfer (WDT) enabling automatic data transfer from TimberMatic and Waratah H16 Measuring Systems to TimberManager and MyJohnDeere, supporting TimberOffice 5 Software. Additionally, Ultimate now includes Limited Internet features supporting optional ForestSight Solutions such as advance mapping systems and Remote Display Access (RDA) features supported by TeamViewer applications. JDLINK utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLINK hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLINK customer account must be created to access JDLINK Ultimate data. Go to [www.StellarSupport.com](http://www.StellarSupport.com) to renew or update JDLINK subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at [www.JohnDeere.com/Agreements](http://www.JohnDeere.com/Agreements). If these terms and conditions are not agreeable do not proceed and do not use the service.

JDLINK Ultimate Dual 5 Year Subscription	170J	\$2,074.00
--	------	------------

Includes JDLINK hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and now includes all cellular dependent Ultimate Connectivity features Wireless Data Transfer (WDT) enabling automatic data transfer from TimberMatic and Waratah H16 Measuring Systems to TimberManager and MyJohnDeere, supporting



TimberOffice 5 Software. Additionally, Ultimate Dual now includes Limited Internet features supporting optional ForestSight Solutions such as advance mapping systems and Remote Display Access (RDA) features supported by TeamViewer applications when cellular signal is available. JD Link Ultimate Dual works with the 4G LTE MTG to automatically transmit compressed summary data over a satellite network when a cellular network is not available. JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to [www.StellarSupport.com](http://www.StellarSupport.com) to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at [www.JohnDeere.com/Agreements](http://www.JohnDeere.com/Agreements). If these terms and conditions are not agreeable do not proceed and do not use the service.

**Optional - Select as desired**
 COLD START PACKAGES

Description	Code	Price
Cold Weather Starting	9020	\$581.00
Includes Automatic Ether Start Aid and Engine Block Heater. Recommended for cold starts below 10 degrees F (-12 degrees C)		

 QUICK FLUID SERVICE WITH ENVIRONMENTAL DRAIN

Description	Code	Price
Quick Fluid Service w/Environmental Drains	9045	\$850.00
With Sampling ports		

 ANTI-CORROSION

Description	Code	Price
Electrical Corrosion Prevention Package	9210	\$1,425.00
Preventive corrosion treatment for use in corrosive environments. Preventive corrosion treatment includes dielectric grease for electrical connections and polyurethane-based sealant on exposed terminals.		

 FRAME

Description	Code	Price
Engine Frame Side Shield Guards	9420	\$712.00
Bottom Guards	9430	\$1,416.00

 ADDITIONAL BUCKET GUARDING

Description	Code	Price
Side Bar Protection	9780	\$1,050.00

Includes 4 side bar protectors (2 per side) to protect lower front edge of bucket sidesheets.

<b>Bolt-On Skid Plate for Spade-Nose Cutting Edge</b>	<b>9782</b>	<b>\$500.00</b>
---	-------------	-----------------

Skid plate bolts on rear base edge in center of bucket to protect rear of base edge.

#### HYDRAULICS

<b>Description</b>	<b>Code</b>	<b>Price</b>
<b>Auto Lube</b>	<b>9308</b>	<b>\$14,612.00</b>

Lincoln CENTROMATIC automatic greasing system hydraulically powered for trouble free performance for 60 lb. reservoir, special guarding added. Reservoir can be ground level filled.

#### HYDRAULIC OIL

<b>Description</b>	<b>Code</b>	<b>Price</b>
<b>Hydraulic Fluid - Hydrau XR</b>	<b>9316</b>	<b>\$822.00</b>

Optional factory fill.  
Required for colder climates with operation below -25C (-13F) and extreme cold ambient temperatures down to -40C (-40F).  
Provides all-season capability in ambient temperatures ranging from -40C to 40C (-40F to 104F).

#### RADIO

<b>Description</b>	<b>Code</b>	<b>Price</b>
<b>AM/FM/Weather Band (WB) Radio with Remote AUX Port</b>	<b>9106</b>	<b>\$576.00</b>
<b>Premium AM/FM/Weather Band (WB) Radio with Bluetooth, Remote Aux and Remote USB Port</b>	<b>9111</b>	<b>\$850.00</b>

#### REAR CAMERA OR RADAR DETECTION

<b>Description</b>	<b>Code</b>	<b>Price</b>
<b>Rear Camera and Radar Object Detection System</b>	<b>9130</b>	<b>\$3,437.00</b>

Display shows view behind the machine and provides audible alert. Rear view is displayed in video-enabled LCD Color Monitor.

#### OPERATOR'S STATION

<b>Description</b>	<b>Code</b>	<b>Price</b>
<b>5.0 lbs. multi purpose (ABC) Dry Chemical Fire Extinguisher</b>	<b>9140</b>	<b>\$149.00</b>

#### SECONDARY STEERING

<b>Description</b>	<b>Code</b>	<b>Price</b>
<b>Secondary Steering</b>	<b>9305</b>	<b>\$7,805.00</b>

Requires Cold Weather Battery Code 5420.

#### SMV EMBLEM AND MOUNTING BRACKETS

Description	Code	Price
Single Beacon Bracket	9125	\$197.00

Bracket has fold down position for transport.  
Cannot be ordered with code 9126.

#### PAINT

Description	Code	Price
Finish Paint - Decals Not Installed	9800	No Added Cost

For custom paint.  
Paintable cab roof.  
Decals packaged with machine.  
Safety decals installed.

#### ATTACHMENTS FOR FIELD CONVERSION

Description	Code	Price
<b><u>Bucket Hardware &amp; Accessories</u></b>		

45 mm Bolt-on Double Bevel Cutting Segments	AT403092	\$2,575.00
---	----------	------------

Includes 7 segments and associated mounting hardware.

Bolt-on Cutting Edge, Spade Nose	AT434580	\$5,963.00
----------------------------------	----------	------------

Includes 5 cutting edges and associated mounting hardware.

Bolt-on Cutting Edge, Straight	AT442707	\$4,293.00
--------------------------------	----------	------------

Includes 5 cutting edges and associated mounting hardware.

Bolt-on Half Arrow Cutting Segments and Cover Plates	AT403330	\$4,031.00
--	----------	------------

Includes 7 segments, 7 cover plates and associated mounting hardware.

Bolt-on Skid Plate for Spade Nose Cutting Edge	AT403336	\$516.00
--	----------	----------

Single skid plate with associated mounting hardware.

Bolt-on Skid Shoes	AT442197	\$645.00
--------------------	----------	----------

Includes 2 skid shoes and associated mounting hardware.

Rock Deflector Kit	AT458302	\$937.00
--------------------	----------	----------

Side Bar Protection for Spade Nose Buckets Only	AT442196	\$1,082.00
---	----------	------------

Includes 4 sidecutter shrouds and associated mounting hardware.

TK550LD Penetration Teeth	AT403087	\$2,618.00
---------------------------	----------	------------

Includes 8 teeth, pins, and locks.

TK550LDH Heavy Abrasion Teeth	AT403331	\$3,384.00
-------------------------------	----------	------------

Includes 8 teeth, pins, and locks.

Wear Plates & Liners Kit, Spade Nose Buckets Only	AT434579	\$4,414.00
---	----------	------------

### **Buckets & Bucket Wear Components**

10 Cu. Yd. (7.65 Cu. M.) General Purpose Bucket with Straight Edge Only (Not Spade-Nose)	AT443478	\$47,470.00
--	----------	-------------

Teeth, segments, cutting edges or additional hardware not included.

10.0 Cu. Yd. (7.65 Cu. M.) Spade-Nose Rock Bucket Less Adapters (Smooth Edge)	BYT10432	\$62,620.00
---	----------	-------------

10.0 Cu. Yd. (7.65 Cu. M.) Spade-Nose Rock Bucket w/ TK550 Adapters	BYT10433	\$64,640.00
---	----------	-------------

8.5 Cu. Yd. (6.5 Cu. M.) Heavy Duty Granite Spade-Nose Rock Bucket	AT443475	\$75,750.00
--	----------	-------------

Includes TK550 Adapters, Wear Liners and Top Cutting Edge Protection.  
Teeth, segments, cutting edges or additional hardware not included.

9.0 Cu. Yd. (6.88 Cu. M.) Spade-Nose Rock Bucket Less Adapters (Smooth Edge)	AT443477	\$60,600.00
--	----------	-------------

Teeth, segments, cutting edges or additional hardware not included.

9.0 Cu. Yd. (6.88 Cu. M.) Spade-Nose Rock Bucket w/ TK550 Adapters	AT443476	\$62,620.00
--	----------	-------------

Teeth, segments, cutting edges or additional hardware not included.

### **Hydraulics**

KIT, 3RD FUNCTION HYDRAULICS	BYT11135	\$9,581.00
------------------------------	----------	------------

Includes 3rd Function Control Lever in Cab

### **Miscellaneous**

Mud Flaps and Rear Fender Extensions	BYT10332	\$4,327.00
--------------------------------------	----------	------------

Wheel Chock Brackets	BYT11327	\$413.00
----------------------	----------	----------

Wheel Chock Brackets that each hold a Checkers Brand (Part Number MC3010) Wheel Chock.

These brackets can be accessed from ground level and are mounted at the rear of the machine behind the fuel tank door on the left and storage door on the right. One per side.

WHEEL CHOCKS ARE NOT INCLUDED NOR AVAILABLE THROUGH JOHN DEERE AND NEED TO BE ORDERED FROM A CHECKERS WHEEL CHOCK DISTRIBUTOR.

### **Operator Environment**

944K FNR to RNF Transmission Direction Control Switch Reversed Pattern Decal	AT462477	\$11.00
--	----------	---------

This kit provides the in-cab sticker to correctly show the direction of the steering lever, transmission directional control switch on 944K loaders that

have the pattern reversed from F-N-R (Forward – Neutral – Reverse) to R-N-F.

AM/FM/Weather Band (WB) Radio with Remote AUX Port	AT452091	\$594.00
CB Radio Bracket	AT437803	\$54.00
Premium AM/FM/Weather Band (WB)/ XM Ready Radio with Bluetooth, Remote Aux and Remote USB Port	AT452090	\$876.00
Rear Camera and Radar Object Detection System	AT454016	\$4,476.00
Display shows view behind the machine and provides audible alert. Rear view is displayed in video-enabled LCD Color Monitor.		
Secondary Steering	AT385865	\$7,733.00
<b><u>Overall Vehicle</u></b>		
Front Fender Extension	AT436678	\$930.00
Mud Flaps and Rear Fender Extensions	AT457797	\$4,327.00
Rear Camera	AT468339	\$1,007.00
Rear Camera and Rear Object Radar Detection	AT468340	\$42.00
Tire Pressure Monitoring System (TPMS) Kit for 944K - Less Tire Sensors	BYT10341	\$1,072.00
<b><u>Powertrain &amp; Cooling</u></b>		
Automatic Ether Starting Aid	AT423344	\$353.00
Fast Fill Fuel System	AT422712	\$2,164.00
Kit includes all necessary components and connections for conversion to fast fuel compatible tank. 150 gpm fill rate.		
Fast Fill Fuel System	BYT10329	\$2,417.00
Kit includes all necessary components and connections for conversion to fast fuel compatible tank. 150 gpm fill rate.		