

# 944K LOADER

01-Mar-2022



**JOHN DEERE**

Code	Description	QTY	List Price (USD)
8990T	944K LOADER	1	\$1,068,868.00
	<p><b>POWERTRAIN:</b>                      Hybrid Electric Drivetrain                      2 Brushless, A/C Generators                      Solid State Power Electronics                      4 Brushless, A/C Wheel Motors                      Electronically Controlled, Fully Automatic, Shift System                      Programmable Maximum, High Speed Range                      Quick Shift Button in Bucket Tilt Lever                      Heavy Duty Planetaries                      Heavy Duty, Self-Adjusting, Power, Wet-Disc Service Brakes                      Electronically Actuated, Automatic Spring Applied, Hydraulically Released, Wet Multi-Disc Park Brakes for Each Wheel                      Generator/Pump Drive Fill Tube and Dip Stick                      Traction Control System</p> <p><b>COOLING:</b>                      Quad-Cool System:                      Heavy Duty, Trash Resistant and High Ambient Cooling Package                      2-Side access to all Coolers                      Cooling System isolated from Engine Compartment                      Engine Radiator                      Integral Engine Oil Cooler                      Charge Air Cooler (Air to Air)                      Hydraulic Oil Cooler (Oil to Air)                      Generator and Drive Gearbox Cooler (Oil to Air)                      Power Electronics Cooler (Anti-Freeze to Air)                      Wheel Motor and Final Drive Oil Coolers (Oil to Air)                      Coolant Recovery Tank                      Antifreeze, -34F (-37 C)                      Cool-on Demand, Swing-out, Hydraulically Driven Fan                      Enclosed Fan Safety Guard</p>		
	<p><b>HYDRAULICS:</b>                      Load Sensing Hydraulic System                      2 Function -- 2-Lever Fingertip Electro-Hydraulic Control                      In Cab Adjustable Settings:                      Boom Height Kickout                      Automatic Return To Carry                      Automatic Return to Dig                      Hydraulic Function Enable/ Disable                      Hydraulic Reservoir with Sight Gauge and Fill Strainer                      Hydraulic Diagnostic Ports                      4000 Hour In-Tank Filters</p> <p><b>ELECTRICAL:</b>                      24 Volt Electrical System                      Solid State Electrical Power Distribution System                      150 Amp Alternator                      (2) Heavy Duty Batteries - each 1400 Cold Cranking                      amps/440 minute Reserve Capacity                      Battery Terminal Safety Covers                      By-Pass Start Safety Cover at Starter                      Master Electrical Disconnect Switch                      Starting Switch with Electric Fuel Shut Off                      Pre-wired for Beacon/Strobe Light</p> <p><b>Lights:</b>                      (1) Engine Compartment Light                      (2) Halogen Driving Lights with Guards                      (4) Front, (2) Rear Cab and 2-Rear Grille mounted Work                      Lights                      LED Turn Signals and Flashers                      LED Stop and Tail Lights                      Stairway lighting with ground level and in-cab switches                      Programmable Courtesy Lights                      Horn, Electric                      Reverse Warning Alarm                      Voltage Converter for 24V to 12V / 8 Amps                      Multi-Function / Multi-Language LCD Color Monitor                      includes:</p> <p><b>DIGITAL INSTRUMENTS</b>  <b>ANALOG Display:</b>                      Hydraulic Oil Temperature                      Engine Coolant Temperature                      Electric Motor/Final Drive Oil Temperature                      Engine Oil Pressure</p> <p><b>DIGITAL Display:</b>                      Engine RPM                      Speed Range / Direction Indicator                      Hour Meter                      Fuel Level                      Speedometer                      Odometer                      Outside Temperature</p>		

Fuel Consumption Rate  
 Integrated Cycle Counter with 5 Categories  
 Indicator Lights for Standard and Selected Options  
 Indicator Lights for Amber Caution and Red Stop  
 Operator Warning Messages  
 BUILT-IN DIAGNOSTICS:  
 Diagnostic Code Details  
 Sensor Values  
 Calibrations  
 Individual Circuit Tester  
 MENU DISPLAY:  
 Codes  
 Machine Settings  
 Diagnostics  
 Monitor Settings

OPERATOR'S STATION:

Isolation Mounted ROPS/FOPS Quiet Cab with:  
 Air Condition, Heater, Defroster and Pressurizer  
 Keyless Start with Multiple Security Modes  
 Sealed Switch Module with Function Indicators  
 Deluxe Heated Seat with Leather/Fabric, High-Wide Back  
 with Head Rest  
 Extension, Adjustable Air Suspension for Weight/Height  
 with Fore-Aft  
 Adjustment and Adjustable Arm Rests  
 Hydraulic Controls Integrated to Seat  
 Backlit Sealed Switch Module with Function Indicators  
 Rear Camera  
 Joystick Steering w/ Speed Range Shift, Horn and FNR  
 3-Inch, High-Visibility, Blaze Orange Seat Belt with Retractor  
 (1) Cup Holder  
 Lunch box (Cooler) Holder  
 Dome and Reading Light  
 (2) 12 Volt Power Ports  
 Sun Visor  
 Radio Ready  
 Rubber Floor Mat  
 Operator's Manual Storage Compartment  
 (2) Outside Mirrors and (1) Inside Rear View Mirror  
 Front and Rear Intermittent Windshield Wiper and Washers  
 Left and Right Side Cab Access  
 Slip-Resistant Steps and Ergonomically Located Handholds  
 (4) Certified Tie Off Points on Cab Roof

OVERALL VEHICLE:

Level 1 and Level 2 Sound Package  
 Bushed Pin Joints (including Static Joints on Bucket and  
 Steering  
 Cylinder)  
 Bushed Steering Cylinder Pin Joints on Loader Frame  
 NeverGrease Rear Axle Oscillation  
 Cab Left and Right Handrails, Steps and Platforms  
 Cast Bumper with Rear Hitch and Locking Pin  
 Front, Mid and Rear Tie Downs  
 Front Fenders  
 Articulation Locking Bar  
 40 Degree Steering Articulation to Each Side with Rubber

Cushion Stops and Hydraulic Relief Valves on Frame  
 Vandal Protection With Lockable Engine Enclosures, Right Counterweight  
 Compartment, Battery Box, Filler Access for Right and Left Radiators/Fuel/Hydraulic/Transmission  
 Fluid Sampling Ports for Engine, Generator Drive, Hydraulic, Motor/Final Drive Oils and Engine Coolant  
 Environmental Drains for Engine, Generator Drive Gear Box, Hydraulic  
 Oils and Engine Coolant  
 Fuel Tank Fill Strainer  
 Ground Level Fueling  
 Ground Level Lubrication  
 Right-side, Ground-Level Service Center  
 Left and Right Engine Frame Steps and Handholds  
 Storage Compartment  
 Front Frame Bottom Guards  
 Heavy Duty Fuel Tank Guard

8990T	944K LOADER	1	\$1,068,868.00
-------	-------------	---	----------------

DESTINATION AND LANGUAGE

Gathering Group Configurations	Basic Factory Options - Required
--------------------------------	----------------------------------

0810	Standard Gathering Group		No Added Cost
------	--------------------------	--	---------------

Operator's Manual and Decals	Basic Factory Options - Required
------------------------------	----------------------------------

2605	English Labels and Decals		No Added Cost
------	---------------------------	--	---------------

2610	Spanish Labels and Decals		No Added Cost
------	---------------------------	--	---------------

2615	French Labels and Decals		No Added Cost
------	--------------------------	--	---------------

ENGINE

Engine	Basic Factory Options - Required
--------	----------------------------------

0924	John Deere PowerTech PSS		\$66,196.00
------	--------------------------	--	-------------

13.5L meets EPA FT4 and EU Stage IV Emissions (536 Net Peak hp)  
 For use only in areas where EPA Final Tier 4/EU Stage IV is required.

- Turbocharged, Charge Air Cooled
- Wet Sleeve Cylinder Liners
- Programmable Auto-Idle and Auto-Shutdown
- Selected Idle Adjustment from 900-1250 RPM
- Starter Protection
- 4 Valves / Cylinder
- Cooled Exhaust Gas Recirculation
- Automatic Derating for Exceeded System Temperatures
- Electronically Controlled MEUI Fuel Delivery System, B20 Biodiesel Compatible
- Electrical Fuel Priming System
- Serpentine Drive Belt with Automatic Tensioner
- Under Hood Dual Element Air Cleaner with Restriction Indicator
- Under Hood Exhaust Filter and Catalysts with Curved Exhaust Stack
- Automatic Exhaust Filter Regeneration
- Dual-Stage Fuel Filter and Water Separator
- 500 Hour Vertical Spin-on Oil Filter
- Oil crankcase filter, Lifetime
- Engine Compartment Light
- Remote Jump Starting Lugs
- Automatic Engine Cool-down Timer

Engine Fan Drive Basic Factory Options - Required

1520 Automatic Reversing Hydraulic Fan \$1,825.00

Exhaust Basic Factory Options - Required

1310 Engine Exhaust with Flat Black Curved Stack No Added Cost

1330 Engine Exhaust with Chrome Curved Stack \$1,150.00

Fuel Filtration and Fast Fill Basic Factory Options - Required

1610 Standard Fuel Filter & Water Separator No Added Cost

1630 Standard Fuel Filters and Water Separator with Fast Fill \$1,924.00

Cold Start Packages Field Installed Attachments - Optional

9020 Cold Weather Starting \$581.00  
 Includes Automatic Ether Start Aid and Engine Block Heater. Recommended for cold starts below 10 degrees F (-12 degrees C)

Quick Fluid Service with Environmental Drain Field Installed Attachments - Optional

9045 Quick Fluid Service w/Environmental Drains \$850.00  
 With Sampling ports

ELECTRICAL

Converter Basic Factory Options - Required

2715 24 Volt to 12 Volt - 15 Amp Converter \$115.00

2730 24 Volt to 12 Volt - 30 Amp Converter \$265.00

Lighting Basic Factory Options - Required

7120 Halogen Work and Drive Lights No Added Cost  
 LED Front Turn/Marker & Rear Turn/Brake Lights

7140 Premium LED Work and Drive Lights \$2,199.00  
 All exterior machine lights are LED  
 LED Front Turn/Marker & Rear Turn/Brake Lights

7150 Deluxe LED Work Lights \$5,096.00  
 All drive and working lights are LED. Adds additional two lights on front and additional two LED lights on loader mast.  
 LED Front Turn/Marker & Rear Turn/Brake Lights

Batteries Basic Factory Options - Required

5410 Two 1400 CCA Batteries No Added Cost

5420 Four 1400 CCA Batteries \$1,300.00  
 Additional Batteries for Cold Environments

Turn Signals Basic Factory Options - Required

2310 Turn Signals and Switch No Added Cost

Anti-Corrosion Field Installed Attachments - Optional

9210 Electrical Corrosion Prevention Package \$1,425.00  
 Preventive corrosion treatment for use in corrosive environments. Preventive corrosion treatment includes dielectric grease for electrical connections and polyurethane-based sealant on exposed terminals.

FRAME AND CHASSIS

Frame Field Installed Attachments - Optional

9420 Engine Frame Side Shield Guards \$748.00

9430 Bottom Guards \$1,487.00

WHEELS AND TIRES

Wheels and Tires Basic Factory Options - Required

All Tires are tubeless and include rims, axle stops when required, and come in sets of 4.  
 Tire chain use requires Axle Stops.

35/65R33 L4 Radial Tires with 5 Piece Rims

L4 Tires are normally recommended for Load & Carry Operations

5010 Bridgestone VSNT Two Star \$41,000.00  
 L4 Tires are normally recommended for Load & Carry Operations

5039 Michelin XTXL Three Star \$42,500.00  
 L4 Tires are normally recommended for Load & Carry Operations

5046 Michelin XLDD1 L4 Two Star \$41,500.00  
 L4 Tires are normally recommended for Load & Carry Operations

35/65R33 L5 Bias Ply Tires with 5 Piece Rims

L5 Tires are normally recommended for Truck Loading and short V Pattern Operations.

5025 Bridgestone DL 42 PR (Ply Rating) \$41,000.00  
 L5 Tires are normally recommended for Truck Loading and short V Pattern Operations.

35/65R33 L5 Radial Tires with 5 Piece Rims

L5 Tires are normally recommended for Truck Loading and short V Pattern Operations.

5020 Bridgestone VSDL Two Star \$44,000.00  
 L5 Tires are normally recommended for Truck Loading and short V Pattern Operations.

5040 Michelin XMINE D2 Two Star \$47,000.00  
 L5 Tires are normally recommended for Truck Loading and short V Pattern Operations.

5045 Michelin XLD D2 Two Star \$44,000.00  
 L5 Tires are normally recommended for Truck Loading and short V Pattern Operations.

Tires and Rims

Tire Pressure Monitoring

Basic Factory Options - Required

5310	Tire Pressure Monitoring System	\$1,700.00
5320	Less Tire Pressure Monitoring System	No Added Cost
<b>FENDER</b>		
	Fenders	Basic Factory Options - Required
5540	Fenders Standard Front and Rear Fenders	No Added Cost
5550	Fenders Mud Flaps and Rear Fender Extensions	\$4,368.00
<b>LINKAGE</b>		
	Linkage Configuration	Basic Factory Options - Required
2010	Standard Z-BAR Standard Length Loader Boom	No Added Cost
2020	High Lift Z-BAR Long Length Loader Boom Adds 18 inches (457.2mm) height to bucket hinge pin, fully raised.	\$8,190.00
<b>WORK TOOLS</b>		
	Buckets	Basic Factory Options - Required
	Capacity rating is with auxiliary cutting edge or teeth with segments installed.	
7240	8.5 Cu. Yd. (6.5 Cu. M.) Heavy Duty Granite Spade-Nose Rock Bucket With TK550 Adapters, Wear Liners and Top Cutting Edge Protection This bucket can only be equipped with teeth or segments: Requires Code 7410 (Penetration Teeth) OR 7420 (Heavy Abrasion Teeth) AND 7510 (Double Bevel Cutting Segment) OR 7520 (Half Arrow Curring Segment and Cover Plates).	\$102,375.00



Also requires order codes 9780 (Side Bar Protection) AND 9782 (Bolt-On Skid Plate for Spade-Nose Cutting Edge).

7210	9.0 Cu. Yd. (6.88 Cu. M.) Spade-Nose Rock Bucket w/ TK550 Adapters  This bucket can only be equipped with teeth or segments: Requires Code 7410 (Penetration Teeth) OR 7420 (Heavy Abrasion Teeth) AND 7510 (Double Bevel Cutting Segment) OR 7520 (Half-Arrow Cutting Segment and Cover Plates).  Does not include any side bar protection, must be ordered separately if required.	\$84,630.00
7230	9.0 Cu. Yd. (6.88 Cu. M.) Spade-Nose Rock Bucket Less Adapters (Smooth Edge)  Requires Codes 7450 (Less Teeth) AND 7530 (Bolt-On Cutting Edge, Spade-Nose (Smooth Edge)). Does not include any side bar protection, must be ordered separately if required. Teeth Adapters cannot be installed on this bucket since the weld-in cutting edge is thinner than the toothed bucket and hole pattern will allow segments to bolt up.	\$81,900.00
7262	10.0 Cu. Yd. (7.65 Cu. M.) Spade-Nose Rock Bucket w/ TK550 Adapters  This bucket can only be equipped with teeth or segments: Requires Code 7410 (Penetration Teeth) OR 7420 (Heavy Abrasion Teeth) AND 7510 (Double Bevel Cutting Segment) OR 7520 (Half-Arrow Cutting Segment and Cover Plates).  Does not include any side bar protection, must be ordered separately if required.	\$87,360.00
7264	10.0 Cu. Yd. (7.65 Cu. M.) Spade-Nose Rock Bucket Less Adapters (Smooth Edge)  Requires Codes 7450 (Less Teeth) AND 7530 (Bolt-On Cutting Edge, Spade-Nose (Smooth Edge)). Does not include any side bar protection, must be ordered separately if required. Teeth Adapters cannot be installed on this bucket since the weld-in cutting edge is thinner than the toothed bucket and hole pattern will allow segments to bolt up.	\$84,630.00
7260	10 Cu. Yd. (7.65 Cu. M.) General Purpose Bucket with Straight Edge Only (Not Spade-Nose)  Teeth and Segments are not available with this bucket.	\$64,155.00
7270	Less Bucket with Bucket Pins  Requires Code 7450 (Less Teeth) AND 7550 (Less Segments/Cutting Edge).  Machine conversion form must be submitted and approved for warranty coverage to be started. Please consult DMAC for application assistance before ordering.	No Added Cost
	Teeth	Basic Factory Options - Required
7410	TK550LD Penetration Teeth Set of 8	\$1,540.00
7420	TK550LDH Heavy Abrasion Teeth Set of 8	\$1,840.00
7450	Less Teeth	No Added Cost

Segments or Cutting Edges Basic Factory Options - Required

7510	45 MM Bolt-On Double Bevel Cutting Segments Set of 7	\$2,310.00
7520	Bolt-On Half-Arrow Cutting Segments and Cover Plates Set of 7	\$2,625.00
7530	Bolt-On Cutting Edge, Spade-Nose (Smooth Edge) Set of 5 Cutting Edges.  Only available with bucket order code 7230 - Spade-Nose Rock Bucket Less Adapters.	\$3,780.00
7540	Bolt-On Cutting Edge, Straight (Not for Spade- Nose Buckets) Set of 3 Cutting Edges and 2 End Bits.  Only available with bucket order code 7260 - General Purpose Bucket with Straight Edge Only.	\$2,783.00
7550	Less Segments/Cutting Edge	No Added Cost

Additional Bucket Guarding Field Installed Attachments - Optional

9780	Side Bar Protection Includes 4 side bar protectors (2 per side) to protect lower front edge of bucket sidesheets.	\$1,103.00
9782	Bolt-On Skid Plate for Spade-Nose Cutting Edge Skid plate bolts on rear base edge in center of bucket to protect rear of base edge.	\$525.00

HYDRAULICS

Ride Control Basic Factory Options - Required

2510	Ride Control	\$9,204.00
2520	Less Ride Control	No Added Cost

	Hydraulics	Field Installed Attachments - Optional
9308	Auto Lube Lincoln CENTROMATIC automatic greasing system hydraulically powered for trouble free performance for 60 lb. reservoir, special guarding added. Reservoir can be ground level filled.	\$14,612.00
	Hydraulic Oil	Field Installed Attachments - Optional
9316	Hydraulic Fluid - Hydrau XR Optional factory fill. Required for colder climates with operation below -25C (-13F) and extreme cold ambient temperatures down to -40C (-40F). Provides all-season capability in ambient temperatures ranging from -40C to 40C (-40F to 104F).	\$822.00
	Hydraulics	Field Installed Attachments - Optional
BYT11135	KIT, 3RD FUNCTION HYDRAULICS Includes 3rd Function Control Lever in Cab	\$9,581.00
OPERATOR'S STATION AND CONTROLS		
	A/C Charge	Basic Factory Options - Required
8450	Cab with Air A/C Charge	No Added Cost
	Mirrors	Basic Factory Options - Required
8310	Standard Outside Mirrors	No Added Cost
8320	Heated Outside Mirrors	\$649.00

Radio Field Installed Attachments - Optional

9106 AM/FM/Weather Band (WB) Radio with Remote AUX Port \$576.00

9111 Premium AM/FM/Weather Band (WB) Radio with Bluetooth, Remote Aux and Remote USB Port \$850.00

Rear Camera or Radar Detection Field Installed Attachments - Optional

9130 Rear Camera and Radar Object Detection System \$3,437.00  
 Display shows view behind the machine and provides audible alert. Rear view is displayed in video-enabled LCD Color Monitor.

Operator's Station Field Installed Attachments - Optional

9140 5.0 lbs. multi purpose (ABC) Dry Chemical Fire Extinguisher \$149.00

STEERING

Secondary Steering Field Installed Attachments - Optional

9305 Secondary Steering \$7,805.00  
 Requires Cold Weather Battery Code 5420.

PAYLOAD SCALE

Payload Scale Basic Factory Options - Required

2890 No Payload Scale No Added Cost

MISCELLANEOUS

Miscellaneous

Field Installed Attachments - Optional

SMV Emblem and Mounting Brackets

Field Installed Attachments - Optional

9125 Single Beacon Bracket \$197.00  
Bracket has fold down position for transport.  
Cannot be ordered with code 9126.

Paint

Field Installed Options - Optional

9800 Finish Paint - Decals Not Installed No Added Cost  
For custom paint.  
Paintable cab roof.  
Decals packaged with machine.  
Safety decals installed.

Miscellaneous

Field Installed Attachments - Optional

BYT10332 Mud Flaps and Rear Fender Extensions \$4,327.00

BYT11327 Wheel Chocks & Brackets \$1,700.00  
Wheel Chocks & Brackets that each hold a Checkers Brand (Part Number MC3010) Wheel Chock.  
  
These brackets can be accessed from ground level and are mounted at the rear of the machine behind the fuel tank door on the left and storage door on the right. One per side.

Bucket Hardware & Accessories

Field Installed Attachments - Optional

AT434579 Wear Plates & Liners Kit, Spade Nose Buckets Only \$4,635.00

AT458302	Rock Deflector Kit	\$984.00
AT403336	Bolt-on Skid Plate for Spade Nose Cutting Edge Single skid plate with associated mounting hardware.	\$542.00
AT403331	TK550LDH Heavy Abrasion Teeth Includes 8 teeth, pins, and locks.	\$3,384.00
AT442196	Side Bar Protection for Spade Nose Buckets Only Includes 4 sidecutter shrouds and associated mounting hardware.	\$1,137.00
AT442707	Bolt-on Cutting Edge, Straight Includes 5 cutting edges and associated mounting hardware.	\$4,508.00
AT403330	Bolt-on Half Arrow Cutting Segments and Cover Plates Includes 7 segments, 7 cover plates and associated mounting hardware.	\$4,233.00
AT434580	Bolt-on Cutting Edge, Spade Nose Includes 5 cutting edges and associated mounting hardware.	\$6,262.00
AT403092	45 mm Bolt-on Double Bevel Cutting Segments Includes 7 segments and associated mounting hardware.	\$2,704.00
AT403087	TK550LD Penetration Teeth Includes 8 teeth, pins, and locks.	\$2,618.00
AT442197	Bolt-on Skid Shoes Includes 2 skid shoes and associated mounting hardware.	\$678.00
	Operator Environment	Field Installed Attachments - Optional
AT454016	Rear Camera and Radar Object Detection System Display shows view behind the machine and provides audible alert. Rear view is displayed in video-enabled LCD Color Monitor.	\$4,476.00
AT385865	Secondary Steering	\$7,733.00

AT462477	944K FNR to RNF Transmission Direction Control Switch Reversed Pattern Decal  This kit provides the in-cab sticker to correctly show the direction of the steering lever, transmission directional control switch on 944K loaders that have the pattern reversed from F-N-R (Forward – Neutral – Reverse) to R-N-F.	\$11.00
AT452091	AM/FM/Weather Band (WB) Radio with Remote AUX Port	\$594.00
AT452090	Premium AM/FM/Weather Band (WB)/ XM Ready Radio with Bluetooth, Remote Aux and Remote USB Port	\$876.00
AT437803	CB Radio Bracket	\$54.00
	Overall Vehicle	Field Installed Attachments - Optional
AT436678	Front Fender Extension	\$930.00
AT457797	Mud Flaps and Rear Fender Extensions	\$4,327.00
AT468339	Rear Camera	\$1,007.00
AT468340	Rear Camera and Rear Object Radar Detection	\$42.00
BYT10341	Tire Pressure Monitoring System (TPMS) Kit for 944K - Less Tire Sensors	\$1,072.00
	Powertrain & Cooling	Field Installed Attachments - Optional
AT423344	Automatic Ether Starting Aid	\$353.00
AT422712	Fast Fill Fuel System	\$2,164.00

Kit includes all necessary components and connections for conversion to fast fuel compatible tank. 150 gpm fill rate.

BYT10329	Fast Fill Fuel System	\$2,417.00
	Kit includes all necessary components and connections for conversion to fast fuel compatible tank. 150 gpm fill rate.	

JOHN DEERE WORKSIGHT™

Machine Connectivity Basic Factory Options - Required

Machine connectivity functions require cellular coverage. Usage of JDLink System requires customer's acceptance of the terms of the John Deere Telematics System Contract.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

170K	JDLink™	No Added Cost
	Includes integrated cab wiring harness, antenna, and JDLink™ Modem (MTG).	
	JDLink™ connectivity is enabled separately through the JDLink™ website. Connectivity service is subject to country availability.	

170R	JDLink™ Satellite	\$3,215.00
	Includes integrated cab wiring harness, antenna, JDLink™ Modem's (Cellular MTG & Satellite MTG).	
	JDLink™ connectivity is enabled separately through the JDLink™ website. Connectivity service is subject to country availability.	

BUCKETS

Buckets & Bucket Wear Components Field Installed Attachments - Optional

BYT10433	10.0 Cu. Yd. (7.65 Cu. M.) Spade-Nose Rock Bucket w/ TK550 Adapters	\$88,234.00
----------	---	-------------

AT443478	10 Cu. Yd. (7.65 Cu. M.) General Purpose Bucket with Straight Edge Only (Not Spade-Nose)	\$64,798.00
	Teeth, segments, cutting edges or additional hardware not included.	

AT443476	9.0 Cu. Yd. (6.88 Cu. M.) Spade-Nose Rock Bucket w/ TK550 Adapters	\$85,477.00
	Teeth, segments, cutting edges or additional hardware not included.	

BYT10432	10.0 Cu. Yd. (7.65 Cu. M.) Spade-Nose Rock Bucket Less Adapters (Smooth Edge)	\$85,477.00
----------	---	-------------



---

AT443477	9.0 Cu. Yd. (6.88 Cu. M.) Spade-Nose Rock Bucket Less Adapters (Smooth Edge) Teeth, segments, cutting edges or additional hardware not included.	\$82,719.00
AT443475	8.5 Cu. Yd. (6.5 Cu. M.) Heavy Duty Granite Spade-Nose Rock Bucket Includes TK550 Adapters, Wear Liners and Top Cutting Edge Protection. Teeth, segments, cutting edges or additional hardware not included.	\$103,400.00

---

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.