



JOHN DEERE

Current Date 06Jan2021

950K CRAWLER DOZER

950K Standard Equipment

COOLING SYSTEM:

Engine Coolant -34 Degree F
(-37 Degree C)

Coolant Recovery Tank

Variable-speed suction fan
with automatic reversingPerforated engine hood and
side shields8-Fin/in. Engine Coolant
Radiator8-Fin/in. Hydrostatic Oil-to-
Air Cooler8-Fin/in. Hydraulic Oil-to-Air
Cooler8-Fin/in. Charge Air Cooler
(Air to Air)6-Fin/in. Fuel Cooler (Fuel to
Air)

ELECTRICAL:

24 Volt System

130 Amp Sealed Alternator
for cab units(2) Cylinder mounted, (2)
cab rear mounted, (2) roof
forward mounted -

Halogen Lights

Bypass Start Safety Cover
on Starter24 Volt Electrical Load
Center(2) Batteries with 190
Minute Reserve Capacity,
950 CCA

Blade-Type Fuses

Electrical Master Disconnect
Positive Terminal Battery
CoversReverse Warning Alarm
(Conforms to SAE J994,
J1446, ISO 9533)

HYDRAULICS:

53 gpm (308 L/min) variable
displacement piston pumpElectro-Hydraulic Control
System

(2)Function electro-hydraulic

Double Reduction Final

Drives with Wet Multi-Disk
BrakesIntegral Final Drive Seal
ProtectionPrimary and Secondary
Service Brakes (Conforms to
ISO 10265)Automatic Spring-Applied,
Hydraulic Released Park
Brake - LeverOperated (Conforms to ISO
10265)Selectable Decelerator Mode
UNDERCARRIAGE:

Oscillating Undercarriage

24 in. (610 mm) Closed
Center extreme-duty Single

Grouser Track Shoes

Adjustable Track Sag

Segmented Sprockets

OPERATOR STATION:

JDLink Ultimate Machine
Monitoring System w/ 3-year
Message Service

Modular Design Isolation

Mounted ROPS/FOPS

Operator Station (Conforms
to SAE J1040 - ISO 3471)Manual/Hydraulic Operated
Operator Station Tilt FeatureLeft and Right Side Cab
Access

Floormat

Interior and exterior sound
treatment

Slip-Resistant Steps and

Ergonomically Located

Handholds for Left,
Right Access (Conforms to

SAE J185 - ISO 2867)

Air-suspension seat:

-Thigh Support

-Lumbar

-Backrest Tilt

-Height, Weight and Fore-Aft

-Transmission Filter
Restriction-Hydraulic Fan Filter
Restriction

-Water in Fuel

-Machine Diagnostic Service
Code

Indicator lights:

-Fasten-Seat-Belt

-Return-To-Neutral

-Park Brake

-Calibration/Service Mode

-Decelerator Function Mode

Digital Readout:

-Tachometer

-Alternator Voltage

-Hourmeter

-Machine Diagnostic Service
Code(s)-Transmission Charge
Pressure-Transmission Direction and
Speed

-Diagnostic Service Codes

-Monitor Settings

-Calibration

-Transmission Control
Settings

-Machine Travel History

Gauges, Electric,

Illuminated:

-Engine Coolant

Temperature

-Engine Oil Pressure

-Fuel Level

-Transmission Oil

Temperature

-Hydraulic Oil Temperature

Push Button Electronic

Engine Speed Control

Horn, Electric (Conforms to

SAE J994, J1446, ISO 9533)

Coded Keyless Start with

Electric Fuel Shut Off

Interior Mounted Rearview

Mirror (Conforms to SAE

| | | |
|-------------------------------|--------------------------------|-------------------------------|
| T-bar joystick | -Adjustable Armrests | J985) |
| Hydraulic Diagnostic Ports | -3 in. (76 mm) Seat Belt | OVERALL VEHICLE: |
| 23 Gallon (87 Liter) | with Retractors (Conforms to | Unitized Mainframe with: |
| Independent Hydraulic Oil | SAE J386 - ISO | -Integral Bottom Protection |
| Reservoir (tank volume) | 6683) | -Integral front tow loops |
| POWER TRAIN: | Side Console Leg Cushions | -Integral Machine Transport |
| Dual Path Hydrostatic | Adjustable Foot Rests | Tie-Downs |
| Transmission | Lunch Box Storage | Bolt-on Bottom Access |
| Automatic Load Sensing for | Lockable Glove (Storage) | Covers |
| Speed and Power | Box | Perforated Engine Side |
| Management | Cupholders | Shields |
| AutoTracking Steering | Built-in Operator's Manual | Left & Right Side Hinged |
| Control | Storage Compartment and | Engine Access Panel |
| 39 Gallon (149 Liter) | Manual | Transmission Rear Access |
| Independent Hydrostatic | 12 Volt Power Port | Cover |
| Reservoir | Electronic Monitor System | Hand holds for Machine |
| Single Lever-Steering, | with Audible and Visual | Fueling |
| Direction / Speed Control | Warning: | Lockable Vandal Protection |
| with Counter Rotation | -Engine Coolant | for: |
| and Horn | Temperature | -Engine Access Panel |
| Combined Decelerator/Brake | -Transmission Oil | -Side tank access doors |
| Pedal | Temperature | -Instrument Panel |
| Selectable reverse speed | -Hydraulic Oil Temperature | 6.1 gallon DEF Reservoir |
| ratios 100%, 115%, or | -Transmission Pressure | 133.5 Gallon (505.5 Liter) |
| 130% of forward ground | -Low Alternator Voltage | Fuel Tank: |
| speed Electronic Control with | -Engine Air Filter Restriction | -Shut Off Valve at Tank |
| Automatic Transmission | -Hydraulic Filter Restriction | Outlet |
| Protection | | -Water Drain on tank |
| | | -Fast-Fuel Installation Ready |
| | | Maintenance Free Center |
| | | Crossbar Pivot |

Required - You must select one from each category
 BASE MACHINE

Ex-Works Dubuque, Iowa, United States of America

As not all option codes have field kits, please review your order option codes and available kits prior to placing a machine order.

| Description | Code | Price |
|--------------------|-------|--------------|
| 950K CRAWLER DOZER | 06NOT | \$625,591.00 |

 ENGINE

| Description | Code | Price |
|---|------|-------------|
| JohnDeere PowerTech PSS 6 Cyl FT4 / Stage 4 Compliant Diesel Engine | 0940 | \$17,394.00 |

9.0 L (549 cu. In.)
265 net hp (261 kW) @ 1800 rpm No power Derating up to 10,000 ft altitude
Electronic control with automatic engine protection Dual Turbo
Configuration: Variable-Geometry Turbocharger (VGT) and Fixed Cooled
Exhaust Gas Recirculation Diesel particulate filter Electronically Controlled
Fuel Delivery System Wet Sleeve Cylinder Liners Vertical Spin-on Engine

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22

Oil Filter Vertical Spin-on Dual Stage Fuel Filter Fuel/Water sensor Electric
Fuel Primer Dual element dry canister with external rotary ejector
precleaner Exhaust Stack, Black

DOZER CONFIGURATION

| Description | Code | Price |
|---|------|---------------|
| Standard OSD (Outside Dozer) | 1040 | No Added Cost |
| 2006 mm (79 in.) Gauge - 7 Roller Track Frame | | |
| LGP OSD (Low Ground Pressure Outside Dozer) | 1060 | \$30,163.00 |
| 2260 mm (89 in.) Gauge - 8 Roller Track Frame | | |
| Waste Handler Standard OSD (Outside Dozer) | 1070 | \$25,000.00 |
| 2006 mm (79 in.) Gauge - 7 Roller Track Frame Includes debris management sealing package, final drive seal guarding, recessed drive sprockets, heavy-duty sheet metal with special perforation, engine heat wrap, and large debris engine precleaner for waste handling applications. For front striker bars, order field kit BYT10482. For rear striker bars, order rear storage compartment (code 9510). | | |
| LGP PAT (Low Ground Pressure Power-Angle-Tilt) Dozer | 1030 | \$95,428.00 |
| 2702mm (106 in.) Gauge - 8 Roller Track Frame Includes inside mounted C-Frame with high mounted lift cylinders. | | |
| Waste Handler LGP OSD (Low Ground Pressure Outside Dozer) | 1072 | \$55,163.00 |
| 2260 mm (89 in.) Gauge - 8 Roller Track Frame Includes debris management sealing package, final drive seal guarding, recessed drive sprockets, heavy-duty sheet metal with special perforation, engine heat wrap, and large debris engine precleaner for waste handling applications. For front striker bars, order field kit BYT10479. For rear striker bars, order rear storage compartment (code 9510). | | |
| Wastehandler LGP PAT (Low Ground Pressure Power-Angle-Tilt) Dozer | 1074 | \$120,428.00 |
| 2702 mm (106 in.) Gauge - 8 Roller Track Frame Includes debris management sealing package, final drive seal guarding, recessed drive sprockets, heavy-duty sheet metal with special perforation, engine heat wrap, and large debris engine precleaner for waste handling applications. For front striker bars, order field kit BYT10793. For rear striker bars, order rear storage compartment (code 9510). | | |

TRACK SHOES AND CHAIN

| Description | Code | Price |
|--|------|------------|
| 43 Link with 24 in. (610 mm) Extreme Service Shoes | 4517 | \$7,418.00 |
| Requires code 1040. | | |
| 43 Link with 26 in. (660 mm) Extreme Service Shoes | 4518 | \$7,919.00 |

Requires code 1040.

| | | |
|---|------|------------|
| 43 Link with 24 in. (610mm) Extreme Service Shoes - Trapezoidal | 4519 | \$8,293.00 |
|---|------|------------|

Requires code 1040.

| | | |
|---|------|------------|
| 43 Link with 26 in. (610mm) Extreme Service Shoes - Trapezoidal | 4521 | \$8,864.00 |
|---|------|------------|

Requires code 1040.

| | | |
|--|------|------------|
| 45 Link with 30 in. (762mm) Moderate Service Shoes - Trapezoidal | 4527 | \$8,462.00 |
|--|------|------------|

Requires code 1030, 1060, 1072, or 1074.

| | | |
|--|------|------------|
| 45 Link with 36 in. (914mm) Moderate Service Shoes | 4528 | \$9,080.00 |
|--|------|------------|

Requires code 1030 or 1060.

| | | |
|--|------|-------------|
| 45 Link with 36 in. (914mm) Moderate Service Shoes - Trapezoidal | 4529 | \$10,292.00 |
|--|------|-------------|

Requires code 1030, 1060, 1072, or 1074.

| | | |
|--|------|------------|
| 45 Link with 30 in. (762mm) Moderate Service Shoes | 4531 | \$7,522.00 |
|--|------|------------|

Requires code 1030 or 1060.

DOZER BLADE

Blades equipped with Standard Cutting Edges and Cupped Endbits without Spillguards

| Description | Code | Price |
|--|------|-------------|
| U Blade | 7047 | \$19,996.00 |
| 153 in. (3886 mm) | | |
| U-Blade with Rock Rack and Wear Plate | 7049 | \$25,194.00 |
| 153 in. (3886 mm) Rock Rack will add 11.61 in. (295 mm) to overall height of blade. | | |
| Semi-U Blade with Rock Rack and Wear Plate | 7050 | \$20,318.00 |
| 154 in. (3911 mm) Rock Rack will add 11.61 in. (295 mm) to overall height of blade. | | |
| Semi-U Blade with Center Push Plate | 7051 | \$18,706.00 |
| 154 in. (3911 mm) | | |
| Semi-U Blade | 7048 | \$16,126.00 |
| 154 in. (3991 mm) | | |
| 180 in. (4572 mm) LGP Semi-U Blade | 7067 | \$19,511.00 |

| | | |
|--|------|-------------|
| 176 in. (4470 mm) LGP Straight Blade | 7068 | \$19,317.00 |
| LGP Mechanical Angle Blade - 201 Inch | 7087 | \$43,176.00 |
| New Deere Design and Manufacturing. | | |
| 184 in. (4673 mm) Low Group Pressure (LGP) Power Angle Tilt (PAT) Blade | 7069 | \$13,988.00 |
| Requires code 1030. | | |
| 153 Inch U Blade with Trash Rack & Wear Plate for Wastehandler | 7056 | \$28,094.00 |
| 154 Inch Semi-U Blade with Trash Rack & Wear Plate for Wastehandler | 7057 | \$22,657.00 |
| 180 Inch LGP Semi-U Blade with Trash Rack & Wear Plate for Wastehandler | 7058 | \$27,415.00 |
| 176 Inch LGP Straight Blade with Trash Rack & Wear Plate for Wastehandler | 7059 | \$27,142.00 |
| 184 In. (4673 mm) Low Ground Pressure (LGP) PAT Blade with Trash Rack for Wastehandler | 7077 | \$22,884.00 |

HYDRAULICS FOR DOZER BLADE AND ATTACHMENTS

| Description | Code | Price |
|---|------|---------------|
| 2 Function Electro-Hydraulic (EH) Controls for Outside Dozer w/ Quick Drop Valve | 7725 | No Added Cost |
| Requires Code 1040 or 1060. | | |
| 3 Function Electro-Hydraulic (EH) Controls for Outside Dozer w/ Quick Drop Valve | 7735 | \$3,569.00 |
| Requires Code 1040 or 1060. | | |
| 4 Function Electro-Hydraulic (EH) Control Valve | 7780 | \$4,536.00 |
| For Outside Dozer with Dual Aux Requires Code 1040, 1060, 1070, or 1072 (OSD). | | |
| 3 Function Electro-Hydraulic (EH) Controls for Power-Angle-Tilt (PAT) | 7745 | \$3,569.00 |
| Requires Code 1030 or 1074. | | |
| 4 Function Electro-Hydraulic (EH) Controls for Power-Angle-Tilt (PAT) with Single Aux | 7755 | \$4,536.00 |
| Requires Code 1030 or 1074. | | |
| 5 Function Electro-Hydraulic (EH) Controls for Power-Angle-Tilt (PAT) with Dual Aux | 7795 | \$5,503.00 |
| Requires Code 1030 or 1095. | | |

GREASES, FUEL, OIL, & COOLANT

| Description | Code | Price |
|--|-------------|---------------|
| Hydraulic and Hydrostatic Oil - Hydrau | 8010 | No Added Cost |

Standard Factory Fill.
Provides All-Season Capability in Ambient Temperatures Ranging From
-25C (-13F) to 50C (122F).

| | | |
|--|------|------------|
| Hydraulic and Hydrostatic Oil - Hydrau XR, Final Drive Oil - Low Vis Hygard | 8020 | \$1,447.00 |
|--|------|------------|

Includes arctic hose package for external plumbing.
Optional Factory Fill.
Intended for Colder Climates with Extreme Cold Ambient Temperatures
down to -40C (-40F)
Provides All-Season Capability in Ambient Temperature Ranging from
-40C to 40C (-40F to 104F).

SEAT

| Description | Code | Price |
|--|-------------|---------------|
| Air Suspension Comfort Control High Back Fabric Seat | 5885 | No Added Cost |

3 in. (76 mm) retractable seat belt.
Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight
and fore-aft positioning

| | | |
|--|------|----------|
| Heated Air Suspension Comfort Control High Back Fabric Seat | 5890 | \$662.00 |
|--|------|----------|

3 In. (76 mm) retractable seat belt.
Adjustable armrests, backrest tilt, thigh support, lumbar, height, weight
and fore-aft positioning.

MACHINE CONNECTIVITY

Machine connectivity functions require cellular coverage. Usage of JDLINK System requires customer's acceptance of the terms of the John Deere Telematics System Contract.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

| Description | Code | Price |
|-------------------------------------|-------------|---------------|
| JDLINK Ultimate 5 Year Subscription | 170C | No Added Cost |

Includes JDLINK hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and now includes all Ultimate Connectivity features - Wireless Data Transfer (WDT) enabling automatic data transfer from TimberMatic and Waratah H16 Measuring Systems to TimberManager and MyJohnDeere, supporting TimberOffice 5 Software. Additionally, Ultimate now includes Limited Internet features supporting optional ForestSight Solutions such as advance mapping systems and Remote Display Access (RDA) features supported by TeamViewer applications. JDLINK utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLINK hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLINK customer account must be created to access JDLINK Ultimate data. Go to www.StellarSupport.com to renew or update JDLINK subscriptions. Use of this service, and all rights and obligations of John Deere and the

Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

| | | |
|--|------|------------|
| JDLink Ultimate Dual 5 Year Subscription | 170J | \$1,936.00 |
|--|------|------------|

Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and now includes all cellular dependent Ultimate Connectivity features Wireless Data Transfer (WDT) enabling automatic data transfer from TimberMatic and Waratah H16 Measuring Systems to TimberManager and MyJohnDeere, supporting TimberOffice 5 Software. Additionally, Ultimate Dual now includes Limited Internet features supporting optional ForestSight Solutions such as advance mapping systems and Remote Display Access (RDA) features supported by TeamViewer applications when cellular signal is available. JD Link Ultimate Dual works with the 4G LTE MTG to automatically transmit compressed summary data over a satellite network when a cellular network is not available. JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

▼ GRADE CONTROL

| Description | Code | Price |
|---|-------------|--------------|
| Topcon Grade Control Base Kit Installed | 2500 | \$7,497.00 |

Factory installed and includes additional brackets and wiring harnesses that further enhances and simplifies the addition of a Topcon grade control system. This also enables the Topcon 3D-MC2 Grade Control Systems to be ordered.

| | | |
|-----------------------------|------|------------|
| SmartGrade Control Base Kit | 2501 | \$7,497.00 |
|-----------------------------|------|------------|

Only available with code 1030 LGP PAT Track Frame configuration. Requires code 2801 or 2802.

| | | |
|--|------|---------------|
| No Topcon or SmartGrade Grade Control Base Kit Installed | 2575 | No Added Cost |
|--|------|---------------|

Order for no blade control or Trimble or Leica Blade control field installations.
Requires No Topcon Radio Installation code 2775

▼ TOPCON GRADE CONTROL SYSTEM

Kit includes the following equivalent parts from Topcon 3DMC2 system:

Password, MC-R3 Full Auto
OAF Bundle, MC-R3 3DMC2
Kit, GX-55 GPS

Kit, Common 3D Dozer GPS
OEM, Antenna Config Kit
Kit, OEM MC2 Sensor
Assy, MC-R3 NO-OAF
Full Assembly and Final Calibration On Site

| Description | Code | Price |
|--|-------------|---------------|
| No Topcon Radio Installation | 2775 | No Added Cost |
| SmartGrade with UHF Radio | 2801 | \$89,000.00 |
| Requires code 2501. Mastless grade control system fully integrated into the John Deere cab and crawler dozer structure. Consists of UHF transmitter/receiver, sensors, and in-cab display for configuring, monitoring, and measuring grade. Includes Topcon 3D-MC ² software compatible with Topcon file formats. Includes feature that automatically raises the blade before track slippage occurs. Also included is a calibration wizard that decreases set up time. | | |
| SmartGrade with 915 MHZ Radio | 2802 | \$89,000.00 |
| Requires code 2501. Mastless grade control system fully integrated into the John Deere cab and crawler dozer structure. Consists of 915SS transmitter/receiver, sensors, and in-cab display for configuring, monitoring, and measuring grade. Includes Topcon 3D-MC ² software compatible with Topcon file formats. Includes feature that automatically raises the blade before track slippage occurs. Also included is a calibration wizard that decreases set up time. | | |

▼ OPERATOR'S MANUAL AND DECALS

| Description | Code | Price |
|-------------------------|-------------|---------------|
| English Operator Manual | 2605 | No Added Cost |
| Spanish Operator Manual | 2610 | No Added Cost |
| French Operator Manual | 2615 | No Added Cost |
| Russian Operator Manual | 2620 | No Added Cost |

Optional - Select as desired

▼ COLD START PACKAGES

| Description | Code | Price |
|---|-------------|--------------|
| Ether Start Aid | 9015 | \$350.00 |
| Recommended for use below 32 degrees F, 0 degrees C | | |

▼ ENGINE

| Description | Code | Price |
|--------------------------------------|-------------|--------------|
| Fuel Lines and Fittings, Severe Duty | 9060 | \$531.00 |
| Requires code 0940. | | |
| Chrome Exhaust | 9065 | \$520.00 |

| | | |
|---|------|----------|
| Quick Service Bank for Transmission, Hydraulic, Engine oil & Engine Coolant Fluid changes | 9075 | \$900.00 |
|---|------|----------|

Remote Service Bank is inside engine compartment and includes Industry Standard Quick Disconnect Couplers.

| | | |
|-------------------------------------|------|----------|
| Engine Block Coolant Heater (120 V) | 9530 | \$144.00 |
|-------------------------------------|------|----------|

| | | |
|------------------|------|------------|
| Fast-Fuel System | 9085 | \$2,196.00 |
|------------------|------|------------|

Fast-fuel Shaw system compatible with Wiggins components

| | | |
|-------------------------------------|------|----------|
| Engine Block Coolant Heater (220 V) | 9532 | \$153.00 |
|-------------------------------------|------|----------|

MISCELLANEOUS

| Description | Code | Price |
|--|------|------------|
| Full Length Rock Guards for Standard Track | 9150 | \$3,604.00 |

Requires Code 1040 or 1050.
Recommended for applications in rock over 3 in. (76 mm) or sideslopes greater than 2:1.
Not Recommended for waste or other material packing applications

| | | |
|-------------------------|------|------------|
| Full Length Rock Guards | 9145 | \$1,638.00 |
|-------------------------|------|------------|

Requires code 1030.

| | | |
|---|------|------------|
| Full Length Rock Guards for Long Track (LT) | 9155 | \$3,928.00 |
|---|------|------------|

Requires Code 1020, 1025, 1030 or 1060
Recommended for applications in rock over 3 in. (76 mm) or sideslopes greater than 2:1.
Not Recommended for waste or other material packing applications.

| | | |
|---------------------------------|------|------------|
| Sprocket Segments with Recesses | 9157 | \$3,250.00 |
|---------------------------------|------|------------|

Only recommended for applications where material packing in sprocket area is common, such as heavy mud or waste handling. Included in the waste handling package codes 1070 (STD OSD WH) 1072 (LGP OSD WH) and 1074 (LGP PAT WH).

BLADE

| Description | Code | Price |
|---------------------------|------|------------|
| U Blade Cutting Edges, HD | 9219 | \$2,341.00 |

Requires code 7047 or 7049 and 9215.

| | | |
|--------------------------------|------|------------|
| Semi-U Blade Cutting Edges, HD | 9218 | \$2,292.00 |
|--------------------------------|------|------------|

Requires code 7048, 7050 or 7051 and 9215.

| | | |
|----------------------|------|------------|
| Blade End Bits, Cast | 9217 | \$1,436.00 |
|----------------------|------|------------|

| | | |
|----------------------------|------|------------|
| Blade End Bits, Heavy Duty | 9215 | \$1,429.00 |
|----------------------------|------|------------|

For use in high impact applications like rock or concrete rubble. Thicker profile may adversely affect penetration performance.

| | | |
|--------------------------------|------|------------|
| Semi-U Blade Cutting Edges, HD | 9220 | \$2,292.00 |
|--------------------------------|------|------------|

Requires code 7067 and 9215.

| | | |
|----------------------------------|------|------------|
| Straight Blade Cutting Edges, HD | 9221 | \$2,262.00 |
|----------------------------------|------|------------|

Requires code 7068 and 9215.

▼ HYDRAULIC CONTROLS

| Description | Code | Price |
|---|-------------|--------------|
| Hydraulic Winch Ready Kit with Mounting Plate and Rear Screen | 9456 | \$9,658.00 |

Requires code 7735 or 7755.
Can't be ordered with code 9185, 9186 or 9187.

| | | |
|-----------|------|-------------|
| Dual Tilt | 9038 | \$15,419.00 |
|-----------|------|-------------|

▼ LIGHTING

| Description | Code | Price |
|-------------------------------------|-------------|--------------|
| Deluxe LED Light Package (10 Total) | 9168 | \$3,557.00 |

| | | |
|--------------|------|----------|
| Beacon Light | 9521 | \$295.00 |
|--------------|------|----------|

| | | |
|---------------------|------|------------|
| (6) LED Work Lights | 9166 | \$2,954.00 |
|---------------------|------|------------|

| | | |
|--|------|----------|
| License Plate Bracket and Beacon Light | 9520 | \$631.00 |
|--|------|----------|

▼ RADIO

| Description | Code | Price |
|------------------------------|-------------|--------------|
| Premium Radio with Bluetooth | 9501 | \$1,120.00 |

▼ WASHER AND WIPER

| Description | Code | Price |
|-------------------------|-------------|--------------|
| HVAC Powered Precleaner | 9335 | \$1,051.00 |

▼ MISCELLANEOUS

| Description | Code | Price |
|--------------------------------------|-------------|--------------|
| Rear Storage Compartment (Dog House) | 9510 | \$5,133.00 |

Includes integral rear striker bars and mounting location for fire suppression.
Requires code 1070, 1072, or 1074 Waste Handler Package.

▼ RIPPER

| Description | Code | Price |
|--------------------|-------------|--------------|
| Ripper, 3 Shank | 9187 | \$32,944.00 |

Requires code 7780 or 7795.

▼ RUST PROTECTION

| Description | Code | Price |
|------------------------------------|------|----------|
| Non-Export Rust Preventive Coating | 9909 | \$151.00 |

Coating protects exposed unpainted surfaces from road salt during shipment.

▼ COUNTERWEIGHT

| Description | Code | Price |
|--------------------|------|-------------|
| Rear Counterweight | 9250 | \$10,500.00 |

1113 kg. (2454 lbs.)
Not for use with code 9185, 9187 or 9456.

▼ HITCHES

| Description | Code | Price |
|-----------------|------|----------|
| Retrieval Hitch | 9340 | \$573.00 |

Requires code 9250.

▼ GUARDS

| Description | Code | Price |
|---------------------------|------|------------|
| PAT Cylinder Rod Scrapers | 9141 | \$2,200.00 |

▼ ATTACHMENTS FOR FIELD CONVERSION

| Description | Code | Price |
|----------------------|------|-------|
| <u>Blades</u> | | |

| | | |
|--|----------|-------------|
| LGP Mechanical Angle Blade Field Kit - 204 in. (5184 mm) | BYT11432 | \$66,963.00 |
|--|----------|-------------|

New Deere Design and Manufacturing
Requires code 1060 and 8010.

| | | |
|---|----------|-------------|
| LGP Mechanical Angle Blade Field Kit - 204 in. (5184 mm) - Arctic | BYT11812 | \$66,963.00 |
|---|----------|-------------|

New Deere Design and Manufacturing
Requires code 1060 and 8020.

| | | |
|---|----------|-------------|
| LT Mechanical Angle Blade Field Kit - 177 in. (4509 mm) | BYT11433 | \$64,388.00 |
|---|----------|-------------|

New Deere Design and Manufacturing
Requires code 1040 and 8010.

| | | |
|--|----------|-------------|
| LT Mechanical Angle Blade Field Kit - 177 in. (4509 mm) - Arctic | BYT11813 | \$64,388.00 |
|--|----------|-------------|

New Deere Design and Manufacturing
Requires code 1040 and 8020.

Frame Attachment

| | | |
|--------------------|----------|------------|
| LGP Front Strikers | BYT10479 | \$1,181.00 |
|--------------------|----------|------------|

NOTE: Requires Code 1072 (LGP OSD Wastehandler).

| | | |
|--|----------|-------------|
| Multi-Shank Ripper - Arctic | BYT11573 | \$33,192.00 |
| Requires code 8020. | | |
| Rear Counterweight - 2454 lbs. (1113 kg.) | AT453240 | \$10,767.00 |
| Ripper, 3 Shank | BYT10161 | \$33,192.00 |
| Requires code 8010. | | |
| STD Front Strikers | BYT10482 | \$1,058.00 |
| NOTE: Requires Code 1070 (STD OSD Wastehandler). | | |
| Waste Handler Rear Striker Field Kit for use with Ripper | BYT11874 | \$3,687.00 |
| <u>G.R.Mfg.</u> | | |
| Front Enclosure, Cab | AT433253 | \$2,707.00 |
| Rear Screen, Cab | AT433254 | \$1,648.00 |
| Side Screens, Cab | AT433255 | \$1,946.00 |
| <u>Guards</u> | | |
| JRB Installation of Limb Risers (Sweeps) BYT10478 Kit | BYT10748 | \$2,826.00 |
| Labor only, requires BYT10478 to be ordered separately. | | |
| Limb Risers (Sweeps) | BYT10478 | \$8,159.00 |
| NOTE: 3 Week Lead Time Typical. Comar Number of Tractor Must Be Included With Order. Cannot be used with Code 9520 or 9521. Parts only, requires installation by dealer. | | |
| PAT Rod Scraper Cylinder Field Kit | BYT11294 | \$7,222.00 |
| For use in applications such as moisture conditioning, waste handling, or manure. | | |
| <u>Hydraulics</u> | | |
| 3rd Section Aux Plumbing Field Kit | AT467512 | \$1,135.00 |
| Requires kit AT467511. | | |
| 4-5 Section Valve Conversion Kit - Valve Only | AT467511 | \$2,079.00 |
| Order two for Dual Rear Aux or Ripper. Requires AT438427 Joystick from service if not already equipped. | | |
| 4th Section Aux Plumbing Field Kit | AT467513 | \$777.00 |
| Requires kit AT467511. | | |
| Dual Tilt External LGP Field Kit | AT467516 | \$14,250.00 |
| Requires code 8010. For use with code 7067 or 7068 and AT467514. | | |

Dual Tilt External LGP Field Kit - Arctic BYT11572 \$14,250.00

Requires Code 8020.
 For use with Code 7067 or 7068 and AT467514.

Dual Tilt External Std Field Kit AT467515 \$13,986.00

Requires code 8010.
 For use with code 7047, 7048, 7049, 7050 or 7051 and AT467514.

Dual Tilt External Std Field Kit - Arctic BYT11571 \$13,986.00

Requires code 8020.
 For use with Code 7047, 7048, 7049, 7050, or 7051 and AT467514.

Operator Environment

Universal XM-Tuner Installation Kit BYT11328 \$358.00

Includes hardware and brackets to add XM capability to radio.

Overall Vehicle

HVAC Box Field Kit AT446499 \$2,652.00

HVAC Powered Precleaner Field Kit AT446498 \$986.00

Quick Service AT457583 \$832.00

PACCAR Winch Div

H110B Hydraulic Winch BYT10082 \$51,539.00

Requires Code 9456 Winch Ready or
 AT457576 and BYT10152(Winch Pilot Plumbing and Winch Mounting
 Plate Field Kits)

Also requires AT433254 Rear Screen Kit.

If built without Codes 7735 or 7780, order:

-AT467511 Aux Section Kit

-AT467512 3rd Section Plumbing Kit

If joystick not equipped, order:

-AT438427 joystick from parts

-T350434 (decal)

-19M7868 (4 ea. capscrews)

Five functions: Variable speed reel-in, variable speed reel-out, brake on,
 drive away, and low-speed lock.

110,000 lb rated bare drum line pull

Variable speed (2-62 ft/min)

Integral drawbar

Integral 3-roller Fairlead

Complete installation requires:

-Rear screen, AT433254 field kit

-Wire rope & hook assembly. Consult with PACCAR for wire rope
 recommendations

-Winch Gear Oil. Consult winch Service Manual for winch gear oil
 requirements

-Additional tractor hydraulic oil

Average installation time 5 hours.

Winches

Winch Mounting Plate BYT10152 \$5,440.00

Winch Pilot Plumbing

AT457576

\$164.00

Required to add a winch on units built without code 9456. Also requires AT433254 Rear Screen Kit. If not built with codes 7735 or 7780, then order AT467511 Aux Section kit and AT467512 3rd Section Plumbing Kit.
