

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z915E ZTrak
 Equipment for Base Machine

25 HP*
 Vertical-Shaft Air Cooled Engine
 (44.2 Cu. In.) 725cc, 17.8 kW
 Full Pressure Lubrication System
 with Replaceable Oil Filter
 Heavy Duty Canister Air Cleaner;
 Dry Replaceable Filter Element
 with Secondary Safety Element
 12 Volt with 15 AMP Regulated
 Charge System
 Dual Hydrostatic Wheel Drive
 TuffTorq Heavy Duty Ground Drive
 Hand Actuated Parking Brake
 Steel Channel Frame
 Operator Presence System
 Folding Two Post ROPS
 (Roll-Over Protective
 Structure) and Seat Belt
 48 In. 7-Iron II Side Discharge
 Mower Deck
 7-Gauge Stamped Steel Mower Deck
 8 In. Aluminum Spindle Housing
 One-Touch Dial and
 Foot Spring Assisted Height of
 Cut Adjustment
 Single-Turn Deck Transport Lock

System
 Full Floating Suspension Deck
 1.0 - 5.5 In. Cutting Heights in
 0.25 In. Increments
 Dual Lever Direction/Speed
 Control
 Wide Control Lever Bends
 for Increased Operator Comfort
 Quick-Service Removable Foot
 Platform
 10.0 MPH Travel Speed
 11.5 U.S. Gallon Fuel Capacity
 24x9.5-12 In. Square Shoulder
 4PR Turf Drive Tires (48 In.)
 24x12-12 In. Square Shoulder 4PR
 Turf Drive Tires (54 In. & 60
 In.)
 13x5-6 Pneumatic Front Caster
 Tires
 Right Hand Control Console
 Cluster
 Cup Holder
 Fuel Gauge
 Electric PTO Clutch
 Digital Hourmeter
 *@ 3600 RPM engine manufacturer

certified
 gross power tested in accordance
 with SAE J1940, 725cc.
 The engine horsepower and torque
 information
 is provided by the engine
 manufacturer
 to be used for comparison
 purposes only.
 Actual operating horsepower and
 torque
 will be less. Refer to the
 engine
 manufacturer's web site
 for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2501TC	Z915E ZTrak		8,999.00
--------	-------------	--	----------

DESTINATION

001A	United States/Canada		In Base Price
0195	Mexico <i>Tires & Wheels option codes 1038 and 1039 not orderable in these locations.</i>		No Added Cost

MOWER DECKS

1500	48 In. Side Discharge Mower Deck <i>48 In. 7-Iron II 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Requires Tires & Wheels option code 1035.</i>		In Base Price
1502	54 In. Side Discharge Mower Deck <i>54 In. 7-Iron II 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Requires Tires & Wheels option code 1036.</i>		270.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z915E ZTrak
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
1504		MOWER DECKS Continued... 60 In. Side Discharge Mower Deck <i>60 In. 7-Iron II</i> <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings.</i> <i>Requires Tires & Wheels option code 1036.</i>	540.00
SEAT			
2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
DRIVE WHEELS AND TIRES			
1035		24x9.5x12 Pneumatic Turf Tire for 48 In. Decks	In Base Price
1036		24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	No Added Cost
1038		24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel.</i> <i>MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	879.00
ATTACHMENTS FOR FIELD CONVERSION			
		Anti-scalp Wheels	
BTC10445		Rear Anti-Scalp Wheel Kit (1219.2-mm (48-in.) Deck) <i>For all Z900 B and E Series with 48" 7-Iron II side discharge decks.</i>	181.90
BTC10442		Rear Anti-Scalp Wheel Kit (1371.6-mm (54-in.) Deck) <i>For 54" 7-Iron II Deck fitted to Z900B and E-Series only.</i>	181.90
BTC10591		Rear Anti-Scalp Wheel Kit (1524-mm (60-in.) Deck) <i>For all Z900 B and E Series with 60" 7-Iron II side discharge decks.</i>	181.90
		Lighting	
LP40112		Beacon Light Kit	251.00
		Lighting	
TCB11281		Front Light (2) Kit	256.80
		Miscellaneous	
LPA11548		Sun Canopy	169.00
		Miscellaneous	
TCU31258		Cast Iron Bumper	417.74
TCB11531		Hitch Kit	37.46
BTC10906		Jack Kit	227.91
TCB11248		Trash Receptacle Kit	103.79
		Mulch Kits	

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z915E ZTrak
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
TCB10952		Mulch Kit (1219.2-mm (48-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	310.30
TCB11469		Mulch Kit (1371.6-mm (54-in.) 7-Iron, 7-Iron II, 7-Iron PRO and HC)	322.07
TCB10953		Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	334.91
		Seat	
BTC10907		Isolated Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B,E,M and R gas machines.</i>	269.64
		Spark Arrester	
AM115838		Spark Arrester Screen	31.40
		Striping Kits	
BTC10285		Rubber Flap Striping Kit for 1219.2-mm (48-in.) Deck	436.56
BTC10286		Rubber Flap Striping Kit for 1371.6-mm and 1524-mm (54-in. and 60-in.) Decks	456.89

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z920M ZTrak
 Equipment for Base Machine

23.5 HP*
 Vertical-Shaft Air Cooled Engine
 (44.3 Cu. In.)
 726cc, 17.5 kW Full Pressure
 Lubrication System
 with Replaceable Oil Filter
 Heavy Duty Canister Air Cleaner;
 Dry Replaceable Filter Element
 with Secondary Safety Element
 12 Volt with 20 AMP Regulated
 Charge System
 Dual Hydrostatic Wheel Drive
 TuffTorq Heavy Duty Ground Drive
 Hand Actuated Parking Brake
 Steel Channel Frame
 Operator Presence System
 Folding Two Post ROPS (Roll-
 Over Protective Structure)
 and Seat Belt
 48 In. 7-Iron PRO Side Discharge
 Mower Deck
 7-Gauge Stamped Steel Mower Deck
 8 In. Aluminum Spindle Housing
 Rear Anti-Scalp Wheels
 One-Touch Dial and
 Foot Spring Assisted Height of

Cut Adjustment
 Single-Turn Deck Transport Lock
 System
 Full Floating Suspension Deck
 1.0 - 5.5 In. Cutting Heights in
 0.25 In. Increments
 Dual Lever Direction/Speed
 Control
 Wide Control Lever Bends for
 Increased Operator Comfort
 Quick-Service Removable Foot
 Platform
 10 MPH Travel Speed
 11.5 U.S. Gallon Fuel Capacity
 24x9.5-12 In. Square Shoulder
 4PR Turf Drive Tires (48 In.)
 24x12-12 In. Square Shoulder 4PR
 Turf Drive Tires (54 In. & 60
 In.)
 13x6.5-6 Semi-Pneumatic Front
 Caster Tires
 Rear Bumper Right Hand Control
 Console
 Cluster Cup Holder
 Fuel Gauge Electric PTO Clutch
 Digital Hourmeter

*@ 3600 RPM engine manufacturer
 certified gross power
 tested in accordance with SAE
 J1995, 726cc.
 The engine horsepower and torque
 information
 is provided by the engine
 manufacturer
 to be used for comparison
 purposes only.
 Actual operating horsepower and
 torque
 will be less. Refer to the
 engine manufacturer's web site
 for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2145TC	Z920M ZTrak	10,149.00
--------	-------------	-----------

DESTINATION

001A	United States/Canada	In Base Price
0195	Mexico <i>Tires & Wheels option codes 1038 and 1039 not orderable in these locations.</i>	No Added Cost

MOWER DECKS

1500	48 In. Side Discharge Mower Deck <i>48 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1035.</i>	In Base Price
1502	54 In. Side Discharge Mower Deck <i>54 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>	270.00
1504	60 In. Side Discharge Mower Deck <i>60 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp</i>	540.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z920M ZTrak
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
MOWER DECKS Continued...			
<i>Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>			
1501		48 In. Mulch On Demand Mower Deck <i>48 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1035.</i>	870.00
SEAT			
2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002		Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	495.00
DRIVE WHEELS AND TIRES			
1035		24x9.5x12 Pneumatic Turf Tire for 48 In. Decks	In Base Price
1036		24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	No Added Cost
1038		24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	879.00
ATTACHMENTS FOR FIELD CONVERSION			
		Lighting	
LP40112		Beacon Light Kit	251.00
		Lighting	
TCB11281		Front Light (2) Kit	256.80
		Miscellaneous	
LPA11548		Sun Canopy	169.00
		Miscellaneous	
TCB11531		Hitch Kit	37.46
BTC10906		Jack Kit	227.91
TCB11248		Trash Receptacle Kit	103.79
		Mulch Kits	
TCB10952		Mulch Kit (1219.2-mm (48-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	310.30
TCB11469		Mulch Kit (1371.6-mm (54-in.) 7-Iron, 7-Iron II, 7-Iron PRO and HC)	322.07

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z920M ZTrak
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
TCB10953		Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	334.91
		Seat	
BTC10907		Isolated Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B,E,M and R gas machines.</i>	269.64
BUC10467		Suspension Seat Kit <i>Compatible with MY18 and newer Z900 M and R gas machines only. Not compatible with Z900 E-spec machines.</i>	788.59
		Seat	
BUC10649		Arm rest kit - Padded (Set of 2) <i>Compatible only with Fully Adjustable Suspension Seat (option 2002)</i>	44.94
		Spark Arrester	
AM115838		Spark Arrester Screen	31.40
		Striping Kits	
BTC10285		Rubber Flap Striping Kit for 1219.2-mm (48-in.) Deck	436.56
BTC10286		Rubber Flap Striping Kit for 1371.6-mm and 1524-mm (54-in. and 60-in.) Decks	456.89

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z920M ZTrak (California)
 Equipment for Base Machine

23.5 HP*
 Vertical-Shaft Air Cooled Engine
 (44.3 Cu. In.) 726cc, 17.5 kW
 Full Pressure Lubrication System
 with Replaceable Oil Filter
 Heavy Duty Canister Air Cleaner;
 Dry Replaceable Filter Element
 with Secondary Safety Element
 12 Volt with 20 AMP Regulated
 Charge System
 Dual Hydrostatic Wheel Drive
 TuffTorq Heavy Duty Ground Drive
 Hand Actuated Parking Brake
 Steel Channel Frame
 Operator Presence System
 Folding Two Post ROPS
 (Roll-Over Protective
 Structure) and Seat Belt
 48 In. 7-Iron PRO Side Discharge
 Mower Deck
 7-Gauge Stamped Steel Mower Deck
 8 In. Aluminum Spindle Housing
 Rear Anti-Scalp Wheels
 One-Touch Dial
 and Foot Spring Assisted Height

of Cut Adjustment
 Single-Turn Deck Transport Lock
 System
 Full Floating Suspension Deck
 1.0 - 5.5 In. Cutting Heights in
 0.25 In. Increments
 Lever Direction/Speed Control
 Wide Control Lever Bends for
 Increased Operator Comfort
 Quick-Service Removable Foot
 Platform
 10 MPH Travel Speed
 11.5 U.S. Gallon Fuel Capacity
 24x12-12 In. Square Shoulder 4PR
 Turf Drive Tires (54 In.)
 13x6.5-6 Semi-Pneumatic Front
 Caster Tires
 Rear Bumper
 Right Hand Control Console
 Cluster
 Cup Holder
 Fuel Gauge
 Electric PTO Clutch
 Digital Hourmeter
 *@ 3600 RPM engine manufacturer

certified gross power
 tested in accordance with SAE
 J1995, 726cc.
 The engine horsepower and torque
 information
 is provided by the engine
 manufacturer
 to be used for comparison
 purposes only.
 Actual operating horsepower and
 torque will be less.
 Refer to the engine
 manufacturer's web site
 for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2144TC	Z920M ZTrak (California) <i>Base code 2144TC is a 50 state compliant SKU for ordering by California dealers only.</i>	10,149.00
--------	--	-----------

DESTINATION

001A	United States/Canada	In Base Price
------	----------------------	---------------

MOWER DECKS

1500	48 In. Side Discharge Mower Deck <i>48 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1035.</i>	In Base Price
1502	54 In. Side Discharge Mower Deck <i>54 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>	270.00

SEAT

2000	Deluxe Comfort Seat with Armrests	In Base Price
------	-----------------------------------	---------------

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z920M ZTrak (California)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
2001		SEAT Continued... Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
DRIVE WHEELS AND TIRES			
1035		24x9.5x12 Pneumatic Turf Tire for 48 In. Decks	In Base Price
1036		24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	No Added Cost
1038		24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	879.00
ATTACHMENTS FOR FIELD CONVERSION			
		Lighting	
LP40112		Beacon Light Kit	251.00
		Lighting	
TCB11281		Front Light (2) Kit	256.80
		Miscellaneous	
LPA11548		Sun Canopy	169.00
		Miscellaneous	
TCB11531		Hitch Kit	37.46
BTC10906		Jack Kit	227.91
TCB11248		Trash Receptacle Kit	103.79
		Mulch Kits	
TCB10952		Mulch Kit (1219.2-mm (48-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	310.30
TCB11469		Mulch Kit (1371.6-mm (54-in.) 7-Iron, 7-Iron II, 7-Iron PRO and HC)	322.07
		Seat	
BTC10907		Isolated Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B,E,M and R gas machines.</i>	269.64
BUC10467		Suspension Seat Kit <i>Compatible with MY18 and newer Z900 M and R gas machines only. Not compatible with Z900 E-spec machines.</i>	788.59
		Seat	
BUC10649		Arm rest kit - Padded (Set of 2) <i>Compatible only with Fully Adjustable Suspension Seat (option 2002)</i>	44.94
		Spark Arrester	
AM115838		Spark Arrester Screen	31.40
		Striping Kits	
BTC10285		Rubber Flap Striping Kit for 1219.2-mm (48-in.) Deck	436.56

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z920M ZTrak (California)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BTC10286	Rubber Flap Striping Kit for 1371.6-mm and 1524-mm (54-in. and 60-in.) Decks	456.89

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z925M Flex Fuel ZTrak
 Equipment for Base Machine

25 HP*
 Vertically-Shaft Air Cooled
 Electronically Fuel Injected
 Closed Loop System
 Flex Fuel (E0 to E85)
 Engine (45.6 Cu. In.) 747cc,
 18.3 kW
 Full Pressure Lubrication System
 with Replaceable Oil Filter
 Heavy Duty Canister Air Cleaner;
 Dry Replaceable Filter Element
 with Secondary Safety Element
 12 Volt with 20 AMP Regulated
 Charge System
 Dual Hydrostatic Wheel Drive
 TuffTorq Heavy Duty Ground Drive
 Hand Actuated Parking Brake
 Steel Channel Frame
 Operator Presence System
 Folding Two Post ROPS
 (Roll- Over Protective
 Structure) and Seat Belt
 54 In. 7-Iron PRO Side Discharge
 Mower Deck
 7-Gauge Stamped Steel Mower Deck
 8 In. Aluminum Spindle Housing
 Rear Anti-Scalp Wheels

One-Touch Dial
 and Foot Spring Assisted Height
 of Cut Adjustment
 Single-Turn Deck Transport Lock
 System
 Full Floating Suspension Deck
 1.0 - 5.5 In. Cutting Heights in
 0.25 In. Increments
 Dual Lever Direction/Speed
 Control
 Wide Control Lever Bends
 for Increased Operator Comfort
 Quick-Service Removable Foot
 Platform
 10 MPH Travel Speed
 11.5 U.S. Gallon Fuel Capacity
 24x12-12 In. Square Shoulder 4PR
 Turf Drive Tires 13x6.5-6
 Semi-Pneumatic Front Caster
 Tires
 Rear Bumper
 Right Hand Control Console
 Cluster
 Cup Holder
 Fuel Gauge
 Electric PTO Clutch
 Digital Hourmeter

*@ 3600 RPM engine manufacturer
 certified
 gross power tested in accordance
 with SAE J1995, 747cc.
 The engine horsepower and torque
 information
 is provided by the engine
 manufacturer
 to be used for comparison
 purposes only.
 Actual operating horsepower
 and torque will be less.
 Refer to the engine
 manufacturer's
 web site for additional
 information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2154TC		Z925M Flex Fuel ZTrak 5-Sept-2018: deck option 1503 (54" MOD) is no longer available to order for Model Year 2018. Deck options 1502 and 1504 are still available.	10,999.00
--------	--	---	-----------

DESTINATION

001A		United States/Canada	In Base Price
0195		Mexico <i>Tires & Wheels option codes 1038 and 1039 not orderable in these locations.</i>	No Added Cost

MOWER DECKS

1502		54 In. Side Discharge Mower Deck 54 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.	In Base Price
1504		60 In. Side Discharge Mower Deck 60 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.	270.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z925M Flex Fuel ZTrak
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
MOWER DECKS Continued...			
1503		54 In. Mulch On Demand Mower Deck <i>54 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>	870.00
SEAT			
2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
DRIVE WHEELS AND TIRES			
1036		24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price
1038		24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	879.00
ATTACHMENTS FOR FIELD CONVERSION			
		Lighting	
LP40112		Beacon Light Kit	251.00
		Lighting	
TCB11281		Front Light (2) Kit	256.80
		Miscellaneous	
LPA11548		Sun Canopy	169.00
		Miscellaneous	
TCB11531		Hitch Kit	37.46
BTC10906		Jack Kit	227.91
TCB11248		Trash Receptacle Kit	103.79
		Mulch Kits	
TCB11469		Mulch Kit (1371.6-mm (54-in.) 7-Iron, 7-Iron II, 7-Iron PRO and HC)	322.07
TCB10953		Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	334.91
		Seat	
BTC10907		Isolated Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B,E,M and R gas machines.</i>	269.64
BUC10467		Suspension Seat Kit <i>Compatible with MY18 and newer Z900 M and R gas machines only. Not compatible with Z900 E-spec machines.</i>	788.59

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z925M Flex Fuel ZTrak
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Seat	
BUC10649		Arm rest kit - Padded (Set of 2) <i>Compatible only with Fully Adjustable Suspension Seat (option 2002)</i>	44.94
		Spark Arrester	
AM115838		Spark Arrester Screen	31.40
		Striping Kits	
BTC10286		Rubber Flap Striping Kit for 1371.6-mm and 1524-mm (54-in. and 60-in.) Decks	456.89

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z925M EFI ZTrak
 Equipment for Base Machine

25 HP*
 Vertically-Shaft Air Cooled
 Electronically Fuel Injected
 Closed Loop System
 Engine (45.6 Cu. In.) 747cc,
 18.3 kW
 Full Pressure Lubrication System
 with Replaceable Oil Filter
 Heavy Duty Canister Air Cleaner;
 Dry Replaceable Filter Element
 with Secondary Safety Element
 12 Volt with 20 AMP Regulated
 Charge System
 Dual Hydrostatic Wheel Drive
 TuffTorq Heavy Duty Ground Drive
 Hand Actuated Parking Brake
 Steel Channel Frame
 Operator Presence System
 Folding Two Post ROPS
 (Roll-Over Protective
 Structure) and Seat Belt
 54 In. 7-Iron PRO Side Discharge
 Mower Deck
 7-Gauge Stamped Steel Mower Deck
 8 In. Aluminum Spindle Housing
 Rear Anti-Scalp Wheels

One-Touch Dial
 and Foot Spring Assisted Height
 of Cut Adjustment
 Single-Turn Deck Transport Lock
 System
 Full Floating Suspension Deck
 1.0 - 5.5 In. Cutting Heights in
 0.25 In. Increments
 Dual Lever Direction/Speed
 Control
 Wide Control Lever Bends
 for Increased Operator Comfort
 Quick-Service Removable Foot
 Platform
 10 MPH Travel Speed
 11.5 U.S. Gallon Fuel Capacity
 24x12-12 In. Square Shoulder 4PR
 Turf Drive Tires 13x6.5-6
 Semi-Pneumatic Front Caster
 Tires
 Rear Bumper
 Right Hand Control Console
 Cluster
 Cup Holder
 Fuel Gauge
 Electric PTO Clutch

Digital Hourmeter
 *@ 3600 RPM engine manufacturer
 certified
 gross power tested in accordance
 with SAE J1995, 747cc.
 The engine horsepower and torque
 information
 is provided by the engine
 manufacturer to be used for
 comparison purposes only.
 Actual operating horsepower and
 torque will be less.
 Refer to the engine
 manufacturer's web site for
 additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2155TC		Z925M EFI ZTrak	11,299.00
--------	--	-----------------	-----------

DESTINATION

001A		United States/Canada	In Base Price
0195		Mexico <i>Tires & Wheels option codes 1038 and 1039 not orderable in these locations.</i>	No Added Cost

MOWER DECKS

1502		54 In. Side Discharge Mower Deck <i>54 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>	In Base Price
1504		60 In. Side Discharge Mower Deck <i>60 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>	270.00
1503		54 In. Mulch On Demand Mower Deck <i>54 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp</i>	870.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z925M EFI ZTrak
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
MOWER DECKS Continued...			
<i>Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>			
<hr/>			
SEAT			
2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002		Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	495.00
<hr/>			
DRIVE WHEELS AND TIRES			
1036		24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price
1038		24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	879.00
<hr/>			
ATTACHMENTS FOR FIELD CONVERSION			
		Lighting	
LP40112		Beacon Light Kit	251.00
		Lighting	
TCB11281		Front Light (2) Kit	256.80
		Miscellaneous	
LPA11548		Sun Canopy	169.00
		Miscellaneous	
TCB11531		Hitch Kit	37.46
BTC10906		Jack Kit	227.91
TCB11248		Trash Receptacle Kit	103.79
		Mulch Kits	
TCB11469		Mulch Kit (1371.6-mm (54-in.) 7-Iron, 7-Iron II, 7-Iron PRO and HC)	322.07
TCB10953		Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	334.91
		Seat	
BTC10907		Isolated Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B,E,M and R gas machines.</i>	269.64
BUC10467		Suspension Seat Kit <i>Compatible with MY18 and newer Z900 M and R gas machines only. Not compatible with Z900 E-spec machines.</i>	788.59

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z925M EFI ZTrak
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Seat	
BUC10649		Arm rest kit - Padded (Set of 2) <i>Compatible only with Fully Adjustable Suspension Seat (option 2002)</i>	44.94
		Spark Arrester	
AM115838		Spark Arrester Screen	31.40
		Striping Kits	
BTC10286		Rubber Flap Striping Kit for 1371.6-mm and 1524-mm (54-in. and 60-in.) Decks	456.89

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z930M ZTrak
 Equipment for Base Machine

25.5 HP*
 Vertical-Shaft Air Cooled Engine
 (52.0 Cu. In.) 852cc,19.0 kW
 Full Pressure Lubrication System
 with Replaceable Oil Filter
 Heavy Duty Canister Air Cleaner;
 Dry Replaceable Filter Element
 with Secondary Safety Element
 12 Volt with 20 AMP Regulated
 Charge System
 Dual Hydrostatic Wheel Drive
 TuffTorq Heavy Duty Ground Drive
 Hand Actuated Parking Brake
 Steel Channel Frame Operator
 Presence System
 Folding Two Post ROPS
 (Roll-Over Protective
 Structure) and Seat Belt
 60 In. 7-Iron PRO Side Discharge
 Mower Deck
 7-Gauge Stamped Steel Mower Deck
 8 In. Aluminum Spindle Housing
 Rear Anti-Scalp Wheels
 One-Touch Dial and
 Foot Spring Assisted Height of

Cut Adjustment
 Single-Turn Deck Transport Lock
 System
 Full Floating Suspension Deck
 1.0 - 5.5 In. Cutting Heights in
 0.25 In. Increments
 Dual Lever Direction/Speed
 Control
 Wide Control Lever Bends
 for Increased Operator Comfort
 Quick-Service Removable Foot
 Platform
 10 MPH Travel Speed
 11.5 U.S. Gallon Fuel Capacity
 24x12-12 In. Square Shoulder 4PR
 Turf Drive Tires (60" & 72")
 13x6.5-6 Semi-Pneumatic Front
 Caster Tires
 Rear Bumper
 Right Hand Control Console
 Cluster
 Cup Holder
 Fuel Gauge
 Electric PTO Clutch
 Digital Hourmeter

*@ 3600 RPM engine manufacturer
 certified gross power
 tested in accordance with SAE
 J1995, 852cc.
 The engine horsepower and
 torque information is provided
 by the engine manufacturer
 to be used for comparison
 purposes only.
 Actual operating horsepower
 and torque will be less. Refer
 to the engine
 manufacturer's web site
 for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2167TC	Z930M ZTrak	11,049.00
--------	-------------	-----------

DESTINATION

001A	United States/Canada	In Base Price
0195	Mexico <i>Tires & Wheels option codes 1038 and 1039 not orderable in these locations.</i>	No Added Cost

MOWER DECKS

1502	54 In. Side Discharge Mower Deck <i>54 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>	-270.00
1504	60 In. Side Discharge Mower Deck <i>60 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>	In Base Price
1503	54 In. Mulch On Demand Mower Deck <i>54 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels.</i>	600.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z930M ZTrak
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
MOWER DECKS Continued...			
<i>Requires Tires & Wheels option code 1036 or 1038.</i>			
1505		60 In. Mulch On Demand Mower Deck <i>60 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>	870.00
<hr/>			
SEAT			
2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002		Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	495.00
<hr/>			
DRIVE WHEELS AND TIRES			
1036		24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price
1038		24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	879.00
<hr/>			
ATTACHMENTS FOR FIELD CONVERSION			
		Lighting	
LP40112		Beacon Light Kit	251.00
		Lighting	
TCB11281		Front Light (2) Kit	256.80
		Miscellaneous	
LPA11548		Sun Canopy	169.00
		Miscellaneous	
TCB11531		Hitch Kit	37.46
BTC10906		Jack Kit	227.91
TCB11248		Trash Receptacle Kit	103.79
		Mulch Kits	
TCB11469		Mulch Kit (1371.6-mm (54-in.) 7-Iron, 7-Iron II, 7-Iron PRO and HC)	322.07
TCB10953		Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	334.91

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z930M ZTrak
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Seat	
BTC10907		Isolated Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B,E,M and R gas machines.</i>	269.64
BUC10467		Suspension Seat Kit <i>Compatible with MY18 and newer Z900 M and R gas machines only. Not compatible with Z900 E-spec machines.</i>	788.59
		Seat	
BUC10649		Arm rest kit - Padded (Set of 2) <i>Compatible only with Fully Adjustable Suspension Seat (option 2002)</i>	44.94
		Spark Arrester	
AM115838		Spark Arrester Screen	31.40
		Striping Kits	
BTC10286		Rubber Flap Striping Kit for 1371.6-mm and 1524-mm (54-in. and 60-in.) Decks	456.89

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z930M ZTrak (California)
 Equipment for Base Machine

25.5 HP*
 Vertical-Shaft Air Cooled Engine
 (52.0 Cu. In.) 852cc,19.0 kW
 Full Pressure Lubrication System
 with Replaceable Oil Filter
 Heavy Duty Canister Air Cleaner;
 Dry Replaceable Filter Element
 with Secondary Safety Element
 12 Volt with 20 AMP Regulated
 Charge System
 Dual Hydrostatic Wheel Drive
 TuffTorq Heavy Duty Ground Drive
 Hand Actuated Parking
 Brake Steel Channel Frame
 Operator Presence System
 Folding Two Post ROPS
 (Roll-Over Protective
 Structure) and Seat Belt
 60 In. 7-Iron PRO Side Discharge
 Mower Deck
 7-Gauge Stamped Steel Mower Deck
 8 In. Aluminum Spindle Housing
 Rear Anti-Scalp Wheels
 One-Touch Dial and
 Foot Spring Assisted Height of

Cut Adjustment
 Single-Turn Deck Transport Lock
 System
 Full Floating Suspension Deck
 1.0 - 5.5 In. Cutting Heights in
 0.25 In. Increments
 Dual Lever Direction/Speed
 Control
 Wide Control Lever Bends
 for Increased Operator Comfort
 Quick-Service Removable Foot
 Platform
 10 MPH Travel Speed
 11.5 U.S. Gallon Fuel Capacity
 24x12-12 In. Square Shoulder 4PR
 Turf Drive Tires (60" & 72")
 13x6.5-6 Semi-Pneumatic Front
 Caster Tires
 Rear Bumper
 Right Hand Control Console
 Cluster
 Cup Holder
 Fuel Gauge
 Electric PTO Clutch
 Digital Hourmeter

*@ 3600 RPM engine manufacturer
 certified gross power tested
 in accordance with SAE J1995,
 852cc.
 The engine horsepower and torque
 information
 is provided by the engine
 manufacturer
 to be used for comparison
 purposes only.
 Actual operating horsepower
 and torque will be less. Refer
 to the engine
 manufacturer's web site
 for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2166TC	Z930M ZTrak (California) <i>Base code 2166TC is a 50 state compliant SKU for ordering by California dealers only.</i>	11,049.00
--------	--	-----------

DESTINATION

001A	United States/Canada	In Base Price
------	----------------------	---------------

MOWER DECKS

1504	60 In. Side Discharge Mower Deck <i>60 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>	In Base Price
------	--	---------------

SEAT

2000	Deluxe Comfort Seat with Armrests	In Base Price
2001	Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002	Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	495.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z930M ZTrak (California)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
SEAT Continued...			
DRIVE WHEELS AND TIRES			
1036		24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price
1038		24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	879.00
ATTACHMENTS FOR FIELD CONVERSION			
		Lighting	
LP40112		Beacon Light Kit	251.00
		Lighting	
TCB11281		Front Light (2) Kit	256.80
		Miscellaneous	
LPA11548		Sun Canopy	169.00
		Miscellaneous	
TCB11531		Hitch Kit	37.46
BTC10906		Jack Kit	227.91
TCB11248		Trash Receptacle Kit	103.79
		Mulch Kits	
TCB10953		Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	334.91
		Seat	
BTC10907		Isolated Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B,E,M and R gas machines.</i>	269.64
BUC10467		Suspension Seat Kit <i>Compatible with MY18 and newer Z900 M and R gas machines only. Not compatible with Z900 E-spec machines.</i>	788.59
		Seat	
BUC10649		Arm rest kit - Padded (Set of 2) <i>Compatible only with Fully Adjustable Suspension Seat (option 2002)</i>	44.94
		Spark Arrester	
AM115838		Spark Arrester Screen	31.40
		Striping Kits	
BTC10286		Rubber Flap Striping Kit for 1371.6-mm and 1524-mm (54-in. and 60-in.) Decks	456.89

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z945M EFI ZTrak
 Equipment for Base Machine

27 HP*
 Vertically-Shaft Air Cooled
 Electronically Fuel Injected
 Closed Loop System
 Engine (45.6 Cu. In.)
 824cc, 20.1 kW
 Full Pressure Lubrication System
 with Replaceable Oil Filter
 Heavy Duty Canister Air
 Cleaner; Dry Replaceable
 Filter Element with
 Secondary Safety Element
 12 Volt with 20 AMP Regulated
 Charge System
 Dual Hydrostatic Wheel Drive
 TuffTorq Heavy Duty Ground Drive
 Hand Actuated Parking Brake
 Steel Channel Frame
 Operator Presence System
 Folding Two Post ROPS (Roll-
 Over Protective Structure)
 and Seat Belt
 60 In. 7-Iron PRO Side Discharge
 Mower Deck
 7-Gauge Stamped Steel Mower Deck
 8 In. Aluminum Spindle Housing
 Rear Anti-Scalp Wheels

One-Touch Dial and Foot Spring
 Assisted Height of Cut
 Adjustment
 Single-Turn Deck Transport Lock
 System
 Full Floating Suspension Deck
 1.0 - 5.5 In. Cutting Heights
 in 0.25 In. Increments
 Dual Lever Direction/Speed
 Control
 Wide Control Lever Bends for
 Increased Operator Comfort
 Quick-Service Removable Foot
 Platform
 10 MPH Travel Speed
 11.5 U.S. Gallon Fuel Capacity
 24x12-12 In. Square Shoulder
 4PR Turf Drive Tires
 13x6.5-6 Semi-Pneumatic Front
 Caster Tires
 Rear Bumper
 Right Hand Control Console
 Cluster
 Cup Holder
 Fuel Gauge
 Electric PTO Clutch
 Digital Hourmeter

* @ 3600 RPM engine manufacturer
 certified
 gross power tested in accordance
 with SAE
 J1995, 824cc. The engine
 horsepower and
 torque information is provided
 by the engine
 manufacturer to be used for
 comparison
 purposes only. Actual operating
 horsepower
 and torque will be less. Refer
 to the engine
 manufacturer's web site for
 additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2510TC		Z945M EFI ZTrak	11,849.00
--------	--	-----------------	-----------

DESTINATION

001A		United States/Canada	In Base Price
0195		Mexico <i>Tires & Wheels option codes 1038 and 1039 not orderable in these locations.</i>	No Added Cost

MOWER DECKS

1504		60 In. Side Discharge Mower Deck <i>60 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>	In Base Price
1505		60 In. Mulch On Demand Mower Deck <i>60 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>	870.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z945M EFI ZTrak
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
SEAT			
2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002		Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	495.00
DRIVE WHEELS AND TIRES			
1036		24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price
1038		24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	879.00
ATTACHMENTS FOR FIELD CONVERSION			
		Lighting	
LP40112		Beacon Light Kit	251.00
		Lighting	
TCB11281		Front Light (2) Kit	256.80
		Miscellaneous	
LPA11548		Sun Canopy	169.00
		Miscellaneous	
TCB11531		Hitch Kit	37.46
BTC10906		Jack Kit	227.91
TCB11248		Trash Receptacle Kit	103.79
		Mulch Kits	
TCB10953		Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	334.91
		Seat	
BTC10907		Isolated Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B,E,M and R gas machines.</i>	269.64
BUC10467		Suspension Seat Kit <i>Compatible with MY18 and newer Z900 M and R gas machines only. Not compatible with Z900 E-spec machines.</i>	788.59
		Seat	
BUC10649		Arm rest kit - Padded (Set of 2) <i>Compatible only with Fully Adjustable Suspension Seat (option 2002)</i>	44.94
		Spark Arrester	
AM115838		Spark Arrester Screen	31.40
		Striping Kits	

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z945M EFI ZTrak
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BTC10286	Rubber Flap Striping Kit for 1371.6-mm and 1524-mm (54-in. and 60-in.) Decks	456.89

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z955M EFI ZTrak
 Equipment for Base Machine

29 HP*
 Vertical-Shaft Air Cooled
 Electronically Fuel Injected
 Closed Loop System
 Engine (45.6 Cu. In.)
 824cc, 21.6 kW
 Full Pressure Lubrication
 System
 with Replaceable Oil Filter
 Heavy Duty Canister Air
 Cleaner; Dry Replaceable
 Filter Element with
 Secondary Safety Element
 12 Volt with 20 AMP Regulated
 Charge System
 Dual Hydrostatic Wheel Drive
 TuffTorq Heavy Duty Ground
 Drive
 Hand Actuated Parking Brake
 Steel Channel Frame
 Operator Presence System
 Folding Two Post ROPS (Roll-
 Over Protective Structure)
 and Seat Belt
 60 In. 7-Iron PRO Side
 Discharge
 Mower Deck
 7-Gauge Stamped Steel Mower

Deck
 8 In. Aluminum Spindle Housing
 Rear Anti-Scalp Wheels
 One-Touch Dial and Foot Spring
 Assisted Height of Cut
 Adjustment
 Single-Turn Deck Transport Lock
 System
 Full Floating Suspension Deck
 1.0 - 5.5 In. Cutting Heights
 in 0.25 In. Increments
 Dual Lever Direction/Speed
 Control
 Wide Control Lever Bends for
 Increased Operator Comfort
 Quick-Service Removable Foot
 Platform
 10 MPH Travel Speed
 11.5 U.S. Gallon Fuel Capacity
 24x12-12 In. Square Shoulder
 4PR Turf Drive Tires
 13x6.5-6 Semi-Pneumatic Front
 Caster Tires
 Rear Bumper
 Right Hand Control Console
 Cluster
 Cup Holder
 Fuel Gauge

Electric PTO Clutch
 Digital Hourmeter
 * @ 3600 RPM engine
 manufacturer certified
 gross power tested in
 accordance with SAE
 J1995, 824cc. The engine
 horsepower and
 torque information is provided
 by the engine
 manufacturer to be used for
 comparison
 purposes only. Actual operating
 horsepower
 and torque will be less. Refer
 to the engine
 manufacturer's web site for
 additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2520TC	Z955M EFI ZTrak	12,269.00
--------	-----------------	-----------

DESTINATION

001A	United States/Canada	In Base Price
0195	Mexico <i>Tires & Wheels option codes 1038 and 1039 not orderable in these locations.</i>	No Added Cost

MOWER DECKS

1504	60 In. Side Discharge Mower Deck <i>60 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>	In Base Price
1505	60 In. Mulch On Demand Mower Deck <i>60 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>	870.00
1506	72 In. Side Discharge Mower Deck	540.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z955M EFI ZTrak
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
MOWER DECKS Continued...			
<i>72 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1037 or 1039.</i>			
SEAT			
2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002		Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	495.00
DRIVE WHEELS AND TIRES			
1036		24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price
1038		24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	879.00
1037		24x12x12 Pneumatic Turf Tire for 72" Decks	No Added Cost
1039		24x12N12 Michelin X Tweel Turf for 72 In. Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	879.00
ATTACHMENTS FOR FIELD CONVERSION			
	LP40112	Lighting Beacon Light Kit	251.00
	TCB11281	Lighting Front Light (2) Kit	256.80
	LPA11548	Miscellaneous Sun Canopy	169.00
	TCB11531	Miscellaneous Hitch Kit	37.46
	BTC10906	Jack Kit	227.91
	TCB11248	Trash Receptacle Kit	103.79

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z955M EFI ZTrak
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
Mulch Kits			
TCB10953		Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	334.91
TCB10951		Mulch Kit (1828.8-mm (72-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	344.54
Seat			
BTC10907		Isolated Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B,E,M and R gas machines.</i>	269.64
BUC10467		Suspension Seat Kit <i>Compatible with MY18 and newer Z900 M and R gas machines only. Not compatible with Z900 E-spec machines.</i>	788.59
Seat			
BUC10649		Arm rest kit - Padded (Set of 2) <i>Compatible only with Fully Adjustable Suspension Seat (option 2002)</i>	44.94
Spark Arrester			
AM115838		Spark Arrester Screen	31.40
Striping Kits			
BTC10286		Rubber Flap Striping Kit for 1371.6-mm and 1524-mm (54-in. and 60-in.) Decks	456.89
BTC10287		Rubber Flap Striping Kit for 1828.8-mm (72-in.) Deck	467.59

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z950M ZTrak
 Equipment for Base Machine

27.0 HP*
 Vertical-Shaft Air Cooled Engine
 (52.0 Cu. In.) 852cc, 20.1 kW
 Full Pressure Lubrication System
 with Replaceable Oil Filter
 Heavy Duty Canister Air Cleaner;
 Dry Replaceable Filter Element
 with Secondary Safety Element
 12 Volt with 20 AMP Regulated
 Charge System
 Dual Hydrostatic Wheel Drive
 TuffTorq Heavy Duty Ground Drive
 Hand Actuated Parking Brake
 Steel Channel Frame
 Operator Presence System
 Folding Two Post ROPS
 (Roll-Over Protective
 Structure) and Seat Belt
 60 In. 7-Iron PRO Side Discharge
 Mower Deck
 7-Gauge Stamped Steel Mower Deck
 8 In. Aluminum Spindle Housing
 Rear Anti-Scalp Wheels
 One-Touch Dial and
 Foot Spring Assisted Height of

Cut Adjustment
 Single-Turn Deck Transport Lock
 System
 Full Floating Suspension Deck
 1.0 - 5.5 In. Cutting Heights in
 0.25 In. Increments
 Dual Lever Direction/Speed
 Control
 Wide Control Lever Bends for
 Increased Operator Comfort
 Quick-Service Removable Foot
 Platform
 10 MPH Travel Speed
 11.5 U.S. Gallon Fuel Capacity
 24x12-12 In. Square Shoulder 4PR
 Turf Drive Tires (60" & 72")
 13x6.5-6 Semi-Pneumatic Front
 Caster Tires
 Rear Bumper
 Right Hand Control Console
 Cluster
 Cup Holder Fuel Gauge
 Electric PTO Clutch
 Digital Hourmeter
 *@ 3600 RPM engine manufacturer

certified gross power
 tested in accordance with SAE
 J1995, 852cc.
 The engine horsepower and torque
 information
 is provided by the engine
 manufacturer
 to be used for comparison
 purposes only.
 Actual operating horsepower and
 torque will be less.
 Refer to the engine
 manufacturer's web site
 for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

0692TC	Z950M ZTrak		11,479.00
--------	-------------	--	-----------

DESTINATION

001A	United States/Canada		In Base Price
0195	Mexico <i>Tires & Wheels option codes 1038 and 1039 not orderable in these locations.</i>		No Added Cost

MOWER DECKS

1504	60 In. Side Discharge Mower Deck <i>60 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>		In Base Price
1505	60 In. Mulch On Demand Mower Deck <i>60 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>		870.00
1506	72 In. Side Discharge Mower Deck <i>72 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels.</i>		540.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z950M ZTrak
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
MOWER DECKS Continued...			
<i>Requires Tires & Wheels option code 1037 or 1039.</i>			
SEAT			
2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002		Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	495.00
DRIVE WHEELS AND TIRES			
1036		24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price
1038		24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	879.00
1037		24x12x12 Pneumatic Turf Tire for 72" Decks	No Added Cost
1039		24x12N12 Michelin X Tweel Turf for 72 In. Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	879.00
ATTACHMENTS FOR FIELD CONVERSION			
		Lighting	
LP40112		Beacon Light Kit	251.00
		Lighting	
TCB11281		Front Light (2) Kit	256.80
		Miscellaneous	
LPA11548		Sun Canopy	169.00
		Miscellaneous	
TCB11531		Hitch Kit	37.46
BTC10906		Jack Kit	227.91
TCB11248		Trash Receptacle Kit	103.79
		Mulch Kits	
TCB10953		Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	334.91
TCB10951		Mulch Kit (1828.8-mm (72-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	344.54

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z950M ZTrak
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Seat	
BTC10907		Isolated Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B,E,M and R gas machines.</i>	269.64
BUC10467		Suspension Seat Kit <i>Compatible with MY18 and newer Z900 M and R gas machines only. Not compatible with Z900 E-spec machines.</i>	788.59
		Seat	
BUC10649		Arm rest kit - Padded (Set of 2) <i>Compatible only with Fully Adjustable Suspension Seat (option 2002)</i>	44.94
		Spark Arrester	
AM115838		Spark Arrester Screen	31.40
		Striping Kits	
BTC10286		Rubber Flap Striping Kit for 1371.6-mm and 1524-mm (54-in. and 60-in.) Decks	456.89
BTC10287		Rubber Flap Striping Kit for 1828.8-mm (72-in.) Deck	467.59

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z960M ZTrak
 Equipment for Base Machine

31.0 HP*
 Vertical-Shaft Air Cooled Engine
 (61.0 Cu. In.) 999cc, 23.1 kW
 Full Pressure Lubrication System
 with Replaceable Oil Filter
 Heavy Duty Canister Air Cleaner;
 Dry Replaceable Filter Element
 with Secondary Safety Element
 12 Volt with 20 AMP Regulated
 Charge System
 Dual Hydrostatic Wheel Drive
 TuffTorq Heavy Duty Ground Drive
 Hand Actuated Parking Brake
 Steel Channel Frame
 Operator Presence System
 Folding Two Post ROPS
 (Roll-Over Protective
 Structure) and Seat Belt
 60 In. 7-Iron PRO Side Discharge
 Mower Deck
 7-Gauge Stamped Steel Mower Deck
 8 In. Aluminum Spindle Housing
 Rear Anti-Scalp Wheels
 One-Touch Dial and

Foot Spring Assisted Height of
 Cut Adjustment
 Single-Turn Deck Transport Lock
 System
 Full Floating Suspension Deck
 1.0 - 5.5 In. Cutting Heights in
 0.25 In. Increments
 Dual Lever Direction/Speed
 Control
 Wide Control Lever Bends for
 Increased Operator Comfort
 Quick-Service Removable Foot
 Platform
 10 MPH Travel Speed
 11.5 U.S. Gallon Fuel Capacity
 24x12-12 In. Square Shoulder 4PR
 Turf Drive Tires (60" & 72")
 13x6.5-6 Semi-Pneumatic Front
 Caster Tires
 Rear Bumper Right Hand Control
 Console Cluster
 Cup Holder Fuel Gauge
 Electric PTO Clutch
 Digital Hourmeter

*@ 3600 RPM engine manufacturer
 certified gross power
 tested in accordance with SAE
 J1995, 852cc.
 The engine horsepower and torque
 information
 is provided by the engine
 manufacturer
 to be used for comparison
 purposes only.
 Actual operating horsepower and
 torque
 will be less. Refer to the
 engine manufacturer's web site
 for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2231TC	Z960M ZTrak	12,219.00
--------	-------------	-----------

DESTINATION

001A	United States/Canada	In Base Price
0195	Mexico <i>Tires & Wheels option codes 1038 and 1039 not orderable in these locations.</i>	No Added Cost

MOWER DECKS

1504	60 In. Side Discharge Mower Deck <i>60 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>	In Base Price
1505	60 In. Mulch On Demand Mower Deck <i>60 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>	870.00
1506	72 In. Side Discharge Mower Deck <i>72 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1037 or 1039.</i>	540.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z960M ZTrak
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
MOWER DECKS Continued...			
SEAT			
2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002		Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	495.00
DRIVE WHEELS AND TIRES			
1036		24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price
1038		24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	879.00
1037		24x12x12 Pneumatic Turf Tire for 72" Decks	No Added Cost
1039		24x12N12 Michelin X Tweel Turf for 72 In. Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	879.00
ATTACHMENTS FOR FIELD CONVERSION			
		Lighting	
LP40112		Beacon Light Kit	251.00
		Lighting	
TCB11281		Front Light (2) Kit	256.80
		Miscellaneous	
LPA11548		Sun Canopy	169.00
		Miscellaneous	
TCB11531		Hitch Kit	37.46
BTC10906		Jack Kit	227.91
TCB11248		Trash Receptacle Kit	103.79
		Mulch Kits	
TCB10953		Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	334.91
TCB10951		Mulch Kit (1828.8-mm (72-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	344.54
		Seat	

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z960M ZTrak
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BTC10907		Isolated Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B,E,M and R gas machines.</i>	269.64
BUC10467		Suspension Seat Kit <i>Compatible with MY18 and newer Z900 M and R gas machines only. Not compatible with Z900 E-spec machines.</i>	788.59
		Seat	
BUC10649		Arm rest kit - Padded (Set of 2) <i>Compatible only with Fully Adjustable Suspension Seat (option 2002)</i>	44.94
		Spark Arrester	
AM115838		Spark Arrester Screen	31.40
		Striping Kits	
BTC10286		Rubber Flap Striping Kit for 1371.6-mm and 1524-mm (54-in. and 60-in.) Decks	456.89
BTC10287		Rubber Flap Striping Kit for 1828.8-mm (72-in.) Deck	467.59

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z930R ZTrak
 Equipment for Base Machine

25.5 HP*
 Vertical-Shaft Air Cooled Engine
 (52.0 Cu. In.) 852cc, 19.0 kW
 Full Pressure Lubrication System
 with Replaceable Oil Filter
 Heavy Duty Canister Air Cleaner;
 Dry Replaceable Filter Element
 with Secondary Safety Element
 12 Volt with 20 AMP Regulated
 Charge System
 Dual Hydrostatic Wheel Drive
 TuffTorq Heavy Duty Ground Drive
 With Cross Porting
 Foot Actuated Parking Brake
 Steel Channel Frame
 Operator Presence System
 Folding Two Post ROPS
 (Roll- Over Protective
 Structure) and Seat Belt
 54 In. 7-Iron PRO Side Discharge
 Mower Deck
 7-Gauge Stamped Steel Mower Deck
 8 In. Aluminum Spindle Housing
 Rear Anti-Scalp Wheels
 One-Touch Dial and Power Height
 of Cut Adjustment

Ergonomic Operator Contoured
 Soft Touch Grips
 and Integrated Handle Controls
 Single-Turn Deck Transport Lock
 System
 Full Floating Suspension Deck
 1.0 - 5.5 In. Cutting Heights in
 0.25 In. Increments
 Dual Lever Direction/Speed
 Control
 Wide Control Lever Bends for
 Increased Operator Comfort
 Quick-Service Removable Foot
 Platform
 12 MPH Travel Speed
 11.5 U.S. Gallon Fuel Capacity
 24x12-12 In. Square Shoulder 4PR
 Turf Drive Tires 13x6.5-6
 Semi-Pneumatic Front Caster
 Tires
 Rear Bumper
 Right Hand Control Console
 Cluster
 Cup Holder
 Fuel Gauge
 Electric PTO Clutch

Digital Hourmeter and Diagnostic
 Pkg.
 *@ 3600 RPM engine manufacturer
 certified gross power
 tested in accordance with SAE
 J1995, 852cc.
 The engine horsepower and torque
 information
 is provided by the engine
 manufacturer
 to be used for comparison
 purposes only.
 Actual operating horsepower and
 torque will be less.
 Refer to the engine
 manufacturer's web site
 for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2182TC	Z930R ZTrak	12,799.00
--------	-------------	-----------

DESTINATION

001A	United States/Canada	In Base Price
0195	Mexico <i>Tires & Wheels option codes 1038 and 1039 not orderable in these locations.</i>	No Added Cost

MOWER DECKS

1502	54 In. Side Discharge Mower Deck <i>54 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>	In Base Price
1504	60 In. Side Discharge Mower Deck <i>60 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>	270.00
1503	54 In. Mulch On Demand Mower Deck <i>54 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp</i>	870.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z930R ZTrak
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
MOWER DECKS Continued...			
<i>Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>			
<hr/>			
SEAT			
2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002		Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	495.00
<hr/>			
DRIVE WHEELS AND TIRES			
1036		24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price
1038		24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	879.00
<hr/>			
ATTACHMENTS FOR FIELD CONVERSION			
		Lighting	
LP40112		Beacon Light Kit	251.00
		Lighting	
TCB11281		Front Light (2) Kit	256.80
		Miscellaneous	
LPA11548		Sun Canopy	169.00
		Miscellaneous	
TCB11531		Hitch Kit	37.46
BTC10906		Jack Kit	227.91
TCB11248		Trash Receptacle Kit	103.79
		Mulch Kits	
TCB11469		Mulch Kit (1371.6-mm (54-in.) 7-Iron, 7-Iron II, 7-Iron PRO and HC)	322.07
TCB10953		Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	334.91
		Seat	
BTC10907		Isolated Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B,E,M and R gas machines.</i>	269.64
BUC10467		Suspension Seat Kit <i>Compatible with MY18 and newer Z900 M and R gas machines only. Not compatible with Z900 E-spec machines.</i>	788.59

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z930R ZTrak
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Seat	
BUC10649		Arm rest kit - Padded (Set of 2) <i>Compatible only with Fully Adjustable Suspension Seat (option 2002)</i>	44.94
		Spark Arrester	
AM115838		Spark Arrester Screen	31.40
		Striping Kits	
BTC10286		Rubber Flap Striping Kit for 1371.6-mm and 1524-mm (54-in. and 60-in.) Decks	456.89

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z950R ZTrak
 Equipment for Base Machine

27.0 HP*
 Vertical-Shaft Air Cooled Engine
 (52.0 Cu. In.) 852cc, 20.1 kW
 Full Pressure Lubrication System
 with Replaceable Oil Filter
 Heavy Duty Canister Air Cleaner;
 Dry Replaceable Filter Element
 with Secondary Safety Element
 12 Volt with 20 AMP Regulated
 Charge System
 Dual Hydrostatic Wheel Drive
 TuffTorq Heavy Duty Ground Drive
 With Cross Porting
 Foot Actuated Parking Brake
 Steel Channel Frame Operator
 Presence System
 Folding Two Post ROPS
 (Roll- Over Protective
 Structure) and Seat Belt
 60 In. 7-Iron PRO Side Discharge
 Mower Deck
 7-Gauge Stamped Steel Mower Deck
 8 In. Aluminum Spindle Housing
 Rear Anti-Scalp Wheels
 One-Touch Dial and Power Height
 of Cut Adjustment

Ergonomic Operator Contoured
 Soft Touch Grips
 and Integrated Handle Controls
 Single-Turn Deck Transport Lock
 System
 Full Floating Suspension Deck
 1.0 - 5.5 In. Cutting Heights in
 0.25 In. Increments
 Dual Lever Direction/Speed
 Control
 Wide Control Lever Bends for
 Increased Operator Comfort
 Quick-Service Removable Foot
 Platform
 12 MPH Travel Speed
 11.5 U.S. Gallon Fuel Capacity
 24x12-12 In. Square Shoulder 4PR
 Turf Drive Tires
 13x6.5-6 Semi-Pneumatic Front
 Caster Tires
 Rear Bumper Right Hand Control
 Console Cluster
 Cup Holder
 Fuel Gauge
 Electric PTO Clutch
 Digital Hourmeter and Diagnostic

Pkg.
 *@ 3600 RPM engine manufacturer
 certified gross power tested in
 accordance with SAE J1995,
 852cc.
 The engine horsepower and torque
 information
 is provided by the engine
 manufacturer
 to be used for comparison
 purposes only.
 Actual operating horsepower and
 torque will be less.
 Refer to the engine
 manufacturer's web site
 for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2192TC	Z950R ZTrak	13,499.00
--------	-------------	-----------

DESTINATION

001A	United States/Canada	In Base Price
0195	Mexico <i>Tires & Wheels option codes 1038 and 1039 not orderable in these locations.</i>	No Added Cost

MOWER DECKS

1504	60 In. Side Discharge Mower Deck <i>60 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>	In Base Price
1505	60 In. Mulch On Demand Mower Deck <i>60 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>	870.00
1506	72 In. Side Discharge Mower Deck <i>72 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp</i>	540.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z950R ZTrak

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
MOWER DECKS Continued...			
<i>Wheels. Requires Tires & Wheels option code 1037 or 1039.</i>			
<hr/>			
SEAT			
2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002		Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	495.00
<hr/>			
DRIVE WHEELS AND TIRES			
1036		24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price
1038		24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	879.00
1037		24x12x12 Pneumatic Turf Tire for 72" Decks	No Added Cost
1039		24x12N12 Michelin X Tweel Turf for 72 In. Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	879.00
<hr/>			
ATTACHMENTS FOR FIELD CONVERSION			
		Lighting	
LP40112		Beacon Light Kit	251.00
		Lighting	
TCB11281		Front Light (2) Kit	256.80
		Miscellaneous	
LPA11548		Sun Canopy	169.00
		Miscellaneous	
TCB11531		Hitch Kit	37.46
BTC10906		Jack Kit	227.91
TCB11248		Trash Receptacle Kit	103.79
		Mulch Kits	
TCB10953		Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	334.91

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z950R ZTrak
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
TCB10951		Mulch Kit (1828.8-mm (72-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	344.54
		Seat	
BTC10907		Isolated Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B,E,M and R gas machines.</i>	269.64
BUC10467		Suspension Seat Kit <i>Compatible with MY18 and newer Z900 M and R gas machines only. Not compatible with Z900 E-spec machines.</i>	788.59
		Seat	
BUC10649		Arm rest kit - Padded (Set of 2) <i>Compatible only with Fully Adjustable Suspension Seat (option 2002)</i>	44.94
		Spark Arrester	
AM115838		Spark Arrester Screen	31.40
		Striping Kits	
BTC10286		Rubber Flap Striping Kit for 1371.6-mm and 1524-mm (54-in. and 60-in.) Decks	456.89
BTC10287		Rubber Flap Striping Kit for 1828.8-mm (72-in.) Deck	467.59

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z970R ZTrak
 Equipment for Base Machine

35.0 HP*
 Vertical-Shaft Air Cooled Engine
 (61.0 Cu. In.) 999cc, 26.1 kW)
 Full Pressure Lubrication System
 with Replaceable Oil Filter
 Heavy Duty Canister Air Cleaner;
 Dry Replaceable Filter Element
 with Secondary Safety Element
 12 Volt with 20 AMP Regulated
 Charge System
 Dual Hydrostatic Wheel Drive
 TuffTorq Heavy Duty Ground Drive
 With Cross Porting
 Steel Channel Frame
 Operator Presence System
 Folding Two Post ROPS
 (Roll-Over Protective
 Structure) and Seat Belt
 72 In. 7-Iron PRO Side Discharge
 Mower Deck
 7-Gauge Stamped Steel Mower Deck
 8 In. Aluminum Spindle Housing
 Rear Anti-Scalp Wheels
 One-Touch Dial and Power Height
 of Cut Adjustment
 Ergonomic Operator Contoured

Soft Touch Grips
 and Integrated Handle Controls
 Single-Turn Deck Transport Lock
 System
 Full Floating Suspension Deck
 1.0 - 5.5 In. Cutting Heights in
 0.25 In. Increments
 Dual Lever Direction/Speed
 Control
 Wide Control Lever Bends for
 Increased Operator Comfort
 Quick-Service Removable Foot
 Platform
 12 MPH Travel Speed
 11.5 U.S. Gallon Fuel Capacity
 24x12-12 In. Square Shoulder 4PR
 Turf Drive Tires 13x6.5-6
 Semi-Pneumatic Front Caster
 Tires
 Rear Bumper Right Hand Control
 Console Cluster
 Cup Holder
 Fuel Gauge
 Electric PTO Clutch
 Digital Hourmeter and Diagnostic
 Pkg.

*@ 3600 RPM engine manufacturer
 certified gross power tested in
 accordance with SAE J1995,
 999cc.
 The engine horsepower and torque
 information
 is provided by the engine
 manufacturer
 to be used for comparison
 purposes only.
 Actual operating horsepower and
 torque will be less.
 Refer to the engine
 manufacturer's web site
 for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2212TC	Z970R ZTrak	15,429.00
--------	-------------	-----------

DESTINATION

001A	United States/Canada	In Base Price
0195	Mexico <i>Tires & Wheels option codes 1038 and 1039 not orderable in these locations.</i>	No Added Cost

MOWER DECKS

1504	60 In. Side Discharge Mower Deck <i>60 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>	-540.00
1505	60 In. Mulch On Demand Mower Deck <i>60 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>	300.00
1506	72 In. Side Discharge Mower Deck <i>72 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp</i>	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z970R ZTrak
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
MOWER DECKS Continued...			
<i>Wheels. Requires Tires & Wheels option code 1037 or 1039.</i>			
<hr/>			
SEAT			
2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002		Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	495.00
<hr/>			
DRIVE WHEELS AND TIRES			
1036		24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	No Added Cost
1038		24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	879.00
1037		24x12x12 Pneumatic Turf Tire for 72" Decks	In Base Price
1039		24x12N12 Michelin X Tweel Turf for 72 In. Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	879.00
<hr/>			
ATTACHMENTS FOR FIELD CONVERSION			
		Lighting	
LP40112		Beacon Light Kit	251.00
		Lighting	
TCB11281		Front Light (2) Kit	256.80
		Miscellaneous	
LPA11548		Sun Canopy	169.00
		Miscellaneous	
TCB11531		Hitch Kit	37.46
BTC10906		Jack Kit	227.91
TCB11248		Trash Receptacle Kit	103.79
		Mulch Kits	
TCB10953		Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	334.91

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z970R ZTrak
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
TCB10951		Mulch Kit (1828.8-mm (72-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	344.54
		Seat	
BTC10907		Isolated Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B,E,M and R gas machines.</i>	269.64
BUC10467		Suspension Seat Kit <i>Compatible with MY18 and newer Z900 M and R gas machines only. Not compatible with Z900 E-spec machines.</i>	788.59
		Seat	
BUC10649		Arm rest kit - Padded (Set of 2) <i>Compatible only with Fully Adjustable Suspension Seat (option 2002)</i>	44.94
		Spark Arrester	
AM115838		Spark Arrester Screen	31.40
		Striping Kits	
BTC10286		Rubber Flap Striping Kit for 1371.6-mm and 1524-mm (54-in. and 60-in.) Decks	456.89
BTC10287		Rubber Flap Striping Kit for 1828.8-mm (72-in.) Deck	467.59

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z920M Commercial ZTrak (California)
 Equipment for Base Machine

23.5 HP*
 Vertical-Shaft Air Cooled
 Engine (44.3 Cu. In.)
 726cc,17.5 kW
 Full Pressure Lubrication System
 with Replaceable Oil Filter
 Heavy Duty Canister Air
 Cleaner; Dry Replaceable
 Filter Element with
 Secondary Safety Element
 12 Volt with 20 AMP Regulated
 Charge System
 Dual Hydrostatic Wheel Drive
 TuffTorq Heavy Duty Ground Drive
 Hand Actuated Parking Brake
 Steel Channel Frame
 Operator Presence System
 Folding Two Post ROPS (Roll-
 Over Protective Structure)
 and Seat Belt
 48 In. 7-Iron PRO Side Discharge
 Mower Deck
 7-Gauge Stamped Steel Mower Deck
 8 In. Aluminum Spindle Housing
 Rear Anti-Scalp Wheels
 One-Touch Dial and Foot Spring

Assisted Height of Cut
 Adjustment
 Single-Turn Deck Transport Lock
 System
 Full Floating Suspension Deck
 1.0 - 5.5 In. Cutting Heights
 in 0.25 In. Increments
 Dual Lever Direction/Speed
 Control
 Wide Control Lever Bends for
 Increased Operator Comfort
 Quick-Service Removable Foot
 Platform
 10 MPH Travel Speed
 11.5 U.S. Gallon Fuel Capacity
 24x12-12 In. Square Shoulder
 4PR Turf Drive Tires (54 In.)
 13x6.5-6 Semi-Pneumatic Front
 Caster Tires
 Rear Bumper
 Right Hand Control Console
 Cluster
 Cup Holder
 Fuel Gauge
 Electric PTO Clutch
 Digital Hourmeter

* @ 3600 RPM engine manufacturer
 certified
 gross power tested in
 accordance with SAE
 J1995, 726cc. The engine
 horsepower and
 torque information is provided
 by the engine
 manufacturer to be used for
 comparison
 purposes only. Actual operating
 horsepower
 and torque will be less. Refer
 to the engine
 manufacturer's web site for
 additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2143TC	Z920M Commercial ZTrak (California) <i>For the following destinations and deck sizes, model year 2017 factory stock has been depleted. Machines might still be available from dealer inventory.</i> -001A United States/Canada, 1500 48" SD -001A United States/Canada, 1502 54" SD (Last updated 9-Aug-2018)	9,629.00
--------	---	----------

DESTINATION

001A	United States/Canada	In Base Price
------	----------------------	---------------

MOWER DECKS

1500	48 In. Side Discharge Mower Deck 48 In. 7-Iron PRO <i>This option is no longer available. Please use base code 2142TC to order a Z920M with 48 In. Side Discharge deck. (This configuration is 50 state compliant)</i>	In Base Price
1502	54 In. Side Discharge Mower Deck 54 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.	270.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z920M Commercial ZTrak (California)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
SEAT			
2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002		Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	475.00
DRIVE WHEELS AND TIRES			
1035		24x9.5x12 Pneumatic Turf Tire for 48 In. Decks	In Base Price
1036		24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	No Added Cost
1038		24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	849.00
ATTACHMENTS FOR FIELD CONVERSION			
		Lighting	
LP40112		Beacon Light Kit	251.00
		Lighting	
TCB11281		Front Light (2) Kit	256.80
		Miscellaneous	
LPA11548		Sun Canopy	169.00
		Miscellaneous	
TCB11531		Hitch Kit	37.46
BTC10906		Jack Kit	227.91
TCB11248		Trash Receptacle Kit	103.79
		Mulch Kits	
TCB10952		Mulch Kit (1219.2-mm (48-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	310.30
TCB11469		Mulch Kit (1371.6-mm (54-in.) 7-Iron, 7-Iron II, 7-Iron PRO and HC)	322.07
		Seat	
BTC10907		Isolated Suspension Seat Kit <i>Compatible with MY16 and newer Z900 B,E,M and R gas machines.</i>	269.64
BTC10908		Suspension Seat Kit <i>Compatible with MY16 and MY17 Z900 B, E, M, R gas machines only.</i>	819.61
		Spark Arrester	
AM115838		Spark Arrester Screen	31.40

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z920M Commercial ZTrak (California)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Striping Kits	
	BTC10285	Rubber Flap Striping Kit for 1219.2-mm (48-in.) Deck	436.56
	BTC10286	Rubber Flap Striping Kit for 1371.6-mm and 1524-mm (54-in. and 60-in.) Decks	456.89

JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

24x12N12 Michelin X TWEEL TURF (2) for 54 In. and 60 In. Decks
Equipment for Base Machine

24x12N12 Tire Size for 54 In.
and 60 In. decks
Base code contains (2) TWEELS

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

9982TC		24x12N12 Michelin X TWEEL TURF (2) for 54 In. and 60 In. Decks <i>Order code contains two Tweels. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc. For more information, visit www.JohnDeere.com/Tweel.</i>	1,099.00
--------	--	--	----------

DESTINATION

001A		United States/Canada	In Base Price
------	--	----------------------	---------------

JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

24x12N12 Michelin X TWEEL TURF (2) for 72 In. Decks
Equipment for Base Machine

24x12N12 Tire Size for 72 In.
decks
Base code contains (2) TWEELS

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

9983TC		24x12N12 Michelin X TWEEL TURF (2) for 72 In. Decks <i>Order code contains two Tweels. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc. For more information, visit www.JohnDeere.com/Tweel.</i>	1,099.00
--------	--	---	----------

DESTINATION

001A		United States/Canada	In Base Price
------	--	----------------------	---------------

JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

14 Bushel 3-Bag MCS
Equipment for Base Machine

3-Bag Collection Hopper 14 Bushel Capacity Steel Hopper Top Mechanical Hopper Top Lock Horizontal 7-Iron Blower Configuration Steel Blower Housing 5 Blade Commercial Impeller 35.56 cm (14 In.) Impeller Diameter Easy-To-Empty Bags	20.32 cm (8 In.) Diameter Chute Quick Detach Blower Weight Bracket The Above Specifications are Indicative of the Base Feature Machine only and may Differ if Alternative Options/Attachments are Ordered. Pricing and Specifications are Recommended only and are Subject	to Change without Notice.
---	---	---------------------------

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

0788TC		14 Bushel 3-Bag MCS <i>For 48 In./54 In./60 In. Z900 B/E/M/R Series And 72 In. Z900 M/R Series Mowers including Mulch-On-Demand Decks</i> <i>When installing 3-Bag MCS on Z900B and Z900E Models, Rear Anti-Scalp Wheel Kit is required.</i> <i>Not Compatible with Model Year 2012 and Prior ZTrak Mowers.</i> <i>Not Compatible with Michelin X Tweel Turf Tires</i> WEIGHTS NOT INCLUDED. <i>Refer to MCS Ballast Information spreadsheet found on the Sales Manual online page to determine the quantity of weights needed based on vehicle sizing and configuration specs.</i>	3,119.00
--------	--	--	----------

DESTINATION

001A		United States and Canada	In Base Price
001C		Australia and New Zealand	No Added Cost
0195		Mexico	No Added Cost

ATTACHING PARTS

1005		Attaching Parts for 121.92 cm (48 In.) 7-Iron PRO Decks <i>For all Z900 B/E/M/R Series with 48" side discharge decks.</i> <i>DFS MCS for Z900 M & R Series only.</i>	In Base Price
1006		Attaching Parts for 152.4 cm (60 In.) 7-Iron PRO Decks <i>For all Z900 B/E/M/R Series with 60" side discharge decks.</i> <i>DFS MCS for Z900 M & R Series only.</i>	No Added Cost
1007		Attaching Parts for 182.88 cm (72 In.) 7-Iron PRO Decks <i>For all Z900 M/R Series with 72" side discharge decks.</i>	No Added Cost
1008		Attaching Parts for 121.92 cm (48 In.) and 137.16 cm (54 In.) 7-Iron PRO Mulch-on-Demand Decks <i>For all Z900 M/R Series with 48" & 54" Mulch-on-Demand decks.</i>	130.00
1009		Attaching Parts for 152.4 cm (60 In.) 7-Iron PRO Mulch-on-Demand Decks <i>For all Z900 M/R Series with 60" Mulch-on-Demand decks.</i>	130.00
1011		Attaching Parts for 137.16 cm (54 In.) 7-Iron PRO Decks	No Added Cost

JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

14 Bushel 3-Bag MCS
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHING PARTS Continued...			
<i>For all Z900 B/E/M/R Series with 54" side discharge decks. DFS MCS for Z900 M & R Series only.</i>			
1010		Less Attaching Parts	-1,124.00
BLOWER			
2000		7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	In Base Price
2010		Less Blower	-781.00
ATTACHMENTS FOR FIELD CONVERSION			
Anti-scalp Wheels			
BTC10445		Rear Anti-Scalp Wheel Kit (1219.2-mm (48-in.) Deck) <i>For 48" 7-Iron II Deck fitted to Z900B-Series only. For all Z900 B Series with 48" 7-Iron II side discharge decks.</i>	181.90
BTC10442		Rear Anti-Scalp Wheel Kit (1371.6-mm (54-in.) Deck) <i>For 54" 7-Iron II Deck fitted to Z900B-Series only. For all Z900 B Series with 54" 7-Iron II side discharge decks.</i>	181.90
BTC10591		Rear Anti-Scalp Wheel Kit (1524-mm (60-in.) Deck) <i>For 60" 7-Iron II Deck fitted to Z900B-Series only. For all Z900 B Series with 60" 7-Iron II side discharge decks.</i>	181.90
Attaching Parts			
BTC10221		Attaching Parts for 1219.2-mm (48-in.) 7-Iron PRO Decks <i>For all Z900 B/M/R Series with 48" side discharge decks. DFS MCS for Z900 M & R Series only. For all Z900 B/M/R Series with 48" side discharge decks. DFS MCS for Z900 M & R Series only.</i>	1,288.29
BTC10363		Attaching Parts for 1371.6-mm (54-in.) 7-Iron PRO Decks <i>For all Z900 B/M/R Series with 54" side discharge decks. DFS MCS for Z900 M & R Series only. For all Z900 B/M/R Series with 54" side discharge decks. DFS MCS for Z900 M & R Series only.</i>	1,288.29
BTC10368		Attaching Parts for 1524-mm (60-in.) 7-Iron PRO Decks <i>For all Z900 B/M/R Series with 60" side discharge decks. DFS MCS for Z900 M & R Series only. For all Z900 B/M/R Series with 60" side discharge decks. DFS MCS for Z900 M & R Series only.</i>	1,261.53
BTC10370		Attaching Parts for 1828.8-mm (72-in.) 7-Iron PRO Decks <i>For all Z900 M/R Series with 72" side discharge decks. For all Z900 M/R Series with 72" side discharge decks.</i>	1,288.29
BTC10365		Attaching Parts for 1219.2-mm (48-in.) and 1371.6-mm (54-in.) 7-Iron PRO Mulch-On-Demand Decks <i>For all Z900M/R Series with 48" & 54" Mulch-on-Demand decks. For all Z900M/R Series with 48" & 54" Mulch-on-Demand decks.</i>	1,437.01
BTC10369		Attaching Parts for 1524-mm (60-in.) 7-Iron PRO Mulch-On-Demand Decks <i>For all Z900M/R Series with 60" Mulch-on-Demand decks. For all Z900M/R Series with 60" Mulch-on-Demand decks.</i>	1,437.01

JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

14 Bushel 3-Bag MCS
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Miscellaneous	
TCB11690		7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks 7-Iron and 7-Iron II Decks or machines with serial numbers prior to 060001 must order BTC10022 Attaching Parts.	895.59
		Weights	
UC13263		Quik-Tatch Weight, 42 lb (19 kg) Refer to MCS Ballast Information spreadsheet found on the Sales Manual online page to determine the quantity of weights needed based on vehicle sizing and configuration specs. Requires bracket TCA17777, pin TCU23538 (2), and clips A3581R (4)	59.91

JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

14 Bushel 3-Bag MCS
Equipment for Base Machine

3-Bag Collection Hopper	20.32 cm (8 In.) Diameter Chute	to Change without Notice.
14 Bushel Capacity	Quick Detach Blower	
Steel Hopper Top	Weight Bracket	
Mechanical Hopper Top Lock		
Horizontal 7-Iron	The Above Specifications are	
Blower Configuration	Indicative of the Base Feature	
Steel Blower Housing	Machine only and may Differ if	
5 Blade Commercial Impeller	Alternative Options/Attachments	
35.56 cm (14 In.) Impeller	are Ordered.	
Diameter	Pricing and Specifications are	
Easy-To-Empty Bags	Recommended only and are Subject	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

0784TC		14 Bushel 3-Bag MCS <i>For Z-Trak PRO 48 In./54 In./60 In./72 In. Mowers including Mulch-On-Demand Decks Not Compatible with Model Year 2007 and Prior Z-Trak Mowers. Not Compatible with Z-Trak Estate Mowers. WEIGHTS NOT INCLUDED. Refer to MCS Ballast Information spreadsheet found on the Sales Manual online page to determine the quantity of weights needed based on vehicle sizing and configuration specs.</i>	3,029.00
--------	--	---	----------

ATTACHING PARTS

1005		Attaching Parts for 121.92 cm (48 In.) 7-Iron PRO Decks <i>For Model Year 2009 Z820A Serial Numbers 20001 and above. For Model Year 2010-up Z920A Serial Numbers 10001 and above.</i>	In Base Price
1006		Attaching Parts for 152.4 cm (60 In.) 7-Iron PRO Decks <i>For all Z800A, Z900A w/60" side discharge decks.</i>	No Added Cost
1007		Attaching Parts for 182.88 cm (72 In.) 7-Iron PRO Decks <i>For all Z800A, Z900A with 72" side discharge decks.</i>	No Added Cost
1008		Attaching Parts for 121.92 cm (48 In.) and 137.16 cm (54 In.) 7-Iron PRO Mulch-on-Demand Decks <i>For all Z800A, Z900A with 48" & 54" Mulch-on-Demand decks.</i>	130.00
1009		Attaching Parts for 152.4 cm (60 In.) 7-Iron PRO Mulch-on-Demand Decks <i>For all Z800A, Z900A with 60" Mulch-on-Demand decks.</i>	130.00
1011		Attaching Parts for 137.16 cm (54 In.) 7-Iron PRO Decks <i>For all Z800A, Z900A with 54" side discharge decks.</i>	No Added Cost
1010		Less Attaching Parts	-1,124.00

BLOWER

2000		7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	In Base Price
2010		Less Blower	-781.00

ATTACHMENTS FOR FIELD CONVERSION

JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

14 Bushel 3-Bag MCS
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Miscellaneous	
TCB11690		7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks 7-Iron and 7-Iron II Decks or machines with serial numbers prior to 060001 must order BTC10022 Attaching Parts.	895.59
		Weights	
UC13263		Quik-Tatch Weight, 42 lb (19 kg) Refer to MCS Ballast Information spreadsheet found on the Sales Manual online page to determine the quantity of weights needed based on vehicle sizing and configuration specs. Requires bracket TCA17777, pin TCU23538 (2), and clips A3581R (4)	59.91

**JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

14 Bushel Dump From Seat MCS
Equipment for Base Machine

High Density Polypropylene Hopper	20.32 cm (8 In.) Diameter Chute	to Change without Notice.
14 Bushel Capacity	Quick Detach Blower	
Mechanical Dump From Operator Seat	Weight Bracket	
Horizontal 7-Iron Blower Configuration	The Above Specifications are Indicative of the Base Feature Machine only and may Differ if Alternative Options/Attachments are Ordered.	
Steel Blower Housing	Pricing and Specifications are Recommended only and are Subject	
5 Blade Commercial Impeller		
35.56 cm (14 In.) Impeller Diameter		

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

0787TC	14 Bushel Dump From Seat MCS <i>For 48 In./54 In./60 In./72 In. Z900 M/R Series Mowers including Mulch-On-Demand Decks</i> <i>Not Compatible with Model Year 2012 and Prior Z-Trak Mowers.</i> <i>Not Compatible with Z900B and Z900E Mowers.</i> <i>No Compatible with Michelin X Tweel Turf tires</i> WEIGHTS NOT INCLUDED. <i>Refer to MCS Ballast Information spreadsheet found on the Sales Manual online page to determine the quantity of weights needed based on vehicle sizing and configuration specs.</i>	3,369.00
--------	---	----------

DESTINATION

001A	United States and Canada	In Base Price
001C	Australia and New Zealand	No Added Cost

ATTACHING PARTS

1005	Attaching Parts for 121.92 cm (48 In.) 7-Iron PRO Decks <i>For all Z900 B/E/M/R Series with 48" side discharge decks.</i> <i>DFS MCS for Z900 M & R Series only.</i>	In Base Price
1006	Attaching Parts for 152.4 cm (60 In.) 7-Iron PRO Decks <i>For all Z900 B/E/M/R Series with 60" side discharge decks.</i> <i>DFS MCS for Z900 M & R Series only.</i>	No Added Cost
1007	Attaching Parts for 182.88 cm (72 In.) 7-Iron PRO Decks <i>For all Z900 M/R Series with 72" side discharge decks.</i>	No Added Cost
1008	Attaching Parts for 121.92 cm (48 In.) and 137.16 cm (54 In.) 7-Iron PRO Mulch-on-Demand Decks <i>For all Z900 M/R Series with 48" & 54" Mulch-on-Demand decks.</i>	130.00
1009	Attaching Parts for 152.4 cm (60 In.) 7-Iron PRO Mulch-on-Demand Decks <i>For all Z900 M/R Series with 60" Mulch-on-Demand decks.</i>	130.00
1011	Attaching Parts for 137.16 cm (54 In.) 7-Iron PRO Decks <i>For all Z900 B/E/M/R Series with 54" side discharge decks.</i> <i>DFS MCS for Z900 M & R Series only.</i>	No Added Cost

JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

14 Bushel Dump From Seat MCS
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHING PARTS Continued...			
1010		Less Attaching Parts	-1,124.00
BLOWER			
2000		7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	In Base Price
2010		Less Blower	-781.00
ATTACHMENTS FOR FIELD CONVERSION			
Attaching Parts			
BTC10221		Attaching Parts for 1219.2-mm (48-in.) 7-Iron PRO Decks <i>For all Z900 B/M/R Series with 48" side discharge decks. DFS MCS for Z900 M & R Series only. For all Z900 B/M/R Series with 48" side discharge decks. DFS MCS for Z900 M & R Series only.</i>	1,288.29
BTC10363		Attaching Parts for 1371.6-mm (54-in.) 7-Iron PRO Decks <i>For all Z900 B/M/R Series with 54" side discharge decks. DFS MCS for Z900 M & R Series only. For all Z900 B/M/R Series with 54" side discharge decks. DFS MCS for Z900 M & R Series only.</i>	1,288.29
BTC10368		Attaching Parts for 1524-mm (60-in.) 7-Iron PRO Decks <i>For all Z900 B/M/R Series with 60" side discharge decks. DFS MCS for Z900 M & R Series only. For all Z900 B/M/R Series with 60" side discharge decks. DFS MCS for Z900 M & R Series only.</i>	1,261.53
BTC10370		Attaching Parts for 1828.8-mm (72-in.) 7-Iron PRO Decks <i>For all Z900 M/R Series with 72" side discharge decks. For all Z900 M/R Series with 72" side discharge decks.</i>	1,288.29
BTC10365		Attaching Parts for 1219.2-mm (48-in.) and 1371.6-mm (54-in.) 7-Iron PRO Mulch-On-Demand Decks <i>For all Z900M/R Series with 48" & 54" Mulch-on-Demand decks. For all Z900M/R Series with 48" & 54" Mulch-on-Demand decks.</i>	1,437.01
BTC10369		Attaching Parts for 1524-mm (60-in.) 7-Iron PRO Mulch-On-Demand Decks <i>For all Z900M/R Series with 60" Mulch-on-Demand decks. For all Z900M/R Series with 60" Mulch-on-Demand decks.</i>	1,437.01
Miscellaneous			
TCB11690		7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks <i>7-Iron and 7-Iron II Decks or machines with serial numbers prior to 060001 must order BTC10022 Attaching Parts.</i>	895.59
Weights			
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Refer to MCS Ballast Information spreadsheet found on the Sales Manual online page to determine the quantity of weights needed based on vehicle sizing and configuration specs. Requires bracket TCA17777, pin TCU23538 (2), and clips A3581R (4)</i>	59.91

**JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**14 Bushel Dump From Seat MCS
Equipment for Base Machine**

High Density Polypropylene Hopper	20.32 cm (8 In.) Diameter Chute	to Change without Notice.
14 Bushel Capacity	Quick Detach Blower	
Mechanical Dump From Operator Seat	Weight Bracket	
Horizontal 7-Iron Blower Configuration	The Above Specifications are Indicative of the Base Feature Machine only and may Differ if Alternative Options/Attachments are Ordered.	
Steel Blower Housing	Pricing and Specifications are Recommended only and are Subject	
5 Blade Commercial Impeller		
35.56 cm (14 In.) Impeller Diameter		

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

0785TC		14 Bushel Dump From Seat MCS <i>For Z-Trak PRO 48 In./54 In./60 In./72 In. Mowers including Mulch-On-Demand Decks Not Compatible with Model Year 2007 and Prior Z-Trak Mowers. Not Compatible with Z-Trak Estate Mowers. WEIGHTS NOT INCLUDED. Refer to MCS Ballast Information spreadsheet found on the Sales Manual online page to determine the quantity of weights needed based on vehicle sizing and configuration specs.</i>	3,289.00
--------	--	---	----------

ATTACHING PARTS

1005		Attaching Parts for 121.92 cm (48 In.) 7-Iron PRO Decks <i>For Model Year 2009 Z820A Serial Numbers 20001 and above. For Model Year 2010-up Z920A Serial Numbers 10001 and above.</i>	In Base Price
1006		Attaching Parts for 152.4 cm (60 In.) 7-Iron PRO Decks <i>For all Z800A, Z900A w/60" side discharge decks.</i>	No Added Cost
1007		Attaching Parts for 182.88 cm (72 In.) 7-Iron PRO Decks <i>For all Z800A, Z900A with 72" side discharge decks.</i>	No Added Cost
1008		Attaching Parts for 121.92 cm (48 In.) and 137.16 cm (54 In.) 7-Iron PRO Mulch-on-Demand Decks <i>For all Z800A, Z900A with 48" & 54" Mulch-on-Demand decks.</i>	130.00
1009		Attaching Parts for 152.4 cm (60 In.) 7-Iron PRO Mulch-on-Demand Decks <i>For all Z800A, Z900A with 60" Mulch-on-Demand decks.</i>	130.00
1011		Attaching Parts for 137.16 cm (54 In.) 7-Iron PRO Decks <i>For all Z800A, Z900A with 54" side discharge decks.</i>	No Added Cost
1010		Less Attaching Parts	-1,124.00

BLOWER

2000		7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	In Base Price
2010		Less Blower	-781.00

ATTACHMENTS FOR FIELD CONVERSION

JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

14 Bushel Dump From Seat MCS
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Miscellaneous	
TCB11690		7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks <i>7-Iron and 7-Iron II Decks or machines with serial numbers prior to 060001 must order BTC10022 Attaching Parts.</i>	895.59
		Weights	
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Refer to MCS Ballast Information spreadsheet found on the Sales Manual online page to determine the quantity of weights needed based on vehicle sizing and configuration specs. Requires bracket TCA17777, pin TCU23538 (2), and clips A3581R (4)</i>	59.91

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Current Attachments for Non-Current Commercial Zero-Turn-Radius Mowers and Equipment
Equipment for Base Machine

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
		Lighting	
TCB11281		Front Light (2) Kit	256.80
		Material Collection System	
TCB11732		Attaching Parts for 48 In. 7-Iron Estate and 7-Iron PRO Decks <i>For all Z500A, Z800A & Z900A with 48" side discharge decks.</i>	926.61
TCB11735		Attaching Parts for 48 In. and 54 In 7-Iron PRO Mulch-on-Demand Decks <i>For all Z800A & Z900A with 48" & 54" Mulch-on-Demand decks.</i>	1,191.99
TCB11075		Attaching Parts for 48 In. and 54 In. 7-Iron and 7-Iron II Decks (717A, 727A)	508.26
TCB11736		Attaching Parts for 54 In. 7-Iron Estate and 7-Iron PRO Decks <i>For all Z500A, Z800A & Z900A with 54" side discharge decks.</i>	926.61
TCB11074		Attaching Parts for 54 In. 7-Iron and 7-Iron II Decks (737, 757)	503.97
TCB11088		Attaching Parts for 60 In. 7-Iron and 7-Iron II Mulch on Demand Deck (757)	524.30
TCB11734		Attaching Parts for 60 In. Z-Trak Estate <i>For Z520A.</i>	926.61
TCB11234		Chute	167.99
		Miscellaneous	
TCB11690		7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	895.59
		Miscellaneous	
TCA17208		Bumper Kit <i>Requires (2) 19M7817.</i>	162.22
TCB11673		Bumper Kit <i>Z700A Mowers.</i>	111.29
		Mower Deck and Mower Deck Attachments	
TCB10801		Cloth Grass Catcher (3.5 Bushel)	456.89
TCB11228		Rear Anti-Scalp Wheel Kit <i>For Z710 and Z720.</i>	179.76
TCB11266		Roller Striping Kit for 48 In. Deck <i>For Z710.</i>	466.51
TCB11229		Roller Striping Kit for 54 In. Deck <i>For Z710.</i>	466.51
		Mulch Kits	
TCB10952		Mulch Kit (1219.2-mm (48-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	310.30
TCB11469		Mulch Kit (1371.6-mm (54-in.) 7-Iron, 7-Iron II, 7-Iron PRO and HC)	322.07

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Current Attachments for Non-Current Commercial Zero-Turn-Radius Mowers and Equipment
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
TCB10953		Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	334.91
		Striping Kits	
TCB11230		Roller Striping Kit for 1524-mm (60-in.) Deck <i>For Z720. For Model Year '11 and Later (Serial # 060000-).</i>	466.51
		Weights	
TCB10900		(1) Caster Wheel Weight <i>For 717A, 727A Mini-Frame Z-TRAK Mowers. Requires Additional Attaching Hardware: (1) N231578 (2) E54809, (2) 24M7180.</i>	142.31
		Weights	
TCB11099		Lower Weight Bracket <i>Requires R66949 Quik-Tatch Weight 42 lb., Refer to Sales Manual for Proper Ballast Requirements.</i>	162.64

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z997R DIESEL W 60 In. 7 IRON PRO SIDE DISCHARGE DECK
 Equipment for Base Machine

Z997R Commercial L. C. Diesel
 Max-Frame Z-Trak with 60 In.
 Side Discharge 7-Iron
 Equipment for Base Machine
 37.4 HP (27.5 kW), gross SAE
 J1995, PS
 Rated at 3000 rpm
 Diesel Engine 100.2 cu. in.
 (1.64 L) Three Cylinder
 Liquid-Cooled
 Up to B20 Compliant
 Full Pressure Lubrication
 System With Replaceable Oil
 Filter
 Heavy-Duty Canister Air
 Cleaner; Dual Element, Dry-Type
 with Safety Element and Air
 Service Indicator
 1.5 x 3.0 In. Steel Tubular
 Frame - 7 Gauge
 12 Volt with 75 AMP Regulated
 Charge System
 Dual Hydrostatic Wheel Drive
 Tuff Torq Dual Unitized Pump

Dual Wheel Parking Brake
 Operator Presence System
 Folding Two Post ROPS
 (Roll-Over Protective
 Structure) and Seat Belt
 60 In. 7-Iron PRO Commercial
 Side Discharge Mower Deck
 7-Gauge Stamped Steel Mower
 Deck
 8 In. Aluminum Spindle Housing
 One-Touch Dial and Electric
 Deck Lift Height of Cut
 Adjustment
 Full Floating Suspension Deck
 1.5 - 5.0 In. Cutting Heights in
 0.25 In. Increments
 Dual Lever Direction/Speed
 Control
 Quick-Service Hinged Foot
 Platform
 Fully Enclosed Engine
 Compartment
 Ergonomic Operator Contoured
 Soft Touch Grips and Integrated

Handle Controls
 11.5 MPH Mowing Speed
 12 U.S. Gallon Fuel Capacity
 with Fuel Shutoff Valve
 26x12-12 In. Square Shoulder
 4PR Turf Drive Tires
 15x6-6 Flat Free Front Caster
 Tires
 Right Hand Control Console
 Cluster
 Cup and Tool Holder
 Hydraulic PTO Clutch
 Digital Multi-function Display
 Deluxe Comfort Seat with
 Suspension and Armrests

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

091FTC	Z997R DIESEL W 60 In. 7 IRON PRO SIDE DISCHARGE DECK	24,849.00
--------	--	-----------

DESTINATION

001A	United States/Canada	In Base Price
------	----------------------	---------------

DRIVE WHEELS AND TIRES

1150	26x12x12 Pneumatic Turf Tire for 60 In, 60MOD, 72 In, 60 Rear Discharge Decks	In Base Price
1151	26x12N12 Michelin X Tweel Turf for 60 In, 60MOD, 72 In, 60 Rear Discharge Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere Z997, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	879.00

ATTACHMENTS FOR FIELD CONVERSION

		Lighting		
	TCB11281		Front Light (2) Kit	256.80
		Miscellaneous		
	BUC10589		Front Jack Kit <i>Includes jack and mounting kit.</i>	227.91

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z997R DIESEL W 60 In. 7 IRON PRO SIDE DISCHARGE DECK

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BTC10674	Rear Bumper Kit	261.09
		Mulch Kits	
	TCB10953	Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	334.91
		Seat	
	TCA18513	Deluxe Comfort Seat with Armrest	831.35
		Striping Kits	
	TCB11230	Roller Striping Kit for 1524-mm (60-in.) Deck <i>Roller Length is 60 In.</i>	466.51

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z997R DIESEL W 72 In. 7 IRON PRO SIDE DISCHARGE DECK
 Equipment for Base Machine

Z997R Commercial L. C. Diesel
 Max-Frame Z-Trak with 72 In.
 Side Discharge 7-Iron
 Equipment for Base Machine
 37.4 HP (27.5 kW), gross SAE
 J1995, PS
 Rated at 3000 rpm
 Diesel Engine 100.2 cu. in.
 (1.64 L)
 Three Cylinder Liquid-Cooled
 Up to B20 Compliant
 Full Pressure Lubrication
 System With Replaceable Oil
 Filter
 Heavy-Duty Canister Air
 Cleaner; Dual Element, Dry-Type
 with Safety Element and Air
 Service Indicator
 1.5 x 3.0 In. Steel Tubular
 Frame - 7 Gauge
 12 Volt with 75 AMP Regulated
 Charge System
 Dual Hydrostatic Wheel Drive
 Tuff Torq Dual Unitized Pump

Dual Wheel Parking Brake
 Operator Presence System
 Folding Two Post ROPS
 (Roll-Over Protective
 Structure) and Seat Belt
 72 In. 7-Iron PRO Commercial
 Side Discharge Mower Deck
 7-Gauge Stamped Steel Mower
 Deck
 8 In. Aluminum Spindle Housing
 One-Touch Dial and Electric
 Deck Lift Height of Cut
 Adjustment
 Full Floating Suspension Deck
 1.5 - 5.0 In. Cutting Heights in
 0.25 In. Increments
 Dual Lever Direction/Speed
 Control
 Quick-Service Hinged Foot
 Platform
 Fully Enclosed Engine
 Compartment
 Ergonomic Operator Contoured
 Soft Touch Grips and Integrated

Handle Controls
 11.5 MPH Mowing Speed
 12 U.S. Gallon Fuel Capacity
 with Fuel Shutoff Valve
 26x12-12 In. Square Shoulder
 4PR Turf Drive Tires
 15x6-6 Flat Free Front Caster
 Tires
 Right Hand Control Console
 Cluster
 Cup and Tool Holder
 Hydraulic PTO Clutch
 Digital Multi-function Display
 Deluxe Comfort Seat with
 Suspension and Armrests

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

091ETC		Z997R DIESEL W 72 In. 7 IRON PRO SIDE DISCHARGE DECK	25,389.00
--------	--	--	-----------

DESTINATION

001A		United States/Canada	In Base Price
------	--	----------------------	---------------

DRIVE WHEELS AND TIRES

1150		26x12x12 Pneumatic Turf Tire for 60 In, 60MOD, 72 In, 60 Rear Discharge Decks	In Base Price
1151		26x12N12 Michelin X Tweel Turf for 60 In, 60MOD, 72 In, 60 Rear Discharge Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere Z997, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	879.00

ATTACHMENTS FOR FIELD CONVERSION

		Lighting	
TCB11281		Front Light (2) Kit	256.80
		Miscellaneous	
BUC10589		Front Jack Kit <i>Includes jack and mounting kit.</i>	227.91

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z997R DIESEL W 72 In. 7 IRON PRO SIDE DISCHARGE DECK

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BTC10674	Rear Bumper Kit	261.09
		Mulch Kits	
	TCB10951	Mulch Kit (1828.8-mm (72-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	344.54
		Seat	
	TCA18513	Deluxe Comfort Seat with Armrest	831.35
		Striping Kits	
	TCB11231	Roller Striping Kit for 1828.8-mm (72-in.) Deck <i>For Model Year '11 and Later Power Units (Serial Number 060000-) or Serialized Replacement Decks (Serial Number 010001-). Roller Length is 60 In.</i>	466.51

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z997R DIESEL W 60 In. 7 IRON PRO REAR DISCHARGE DECK
 Equipment for Base Machine

Z997R Commercial L. C. Diesel
 Max-Frame Z-Trak with 60 In.
 Rear Discharge 7- Iron
 Equipment for Base Machine
 37.4 HP (27.5 kW), gross SAE
 J1995, PS
 Rated at 3000 rpm
 Diesel Engine 100.2 cu. in.
 (1.64 L) Three Cylinder
 Liquid-Cooled
 Up to B20 Compliant
 Full Pressure Lubrication
 System With Replaceable Oil
 Filter
 Heavy-Duty Canister Air
 Cleaner; Dual Element, Dry-Type
 with Safety Element and Air
 Service Indicator
 1.5 x 3.0 In. Steel Tubular
 Frame - 7 Gauge
 12 Volt with 75 AMP Regulated
 Charge System
 Dual Hydrostatic Wheel Drive
 Tuff Torq Dual Unitized Pump

Dual Wheel Parking Brake
 Operator Presence System
 Folding Two Post ROPS
 (Roll-Over Protective Structure)
 and Seat Belt
 60 In. Commercial Rear
 Discharge Mower Deck
 7-Gauge Steel Mower Deck
 8 In. Aluminum Spindle Housing
 One-Touch Dial and Electric
 Deck Lift Height of Cut
 Adjustment
 Full Floating Suspension Deck
 1.5 - 5.0 In. Cutting Heights in
 0.25 In. Increments
 Dual Lever Direction/Speed
 Control
 Quick-Service Hinged Foot
 Platform
 Fully Enclosed Engine
 Compartment
 Ergonomic Operator Contoured
 Soft Touch Grips and Integrated
 Handle Controls

11.5 MPH Mowing Speed
 12 U.S. Gallon Fuel Capacity
 with Fuel Shutoff Valve
 26x12-12 In. Square Shoulder
 4PR Turf Drive Tires
 15x6-6 Flat Free Front Caster
 Tires
 Right Hand Control Console
 Cluster
 Cup and Tool Holder
 Hydraulic PTO Clutch
 Digital Multi-function Display
 Deluxe Comfort Seat with
 Suspension and Armrests

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

091GTC	Z997R DIESEL W 60 In. 7 IRON PRO REAR DISCHARGE DECK	25,479.00
--------	--	-----------

DESTINATION

001A	United States/Canada	In Base Price
------	----------------------	---------------

DRIVE WHEELS AND TIRES

1150	26x12x12 Pneumatic Turf Tire for 60 In, 60MOD, 72 In, 60 Rear Discharge Decks	In Base Price
1151	26x12N12 Michelin X Tweel Turf for 60 In, 60MOD, 72 In, 60 Rear Discharge Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere Z997, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	879.00

ATTACHMENTS FOR FIELD CONVERSION

	Lighting	
TCB11281	Front Light (2) Kit	256.80
	Miscellaneous	
BUC10589	Front Jack Kit <i>Includes jack and mounting kit.</i>	227.91

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z997R DIESEL W 60 In. 7 IRON PRO REAR DISCHARGE DECK

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BTC10674	Rear Bumper Kit	261.09
		Seat	
	TCA18513	Deluxe Comfort Seat with Armrest	831.35

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z997R DIESEL W 60 In. MULCH ON DEMAND DECK
 Equipment for Base Machine

Z997R Commercial L. C. Diesel
 Max-Frame Z-Trak with 60 In.
 Mulch on Demand 7- Iron Pro Deck
 Equipment for Base Machine
 37.4 HP (27.5 kW), gross SAE
 J1995, PS
 Rated at 3000 rpm
 Diesel Engine 100.2 cu. in.
 (1.64 L) Three Cylinder
 Liquid-Cooled
 Up to B20 Compliant
 Full Pressure Lubrication
 System With Replaceable Oil
 Filter
 Heavy-Duty Canister Air
 Cleaner; Dual Element, Dry-Type
 with Safety Element and Air
 Service Indicator
 1.5 x 3.0 In. Steel Tubular
 Frame - 7 Gauge
 12 Volt with 75 AMP Regulated
 Charge System
 Dual Hydrostatic Wheel Drive
 Tuff Torq Dual Unitized Pump

Dual Wheel Parking Brake
 Operator Presence System
 Folding Two Post ROPS
 (Roll-Over Protective Structure)
 and Seat Belt
 60 In. Commercial Rear
 Discharge Mower Deck
 7-Gauge Steel Mower Deck
 8 In. Aluminum Spindle Housing
 One-Touch Dial and Electric
 Deck Lift Height of Cut
 Adjustment
 Full Floating Suspension Deck
 1.5 - 5.0 In. Cutting Heights in
 0.25 In. Increments
 Dual Lever Direction/Speed
 Control
 Quick-Service Hinged Foot
 Platform
 Fully Enclosed Engine
 Compartment
 Ergonomic Operator Contoured
 Soft Touch Grips and Integrated
 Handle Controls

11.5 MPH Mowing Speed
 12 U.S. Gallon Fuel Capacity
 with Fuel Shutoff Valve
 26x12-12 In. Square Shoulder
 4PR Turf Drive Tires
 15x6-6 Flat Free Front Caster
 Tires
 Right Hand Control Console
 Cluster
 Cup and Tool Holder
 Hydraulic PTO Clutch
 Digital Multi-function Display
 Deluxe Comfort Seat with
 Suspension and Armrests

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

091LTC	Z997R DIESEL W 60 In. MULCH ON DEMAND DECK	25,719.00
--------	--	-----------

DESTINATION

001A	United States/Canada	In Base Price
------	----------------------	---------------

DRIVE WHEELS AND TIRES

1150	26x12x12 Pneumatic Turf Tire for 60 In, 60MOD, 72 In, 60 Rear Discharge Decks	In Base Price
1151	26x12N12 Michelin X Tweel Turf for 60 In, 60MOD, 72 In, 60 Rear Discharge Decks <i>NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere Z997, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	879.00

ATTACHMENTS FOR FIELD CONVERSION

	Lighting	
TCB11281	Front Light (2) Kit	256.80
	Miscellaneous	
BUC10589	Front Jack Kit <i>Includes jack and mounting kit.</i>	227.91

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z997R DIESEL W 60 In. MULCH ON DEMAND DECK

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BTC10674	Rear Bumper Kit	261.09
		Seat	
	TCA18513	Deluxe Comfort Seat with Armrest	831.35
		Striping Kits	
	TCB11230	Roller Striping Kit for 1524-mm (60-in.) Deck <i>Roller Length is 60 In.</i>	466.51

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z994R Diesel Commercial ZTrak
 Equipment for Base Machine

<p>ENGINE: Engine HP (kW), gross SAE J1995: 24.7 HP (18.4 kW) Rated engine speed, rpm: 3200 rpm Displacement, cc (in): 1267cc(77.3 in) Horizontal-Shaft Three Cylinder Liquid Cooled Diesel Engine @2000 rpm (47.2 lb-ft) 64 Nm torque Indirect fuel injection Full Pressure Lubrication System with Replaceable Oil Filter Heavy Duty Canister Air Cleaner; Dry Replaceable Filter Element with Secondary Safety Element Air restriction indicator standard Charging system: 12 Volt with 75 amp Travel Speed: 11.4 MPH (18.3 KMPH) Fuel Capacity: 11.5 gallons (43.5 liters) B20 Compliant Fuel Filter with replaceable element HYDRAULIC/TRANSMISSION/PTO: Dual Hydrostatic Wheel Drive</p>	<p>TuffTorq Heavy Duty Ground Drive Cross-Porting for improved cooling Foot Actuated Parking Brake Electric PTO Clutch STEERING: Dual Lever Direction/Speed Control DECK: 54 Inch 7-Iron PRO Side Discharge Mower Deck Optional decks: 60 Inch 7-Iron PRO Side Discharge Mower Deck and 60 Inch Mulch On Demand Mower Deck 7-Gauge Stamped Steel Mower Deck 8 In. Aluminum Spindle Housing Rear Anti-Scalp Wheels One-Touch Dial and Foot Spring Assisted Height of Cut Adjustment Single-Turn Deck Transport Lock System Full Floating Suspension Deck 25 140 mm (1.0 - 5.5 In.) Cutting Heights in 6 mm (0.25 In) Increments FRAME/STYLING/TIRES: Steel Channel Frame Rear Bumper</p>	<p>24x12-12 In. Square Shoulder 4PR Turf Drive Tires 13x6.5-6 Semi-Pneumatic Front Caster Tires Optional: 24x12N12 Michelin Tweels OPERATOR ENVIRONMENT: Operator Presence System Folding Two Post ROPS (Roll-Over Protective Structure) and Seat Belt Right Hand Control Console Cluster Cup Holder Digital Hour meter Fuel Gauge Wide Control Lever Bends for Increased Operator Comfort Quick-Service Removable Foot Platform</p>
---	---	---

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2540TC	Z994R Diesel Commercial ZTrak	17,379.00
--------	-------------------------------	-----------

DESTINATION

001A	North America United States and Canada <i>Requires Operator's Manual - 0443</i>	In Base Price
------	--	---------------

MOWER DECKS

1502	54 In. 7-Iron PRO Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>	In Base Price
1504	60 In. 7-Iron PRO Side Discharge Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>	270.00
1505	60 In. 7-Iron PRO Mulch On Demand Mower Deck <i>7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Rear Anti-Scalp</i>	1,140.00

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z994R Diesel Commercial ZTrak
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
MOWER DECKS Continued...			
<i>Wheels. Requires Tires & Wheels option code 1036 or 1038.</i>			
<hr/>			
DRIVE WHEELS AND TIRES			
1036		24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price
1038		24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks <i>MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.</i>	879.00
<hr/>			
SEAT			
2000		Deluxe Comfort Seat with Armrests	In Base Price
2001		Deluxe Comfort Seat with Armrests and Isolation <i>Includes Isolation System to Reduce Shock/Vibration</i>	195.00
2002		Fully Adjustable Suspension Seat with Armrests <i>Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.</i>	495.00
<hr/>			
ATTACHMENTS FOR FIELD CONVERSION			
		Lighting	
BUC10506		Front work light kit (2) <i>Not compatible with Mulch on Demand Decks</i>	284.61
BUC10603		LED Beacon Light Kit	288.90
		Miscellaneous	
LPA11548		Sun Canopy	169.00
		Miscellaneous	
LP1400		Floor Mat	See Parts
BUC10584		Jack Kit	219.36
		Mulch Kits	
TCB11469		Mulch Kit (1371.6-mm (54-in.) 7-Iron, 7-Iron II, 7-Iron PRO and HC)	322.07
TCB10953		Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	334.91
		Rear Hitch	
BUC10300		Hitch Kit	36.39
		Seat	
BTC10907		Isolated Suspension Seat Kit	269.64
BUC10467		Suspension Seat Kit	788.59
		Seat	
BUC10649		Arm rest kit - Padded (Set of 2) <i>Compatible only with Fully Adjustable Suspension Seat (option 2002)</i>	44.94

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z994R Diesel Commercial ZTrak
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Spark Arrester	
	AM115838	Spark Arrester Screen	31.40
		Striping Kits	
	BTC10286	Rubber Flap Striping Kit for 1371.6-mm and 1524-mm (54-in. and 60-in.) Decks	456.89

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

60 In. 7-Iron PRO Mulch-On-Demand Deck
Equipment for Base Machine

60 In. Cutting Width (3) HD Spindles, Blades One Piece Stamped Deck 1.5-5.0 In. Height of Cut Mulch On Demand System Deep Deck Design Quick Release Belt Shields (2) Rear Adjustable Gauge Wheel Front and Rear Anti-Scalp Wheels	Steel Bar Reinforcement Offset Spindles 8 In. Cast Iron Spindle Housing Hinged Side Discharge Chute Greaseable Spindles 7-Iron PRO 7-Gauge (.177 In.) Steel Splined Shaft Drive Baffling System
--	---

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

035DTC	60 In. 7-Iron PRO Mulch-On-Demand Deck <i>For 997R and 997 Diesel ZTrak</i>	3,630.00
--------	--	----------

DESTINATION

001A	United States/Canada	In Base Price
------	----------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

TCB11230	Striping Kits Roller Striping Kit for 1524-mm (60-in.) Deck <i>For Model Year '11 and Later Power Units (Serial # 060000-) or Serialized Replacement Decks (Serial # 010001-).</i> <i>Actual roller length for 60-in (152 cm) decks is 44.4-in. (113 cm) in length.</i>	466.51
----------	---	--------

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

60 In. 7-Iron PRO Side Discharge Deck
 Equipment for Base Machine

60 In. Cutting Width	Steel Bar Reinforcement
(3) HD Spindles, Blades	Offset Spindles
One Piece Stamped Deck	8 In. Cast Iron Spindle Housing
1.5-5.0 In. Height of Cut	Hinged Side Discharge Chute
Deep Deck Design	Greaseable Spindles
Quick Release Belt Shields	7-Iron PRO 7-Gauge (.177 In.)
(2) Rear Adjustable	Steel
Gauge Wheel	Splined Shaft Drive
Front and Rear Anti-Scalp Wheels	Baffling System

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

033BTC	60 In. 7-Iron PRO Side Discharge Deck <i>For Z997R and 997 Diesel ZTrak</i>	2,760.00
--------	--	----------

DESTINATION

001A	United States/Canada	In Base Price
------	----------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

	Mulch Kits	
TCB10953	Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	334.91
	Striping Kits	
TCB11230	Roller Striping Kit for 1524-mm (60-in.) Deck <i>For Model Year '11 and Later Power Units (Serial # 060000-) or Serialized Replacement Decks (Serial # 010001-).</i> <i>Actual roller length for 60-in (152 cm) decks is 44.4-in. (113 cm) in length.</i>	466.51

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

60 In. 7-Iron PRO Rear Discharge Deck
Equipment for Base Machine

60 In. Cutting Width	Offset Spindles
(3) HD Spindles, Blades	8 In. Cast Iron Spindle Housing
Fabricated Deck	Rear Discharge Chute
1.5-5 In. Height of Cut	Greaseable Spindles
Deep Deck Design	7-Iron PRO 7-Gauge (.177 In.)
Vehicle Enclosure Kit	Steel
Quick Release Belt Shields	Splined Shaft Drive
Front Anti-Scalp Wheels	Baffling System
Steel Bar Reinforcement	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

051ATC	60 In. 7-Iron PRO Rear Discharge Deck <i>For Z997R and 997 Diesel Ztrak</i>	3,390.00
--------	--	----------

DESTINATION

001A	United States/Canada	In Base Price
------	----------------------	---------------

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

72 In. 7-Iron PRO Side Discharge Deck
 Equipment for Base Machine

72 In. Cutting Width	Steel Bar Reinforcement
(3) HD Spindles, Blades	Offset Spindles
One Piece Stamped Deck	8 In. Cast Iron Spindle Housing
1.5-5 In. Height of Cut	Hinged Side Discharge Chute
Deep Deck Design	Greaseable Spindles
Quick Release Belt Shields	7-Iron PRO 7-Gauge (.177 In.)
(2) Rear Adjustable	Steel
Gauge Wheels	Splined Shaft Drive
Front and Rear Anti-Scalp Wheels	Baffling System

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

034ATC	72 In. 7-Iron PRO Side Discharge Deck <i>For Z997R and 997 Diesel ZTrak</i>	3,300.00
--------	--	----------

DESTINATION

001A	United States/Canada	In Base Price
------	----------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

	Mulch Kits	
TCB10951	Mulch Kit (1828.8-mm (72-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	344.54
	Striping Kits	
TCB11231	Roller Striping Kit for 1828.8-mm (72-in.) Deck <i>For Model Year '11 and Later Power Units (Serial Number 060000-) or Serialized Replacement Decks (Serial Number 010001-). The actual roller length for the 72-in. (183 cm) deck is 60 in. (152 cm)</i>	466.51

**JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**13 Bushel Dump From Seat MCS (Z997)
Equipment for Base Machine**

High Density Polyethylene Hopper
Tubular Steel Frame With
Polypropylene Fabric Door
13 Bushel Capacity
Mechanical Dump From
Operator Seat
Attaching Framework
7-Iron Blower
Steel Blower Housing
Upper Weight Bracket
35.56 cm (14 In.) Impeller

Diameter
20.32 cm (8 In.) Diameter Chute
Quick Detach Blower
Weight Bracket

Recommended only and are Subject
to Change without Notice.

The Above Specifications are
Indicative of the Base Feature
Machine only and may Differ if
Alternative Options/Attachments
are Ordered.
Pricing and Specifications are

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

0775TC		13 Bushel Dump From Seat MCS (Z997) <i>For 997 with 152.4/182.88 cm (60/72 In.) side discharge decks and 152.4 cm (60 In.) Mulch-On-Demand decks only.</i> WEIGHTS NOT INCLUDED. <i>Refer to MCS Ballast Information spreadsheet found on the Sales Manual online page to determine the quantity of weights needed based on vehicle sizing and configuration specs.</i> <i>Not compatible with MY16 and later Z997R</i>	3,639.00
--------	--	--	----------

DESTINATION

001A	United States and Canada		In Base Price
001B	Europe		No Added Cost
001D	Other		No Added Cost

ATTACHING PARTS

3405	Attaching Parts for 152.4 cm (60 In.) 7-Iron PRO Decks <i>For all 997 w/60" side discharge decks.</i>		In Base Price
3406	Attaching Parts for 182.88 cm (72 In.) 7-Iron PRO Decks <i>For all 997 w/72" side discharge decks.</i>		13.00
3408	Attaching Parts for 152.4 cm (60 In.) 7-Iron PRO Mulch-On-Demand Decks <i>For all 997 w/60" Mulch-On-Demand decks.</i>		200.00
3490	Less Attaching Parts		-305.00

BLOWER

3500	7-Iron Blower for 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks		In Base Price
3520	Less Blower		-781.00

ATTACHMENTS FOR FIELD CONVERSION

JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

13 Bushel Dump From Seat MCS (Z997)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Attaching Parts	
BTC10264		Attaching Parts for Blower <i>For all 997 with 72" side discharge decks. For all 997 with 72" side discharge decks.</i>	364.87
BTC10265		Attaching Parts for Blower <i>For all 997 with 60" Mulch-On-Demand decks. For all 997 with 60" Mulch-On-Demand decks.</i>	578.87
BTC10266		Attaching Parts for Blower <i>For all 997 with 60" side discharge decks. For all 997 with 60" side discharge decks.</i>	349.89
		Miscellaneous	
TCB11690		7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks <i>7-Iron and 7-Iron II Decks or machines with serial numbers prior to 060001 must order BTC10022 Attaching Parts.</i>	895.59
		Weights	
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Refer to MCS Ballast Information spreadsheet found on the Sales Manual online page to determine the quantity of weights needed based on vehicle sizing and configuration specs. Requires bracket TCA17777, pin TCU23538 (2), and clips A3581R (4)</i>	59.91
DMA210494		Upper Weight Bracket (997) <i>Equipment for Base Machine Weight Bracket, Order if so needed. Refer to Sales Manual for Proper Ballast Requirements. Refer to Parts Catalog for Additional Required Hardware. Equipment for Base Machine Weight Bracket, Order if so needed. Refer to Sales Manual for Proper Ballast Requirements. Refer to Parts Catalog for Additional Required Hardware.</i>	323.76

**JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**14 Bushel Dump From Seat MCS (Z997R)
Equipment for Base Machine**

Low Density Polyethylene Hopper	Steel Blower Housing
Tubular Steel Frame With Low	Tilt for Service Feature
Density Polyethylene Door	14 In. Impeller Diameter
14 Bushel Capacity	6 In. Diameter Chute
Electrical Power Dump From	Quick Detach Blower
Operator Seat	Weight Bracket
Attaching Framework	
7-Iron Blower	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

0776TC		14 Bushel Dump From Seat MCS (Z997R) <i>For MY15 and newer Z997R with 60/72 In. Side Discharge decks and 60 In. Mulch-On-Demand decks only. WEIGHTS NOT INCLUDED. Refer to MCS Ballast Information spreadsheet found on the Sales Manual online page to determine the quantity of weights needed based on vehicle sizing and configuration specs.</i>	4,459.00
--------	--	--	----------

DESTINATION

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

ATTACHING PARTS

3405		Attaching Parts for 152.4 cm (60 In.) 7-Iron PRO Decks <i>For all 997 w/60" side discharge decks.</i>	In Base Price
3406		Attaching Parts for 182.88 cm (72 In.) 7-Iron PRO Decks <i>For all 997 w/72" side discharge decks.</i>	13.00
3408		Attaching Parts for 152.4 cm (60 In.) 7-Iron PRO Mulch-On-Demand Decks <i>For all 997 w/60" Mulch-On-Demand decks.</i>	200.00
3490		Less Attaching Parts	-305.00

BLOWER

3500		7-Iron Blower for 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	In Base Price
3520		Less Blower	-781.00

ATTACHMENTS FOR FIELD CONVERSION

		Attaching Parts	
BTC10264		Attaching Parts for Blower <i>For all 997 with 72" side discharge decks. For all 997 with 72" side discharge decks.</i>	364.87
BTC10265		Attaching Parts for Blower <i>For all 997 with 60" Mulch-On-Demand decks. For all 997 with 60" Mulch-On-Demand decks.</i>	578.87

JOHN DEERE TURF & UTILITY PRODUCTS
ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

14 Bushel Dump From Seat MCS (Z997R)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BTC10266		Attaching Parts for Blower <i>For all 997 with 60" side discharge decks. For all 997 with 60" side discharge decks.</i>	349.89
		Miscellaneous	
TCB11690		7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks <i>7-Iron and 7-Iron II Decks or machines with serial numbers prior to 060001 must order BTC10022 Attaching Parts.</i>	895.59
		Weights	
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Refer to MCS Ballast Information spreadsheet found on the Sales Manual online page to determine the quantity of weights needed based on vehicle sizing and configuration specs. Requires bracket TCA17777, pin TCU23538 (2), and clips A3581R (4)</i>	59.91
DMA210494		Upper Weight Bracket (997) <i>Equipment for Base Machine Weight Bracket, Order if so needed. Refer to Sales Manual for Proper Ballast Requirements. Refer to Parts Catalog for Additional Required Hardware. Equipment for Base Machine Weight Bracket, Order if so needed. Refer to Sales Manual for Proper Ballast Requirements. Refer to Parts Catalog for Additional Required Hardware.</i>	323.76

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

652M 22.0HP* Commercial QuikTrak with 52 In. 7-Gauge Floating Deck
 Equipment for Base Machine

22.0HP* (16.4-kW)
 Vertical-Shaft Air Cooled
 Gas Engine 726cc (44.3cu. in.)
 Full Pressure Lubrication
 System With Replaceable Oil
 Filter
 Heavy Duty Canister Air Cleaner
 Dry Replaceable Filter Element
 with Secondary Safety Element
 12 Volt Charge System
 10cc Hydro-Gear Transmission
 Pumps
 12 cu. In / Rev Hydro-Gear
 Wheel Motors
 Hydraulic Oil Cooler
 Dual Wheel Parking Brake
 Operator Presence System
 Platform
 52 In. Floating, Side Discharge
 7 Ga. Fabricated Steel Deck
 Cast Iron Spindle Housing

1.25 - 5 In. Cutting Heights
 in 0.25 In. Increments
 Deck Mounted Striping Rubber
 Flap
 Dual Lever Direction/Speed
 Control with Reverse Bar
 8.2 MPH Forward / 3.5 MPH
 Reverse
 5.5 U.S. Gallon Fuel Capacity
 with Fuel Shutoff Valve
 18 X 10.50 - 10
 4PR Turf Drive Tires
 11 x 4-5 In. Front Caster Tires
 Electric PTO Clutch
 Digital Hourmeter
 Thick, Insulated Leaning Pad
 * @ 3600 RPM engine
 manufacturer certified
 gross power tested in
 accordance with SAE
 J1995, 726cc. The engine

horsepower and
 torque information is provided
 by the engine
 manufacturer to be used for
 comparison
 purposes only. Actual operating
 horsepower
 and torque will be less. Refer
 to the engine
 manufacturer's web site for
 additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2330TC	652M 22.0HP* Commercial QuikTrak with 52 In. 7-Gauge Floating Deck <i>F.O.B. Fuquay Varina, North Carolina</i>	9,179.00
--------	---	----------

DESTINATION

001A	United States and Canada	In Base Price
------	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous	
BUC10058	52 In. (1321 mm) Mulch Kit	332.77
AM108146	Spark Arrester Spark Arrester Screen for Muffler	28.37

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

652E 22HP* Commercial QuikTrak with 52in. 7-Gauge Fixed Deck
 Equipment for Base Machine

22HP* (16.4-kW)
 Vertical-Shaft Air Cooled
 Gas Engine 726cc (44.3 cu. in.)
 Full Pressure Lubrication
 System With Replaceable Oil
 Filter
 Heavy Duty Canister Air Cleaner
 Dry Replaceable Filter Element
 with Secondary Safety Element
 12 Volt Charge System
 12cc Hydro-Gear Transmission
 Pumps
 15 cu. in. Hydro-Gear Wheel
 Motors
 Dual Wheel Parking Brake
 Operator Presence System
 Platform
 52 In. Fixed, Side Discharge
 7 Ga. Fabricated Steel Deck
 Cast Iron Spindle Housing
 1.25 - 5 In. Cutting Heights

in 0.25 In. Increments
 Deck Mounted Striping Rubber
 Flap
 Dual Lever Direction/Speed
 Control with Reverse Bar
 9.5 MPH Forward / 5.5 MPH
 Reverse
 5.6 U.S. Gallon Fuel Capacity
 with Fuel Shutoff Valve
 20 x 10-8 In.
 4PR Turf Drive Tires
 11 x 4-5 In. Front Caster Tires
 Electric PTO Clutch
 Digital Hourmeter
 Thick, Insulated Leaning Pad
 * @ 3600 RPM engine manufacturer
 certified
 gross power tested in accordance
 with SAE
 J1995, 726cc. The engine
 horsepower and

torque information is provided
 by the engine
 manufacturer to be used for
 comparison
 purposes only. Actual operating
 horsepower
 and torque will be less. Refer
 to the engine
 manufacturer's web site for
 additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2390TC		652E 22HP* Commercial QuikTrak with 52in. 7-Gauge Fixed Deck <i>F.O.B. Fuquay Varina, North Carolina</i>	8,635.00
--------	--	---	----------

DESTINATION

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

		Miscellaneous	
BUC10058		52 In. (1321 mm) Mulch Kit	332.77
AM108146		Spark Arrester Spark Arrester Screen for Muffler	28.37

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

652E 22HP* Commercial QuikTrak with 52in. 7-Gauge Fixed Deck
 Equipment for Base Machine

22HP* (16.4-kW)
 Vertical-Shaft Air Cooled
 Gas Engine 726cc (44.3 cu. in.)
 Full Pressure Lubrication
 System With Replaceable Oil
 Filter
 Heavy Duty Canister Air Cleaner
 Dry Replaceable Filter Element
 with Secondary Safety Element
 12 Volt Charge System
 12cc Hydro-Gear Transmission
 Pumps
 15 cu. in. Hydro-Gear Wheel
 Motors
 Dual Wheel Parking Brake
 Operator Presence System
 Platform
 52 In. Fixed, Side Discharge
 7 Ga. Fabricated Steel Deck
 Cast Iron Spindle Housing
 1.25 - 5 In. Cutting Heights

in 0.25 In. Increments
 Deck Mounted Striping Rubber
 Flap
 Dual Lever Direction/Speed
 Control with Reverse Bar
 9.5 MPH Forward / 5.5 MPH
 Reverse
 5.6 U.S. Gallon Fuel Capacity
 with Fuel Shutoff Valve
 20 x 10-8 In.
 4PR Turf Drive Tires
 11 x 4-5 In. Front Caster Tires
 Electric PTO Clutch
 Digital Hourmeter
 Thick, Insulated Leaning Pad
 * @ 3600 RPM engine manufacturer
 certified
 gross power tested in accordance
 with SAE
 J1995, 726cc. The engine
 horsepower and

torque information is provided
 by the engine
 manufacturer to be used for
 comparison
 purposes only. Actual operating
 horsepower
 and torque will be less. Refer
 to the engine
 manufacturer's web site for
 additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2391TC		652E 22HP* Commercial QuikTrak with 52in. 7-Gauge Fixed Deck <i>F.O.B. Fuquay Varina, North Carolina</i>	8,979.00
--------	--	---	----------

DESTINATION

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

		Miscellaneous	
BUC10058		52 In. (1321 mm) Mulch Kit	332.77
AM108146		Spark Arrester Spark Arrester Screen for Muffler	28.37

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**636M 18.5HP* Commercial QuikTrak with 36 In. 7-Gauge Floating Deck
Equipment for Base Machine**

18.5HP* (13.8-kW)
Vertical-Shaft Air Cooled
Gas Engine 603cc (36.8 cu. in.)
Full Pressure Lubrication
System With Replaceable Oil
Filter
Dry Replaceable Filter Element
with Secondary Safety Element
12 Volt Charge System
10cc Hydro-Gear Transmission
Pumps
12 cu. In / Rev Hydro-Gear Wheel
Motors
Hydraulic Oil Cooler
Dual Wheel Parking Brake
Operator Presence System
Platform
36 In. Floating, Side Discharge
7 Ga. Fabricated Steel Deck
Cast Iron Spindle Housing

1.25 - 5 In. Cutting Heights
in 0.25 In. Increments
Dual Lever Direction/Speed
Control with Reverse Bar
8.2 MPH Forward / 3.5 MPH
Reverse
5.5 U.S. Gallon Fuel Capacity
with Fuel Shutoff Valve
18 x 8.5 - 10 In.
4PR Turf Drive Tires
11 x 4-5 In. Front Caster Tires
Electric PTO Clutch
Digital Hourmeter
Thick, Insulated Leaning Pad
* @ 3600 RPM engine manufacturer
certified
gross power tested in accordance
with SAE
J1995, 726cc. The engine
horsepower and

torque information is provided
by the engine
manufacturer to be used for
comparison
purposes only. Actual operating
horsepower
and torque will be less. Refer
to the engine
manufacturer's web site for
additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2361TC		636M 18.5HP* Commercial QuikTrak with 36 In. 7-Gauge Floating Deck <i>F.O.B. Fuquay Varina, North Carolina</i>	8,489.00
--------	--	---	----------

DESTINATION

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous			
BUC10061		36 In. (914 mm) Mulch Kit	218.29
Spark Arrester			
AM108146		Spark Arrester Screen for Muffler	28.37

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

648M 22.0HP* Commercial QuikTrak with 48 In. 7-Gauge Floating Deck
 Equipment for Base Machine

22.0HP* (16.4-kW)
 Vertical-Shaft Air Cooled
 Gas Engine 726cc (44.3cu. in.)
 Full Pressure Lubrication
 System With Replaceable Oil
 Filter
 Heavy Duty Canister Air Cleaner
 Dry Replaceable Filter Element
 with Secondary Safety Element
 12 Volt Charge System
 10cc Hydro-Gear Transmission
 Pumps
 12 cu. In / Rev Hydro-Gear Wheel
 Motors
 Hydraulic Oil Cooler
 Dual Wheel Parking Brake
 Operator Presence System
 Platform
 48 In. Floating, Side Discharge
 7 Ga. Fabricated Steel Deck
 Cast Iron Spindle Housing

1.25 - 5 In. Cutting Heights
 in 0.25 In. Increments
 Deck Mounted Striping Rubber
 Flap
 Dual Lever Direction/Speed
 Control with Reverse Bar
 8.2 MPH Forward / 3.5 MPH
 Reverse
 5.5 U.S. Gallon Fuel Capacity
 with Fuel Shutoff Valve
 18 X 10.50 - 10
 4PR Turf Drive Tires
 11 x 4-5 In. Front Caster Tires
 Electric PTO Clutch
 Digital Hourmeter
 Thick, Insulated Leaning Pad
 * @ 3600 RPM engine manufacturer
 certified
 gross power tested in accordance
 with SAE
 J1995, 726cc. The engine

horsepower and
 torque information is provided
 by the engine
 manufacturer to be used for
 comparison
 purposes only. Actual operating
 horsepower
 and torque will be less. Refer
 to the engine
 manufacturer's web site for
 additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2341TC		648M 22.0HP* Commercial QuikTrak with 48 In. 7-Gauge Floating Deck <i>F.O.B. Fuquay Varina, North Carolina</i>	9,219.00
--------	--	---	----------

DESTINATION

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

		Miscellaneous	
BUC10059		48 In. (1219 mm) Mulch Kit	261.09
AM108146		Spark Arrester Spark Arrester Screen for Muffler	28.37

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**652M 22.0HP* Commercial QuikTrak with 52 In. 7-Gauge Floating Deck
Equipment for Base Machine**

22.0HP* (16.4-kW)
Vertical-Shaft Air Cooled
Gas Engine 726cc (44.3cu. in.)
Full Pressure Lubrication
System With Replaceable Oil
Filter
Heavy Duty Canister Air Cleaner
Dry Replaceable Filter Element
with Secondary Safety Element
12 Volt Charge System
10cc Hydro-Gear Transmission
Pumps
12 cu. In / Rev Hydro-Gear Wheel
Motors
Hydraulic Oil Cooler
Dual Wheel Parking Brake
Operator Presence System
Platform
52 In. Floating, Side Discharge
7 Ga. Fabricated Steel Deck
Cast Iron Spindle Housing

1.25 - 5 In. Cutting Heights
in 0.25 In. Increments
Deck Mounted Striping Rubber
Flap
Dual Lever Direction/Speed
Control with Reverse Bar
8.2 MPH Forward / 3.5 MPH
Reverse
5.5 U.S. Gallon Fuel Capacity
with Fuel Shutoff Valve
18 X 10.50 - 10
4PR Turf Drive Tires
11 x 4-5 In. Front Caster Tires
Electric PTO Clutch
Digital Hourmeter
Thick, Insulated Leaning Pad
* @ 3600 RPM engine manufacturer
certified
gross power tested in accordance
with SAE
J1995, 726cc. The engine

horsepower and
torque information is provided
by the engine
manufacturer to be used for
comparison
purposes only. Actual operating
horsepower
and torque will be less. Refer
to the engine
manufacturer's web site for
additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2331TC		652M 22.0HP* Commercial QuikTrak with 52 In. 7-Gauge Floating Deck <i>F.O.B. Fuquay Varina, North Carolina</i>	9,539.00
--------	--	---	----------

DESTINATION

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

		Miscellaneous	
BUC10058		52 In. (1321 mm) Mulch Kit	332.77
		Spark Arrester	
AM108146		Spark Arrester Screen for Muffler	28.37

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**648R 22HP* Commercial QuikTrak with 48 In. 7-Gauge Floating Deck
Equipment for Base Machine**

22HP* (16.4-kW)
Vertical-Shaft Air Cooled
Gas Engine 726cc (44.3 cu. in.)
Full Pressure Lubrication
System With Replaceable Oil
Filter
Heavy Duty Canister Air Cleaner
Dry Replaceable Filter Element
with Secondary Safety Element
12 Volt Charge System
Dual Hydrostatic Wheel Drive
12cc Hydro-Gear Transmission
15 cu. in. Hydro-Gear Wheel
Motors
Dual Wheel Parking Brake
Operator Presence System
Platform
48 In. Floating, Side Discharge
7 Ga. Fabricated Steel Mower
Deck
Cast Iron Spindle Housing

Pin Height of Cut Adjustment
No-tool Lever Assisted Height
Cut Adjustment
1.5 - 5 In. Cutting Heights
in 0.25 In. Increments
Deck Mounted Striping Rubber
Flap
Dual Lever Direction/Speed
Control with Reverse Bar
9.5 MPH Forward/5.5 MPH Reverse
5.6 U.S. Gallon Fuel Capacity
with Fuel Shutoff Valve
13x6.5-6 Semi Pneumatic Front
Caster Tires
Electric PTO Clutch
Digital Hourmeter
Thick, Insulated Leaning Pad
* @ 3600 RPM engine manufacturer
certified
gross power tested in accordance
with SAE

J1995, 726cc. The engine
horsepower and
torque information is provided
by the engine
manufacturer to be used for
comparison
purposes only. Actual operating
horsepower
and torque will be less. Refer
to the engine
manufacturer's web site for
additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2321TC	648R 22HP* Commercial QuikTrak with 48 In. 7-Gauge Floating Deck <i>F.O.B Fuquay Varina, North Carolina</i>	9,629.00
--------	--	----------

DESTINATION

001A	United States and Canada	In Base Price
------	--------------------------	---------------

DRIVE WHEELS AND TIRES

1142	(2) 20x10-8 Pneumatic Turf Tire for 648R	In Base Price
1144	(2) 18x8.5N10 X Tweel Turf Airless Tires for 648R	724.00

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous		
BUC10059	48 In. (1219 mm) Mulch Kit	261.09
Spark Arrester		
AM108146	Spark Arrester Screen for Muffler	28.37

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

652R 23.5HP* Commercial QuikTrak with 52 In. 7-Gauge Floating Deck
 Equipment for Base Machine

23.5HP* (17.5-kW)
 Vertical-Shaft Air Cooled
 Gas Engine 726cc (44.3 cu. in.)
 Full Pressure Lubrication
 System With Replaceable Oil
 Filter
 Heavy Duty Canister Air Cleaner
 Dry Replaceable Filter Element
 with Secondary Safety Element
 12 Volt Charge System
 Dual Hydrostatic Wheel Drive
 12cc Hydro-Gear Transmission
 15 cu. in. Hydro-Gear Wheel
 Motors
 Dual Wheel Parking Brake
 Operator Presence System
 Platform
 52 In. Floating, Side Discharge
 7 Ga. Fabricated Steel Mower
 Deck
 Cast Iron Spindle Housing

Pin Height of Cut Adjustment
 No-tool Lever Assisted Height
 Cut Adjustment
 1.5 - 5 In. Cutting Heights
 in 0.25 In. Increments
 Deck Mounted Striping Rubber
 Flap
 Dual Lever Direction/Speed
 Control with Reverse Bar
 9.5 MPH Forward/5.5 MPH Reverse
 5.6 U.S. Gallon Fuel Capacity
 with Fuel Shutoff Valve
 13x6.5-6 Semi Pneumatic Front
 Caster Tires
 Electric PTO Clutch
 Digital Hourmeter
 Thick, Insulated Leaning Pad
 * @ 3600 RPM engine manufacturer
 certified
 gross power tested in accordance
 with SAE

J1995, 726cc. The engine
 horsepower and
 torque information is provided
 by the engine
 manufacturer to be used for
 comparison
 purposes only. Actual operating
 horsepower
 and torque will be less. Refer
 to the engine
 manufacturer's web site for
 additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2314TC		652R 23.5HP* Commercial QuikTrak with 52 In. 7-Gauge Floating Deck <i>F.O.B Fuquay Varina, North Carolina</i>	10,049.00
--------	--	--	-----------

DESTINATION

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

DRIVE WHEELS AND TIRES

1141		(2) 20x10-8 Pneumatic Turf Tires for 652R / 661R	In Base Price
1143		(2) 18x8.5N10 X Tweel Turf Airless Tires for 652R / 661R	724.00

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous			
BUC10058		52 In. (1321 mm) Mulch Kit	332.77
BUC10057		52 In. (1321 mm) Mulch On Demand Kit	769.33
Spark Arrester			
AM108146		Spark Arrester Screen for Muffler	28.37

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

652R EFI 25.0HP* Commercial QuikTrak with 52 In. 7-Gauge Floating Deck
 Equipment for Base Machine

25.0 HP* (18.3-kW)
 Vertical-Shaft Air Cooled
 Electronically Fuel Injected
 Closed Loop System
 Engine (45.6 Cu. In.)
 747cc, 18.3 kW
 Full Pressure Lubrication
 System With Replaceable Oil
 Filter
 Heavy Duty Canister Air Cleaner
 Dry Replaceable Filter Element
 with Secondary Safety Element
 12 Volt Charge System
 Dual Hydrostatic Wheel Drive
 12cc Hydro-Gear Transmission
 15 cu. in. Hydro-Gear Wheel
 Motors
 Dual Wheel Parking Brake
 Operator Presence System
 Platform
 52 In. Floating, Side Discharge
 7 Ga. Fabricated Steel Mower

Deck
 Cast Iron Spindle Housing
 Pin Height of Cut Adjustment
 No-tool Lever Assisted Height
 Cut Adjustment
 1.5 - 5 In. Cutting Heights
 in 0.25 In. Increments
 Deck Mounted Striping Rubber
 Flap
 Dual Lever Direction/Speed
 Control with Reverse Bar
 9.5 MPH Forward/5.5 MPH Reverse
 5.6 U.S. Gallon Fuel Capacity
 with Fuel Shutoff Valve
 13x6.5-6 Semi Pneumatic Front
 Caster Tires
 Electric PTO Clutch
 Digital Hourmeter
 Thick, Insulated Leaning Pad
 * @ 3600 RPM engine manufacturer
 certified
 gross power tested in accordance

with SAE
 J1995, 747cc. The engine
 horsepower and
 torque information is provided
 by the engine
 manufacturer to be used for
 comparison
 purposes only. Actual operating
 horsepower
 and torque will be less. Refer
 to the engine
 manufacturer's web site for
 additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2315TC		652R EFI 25.0HP* Commercial QuikTrak with 52 In. 7-Gauge Floating Deck <i>F.O.B. Fuquay Varina, North Carolina</i>	10,579.00
--------	--	---	-----------

DESTINATION

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

DRIVE WHEELS AND TIRES

1141		(2) 20x10-8 Pneumatic Turf Tires for 652R / 661R	In Base Price
1143		(2) 18x8.5N10 X Tweel Turf Airless Tires for 652R / 661R	724.00

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous		
BUC10058	52 In. (1321 mm) Mulch Kit	332.77
BUC10057	52 In. (1321 mm) Mulch On Demand Kit	769.33
Spark Arrester		
AM108146	Spark Arrester Screen for Muffler	28.37

JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

661R 23.5HP* Commercial QuikTrak with 61 In. 7-Gauge Floating Deck
 Equipment for Base Machine

23.5HP* (17.5-kW)
 Vertical-Shaft Air Cooled
 Gas Engine 726cc (44.3 cu. in.)
 Full Pressure Lubrication
 System With Replaceable Oil
 Filter
 Heavy Duty Canister Air Cleaner
 Dry Replaceable Filter Element
 with Secondary Safety Element
 12 Volt Charge System
 Dual Hydrostatic Wheel Drive
 12cc Hydro-Gear Transmission
 15 cu. in. Hydro-Gear Wheel
 Motors
 Dual Wheel Parking Brake
 Operator Presence System
 Platform
 61 In. Floating, Side Discharge
 7 Ga. Fabricated Steel Mower
 Deck
 Cast Iron Spindle Housing

Pin Height of Cut Adjustment
 No-tool Lever Assisted Height
 Cut Adjustment
 1.5 - 5 In. Cutting Heights
 in 0.25 In. Increments
 Deck Mounted Striping Rubber
 Flap
 Dual Lever Direction/Speed
 Control with Reverse Bar
 9.5 MPH Forward/5.5 MPH Reverse
 5.6 U.S. Gallon Fuel Capacity
 with Fuel Shutoff Valve
 13x6.5-6 Semi Pnuematic Front
 Caster Tires
 Electric PTO Clutch
 Digital Hourmeter
 Thick, Insulated Leaning Pad
 * @ 3600 RPM engine manufacturer
 certified
 gross power tested in accordance
 with SAE

J1995, 726cc. The engine
 horsepower and
 torque information is provided
 by the engine
 manufacturer to be used for
 comparison
 purposes only. Actual operating
 horsepower
 and torque will be less. Refer
 to the engine
 manufacturer's web site for
 additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2302TC	661R 23.5HP* Commercial QuikTrak with 61 In. 7-Gauge Floating Deck <i>F.O.B. Fuquay Varina, North Carolina</i>	10,679.00
--------	---	-----------

DESTINATION

001A	United States and Canada	In Base Price
------	--------------------------	---------------

DRIVE WHEELS AND TIRES

1141	(2) 20x10-8 Pneumatic Turf Tires for 652R / 661R	In Base Price
1143	(2) 18x8.5N10 X Tweel Turf Airless Tires for 652R / 661R	724.00

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous		
BUC10060	61 In. (1549 mm) Mulch Kit	342.40
Spark Arrester		
AM108146	Spark Arrester Screen for Muffler	28.37

**JOHN DEERE TURF & UTILITY PRODUCTS
COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT**

**661R EFI 25.0HP* Commercial QuikTrak with 61 In. 7-Gauge Floating Deck
Equipment for Base Machine**

25.0 HP* (18.3-kW)
Vertical-Shaft Air Cooled
Electronically Fuel Injected
Closed Loop System
Engine (45.6 Cu. In.)
747cc, 18.3 kW
Full Pressure Lubrication
System With Replaceable Oil
Filter
Heavy Duty Canister Air Cleaner
Dry Replaceable Filter Element
with Secondary Safety Element
12 Volt Charge System
Dual Hydrostatic Wheel Drive
12cc Hydro-Gear Transmission
15 cu. in. Hydro-Gear Wheel
Motors
Dual Wheel Parking Brake
Operator Presence System
Platform
61 In. Floating, Side Discharge
7 Ga. Fabricated Steel Mower

Deck
Cast Iron Spindle Housing
Pin Height of Cut Adjustment
No-tool Lever Assisted Height
Cut Adjustment
1.5 - 5 In. Cutting Heights
in 0.25 In. Increments
Deck Mounted Striping Rubber
Flap
Dual Lever Direction/Speed
Control with Reverse Bar
9.5 MPH Forward/5.5 MPH Reverse
5.6 U.S. Gallon Fuel Capacity
with Fuel Shutoff Valve
13x6.5-6 Semi Pnueumatic Front
Caster Tires
Electric PTO Clutch
Digital Hourmeter
Thick, Insulated Leaning Pad
* @ 3600 RPM engine manufacturer
certified
gross power tested in accordance

with SAE
J1995, 747cc. The engine
horsepower and
torque information is provided
by the engine
manufacturer to be used for
comparison
purposes only. Actual operating
horsepower
and torque will be less. Refer
to the engine
manufacturer's web site for
additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

2303TC		661R EFI 25.0HP* Commercial QuikTrak with 61 In. 7-Gauge Floating Deck <i>F.O.B. Fuquay Varina, North Carolina</i>	11,209.00
--------	--	---	-----------

DESTINATION

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

DRIVE WHEELS AND TIRES

1141		(2) 20x10-8 Pneumatic Turf Tires for 652R / 661R	In Base Price
1143		(2) 18x8.5N10 X Tweel Turf Airless Tires for 652R / 661R	724.00

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous			
BUC10060		61 In. (1549 mm) Mulch Kit	342.40
Spark Arrester			
AM108146		Spark Arrester Screen for Muffler	28.37