

KUBOTA

COMPACT TRACK LOADERS

WHOLEGOODS PRICE LIST EFFECTIVE MARCH 1, 2019

3/1/2019 March 1, 2019 Price Increase included
SVL65-2 price pages included

KUBOTA

COMPACT TRACK LOADERS

This page intentionally left blank.

KUBOTA

COMPACT TRACK LOADERS

| PAGE | DESCRIPTION | GROSS HP | FACTORY NUMBER | SUGGEST LIST PRICE |
|-------|---------------------|----------|----------------|--------------------|
| 17-5 | SVL65-2 | 68.4 | K39K600A56 | \$52,106.00 |
| 17-14 | SVL75-2 | 74.3 | K43K365A60 | \$57,060.00 |
| 17-21 | SVL95-2s | 96 | K55K155A48 | \$72,573.00 |
| 17-19 | Replacement Engines | | | |

KUBOTA

COMPACT TRACK LOADERS

This page intentionally left blank.

KUBOTA

SVL65-2

SVL65-2 Compact Track Loader

FEATURES

Vertical Lift Path Loader Frame
Standard Front Quick Coupler, Float Standard
Hydraulic Quick Coupler Option
Loader Arm Self-Leveling with on/off switch
Loader Boom Lock
Open ROPS & Air Conditioned ROPS/FOPS Cab Models
Adjustable, Vinyl, Suspension Seat
2" Retractable Seat Belt And 2-Piece Seat Bar
12V Electric Outlet
17.4 gpm Auxiliary Hydraulics standard, 27 gpm Option
Direct To Tank Return Line
Rigid Mounted Undercarriage, 4 Lower Track Rollers
Rubber Tracks, 12.6" Standard, 15" Optional
Two Speed Travel System
Automatic Wet Disk Parking Brake
Kubota 4 Hydraulic Pump Load Sensing System
2 Gear, 2 Variable Displacement Pumps
Hydraulic Joystick Controls, Optional Multi-Function Grips
ISO Operating Pattern
Hand And Foot Throttle Controls
Electronic Travel Torque Management
Automatic Glow Plugs
Key Switch Stop System
Self Bleed Fuel System
2 Front And 2 Rear Working Lights
Hour Meter, Engine Temperature And Fuel
Gauges And Warning Lights
Horn And Backup Alarm
Lockable Fuel Cap
Bolt On Grab Handles to enter machine

DIMENSIONS

| | |
|---|--------|
| Cab Height | 79.9" |
| Width (without attachment) | 65.2" |
| Width with wide track option (without attachment) | 67.7" |
| Length (without attachment) | 107.6" |
| Length of Track on Ground | 57.9" |

OPERATIONAL DIMENSIONS

| | |
|--|---------------|
| Operating Weight*, SVL65-2, 12.6" Rubber Tracks, Open ROPS/FOPS Cab, | |
| Mechanical Quick Coupler..... | 8,105 lbs. |
| Rated Operating Capacity (@ 35% of Tipping Load)..... | 2,100 lbs. |
| Rated Operating Capacity (ROC) @ 50% of Tipping Load..... | 3,000 lbs. |
| Tipping Load..... | 6,000 lbs |
| Auxiliary Hydraulics Flow..... | 17.4 gpm |
| Travel Speed (Low / High)..... | 4.9 / 7.1 mph |
| Reach @ Maximum Height..... | 34.9" |
| Height to Hinge Pin..... | 118.5" |
| Ground Pressure (Standard Track)..... | 5.0 psi |
| Ground Pressure (Wide Track)..... | 4.2 psi |

* Includes operator's weight, 165 lbs.

BASIC UNITS

SVL65-2, 12.6" Rubber Tracks, Open ROPS/FOPS Cab
Mechanical Quick Coupler
SVL65-2H, 12.6" Rubber Tracks, Open ROPS/FOPS Cab
Hydraulic Quick Coupler
SVL65-2HF, 12.6" Rubber Tracks, Open ROPS/FOPS Cab
Hydraulic Quick Coupler, High Flow Hydraulics & MF Grips
SVL65-2W, 15.0" Rubber Tracks, Open ROPS/FOPS Cab
Mechanical Quick Coupler
SVL65-2FW, 15.0" Rubber Tracks, Open ROPS/FOPS Cab
Mechanical Quick Coupler, High Flow Hydraulics & MF Grips
SVL65-2HW, 15.0" Rubber Tracks, Open ROPS/FOPS
Cab Hydraulic Quick Coupler
SVL65-2HFW, 15.0" Rubber Tracks, Open ROPS/FOPS
Cab Hydraulic Quick Coupler, High Flow Hydraulics & MF Grips
SVL65-2C, 12.6" Rubber Tracks, A/C ROPS/FOPS Cab
Mechanical Quick Coupler
SVL65-2CH, 12.6" Rubber Tracks, A/C ROPS/FOPS Cab
Hydraulic Quick Coupler
SVL65-2HFC, 12.6" Rubber Tracks, A/C ROPS/FOPS Cab
Hydraulic Quick Coupler, High Flow Hydraulics & MF Grips
SVL65-2WC, 15.0" Rubber Tracks, A/C ROPS/FOPS Cab
Mechanical Quick Coupler
SVL65-2HWC, 15.0" Rubber Tracks, A/C ROPS/FOPS
Cab Hydraulic Quick Coupler
SVL65-2HFWC, 15.0" Rubber Tracks, A/C ROPS/FOPS
Cab Hydraulic Quick Coupler, High Flow Hydraulics & MF Grips

ENGINE

V2607-CE-TE4 Tier 4 Final Diesel Engine
4 Cylinder, 4 Cycle, Turbo Charged
68.4 Gross HP @ 2400 rpm (SAE J1995)

KUBOTA

SVL65-2

HOW TO SELECT AN SVL65-2 Compact Track Loader (Sample Order Information Page)

Below are examples of a complete SVL65-2 order. To submit your order, please select the Basic Unit Model that you desire from Part 1. Then select the attachments from Parts 2 and 3 needed to complete your order.

| | |
|---------|--|
| STEP 1) | Select from Part 1 the Basic Unit that fits your needs. For example, choose a SVL65-2 and get: Base Model, rubber tracks, open ROPS/FOPS cab, and a mechanical quick coupler. |
| STEP 2) | Select from Parts 2 and 3 the attachments necessary to make the unit a complete machine. Choose buckets and bolt-on edges, accessories, or a hydraulic breaker. Parts items are available in Part 4. |

(SAMPLE ORDER)

| ORDER CODE | DESCRIPTION | FACTORY NUMBER | APPROX. WEIGHT | SUGGESTED LIST PRICE |
|--|---|----------------|----------------|----------------------|
| STANDARD UNIT SVL65-2 COMPLETE ORDER AND PRICE | | | | |
| BASIC UNIT: | | | | |
| SVL65-2 | COMPACT TRACK LOADER BASIC UNIT | K39K600A56 | 7940 | \$52,106.00 |
| With: | 12.6" Rubber Tracks Open ROPS/FOPS Cab Mechanical Quick Coupler | | | |
| ATTACHMENTS: | | | | |
| AP-HD68LT | 68" Heavy Duty, Low Profile, Standard Floor, Teeth, Side Cutter, 14.2 cu-ft heaped capacity | K1K081A48 | 541 | \$1,423.00 |
| | | | | <u>\$53,529.00</u> |
| STANDARD UNIT SVL65-2HWC COMPLETE ORDER AND PRICE | | | | |
| BASIC UNIT: | | | | |
| SVL65-2HWC | COMPACT TRACK LOADER BASIC UNIT | K45K074A08 | 9150 | \$59,308.00 |
| With: | 15.0" Wide Rubber Tracks A/C ROPS/FOPS Cab Hydraulic Quick Coupler | | | |
| ATTACHMENTS: | | | | |
| KXB560Q | HYDRAULIC BREAKER | K9K765A24 | 820 | \$12,849.00 |
| S6693A | HYDRAULIC BREAKER HOSE KIT | K492A48 | 7 | \$648.00 |
| S6692A | HYDRAULIC BREAKER BRACKET | K1K067A80 | 175 | \$1,405.00 |
| | | | | <u>\$74,210.00</u> |

KUBOTA

SVL65-2

| ORDER CODE | DESCRIPTION | FACTORY NUMBER | APPROX. WEIGHT | SUGGESTED LIST PRICE |
|-----------------------------|---|----------------|----------------|----------------------|
| PART 1 | MODEL SVL75-2 BASIC UNITS | | | |
| SVL65-2 With: | COMPACT TRACK LOADER BASIC UNIT 12.6" Rubber Tracks, Open ROPS/FOPS Cab Mechanical Quick Coupler | K39K600A56 | 7940 | \$52,106.00 |
| SVL65-2H With: | COMPACT TRACK LOADER BASIC UNIT 12.6" Rubber Tracks, Open ROPS/FOPS Cab Hydraulic Quick Coupler | K40K593A12 | 8874 | \$53,412.00 |
| SVL65-2HF With: | COMPACT TRACK LOADER BASIC UNIT 12.6" Rubber Tracks, Open ROPS/FOPS Cab Hydraulic Quick Coupler, High Flow Hydraulics, MF Grips & 14-Pin Coupler | K41K929A20 | 8918 | \$55,170.00 |
| SVL65-2W With: | COMPACT TRACK LOADER BASIC UNIT 15.0" Rubber Tracks, Open ROPS/FOPS Cab Mechanical Quick Coupler | K40K615A92 | 8874 | \$53,442.00 |
| SVL65-2FW With: | COMPACT TRACK LOADER BASIC UNIT 15.0" Rubber Tracks, Open ROPS/FOPS Cab Mechanical Quick Coupler, High Flow Hydraulics, MF Grips & 14-Pin Coupler | K41K951A24 | 8918 | \$55,199.00 |
| SVL65-2HW With: | COMPACT TRACK LOADER BASIC UNIT 15.0" Rubber Tracks, Open ROPS/FOPS Cab Hydraulic Quick Coupler | K41K609A24 | 8874 | \$54,749.00 |
| SVL65-2HFW With: | COMPACT TRACK LOADER BASIC UNIT 15.0" Rubber Tracks, Open ROPS/FOPS Cab Hydraulic Quick Coupler, High Flow Hydraulics, MF Grips & 14-Pin Coupler | K42K944A56 | 8918 | \$56,506.00 |
| SVL65-2C With: | COMPACT TRACK LOADER BASIC UNIT 12.6" Rubber Tracks, A/C ROPS/FOPS Cab Mechanical Quick Coupler | K43K065A40 | 9150 | \$56,665.00 |
| SVL65-2HC With: | COMPACT TRACK LOADER BASIC UNIT 12.6" Rubber Tracks, A/C ROPS/FOPS Cab Hydraulic Quick Coupler | K44K057A96 | 9150 | \$57,971.00 |
| SVL65-2HFC With: | COMPACT TRACK LOADER BASIC UNIT 12.6" Rubber Tracks, A/C ROPS/FOPS Cab Hydraulic Quick Coupler, High Flow Hydraulics, MF Grips & 14-Pin Coupler | K45K394A04 | 9194 | \$59,729.00 |
| SVL65-2WC With: | COMPACT TRACK LOADER BASIC UNIT 15.0" Rubber Tracks, A/C ROPS/FOPS Cab Mechanical Quick Coupler | K44K080A76 | 9150 | \$58,001.00 |
| SVL65-2HWC With: | COMPACT TRACK LOADER BASIC UNIT 15.0" Rubber Tracks, A/C ROPS/FOPS Cab Hydraulic Quick Coupler, | K45K074A08 | 9150 | \$59,308.00 |
| SVL65-2HFWC With: | COMPACT TRACK LOADER BASIC UNIT 15.0" Rubber Tracks, A/C ROPS/FOPS Cab Hydraulic Quick Coupler, High Flow Hydraulics, MF Grips & 14-Pin Coupler | K46K409A40 | 8300 | \$61,065.00 |

KUBOTA



SVL65-2

| ORDER CODE | DESCRIPTION | FACTORY NUMBER | APPROX. WEIGHT | SUGGESTED LIST PRICE |
|---------------|---|----------------|----------------|----------------------|
| PART 2 | BUCKETS | | | |
| | QUICK ATTACH BUCKETS | | | |
| AP-HD68LT | 68" Heavy Duty, Low Profile, Standard Floor, Teeth, Side Cutter, 14.2 cu-ft heaped capacity | K1K081A48 | 545 | \$1,423.00 |
| AP-HD68LC | 68" Heavy Duty, Low Profile, Standard Floor, Cutting Edge, Side Cutter, 14.2 cu-ft heaped capacity | K1K081A48 | 598 | \$1,423.00 |
| AP-HD68LLT | 68" Heavy Duty, Low Profile, Long Floor, Teeth, Side Cutter, 17.9 cu-ft heaped capacity | K1K124A04 | 588 | \$1,479.00 |
| AP-HD68LLC | 68" Heavy Duty, Low Profile, Long Floor, Cutting Edge, Side Cutter, 17.9 cu-ft heaped capacity | K1K124A80 | 641 | \$1,480.00 |
| AP-HD74LT | 74" Heavy Duty, Low Profile, Standard Floor, Teeth, Side Cutter, 15.4 cu-ft heaped capacity | K1K206A88 | 581 | \$1,588.00 |
| AP-HD74LC | 74" Heavy Duty, Low Profile, Standard Floor, Cutting Edge, Side Cutter, 15.4 cu-ft heaped capacity | K1K253A24 | 636 | \$1,649.00 |
| AP-HD74LLT | 74" Heavy Duty Low Profile, Long Floor, Teeth, Side Cutter 19.2 cu-ft heaped capacity | K1K293A52 | 626 | \$1,702.00 |
| AP-HD74LLC | 74" Heavy Duty, Low Profile, Long Floor, Cutting Edge, Side Cutter, 19.2 cu-ft heaped capacity | K1K339A88 | 680 | \$1,763.00 |
| | <i>Refer to Service Parts for replacment side cutters, cutting edges, and teeth on AP Buckets</i> | | | |
| PART 3 | ATTACHMENTS | | | |
| S6698A | SPECIAL APPLICATION DOOR FOR ROPS MODELS With frame and wiper, to be used with ROPS models only with swing style door. Made from polycarbonate. Required when using a hydraulic breaker and recommended when using a rotary cutter or mowers and mulchers Can still be used in combination with S6682, S6683A, S8884, S6685, and S6687 | K2K606A04 | 135 | \$3,429.00 |

KUBOTA

SVL65-2

| ORDER CODE | DESCRIPTION | FACTORY NUMBER | APPROX. WEIGHT | SUGGESTED LIST PRICE |
|---------------|---|----------------|----------------|----------------------|
| PART 3 | ATTACHMENTS (Cont.) | | | |
| S6658 | SPECIAL APPLICATION DOOR FOR CAB MODELS With frame and wiper, to be used with Enclosed Cab models only with tilt-up style door. Made from polycarbonate. Required when using a hydraulic breaker and recommended when using a rotary cutter or mowers and mulchers. | K2K352A20 | 135 | \$3,095.00 |
| K7773 | ACCUMULATOR CHARGE KIT Required for hydraulic breaker maintenance only, one kit for servicing all breakers. | K846A64 | 5 | \$1,114.00 |
| S6650 | 14-pin to 14-pin Adapter Harness (For models previous to serial number 29725) Allows a user to control an attachment with a 14-pin electrical connector that does not use the Kubota pin-out configuration. Requires S6699. | K241A68 | 1 | \$318.00 |
| S6651 | 8-pin to 14-pin Adapter Harness (For models previous to serial number 29725) Allows a user to control an attachment with an 8-pin Deutsch electrical connector. Requires S6699A | K227A24 | 1 | \$299.00 |

| SVL Grips, Harnesses, and Adapters | | | | | | |
|--|-----------------------|--|--|--|---|--|
| GRIP STYLE | MODEL(s) | SERIAL NUMBER BREAK IF APPLICABLE | 14-PIN HARNESS (order from parts) Required on attachments that require electrical inputs to control hydraulic solenoids or motors. | HIGH FLOW MULTIFUNCTION GRIP DIA KIT Needed if more than one electrical function is needed AND unit is a standard flow unit not already equipped with MF Grips. | 14-PIN TO 14-PIN ADAPTER Allows a user to control an attachment with a 14-Pin electrical connector that does not use the Kubota pin-out configuration. | 8-PIN TO 14-PIN ADAPTER Allows a user to control an attachment with an 8-pin Deutsch electrical connector |
|  SVL Standard | SVL75, SVL90, SVL90-2 | | V0511-97013 | S6699A | | |
| | SVL75-2 | Prior to 29725 | | | | |
| | SVL95-2s | Prior to 35986 | | | | |
| | SVL65-2 | | V0521-97011 | V1311-97301 | S6650 | S6651 |
|  SVL Standard Grips (Kubota Exclusive) | SVL75-2 | Beginning with SN 29725; Standard on High Flow Models Beginning with SN 37130 | V0521-97010 | V1311-97301 | | |
| | SVL95-2s | Beginning with SN 35986; Standard on High Flow Models Beginning with SN 40618 | | | | |

KUBOTA

SVL65-2

| ORDER CODE | DESCRIPTION | FACTORY NUMBER | APPROX. WEIGHT | SUGGESTED LIST PRICE |
|---------------|--|----------------|----------------|----------------------|
| | REPLACEMENT CAB/ROPS FOR SVL65-2 Complete package that is direct-fit to the main frame mounting points. Hydraulic hoses ready to fit into main manifold. Includes standard suspension seat and new "bolt-on" style grab handles. Lift-Assist gas struts are not included. See CAB Adoption List. | | | |
| S6610 | REPLACEMENT OPEN ROPS CAB/SVL65-2 | K5K130A00 | 948 | \$6,750.00 |
| S6620 | REPLACEMENT ENCLOSED CAB/SVL65-2 | K7K873A60 | 948 | \$10,360.00 |
| PART 4 | ACCESSORIES | | | |
| K9926 | RETRACTABLE SEAT BELT OPTION (3" WIDE) As required in some states for OSHA compliance. | K63A84 | 3 | \$84.00 |
| S6676 | Strobe Light Kit S6680 Accessory Wire Harness is required to connect the S6676 to the machine's main wire harness on SVL75 Serial Number < 10630. | K155A80 | 3 | \$205.00 |
| S6677 | Red Tail Light Kit | K173A28 | 3 | \$228.00 |
| S6641 | Rearview Mirror includes Mounting Bracket & Hardware | K16A72 | 1 | \$22.00 |
| PART 5 | Available from Parts | | | |
| 77700-07225 | Hose Stay | | | |
| V0521-97010 | 14 Pin Attachment Coupler Kit | | | |
| V0511-97020 | Engine Bonnet Lock Kit | | | |
| V0511-97030 | Radiator Screen Kit | | | |
| 77700-08260 | Block Heater Kit, 60" Cord | | | |
| V0521-99302 | Cover Kit for CCV System (for operations in cold weather; see PSB-2016-056) | | | |
| 77700-04752 | Radio for Cab Models | | | |
| 77700-04757 | Radio with Bluetooth for Cab Models | | | |
| 77700-06119 | Radio Kit for Open Station Models Includes Mini radio, Waterproof speakers, 14" Rubber mast antenna, Mounting brackets, Adapter harness | | | |
| 77700-06120 | Radio Kit with Bluetooth for Open Station Models Includes Mini radio, Waterproof speakers, 14" Rubber mast antenna, Mounting brackets, Adapter harness | | | |
| 77700-07933 | Rear View Camera Kit Includes 5.6" Heavy-duty Monitor, Waterproof CCD color camera, Camera bracket, Monitor bracket, Power harness, Y connector, Hardware | | | |

KUBOTA

SVL65-2

| SVL65-2s REPLACEMENT CAB & ROPS ADOPTION LIST | | | | |
|---|-------------|-------|---------------|---------------|
| Model | Cab or ROPS | WG # | Add Items | Discard Items |
| SVL65-2C | Cab | S6620 | none | none |
| SVL65-2WC | Cab | S6620 | none | none |
| SVL65-2HC | Cab | S6620 | 1, 2 | 4 |
| SVL65-2HFC | Cab | S6620 | | |
| SVL65-2HWC | Cab | S6620 | | |
| SVL65-2SHFWC | Cab | S6620 | 1, 2, 3, 8, 9 | 4, 5, 6, 7 |
| SVL65-2 | ROPS | S6610 | none | none |
| SVL65-2W | ROPS | S6610 | none | none |
| SVL65-2FW | ROPS | S6610 | | |
| SVL65-2H | ROPS | S6610 | 1, 2 | 4 |
| SVL65-2HF | ROPS | S6610 | 1, 2, 3, 8, 9 | 4, 5, 6, 7 |
| SVL65-2HW | ROPS | S6610 | | |
| SVL65-2HFW | ROPS | S6610 | | |

| Order Additional Items from Service Parts | | | |
|---|--------|--------------------|-----|
| Item # | Part # | Part Name | Qty |
| 1 | | Switch (Hitch) | 1 |
| 2 | | Cover (Switch) | 1 |
| 3 | | Label (High Flow) | 1 |
| 8 | | Switch (High Flow) | 1 |
| 9 | | Kit, Multi-Grip | 1 |

| Discard Items | | | |
|---------------|--------|-----------------------|-----|
| Item # | Part # | Part Name | Qty |
| 4 | | Cap, Switch | 1 |
| 5 | | Switch (Aux) | |
| 6 | | Label (Operation, LH) | 1 |
| 7 | | Label (Operation, RH) | 1 |

KUBOTA

COMPACT TRACK LOADERS

This page intentionally left blank.

KUBOTA

SVL75-2

SVL75-2 Compact Track Loader

FEATURES

Vertical Lift Path Loader Frame
Standard Front Quick Coupler, Float Standard
Hydraulic Quick Coupler Option
Loader Arm Self-Leveling
Loader Boom Lock
Open ROPS & Air Conditioned ROPS/FOPS Cab Models
High Back, Adjustable, Vinyl, Suspension Seat
2" Retractable Seat Belt And 2-Piece Seat Bar
12V Electric Outlet
17.4 gpm Auxiliary Hydraulics standard, 29.3 gpm Option
Direct To Tank Return Line
Rigid Mounted Undercarriage, 4 Lower Track Rollers
Rubber Tracks, 12.6" Standard, 15" Optional
Two Speed Travel System
Automatic Wet Disk Parking Brake
Kubota 4 Hydraulic Pump Load Sensing System
2 Gear, 2 Variable Displacement Pumps
Hydraulic Joystick Controls, Optional Multi-Function Grips
ISO Operating Pattern
Hand And Foot Throttle Controls
Electronic Travel Torque Management
Automatic Glow Plugs
Key Switch Stop System
Self Bleed Fuel System
2 Front And 2 Rear Working Lights
Hour Meter, Engine Temperature And Fuel
Gauges And Warning Lights
Horn And Backup Alarm
Lockable Fuel Cap
Bolt On Grab Handles to enter machine

DIMENSIONS

| | |
|---|--------|
| Cab Height | 82.0" |
| Width (without attachment) | 65.9" |
| Width with wide track option (without attachment) | 68.3" |
| Length (without attachment) | 109.0" |
| Length of Track on Ground | 56.5" |

OPERATIONAL DIMENSIONS

| | |
|---|---------------|
| Operating Weight*, SVL75-2H, 12.6" Rubber Tracks, Open ROPS/FOPS Ca | |
| Mechanical Quick Coupler..... | 9,039 lbs. |
| Rated Operating Capacity (@ 35% of Tipping Load)..... | 2,300 lbs. |
| Rated Operating Capacity (ROC) @ 50% of Tipping Load..... | 3,285 lbs. |
| Tipping Load..... | 6,570 lbs. |
| Auxiliary Hydraulics Flow..... | 17.4 gpm |
| Travel Speed (Low / High)..... | 4.7 / 7.1 mph |
| Reach @ Maximum Height..... | 41.7" |
| Height to Hinge Pin..... | 119.1" |
| Ground Pressure (Standard Track)..... | 5.6 psi |
| Ground Pressure (Wide Track)..... | 4.7 psi |

* Includes operator's weight, 175 lbs.

BASIC UNITS

SVL75-2, 12.6" Rubber Tracks, Open ROPS/FOPS Cab
Mechanical Quick Coupler
SVL75-2F, 12.6" Rubber Tracks, Open ROPS/FOPS Cab
Mechanical Quick Coupler, High Flow Hydraulics & MF Grips
SVL75-2H, 12.6" Rubber Tracks, Open ROPS/FOPS Cab
Hydraulic Quick Coupler
SVL75-2HF, 12.6" Rubber Tracks, Open ROPS/FOPS Cab
Hydraulic Quick Coupler, High Flow Hydraulics & MF Grips
SVL75-2W, 15.0" Rubber Tracks, Open ROPS/FOPS Cab
Mechanical Quick Coupler
SVL75-2FW, 15.0" Rubber Tracks, Open ROPS/FOPS Cab
Mechanical Quick Coupler, High Flow Hydraulics & MF Grips
SVL75-2HW, 15.0" Rubber Tracks, Open ROPS/FOPS
Cab Hydraulic Quick Coupler
SVL75-2HFW, 15.0" Rubber Tracks, Open ROPS/FOPS
Cab Hydraulic Quick Coupler, High Flow Hydraulics & MF Grips
SVL75-2C, 12.6" Rubber Tracks, A/C ROPS/FOPS Cab
Mechanical Quick Coupler
SVL75-2FC, 12.6" Rubber Tracks, A/C ROPS/FOPS Cab
Mechanical Quick Coupler, High Flow Hydraulics & MF Grips
SVL75-2HC, 12.6" Rubber Tracks, A/C ROPS/FOPS Cab
Hydraulic Quick Coupler
SVL75-2HFC, 12.6" Rubber Tracks, A/C ROPS/FOPS Cab
Hydraulic Quick Coupler, High Flow Hydraulics & MF Grips
SVL75-2WC, 15.0" Rubber Tracks, A/C ROPS/FOPS Cab
Mechanical Quick Coupler
SVL75-2FWC, 15.0" Rubber Tracks, A/C ROPS/FOPS Cab
Mechanical Quick Coupler, High Flow Hydraulics & MF Grips
SVL75-2HWC, 15.0" Rubber Tracks, A/C ROPS/FOPS
Cab Hydraulic Quick Coupler
SVL75-2HFWC, 15.0" Rubber Tracks, A/C ROPS/FOPS
Cab Hydraulic Quick Coupler, High Flow Hydraulics & MF Grips

ENGINE

V3307 Kubota CR-TE4 Tier 4 Final Diesel Engine
4 Cylinder, 4 Cycle, Turbo Charged
74.3 Gross HP @ 2400 rpm (SAE J1995)

KUBOTA

SVL75-2

HOW TO SELECT AN SVL75-2 Compact Track Loader (Sample Order Information Page)

Below are examples of a complete SVL75-2 order. To submit your order, please select the Basic Unit Model that you desire from Part 1. Then select the attachments from Parts 2 and 3 needed to complete your order.

| | |
|---------|--|
| STEP 1) | Select from Part 1 the Basic Unit that fits your needs. For example, choose a SVL75-2 and get: Base Model, rubber tracks, open ROPS/FOPS cab, and a mechanical quick coupler. |
| STEP 2) | Select from Parts 2 and 3 the attachments necessary to make the unit a complete machine. Choose buckets and bolt-on edges, accessories, or a hydraulic breaker. Parts items are available in Part 4. |

(SAMPLE ORDER)

| ORDER CODE | DESCRIPTION | FACTORY NUMBER | APPROX. WEIGHT | SUGGESTED LIST PRICE |
|--|---|----------------|----------------|----------------------|
| STANDARD UNIT SVL75-2 COMPLETE ORDER AND PRICE | | | | |
| BASIC UNIT: | | | | |
| SVL75-2 | COMPACT TRACK LOADER BASIC UNIT | K43K365A60 | 8874 | \$57,060.00 |
| With: | 12.6" Rubber Tracks Open ROPS/FOPS Cab Mechanical Quick Coupler | | | |
| ATTACHMENTS: | | | | |
| AP-HD68LT | 68" Heavy Duty, Low Profile, Standard Floor, Teeth, Side Cutter, 14.2 cu-ft heaped capacity | K1K081A48 | 541 | \$1,423.00 |
| | | | | <u>\$58,483.00</u> |
| STANDARD UNIT SVL75-2HWC COMPLETE ORDER AND PRICE | | | | |
| BASIC UNIT: | | | | |
| SVL75-2HWC | COMPACT TRACK LOADER BASIC UNIT | K49K901A60 | 9150 | \$65,660.00 |
| With: | 15.0" Wide Rubber Tracks A/C ROPS/FOPS Cab Hydraulic Quick Coupler | | | |
| ATTACHMENTS: | | | | |
| S6679 | Air Ride Seat Suspension Kit | K411A16 | 51 | \$541.00 |
| AP-HD80LLC | 68" Heavy Duty, Low Profile, Long Floor, BOCE | K1K330A00 | 541 | \$1,750.00 |
| | | | | <u>\$67,951.00</u> |

KUBOTA

SVL75-2

| ORDER CODE | DESCRIPTION | FACTORY NUMBER | APPROX. WEIGHT | SUGGESTED LIST PRICE |
|----------------------------|---|----------------|----------------|----------------------|
| PART 1 | MODEL SVL75-2 BASIC UNITS | | | |
| SVL75-2 With: | COMPACT TRACK LOADER BASIC UNIT 12.6" Rubber Tracks, Open ROPS/FOPS Cab Mechanical Quick Coupler | K43K365A60 | 8874 | \$57,060.00 |
| SVL75-2F With: | COMPACT TRACK LOADER BASIC UNIT 12.6" Rubber Tracks, Open ROPS/FOPS Cab Mechanical Quick Coupler, High Flow Hydraulics, MF Grips & 14-Pin Coupler (beginning with SN 37130) | K44K783A00 | 8918 | \$58,925.00 |
| SVL75-2H With: | COMPACT TRACK LOADER BASIC UNIT 12.6" Rubber Tracks, Open ROPS/FOPS Cab Hydraulic Quick Coupler | K44K561A08 | 8874 | \$58,633.00 |
| SVL75-2HF With: | COMPACT TRACK LOADER BASIC UNIT 12.6" Rubber Tracks, Open ROPS/FOPS Cab Hydraulic Quick Coupler, High Flow Hydraulics, MF Grips & 14-Pin Coupler (beginning with SN 37130) | K45K978A48 | 8918 | \$60,498.00 |
| SVL75-2W With: | COMPACT TRACK LOADER BASIC UNIT 15.0" Rubber Tracks, Open ROPS/FOPS Cab Mechanical Quick Coupler | K44K561A08 | 8874 | \$58,633.00 |
| SVL75-2FW With: | COMPACT TRACK LOADER BASIC UNIT 15.0" Rubber Tracks, Open ROPS/FOPS Cab Mechanical Quick Coupler, High Flow Hydraulics, MF Grips & 14-Pin Coupler (beginning with SN 37130) | K45K978A48 | 8918 | \$60,498.00 |
| SVL75-2HW With: | COMPACT TRACK LOADER BASIC UNIT 15.0" Rubber Tracks, Open ROPS/FOPS Cab Hydraulic Quick Coupler | K45K757A32 | 8874 | \$60,207.00 |
| SVL75-2HFW With: | COMPACT TRACK LOADER BASIC UNIT 15.0" Rubber Tracks, Open ROPS/FOPS Cab Hydraulic Quick Coupler, High Flow Hydraulics, MF Grips & 14-Pin Coupler (beginning with SN 37130) | K47K174A72 | 8918 | \$62,072.00 |
| SVL75-2C With: | COMPACT TRACK LOADER BASIC UNIT 12.6" Rubber Tracks, A/C ROPS/FOPS Cab Mechanical Quick Coupler | K47K510A64 | 9150 | \$62,514.00 |
| SVL75-2FC With: | COMPACT TRACK LOADER BASIC UNIT 12.6" Rubber Tracks, A/C ROPS/FOPS Cab Mechanical Quick Coupler, High Flow Hydraulics, MF Grips & 14-Pin Coupler (beginning with SN 37130) | K48K928A04 | 9194 | \$64,379.00 |
| SVL75-2HC With: | COMPACT TRACK LOADER BASIC UNIT 12.6" Rubber Tracks, A/C ROPS/FOPS Cab Hydraulic Quick Coupler | K48K706A88 | 9150 | \$64,088.00 |
| SVL75-2HFC With: | COMPACT TRACK LOADER BASIC UNIT 12.6" Rubber Tracks, A/C ROPS/FOPS Cab Hydraulic Quick Coupler, High Flow Hydraulics, MF Grips & 14-Pin Coupler (beginning with SN 37130) | K50K124A28 | 9194 | \$65,953.00 |





SVL75-2

| ORDER CODE | DESCRIPTION | FACTORY NUMBER | APPROX. WEIGHT | SUGGESTED LIST PRICE |
|-----------------------------|---|----------------|----------------|----------------------|
| SVL75-2WC With: | COMPACT TRACK LOADER BASIC UNIT 15.0" Rubber Tracks, A/C ROPS/FOPS Cab Mechanical Quick Coupler | K48K706A88 | 9150 | \$64,088.00 |
| SVL75-2FWC With: | COMPACT TRACK LOADER BASIC UNIT 15.0" Rubber Tracks, A/C ROPS/FOPS Cab Mechanical Quick Coupler, High Flow Hydraulics, MF Grips & 14-Pin Coupler (beginning with SN 37130) | K50K124A28 | 9194 | \$65,953.00 |
| SVL75-2HWC With: | COMPACT TRACK LOADER BASIC UNIT 15.0" Rubber Tracks, A/C ROPS/FOPS Cab Hydraulic Quick Coupler | K49K901A60 | 9150 | \$65,660.00 |
| SVL75-2HFWC With: | COMPACT TRACK LOADER BASIC UNIT 15.0" Rubber Tracks, A/C ROPS/FOPS Cab Hydraulic Quick Coupler, High Flow Hydraulics, MF Grips & 14-Pin Coupler (beginning with SN 37130) | K51K319A76 | 9194 | \$67,526.00 |
| PART 2 | BUCKETS QUICK ATTACH BUCKETS | | | |
| AP-HD68LT | 68" Heavy Duty, Low Profile, Standard Floor, Teeth, Side Cutter, 14.2 cu-ft heaped capacity | K1K081A48 | 545 | \$1,423.00 |
| AP-HD68LC | 68" Heavy Duty, Low Profile, Standard Floor, Cutting Edge, Side Cutter, 14.2 cu-ft heaped capacity | K1K081A48 | 598 | \$1,423.00 |
| AP-HD68LLT | 68" Heavy Duty, Low Profile, Long Floor, Teeth, Side Cutter, 17.9 cu-ft heaped capacity | K1K124A04 | 588 | \$1,479.00 |
| AP-HD68LLC | 68" Heavy Duty, Low Profile, Long Floor, Cutting Edge, Side Cutter, 17.9 cu-ft heaped capacity | K1K124A80 | 641 | \$1,480.00 |
| AP-HD74LT | 74" Heavy Duty, Low Profile, Standard Floor, Teeth, Side Cutter, 15.4 cu-ft heaped capacity | K1K206A88 | 581 | \$1,588.00 |
| AP-HD74LC | 74" Heavy Duty, Low Profile, Standard Floor, Cutting Edge, Side Cutter, 15.4 cu-ft heaped capacity | K1K253A24 | 636 | \$1,649.00 |
| AP-HD74LLT | 74" Heavy Duty Low Profile, Long Floor, Teeth, Side Cutter 19.2 cu-ft heaped capacity | K1K293A52 | 626 | \$1,702.00 |
| AP-HD74LLC | 74" Heavy Duty, Low Profile, Long Floor, Cutting Edge, Side Cutter, 19.2 cu-ft heaped capacity | K1K339A88 | 680 | \$1,763.00 |
| | <i>Refer to Service Parts for replacment side cutters, cutting edges, and teeth on AP Buckets</i> | | | |
| PART 3 | ATTACHMENTS | | | |
| KXB560Q | HYDRAULIC BREAKER | K9K765A24 | 820 | \$12,849.00 |
| S6698A | SPECIAL APPLICATION DOOR FOR ROPS MODELS With frame and wiper, to be used with ROPS models only with swing style door. Made from polycarbonate. Required when using a hydraulic breaker and recommended when using a rotary cutter or mowers and mulchers Can still be used in combination with S6682, S6683A, S8884, S6685, and S6687 | K2K606A04 | 135 | \$3,429.00 |

KUBOTA

SVL75-2

| ORDER CODE | DESCRIPTION | FACTORY NUMBER | APPROX. WEIGHT | SUGGESTED LIST PRICE |
|---------------|---|----------------|----------------|----------------------|
| PART 3 | ATTACHMENTS (Cont.) | | | |
| S6658 | SPECIAL APPLICATION DOOR FOR CAB MODELS With frame and wiper, to be used with Enclosed Cab models only with tilt-up style door. Made from polycarbonate. Required when using a hydraulic breaker and recommended when using a rotary cutter or mowers and mulchers. | K2K352A20 | 135 | \$3,095.00 |
| K7773 | ACCUMULATOR CHARGE KIT Required for hydraulic breaker maintenance only, one kit for servicing all breakers. | K846A64 | 5 | \$1,114.00 |
| S6699A | Multifunction Controller Kit (For models previous to serial number 29725) To control 14-pin attachments (or 8-pin attachments with S6651 adapter) which feature multiple hydraulic functions controlled by solenoid valves. | K663A48 | 5 | \$873.00 |
| S6650 | 14-pin to 14-pin Adapter Harness (For models previous to serial number 29725) Allows a user to control an attachment with a 14-pin electrical connector that does not use the Kubota pin-out configuration. Requires S6699. | K241A68 | 1 | \$318.00 |
| S6651 | 8-pin to 14-pin Adapter Harness (For models previous to serial number 29725) Allows a user to control an attachment with an 8-pin Deutsch electrical connector. Requires S6699A | K227A24 | 1 | \$299.00 |

| SVL Grips, Harnesses, and Adapters | | | | | | |
|--|-----------------------|---|--|--|---|--|
| GRIP STYLE | MODEL(s) | SERIAL NUMBER BREAK IF APPLICABLE | 14-PIN HARNESS (order from parts) Required on attachments that require electrical inputs to control hydraulic solenoids or motors. | HIGH FLOW MULTIFUNCTION GRIP DIA KIT Needed if more than one electrical function is needed AND unit is a standard flow unit not already equipped with MF Grips. | 14-PIN TO 14-PIN ADAPTER Allows a user to control an attachment with a 14-Pin electrical connector that does not use the Kubota pin-out configuration. | 8-PIN TO 14-PIN ADAPTER Allows a user to control an attachment with an 8-pin Deutsch electrical connector |
|  SVL Standard | SVL75, SVL90, SVL90-2 | | V0511-97013 | S6699A | | S6651 |
| | SVL75-2 | Prior to 29725 | | | | |
| | SVL95-2s | Prior to 35986 | V0631-97010 | | | |
| | SVL65-2 | | V0521-97011 | V1311-97301 | S6650 | |
|  SVL Standard Grips (Kubota Exclusive) | SVL75-2 | Beginning with SN 29725; Standard on High Flow Models Beginning with SN 37130 | V0521-97010 | V1311-97301 | | |
| | SVL95-2s | Beginning with SN 35986; Standard on High Flow Models Beginning with SN 40618 | | | | |

KUBOTA

SVL75-2

| ORDER CODE | DESCRIPTION | FACTORY NUMBER | APPROX. WEIGHT | SUGGESTED LIST PRICE |
|--|---|----------------|----------------|----------------------|
| REPLACEMENT CAB/ROPS FOR SVL75-2 | | | | |
| Complete package that is direct-fit to the main frame mounting points. Hydraulic hoses ready to fit into main manifold. Includes standard suspension seat and new "bolt-on" style grab handles. Lift-Assist gas struts are not included. | | | | |
| S6627 | REPLACEMENT OPEN ROPS CAB/SVL75-2 For models prior to serial number 29725 | K6K018A44 | 992 | \$7,919.00 |
| S6628A | REPLACEMENT ENCLOSED CAB/SVL75-2 For models prior to serial number 29725 | K9K246A92 | 992 | \$12,167.00 |
| S6666 | REPLACEMENT OPEN ROPS CAB/SVL75-2 For models Beginning with Serial Number 29725 | K6K018A44 | 970 | \$7,919.00 |
| S6667 | REPLACEMENT ENCLOSED CAB/SVL75-2 For models Beginning with Serial Number 29725 | K9K246A92 | 992 | \$12,167.00 |
| PART 4 ACCESSORIES | | | | |
| K9926 | RETRACTABLE SEAT BELT OPTION (3" WIDE) As required in some states for OSHA compliance. | K63A84 | 3 | \$84.00 |
| S6676 | Strobe Light Kit S6680 Accessory Wire Harness is required to connect the S6676 to the machine's main wire harness on SVL75 Serial Number < 10630. | K155A80 | 3 | \$205.00 |
| S6677 | Red Tail Light Kit | K173A28 | 3 | \$228.00 |
| S6678 | Rotating Beacon Light Kit S6680 Accessory Wire Harness is required to connect the S6678 to the machine's main wire harness on SVL75 Serial Number < 10630. | K268A28 | 3 | \$353.00 |
| S6679 | Air Ride Seat Suspension Kit S6680 Accessory Wire Harness is required to connect the S6679 to the machine's main wire harness on SVL75 Serial Number < 10630. | K411A16 | 51 | \$541.00 |
| S6680 | Accessory Wire Harness Kit (not needed for Serial Number >10630) | K47A88 | 1 | \$63.00 |
| S6641 | Rearview Mirror includes Mounting Bracket & Hardware | K16A72 | 1 | \$22.00 |
| S6689 | Hose Stay – (Group attachment hoses together at Loader frame base) Recommend for use with: Brush Grapple, Scrap Grapple, Hopper Sweeper, 4-in-1 bucket, and Tilt Attach | K72A99 | 5 | \$96.04 |

KUBOTA

SVL75-2

| ORDER CODE | DESCRIPTION | FACTORY NUMBER | APPROX. WEIGHT | SUGGESTED LIST PRICE |
|--|--|----------------|----------------|----------------------|
| ENCLOSURE KITS (for ROPS Models Only) | | | | |
| S6681A | Door Kit (Swing) with Frame and Wiper and Quick Glass Release Handles | K1K630A96 | 170 | \$2,146.00 |
| S6682 | Sliding Side Window Kit (for Models prior to serial number 29725) | K905A16 | 170 | \$1,191.00 |
| S6683A | Heater Kit | K519A84 | 16 | \$684.00 |
| S6684 | Windshield Washer Kit | K122A36 | 5 | \$161.00 |
| PART 5 Available from Parts | | | | |
| V0511-97013 | 14 Pin Attachment Coupler Kit for models previous to Serial Number 29725 only | | | |
| V0521-97010 | 14 Pin Attachment Coupler Kit models beginning with Serial Number 29725 | | | |
| V1311-97301 | Multi-Function Lever Kit for serial numbers beginning with Serial Number 29725 only | | | |
| V0511-97020 | Engine Bonnet Lock Kit | | | |
| V0511-97030 | Radiator Screen Kit | | | |
| 77700-08260 | Block Heater Kit, 60" Cord | | | |
| V0521-99302 | Cover Kit for CCV System (for operations in cold weather; see PSB-2016-056) | | | |
| 77700-04787 | Radio Kit for Cab Models prior to serial number 25743 Includes Mini radio, Waterproof speakers, 14" Rubber mast antenna, Mounting brackets, Adapter harness | | | |
| 77700-04752 | Radio for New Cab Models beginning with serial number 25734 | | | |
| 77700-04757 | Radio with Bluetooth for New Cab Models beginning with serial number 25743 | | | |
| 77700-06119 | Radio Kit for Open Station Models Includes Mini radio, Waterproof speakers, 14" Rubber mast antenna, Mounting brackets, Adapter harness | | | |
| 77700-06120 | Radio Kit with Bluetooth for Open Station Models Includes Mini radio, Waterproof speakers, 14" Rubber mast antenna, Mounting brackets, Adapter harness | | | |
| 77700-06141 | Rear View Camera Kit prior to serial number 25743 Includes 5.6" Heavy-duty Monitor, Waterproof CCD color camera, Camera bracket, Monitor bracket, Power harness, Y connector, Hardware | | | |
| 77700-07933 | Rear View Camera Kit beginning with serial number 25743 Includes 5.6" Heavy-duty Monitor, Waterproof CCD color camera, Camera bracket, Monitor bracket, Power harness, Y connector, Hardware | | | |

KUBOTA

SVL75-2

| SVL75-2 REPLACEMENT CAB & ROPS ADOPTION LIST** | | | | |
|--|-------------|-----------|-----------|---------------|
| Model | Cab or ROPS | WG # | Add Items | Discard Items |
| SVL75-2C | Cab | S6628A | none | none |
| SVL75-2WC | | | | |
| SVL75-2HC | Cab | S6628A | 1, 2 | 5 |
| SVL75-2HWC | | | | |
| SVL75-2 | ROPS | S6627 | none | none |
| SVL75-2W | | | | |
| SVL75-2H | ROPS | S6627 | 1,2 | 5 |
| SVL75-2WH | | | | |
| Order Additional Items from Service Parts | | | | |
| Item # | Part # | Part Name | Qty | |
| 1 | V0511-35453 | Cover | 1 | |
| 2 | V0511-53851 | Switch | 1 | |
| Discard Items | | | | |
| Item # | Part # | Part Name | Qty | |
| 5 | RD451-44642 | Cap | 1 | |
| **For models prior to serial number 29725. | | | | |



SVL75-2

| SVL75-2 REPLACEMENT CAB & ROPS ADOPTION LIST Δ | | | | |
|--|-------------|----------------------|---------------|---------------|
| Model | Cab or ROPS | WG # | Add Items | Discard Items |
| SVL75-2C | Cab | S6667 | none | none |
| SVL75-2WC | | | | |
| SVL75-2HC | Cab | S6667 | 1, 2 | 5 |
| SVL75-2HWC | | | | |
| SVL75-2FC | Cab | S6667 | 7, 8, 9 | 3, 4, 6 |
| SVL75-2FWC | | | | |
| SVL75-2HFC | Cab | S6667 | 1, 2, 7, 8, 9 | 3, 4, 5, 6 |
| SVL75-2HFWC | | | | |
| SVL75-2 | ROPS | S6666 | none | none |
| SVL75-2W | | | | |
| SVL75-2H | ROPS | S6666 | 1, 2 | 5 |
| SVL75-2HW | | | | |
| SVL75-2F | ROPS | S6666 | 7, 8, 9 | 3, 4, 6 |
| SVL75-2FW | | | | |
| SVL75-2HF | ROPS | S6666 | 1, 2, 7, 8, 9 | 3, 5, 4, 6 |
| SVL75-2HFW | | | | |
| Order Additional Items from Service Parts | | | | |
| Item # | Part # | Part Name | Qty | |
| 1 | V0511-35453 | Cover | 1 | |
| 2 | V0511-53851 | Switch | 1 | |
| 7 | V0611-53841 | Switch (High Flow) | 1 | |
| 8 | V1311-57710 | Label (High Flow) | 1 | |
| 9 | V0521-97301 | Multi-Grip Kit | 1 | |
| Discard Items | | | | |
| Item # | Part # | Part Name | Qty | |
| 3 | V0511-53832 | Switch (AUX) | 1 | |
| 4 | V0521-57930 | Label (Operation, L) | 1 | |
| 5 | RD451-44642 | Cap | 1 | |
| 6 | V1311-57942 | Label (Operation, R) | 1 | |
| Δ For models beginning with serial number 29725. | | | | |

KUBOTA

COMPACT TRACK LOADERS

This page intentionally left blank.

KUBOTA

SVL95-2s

SVL95-2s Compact Track Loader

FEATURES

Final Tier 4 Certified Kubota Diesel Engine
Electronic Travel Torque Management System
Vertical Lift Path Loader Frame
Standard Front Quick Coupler, Float Standard
Hydraulic Quick Coupler Option
Loader Arm Self-Leveling
Loader Boom Lock
Open ROPS/FOPS
Optional enclosed and pressurized cab with A/C
High Back, Adjustable, Vinyl, Suspension Seat
2" Retractable Seat Belt And 2-Piece Seat Bar
12V Electric Outlet
23.1 gpm Auxiliary Hydraulics Standard, 40.0 gpm Option
Direct To Tank Return Line
Rigid Mounted Undercarriage, 5 Lower Track Rollers
High Grip Rubber Tracks, 17.7" Standard
Two Speed Travel System
Automatic Wet Disk Parking Brake
Kubota 4 Hydraulic Pump Load Sensing System
3 Variable Displacement Pumps,
1 additional piston pump for High Flow Option
Hydraulic Joystick Controls
ISO Operating Pattern
Dial Knob And Foot Throttle Controls
Stall Guard Engine Control
Automatic Glow Plugs
Key Switch Stop System
Self Bleed Fuel System
2 Front And 2 Rear Working Lights
Hour Meter, Engine Temperature, DEF, And Fuel
Gauges And Warning Lights
Horn And Backup Alarm
Lockable DEF Tank Cap
Lockable Fuel Cap
Radio Ready on Enclosed Cabs

BASIC UNITS

SVL95-2S, 17.7" Rubber Tracks, Open ROPS/FOPS Cab
Mechanical Quick Coupler
SVL95-2SH, 17.7" Rubber Tracks, Open ROPS/FOPS Cab
Hydraulic Quick Coupler
SVL95-2SF, 17.7" Rubber Tracks, Open ROPS/FOPS Cab
Mechanical Quick Coupler, High Flow Auxiliary Hydraulics
SVL95-2SHF, 17.7" Rubber Tracks, Open ROPS/FOPS Cab
Hydraulic Quick Coupler, High Flow Auxiliary Hydraulics
SVL95-2SC, 17.7" Rubber Tracks, A/C ROPS/FOPS Cab
Mechanical Quick Coupler
SVL95-2SHC, 17.7" Rubber Tracks, A/C ROPS/FOPS Cab
Hydraulic Quick Coupler
SVL95-2SFC, 17.7" Rubber Tracks, A/C ROPS/FOPS Cab
Mechanical Quick Coupler, High Flow Auxiliary Hydraulics
SVL95-2SHFC, 17.7" Rubber Tracks, A/C ROPS/FOPS Cab
Hydraulic Quick Coupler, High Flow Auxiliary Hydraulics

ENGINE

V3800-Tier 4 Kubota Final Tier 4 Diesel Engine
4 Cylinder, 4 Cycle, Turbo Charged
96.0 Gross HP @ 2400 rpm

DIMENSIONS

| | |
|-----------------------------|--------|
| Cab Height | 83.4" |
| Width (without attachment) | 77.2" |
| Length (without attachment) | 123.5" |
| Length of Track on Ground | 65.6" |

OPERATIONAL DIMENSIONS

| | |
|--|-----------------|
| Operating Weight*, SVL95-2s, 17.7" Rubber Tracks, Open ROPS/FOPS Cab, Mechanical Quick Coupler | 11,299 lbs. |
| Rated Operating Capacity (ROC) @ 35% of Tipping Load complies with ISO 14397-1 and SAE J 818) | 3,200 lbs. |
| Rated Operating Capacity (ROC) @ 50% of Tipping Load | 4,572 lbs. |
| Tipping Load | 9,143 lbs. |
| Auxiliary Hydraulics Flow | 23.1 / 40.0 gpm |
| Travel Speed (Low / High) | 5.0 / 7.3 mph |
| Reach @ Maximum Height | 40.7" |
| Height to Hinge Pin | 128.6" |
| Ground Pressure | 4.4 psi. |
| Traction Force | 12,178 lbf. |

* Includes operator's weight, 175 lbs.



SVL95-2s

HOW TO SELECT AN SVL95-2s Compact Track Loader (Sample Order Information Page)

Below are examples of a complete SVL95-2s order. To submit your order, please select the Basic Unit Model that you desire from Part 1. Then select the attachments from Parts 2 and 3 needed to complete your order.

| | |
|---------|--|
| STEP 1) | Select from Part 1 the Basic Unit that fits your needs. For example, choose a SVL95-2s and get: Base Model, rubber tracks, open ROPS/FOPS cab, and a mechanical quick coupler. |
| STEP 2) | Select from Parts 2 and 3 the attachments necessary to make the unit a complete machine. Choose buckets and bolt-on edges, accessories, or a hydraulic breaker. Parts items are available in Part 4. |

(SAMPLE ORDER)

| ORDER CODE | DESCRIPTION | FACTORY NUMBER | APPROX. WEIGHT | SUGGESTED LIST PRICE |
|--|---|----------------|----------------|----------------------|
| STANDARD UNIT SVL95-2s COMPLETE ORDER AND PRICE | | | | |
| BASIC UNIT: | | | | |
| SVL95-2S | COMPACT TRACK LOADER BASIC UNIT | K55K155A48 | 10738 | \$72,573.00 |
| With: | 17.7" Rubber Tracks Open ROPS/FOPS Cab Mechanical Quick Coupler | | | |
| ATTACHMENTS: | | | | |
| AP-HD80LT | 80" low profile standard floor bucket with teeth and bolt-on side cutters | K1K286A68 | 541 | \$1,693.00 |
| | | | | <u>\$74,266.00</u> |
| STANDARD UNIT SVL95-2SHC COMPLETE ORDER AND PRICE | | | | |
| BASIC UNIT: | | | | |
| SVL95-2SHC | COMPACT TRACK LOADER BASIC UNIT | K60K154A00 | 11299 | \$79,150.00 |
| With: | 17.7" Rubber Tracks A/C ROPS/FOPS Cab Hydraulic Quick Coupler | | | |
| ATTACHMENTS: | | | | |
| S6679 | Air Ride Seat Suspension Kit | K411A16 | 51 | \$541.00 |
| | | | | <u>\$79,691.00</u> |



SVL95-2s

| ORDER CODE | DESCRIPTION | FACTORY NUMBER | APPROX. WEIGHT | SUGGESTED LIST PRICE |
|---|--|----------------|----------------|----------------------|
| PART 1 MODEL SVL95-2S BASIC UNITS | | | | |
| SVL95-2S With: | COMPACT TRACK LOADER BASIC UNIT 17.7" Rubber Tracks, Open ROPS/FOPS Cab Mechanical Quick Coupler | K55K155A48 | 10738 | \$72,573.00 |
| SVL95-2SH With: | COMPACT TRACK LOADER BASIC UNIT 17.7" Rubber Tracks, Open ROPS/FOPS Cab Hydraulic Quick Coupler | K56K192A12 | 10782 | \$73,937.00 |
| SVL95-2SF With: | COMPACT TRACK LOADER BASIC UNIT 17.7" Rubber Tracks, Open ROPS/FOPS Cab Mechanical Quick Coupler, High Flow Auxiliary Hydraulics, MF Grips, & 14-Pin Coupler (beginning with SN 40618) | K57K357A96 | 10738 | \$75,471.00 |
| SVL95-2SHF With: | COMPACT TRACK LOADER BASIC UNIT 17.7" Rubber Tracks, Open ROPS/FOPS Cab Hydraulic Quick Coupler, High Flow Auxiliary Hydraulics, MF Grips, & 14-Pin Coupler (beginning with SN 40618) | K58K394A60 | 11299 | \$76,835.00 |
| SVL95-2SC With: | COMPACT TRACK LOADER BASIC UNIT 17.7" Rubber Tracks, A/C ROPS/FOPS Cab Mechanical Quick Coupler | K59K117A36 | 11014 | \$77,786.00 |
| SVL95-2SHC With: | COMPACT TRACK LOADER BASIC UNIT 17.7" Rubber Tracks, A/C ROPS/FOPS Cab Hydraulic Quick Coupler | K60K154A00 | 11299 | \$79,150.00 |
| SVL95-2SFC With: | COMPACT TRACK LOADER BASIC UNIT 17.7" Rubber Tracks, A/C ROPS/FOPS Cab Mechanical Quick Coupler, High Flow Auxiliary Hydraulics, MF Grips, & 14-Pin Coupler (beginning with SN 40618) | K61K319A84 | 11014 | \$80,684.00 |
| SVL95-2SHFC With: | COMPACT TRACK LOADER BASIC UNIT 17.7" Rubber Tracks, A/C ROPS/FOPS Cab Hydraulic Quick Coupler, High Flow Auxiliary Hydraulics, MF Grips, & 14-Pin Coupler (beginning with SN 40618) | K62K355A72 | 11299 | \$82,047.00 |
| PART 2 BUCKETS -- QUICK ATTACH | | | | |
| AP-HD80LT | 80" Heavy Duty, Low Profile, Standard Floor, Teeth, Side Cutter, 16.9 cu-ft heaped capacity | K1K286A68 | 667 | \$1,693.00 |
| AP-HD80LC | 80" Heavy Duty Low Profile, Standard Floor, Cutting Edge, Side Cutter, 16.8 cu-ft heaped capacity | K1K288A96 | 725 | \$1,696.00 |
| AP-HD80LLT | 80" Heavy Duty Low Profile, Long Floor, Teeth, Side Cutter, 20.9 cu-ft heaped capacity | K1K328A48 | 717 | \$1,748.00 |
| AP-HD80LLC | 80" Heavy Duty, Low Profile, Long Floor, Cutting Edge, Side Cutter, 20.9 cu-ft heaped capacity | K1K330A00 | 774 | \$1,750.00 |
| AP-HD80HT | 80" Heavy Duty High Capacity, Teeth, Side Cutter 25.0 cu-ft heaped capacity | K1K417A40 | 745 | \$1,865.00 |
| AP-HD80HC | 80" Heavy Duty, High Capacity, Side Cutter and BOCE 25.0 cu-ft heaped capacity | K1K423A48 | 802 | \$1,873.00 |
| <i>Refer to Service Parts for replacment side cutters, cutting edges, and teeth on AP Buckets</i> | | | | |

KUBOTA



SVL95-2s

| ORDER CODE | DESCRIPTION | FACTORY NUMBER | APPROX. WEIGHT | SUGGESTED LIST PRICE |
|---------------|---|----------------|----------------|----------------------|
| PART 3 | ATTACHMENTS | | | |
| S6658 | SPECIAL APPLICATION DOOR FOR CAB MODELS With frame and wiper, to be used with Enclosed Cab models only with tilt-up style door. Made from polycarbonate. Required when using a hydraulic breaker and recommended when using a rotary cutter or mowers and mulchers. | K2K352A20 | 135 | \$3,095.00 |
| S6698A | SPECIAL APPLICATION DOOR FOR ROPS MODELS With frame and wiper, to be used with ROPS models only with swing style door. Made from polycarbonate. Required when using a hydraulic breaker and recommended when using a rotary cutter or mowers and mulchers Can still be used in combination with S6682, S6683A, S8884, S6685, and S6687 | K2K606A04 | 135 | \$3,429.00 |
| K7773 | ACCUMULATOR CHARGE KIT Required for hydraulic breaker maintenance only, one kit for servicing all breakers. | K846A64 | 5 | \$1,114.00 |
| S6699A | Multifunction Controller Kit (For models previous to serial number 35986) To control 14-pin attachments (or 8-pin attachments with S6651 adapter) which feature multiple hydraulic functions controlled by solenoid valves. | K663A48 | 5 | \$873.00 |
| S6650 | 14-pin to 14-pin Adapter Harness (For models previous to serial number 35986) Allows a user to control an attachment with a 14-pin electrical connector that does not use the Kubota pin-out configuration. Requires S6699A. | K241A68 | 1 | \$318.00 |
| S6651 | 8-pin to 14-pin Adapter Harness (For models previous to serial number 35986) Allows a user to control an attachment with an 8-pin Deutsch electrical connector. Requires S6699A. | K227A24 | 1 | \$299.00 |

KUBOTA

SVL95-2s

| ORDER CODE | DESCRIPTION | FACTORY NUMBER | APPROX. WEIGHT | SUGGESTED LIST PRICE |
|------------|-------------|----------------|----------------|----------------------|
|------------|-------------|----------------|----------------|----------------------|

| SVL Grips, Harnesses, and Adapters | | | | | | |
|--|-----------------------|--|---|---|--|---|
| GRIP STYLE | MODEL(s) | SERIAL NUMBER BREAK IF APPLICABLE | 14-PIN HARNESS (order from parts) <i>Required on attachments that require electrical inputs to control hydraulic solenoids or motors.</i> | HIGH FLOW MULTIFUNCTION GRIP DIA KIT <i>Needed if more than one electrical function is needed AND unit is a standard flow unit not already equipped with MF Grips.</i> | 14-PIN TO 14-PIN ADAPTER <i>Allows a user to control an attachment with a 14-Pin electrical connector that does not use the Kubota pin-out configuration.</i> | 8-PIN TO 14-PIN ADAPTER <i>Allows a user to control an attachment with an 8-pin Deutsch electrical connector</i> |
|  SVL Standard | SVL75, SVL90, SVL90-2 | | V0511-97013 | S6699A | | |
| | SVL75-2 | Prior to 29725 | | | | |
| | SVL95-2s | Prior to 35986 | V0631-97010 | | | |
| | SVL65-2 | | V0521-97011 | V1311-97301 | S6650 | S6651 |
|  SVL Standard Grips (Kubota Exclusive) | SVL75-2 | Beginning with SN 29725; Standard on High Flow Models Beginning with SN 37130 | V0521-97010 | V1311-97301 | | |
| | SVL95-2s | Beginning with SN 35986; Standard on High Flow Models Beginning with SN 40618 | | | | |

REPLACEMENT CAB/ROPS

Complete package that is direct-fit to the main frame mounting points. Hydraulic hoses ready to fit into main manifold. Includes standard suspension seat and new "bolt-on" style grab handles. Lift-Assist gas struts are not included. See CAB Adoption List.

| | | | | |
|-------|--|-----------|-----|-------------|
| S6662 | REPLACEMENT OPEN ROPS CAB/SVL95-2s For Models Prior to Serial Number 035896 | K6K004A00 | 948 | \$7,900.00 |
| S6663 | REPLACEMENT ENCLOSED CAB/SVL95-2s For Models Prior to Serial Number 035896 | K9K652A00 | 948 | \$12,700.00 |
| S6668 | REPLACEMENT OPEN ROPS CAB/SVL95-2s For Models Beginning with Serial Number 035896 | K6K004A00 | 948 | \$7,900.00 |
| S6669 | REPLACEMENT ENCLOSED CAB/SVL95-2s For Models Beginning with Serial Number 035896 | K9K652A00 | 948 | \$12,700.00 |

PART 4 ACCESSORIES

| | | | | |
|-------|---|---------|----|----------|
| K9926 | RETRACTABLE SEAT BELT OPTION (3" WIDE) As required in some states for OSHA compliance. | K63A84 | 3 | \$84.00 |
| S6676 | Strobe Light Kit | K155A80 | 3 | \$205.00 |
| S6677 | Red Tail Light Kit | K173A28 | 3 | \$228.00 |
| S6678 | Rotating Beacon Light Kit | K268A28 | 3 | \$353.00 |
| S6679 | Air Ride Seat Suspension Kit | K411A16 | 51 | \$541.00 |
| S6641 | Rear View Mirror, includes Mounting Bracket & hardware | K16A72 | 1 | \$22.00 |
| S6689 | Hose Stay (Group hoses together at loader frame base) Recommend for use with: Brush Grapple, Scrap Grapple, SBB – Hopper Sweeper, 4-in-1 bucket, and Tilt Attach | K72A99 | 5 | \$96.04 |



SVL95-2s

| ORDER CODE | DESCRIPTION | FACTORY NUMBER | APPROX. WEIGHT | SUGGESTED LIST PRICE |
|---------------|--|----------------|----------------|----------------------|
| PART 5 | Available from Parts (Refer to PARTS for Pricing) | | | |
| V0631-97010 | 14 Pin Attachment Coupler Kit for models prior to SN 35986 | | | |
| V0511-97020 | Engine Bonnet Lock Kit | | | |
| V0521-97010 | 14 Pin Attachment Coupler Kit for all models | | | |
| V1311-97301 | Multi-Function Lever Kit for serial numbers beginning with Serial Number 35986 only | | | |
| 77700-08260 | Block Heater Kit, 60" Cord | | | |
| V0511-97030 | Radiator Screen Kit | | | |
| 77700-06119 | Radio Kit for Open Station Models. Includes Mini radio, Waterproof speakers, 14" Rubber | | | |
| 77700-06120 | Radio Kit with Bluetooth for Open Station Models. Includes Mini radio, Waterproof speakers, 14" Rubber | | | |
| 77700-04752 | Radio for Enclosed Cab Models | | | |
| 77700-04757 | Radio with Bluetooth for Enclosed Cab Models | | | |
| 77700-07933 | Rear View Camera Kit Includes 5.6" Heavy-duty Monitor, Waterproof CCD color camera, Camera bracket, Monitor bracket, Power harness, Y connector, Hardware | | | |



SVL95-2s

| SVL95-2s REPLACEMENT CAB & ROPS ADOPTION LIST** | | | | |
|---|-------------|-------------------|-----------|---------------|
| Model | Cab or ROPS | WG # | Add Items | Discard Items |
| SVL95-2SC | Cab | S6663 | none | none |
| SVL95-2SHC | Cab | S6663 | 1, 2 | 4 |
| SVL95-2SFC | Cab | S6663 | 3 | none |
| SVL95-2SHFC | Cab | S6663 | 1, 2, 3 | 4 |
| SVL95-2S | ROPS | S6662 | none | none |
| SVL95-2SH | ROPS | S6662 | 1 | 4 |
| SVL95-2SF | ROPS | S6662 | 3 | none |
| SVL95-2SHF | ROPS | S6662 | 1, 2, 3 | 4 |
| Order Additional Items from Service Parts | | | | |
| Item # | Part # | Part Name | Qty | |
| 1 | V0511-53850 | Switch (Hitch) | 1 | |
| 2 | V0511-35451 | Cover (Switch) | 1 | |
| 3 | V1311-57710 | Label (High Flow) | 1 | |
| Discard Items | | | | |
| Item # | Part # | Part Name | Qty | |
| 4 | RD451-44642 | Cap, Switch | 1 | |
| **For Models Prior to Serial Number 035986 | | | | |



SVL95-2s

| SVL95-2s REPLACEMENT CAB & ROPS ADOPTION LIST Δ | | | | |
|--|-------------|-----------------------|---------------|---------------|
| Model | Cab or ROPS | WG # | Add Items | Discard Items |
| SVL95-2SC | Cab | S6669 | none | none |
| SVL95-2SHC | Cab | S6669 | 1, 2 | 4 |
| SVL95-2SFC | Cab | S6669 | 3, 8, 9 | 5, 6, 7 |
| SVL95-2SHFC | Cab | S6669 | 1, 2, 3, 8, 9 | 4, 5, 6, 7 |
| SVL95-2S | ROPS | S6668 | none | none |
| SVL95-2SH | ROPS | S6668 | 1, 2 | 4 |
| SVL95-2SF | ROPS | S6668 | 3, 8, 9 | 6, 7 |
| SVL95-2SHF | ROPS | S6668 | 1, 2, 3, 8, 9 | 4, 5, 6, 7 |
| Order Additional Items from Service Parts | | | | |
| Item # | Part # | Part Name | Qty | |
| 1 | V0511-53850 | Switch (Hitch) | 1 | |
| 2 | V0511-35451 | Cover (Switch) | 1 | |
| 3 | V1311-57710 | Label (High Flow) | 1 | |
| 8 | V0611-53840 | Switch (High Flow) | 1 | |
| 9 | V1311-97301 | Kit, Multi-Grip | 1 | |
| Discard Items | | | | |
| Item # | Part # | Part Name | Qty | |
| 4 | RD451-44642 | Cap, Switch | 1 | |
| 5 | V0511-53830 | Switch (Aux) | | |
| 6 | V0521-57930 | Label (Operation, LH) | 1 | |
| 7 | V1311-57942 | Label (Operation, RH) | 1 | |
| Δ For Models Beginning Serial Number 035986 | | | | |