

**JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS**

**Select Series X330 Tractor with 42 Accel Deep (42A) Mower Deck
Equipment for Base Machine**

<p>ENGINE 20 hp* (14.9 kW) 44.2-cu in. (724-cc) displacement Model 44J6 Air cooled, V-twin cylinder with cast-iron liners No tools oil drain and oil drain tube</p> <p>FUEL SYSTEM Gasoline Instrument display with hourmeter and fuel gauge</p> <p>ELECTRICAL SYSTEM 12-V (340-CCA) battery 14-amp regulated flywheel alternator Optional 12-V outlet</p> <p>TRANSAXLE K46 hydrostatic transmission Twin Touch pedals Cruise control 0-5.5 mph (0-8.9 km/h) forward speed 0-4 mph (0-6.4 km/h) reverse</p>	<p>speed</p> <p>CHASSIS Standard rear weight bracket holds up to two and optional front weight bracket holds up to four 42-lb (19-kg) Quik-Tatch weights Cast-iron front axle 15x6-6 front turf tires 20x10-8 rear turf tires Storage under seat and on fender</p> <p>STERING Manual, two-wheel steer 14-in. (35.6-cm) steering wheel 16-in. (40.6-cm) turning radius 42A - 26-in. (66 cm) uncut circle radius</p> <p>SEAT 15-in. (38.1-cm) open back with grasp</p> <p>LIFT SYSTEM Foot pedal implement lift with optional adjustable spring assist</p>	<p>MOWER DECK Side discharge 42 in. (107 cm) 12-gauge, 0.105-in. (2.7-mm) stamped steel deck shell Mower wash port Two mower wheels</p> <p>*Engine horsepower and torque information for non-Deere engines are provided by the engine manufacturer for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's Web site for additional information.</p>
---	--	--

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Horicon, Wisconsin

4690M	Select Series X330 Tractor with 42 Accel Deep (42A) Mower Deck <i>Not Available for Sale in California.</i>	2,999.00
-------	--	----------

DESTINATION

001A	United States and Canada	In Base Price
------	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

Carts

LP21935	Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	223.00
LP22755	Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD	Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	279.00

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X330 Tractor with 42 Accel Deep (42A) Mower Deck
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LPHDC13JD	Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	412.00
	LP68186	Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	449.99
	LPPCT17JD	Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	423.00
	LPHDC18JD	Utility Cart, 18 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	541.00
		Drawbar	
	PM05101	48mm (1 7/8-in.) hitch ball for ball-type hitch. Ball Mount sold separately.	11.13
	LP63768	Magnetic hitch pin	18.99
		Home Maintenance Kits	
	LG277	Home maintenance kit <i>For use with X330</i>	50.52
		Mcs Chutes	
	BG20754	Rear bagger chute for 42A Mower	128.40
		Mcs Hoppers	
	BM21679	7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines.</i>	452.61
	AM135486	Loose knit bag (1) for 7-bu Hopper	43.57
	LP47168	MCS 7 Dump-from-Seat Hopper, X300 with 7-bu (247-L) Hopper <i>Requires separate material collection system</i>	534.00
		Miscellaneous	
	BM24915	12-V outlet kit (X300) <i>Used on model year 2012- X300s (SN 220,001-)</i>	13.91
	LP63767	40-in. (102-cm) Tractor Shovel	963.00
	TY25866	Battery charger and maintainer	38.07
	LPJD301	Bucket holder (double)	90.00
	LPJD301W	Bucket holder (double) with buckets	107.00
	LPJD400	Bucket, 5 gal. (19 L)	9.00
	TY27534	Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.53
	BM25887	Lift-assist spring kit (X330, X350, X354)	38.51

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X330 Tractor with 42 Accel Deep (42A) Mower Deck
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
BUC10537		MowerPlus Smart Connector <i>Requires MowerPlus app.</i>	99.51
AM136046		Seat net kit	55.23
BM26155		Snow blower and front blade compatibility kit <i>Updates a model year 2006-2015 44-in. (112-cm) Snow Blower (7001M/SKU23045), 47-in. (119-cm) Snow Blower (7002M/SKU23047), or 48-in. (122-cm) Front Blade (6002M/SKU23048) for use on a model year 2016- X300/X500 M-T Tractor.</i>	337.06
Mower Blades			
GX25668		Blade (42A bagging)	28.63
M170642		Blade (42A mulching)	27.35
M170639		Blade (42A side discharge)	20.99
Mower Decks			
LP63762		Grass Groomer (42A)	102.00
AM130907		Mower deck leveling gauge	7.01
Mulch Kits			
BM24794		42A MulchControl attachment <i>Includes mulching blades</i>	139.10
BUC10164		42A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information. http://dtac.deere.com/Solutions/English/110887.htm</i>	321.00
Protection			
BM23057		Brush guard (X300/X500 M-T)	131.61
BM23056		Bumper (X300s, X500, X530, X534, X570)	68.49
LP93647		Riding mower cover, large deluxe	99.99
LP93917		Riding mower cover, standard	69.99
LP92624		Seat cover, medium deluxe yellow	42.99
LP92324		Seat cover, medium standard yellow	26.99
Spanish North American Kit			
BUC10202		Spanish label and operator's manual kit <i>For model year 2018 X350, X354, X370, X380, X384, X390, X394</i>	75.97
Spark Arrester			
AM135845		Spark arrester muffler screen (X300s, X500 M-Ts)	51.16
Sprayers			
LP22861		Mounted Sprayer, 25 gal. (95 L) (X300/X500 M-T) <i>Requires mid-mount mower, front implement, two front wheel weights, or four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	483.00

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X330 Tractor with 42 Accel Deep (42A) Mower Deck
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	464.00
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	482.00
		Spreaders	
LP35439		Mounted Electric Broadcast Spreader, 125 lb (57 kg) (X300/X500 M-T/X700) <i>Requires two front wheel weights or two front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	579.00
LP23117		Mounted electric broadcast spreader barrier shield	69.00
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	363.00
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	410.00
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	449.00
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	298.00
		Sun Protection	
BM23054		Sun shade (X300 and X500 M-T)	171.20
		Thatchers	
LP48004		38-in. (97-cm) Front Thatcher (Center) <i>Requires mounting frame</i>	261.00
LP48003		8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	58.00
LP48005		Thatcher Mounting Frame (X300/X500 M-T)	219.00
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	253.00
		Tire Chains	
LP39856		TerraGrip traction belts (pair) for 20x10-8 non-Turf Saver, 20x10-10, and 20x9-8 tires	85.00
TY16200		Tire chains (pair) for 20x10-8 non-Turf Saver and 20x10-10 tires	83.74
		Tow Behind	
LPSTS42JD		Lawn Sweeper, 42 in. (107 cm)	391.00
LP49038		Lawn Sweeper, 44 in. (112 cm)	379.99
LP42108		Lawn sweeper dethatcher kit (LPSTS42JD)	133.00
LP39089		MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
LPPRT36JD		Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	253.00
LPPA40JD		Tow-Behind Plug Aerator, 40 in. (102 cm)	459.00
LPSAT40JD		Tow-Behind Spiker Aerator, 40 in. (102 cm)	334.00
		Weather Enclosures	

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X330 Tractor with 42 Accel Deep (42A) Mower Deck
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LP55438		X300 Series weather enclosure	499.99
		Weights	
BM17962		34-lb (15-kg) Wheel Weight (1), cast iron, 5-in. or 6-in. front wheel <i>Includes one wheel weight. Requires one BM17978 mounting hardware.</i>	147.66
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Use up to two weights on the rear of X300 Series Tractors. Use up to four weights on the rear of X500 Series Tractors.</i>	59.91
BM25370		Weight bracket, front (X300/X500 M-T) <i>Allows installation of up to four UC13263 Quik-Tatch Weights. Used on X300s, model year 2007- model X500 (SN 020,001-), X530, model year 2011- X534 (SN 060,001-), and X570.</i>	71.69
BM17978		Wheel weight mounting hardware for attaching one front wheel weight	11.77

**JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS**

**Select Series X330 Tractor with 48 Accel Deep (48A) Mower Deck
Equipment for Base Machine**

ENGINE
20 hp* (14.9 kW)
44.2-cu in. (724-cc)
displacement
Model 44J6
Air cooled, V-twin cylinder with
cast-iron liners
No tools oil drain and oil drain
tube

FUEL SYSTEM
Gasoline
Instrument display with
hourmeter and fuel gauge

ELECTRICAL SYSTEM
12-V (340-CCA) battery
14-amp regulated flywheel
alternator
Optional 12-V outlet

TRANSAXLE
K46 hydrostatic transmission
Twin Touch pedals
Cruise control
0-5.5 mph (0-8.9 km/h) forward
speed
0-4 mph (0-6.4 km/h) reverse

speed
CHASSIS
Standard rear weight bracket
holds up to two and optional
front weight bracket holds up to
four 42-lb (19-kg) Quik-Tatch
weights
Cast-iron front axle
15x6-6 front turf tires
20x10-8 rear turf tires
Storage under seat and on fender

STERING
Manual, two-wheel steer
14-in. (35.6-cm) steering wheel
16-in. (40.6-cm) turning radius
48A - 21 in. (53 cm) uncut
circle radius

SEAT
15-in. (38.1-cm) open back with
grasp

LIFT SYSTEM
Foot pedal implement lift with
adjustable spring assist

MOWER DECK
Side discharge 48 in. (122 cm)
10-gauge, 0.135-in. (3.4-mm)
stamped steel deck shell
Mower wash port
Four mower wheels and front
center rollers

*Engine horsepower and torque
information for non-Deere
engines are provided by the
engine manufacturer for
comparison purposes only. Actual
operating horsepower and torque
will be less. Refer to the
engine manufacturer's Web site
for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Horicon, Wisconsin

4691M	Select Series X330 Tractor with 48 Accel Deep (48A) Mower Deck <i>Not Available for Sale in California.</i>	3,399.00
-------	--	----------

DESTINATION

001A	United States and Canada	In Base Price
------	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

Carts

LP21935	Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	223.00
LP22755	Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD	Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	279.00

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X330 Tractor with 48 Accel Deep (48A) Mower Deck
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LPHDC13JD	Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	412.00
	LP68186	Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	449.99
	LPPCT17JD	Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	423.00
	LPHDC18JD	Utility Cart, 18 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	541.00
		Drawbar	
	PM05101	48mm (1 7/8-in.) hitch ball for ball-type hitch. Ball Mount sold separately.	11.13
	LP63768	Magnetic hitch pin	18.99
		Home Maintenance Kits	
	LG277	Home maintenance kit <i>For use with X330</i>	50.52
		Mcs Chutes	
	BM21681	Power Flow chute (6.5/7 bu)	115.56
		Mcs Hoppers	
	BM21679	7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines.</i>	452.61
	AM135486	Loose knit bag (1) for 7-bu Hopper	43.57
	LP47168	MCS 7 Dump-from-Seat Hopper, X300 with 7-bu (247-L) Hopper <i>Requires separate material collection system</i>	534.00
		Mcs Power Flow Blowers	
	BG20748	48A High-Performance Power Flow blower (X300/X500 M-T)	555.33
		Miscellaneous	
	BM24915	12-V outlet kit (X300) <i>Used on model year 2012- X300s (SN 220,001-)</i>	13.91
	LP63767	40-in. (102-cm) Tractor Shovel	963.00
	TY25866	Battery charger and maintainer	38.07
	LPJD301	Bucket holder (double)	90.00
	LPJD301W	Bucket holder (double) with buckets	107.00
	LPJD400	Bucket, 5 gal. (19 L)	9.00
	TY27534	Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.53

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X330 Tractor with 48 Accel Deep (48A) Mower Deck
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BUC10537		MowerPlus Smart Connector <i>Requires MowerPlus app.</i>	99.51
AM136046		Seat net kit	55.23
BM26155		Snow blower and front blade compatibility kit <i>Updates a model year 2006-2015 44-in. (112-cm) Snow Blower (7001M/SKU23045), 47-in. (119-cm) Snow Blower (7002M/SKU23047), or 48-in. (122-cm) Front Blade (6002M/SKU23048) for use on a model year 2016- X300/X500 M-T Tractor.</i>	337.06
		Mower Blades	
M127673		Blade (48C/48X/48A mulching)	13.97
M145476		Blade (48C/48X/48A side discharge)	11.73
		Mower Decks	
BM26238		Dry-condition kit (48A)	58.86
LP63761		Grass Groomer (48A/54A)	112.00
AM130907		Mower deck leveling gauge	7.01
		Mulch Kits	
BM24993		48A MulchControl attachment <i>Includes mulching blades</i>	169.06
BUC10165		48A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000; X500 serial number 110,001-130,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information. http://dtac.deere.com/Solutions/English/110887.htm</i>	350.96
		Protection	
BM23057		Brush guard (X300/X500 M-T)	131.61
BM23056		Bumper (X300s, X500, X530, X534, X570)	68.49
LP93647		Riding mower cover, large deluxe	99.99
LP93917		Riding mower cover, standard	69.99
LP92624		Seat cover, medium deluxe yellow	42.99
LP92324		Seat cover, medium standard yellow	26.99
		Spark Arrester	
AM135845		Spark arrester muffler screen (X300s, X500 M-Ts)	51.16
		Sprayers	
LP22861		Mounted Sprayer, 25 gal. (95 L) (X300/X500 M-T) <i>Requires mid-mount mower, front implement, two front wheel weights, or four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	483.00
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	464.00
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	482.00

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X330 Tractor with 48 Accel Deep (48A) Mower Deck
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
Spreaders			
LP35439		Mounted Electric Broadcast Spreader, 125 lb (57 kg) (X300/X500 M-T/X700) <i>Requires two front wheel weights or two front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	579.00
LP23117		Mounted electric broadcast spreader barrier shield	69.00
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	363.00
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	410.00
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	449.00
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	298.00
Sun Protection			
BM23054		Sun shade (X300 and X500 M-T)	171.20
Thatchers			
LP48004		38-in. (97-cm) Front Thatcher (Center) <i>Requires mounting frame</i>	261.00
LP48003		8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	58.00
LP48005		Thatcher Mounting Frame (X300/X500 M-T)	219.00
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	253.00
Tire Chains			
LP39856		TerraGrip traction belts (pair) for 20x10-8 non-Turf Saver, 20x10-10, and 20x9-8 tires	85.00
TY16200		Tire chains (pair) for 20x10-8 non-Turf Saver and 20x10-10 tires	83.74
Tow Behind			
LPSTS42JD		Lawn Sweeper, 42 in. (107 cm)	391.00
LP49038		Lawn Sweeper, 44 in. (112 cm)	379.99
LP42108		Lawn sweeper dethatcher kit (LPSTS42JD)	133.00
LP39089		MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
LPPRT36JD		Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	253.00
LPPA40JD		Tow-Behind Plug Aerator, 40 in. (102 cm)	459.00
LPSAT40JD		Tow-Behind Spiker Aerator, 40 in. (102 cm)	334.00
Weather Enclosures			
LP55438		X300 Series weather enclosure	499.99

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X330 Tractor with 48 Accel Deep (48A) Mower Deck
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Weights	
BM17962		34-lb (15-kg) Wheel Weight (1), cast iron, 5-in. or 6-in. front wheel <i>Includes one wheel weight. Requires one BM17978 mounting hardware.</i>	147.66
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Use up to two weights on the rear of X300 Series Tractors. Use up to four weights on the rear of X500 Series Tractors.</i>	59.91
BM25370		Weight bracket, front (X300/X500 M-T) <i>Allows installation of up to four UC13263 Quik-Tatch Weights. Used on X300s, model year 2007- model X500 (SN 020,001-), X530, model year 2011- X534 (SN 060,001-), and X570.</i>	71.69
BM17978		Wheel weight mounting hardware for attaching one front wheel weight	11.77

**JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS**

**Select Series X350 Tractor with 42 Accel Deep (42A) Mower Deck
Equipment for Base Machine**

<p>ENGINE 18.5 hp* (13.8 kW) 36.8-cu in. (603-cc) displacement Model FS600V Air cooled, V-twin cylinder with cast-iron liners No tools oil drain</p> <p>FUEL SYSTEM Gasoline Instrument display with hourmeter and fuel gauge</p> <p>ELECTRICAL SYSTEM 12-V (340-CCA) battery 15-amp regulated flywheel alternator Optional 12-V outlet</p> <p>TRANSAXLE K46 hydrostatic transmission Twin Touch pedals Cruise control 0-5.5 mph (0-8.9 km/h) forward speed 0-4 mph (0-6.4 km/h) reverse</p>	<p>speed</p> <p>CHASSIS Standard rear weight bracket holds up to two and optional front weight bracket holds up to four 42-lb (19-kg) Quik-Tatch weights Cast-iron front axle 15x6-6 front turf tires 20x10-8 rear turf tires Storage under seat and on fender</p> <p>STERING Manual, two-wheel steer 14-in. (35.6-cm) steering wheel 16-in. (40.6-cm) turning radius 42A - 26 in. (66 cm) uncut circle radius</p> <p>SEAT 15-in. (38.1-cm) open back with grasp</p> <p>LIFT SYSTEM Foot pedal implement lift with optional adjustable spring</p>	<p>assist</p> <p>MOWER DECK Side discharge 42 in. (107 cm) 12-gauge, 0.105-in. (2.7-mm) stamped steel deck shell Mower wash port Two mower wheels</p> <p>*Engine horsepower and torque information for non-Deere engines are provided by the engine manufacturer for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's Web site for additional information.</p>
--	---	--

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Horicon, Wisconsin

4880M	Select Series X350 Tractor with 42 Accel Deep (42A) Mower Deck <i>Not Available for Sale in California.</i>	3,299.00
-------	--	----------

DESTINATION

001A	United States and Canada	In Base Price
------	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

Code	Description	List Price Suggested USD (\$)
LP21935	Carts Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	223.00
LP22755	Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD	Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	279.00

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X350 Tractor with 42 Accel Deep (42A) Mower Deck
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LPHDC13JD	Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	412.00
	LP68186	Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	449.99
	LPPCT17JD	Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	423.00
	LPHDC18JD	Utility Cart, 18 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	541.00
		Drawbar	
	PM05101	48mm (1 7/8-in.) hitch ball for ball-type hitch. Ball Mount sold separately.	11.13
	LP63768	Magnetic hitch pin	18.99
		Home Maintenance Kits	
	LG265	Home maintenance kit	48.44
		Mcs Chutes	
	BG20754	Rear bagger chute for 42A Mower	128.40
		Mcs Hoppers	
	BM21679	7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines.</i>	452.61
	AM135486	Loose knit bag (1) for 7-bu Hopper	43.57
	LP47168	MCS 7 Dump-from-Seat Hopper, X300 with 7-bu (247-L) Hopper <i>Requires separate material collection system</i>	534.00
		Miscellaneous	
	BM24915	12-V outlet kit (X300) <i>Used on model year 2012- X300s (SN 220,001-)</i>	13.91
	LP63767	40-in. (102-cm) Tractor Shovel	963.00
	TY25866	Battery charger and maintainer	38.07
	LPJD301	Bucket holder (double)	90.00
	LPJD301W	Bucket holder (double) with buckets	107.00
	LPJD400	Bucket, 5 gal. (19 L)	9.00
	TY27534	Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.53
	BM25887	Lift-assist spring kit (X330, X350, X354)	38.51
	BUC10537	MowerPlus Smart Connector <i>Requires MowerPlus app.</i>	99.51

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X350 Tractor with 42 Accel Deep (42A) Mower Deck
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
AM136046		Seat net kit	55.23
BM26155		Snow blower and front blade compatibility kit <i>Updates a model year 2006-2015 44-in. (112-cm) Snow Blower (7001M/SKU23045), 47-in. (119-cm) Snow Blower (7002M/SKU23047), or 48-in. (122-cm) Front Blade (6002M/SKU23048) for use on a model year 2016- X300/X500 M-T Tractor.</i>	337.06
		Mower Blades	
GX25668		Blade (42A bagging)	28.63
M170642		Blade (42A mulching)	27.35
M170639		Blade (42A side discharge)	20.99
		Mower Decks	
LP63762		Grass Groomer (42A)	102.00
AM130907		Mower deck leveling gauge	7.01
		Mulch Kits	
BM24794		42A MulchControl attachment <i>Includes mulching blades</i>	139.10
BUC10164		42A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information. http://dtac.deere.com/Solutions/English/110887.htm</i>	321.00
		Protection	
BM23057		Brush guard (X300/X500 M-T)	131.61
BM23056		Bumper (X300s, X500, X530, X534, X570)	68.49
LP93647		Riding mower cover, large deluxe	99.99
LP93917		Riding mower cover, standard	69.99
LP92624		Seat cover, medium deluxe yellow	42.99
LP92324		Seat cover, medium standard yellow	26.99
		Spanish North American Kit	
BUC10202		Spanish label and operator's manual kit <i>For model year 2018 X350, X354, X370, X380, X384, X390, X394</i>	75.97
		Spark Arrester	
AM135845		Spark arrester muffler screen (X300s, X500 M-Ts)	51.16
		Sprayers	
LP22861		Mounted Sprayer, 25 gal. (95 L) (X300/X500 M-T) <i>Requires mid-mount mower, front implement, two front wheel weights, or four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	483.00
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	464.00

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X350 Tractor with 42 Accel Deep (42A) Mower Deck
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	482.00
		Spreaders	
LP35439		Mounted Electric Broadcast Spreader, 125 lb (57 kg) (X300/X500 M-T/X700) <i>Requires two front wheel weights or two front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	579.00
LP23117		Mounted electric broadcast spreader barrier shield	69.00
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	363.00
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	410.00
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	449.00
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	298.00
		Sun Protection	
BM23054		Sun shade (X300 and X500 M-T)	171.20
		Thatchers	
LP48004		38-in. (97-cm) Front Thatcher (Center) <i>Requires mounting frame</i>	261.00
LP48003		8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	58.00
LP48005		Thatcher Mounting Frame (X300/X500 M-T)	219.00
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	253.00
		Tire Chains	
LP39856		TerraGrip traction belts (pair) for 20x10-8 non-Turf Saver, 20x10-10, and 20x9-8 tires	85.00
TY16200		Tire chains (pair) for 20x10-8 non-Turf Saver and 20x10-10 tires	83.74
		Tow Behind	
LPSTS42JD		Lawn Sweeper, 42 in. (107 cm)	391.00
LP49038		Lawn Sweeper, 44 in. (112 cm)	379.99
LP42108		Lawn sweeper dethatcher kit (LPSTS42JD)	133.00
LP39089		MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
LPPRT36JD		Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	253.00
LPPA40JD		Tow-Behind Plug Aerator, 40 in. (102 cm)	459.00
LPSAT40JD		Tow-Behind Spiker Aerator, 40 in. (102 cm)	334.00
		Weather Enclosures	
LP55438		X300 Series weather enclosure	499.99

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X350 Tractor with 42 Accel Deep (42A) Mower Deck
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Weights	
BM17962		34-lb (15-kg) Wheel Weight (1), cast iron, 5-in. or 6-in. front wheel <i>Includes one wheel weight. Requires one BM17978 mounting hardware.</i>	147.66
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Use up to two weights on the rear of X300 Series Tractors. Use up to four weights on the rear of X500 Series Tractors.</i>	59.91
BM25370		Weight bracket, front (X300/X500 M-T) <i>Allows installation of up to four UC13263 Quik-Tatch Weights. Used on X300s, model year 2007- model X500 (SN 020,001-), X530, model year 2011- X534 (SN 060,001-), and X570.</i>	71.69
BM17978		Wheel weight mounting hardware for attaching one front wheel weight	11.77

**JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS**

**Select Series X350 Tractor with 48 Accel Deep (48A) Mower Deck
Equipment for Base Machine**

<p>ENGINE 18.5 hp* (13.8 kW) 36.8-cu in. (603-cc) displacement Model FS600V Air cooled, V-twin cylinder with cast-iron liners No tools oil drain</p> <p>FUEL SYSTEM Gasoline Instrument display with hourmeter and fuel gauge</p> <p>ELECTRICAL SYSTEM 12-V (340-CCA) battery 15-amp regulated flywheel alternator Optional 12-V outlet</p> <p>TRANSAXLE K46 hydrostatic transmission Twin Touch pedals Cruise control 0-5.5 mph (0-8.9 km/h) forward speed 0-4 mph (0-6.4 km/h) reverse</p>	<p>speed</p> <p>CHASSIS Standard rear weight bracket holds up to two and optional front weight bracket holds up to four 42-lb (19-kg) Quik-Tatch weights Cast-iron front axle 15x6-6 front turf tires 20x10-8 rear turf tires Storage under seat and on fender</p> <p>STERING Manual, two-wheel steer 14-in. (35.6-cm) steering wheel 16-in. (40.6-cm) turning radius 48A - 21 in. (53 cm) uncut circle radius</p> <p>SEAT 15-in. (38.1-cm) open back with grasp</p> <p>LIFT SYSTEM Foot pedal implement lift with adjustable spring assist</p>	<p>MOWER DECK Side discharge 48 in. (122 cm) 10-gauge, 0.135-in. (3.4-mm) stamped steel deck shell Mower wash port Four mower wheels and front center rollers</p> <p>*Engine horsepower and torque information for non-Deere engines are provided by the engine manufacturer for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's Web site for additional information.</p>
--	---	--

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Horicon, Wisconsin

4881M	Select Series X350 Tractor with 48 Accel Deep (48A) Mower Deck	Not Available for Sale in California.	3,699.00
-------	--	---------------------------------------	----------

DESTINATION

001A	United States and Canada		In Base Price
------	--------------------------	--	---------------

ATTACHMENTS FOR FIELD CONVERSION

Carts			
LP21935	Utility Cart, 7P Poly	The loaded weight of the cart should never exceed the weight of the tractor plus the operator.	223.00
LP22755	Utility Cart, 8Y Convertible Poly	The loaded weight of the cart should never exceed the weight of the tractor plus the operator.	199.00
LPPCT10JD	Utility Cart, 10P Poly	The loaded weight of the cart should never exceed the weight of the tractor plus the operator.	279.00

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X350 Tractor with 48 Accel Deep (48A) Mower Deck
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LPHDC13JD	Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	412.00
	LP68186	Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	449.99
	LPPCT17JD	Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	423.00
	LPHDC18JD	Utility Cart, 18 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	541.00
		Drawbar	
	PM05101	48mm (1 7/8-in.) hitch ball for ball-type hitch. Ball Mount sold separately.	11.13
	LP63768	Magnetic hitch pin	18.99
		Home Maintenance Kits	
	LG265	Home maintenance kit	48.44
		Mcs Chutes	
	BM21681	Power Flow chute (6.5/7 bu)	115.56
		Mcs Hoppers	
	BM21679	7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines.</i>	452.61
	AM135486	Loose knit bag (1) for 7-bu Hopper	43.57
	LP47168	MCS 7 Dump-from-Seat Hopper, X300 with 7-bu (247-L) Hopper <i>Requires separate material collection system</i>	534.00
		Mcs Power Flow Blowers	
	BG20748	48A High-Performance Power Flow blower (X300/X500 M-T)	555.33
		Miscellaneous	
	BM24915	12-V outlet kit (X300) <i>Used on model year 2012- X300s (SN 220,001-)</i>	13.91
	LP63767	40-in. (102-cm) Tractor Shovel	963.00
	TY25866	Battery charger and maintainer	38.07
	LPJD301	Bucket holder (double)	90.00
	LPJD301W	Bucket holder (double) with buckets	107.00
	LPJD400	Bucket, 5 gal. (19 L)	9.00
	TY27534	Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.53

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X350 Tractor with 48 Accel Deep (48A) Mower Deck
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
BUC10537		MowerPlus Smart Connector <i>Requires MowerPlus app.</i>	99.51
AM136046		Seat net kit	55.23
BM26155		Snow blower and front blade compatibility kit <i>Updates a model year 2006-2015 44-in. (112-cm) Snow Blower (7001M/SKU23045), 47-in. (119-cm) Snow Blower (7002M/SKU23047), or 48-in. (122-cm) Front Blade (6002M/SKU23048) for use on a model year 2016- X300/X500 M-T Tractor.</i>	337.06
Mower Blades			
M127673		Blade (48C/48X/48A mulching)	13.97
M145476		Blade (48C/48X/48A side discharge)	11.73
Mower Decks			
BM26238		Dry-condition kit (48A)	58.86
LP63761		Grass Groomer (48A/54A)	112.00
AM130907		Mower deck leveling gauge	7.01
Mulch Kits			
BM24993		48A MulchControl attachment <i>Includes mulching blades</i>	169.06
BUC10165		48A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000; X500 serial number 110,001-130,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information. http://dtac.deere.com/Solutions/English/110887.htm</i>	350.96
Protection			
BM23057		Brush guard (X300/X500 M-T)	131.61
BM23056		Bumper (X300s, X500, X530, X534, X570)	68.49
LP93647		Riding mower cover, large deluxe	99.99
LP93917		Riding mower cover, standard	69.99
LP92624		Seat cover, medium deluxe yellow	42.99
LP92324		Seat cover, medium standard yellow	26.99
Spanish North American Kit			
BUC10202		Spanish label and operator's manual kit <i>For model year 2018 X350, X354, X370, X380, X384, X390, X394</i>	75.97
Spark Arrester			
AM135845		Spark arrester muffler screen (X300s, X500 M-Ts)	51.16
Sprayers			
LP22861		Mounted Sprayer, 25 gal. (95 L) (X300/X500 M-T) <i>Requires mid-mount mower, front implement, two front wheel weights, or four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	483.00

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X350 Tractor with 48 Accel Deep (48A) Mower Deck
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	464.00
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	482.00
		Spreaders	
LP35439		Mounted Electric Broadcast Spreader, 125 lb (57 kg) (X300/X500 M-T/X700) <i>Requires two front wheel weights or two front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	579.00
LP23117		Mounted electric broadcast spreader barrier shield	69.00
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	363.00
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	410.00
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	449.00
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	298.00
		Sun Protection	
BM23054		Sun shade (X300 and X500 M-T)	171.20
		Thatchers	
LP48004		38-in. (97-cm) Front Thatcher (Center) <i>Requires mounting frame</i>	261.00
LP48003		8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	58.00
LP48005		Thatcher Mounting Frame (X300/X500 M-T)	219.00
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	253.00
		Tire Chains	
LP39856		TerraGrip traction belts (pair) for 20x10-8 non-Turf Saver, 20x10-10, and 20x9-8 tires	85.00
TY16200		Tire chains (pair) for 20x10-8 non-Turf Saver and 20x10-10 tires	83.74
		Tow Behind	
LPSTS42JD		Lawn Sweeper, 42 in. (107 cm)	391.00
LP49038		Lawn Sweeper, 44 in. (112 cm)	379.99
LP42108		Lawn sweeper dethatcher kit (LPSTS42JD)	133.00
LP39089		MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
LPPRT36JD		Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	253.00
LPPA40JD		Tow-Behind Plug Aerator, 40 in. (102 cm)	459.00
LPSAT40JD		Tow-Behind Spiker Aerator, 40 in. (102 cm)	334.00
		Weather Enclosures	

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X350 Tractor with 48 Accel Deep (48A) Mower Deck
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LP55438		X300 Series weather enclosure	499.99
		Weights	
BM17962		34-lb (15-kg) Wheel Weight (1), cast iron, 5-in. or 6-in. front wheel <i>Includes one wheel weight. Requires one BM17978 mounting hardware.</i>	147.66
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Use up to two weights on the rear of X300 Series Tractors. Use up to four weights on the rear of X500 Series Tractors.</i>	59.91
BM25370		Weight bracket, front (X300/X500 M-T) <i>Allows installation of up to four UC13263 Quik-Tatch Weights. Used on X300s, model year 2007- model X500 (SN 020,001-), X530, model year 2011- X534 (SN 060,001-), and X570.</i>	71.69
BM17978		Wheel weight mounting hardware for attaching one front wheel weight	11.77

JOHN DEERE TURF & UTILITY PRODUCTS LAWN TRACTORS

Select Series X350 Tractor Less Mower Deck Equipment for Base Machine

<p>ENGINE 18.5 hp* (13.8 kW) 36.8-cu in. (603-cc) displacement Model FS600V Air cooled, V-twin cylinder with cast-iron liners No tools oil drain</p>	<p>holds up to two and optional front weight bracket holds up to four 42-lb (19-kg) Quik-Tatch weights Cast-iron front axle 15x6-6 front turf tires 20x10-8 rear turf tires Storage under seat and on fender</p>	<p>42M, 42A - 12-gauge, 0.105-in. (2.7-mm); 48A - 10-gauge, 0.135-in. (3.4-mm) stamped steel deck shell Mower wash port 42 Mulch and 42A - Two mower wheels, 48A - Four mower wheels and front center rollers</p>
<p>FUEL SYSTEM Gasoline Instrument display with hourmeter and fuel gauge</p>	<p>STEERING Manual, two-wheel steer 14-in. (35.6-cm) steering wheel 16-in. (40.6-cm) turning radius 42 Mulch - Right 23 in. (58 cm) Left 27 in. (69 cm), 42A - 26 in. (66 cm); 48A - 21 in. (53 cm) uncut circle radius</p>	<p>MOWER ATTACHABILITY 48A - Mower wheels rotate 90 degrees for easy mower removal</p>
<p>ELECTRICAL SYSTEM 12-V (340-CCA) battery 15-amp regulated flywheel alternator Optional 12-V outlet</p>	<p>SEAT 15-in. (38.1-cm) open back with grasp</p>	<p>*Engine horsepower and torque information for non-Deere engines are provided by the engine manufacturer for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's Web site for additional information.</p>
<p>TRANSAXLE K46 hydrostatic transmission Twin Touch pedals Cruise control 0-5.5 mph (0-8.9 km/h) forward speed 0-4 mph (0-6.4 km/h) reverse speed</p>	<p>LIFT SYSTEM Foot pedal implement lift with optional adjustable spring assist</p>	
<p>CHASSIS Standard rear weight bracket</p>	<p>OPTIONAL MOWER DECKS Mulch 42 in. (107 cm), side discharge 42 in. (107 cm) or 48 in. (122 cm)</p>	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

<i>F.O.B. Horicon, Wisconsin</i>			
4882M		Select Series X350 Tractor Less Mower Deck <i>Not Available for Sale in California.</i>	2,799.00

DESTINATION

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

		Carts	
LP21935		Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	223.00
LP22755		Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD		Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	279.00

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X350 Tractor Less Mower Deck
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LPHDC13JD	Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	412.00
	LP68186	Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	449.99
	LPPCT17JD	Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	423.00
	LPHDC18JD	Utility Cart, 18 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	541.00
		Drawbar	
	PM05101	48mm (1 7/8-in.) hitch ball for ball-type hitch. Ball Mount sold separately.	11.13
	LP63768	Magnetic hitch pin	18.99
		Home Maintenance Kits	
	LG265	Home maintenance kit	48.44
		Mcs Chutes	
	BM21681	Power Flow chute (6.5/7 bu)	115.56
	BG20754	Rear bagger chute for 42A Mower	128.40
		Mcs Hoppers	
	BM21679	7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines.</i>	452.61
	AM135486	Loose knit bag (1) for 7-bu Hopper	43.57
	LP47168	MCS 7 Dump-from-Seat Hopper, X300 with 7-bu (247-L) Hopper <i>Requires separate material collection system</i>	534.00
		Mcs Power Flow Blowers	
	BG20748	48A High-Performance Power Flow blower (X300/X500 M-T)	555.33
		Miscellaneous	
	BM24915	12-V outlet kit (X300) <i>Used on model year 2012- X300s (SN 220,001-)</i>	13.91
	LP63767	40-in. (102-cm) Tractor Shovel	963.00
	TY25866	Battery charger and maintainer	38.07
	LPJD301	Bucket holder (double)	90.00
	LPJD301W	Bucket holder (double) with buckets	107.00
	LPJD400	Bucket, 5 gal. (19 L)	9.00
	TY27534	Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.53

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X350 Tractor Less Mower Deck
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
BM25887		Lift-assist spring kit (X330, X350, X354)	38.51
BUC10537		MowerPlus Smart Connector <i>Requires MowerPlus app.</i>	99.51
AM136046		Seat net kit	55.23
BM26155		Snow blower and front blade compatibility kit <i>Updates a model year 2006-2015 44-in. (112-cm) Snow Blower (7001M/SKU23045), 47-in. (119-cm) Snow Blower (7002M/SKU23047), or 48-in. (122-cm) Front Blade (6002M/SKU23048) for use on a model year 2016- X300/X500 M-T Tractor.</i>	337.06
Mower Blades			
GX25668		Blade (42A bagging)	28.63
M170642		Blade (42A mulching)	27.35
M170639		Blade (42A side discharge)	20.99
M127673		Blade (48C/48X/48A mulching)	13.97
M145476		Blade (48C/48X/48A side discharge)	11.73
AM140332		Blade Kit (42M mulching low lift and X350R mulching)	61.38
AM140973		Blade Kit (42M mulching)	42.75
Mower Decks			
BM26238		Dry-condition kit (48A)	58.86
LP63762		Grass Groomer (42A)	102.00
LP63761		Grass Groomer (48A/54A)	112.00
AM130907		Mower deck leveling gauge	7.01
Mulch Kits			
BM24794		42A MulchControl attachment <i>Includes mulching blades</i>	139.10
BUC10164		42A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information. http://dtac.deere.com/Solutions/English/110887.htm</i>	321.00
AM140329		42M Mulch insert kit <i>Recommended for buyers who previously owned a Freedom 42 Mower Deck</i>	97.68
BM24993		48A MulchControl attachment <i>Includes mulching blades</i>	169.06

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X350 Tractor Less Mower Deck
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BUC10165		48A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000; X500 serial number 110,001-130,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information. http://dtac.deere.com/Solutions/English/110887.htm</i>	350.96
		Protection	
BM23057		Brush guard (X300/X500 M-T)	131.61
BM23056		Bumper (X300s, X500, X530, X534, X570)	68.49
LP93647		Riding mower cover, large deluxe	99.99
LP93917		Riding mower cover, standard	69.99
LP92624		Seat cover, medium deluxe yellow	42.99
LP92324		Seat cover, medium standard yellow	26.99
		Spanish North American Kit	
BUC10202		Spanish label and operator's manual kit <i>For model year 2018 X350, X354, X370, X380, X384, X390, X394</i>	75.97
		Spark Arrester	
AM135845		Spark arrester muffler screen (X300s, X500 M-Ts)	51.16
		Sprayers	
LP22861		Mounted Sprayer, 25 gal. (95 L) (X300/X500 M-T) <i>Requires mid-mount mower, front implement, two front wheel weights, or four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	483.00
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	464.00
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	482.00
		Spreaders	
LP35439		Mounted Electric Broadcast Spreader, 125 lb (57 kg) (X300/X500 M-T/X700) <i>Requires two front wheel weights or two front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	579.00
LP23117		Mounted electric broadcast spreader barrier shield	69.00
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	363.00
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	410.00
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	449.00
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	298.00
		Sun Protection	
BM23054		Sun shade (X300 and X500 M-T)	171.20
		Thatchers	

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X350 Tractor Less Mower Deck
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LP48004		38-in. (97-cm) Front Thatcher (Center) <i>Requires mounting frame</i>	261.00
LP48003		8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	58.00
LP48005		Thatcher Mounting Frame (X300/X500 M-T)	219.00
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	253.00
		Tire Chains	
LP39856		TerraGrip traction belts (pair) for 20x10-8 non-Turf Saver, 20x10-10, and 20x9-8 tires	85.00
TY16200		Tire chains (pair) for 20x10-8 non-Turf Saver and 20x10-10 tires	83.74
		Tow Behind	
LPSTS42JD		Lawn Sweeper, 42 in. (107 cm)	391.00
LP49038		Lawn Sweeper, 44 in. (112 cm)	379.99
LP42108		Lawn sweeper dethatcher kit (LPSTS42JD)	133.00
LP39089		MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
LPPRT36JD		Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	253.00
LPPA40JD		Tow-Behind Plug Aerator, 40 in. (102 cm)	459.00
LPSAT40JD		Tow-Behind Spiker Aerator, 40 in. (102 cm)	334.00
		Weather Enclosures	
LP55438		X300 Series weather enclosure	499.99
		Weights	
BM17962		34-lb (15-kg) Wheel Weight (1), cast iron, 5-in. or 6-in. front wheel <i>Includes one wheel weight. Requires one BM17978 mounting hardware.</i>	147.66
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Use up to two weights on the rear of X300 Series Tractors. Use up to four weights on the rear of X500 Series Tractors.</i>	59.91
BM25370		Weight bracket, front (X300/X500 M-T) <i>Allows installation of up to four UC13263 Quik-Tatch Weights. Used on X300s, model year 2007- model X500 (SN 020,001-), X530, model year 2011- X534 (SN 060,001-), and X570.</i>	71.69
BM17978		Wheel weight mounting hardware for attaching one front wheel weight	11.77

**JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS**

**Select Series X350 Tractor Less Mower Deck, California Model
Equipment for Base Machine**

ENGINE
18.5 hp* (13.8 kW)
36.8-cu in. (603-cc)
displacement
Model FS600V
Air cooled, V-twin cylinder with
cast-iron liners
No tools oil drain

FUEL SYSTEM
Gasoline
Instrument display with
hourmeter and fuel gauge

ELECTRICAL SYSTEM
12-V (340-CCA) battery
15-amp regulated flywheel
alternator
Optional 12-V outlet

TRANSAXLE
K46 hydrostatic transmission
Twin Touch pedals
Cruise control
0-5.5 mph (0-8.9 km/h) forward
speed
0-4 mph (0-6.4 km/h) reverse
speed

CHASSIS
Standard rear weight bracket

holds up to two and optional
front weight bracket holds up to
four 42-lb (19-kg) Quik-Tatch
weights
Cast-iron front axle
15x6-6 front turf tires
20x10-8 rear turf tires
Storage under seat and on fender

STEERING
Manual, two-wheel steer
14-in. (35.6-cm) steering wheel
16-in. (40.6-cm) turning radius
42 Mulch - Right 23 in. (58 cm)
Left 27 in. (69 cm), 42A - 26
in. (66 cm); 48A - 21 in. (53
cm) uncut circle radius

SEAT
15-in. (38.1-cm) open back with
grasp

LIFT SYSTEM
Foot pedal implement lift with
optional adjustable spring
assist

OPTIONAL MOWER DECKS
Mulch 42 in. (107 cm), side
discharge 42 in. (107 cm) or 48
in. (122 cm)

42M, 42A - 12-gauge, 0.105-in.
(2.7-mm); 48A - 10-gauge,
0.135-in. (3.4-mm) stamped steel
deck shell
Mower wash port
42 Mulch and 42A - Two mower
wheels, 48A - Four mower wheels
and front center rollers

MOWER ATTACHABILITY
48A - Mower wheels rotate 90
degrees for easy mower removal

*Engine horsepower and torque
information for non-Deere
engines are provided by the
engine manufacturer for
comparison purposes only. Actual
operating horsepower and torque
will be less. Refer to the
engine manufacturer's Web site
for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Horicon, Wisconsin

4883M	Select Series X350 Tractor Less Mower Deck, California Model	2,799.00
-------	--	----------

ATTACHMENTS FOR FIELD CONVERSION

Carts

LP21935	Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	223.00
LP22755	Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD	Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	279.00
LPHDC13JD	Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	412.00

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X350 Tractor Less Mower Deck, California Model
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LP68186		Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	449.99
LPPCT17JD		Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	423.00
LPHDC18JD		Utility Cart, 18 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	541.00
		Drawbar	
PM05101		48mm (1 7/8-in.) hitch ball for ball-type hitch. Ball Mount sold separately.	11.13
LP63768		Magnetic hitch pin	18.99
		Home Maintenance Kits	
LG265		Home maintenance kit	48.44
		Mcs Chutes	
BM21681		Power Flow chute (6.5/7 bu)	115.56
BG20754		Rear bagger chute for 42A Mower	128.40
		Mcs Hoppers	
BM21679		7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines.</i>	452.61
AM135486		Loose knit bag (1) for 7-bu Hopper	43.57
LP47168		MCS 7 Dump-from-Seat Hopper, X300 with 7-bu (247-L) Hopper <i>Requires separate material collection system</i>	534.00
		Mcs Power Flow Blowers	
BG20748		48A High-Performance Power Flow blower (X300/X500 M-T)	555.33
		Miscellaneous	
BM24915		12-V outlet kit (X300) <i>Used on model year 2012- X300s (SN 220,001-)</i>	13.91
LP63767		40-in. (102-cm) Tractor Shovel	963.00
TY25866		Battery charger and maintainer	38.07
LPJD301		Bucket holder (double)	90.00
LPJD301W		Bucket holder (double) with buckets	107.00
LPJD400		Bucket, 5 gal. (19 L)	9.00
TY27534		Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.53
BM25887		Lift-assist spring kit (X330, X350, X354)	38.51

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X350 Tractor Less Mower Deck, California Model
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
BUC10537		MowerPlus Smart Connector <i>Requires MowerPlus app.</i>	99.51
AM136046		Seat net kit	55.23
BM26155		Snow blower and front blade compatibility kit <i>Updates a model year 2006-2015 44-in. (112-cm) Snow Blower (7001M/SKU23045), 47-in. (119-cm) Snow Blower (7002M/SKU23047), or 48-in. (122-cm) Front Blade (6002M/SKU23048) for use on a model year 2016- X300/X500 M-T Tractor.</i>	337.06
Mower Blades			
GX25668		Blade (42A bagging)	28.63
M170642		Blade (42A mulching)	27.35
M170639		Blade (42A side discharge)	20.99
M127673		Blade (48C/48X/48A mulching)	13.97
M145476		Blade (48C/48X/48A side discharge)	11.73
AM140332		Blade Kit (42M mulching low lift and X350R mulching)	61.38
AM140973		Blade Kit (42M mulching)	42.75
Mower Decks			
BM26238		Dry-condition kit (48A)	58.86
LP63762		Grass Groomer (42A)	102.00
LP63761		Grass Groomer (48A/54A)	112.00
AM130907		Mower deck leveling gauge	7.01
Mulch Kits			
BM24794		42A MulchControl attachment <i>Includes mulching blades</i>	139.10
BUC10164		42A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information. http://dtac.deere.com/Solutions/English/110887.htm</i>	321.00
AM140329		42M Mulch insert kit <i>Recommended for buyers who previously owned a Freedom 42 Mower Deck</i>	97.68
BM24993		48A MulchControl attachment <i>Includes mulching blades</i>	169.06

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X350 Tractor Less Mower Deck, California Model
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BUC10165		48A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000; X500 serial number 110,001-130,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information. http://dtac.deere.com/Solutions/English/110887.htm</i>	350.96
		Protection	
BM23057		Brush guard (X300/X500 M-T)	131.61
BM23056		Bumper (X300s, X500, X530, X534, X570)	68.49
LP93647		Riding mower cover, large deluxe	99.99
LP93917		Riding mower cover, standard	69.99
LP92624		Seat cover, medium deluxe yellow	42.99
LP92324		Seat cover, medium standard yellow	26.99
		Spanish North American Kit	
BUC10202		Spanish label and operator's manual kit <i>For model year 2018 X350, X354, X370, X380, X384, X390, X394</i>	75.97
		Spark Arrester	
AM135845		Spark arrester muffler screen (X300s, X500 M-Ts)	51.16
		Sprayers	
LP22861		Mounted Sprayer, 25 gal. (95 L) (X300/X500 M-T) <i>Requires mid-mount mower, front implement, two front wheel weights, or four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	483.00
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	464.00
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	482.00
		Spreaders	
LP35439		Mounted Electric Broadcast Spreader, 125 lb (57 kg) (X300/X500 M-T/X700) <i>Requires two front wheel weights or two front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	579.00
LP23117		Mounted electric broadcast spreader barrier shield	69.00
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	363.00
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	410.00
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	449.00
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	298.00
		Sun Protection	
BM23054		Sun shade (X300 and X500 M-T)	171.20
		Thatchers	

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X350 Tractor Less Mower Deck, California Model
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LP48004		38-in. (97-cm) Front Thatcher (Center) <i>Requires mounting frame</i>	261.00
LP48003		8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	58.00
LP48005		Thatcher Mounting Frame (X300/X500 M-T)	219.00
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	253.00
		Tire Chains	
LP39856		TerraGrip traction belts (pair) for 20x10-8 non-Turf Saver, 20x10-10, and 20x9-8 tires	85.00
TY16200		Tire chains (pair) for 20x10-8 non-Turf Saver and 20x10-10 tires	83.74
		Tow Behind	
LPSTS42JD		Lawn Sweeper, 42 in. (107 cm)	391.00
LP49038		Lawn Sweeper, 44 in. (112 cm)	379.99
LP42108		Lawn sweeper dethatcher kit (LPSTS42JD)	133.00
LP39089		MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
LPPRT36JD		Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	253.00
LPPA40JD		Tow-Behind Plug Aerator, 40 in. (102 cm)	459.00
LPSAT40JD		Tow-Behind Spiker Aerator, 40 in. (102 cm)	334.00
		Weather Enclosures	
LP55438		X300 Series weather enclosure	499.99
		Weights	
BM17962		34-lb (15-kg) Wheel Weight (1), cast iron, 5-in. or 6-in. front wheel <i>Includes one wheel weight. Requires one BM17978 mounting hardware.</i>	147.66
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Use up to two weights on the rear of X300 Series Tractors. Use up to four weights on the rear of X500 Series Tractors.</i>	59.91
BM25370		Weight bracket, front (X300/X500 M-T) <i>Allows installation of up to four UC13263 Quik-Tatch Weights. Used on X300s, model year 2007- model X500 (SN 020,001-), X530, model year 2011- X534 (SN 060,001-), and X570.</i>	71.69
BM17978		Wheel weight mounting hardware for attaching one front wheel weight	11.77

**JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS**

**Select Series X350R Tractor with 42-in. Rear Discharge Mower Deck
Equipment for Base Machine**

ENGINE
18.5 hp* (13.8 kW)
36.8-cu in. (603-cc)
displacement
Model FS600V
Air cooled, V-twin cylinder with
cast-iron liners
No tools oil drain

FUEL SYSTEM
Gasoline
Instrument display with
hourmeter and fuel gauge

ELECTRICAL SYSTEM
12-V (340-CCA) battery
15-amp regulated flywheel
alternator
Optional 12-V outlet

TRANSAXLE
K46 hydrostatic transmission
Twin Touch pedals
Cruise control
0-5.3 mph (0-8.5 km/h) forward
speed
0-4 mph (0-6.4 km/h) reverse

speed
CHASSIS
Optional front weight bracket
holds up to four 42-lb (19-kg)
Quik-Tatch weights
Cast-iron front axle
15x6-6 front turf tires
20x10-8 rear turf tires
Storage under seat and on fender

STEERING
Manual, two-wheel steer
14-in. (35.6-cm) steering wheel
16.5-in. (42-cm) turning radius
42R - Right 23 in. (58 cm), Left
28 in. (71 cm) uncut circle
radius

SEAT
15-in. (38.1-cm) open back with
grasp

LIFT SYSTEM
Foot pedal implement lift with
non-adjustable spring assist

MOWER DECK
Rear discharge and collect 42
in. (107 cm)
11-gauge, 0.120-in. (3-mm)
stamped steel deck shell
Mower wash port
Two mower wheels
Mulching plug

*Engine horsepower and torque
information for non-Deere
engines are provided by the
engine manufacturer for
comparison purposes only. Actual
operating horsepower and torque
will be less. Refer to the
engine manufacturer's Web site
for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Horicon, Wisconsin

4890M		Select Series X350R Tractor with 42-in. Rear Discharge Mower Deck <i>Not Available for Sale in California.</i>	4,599.00
-------	--	---	----------

DESTINATION

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

	Carts	
LP21935	Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	223.00
LP22755	Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD	Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	279.00

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X350R Tractor with 42-in. Rear Discharge Mower Deck
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LPHDC13JD	Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	412.00
	LP68186	Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	449.99
	LPPCT17JD	Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	423.00
	LPHDC18JD	Utility Cart, 18 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	541.00
		Drawbar	
	PM05101	48mm (1 7/8-in.) hitch ball for ball-type hitch. Ball Mount sold separately.	11.13
	LP63768	Magnetic hitch pin	18.99
		Home Maintenance Kits	
	LG265	Home maintenance kit	48.44
		Miscellaneous	
	BM24915	12-V outlet kit (X300) <i>Used on model year 2012- X300s (SN 220,001-)</i>	13.91
	LP63767	40-in. (102-cm) Tractor Shovel	963.00
	TY25866	Battery charger and maintainer	38.07
	TY27534	Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.53
	BUC10537	MowerPlus Smart Connector <i>Requires MowerPlus app.</i>	99.51
	BM25065	Rear deflector kit (X350R)	130.54
	AM136046	Seat net kit	55.23
	BM26155	Snow blower and front blade compatibility kit <i>Updates a model year 2006-2015 44-in. (112-cm) Snow Blower (7001M/SKU23045), 47-in. (119-cm) Snow Blower (7002M/SKU23047), or 48-in. (122-cm) Front Blade (6002M/SKU23048) for use on a model year 2016- X300/X500 M-T Tractor.</i>	337.06
	BM24810	Supplemental lift-assist spring kit (X350R)	86.67
		Mower Blades	
	AM140332	Blade Kit (42M mulching low lift and X350R mulching)	61.38
	AM147289	Blade kit (X350R bagging and rear discharge)	81.89
		Mower Decks	
	AM130907	Mower deck leveling gauge	7.01

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X350R Tractor with 42-in. Rear Discharge Mower Deck
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Mulch Kits	
BM25257		Mulch kit (X350R) <i>Includes mulching blades</i>	110.21
		Protection	
BM23057		Brush guard (X300/X500 M-T)	131.61
BM23056		Bumper (X300s, X500, X530, X534, X570)	68.49
LP93647		Riding mower cover, large deluxe	99.99
LP92624		Seat cover, medium deluxe yellow	42.99
LP92324		Seat cover, medium standard yellow	26.99
		Spanish North American Kit	
BUC10203		Spanish label and operator's manual kit <i>For model year 2018 X350R</i>	75.97
		Spark Arrester	
AM135845		Spark arrester muffler screen (X300s, X500 M-Ts)	51.16
		Sprayers	
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	464.00
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	482.00
		Spreaders	
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	363.00
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	410.00
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	449.00
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	298.00
		Thatchers	
LP48004		38-in. (97-cm) Front Thatcher (Center) <i>Requires mounting frame</i>	261.00
LP48003		8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	58.00
LP48005		Thatcher Mounting Frame (X300/X500 M-T)	219.00
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	253.00
		Tire Chains	
LP39856		TerraGrip traction belts (pair) for 20x10-8 non-Turf Saver, 20x10-10, and 20x9-8 tires	85.00
TY16200		Tire chains (pair) for 20x10-8 non-Turf Saver and 20x10-10 tires	83.74
		Tow Behind	
LPSTS42JD		Lawn Sweeper, 42 in. (107 cm)	391.00

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X350R Tractor with 42-in. Rear Discharge Mower Deck
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LP49038		Lawn Sweeper, 44 in. (112 cm)	379.99
LP42108		Lawn sweeper dethatcher kit (LPSTS42JD)	133.00
LP39089		MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
LPPRT36JD		Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	253.00
LPPA40JD		Tow-Behind Plug Aerator, 40 in. (102 cm)	459.00
LPSAT40JD		Tow-Behind Spiker Aerator, 40 in. (102 cm)	334.00
		Weights	
BM19123		31-lb (14-kg) Wheel Weights (pair), plastic, 8-in. front or rear wheel, includes mounting hardware	70.61
BM17962		34-lb (15-kg) Wheel Weight (1), cast iron, 5-in. or 6-in. front wheel <i>Includes one wheel weight. Requires one BM17978 mounting hardware.</i>	147.66
BM25370		Weight bracket, front (X300/X500 M-T) <i>Allows installation of up to four UC13263 Quik-Tatch Weights. Used on X300s, model year 2007- model X500 (SN 020,001-), X530, model year 2011- X534 (SN 060,001-), and X570.</i>	71.69
BM17978		Wheel weight mounting hardware for attaching one front wheel weight	11.77

JOHN DEERE TURF & UTILITY PRODUCTS LAWN TRACTORS

Select Series X350R Tractor with 42-in. Rear Discharge Mower Deck, California Model Equipment for Base Machine

<p>ENGINE 18.5 hp* (13.8 kW) 36.8-cu in. (603-cc) displacement Model FS600V Air cooled, V-twin cylinder with cast-iron liners No tools oil drain</p> <p>FUEL SYSTEM Gasoline Instrument display with hourmeter and fuel gauge</p> <p>ELECTRICAL SYSTEM 12-V (340-CCA) battery 15-amp regulated flywheel alternator Optional 12-V outlet</p> <p>TRANSAXLE K46 hydrostatic transmission Twin Touch pedals Cruise control 0-5.3 mph (0-8.5 km/h) forward speed 0-4 mph (0-6.4 km/h) reverse</p>	<p>speed</p> <p>CHASSIS Optional front weight bracket holds up to four 42-lb (19-kg) Quik-Tatch weights Cast-iron front axle 15x6-6 front turf tires 20x10-8 rear turf tires Storage under seat and on fender</p> <p>STEERING Manual, two-wheel steer 14-in. (35.6-cm) steering wheel 16.5-in. (42-cm) turning radius 42R - Right 23 in. (58 cm), Left 28 in. (71 cm) uncut circle radius</p> <p>SEAT 15-in. (38.1-cm) open back with grasp</p> <p>LIFT SYSTEM Foot pedal implement lift with non-adjustable spring assist</p>	<p>MOWER DECK Rear discharge and collect 42 in. (107 cm) 11-gauge, 0.120-in. (3-mm) stamped steel deck shell Mower wash port Two mower wheels Mulching plug</p> <p>*Engine horsepower and torque information for non-Deere engines are provided by the engine manufacturer for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's Web site for additional information.</p>
--	--	--

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Horicon, Wisconsin

4891M	Select Series X350R Tractor with 42-in. Rear Discharge Mower Deck, California Model	4,599.00
-------	---	----------

ATTACHMENTS FOR FIELD CONVERSION

	Carts	
LP21935	Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	223.00
LP22755	Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD	Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	279.00
LPHDC13JD	Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	412.00
LP68186	Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	449.99

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X350R Tractor with 42-in. Rear Discharge Mower Deck, California Model
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LPPCT17JD		Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	423.00
LPHDC18JD		Utility Cart, 18 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	541.00
		Drawbar	
PM05101		48mm (1 7/8-in.) hitch ball for ball-type hitch. Ball Mount sold separately.	11.13
LP63768		Magnetic hitch pin	18.99
		Home Maintenance Kits	
LG265		Home maintenance kit	48.44
		Miscellaneous	
BM24915		12-V outlet kit (X300) <i>Used on model year 2012- X300s (SN 220,001-)</i>	13.91
LP63767		40-in. (102-cm) Tractor Shovel	963.00
TY25866		Battery charger and maintainer	38.07
TY27534		Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.53
BUC10537		MowerPlus Smart Connector <i>Requires MowerPlus app.</i>	99.51
BM25065		Rear deflector kit (X350R)	130.54
AM136046		Seat net kit	55.23
BM26155		Snow blower and front blade compatibility kit <i>Updates a model year 2006-2015 44-in. (112-cm) Snow Blower (7001M/SKU23045), 47-in. (119-cm) Snow Blower (7002M/SKU23047), or 48-in. (122-cm) Front Blade (6002M/SKU23048) for use on a model year 2016- X300/X500 M-T Tractor.</i>	337.06
BM24810		Supplemental lift-assist spring kit (X350R)	86.67
		Mower Blades	
AM140332		Blade Kit (42M mulching low lift and X350R mulching)	61.38
AM147289		Blade kit (X350R bagging and rear discharge)	81.89
		Mower Decks	
AM130907		Mower deck leveling gauge	7.01
		Mulch Kits	
BM25257		Mulch kit (X350R) <i>Includes mulching blades</i>	110.21
		Protection	
BM23057		Brush guard (X300/X500 M-T)	131.61
BM23056		Bumper (X300s, X500, X530, X534, X570)	68.49

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X350R Tractor with 42-in. Rear Discharge Mower Deck, California Model
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LP93647	Riding mower cover, large deluxe	99.99
	LP92624	Seat cover, medium deluxe yellow	42.99
	LP92324	Seat cover, medium standard yellow	26.99
	BUC10203	Spanish North American Kit Spanish label and operator's manual kit <i>For model year 2018 X350R</i>	75.97
	AM135845	Spark Arrester Spark arrester muffler screen (X300s, X500 M-Ts)	51.16
		Sprayers	
	LP19478	Tow-Behind Sprayer, 15 gal. (57 L)	464.00
	LP19479	Tow-Behind Sprayer, 25 gal. (95 L)	482.00
		Spreaders	
	LP25353	Pull-Type Spin Spreader, 125 lb (57 kg)	363.00
	LP25354	Pull-Type Spin Spreader, 175 lb (80 kg)	410.00
	LPAS40JD	Tow-Behind Aerator-Spreader, 40 in. (102 cm)	449.00
	LP39087	Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
	LPBS36JD	Tow-Behind Broadcast Spreader, 175 lb (80 kg)	298.00
		Thatchers	
	LP48004	38-in. (97-cm) Front Thatcher (Center) <i>Requires mounting frame</i>	261.00
	LP48003	8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	58.00
	LP48005	Thatcher Mounting Frame (X300/X500 M-T)	219.00
	LPTA40JD	Tow-Behind Thatcherator, 40 in. (102 cm)	253.00
		Tire Chains	
	LP39856	TerraGrip traction belts (pair) for 20x10-8 non-Turf Saver, 20x10-10, and 20x9-8 tires	85.00
	TY16200	Tire chains (pair) for 20x10-8 non-Turf Saver and 20x10-10 tires	83.74
		Tow Behind	
	LPSTS42JD	Lawn Sweeper, 42 in. (107 cm)	391.00
	LP49038	Lawn Sweeper, 44 in. (112 cm)	379.99
	LP42108	Lawn sweeper dethatcher kit (LPSTS42JD)	133.00
	LP39089	MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X350R Tractor with 42-in. Rear Discharge Mower Deck, California Model
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LPPRT36JD	Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	253.00
	LPPA40JD	Tow-Behind Plug Aerator, 40 in. (102 cm)	459.00
	LPSAT40JD	Tow-Behind Spiker Aerator, 40 in. (102 cm)	334.00
		Weights	
	BM19123	31-lb (14-kg) Wheel Weights (pair), plastic, 8-in. front or rear wheel, includes mounting hardware	70.61
	BM17962	34-lb (15-kg) Wheel Weight (1), cast iron, 5-in. or 6-in. front wheel <i>Includes one wheel weight. Requires one BM17978 mounting hardware.</i>	147.66
	BM25370	Weight bracket, front (X300/X500 M-T) <i>Allows installation of up to four UC13263 Quik-Tatch Weights. Used on X300s, model year 2007- model X500 (SN 020,001-), X530, model year 2011- X534 (SN 060,001-), and X570.</i>	71.69
	BM17978	Wheel weight mounting hardware for attaching one front wheel weight	11.77

**JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS**

**Select Series X354 Tractor with 42 Accel Deep (42A) Mower Deck
Equipment for Base Machine**

<p>ENGINE 18.5 hp* (13.8 kW) 36.8-cu in. (603-cc) displacement Model FS600V Air cooled, V-twin cylinder with cast-iron liners No tools oil drain</p> <p>FUEL SYSTEM Gasoline Instrument display with hourmeter and fuel gauge</p> <p>ELECTRICAL SYSTEM 12-V (340-CCA) battery 15-amp regulated flywheel alternator Optional 12-V outlet</p> <p>TRANSAXLE K46 hydrostatic transmission Twin Touch pedals Cruise control 0-5.5 mph (0-8.9 km/h) forward speed 0-4 mph (0-6.4 km/h) reverse</p>	<p>speed</p> <p>CHASSIS Optional rear weight bracket holds up to two and optional front weight bracket holds up to four 42-lb (19-kg) Quik-Tatch weights Cast-iron front axle 15x6-6 front turf tires 20x10-10 rear turf tires Storage under seat and on fender</p> <p>STERING Manual, four-wheel steer 14-in. (35.6-cm) steering wheel 15-in. (38.1-cm) turning radius 42A - 15 in. (38 cm) uncut circle radius</p> <p>SEAT 15-in. (38.1-cm) open back with grasp</p> <p>LIFT SYSTEM Foot pedal implement lift with optional adjustable spring</p>	<p>assist</p> <p>MOWER DECK Side discharge 42 in. (107 cm) 12-gauge, 0.105-in. (2.7-mm) stamped steel deck shell Mower wash port Two mower wheels</p> <p>*Engine horsepower and torque information for non-Deere engines are provided by the engine manufacturer for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's Web site for additional information.</p>
--	---	--

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Horicon, Wisconsin

5190M	Select Series X354 Tractor with 42 Accel Deep (42A) Mower Deck <i>Not Available for Sale in California.</i>	3,999.00
-------	--	----------

DESTINATION

001A	United States and Canada	In Base Price
------	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

Code	Description	Price
LP21935	Carts Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	223.00
LP22755	Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD	Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	279.00

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X354 Tractor with 42 Accel Deep (42A) Mower Deck
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LPHDC13JD	Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	412.00
	LP68186	Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	449.99
	LPPCT17JD	Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	423.00
	LPHDC18JD	Utility Cart, 18 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	541.00
		Drawbar	
	PM05101	48mm (1 7/8-in.) hitch ball for ball-type hitch. Ball Mount sold separately.	11.13
	LP63768	Magnetic hitch pin	18.99
		Home Maintenance Kits	
	LG265	Home maintenance kit	48.44
		Mcs Chutes	
	BG20754	Rear bagger chute for 42A Mower	128.40
		Mcs Hoppers	
	BM21679	7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines.</i>	452.61
	AM135486	Loose knit bag (1) for 7-bu Hopper	43.57
	LP47168	MCS 7 Dump-from-Seat Hopper, X300 with 7-bu (247-L) Hopper <i>Requires separate material collection system</i>	534.00
		Miscellaneous	
	BM24915	12-V outlet kit (X300) <i>Used on model year 2012- X300s (SN 220,001-)</i>	13.91
	LP63767	40-in. (102-cm) Tractor Shovel	963.00
	TY25866	Battery charger and maintainer	38.07
	LPJD301	Bucket holder (double)	90.00
	LPJD301W	Bucket holder (double) with buckets	107.00
	LPJD400	Bucket, 5 gal. (19 L)	9.00
	TY27534	Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.53
	BM25887	Lift-assist spring kit (X330, X350, X354)	38.51
	BUC10537	MowerPlus Smart Connector <i>Requires MowerPlus app.</i>	99.51

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X354 Tractor with 42 Accel Deep (42A) Mower Deck
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
AM136046		Seat net kit	55.23
BM26155		Snow blower and front blade compatibility kit <i>Updates a model year 2006-2015 44-in. (112-cm) Snow Blower (7001M/SKU23045), 47-in. (119-cm) Snow Blower (7002M/SKU23047), or 48-in. (122-cm) Front Blade (6002M/SKU23048) for use on a model year 2016- X300/X500 M-T Tractor.</i>	337.06
		Mower Blades	
GX25668		Blade (42A bagging)	28.63
M170642		Blade (42A mulching)	27.35
M170639		Blade (42A side discharge)	20.99
		Mower Decks	
LP63762		Grass Groomer (42A)	102.00
AM130907		Mower deck leveling gauge	7.01
		Mulch Kits	
BM24794		42A MulchControl attachment <i>Includes mulching blades</i>	139.10
BUC10164		42A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information. http://dtac.deere.com/Solutions/English/110887.htm</i>	321.00
		Protection	
BM23057		Brush guard (X300/X500 M-T)	131.61
BM23056		Bumper (X300s, X500, X530, X534, X570)	68.49
LP93647		Riding mower cover, large deluxe	99.99
LP93917		Riding mower cover, standard	69.99
LP92624		Seat cover, medium deluxe yellow	42.99
LP92324		Seat cover, medium standard yellow	26.99
		Spanish North American Kit	
BUC10202		Spanish label and operator's manual kit <i>For model year 2018 X350, X354, X370, X380, X384, X390, X394</i>	75.97
		Spark Arrester	
AM135845		Spark arrester muffler screen (X300s, X500 M-Ts)	51.16
		Sprayers	
LP22861		Mounted Sprayer, 25 gal. (95 L) (X300/X500 M-T) <i>Requires mid-mount mower, front implement, two front wheel weights, or four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	483.00
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	464.00

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X354 Tractor with 42 Accel Deep (42A) Mower Deck
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	482.00
		Spreaders	
LP35439		Mounted Electric Broadcast Spreader, 125 lb (57 kg) (X300/X500 M-T/X700) <i>Requires two front wheel weights or two front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	579.00
LP23117		Mounted electric broadcast spreader barrier shield	69.00
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	363.00
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	410.00
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	449.00
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	298.00
		Sun Protection	
BM23054		Sun shade (X300 and X500 M-T)	171.20
		Thatchers	
LP48004		38-in. (97-cm) Front Thatcher (Center) <i>Requires mounting frame</i>	261.00
LP48003		8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	58.00
LP48005		Thatcher Mounting Frame (X300/X500 M-T)	219.00
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	253.00
		Tire Chains	
LP39856		TerraGrip traction belts (pair) for 20x10-8 non-Turf Saver, 20x10-10, and 20x9-8 tires	85.00
TY16200		Tire chains (pair) for 20x10-8 non-Turf Saver and 20x10-10 tires	83.74
		Tow Behind	
LPSTS42JD		Lawn Sweeper, 42 in. (107 cm)	391.00
LP49038		Lawn Sweeper, 44 in. (112 cm)	379.99
LP42108		Lawn sweeper dethatcher kit (LPSTS42JD)	133.00
LP39089		MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
LPPRT36JD		Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	253.00
LPPA40JD		Tow-Behind Plug Aerator, 40 in. (102 cm)	459.00
LPSAT40JD		Tow-Behind Spiker Aerator, 40 in. (102 cm)	334.00
		Weather Enclosures	
LP55438		X300 Series weather enclosure	499.99

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X354 Tractor with 42 Accel Deep (42A) Mower Deck
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Weights	
BM17962		34-lb (15-kg) Wheel Weight (1), cast iron, 5-in. or 6-in. front wheel <i>Includes one wheel weight. Requires one BM17978 mounting hardware.</i>	147.66
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Use up to two weights on the rear of X300 Series Tractors. Use up to four weights on the rear of X500 Series Tractors.</i>	59.91
BM25370		Weight bracket, front (X300/X500 M-T) <i>Allows installation of up to four UC13263 Quik-Tatch Weights. Used on X300s, model year 2007- model X500 (SN 020,001-), X530, model year 2011- X534 (SN 060,001-), and X570.</i>	71.69
BM24011		Weight bracket, rear (X304, X324, X354, X384, X394, X534, X584) <i>Allows installation of up to two UC13263 Quik-Tatch weights on X304, X324, X354, X384, and X394 4-Wheel Steer Tractors. Allows installation of up to four UC13263 Quik-Tatch Weights on X534 and X584 4-Wheel Steer Tractors.</i>	92.01
BM17978		Wheel weight mounting hardware for attaching one front wheel weight	11.77

JOHN DEERE TURF & UTILITY PRODUCTS LAWN TRACTORS

Select Series X354 Tractor Less Mower Deck, California Model Equipment for Base Machine

<p>ENGINE 18.5 hp* (13.8 kW) 36.8-cu in. (603-cc) displacement Model FS600V Air cooled, V-twin cylinder with cast-iron liners No tools oil drain</p>	<p>Optional rear weight bracket holds up to two and optional front weight bracket holds up to four 42-lb (19-kg) Quik-Tatch weights Cast-iron front axle 15x6-6 front turf tires 20x10-10 rear turf tires Storage under seat and on fender</p>	<p>in. (122 cm) 42M, 42A - 12-gauge, 0.105-in. (2.7-mm); 48A - 10-gauge, 0.135-in. (3.4-mm) stamped steel deck shell Mower wash port 42 Mulch and 42A - Two mower wheels, 48A - Four mower wheels and front center rollers</p>
<p>FUEL SYSTEM Gasoline Instrument display with hourmeter and low fuel indicator</p>	<p>STEERING Manual, four-wheel steer 14-in. (35.6-cm) steering wheel 15-in. (38.1-cm) turning radius 42M - Right 12 in. (30 cm) Left 15 in. (38 cm), 42A - 15 in. (38 cm) uncut circle radius</p>	<p>*Engine horsepower and torque information for non-Deere engines are provided by the engine manufacturer for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's Web site for additional information.</p>
<p>ELECTRICAL SYSTEM 12-V (340-CCA) battery 15-amp regulated flywheel alternator Optional 12-V outlet</p>	<p>SEAT 15-in. (38.1-cm) open back with grasp</p>	
<p>TRANSAXLE K46 hydrostatic transmission Twin Touch pedals Cruise control 0-5.5 mph (0-8.9 km/h) forward speed 0-4 mph (0-6.4 km/h) reverse speed</p>	<p>LIFT SYSTEM Foot pedal implement lift with optional adjustable spring assist</p>	
<p>CHASSIS</p>	<p>OPTIONAL MOWER DECK Mulch 42 in. (107 cm), side discharge 42 in. (107 cm) or 48</p>	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Horicon, Wisconsin

5191M	Select Series X354 Tractor Less Mower Deck, California Model	3,499.00
-------	--	----------

ATTACHMENTS FOR FIELD CONVERSION

Carts

LP21935	Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	223.00
LP22755	Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD	Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	279.00
LPHDC13JD	Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	412.00

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X354 Tractor Less Mower Deck, California Model
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LP68186		Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	449.99
LPPCT17JD		Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	423.00
LPHDC18JD		Utility Cart, 18 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	541.00
		Drawbar	
PM05101		48mm (1 7/8-in.) hitch ball for ball-type hitch. Ball Mount sold separately.	11.13
LP63768		Magnetic hitch pin	18.99
		Home Maintenance Kits	
LG265		Home maintenance kit	48.44
		Mcs Chutes	
BG20754		Rear bagger chute for 42A Mower	128.40
		Mcs Hoppers	
BM21679		7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines.</i>	452.61
AM135486		Loose knit bag (1) for 7-bu Hopper	43.57
LP47168		MCS 7 Dump-from-Seat Hopper, X300 with 7-bu (247-L) Hopper <i>Requires separate material collection system</i>	534.00
		Miscellaneous	
BM24915		12-V outlet kit (X300) <i>Used on model year 2012- X300s (SN 220,001-)</i>	13.91
LP63767		40-in. (102-cm) Tractor Shovel	963.00
TY25866		Battery charger and maintainer	38.07
LPJD301		Bucket holder (double)	90.00
LPJD301W		Bucket holder (double) with buckets	107.00
LPJD400		Bucket, 5 gal. (19 L)	9.00
TY27534		Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.53
BM25887		Lift-assist spring kit (X330, X350, X354)	38.51
BUC10537		MowerPlus Smart Connector <i>Requires MowerPlus app.</i>	99.51
AM136046		Seat net kit	55.23

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X354 Tractor Less Mower Deck, California Model
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM26155		Snow blower and front blade compatibility kit <i>Updates a model year 2006-2015 44-in. (112-cm) Snow Blower (7001M/SKU23045), 47-in. (119-cm) Snow Blower (7002M/SKU23047), or 48-in. (122-cm) Front Blade (6002M/SKU23048) for use on a model year 2016- X300/X500 M-T Tractor.</i>	337.06
		Mower Blades	
GX25668		Blade (42A bagging)	28.63
M170642		Blade (42A mulching)	27.35
M170639		Blade (42A side discharge)	20.99
AM140332		Blade Kit (42M mulching low lift and X350R mulching)	61.38
AM140973		Blade Kit (42M mulching)	42.75
		Mower Decks	
LP63762		Grass Groomer (42A)	102.00
AM130907		Mower deck leveling gauge	7.01
		Mulch Kits	
BM24794		42A MulchControl attachment <i>Includes mulching blades</i>	139.10
BUC10164		42A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information. http://dtac.deere.com/Solutions/English/110887.htm</i>	321.00
		Protection	
BM23057		Brush guard (X300/X500 M-T)	131.61
BM23056		Bumper (X300s, X500, X530, X534, X570)	68.49
LP93647		Riding mower cover, large deluxe	99.99
LP93917		Riding mower cover, standard	69.99
LP92624		Seat cover, medium deluxe yellow	42.99
LP92324		Seat cover, medium standard yellow	26.99
		Spanish North American Kit	
BUC10202		Spanish label and operator's manual kit <i>For model year 2018 X350, X354, X370, X380, X384, X390, X394</i>	75.97
		Spark Arrester	
AM135845		Spark arrester muffler screen (X300s, X500 M-Ts)	51.16
		Sprayers	
LP22861		Mounted Sprayer, 25 gal. (95 L) (X300/X500 M-T) <i>Requires mid-mount mower, front implement, two front wheel weights, or four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	483.00

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X354 Tractor Less Mower Deck, California Model
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	464.00
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	482.00
Spreaders			
LP35439		Mounted Electric Broadcast Spreader, 125 lb (57 kg) (X300/X500 M-T/X700) <i>Requires two front wheel weights or two front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	579.00
LP23117		Mounted electric broadcast spreader barrier shield	69.00
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	363.00
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	410.00
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	449.00
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	298.00
Sun Protection			
BM23054		Sun shade (X300 and X500 M-T)	171.20
Thatchers			
LP48004		38-in. (97-cm) Front Thatcher (Center) <i>Requires mounting frame</i>	261.00
LP48003		8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	58.00
LP48005		Thatcher Mounting Frame (X300/X500 M-T)	219.00
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	253.00
Tire Chains			
LP39856		TerraGrip traction belts (pair) for 20x10-8 non-Turf Saver, 20x10-10, and 20x9-8 tires	85.00
TY16200		Tire chains (pair) for 20x10-8 non-Turf Saver and 20x10-10 tires	83.74
Tow Behind			
LPSTS42JD		Lawn Sweeper, 42 in. (107 cm)	391.00
LP49038		Lawn Sweeper, 44 in. (112 cm)	379.99
LP42108		Lawn sweeper dethatcher kit (LPSTS42JD)	133.00
LP39089		MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
LPPRT36JD		Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	253.00
LPPA40JD		Tow-Behind Plug Aerator, 40 in. (102 cm)	459.00
LPSAT40JD		Tow-Behind Spiker Aerator, 40 in. (102 cm)	334.00
Weather Enclosures			

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X354 Tractor Less Mower Deck, California Model
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LP55438		X300 Series weather enclosure	499.99
		Weights	
BM17962		34-lb (15-kg) Wheel Weight (1), cast iron, 5-in. or 6-in. front wheel <i>Includes one wheel weight. Requires one BM17978 mounting hardware.</i>	147.66
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Use up to two weights on the rear of X300 Series Tractors. Use up to four weights on the rear of X500 Series Tractors.</i>	59.91
BM25370		Weight bracket, front (X300/X500 M-T) <i>Allows installation of up to four UC13263 Quik-Tatch Weights. Used on X300s, model year 2007- model X500 (SN 020,001-), X530, model year 2011- X534 (SN 060,001-), and X570.</i>	71.69
BM24011		Weight bracket, rear (X304, X324, X354, X384, X394, X534, X584) <i>Allows installation of up to two UC13263 Quik-Tatch weights on X304, X324, X354, X384, and X394 4-Wheel Steer Tractors. Allows installation of up to four UC13263 Quik-Tatch Weights on X534 and X584 4-Wheel Steer Tractors.</i>	92.01
BM17978		Wheel weight mounting hardware for attaching one front wheel weight	11.77

**JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS**

**Select Series X370 Tractor with 42 Accel Deep (42A) Mower Deck
Equipment for Base Machine**

ENGINE
18.5 hp* (13.8 kW)
36.8-cu in. (603-cc)
displacement
Model FS600V
Air cooled, V-twin cylinder with
cast-iron liners
No tools oil drain

FUEL SYSTEM
Gasoline
Instrument display with
hourmeter and fuel gauge

ELECTRICAL SYSTEM
12-V (340-CCA) battery
15-amp regulated flywheel
alternator
Optional 12-V outlet

TRANSAXLE
K57 hydrostatic transmission
Twin Touch pedals
Cruise control
0-5.8 mph (0-9.3 km/h) forward
speed
0-3.5 mph (5.6 km/h) reverse

speed
CHASSIS
Standard rear weight bracket
holds up to two and optional
front weight bracket holds up to
four 42-lb (19-kg) Quik-Tatch
weights
Cast-iron front axle
Replaceable metal spindle
bushings
15x6-6 front turf tires
20x10-8 rear turf tires
Storage under seat and on fender

STEERING
Power, two-wheel steer
14-in. (35.6-cm) steering wheel
22-in. (55.9-cm) turning radius
42A - 30 in. (76 cm) uncut
circle radius

SEAT
15-in. (38.1-cm) open back with
grasp

LIFT SYSTEM

Hydraulic implement lift

MOWER DECK
Side discharge 42 in. (107 cm)
12-gauge, 0.105-in. (2.7-mm)
stamped steel deck shell
Mower wash port
Two mower wheels

*Engine horsepower and torque
information for non-Deere
engines are provided by the
engine manufacturer for
comparison purposes only. Actual
operating horsepower and torque
will be less. Refer to the
engine manufacturer's Web site
for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Horicon, Wisconsin

5200M		Select Series X370 Tractor with 42 Accel Deep (42A) Mower Deck <i>Not Available for Sale in California.</i>	4,199.00
-------	--	--	----------

DESTINATION

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

	Carts	
LP21935	Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	223.00
LP22755	Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD	Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	279.00

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X370 Tractor with 42 Accel Deep (42A) Mower Deck
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LPHDC13JD	Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	412.00
	LP68186	Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	449.99
	LPPCT17JD	Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	423.00
	LPHDC18JD	Utility Cart, 18 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	541.00
		Drawbar	
	PM05101	48mm (1 7/8-in.) hitch ball for ball-type hitch. Ball Mount sold separately.	11.13
	LP63768	Magnetic hitch pin	18.99
		Home Maintenance Kits	
	LG265	Home maintenance kit	48.44
		Mcs Chutes	
	BG20754	Rear bagger chute for 42A Mower	128.40
		Mcs Hoppers	
	BM21679	7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines.</i>	452.61
	AM135486	Loose knit bag (1) for 7-bu Hopper	43.57
	LP47168	MCS 7 Dump-from-Seat Hopper, X300 with 7-bu (247-L) Hopper <i>Requires separate material collection system</i>	534.00
		Miscellaneous	
	BM24915	12-V outlet kit (X300) <i>Used on model year 2012- X300s (SN 220,001-)</i>	13.91
	LP63767	40-in. (102-cm) Tractor Shovel	963.00
	TY25866	Battery charger and maintainer	38.07
	LPJD301	Bucket holder (double)	90.00
	LPJD301W	Bucket holder (double) with buckets	107.00
	LPJD400	Bucket, 5 gal. (19 L)	9.00
	TY27534	Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.53
	BUC10537	MowerPlus Smart Connector <i>Requires MowerPlus app.</i>	99.51
	AM136046	Seat net kit	55.23

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X370 Tractor with 42 Accel Deep (42A) Mower Deck
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM26155		Snow blower and front blade compatibility kit <i>Updates a model year 2006-2015 44-in. (112-cm) Snow Blower (7001M/SKU23045), 47-in. (119-cm) Snow Blower (7002M/SKU23047), or 48-in. (122-cm) Front Blade (6002M/SKU23048) for use on a model year 2016- X300/X500 M-T Tractor.</i>	337.06
		Mower Blades	
GX25668		Blade (42A bagging)	28.63
M170642		Blade (42A mulching)	27.35
M170639		Blade (42A side discharge)	20.99
		Mower Decks	
LP63762		Grass Groomer (42A)	102.00
AM130907		Mower deck leveling gauge	7.01
		Mulch Kits	
BM24794		42A MulchControl attachment <i>Includes mulching blades</i>	139.10
BUC10164		42A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information. http://dtac.deere.com/Solutions/English/110887.htm</i>	321.00
		Protection	
BM23057		Brush guard (X300/X500 M-T)	131.61
BM23056		Bumper (X300s, X500, X530, X534, X570)	68.49
LP93647		Riding mower cover, large deluxe	99.99
LP93917		Riding mower cover, standard	69.99
LP92624		Seat cover, medium deluxe yellow	42.99
LP92324		Seat cover, medium standard yellow	26.99
		Spanish North American Kit	
BUC10202		Spanish label and operator's manual kit <i>For model year 2018 X350, X354, X370, X380, X384, X390, X394</i>	75.97
		Spark Arrester	
AM135845		Spark arrester muffler screen (X300s, X500 M-Ts)	51.16
		Sprayers	
LP22861		Mounted Sprayer, 25 gal. (95 L) (X300/X500 M-T) <i>Requires mid-mount mower, front implement, two front wheel weights, or four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	483.00
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	464.00
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	482.00
		Spreaders	

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X370 Tractor with 42 Accel Deep (42A) Mower Deck
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LP35439		Mounted Electric Broadcast Spreader, 125 lb (57 kg) (X300/X500 M-T/X700) <i>Requires two front wheel weights or two front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	579.00
LP23117		Mounted electric broadcast spreader barrier shield	69.00
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	363.00
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	410.00
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	449.00
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	298.00
		Sun Protection	
BM23054		Sun shade (X300 and X500 M-T)	171.20
		Thatchers	
LP48004		38-in. (97-cm) Front Thatcher (Center) <i>Requires mounting frame</i>	261.00
LP48003		8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	58.00
LP48005		Thatcher Mounting Frame (X300/X500 M-T)	219.00
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	253.00
		Tire Chains	
LP39856		TerraGrip traction belts (pair) for 20x10-8 non-Turf Saver, 20x10-10, and 20x9-8 tires	85.00
TY16200		Tire chains (pair) for 20x10-8 non-Turf Saver and 20x10-10 tires	83.74
		Tow Behind	
LPSTS42JD		Lawn Sweeper, 42 in. (107 cm)	391.00
LP49038		Lawn Sweeper, 44 in. (112 cm)	379.99
LP42108		Lawn sweeper dethatcher kit (LPSTS42JD)	133.00
LP39089		MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
LPPRT36JD		Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	253.00
LPPA40JD		Tow-Behind Plug Aerator, 40 in. (102 cm)	459.00
LPSAT40JD		Tow-Behind Spiker Aerator, 40 in. (102 cm)	334.00
		Weather Enclosures	
LP55438		X300 Series weather enclosure	499.99
		Weights	
BM17962		34-lb (15-kg) Wheel Weight (1), cast iron, 5-in. or 6-in. front wheel <i>Includes one wheel weight. Requires one BM17978 mounting hardware.</i>	147.66

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X370 Tractor with 42 Accel Deep (42A) Mower Deck
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Use up to two weights on the rear of X300 Series Tractors. Use up to four weights on the rear of X500 Series Tractors.</i>	59.91
BM25370		Weight bracket, front (X300/X500 M-T) <i>Allows installation of up to four UC13263 Quik-Tatch Weights. Used on X300s, model year 2007- model X500 (SN 020,001-), X530, model year 2011- X534 (SN 060,001-), and X570.</i>	71.69
BM17978		Wheel weight mounting hardware for attaching one front wheel weight	11.77

**JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS**

**Select Series X380 Tractor with 48 Accel Deep (48A) Mower Deck
Equipment for Base Machine**

ENGINE
22 hp* (16.4 kW)
44.3 cu in. (726 cc)
displacement
Model FS651V
Air cooled, V-twin cylinder with
cast-iron liners
No tools oil drain

FUEL SYSTEM
Gasoline
Instrument display with
hourmeter and fuel gauge

ELECTRICAL SYSTEM
12-V (340-CCA) battery
15-amp regulated flywheel
alternator
Optional 12-V outlet

TRANSAXLE
K58 hydrostatic transmission
Twin Touch pedals
Cruise control
0-6.2 mph (0-10 km/h) forward
speed
0-3.5 mph (5.6 km/h) reverse
speed

CHASSIS
Standard rear weight bracket
holds up to two and optional
front weight bracket holds up to
four 42-lb (19-kg) Quik-Tatch
weights
Cast-iron front axle
15x6.5-8 front turf tires
22x11-10 rear turf tires
Storage under seat and on fender

STEERING
Manual, two-wheel steer
14-in. (35.6-cm) steering wheel
16-in. (40.6-cm) turning radius
48A - 21 in. (53 cm) uncut
circle radius

SEAT
15-in. (38.1-cm) open back with
grasp

LIFT SYSTEM
Foot pedal implement lift with
adjustable spring assist

MOWER DECK
Side discharge 48 in. (122 cm)
10-gauge, 0.135-in. (3.4-mm)

stamped steel deck shell
Mower wash port
Four mower wheels and front
center rollers

MOWER ATTACHABILITY
Mower wheels rotate 90 degrees
for easy mower removal

*Engine horsepower and torque
information for non-Deere
engines are provided by the
engine manufacturer for
comparison purposes only. Actual
operating horsepower and torque
will be less. Refer to the
engine manufacturer's Web site
for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Horicon, Wisconsin

5210M		Select Series X380 Tractor with 48 Accel Deep (48A) Mower Deck <i>Not Available for Sale in California.</i>	4,699.00
-------	--	--	----------

DESTINATION

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

Carts		
LP21935	Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	223.00
LP22755	Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD	Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	279.00

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X380 Tractor with 48 Accel Deep (48A) Mower Deck
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LPHDC13JD	Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	412.00
	LP68186	Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	449.99
	LPPCT17JD	Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	423.00
	LPHDC18JD	Utility Cart, 18 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	541.00
		Drawbar	
	PM05101	48mm (1 7/8-in.) hitch ball for ball-type hitch. Ball Mount sold separately.	11.13
	LP63768	Magnetic hitch pin	18.99
		Home Maintenance Kits	
	LG265	Home maintenance kit	48.44
		Mcs Chutes	
	BM21681	Power Flow chute (6.5/7 bu)	115.56
	BM20855	Power Flow chute (MC519 with C, X, or A Series Blowers)	89.89
		Mcs Hoppers	
	BM21679	7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines.</i>	452.61
	AM135486	Loose knit bag (1) for 7-bu Hopper	43.57
	LP49228	MC519 Material Collection System <i>Requires Power Flow blower and Power Flow chute. See Sales Manual for requirements for additional applications. See Sales Manual for ballast requirements.</i>	999.00
	LP47168	MCS 7 Dump-from-Seat Hopper, X300 with 7-bu (247-L) Hopper <i>Requires separate material collection system</i>	534.00
		Mcs Power Flow Blowers	
	BG20748	48A High-Performance Power Flow blower (X300/X500 M-T)	555.33
		Miscellaneous	
	BM24915	12-V outlet kit (X300) <i>Used on model year 2012- X300s (SN 220,001-)</i>	13.91
	LP63767	40-in. (102-cm) Tractor Shovel	963.00
	TY25866	Battery charger and maintainer	38.07
	LPJD301	Bucket holder (double)	90.00
	LPJD301W	Bucket holder (double) with buckets	107.00

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X380 Tractor with 48 Accel Deep (48A) Mower Deck
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LPJD400		Bucket, 5 gal. (19 L)	9.00
TY27534		Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.53
BUC10537		MowerPlus Smart Connector <i>Requires MowerPlus app.</i>	99.51
AM136046		Seat net kit	55.23
BM26155		Snow blower and front blade compatibility kit <i>Updates a model year 2006-2015 44-in. (112-cm) Snow Blower (7001M/SKU23045), 47-in. (119-cm) Snow Blower (7002M/SKU23047), or 48-in. (122-cm) Front Blade (6002M/SKU23048) for use on a model year 2016- X300/X500 M-T Tractor.</i>	337.06
		Mower Blades	
M127673		Blade (48C/48X/48A mulching)	13.97
M145476		Blade (48C/48X/48A side discharge)	11.73
		Mower Decks	
BM26238		Dry-condition kit (48A)	58.86
LP63761		Grass Groomer (48A/54A)	112.00
AM130907		Mower deck leveling gauge	7.01
		Mulch Kits	
BM24993		48A MulchControl attachment <i>Includes mulching blades</i>	169.06
BUC10165		48A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000; X500 serial number 110,001-130,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information. http://dtac.deere.com/Solutions/English/110887.htm</i>	350.96
		Protection	
BM23057		Brush guard (X300/X500 M-T)	131.61
BM23056		Bumper (X300s, X500, X530, X534, X570)	68.49
LP93647		Riding mower cover, large deluxe	99.99
LP93917		Riding mower cover, standard	69.99
LP92624		Seat cover, medium deluxe yellow	42.99
LP92324		Seat cover, medium standard yellow	26.99
		Spanish North American Kit	
BUC10202		Spanish label and operator's manual kit <i>For model year 2018 X350, X354, X370, X380, X384, X390, X394</i>	75.97
		Spark Arrester	
AM135845		Spark arrester muffler screen (X300s, X500 M-Ts)	51.16

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X380 Tractor with 48 Accel Deep (48A) Mower Deck
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
Sprayers			
LP22861		Mounted Sprayer, 25 gal. (95 L) (X300/X500 M-T) <i>Requires mid-mount mower, front implement, two front wheel weights, or four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	483.00
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	464.00
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	482.00
Spreaders			
LP35439		Mounted Electric Broadcast Spreader, 125 lb (57 kg) (X300/X500 M-T/X700) <i>Requires two front wheel weights or two front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	579.00
LP23117		Mounted electric broadcast spreader barrier shield	69.00
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	363.00
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	410.00
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	449.00
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	298.00
Sun Protection			
BM23054		Sun shade (X300 and X500 M-T)	171.20
Thatchers			
LP48004		38-in. (97-cm) Front Thatcher (Center) <i>Requires mounting frame</i>	261.00
LP48003		8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	58.00
LP48005		Thatcher Mounting Frame (X300/X500 M-T)	219.00
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	253.00
Tire Chains			
LP39858		TerraGrip traction belts (pair) for 22x11-10 tires	85.00
TY24327		Tire chains (pair) for 22x11-10 and 22x9.5-12 tires	90.45
Tow Behind			
LPSTS42JD		Lawn Sweeper, 42 in. (107 cm)	391.00
LP49038		Lawn Sweeper, 44 in. (112 cm)	379.99
LP42108		Lawn sweeper dethatcher kit (LPSTS42JD)	133.00
LP39089		MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
LPPRT36JD		Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	253.00

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X380 Tractor with 48 Accel Deep (48A) Mower Deck
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LPPA40JD		Tow-Behind Plug Aerator, 40 in. (102 cm)	459.00
LPSAT40JD		Tow-Behind Spiker Aerator, 40 in. (102 cm)	334.00
		Weather Enclosures	
LP55438		X300 Series weather enclosure	499.99
		Weights	
BM17964		30-lb (14-kg) Wheel Weight (1), cast iron, 8-in. front wheel <i>Includes one wheel weight. Requires one BM17978 mounting hardware.</i>	105.93
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Use up to two weights on the rear of X300 Series Tractors. Use up to four weights on the rear of X500 Series Tractors.</i>	59.91
BM25370		Weight bracket, front (X300/X500 M-T) <i>Allows installation of up to four UC13263 Quik-Tatch Weights. Used on X300s, model year 2007- model X500 (SN 020,001-), X530, model year 2011- X534 (SN 060,001-), and X570.</i>	71.69
BM17978		Wheel weight mounting hardware for attaching one front wheel weight	11.77

**JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS**

**Select Series X380 Tractor with 54 Accel Deep (54A) Mower Deck
Equipment for Base Machine**

ENGINE
22 hp* (16.4 kW)
44.3 cu in. (726 cc)
displacement
Model FS651V
Air cooled, V-twin cylinder with
cast-iron liners
No tools oil drain

FUEL SYSTEM
Gasoline
Instrument display with
hourmeter and fuel gauge

ELECTRICAL SYSTEM
12-V (340-CCA) battery
15-amp regulated flywheel
alternator
Optional 12-V outlet

TRANSAXLE
K58 hydrostatic transmission
Twin Touch pedals
Cruise control
0-6.2 mph (0-10 km/h) forward
speed
0-3.5 mph (5.6 km/h) reverse
speed

CHASSIS
Standard rear weight bracket
holds up to two and optional
front weight bracket holds up to
four 42-lb (19-kg) Quik-Tatch
weights
Cast-iron front axle
15x6.5-8 front turf tires
22x11-10 rear turf tires
Storage under seat and on fender

STEERING
Manual, two-wheel steer
14-in. (35.6-cm) steering wheel
16-in. (40.6-cm) turning radius
54A - 18 in. (46 cm) uncut
circle radius

SEAT
15-in. (38.1-cm) open back with
grasp

LIFT SYSTEM
Foot pedal implement lift with
adjustable spring assist

MOWER DECK
Side discharge 54 in. (137 cm)
10-gauge, 0.135-in. (3.4-mm)

stamped steel deck shell
Mower wash port
Four mower wheels and front
center rollers

MOWER ATTACHABILITY
Mower wheels rotate 90 degrees
for easy mower removal

*Engine horsepower and torque
information for non-Deere
engines are provided by the
engine manufacturer for
comparison purposes only. Actual
operating horsepower and torque
will be less. Refer to the
engine manufacturer's Web site
for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Horicon, Wisconsin

5212M		Select Series X380 Tractor with 54 Accel Deep (54A) Mower Deck <i>Not Available for Sale in California.</i>	4,999.00
-------	--	--	----------

DESTINATION

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

Carts			
LP21935	Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>		223.00
LP22755	Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>		199.00
LPPCT10JD	Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>		279.00

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X380 Tractor with 54 Accel Deep (54A) Mower Deck
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LPHDC13JD	Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	412.00
	LP68186	Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	449.99
	LPPCT17JD	Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	423.00
	LPHDC18JD	Utility Cart, 18 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	541.00
		Drawbar	
	PM05101	48mm (1 7/8-in.) hitch ball for ball-type hitch. Ball Mount sold separately.	11.13
	LP63768	Magnetic hitch pin	18.99
		Home Maintenance Kits	
	LG265	Home maintenance kit	48.44
		Mcs Chutes	
	BM21681	Power Flow chute (6.5/7 bu)	115.56
	BM20855	Power Flow chute (MC519 with C, X, or A Series Blowers)	89.89
		Mcs Hoppers	
	BM21679	7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines.</i>	452.61
	AM135486	Loose knit bag (1) for 7-bu Hopper	43.57
	LP49228	MC519 Material Collection System <i>Requires Power Flow blower and Power Flow chute. See Sales Manual for requirements for additional applications. See Sales Manual for ballast requirements.</i>	999.00
	LP47168	MCS 7 Dump-from-Seat Hopper, X300 with 7-bu (247-L) Hopper <i>Requires separate material collection system</i>	534.00
		Mcs Power Flow Blowers	
	BG20749	54A High-Performance Power Flow blower (X300/X500 M-T)	555.33
		Miscellaneous	
	BM24915	12-V outlet kit (X300) <i>Used on model year 2012- X300s (SN 220,001-)</i>	13.91
	LP63767	40-in. (102-cm) Tractor Shovel	963.00
	TY25866	Battery charger and maintainer	38.07
	LPJD301	Bucket holder (double)	90.00
	LPJD301W	Bucket holder (double) with buckets	107.00

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X380 Tractor with 54 Accel Deep (54A) Mower Deck
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LPJD400	Bucket, 5 gal. (19 L)	9.00
	TY27534	Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.53
	BUC10537	MowerPlus Smart Connector <i>Requires MowerPlus app.</i>	99.51
	AM136046	Seat net kit	55.23
	BM26155	Snow blower and front blade compatibility kit <i>Updates a model year 2006-2015 44-in. (112-cm) Snow Blower (7001M/SKU23045), 47-in. (119-cm) Snow Blower (7002M/SKU23047), or 48-in. (122-cm) Front Blade (6002M/SKU23048) for use on a model year 2016- X300/X500 M-T Tractor.</i>	337.06
		Mower Blades	
	M177791	Blade (54A mulching)	26.14
	M152726	Blade (54C/54X/54A high lift)	18.05
	M143520	Blade (54C/54X/54A side discharge)	17.33
		Mower Decks	
	BM26239	Dry-condition kit (54A)	62.06
	LP63761	Grass Groomer (48A/54A)	112.00
	AM130907	Mower deck leveling gauge	7.01
		Mulch Kits	
	BM24994	54A MulchControl attachment <i>Includes mulching blades</i>	219.36
	BUC10166	54A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000; X500 serial number 110,001-130,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information. http://dtac.deere.com/Solutions/English/110887.htm</i>	401.26
		Protection	
	BM23057	Brush guard (X300/X500 M-T)	131.61
	BM23056	Bumper (X300s, X500, X530, X534, X570)	68.49
	LP93647	Riding mower cover, large deluxe	99.99
	LP93917	Riding mower cover, standard	69.99
	LP92624	Seat cover, medium deluxe yellow	42.99
	LP92324	Seat cover, medium standard yellow	26.99
		Spanish North American Kit	
	BUC10202	Spanish label and operator's manual kit <i>For model year 2018 X350, X354, X370, X380, X384, X390, X394</i>	75.97
		Spark Arrester	

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X380 Tractor with 54 Accel Deep (54A) Mower Deck
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
AM135845		Spark arrester muffler screen (X300s, X500 M-Ts)	51.16
		Sprayers	
LP22861		Mounted Sprayer, 25 gal. (95 L) (X300/X500 M-T) <i>Requires mid-mount mower, front implement, two front wheel weights, or four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	483.00
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	482.00
		Spreaders	
LP35439		Mounted Electric Broadcast Spreader, 125 lb (57 kg) (X300/X500 M-T/X700) <i>Requires two front wheel weights or two front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	579.00
LP23117		Mounted electric broadcast spreader barrier shield	69.00
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	363.00
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	410.00
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	449.00
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	298.00
		Sun Protection	
BM23054		Sun shade (X300 and X500 M-T)	171.20
		Thatchers	
LP48004		38-in. (97-cm) Front Thatcher (Center) <i>Requires mounting frame</i>	261.00
LP48003		8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	58.00
LP48005		Thatcher Mounting Frame (X300/X500 M-T)	219.00
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	253.00
		Tire Chains	
LP39858		TerraGrip traction belts (pair) for 22x11-10 tires	85.00
TY24327		Tire chains (pair) for 22x11-10 and 22x9.5-12 tires	90.45
		Tow Behind	
LPSTS42JD		Lawn Sweeper, 42 in. (107 cm)	391.00
LP49038		Lawn Sweeper, 44 in. (112 cm)	379.99
LP42108		Lawn sweeper dethatcher kit (LPSTS42JD)	133.00
LP39089		MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
LPPRT36JD		Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	253.00

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X380 Tractor with 54 Accel Deep (54A) Mower Deck
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LPPA40JD		Tow-Behind Plug Aerator, 40 in. (102 cm)	459.00
LPSAT40JD		Tow-Behind Spiker Aerator, 40 in. (102 cm)	334.00
		Weather Enclosures	
LP55438		X300 Series weather enclosure	499.99
		Weights	
BM17964		30-lb (14-kg) Wheel Weight (1), cast iron, 8-in. front wheel <i>Includes one wheel weight. Requires one BM17978 mounting hardware.</i>	105.93
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Use up to two weights on the rear of X300 Series Tractors. Use up to four weights on the rear of X500 Series Tractors.</i>	59.91
BM25370		Weight bracket, front (X300/X500 M-T) <i>Allows installation of up to four UC13263 Quik-Tatch Weights. Used on X300s, model year 2007- model X500 (SN 020,001-), X530, model year 2011- X534 (SN 060,001-), and X570.</i>	71.69
BM17978		Wheel weight mounting hardware for attaching one front wheel weight	11.77

**JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS**

**Select Series X380 Tractor Less Mower Deck, California Model
Equipment for Base Machine**

ENGINE
22 hp* (16.4 kW)
44.3 cu in. (726 cc)
displacement
Model FS651V
Air cooled, V-twin cylinder with
cast-iron liners
No tools oil drain

FUEL SYSTEM
Gasoline
Instrument display with
hourmeter and fuel gauge

ELECTRICAL SYSTEM
12-V (340-CCA) battery
15-amp regulated flywheel
alternator
Optional 12-V outlet

TRANSAXLE
K58 hydrostatic transmission
Twin Touch pedals
Cruise control
0-6.2 mph (0-10 km/h) forward
speed
0-3.5 mph (5.6 km/h) reverse
speed

CHASSIS
Standard rear weight bracket
holds up to two and optional
front weight bracket holds up to
four 42-lb (19-kg) Quik-Tatch
weights
Cast-iron front axle
15x6.5-8 front turf tires
22x11-10 rear turf tires
Storage under seat and on fender

STEERING
Manual, two-wheel steer
14-in. (35.6-cm) steering wheel
16-in. (40.6-cm) turning radius
48A - 21 in. (53 cm), 54A - 18
in. (46 cm) uncut circle radius

SEAT
15-in. (38.1-cm) open back with
grasp

LIFT SYSTEM
Foot pedal implement lift with
adjustable spring assist

OPTIONAL MOWER DECKS
Side discharge 48 in. (122 cm)
or 54 in. (137 cm)

10-gauge, 0.135-in. (3.4-mm)
stamped steel deck shell
Mower wash port
48A and 54A - Four mower wheels
and front center rollers

MOWER ATTACHABILITY
Mower wheels rotate 90 degrees
for easy mower removal

*Engine horsepower and torque
information for non-Deere
engines are provided by the
engine manufacturer for
comparison purposes only. Actual
operating horsepower and torque
will be less. Refer to the
engine manufacturer's Web site
for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Horicon, Wisconsin

5213M		Select Series X380 Tractor Less Mower Deck, California Model	3,799.00
-------	--	--	----------

ATTACHMENTS FOR FIELD CONVERSION

Carts

LP21935	Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	223.00
LP22755	Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD	Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	279.00
LPHDC13JD	Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	412.00

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X380 Tractor Less Mower Deck, California Model
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LP68186		Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	449.99
LPPCT17JD		Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	423.00
LPHDC18JD		Utility Cart, 18 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	541.00
		Drawbar	
PM05101		48mm (1 7/8-in.) hitch ball for ball-type hitch. Ball Mount sold separately.	11.13
LP63768		Magnetic hitch pin	18.99
		Home Maintenance Kits	
LG265		Home maintenance kit	48.44
		Mcs Chutes	
BM21681		Power Flow chute (6.5/7 bu)	115.56
BM20855		Power Flow chute (MC519 with C, X, or A Series Blowers)	89.89
		Mcs Hoppers	
BM21679		7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines.</i>	452.61
AM135486		Loose knit bag (1) for 7-bu Hopper	43.57
LP49228		MC519 Material Collection System <i>Requires Power Flow blower and Power Flow chute. See Sales Manual for requirements for additional applications. See Sales Manual for ballast requirements.</i>	999.00
LP47168		MCS 7 Dump-from-Seat Hopper, X300 with 7-bu (247-L) Hopper <i>Requires separate material collection system</i>	534.00
		Mcs Power Flow Blowers	
BG20748		48A High-Performance Power Flow blower (X300/X500 M-T)	555.33
BG20749		54A High-Performance Power Flow blower (X300/X500 M-T)	555.33
		Miscellaneous	
BM24915		12-V outlet kit (X300) <i>Used on model year 2012- X300s (SN 220,001-)</i>	13.91
LP63767		40-in. (102-cm) Tractor Shovel	963.00
TY25866		Battery charger and maintainer	38.07
LPJD301		Bucket holder (double)	90.00
LPJD301W		Bucket holder (double) with buckets	107.00
LPJD400		Bucket, 5 gal. (19 L)	9.00

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X380 Tractor Less Mower Deck, California Model
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
TY27534		Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.53
BUC10537		MowerPlus Smart Connector <i>Requires MowerPlus app.</i>	99.51
AM136046		Seat net kit	55.23
BM26155		Snow blower and front blade compatibility kit <i>Updates a model year 2006-2015 44-in. (112-cm) Snow Blower (7001M/SKU23045), 47-in. (119-cm) Snow Blower (7002M/SKU23047), or 48-in. (122-cm) Front Blade (6002M/SKU23048) for use on a model year 2016- X300/X500 M-T Tractor.</i>	337.06
Mower Blades			
M127673		Blade (48C/48X/48A mulching)	13.97
M145476		Blade (48C/48X/48A side discharge)	11.73
M177791		Blade (54A mulching)	26.14
M152726		Blade (54C/54X/54A high lift)	18.05
M143520		Blade (54C/54X/54A side discharge)	17.33
Mower Decks			
BM26238		Dry-condition kit (48A)	58.86
BM26239		Dry-condition kit (54A)	62.06
LP63761		Grass Groomer (48A/54A)	112.00
AM130907		Mower deck leveling gauge	7.01
Mulch Kits			
BM24993		48A MulchControl attachment <i>Includes mulching blades</i>	169.06
BUC10165		48A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000; X500 serial number 110,001-130,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information. http://dtac.deere.com/Solutions/English/110887.htm</i>	350.96
BM24994		54A MulchControl attachment <i>Includes mulching blades</i>	219.36
BUC10166		54A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000; X500 serial number 110,001-130,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information. http://dtac.deere.com/Solutions/English/110887.htm</i>	401.26
Protection			
BM23057		Brush guard (X300/X500 M-T)	131.61

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X380 Tractor Less Mower Deck, California Model
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM23056		Bumper (X300s, X500, X530, X534, X570)	68.49
LP93647		Riding mower cover, large deluxe	99.99
LP93917		Riding mower cover, standard	69.99
LP92624		Seat cover, medium deluxe yellow	42.99
LP92324		Seat cover, medium standard yellow	26.99
BUC10202		Spanish North American Kit Spanish label and operator's manual kit <i>For model year 2018 X350, X354, X370, X380, X384, X390, X394</i>	75.97
AM135845		Spark Arrestor Spark arrester muffler screen (X300s, X500 M-Ts)	51.16
LP22861		Sprayers Mounted Sprayer, 25 gal. (95 L) (X300/X500 M-T) <i>Requires mid-mount mower, front implement, two front wheel weights, or four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	483.00
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	464.00
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	482.00
LP35439		Spreaders Mounted Electric Broadcast Spreader, 125 lb (57 kg) (X300/X500 M-T/X700) <i>Requires two front wheel weights or two front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	579.00
LP23117		Mounted electric broadcast spreader barrier shield	69.00
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	363.00
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	410.00
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	449.00
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	298.00
BM23054		Sun Protection Sun shade (X300 and X500 M-T)	171.20
LP48004		Thatchers 38-in. (97-cm) Front Thatcher (Center) <i>Requires mounting frame</i>	261.00
LP48003		8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	58.00
LP48005		Thatcher Mounting Frame (X300/X500 M-T)	219.00
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	253.00

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X380 Tractor Less Mower Deck, California Model
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
Tire Chains			
LP39858		TerraGrip traction belts (pair) for 22x11-10 tires	85.00
TY24327		Tire chains (pair) for 22x11-10 and 22x9.5-12 tires	90.45
Tow Behind			
LPSTS42JD		Lawn Sweeper, 42 in. (107 cm)	391.00
LP49038		Lawn Sweeper, 44 in. (112 cm)	379.99
LP42108		Lawn sweeper dethatcher kit (LPSTS42JD)	133.00
LP39089		MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
LPPRT36JD		Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	253.00
LPPA40JD		Tow-Behind Plug Aerator, 40 in. (102 cm)	459.00
LPSAT40JD		Tow-Behind Spiker Aerator, 40 in. (102 cm)	334.00
Weather Enclosures			
LP55438		X300 Series weather enclosure	499.99
Weights			
BM17964		30-lb (14-kg) Wheel Weight (1), cast iron, 8-in. front wheel <i>Includes one wheel weight. Requires one BM17978 mounting hardware.</i>	105.93
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Use up to two weights on the rear of X300 Series Tractors. Use up to four weights on the rear of X500 Series Tractors.</i>	59.91
BM25370		Weight bracket, front (X300/X500 M-T) <i>Allows installation of up to four UC13263 Quik-Tatch Weights. Used on X300s, model year 2007- model X500 (SN 020,001-), X530, model year 2011- X534 (SN 060,001-), and X570.</i>	71.69
BM17978		Wheel weight mounting hardware for attaching one front wheel weight	11.77

**JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS**

**Select Series X384 Tractor with 48 Accel Deep (48A) Mower Deck
Equipment for Base Machine**

ENGINE
22 hp* (16.4 kW)
44.3 cu in. (726 cc)
displacement
Model FS651V
Air cooled, V-twin cylinder with
cast-iron liners
No tools oil drain

FUEL SYSTEM
Gasoline
Instrument display with
hourmeter and fuel gauge

ELECTRICAL SYSTEM
12-V (340-CCA) battery
15-amp regulated flywheel
alternator
Optional 12-V outlet

TRANSAXLE
K58 hydrostatic transmission
Twin Touch pedals
Cruise control
0-5.9 mph (0-9.5 km/h) forward
speed
0-3.5 mph (5.6 km/h) reverse
speed

CHASSIS
Optional rear weight bracket
holds up to two and optional
front weight bracket holds up to
four 42-lb (19-kg) Quik-Tatch
weights
Cast-iron front axle
15x6-6 front turf tires
20x10-10 rear turf tires
Storage under seat and on fender

STEERING
Manual, four-wheel steer
14-in. (35.6-cm) steering wheel
15-in. (38.1-cm) turning radius
48A - 9 in. (23 cm) uncut circle
radius

SEAT
15-in. (38.1-cm) open back with
grasp

LIFT SYSTEM
Foot pedal implement lift with
adjustable spring assist

MOWER DECK
Side discharge 48 in. (122 cm)
10-gauge, 0.135-in. (3.4-mm)

stamped steel deck shell
Mower wash port
Four mower wheels and front
center rollers

MOWER ATTACHABILITY
Mower wheels rotate 90 degrees
for easy mower removal

*Engine horsepower and torque
information for non-Deere
engines are provided by the
engine manufacturer for
comparison purposes only. Actual
operating horsepower and torque
will be less. Refer to the
engine manufacturer's Web site
for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Horicon, Wisconsin

5220M		Select Series X384 Tractor with 48 Accel Deep (48A) Mower Deck <i>Not Available for Sale in California.</i>	5,399.00
-------	--	--	----------

DESTINATION

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

Carts		
LP21935	Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	223.00
LP22755	Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD	Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	279.00

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X384 Tractor with 48 Accel Deep (48A) Mower Deck
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LPHDC13JD	Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	412.00
	LP68186	Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	449.99
	LPPCT17JD	Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	423.00
	LPHDC18JD	Utility Cart, 18 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	541.00
		Drawbar	
	PM05101	48mm (1 7/8-in.) hitch ball for ball-type hitch. Ball Mount sold separately.	11.13
	LP63768	Magnetic hitch pin	18.99
		Home Maintenance Kits	
	LG265	Home maintenance kit	48.44
		Mcs Chutes	
	BM21681	Power Flow chute (6.5/7 bu)	115.56
	BM20855	Power Flow chute (MC519 with C, X, or A Series Blowers)	89.89
		Mcs Hoppers	
	BM21679	7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines.</i>	452.61
	AM135486	Loose knit bag (1) for 7-bu Hopper	43.57
	LP49228	MC519 Material Collection System <i>Requires Power Flow blower and Power Flow chute. See Sales Manual for requirements for additional applications. See Sales Manual for ballast requirements.</i>	999.00
	LP47168	MCS 7 Dump-from-Seat Hopper, X300 with 7-bu (247-L) Hopper <i>Requires separate material collection system</i>	534.00
		Mcs Power Flow Blowers	
	BG20748	48A High-Performance Power Flow blower (X300/X500 M-T)	555.33
		Miscellaneous	
	BM24915	12-V outlet kit (X300) <i>Used on model year 2012- X300s (SN 220,001-)</i>	13.91
	LP63767	40-in. (102-cm) Tractor Shovel	963.00
	TY25866	Battery charger and maintainer	38.07
	LPJD301	Bucket holder (double)	90.00
	LPJD301W	Bucket holder (double) with buckets	107.00

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X384 Tractor with 48 Accel Deep (48A) Mower Deck
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LPJD400		Bucket, 5 gal. (19 L)	9.00
TY27534		Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.53
BUC10537		MowerPlus Smart Connector <i>Requires MowerPlus app.</i>	99.51
AM136046		Seat net kit	55.23
BM26155		Snow blower and front blade compatibility kit <i>Updates a model year 2006-2015 44-in. (112-cm) Snow Blower (7001M/SKU23045), 47-in. (119-cm) Snow Blower (7002M/SKU23047), or 48-in. (122-cm) Front Blade (6002M/SKU23048) for use on a model year 2016- X300/X500 M-T Tractor.</i>	337.06
		Mower Blades	
M127673		Blade (48C/48X/48A mulching)	13.97
M145476		Blade (48C/48X/48A side discharge)	11.73
		Mower Decks	
BM26238		Dry-condition kit (48A)	58.86
LP63761		Grass Groomer (48A/54A)	112.00
AM130907		Mower deck leveling gauge	7.01
		Mulch Kits	
BM24993		48A MulchControl attachment <i>Includes mulching blades</i>	169.06
BUC10165		48A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000; X500 serial number 110,001-130,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information. http://dtac.deere.com/Solutions/English/110887.htm</i>	350.96
		Protection	
BM23057		Brush guard (X300/X500 M-T)	131.61
BM23056		Bumper (X300s, X500, X530, X534, X570)	68.49
LP93647		Riding mower cover, large deluxe	99.99
LP93917		Riding mower cover, standard	69.99
LP92624		Seat cover, medium deluxe yellow	42.99
LP92324		Seat cover, medium standard yellow	26.99
		Spanish North American Kit	
BUC10202		Spanish label and operator's manual kit <i>For model year 2018 X350, X354, X370, X380, X384, X390, X394</i>	75.97
		Spark Arrester	
AM135845		Spark arrester muffler screen (X300s, X500 M-Ts)	51.16

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X384 Tractor with 48 Accel Deep (48A) Mower Deck
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
Sprayers			
LP22861		Mounted Sprayer, 25 gal. (95 L) (X300/X500 M-T) <i>Requires mid-mount mower, front implement, two front wheel weights, or four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	483.00
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	464.00
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	482.00
Spreaders			
LP35439		Mounted Electric Broadcast Spreader, 125 lb (57 kg) (X300/X500 M-T/X700) <i>Requires two front wheel weights or two front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	579.00
LP23117		Mounted electric broadcast spreader barrier shield	69.00
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	363.00
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	410.00
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	449.00
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	298.00
Sun Protection			
BM23054		Sun shade (X300 and X500 M-T)	171.20
Thatchers			
LP48004		38-in. (97-cm) Front Thatcher (Center) <i>Requires mounting frame</i>	261.00
LP48003		8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	58.00
LP48005		Thatcher Mounting Frame (X300/X500 M-T)	219.00
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	253.00
Tire Chains			
LP39856		TerraGrip traction belts (pair) for 20x10-8 non-Turf Saver, 20x10-10, and 20x9-8 tires	85.00
TY16200		Tire chains (pair) for 20x10-8 non-Turf Saver and 20x10-10 tires	83.74
Tow Behind			
LPSTS42JD		Lawn Sweeper, 42 in. (107 cm)	391.00
LP49038		Lawn Sweeper, 44 in. (112 cm)	379.99
LP42108		Lawn sweeper dethatcher kit (LPSTS42JD)	133.00
LP39089		MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
LPPRT36JD		Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	253.00

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X384 Tractor with 48 Accel Deep (48A) Mower Deck
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LPPA40JD		Tow-Behind Plug Aerator, 40 in. (102 cm)	459.00
LPSAT40JD		Tow-Behind Spiker Aerator, 40 in. (102 cm)	334.00
		Weather Enclosures	
LP55438		X300 Series weather enclosure	499.99
		Weights	
BM17962		34-lb (15-kg) Wheel Weight (1), cast iron, 5-in. or 6-in. front wheel <i>Includes one wheel weight. Requires one BM17978 mounting hardware.</i>	147.66
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Use up to two weights on the rear of X300 Series Tractors. Use up to four weights on the rear of X500 Series Tractors.</i>	59.91
BM25370		Weight bracket, front (X300/X500 M-T) <i>Allows installation of up to four UC13263 Quik-Tatch Weights. Used on X300s, model year 2007- model X500 (SN 020,001-), X530, model year 2011- X534 (SN 060,001-), and X570.</i>	71.69
BM24011		Weight bracket, rear (X304, X324, X354, X384, X394, X534, X584) <i>Allows installation of up to two UC13263 Quik-Tatch weights on X304, X324, X354, X384, and X394 4-Wheel Steer Tractors. Allows installation of up to four UC13263 Quik-Tatch Weights on X534 and X584 4-Wheel Steer Tractors.</i>	92.01
BM17978		Wheel weight mounting hardware for attaching one front wheel weight	11.77

JOHN DEERE TURF & UTILITY PRODUCTS LAWN TRACTORS

Select Series X390 Tractor with 48 Accel Deep (48A) Mower Deck Equipment for Base Machine

ENGINE
22 hp* (16.4 kW)
44.3 cu in. (726 cc)
displacement
Model FS651V
Air cooled, V-twin cylinder with
cast-iron liners
No tools oil drain

FUEL SYSTEM
Gasoline
Instrument display with
hourmeter and fuel gauge

ELECTRICAL SYSTEM
12-V (340-CCA) battery
15-amp regulated flywheel
alternator
Optional 12-V outlet

TRANSAXLE
K58 hydrostatic transmission
Twin Touch pedals
Cruise control
0-6.2 mph (0-10 km/h) forward
speed
0-3.5 mph (5.6 km/h) reverse
speed

CHASSIS
Standard rear weight bracket
holds up to two and optional
front weight bracket holds up to
four 42-lb (19-kg) Quik-Tatch
weights
Cast-iron front axle
Replaceable metal spindle
bushings
15x6.5-8 front turf tires
22x11-10 rear turf tires
Storage under seat and on fender

STERING
Power, two-wheel steer
14-in. (35.6-cm) steering wheel
22-in. (55.9-cm) turning radius
48A - 24 in. (61 cm) uncut
circle radius

SEAT
15-in. (38.1-cm) open back with
grasp

LIFT SYSTEM
Hydraulic implement lift

MOWER DECK
Side discharge 48 in. (122 cm)

10-gauge, 0.135-in. (3.4-mm)
stamped steel deck shell
Mower wash port
Four mower wheels and front
center rollers

MOWER ATTACHABILITY
Mower wheels rotate 90 degrees
for easy mower removal

*Engine horsepower and torque
information for non-Deere
engines are provided by the
engine manufacturer for
comparison purposes only. Actual
operating horsepower and torque
will be less. Refer to the
engine manufacturer's Web site
for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Horicon, Wisconsin

5230M		Select Series X390 Tractor with 48 Accel Deep (48A) Mower Deck <i>Not Available for Sale in California.</i>	5,699.00
-------	--	--	----------

DESTINATION

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

Carts		
LP21935	Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	223.00
LP22755	Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD	Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	279.00

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X390 Tractor with 48 Accel Deep (48A) Mower Deck
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LPHDC13JD	Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	412.00
	LP68186	Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	449.99
	LPPCT17JD	Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	423.00
	LPHDC18JD	Utility Cart, 18 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	541.00
		Drawbar	
	PM05101	48mm (1 7/8-in.) hitch ball for ball-type hitch. Ball Mount sold separately.	11.13
	LP63768	Magnetic hitch pin	18.99
		Home Maintenance Kits	
	LG265	Home maintenance kit	48.44
		Mcs Chutes	
	BM21681	Power Flow chute (6.5/7 bu)	115.56
	BM20855	Power Flow chute (MC519 with C, X, or A Series Blowers)	89.89
		Mcs Hoppers	
	BM21679	7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines.</i>	452.61
	AM135486	Loose knit bag (1) for 7-bu Hopper	43.57
	LP49228	MC519 Material Collection System <i>Requires Power Flow blower and Power Flow chute. See Sales Manual for requirements for additional applications. See Sales Manual for ballast requirements.</i>	999.00
	LP47168	MCS 7 Dump-from-Seat Hopper, X300 with 7-bu (247-L) Hopper <i>Requires separate material collection system</i>	534.00
		Mcs Power Flow Blowers	
	BG20748	48A High-Performance Power Flow blower (X300/X500 M-T)	555.33
		Miscellaneous	
	BM24915	12-V outlet kit (X300) <i>Used on model year 2012- X300s (SN 220,001-)</i>	13.91
	LP63767	40-in. (102-cm) Tractor Shovel	963.00
	TY25866	Battery charger and maintainer	38.07
	LPJD301	Bucket holder (double)	90.00
	LPJD301W	Bucket holder (double) with buckets	107.00

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X390 Tractor with 48 Accel Deep (48A) Mower Deck
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LPJD400		Bucket, 5 gal. (19 L)	9.00
TY27534		Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.53
BUC10537		MowerPlus Smart Connector <i>Requires MowerPlus app.</i>	99.51
AM136046		Seat net kit	55.23
BM26155		Snow blower and front blade compatibility kit <i>Updates a model year 2006-2015 44-in. (112-cm) Snow Blower (7001M/SKU23045), 47-in. (119-cm) Snow Blower (7002M/SKU23047), or 48-in. (122-cm) Front Blade (6002M/SKU23048) for use on a model year 2016- X300/X500 M-T Tractor.</i>	337.06
		Mower Blades	
M127673		Blade (48C/48X/48A mulching)	13.97
M145476		Blade (48C/48X/48A side discharge)	11.73
		Mower Decks	
BM26238		Dry-condition kit (48A)	58.86
LP63761		Grass Groomer (48A/54A)	112.00
AM130907		Mower deck leveling gauge	7.01
		Mulch Kits	
BM24993		48A MulchControl attachment <i>Includes mulching blades</i>	169.06
BUC10165		48A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000; X500 serial number 110,001-130,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information. http://dtac.deere.com/Solutions/English/110887.htm</i>	350.96
		Protection	
BM23057		Brush guard (X300/X500 M-T)	131.61
BM23056		Bumper (X300s, X500, X530, X534, X570)	68.49
LP93647		Riding mower cover, large deluxe	99.99
LP93917		Riding mower cover, standard	69.99
LP92624		Seat cover, medium deluxe yellow	42.99
LP92324		Seat cover, medium standard yellow	26.99
		Spanish North American Kit	
BUC10202		Spanish label and operator's manual kit <i>For model year 2018 X350, X354, X370, X380, X384, X390, X394</i>	75.97
		Spark Arrester	
AM135845		Spark arrester muffler screen (X300s, X500 M-Ts)	51.16

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X390 Tractor with 48 Accel Deep (48A) Mower Deck
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
Sprayers			
LP22861		Mounted Sprayer, 25 gal. (95 L) (X300/X500 M-T) <i>Requires mid-mount mower, front implement, two front wheel weights, or four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	483.00
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	464.00
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	482.00
Spreaders			
LP35439		Mounted Electric Broadcast Spreader, 125 lb (57 kg) (X300/X500 M-T/X700) <i>Requires two front wheel weights or two front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	579.00
LP23117		Mounted electric broadcast spreader barrier shield	69.00
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	363.00
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	410.00
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	449.00
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	298.00
Sun Protection			
BM23054		Sun shade (X300 and X500 M-T)	171.20
Thatchers			
LP48004		38-in. (97-cm) Front Thatcher (Center) <i>Requires mounting frame</i>	261.00
LP48003		8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	58.00
LP48005		Thatcher Mounting Frame (X300/X500 M-T)	219.00
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	253.00
Tire Chains			
LP39858		TerraGrip traction belts (pair) for 22x11-10 tires	85.00
TY24327		Tire chains (pair) for 22x11-10 and 22x9.5-12 tires	90.45
Tow Behind			
LPSTS42JD		Lawn Sweeper, 42 in. (107 cm)	391.00
LP49038		Lawn Sweeper, 44 in. (112 cm)	379.99
LP42108		Lawn sweeper dethatcher kit (LPSTS42JD)	133.00
LP39089		MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
LPPRT36JD		Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	253.00

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X390 Tractor with 48 Accel Deep (48A) Mower Deck
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LPPA40JD		Tow-Behind Plug Aerator, 40 in. (102 cm)	459.00
LPSAT40JD		Tow-Behind Spiker Aerator, 40 in. (102 cm)	334.00
		Weather Enclosures	
LP55438		X300 Series weather enclosure	499.99
		Weights	
BM17964		30-lb (14-kg) Wheel Weight (1), cast iron, 8-in. front wheel <i>Includes one wheel weight. Requires one BM17978 mounting hardware.</i>	105.93
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Use up to two weights on the rear of X300 Series Tractors. Use up to four weights on the rear of X500 Series Tractors.</i>	59.91
BM25370		Weight bracket, front (X300/X500 M-T) <i>Allows installation of up to four UC13263 Quik-Tatch Weights. Used on X300s, model year 2007- model X500 (SN 020,001-), X530, model year 2011- X534 (SN 060,001-), and X570.</i>	71.69
BM17978		Wheel weight mounting hardware for attaching one front wheel weight	11.77

**JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS**

**Select Series X390 Tractor with 54 Accel Deep (54A) Mower Deck
Equipment for Base Machine**

ENGINE
22 hp* (16.4 kW)
44.3 cu in. (726 cc)
displacement
Model FS651V
Air cooled, V-twin cylinder with
cast-iron liners
No tools oil drain

FUEL SYSTEM
Gasoline
Instrument display with
hourmeter and fuel gauge

ELECTRICAL SYSTEM
12-V (340-CCA) battery
15-amp regulated flywheel
alternator
Optional 12-V outlet

TRANSAXLE
K58 hydrostatic transmission
Twin Touch pedals
Cruise control
0-6.2 mph (0-10 km/h) forward
speed
0-3.5 mph (5.6 km/h) reverse
speed

CHASSIS
Standard rear weight bracket
holds up to two and optional
front weight bracket holds up to
four 42-lb (19-kg) Quik-Tatch
weights
Cast-iron front axle
Replaceable metal spindle
bushings
15x6.5-8 front turf tires
22x11-10 rear turf tires
Storage under seat and on fender

STERING
Power, two-wheel steer
14-in. (35.6-cm) steering wheel
22-in. (55.9-cm) turning radius
54A - 22 in. (56 cm) uncut
circle radius

SEAT
15-in. (38.1-cm) open back with
grasp

LIFT SYSTEM
Hydraulic implement lift

MOWER DECK
Side discharge 54 in. (137 cm)

10-gauge, 0.135-in. (3.4-mm)
stamped steel deck shell
Mower wash port
Four mower wheels and front
center rollers

MOWER ATTACHABILITY
Mower wheels rotate 90 degrees
for easy mower removal

*Engine horsepower and torque
information for non-Deere
engines are provided by the
engine manufacturer for
comparison purposes only. Actual
operating horsepower and torque
will be less. Refer to the
engine manufacturer's Web site
for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Horicon, Wisconsin

5231M	Select Series X390 Tractor with 54 Accel Deep (54A) Mower Deck <i>Not Available for Sale in California.</i>	5,999.00
-------	--	----------

DESTINATION

001A	United States and Canada	In Base Price
------	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

Carts		
LP21935	Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	223.00
LP22755	Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD	Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	279.00

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X390 Tractor with 54 Accel Deep (54A) Mower Deck
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LPHDC13JD	Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	412.00
	LP68186	Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	449.99
	LPPCT17JD	Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	423.00
	LPHDC18JD	Utility Cart, 18 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	541.00
		Drawbar	
	PM05101	48mm (1 7/8-in.) hitch ball for ball-type hitch. Ball Mount sold separately.	11.13
	LP63768	Magnetic hitch pin	18.99
		Home Maintenance Kits	
	LG265	Home maintenance kit	48.44
		Mcs Chutes	
	BM21681	Power Flow chute (6.5/7 bu)	115.56
	BM20855	Power Flow chute (MC519 with C, X, or A Series Blowers)	89.89
		Mcs Hoppers	
	BM21679	7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines.</i>	452.61
	AM135486	Loose knit bag (1) for 7-bu Hopper	43.57
	LP49228	MC519 Material Collection System <i>Requires Power Flow blower and Power Flow chute. See Sales Manual for requirements for additional applications. See Sales Manual for ballast requirements.</i>	999.00
	LP47168	MCS 7 Dump-from-Seat Hopper, X300 with 7-bu (247-L) Hopper <i>Requires separate material collection system</i>	534.00
		Mcs Power Flow Blowers	
	BG20749	54A High-Performance Power Flow blower (X300/X500 M-T)	555.33
		Miscellaneous	
	BM24915	12-V outlet kit (X300) <i>Used on model year 2012- X300s (SN 220,001-)</i>	13.91
	LP63767	40-in. (102-cm) Tractor Shovel	963.00
	TY25866	Battery charger and maintainer	38.07
	LPJD301	Bucket holder (double)	90.00
	LPJD301W	Bucket holder (double) with buckets	107.00

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X390 Tractor with 54 Accel Deep (54A) Mower Deck
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LPJD400	Bucket, 5 gal. (19 L)	9.00
	TY27534	Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.53
	BUC10537	MowerPlus Smart Connector <i>Requires MowerPlus app.</i>	99.51
	AM136046	Seat net kit	55.23
	BM26155	Snow blower and front blade compatibility kit <i>Updates a model year 2006-2015 44-in. (112-cm) Snow Blower (7001M/SKU23045), 47-in. (119-cm) Snow Blower (7002M/SKU23047), or 48-in. (122-cm) Front Blade (6002M/SKU23048) for use on a model year 2016- X300/X500 M-T Tractor.</i>	337.06
		Mower Blades	
	M177791	Blade (54A mulching)	26.14
	M152726	Blade (54C/54X/54A high lift)	18.05
	M143520	Blade (54C/54X/54A side discharge)	17.33
		Mower Decks	
	BM26239	Dry-condition kit (54A)	62.06
	LP63761	Grass Groomer (48A/54A)	112.00
	AM130907	Mower deck leveling gauge	7.01
		Mulch Kits	
	BM24994	54A MulchControl attachment <i>Includes mulching blades</i>	219.36
	BUC10166	54A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000; X500 serial number 110,001-130,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information. http://dtac.deere.com/Solutions/English/110887.htm</i>	401.26
		Protection	
	BM23057	Brush guard (X300/X500 M-T)	131.61
	BM23056	Bumper (X300s, X500, X530, X534, X570)	68.49
	LP93647	Riding mower cover, large deluxe	99.99
	LP93917	Riding mower cover, standard	69.99
	LP92624	Seat cover, medium deluxe yellow	42.99
	LP92324	Seat cover, medium standard yellow	26.99
		Spanish North American Kit	
	BUC10202	Spanish label and operator's manual kit <i>For model year 2018 X350, X354, X370, X380, X384, X390, X394</i>	75.97
		Spark Arrester	

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X390 Tractor with 54 Accel Deep (54A) Mower Deck
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
AM135845		Spark arrester muffler screen (X300s, X500 M-Ts)	51.16
		Sprayers	
LP22861		Mounted Sprayer, 25 gal. (95 L) (X300/X500 M-T) <i>Requires mid-mount mower, front implement, two front wheel weights, or four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	483.00
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	464.00
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	482.00
		Spreaders	
LP35439		Mounted Electric Broadcast Spreader, 125 lb (57 kg) (X300/X500 M-T/X700) <i>Requires two front wheel weights or two front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	579.00
LP23117		Mounted electric broadcast spreader barrier shield	69.00
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	363.00
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	410.00
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	449.00
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	298.00
		Sun Protection	
BM23054		Sun shade (X300 and X500 M-T)	171.20
		Thatchers	
LP48004		38-in. (97-cm) Front Thatcher (Center) <i>Requires mounting frame</i>	261.00
LP48003		8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	58.00
LP48005		Thatcher Mounting Frame (X300/X500 M-T)	219.00
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	253.00
		Tire Chains	
LP39858		TerraGrip traction belts (pair) for 22x11-10 tires	85.00
TY24327		Tire chains (pair) for 22x11-10 and 22x9.5-12 tires	90.45
		Tow Behind	
LPSTS42JD		Lawn Sweeper, 42 in. (107 cm)	391.00
LP49038		Lawn Sweeper, 44 in. (112 cm)	379.99
LP42108		Lawn sweeper dethatcher kit (LPSTS42JD)	133.00
LP39089		MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X390 Tractor with 54 Accel Deep (54A) Mower Deck
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LPPRT36JD	Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	253.00
	LPPA40JD	Tow-Behind Plug Aerator, 40 in. (102 cm)	459.00
	LPSAT40JD	Tow-Behind Spiker Aerator, 40 in. (102 cm)	334.00
		Weather Enclosures	
	LP55438	X300 Series weather enclosure	499.99
		Weights	
	BM17964	30-lb (14-kg) Wheel Weight (1), cast iron, 8-in. front wheel <i>Includes one wheel weight. Requires one BM17978 mounting hardware.</i>	105.93
	UC13263	Quik-Tatch Weight, 42 lb (19 kg) <i>Use up to two weights on the rear of X300 Series Tractors. Use up to four weights on the rear of X500 Series Tractors.</i>	59.91
	BM25370	Weight bracket, front (X300/X500 M-T) <i>Allows installation of up to four UC13263 Quik-Tatch Weights. Used on X300s, model year 2007- model X500 (SN 020,001-), X530, model year 2011- X534 (SN 060,001-), and X570.</i>	71.69
	BM17978	Wheel weight mounting hardware for attaching one front wheel weight	11.77

**JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS**

**Select Series X394 Tractor with 48 Accel Deep (48A) Mower Deck
Equipment for Base Machine**

ENGINE
22 hp* (16.4 kW)
44.3 cu in. (726 cc)
displacement
Model FS651V
Air cooled, V-twin cylinder with
cast-iron liners
No tools oil drain

FUEL SYSTEM
Gasoline
Instrument display with
hourmeter and fuel gauge

ELECTRICAL SYSTEM
12-V (340-CCA) battery
15-amp regulated flywheel
alternator
Optional 12-V outlet

TRANSAXLE
K58 hydrostatic transmission
Twin Touch pedals
Cruise control
0-6.2 mph (0-10 km/h) forward
speed
0-3.5 mph (5.6 km/h) reverse
speed

CHASSIS
Optional rear weight bracket
holds up to two and optional
front weight bracket holds up to
four 42-lb (19-kg) Quik-Tatch
weights
Cast-iron front axle
Replaceable metal spindle
bushings
15x6.5-8 front turf tires
22x9.5-12 rear turf tires
Storage under seat and on fender

STERING
Power, four-wheel steer
14-in. (35.6-cm) steering wheel
19-in. (48.3-cm) turning radius
48A - 15 in. (38 cm) uncut
circle radius

SEAT
15-in. (38.1-cm) open back with
grasp

LIFT SYSTEM
Hydraulic implement lift

MOWER DECK
Side discharge 48 in. (122 cm)

10-gauge, 0.135-in. (3.4-mm)
stamped steel deck shell
Mower wash port
Four mower wheels and front
center rollers

MOWER ATTACHABILITY
Mower wheels rotate 90 degrees
for easy mower removal

*Engine horsepower and torque
information for non-Deere
engines are provided by the
engine manufacturer for
comparison purposes only. Actual
operating horsepower and torque
will be less. Refer to the
engine manufacturer's Web site
for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Horicon, Wisconsin

5240M	Select Series X394 Tractor with 48 Accel Deep (48A) Mower Deck <i>Not Available for Sale in California.</i>	6,399.00
-------	--	----------

DESTINATION

001A	United States and Canada	In Base Price
------	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

Carts		
LP21935	Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	223.00
LP22755	Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD	Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	279.00

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X394 Tractor with 48 Accel Deep (48A) Mower Deck
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LPHDC13JD	Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	412.00
	LP68186	Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	449.99
	LPPCT17JD	Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	423.00
	LPHDC18JD	Utility Cart, 18 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	541.00
		Drawbar	
	PM05101	48mm (1 7/8-in.) hitch ball for ball-type hitch. Ball Mount sold separately.	11.13
	LP63768	Magnetic hitch pin	18.99
		Home Maintenance Kits	
	LG265	Home maintenance kit	48.44
		Mcs Chutes	
	BM21681	Power Flow chute (6.5/7 bu)	115.56
	BM20855	Power Flow chute (MC519 with C, X, or A Series Blowers)	89.89
		Mcs Hoppers	
	BM21679	7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines.</i>	452.61
	AM135486	Loose knit bag (1) for 7-bu Hopper	43.57
	LP49228	MC519 Material Collection System <i>Requires Power Flow blower and Power Flow chute. See Sales Manual for requirements for additional applications. See Sales Manual for ballast requirements.</i>	999.00
	LP47168	MCS 7 Dump-from-Seat Hopper, X300 with 7-bu (247-L) Hopper <i>Requires separate material collection system</i>	534.00
		Mcs Power Flow Blowers	
	BG20748	48A High-Performance Power Flow blower (X300/X500 M-T)	555.33
		Miscellaneous	
	BM24915	12-V outlet kit (X300) <i>Used on model year 2012- X300s (SN 220,001-)</i>	13.91
	LP63767	40-in. (102-cm) Tractor Shovel	963.00
	TY25866	Battery charger and maintainer	38.07
	LPJD301	Bucket holder (double)	90.00
	LPJD301W	Bucket holder (double) with buckets	107.00

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X394 Tractor with 48 Accel Deep (48A) Mower Deck
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LPJD400		Bucket, 5 gal. (19 L)	9.00
TY27534		Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.53
BUC10537		MowerPlus Smart Connector <i>Requires MowerPlus app.</i>	99.51
AM136046		Seat net kit	55.23
BM26155		Snow blower and front blade compatibility kit <i>Updates a model year 2006-2015 44-in. (112-cm) Snow Blower (7001M/SKU23045), 47-in. (119-cm) Snow Blower (7002M/SKU23047), or 48-in. (122-cm) Front Blade (6002M/SKU23048) for use on a model year 2016- X300/X500 M-T Tractor.</i>	337.06
		Mower Blades	
M127673		Blade (48C/48X/48A mulching)	13.97
M145476		Blade (48C/48X/48A side discharge)	11.73
		Mower Decks	
BM26238		Dry-condition kit (48A)	58.86
LP63761		Grass Groomer (48A/54A)	112.00
AM130907		Mower deck leveling gauge	7.01
		Mulch Kits	
BM24993		48A MulchControl attachment <i>Includes mulching blades</i>	169.06
BUC10165		48A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000; X500 serial number 110,001-130,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information. http://dtac.deere.com/Solutions/English/110887.htm</i>	350.96
		Protection	
BM23057		Brush guard (X300/X500 M-T)	131.61
BM23056		Bumper (X300s, X500, X530, X534, X570)	68.49
LP93647		Riding mower cover, large deluxe	99.99
LP93917		Riding mower cover, standard	69.99
LP92624		Seat cover, medium deluxe yellow	42.99
LP92324		Seat cover, medium standard yellow	26.99
		Spanish North American Kit	
BUC10202		Spanish label and operator's manual kit <i>For model year 2018 X350, X354, X370, X380, X384, X390, X394</i>	75.97
		Spark Arrester	
AM135845		Spark arrester muffler screen (X300s, X500 M-Ts)	51.16

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X394 Tractor with 48 Accel Deep (48A) Mower Deck
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
Sprayers			
LP22861		Mounted Sprayer, 25 gal. (95 L) (X300/X500 M-T) <i>Requires mid-mount mower, front implement, two front wheel weights, or four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	483.00
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	464.00
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	482.00
Spreaders			
LP35439		Mounted Electric Broadcast Spreader, 125 lb (57 kg) (X300/X500 M-T/X700) <i>Requires two front wheel weights or two front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	579.00
LP23117		Mounted electric broadcast spreader barrier shield	69.00
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	363.00
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	410.00
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	449.00
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	298.00
Sun Protection			
BM23054		Sun shade (X300 and X500 M-T)	171.20
Thatchers			
LP48004		38-in. (97-cm) Front Thatcher (Center) <i>Requires mounting frame</i>	261.00
LP48003		8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	58.00
LP48005		Thatcher Mounting Frame (X300/X500 M-T)	219.00
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	253.00
Tire Chains			
TY24327		Tire chains (pair) for 22x11-10 and 22x9.5-12 tires	90.45
Tow Behind			
LPSTS42JD		Lawn Sweeper, 42 in. (107 cm)	391.00
LP49038		Lawn Sweeper, 44 in. (112 cm)	379.99
LP42108		Lawn sweeper dethatcher kit (LPSTS42JD)	133.00
LP39089		MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
LPPRT36JD		Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	253.00
LPPA40JD		Tow-Behind Plug Aerator, 40 in. (102 cm)	459.00

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Select Series X394 Tractor with 48 Accel Deep (48A) Mower Deck
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LPSAT40JD		Tow-Behind Spiker Aerator, 40 in. (102 cm)	334.00
		Weather Enclosures	
LP55438		X300 Series weather enclosure	499.99
		Weights	
BM17964		30-lb (14-kg) Wheel Weight (1), cast iron, 8-in. front wheel <i>Includes one wheel weight. Requires one BM17978 mounting hardware.</i>	105.93
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Use up to two weights on the rear of X300 Series Tractors. Use up to four weights on the rear of X500 Series Tractors.</i>	59.91
BM25370		Weight bracket, front (X300/X500 M-T) <i>Allows installation of up to four UC13263 Quik-Tatch Weights. Used on X300s, model year 2007- model X500 (SN 020,001-), X530, model year 2011- X534 (SN 060,001-), and X570.</i>	71.69
BM24011		Weight bracket, rear (X304, X324, X354, X384, X394, X534, X584) <i>Allows installation of up to two UC13263 Quik-Tatch weights on X304, X324, X354, X384, and X394 4-Wheel Steer Tractors. Allows installation of up to four UC13263 Quik-Tatch Weights on X534 and X584 4-Wheel Steer Tractors.</i>	92.01
BM17978		Wheel weight mounting hardware for attaching one front wheel weight	11.77

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Current attachments for non-current Sabre
Equipment for Base Machine

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
Carts			
LP21935		Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	223.00
LP22755		Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD		Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	279.00
LP68186		Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	449.99
Complete Mcs			
BG10087		2-Bag Bagger for 38 In. Decks (Sabre)	360.59
BG10186		2-Bag Bagger for 42 In. Deck (Sabre)	371.29
Drawbar			
LP63768		Magnetic hitch pin	18.99
Miscellaneous			
TY25866		Battery charger and maintainer	38.07
TY27534		Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.53
BUC10510		MowerPlus hour meter connector <i>Only for use with the iOS version of the John Deere MowerPlus app.</i>	79.00
Mower Decks			
AM130907		Mower deck leveling gauge	7.01
Mulch Kits			
BG10107		38 In. Mulch kit (Sabre)	97.37
Protection			
LP93617		Riding mower cover, medium deluxe	89.99
LP93917		Riding mower cover, standard	69.99
LP40090		Seat cover, low deluxe yellow <i>Fits 11-in. (28-cm) low back seats</i>	40.99
LP22704		Seat cover, low standard yellow <i>Fits 11-in. (28-cm) low back seats</i>	25.99
LP92624		Seat cover, medium deluxe yellow <i>Fits 15-in. (38-cm) seat</i>	42.99

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Current attachments for non-current Sabre
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LP92324	Seat cover, medium standard yellow <i>Fits 15-in. (38-cm) seat</i>	26.99
		Sprayers	
	LP19478	Tow-Behind Sprayer, 15 gal. (57 L)	464.00
	LP19479	Tow-Behind Sprayer, 25 gal. (95 L)	482.00
		Spreaders	
	LP25353	Pull-Type Spin Spreader, 125 lb (57 kg)	363.00
	LP25354	Pull-Type Spin Spreader, 175 lb (80 kg)	410.00
	LPAS40JD	Tow-Behind Aerator-Spreader, 40 in. (102 cm)	449.00
	LP39087	Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
	LPBS36JD	Tow-Behind Broadcast Spreader, 175 lb (80 kg)	298.00
		Thatchers	
	LPTA40JD	Tow-Behind Thatcherator, 40 in. (102 cm)	253.00
		Tow Behind	
	LPSTS42JD	Lawn Sweeper, 42 in. (107 cm)	391.00
	LP49038	Lawn Sweeper, 44 in. (112 cm)	379.99
	LP42108	Lawn sweeper dethatcher kit (LPSTS42JD)	133.00
	LP39089	MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
	LPPRT36JD	Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	253.00
	LPPA40JD	Tow-Behind Plug Aerator, 40 in. (102 cm)	459.00
	LPSAT40JD	Tow-Behind Spiker Aerator, 40 in. (102 cm)	334.00

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Current Attachments for Non-Current SST Tractors
Equipment for Base Machine

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
Carts			
LP21935		Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	223.00
LP22755		Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD		Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	279.00
Drawbar			
PM05101		48mm (1 7/8-in.) hitch ball for ball-type hitch. Ball Mount sold separately.	11.13
LP63768		Magnetic hitch pin	18.99
Home Maintenance Kits			
LG190		Home maintenance kit	42.00
LG191		Home maintenance kit	35.84
Mcs Chutes			
BM21681		Power Flow chute (6.5/7 bu) <i>For 48C, 48X, 54C, or 54X Series Blowers</i>	115.56
BM20988		Power Flow chute (7 bu) <i>Not for C, X, or A Series High-Performance Power Flows.</i>	78.11
BM20943		Rear bagger chute for 42-in. (107-cm) All-Purpose Mower (42AP)	92.01
Mcs Hoppers			
AM135486		Loose knit bag (1) for 7-bu Hopper	43.57
Mcs Power Flow Blowers			
BM22696		48C/48X High-Performance Power Flow blower (X300/X500 M-T/X700) <i>Requires BM21681 Power Flow chute</i>	555.33
Miscellaneous			
TY27534		Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.53
Mower Decks			
BM20505		Front blowout baffle for 42-in. (107-cm) Mower (42C/42X)	40.66
BM19894		Leaf bagging kit (48C or 48X Mower) <i>Contains three bolt-on deck lips for improved bagging of leaves</i>	105.93
AM130907		Mower deck leveling gauge	7.01
Mulch Kits			
BM20007		Mulch kit (48C/48X) <i>Includes mulching blades</i>	164.79

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Current Attachments for Non-Current SST Tractors
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM21816	Mulch kit, 42 in. (107 cm)/42X <i>Includes mulching blades</i>	103.79
		Protection	
	LP93617	Riding mower cover, medium deluxe	89.99
	LP93917	Riding mower cover, standard	69.99
		Sprayers	
	LP19478	Tow-Behind Sprayer, 15 gal. (57 L)	464.00
	LP19479	Tow-Behind Sprayer, 25 gal. (95 L)	482.00
		Spreaders	
	LP25353	Pull-Type Spin Spreader, 125 lb (57 kg)	363.00
	LP25354	Pull-Type Spin Spreader, 175 lb (80 kg)	410.00
	LPAS40JD	Tow-Behind Aerator-Spreader, 40 in. (102 cm)	449.00
	LP39087	Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
	LPBS36JD	Tow-Behind Broadcast Spreader, 175 lb (80 kg)	298.00
		Thatchers	
	LPTA40JD	Tow-Behind Thatcherator, 40 in. (102 cm)	253.00
		Tire Chains	
	TY16200	Tire chains (pair) for 20x10-8 non-Turf Saver and 20x10-10 tires	83.74
		Tow Behind	
	LPSTS42JD	Lawn Sweeper, 42 in. (107 cm)	391.00
	LP49038	Lawn Sweeper, 44 in. (112 cm)	379.99
	LP42108	Lawn sweeper dethatcher kit (LPSTS42JD)	133.00
	LP39089	MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
	LPPRT36JD	Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	253.00
	LPPA40JD	Tow-Behind Plug Aerator, 40 in. (102 cm)	459.00
	LPPA48JD	Tow-Behind Plug Aerator, 48 in. (122 cm) <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	499.00
	LPSAT40JD	Tow-Behind Spiker Aerator, 40 in. (102 cm)	334.00
		Weights	
	BM20959	40-lb. SST front weight (Quantity 1)	26.76

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Current Attachments for Non-Current STX Lawn Tractors
Equipment for Base Machine

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
Carts			
LP21935		Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	223.00
LP22755		Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD		Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	279.00
LPHDC13JD		Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	412.00
Drawbar			
PM05101		48mm (1 7/8-in.) hitch ball for ball-type hitch. Ball Mount sold separately.	11.13
LP63768		Magnetic hitch pin	18.99
Home Maintenance Kits			
LG182		Home maintenance kit	34.11
Mcs Chutes			
BM20988		Power Flow chute (7 bu) <i>Not for C, X, or A Series High-Performance Power Flows.</i>	78.11
BM20982		Rear bagger chute for 38-in. (97-cm) Mowers	80.26
Mcs Hoppers			
AM135486		Loose knit bag (1) for 7-bu Hopper	43.57
Miscellaneous			
TY27534		Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.53
Mower Decks			
AM130907		Mower deck leveling gauge	7.01
Mulch Kits			
BM19321		46-in. Tricycler Mulching Attachment <i>Fits 46-in Mower Decks with hinged discharge. Includes mulching blades.</i>	176.56
BM21817		Mulch kit, 38 in. (97 cm)/38X	138.03
Protection			
LP93617		Riding mower cover, medium deluxe	89.99
LP93917		Riding mower cover, standard	69.99
Spark Arrester			
AM103386		Spark arrester muffler screen	35.51

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Current Attachments for Non-Current STX Lawn Tractors
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	AM115837	Spark arrester muffler screen	33.76
		Sprayers	
	LP19478	Tow-Behind Sprayer, 15 gal. (57 L)	464.00
	LP19479	Tow-Behind Sprayer, 25 gal. (95 L)	482.00
		Spreaders	
	LP25353	Pull-Type Spin Spreader, 125 lb (57 kg)	363.00
	LP25354	Pull-Type Spin Spreader, 175 lb (80 kg)	410.00
	LPAS40JD	Tow-Behind Aerator-Spreader, 40 in. (102 cm)	449.00
	LP39087	Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
	LPBS36JD	Tow-Behind Broadcast Spreader, 175 lb (80 kg)	298.00
		Thatchers	
	LPTA40JD	Tow-Behind Thatcherator, 40 in. (102 cm)	253.00
		Tow Behind	
	LPSTS42JD	Lawn Sweeper, 42 in. (107 cm)	391.00
	LP49038	Lawn Sweeper, 44 in. (112 cm)	379.99
	LP42108	Lawn sweeper dethatcher kit (LPSTS42JD)	133.00
	LP39089	MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
	LPPRT36JD	Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	253.00
	LPPA40JD	Tow-Behind Plug Aerator, 40 in. (102 cm)	459.00
	LPPA48JD	Tow-Behind Plug Aerator, 48 in. (122 cm) <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	499.00
	LPSAT40JD	Tow-Behind Spiker Aerator, 40 in. (102 cm)	334.00
		Weights	
	BM17962	34-lb (15-kg) Wheel Weight (1), cast iron, 5-in. or 6-in. front wheel <i>Includes one wheel weight. Requires one BM17978 mounting hardware.</i>	147.66
	BM17978	Wheel weight mounting hardware for attaching one front wheel weight	11.77

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Current attachments for non-current 100-Series
Equipment for Base Machine

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
Carts			
LP21935		Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	223.00
LP22755		Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD		Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	279.00
LP68186		Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	449.99
LPPCT17JD		Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	423.00
Complete Mcs			
BG20776		6.5-bu (229-L) Hopper and Chute, 100 Series with 42-in. (107-cm) mower deck <i>Front ballast recommended, especially on hills or inclines. Includes two bagging blades.</i>	349.00
BG20777		6.5-bu (229-L) Hopper and Chute, 100 Series with 48-in. (122-cm) mower deck <i>Front ballast recommended, especially on hills or inclines. Includes three bagging blades.</i>	359.00
BM22629		6.5-bu (229-L) Hopper and Chute, 100 Series with 48-in. (122-cm) mower deck, Canada version <i>Front ballast recommended, especially on hills or inclines.</i>	368.09
BG20747		6.5-bu (229-L) Hopper, Chute, and Power Flow, 100 Series with 54-in. (137-cm) mower deck <i>Front ballast recommended, especially on hills or inclines.</i>	790.73
LP47167		MCS 6 Dump-from-Seat Hopper, 100 Series and S240 with 6.5-bu (229-L) hopper <i>Requires separate material collection system</i>	534.00
Drawbar			
LP63768		Magnetic hitch pin	18.99
Front Blade			
BG20943		46-in. (117-cm) Front Blade (100 Series and S240) <i>Requires two UC13263 suit case weights and one BG20627 rear weight bracket. Tire chains are recommended for additional traction. NOTE: The ordering system will limit availability to approved countries of sale.</i>	339.19
Home Maintenance Kits			
LG268		Home Maintenance Kit <i>For use with model year 2016- D155 (SN 700,001-). See parts catalog for prior years.</i>	56.30
LG264		Home maintenance kit <i>For use with D160 and D170.</i>	56.96

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Current attachments for non-current 100-Series
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LG262	Home maintenance kit <i>For use with model year 2014- D110 (SN 500,001- 49-state/Australia; 050,001- California; 200,001- Canada/Rest of world). See parts catalog for prior years.</i>	45.07
	LG275	Home maintenance kit <i>For use with... D125. Model year 2013- D130 (SN 400,001- 49-State, 040,001- California). Model year 2014- D130 (SN 080,001- Canada/Australia/Rest of world). Model year 2013- D140 (SN 400,001- 49-State). Model year 2014- D140 (SN 050,001- California; 080,001- Canada/Australia/Rest of world). See parts catalog for prior years.</i>	39.45
	LG271	Home maintenance kit <i>For use with... D105 (outside U.S.). Model year 2015- X125 (SN 100,001-). See parts catalog for prior years.</i>	37.37
	LG266	Home maintenance kit <i>For use with D105 (inside U.S.).</i>	41.62
		Miscellaneous	
	BG20847	12-volt outlet kit <i>For use with D140-D170, E140-E180, and S240</i>	13.91
	TY25866	Battery charger and maintainer	38.07
	LPJD100	Bucket holder (single)	39.00
	LPJD100W	Bucket holder (single) with bucket	45.00
	LPJD400	Bucket, 5 gal. (19 L)	9.00
	TY27534	Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.53
	BUC10510	MowerPlus hour meter connector <i>Only for use with the iOS version of the John Deere MowerPlus app.</i>	79.00
		Mower Blades	
	AM141031	Blade kit, 42-in. (107-cm) 3-in-1 <i>Kit includes 2 blades and hardware.</i>	51.60
	AM141034	Blade kit, 42X and 42-in. (107-cm) bagging <i>Kit includes 2 blades and hardware.</i>	47.98
	AM141033	Blade kit, 42X and 42-in. (107-cm) mulching <i>Kit includes 2 blades and hardware.</i>	29.98
	GY20852	Blade kit, 48-in. (122-cm) 3-in-1 <i>Kit includes 3 GX21784 blades.</i>	45.98
	GY20684	Blade kit, 54-in. (137-cm) <i>Kit includes 3 blades and hardware.</i>	45.98
	GX21785	High lift bagging blades for 48-in. (122-cm) mower deck <i>Sold as singles blades, 3 are required per machine.</i>	16.66

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Current attachments for non-current 100-Series
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
GX21786		High-performance mulch blade for 48-in. (122-cm) mower deck <i>Sold as singles blades, 3 are required per machine.</i>	15.02
		Mower Decks	
LP1001		42-in. (107-cm) Tractor Grass Groomer	102.00
BG20936		42-in. (107-cm) replacement mower deck (100 Series) <i>Model year -2015 (S.N. -700,000) requires GY22387 PTO Cable.</i>	658.06
AUC13429		42-in. (107-cm) replacement mower deck (100 Series) <i>Model year -2015 (S.N. -700,000) requires GY22387 PTO Cable.</i>	658.06
LP1002		48-in. (122-cm) and 54-in. (137-cm) Tractor Grass Groomer	112.00
BG20470		48-in. (122-cm) mower deck blowout kit <i>For use with model year -2016 (SN -800,000). Later decks have this functionality built in.</i>	51.36
AUC11063		48-in. (122-cm) replacement mower deck (100 Series)	954.44
AUC13155		48-in. (122-cm) replacement mower deck (100 Series)	954.44
BG20945		54-in. (137-cm) replacement mower deck (100 Series)	1,184.49
BM20505		Front blowout baffle for 42-in. (107-cm) Mower (42C/42X)	40.66
AM130907		Mower deck leveling gauge	7.01
		Mulch Kits	
GY00115		Mulch cover, 42 in. (107 cm)	27.98
GY20417		Mulch cover, 48 in. (122 cm)	38.98
BM21816		Mulch kit, 42 in. (107 cm)/42X <i>Includes mulching blades. Use in place of GY00115 cover as high performance mulching option.</i>	103.79
BG20304		Mulch kit, 54 in. (137 cm)	232.19
		Protection	
BG20944		Front Bumper <i>Standard equipment on select models</i>	74.90
LP93617		Riding mower cover, medium deluxe	89.99
LP93917		Riding mower cover, standard	69.99
LP40090		Seat cover, low deluxe yellow <i>Fits 11-in. (28-cm) low back seats</i>	40.99
LP22704		Seat cover, low standard yellow <i>Fits 11-in. (28-cm) low back seats</i>	25.99
LP92624		Seat cover, medium deluxe yellow <i>Fits 15-in. (38-cm) seat</i>	42.99
LP92324		Seat cover, medium standard yellow <i>Fits 15-in. (38-cm) seat</i>	26.99

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Current attachments for non-current 100-Series
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Spanish North American Kit	
BUC10321		Spanish North American label and decal kit	13.91
		Spark Arrester	
GY22051		Spark arrester <i>For models manufactured April 14, 2014 and later</i>	11.56
GY20896		Spark arrester <i>For models manufactured before April 14, 2014</i>	120.73
		Sprayers	
LP53283		Mounted Sprayer, 15 gal. (57 L) (100 Series and S240) <i>Tractors equipped with this sprayer require installation of the mid-mount mower.</i>	478.00
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	464.00
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	482.00
		Spreaders	
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	363.00
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	410.00
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	449.00
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	298.00
		Sun Protection	
LP68122		Sun canopy <i>Compatible with model year 2011- 100 Series and S240. This attachment was released with model year 2018.</i>	99.95
		Thatchers	
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	253.00
		Tire Chains	
LP39857		TerraGrip traction belts (pair) for 20x10-8 Turf Saver and 22x9.5-12 tires	85.00
LP39981		TerraGrip traction belts (pair) for 20x8-8 tires	85.00
TY25229		Tire chains (pair) for 20x10-8 Turf Saver and 22x9.5-12 tires	76.77
TY16200		Tire chains (pair) for 20x10-8 non-Turf Saver and 20x10-10 tires	83.74
TY15959		Tire chains (pair) for 20x8-8 tires	71.40
		Tow Behind	
LPSTS42JD		Lawn Sweeper, 42 in. (107 cm)	391.00
LP49038		Lawn Sweeper, 44 in. (112 cm)	379.99
LP42108		Lawn sweeper dethatcher kit (LPSTS42JD)	133.00
LP39089		MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Current attachments for non-current 100-Series
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LPPRT36JD	Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	253.00
	LPPA40JD	Tow-Behind Plug Aerator, 40 in. (102 cm)	459.00
	LPSAT40JD	Tow-Behind Spiker Aerator, 40 in. (102 cm)	334.00
		Weather Enclosures	
	LP68121	Weather enclosure <i>Compatible with model year 2011- 100 Series and S240. This attachment was released with model year 2018.</i>	369.95
		Weights	
	BM17964	30-lb (14-kg) Wheel Weight (1), cast iron, 8-in. front wheel <i>Includes one wheel weight. Requires one BM17978 mounting hardware.</i>	105.93
	BM19123	31-lb (14-kg) Wheel Weights (pair), plastic, 8-in. front or rear wheel, includes mounting hardware	70.61
	BM17962	34-lb (15-kg) Wheel Weight (1), cast iron, 5-in. or 6-in. front wheel <i>Includes one wheel weight. Requires one BM17978 mounting hardware.</i>	147.66
	UC13263	Quik-Tatch Weight, 42 lb (19 kg) <i>Use up to two weights on the rear of 100 Series Tractors. Requires BG20627 rear weight bracket.</i>	59.91
	BG20029	Quik-Tatch Weight, 42 lb (19 kg), boxed <i>Use up to two weights on the rear of 100 Series Tractors. Requires BG20627 rear weight bracket.</i>	64.20
	BG20627	Rear weight bracket (100 Series)	55.64
	BM17978	Wheel weight mounting hardware for attaching one front wheel weight	11.77

**JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS**

**Current Attachments for Non-Current LT and LTR Lawn Tractors
Equipment for Base Machine**

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
Carts			
LP21935		Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	223.00
LP22755		Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD		Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	279.00
LPHDC13JD		Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	412.00
Drawbar			
PM05101		48mm (1 7/8-in.) hitch ball for ball-type hitch. Ball Mount sold separately.	11.13
LP63768		Magnetic hitch pin	18.99
Home Maintenance Kits			
LG190		Home maintenance kit	42.00
LG191		Home maintenance kit	35.84
LG195		Home maintenance kit	42.26
LG240		Home maintenance kit	40.07
Mcs Chutes			
BM20988		Power Flow chute (7 bu) <i>Not for C, X, or A Series High-Performance Power Flows.</i>	78.11
BM20493		Rear bagger chute for LT 38-in. mower	81.31
BM20942		Rear bagger chute for LT 42C Mower	97.37
Mcs Hoppers			
BM20454		7-bu (247-L) 2-Bag Hopper Assembly (LT Tractors) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Front ballast recommended, especially on hills or inclines.</i>	461.17
AM135486		Loose knit bag (1) for 7-bu Hopper	43.57
Mcs Power Flow Blowers			
BM20004		QT Blower Assembly for 38-in. Mower	615.26
BM21380		QT Blower Assembly for 48C Mower (LT166, LT180, LT190)	587.43
Miscellaneous			
TY27534		Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.53

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Current Attachments for Non-Current LT and LTR Lawn Tractors
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM19847	Rear deflector kit	110.21
		Mower Decks	
	BM20635	42M Mower Wash Port Kit <i>For Freedom 42 Mower</i>	51.36
	BM20505	Front blowout baffle for 42-in. (107-cm) Mower (42C/42X)	40.66
	BM19894	Leaf bagging kit (48C or 48X Mower) <i>Contains three bolt-on deck lips for improved bagging of leaves</i>	105.93
	AM130907	Mower deck leveling gauge	7.01
	AM108476	Mower deck wear plate, 38-in. (97-cm) Mower	114.76
	AM103851	Mower lip kit (left), 38-in. (97-cm) Mower	227.88
	AM103852	Mower lip kit (right rear), 38-in. (97-cm) Mower	107.48
		Mulch Kits	
	BM19321	46-in. Tricycler Mulching Attachment <i>Fits 46-in Mower Decks with hinged discharge. Includes mulching blades.</i>	176.56
	BM20686	Mulch Kit, 42-in. rear discharge (LTR155, LTR166, LTR180) <i>Includes mulching blades</i>	180.83
	BM20007	Mulch kit (48C/48X) <i>Includes mulching blades</i>	164.79
	BM21817	Mulch kit, 38 in. (97 cm)/38X	138.03
	BM21816	Mulch kit, 42 in. (107 cm)/42X <i>Includes mulching blades</i>	103.79
		Protection	
	LP93617	Riding mower cover, medium deluxe	89.99
	LP93917	Riding mower cover, standard	69.99
		Spark Arrester	
	AM103386	Spark arrester muffler screen	35.51
	AM123168	Spark arrestor kit	104.43
		Sprayers	
	LP19478	Tow-Behind Sprayer, 15 gal. (57 L)	464.00
	LP19479	Tow-Behind Sprayer, 25 gal. (95 L)	482.00
		Spreaders	
	LP25353	Pull-Type Spin Spreader, 125 lb (57 kg)	363.00
	LP25354	Pull-Type Spin Spreader, 175 lb (80 kg)	410.00
	LPAS40JD	Tow-Behind Aerator-Spreader, 40 in. (102 cm)	449.00
	LP39087	Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Current Attachments for Non-Current LT and LTR Lawn Tractors
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LPBS36JD	Tow-Behind Broadcast Spreader, 175 lb (80 kg)	298.00
		Thatchers	
	LPTA40JD	Tow-Behind Thatcherator, 40 in. (102 cm)	253.00
		Tire Chains	
	LP39856	TerraGrip traction belts (pair) for 20x10-8 non-Turf Saver, 20x10-10, and 20x9-8 tires	85.00
	LP39858	TerraGrip traction belts (pair) for 22x11-10 tires	85.00
	TY16200	Tire chains (pair) for 20x10-8 non-Turf Saver and 20x10-10 tires	83.74
	TY24327	Tire chains (pair) for 22x11-10 and 22x9.5-12 tires	90.45
		Tow Behind	
	LPSTS42JD	Lawn Sweeper, 42 in. (107 cm)	391.00
	LP49038	Lawn Sweeper, 44 in. (112 cm)	379.99
	LP42108	Lawn sweeper dethatcher kit (LPSTS42JD)	133.00
	LP39089	MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
	LPPRT36JD	Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	253.00
	LPPA40JD	Tow-Behind Plug Aerator, 40 in. (102 cm)	459.00
	LPPA48JD	Tow-Behind Plug Aerator, 48 in. (122 cm) <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	499.00
	LPSAT40JD	Tow-Behind Spiker Aerator, 40 in. (102 cm)	334.00
		Weights	
	BM17964	30-lb (14-kg) Wheel Weight (1), cast iron, 8-in. front wheel <i>Includes one wheel weight. Requires one BM17978 mounting hardware.</i>	105.93
	BM19123	31-lb (14-kg) Wheel Weights (pair), plastic, 8-in. front or rear wheel, includes mounting hardware <i>Not for LT190.</i>	70.61
	BM17962	34-lb (15-kg) Wheel Weight (1), cast iron, 5-in. or 6-in. front wheel <i>Includes one wheel weight. Requires one BM17978 mounting hardware.</i>	147.66
	UC13263	Quik-Tatch Weight, 42 lb (19 kg)	59.91
	BM21432	Rear Weight Bracket kit LT Series)	112.36
	BM17978	Wheel weight mounting hardware for attaching one front wheel weight	11.77

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Current Attachments for Non-Current LX Lawn Tractors
Equipment for Base Machine

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
Carts			
LP21935		Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	223.00
LP22755		Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD		Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	279.00
LPHDC13JD		Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	412.00
Drawbar			
PM05101		48mm (1 7/8-in.) hitch ball for ball-type hitch. Ball Mount sold separately.	11.13
LP63768		Magnetic hitch pin	18.99
Home Maintenance Kits			
LG249		Home maintenance kit	49.62
LG191		Home maintenance kit	35.84
LG195		Home maintenance kit	42.26
LG240		Home maintenance kit	40.07
Mcs Chutes			
BM21681		Power Flow chute (6.5/7 bu) <i>For 48C, 48X, 54C, or 54X Series Blowers</i>	115.56
BM20988		Power Flow chute (7 bu) <i>Not for C, X, or A Series High-Performance Power Flows.</i>	78.11
BM20982		Rear bagger chute for 38-in. (97-cm) Mowers	80.26
BG20766		Rear bagger chute for 42-in. (107-cm) 42X Mowers (X300) <i>Also use in place of discontinued BM19649 on LX, GT, 325-355, and GX tractors with 42C mower decks. Discard included mower blades in these applications.</i>	108.07
Mcs Hoppers			
BM20456		7-bu (247-L) 2-Bag Hopper Assembly (GT, 325-355D, GX, LX280, LX289) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. For LX280 2-wheel steer, not LX280 AWS (All-Wheel Steer). Front ballast recommended, especially on hills or inclines.</i>	461.17

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Current Attachments for Non-Current LX Lawn Tractors
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM20455		7-bu (247-L) 2-Bag Hopper Assembly (LX172-LX188, LX255, LX266, LX277, LX277 AWS, LX279 and LX288, and LX280 AWS) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. LX277 AWS and LX280 AWS require BM19797 Adapter Kit. Front ballast recommended, especially on hills or inclines.</i>	461.17
AM135486		Loose knit bag (1) for 7-bu Hopper	43.57
		Mcs Power Flow Blowers	
BM22696		48C/48X High-Performance Power Flow blower (X300/X500 M-T/X700) <i>Requires BM21681 Power Flow chute</i>	555.33
BM22697		54C/54X/54D High-Performance Power Flow blower <i>Requires BM21681 Power Flow chute. Requires one AM133822 wheel adjusting pin for use on model year 2004 mowers.</i>	555.33
BM19090		Blower Assembly for 54-in. (137-cm) Mower <i>Not for 48C or 54C Mower. Requires BM20988 Power Flow chute. See DTAC solution 106487 if ordering to replace BM18089 (Blower Assembly 48-in. Mower). http://dtac.deere.com/Solutions/English/106487.htm</i>	555.33
BM18770		QT Blower Assembly for 38-in. Mower (yellow 38-in. mower decks) <i>Requires BM20988 Power Flow chute. Not for use on LX277 AWS or LX280 AWS.</i>	609.90
		Miscellaneous	
TY27534		Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.53
		Mower Blades	
M159047		Blade (42C bagging) <i>For LX, GT and GX tractors</i>	15.60
AM141041		Blade kit (38X bagging)	24.52
		Mower Decks	
BM20635		42M Mower Wash Port Kit <i>For Freedom 42 Mower</i>	51.36
AM119680		Blowout Reduction kit (54-in. Mower)	119.60
BM20505		Front blowout baffle for 42-in. (107-cm) Mower (42C/42X)	40.66
BM19894		Leaf bagging kit (48C or 48X Mower) <i>Contains three bolt-on deck lips for improved bagging of leaves</i>	105.93
BM20985		Leaf bagging kit (54C or 54X Mower) <i>Contains three bolt-on deck lips for improved bagging of leaves</i>	132.69
AM130907		Mower deck leveling gauge	7.01
AM108476		Mower deck wear plate, 38-in. (97-cm) Mower	114.76
AM103851		Mower lip kit (left), 38-in. (97-cm) Mower	227.88
AM103852		Mower lip kit (right rear), 38-in. (97-cm) Mower	107.48
		Mulch Kits	
AM115361		Leaf Mulcher kit <i>For 48-in. and 54-in. Mowers</i>	207.32

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Current Attachments for Non-Current LX Lawn Tractors
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
BM19918		Mulch Kit, 48-in (122-cm) <i>Includes mulching blades</i>	242.89
BM20007		Mulch kit (48C/48X) <i>Includes mulching blades</i>	164.79
BM20827		Mulch kit (54C/54D/54X) <i>Includes mulching blades</i>	222.56
BM21817		Mulch kit, 38 in. (97 cm)/38X	138.03
BM20008		Mulch kit, 42 in. (107 cm)/42X (LX/GT) <i>Includes mulching blades</i>	103.79
Protection			
LP93617		Riding mower cover, medium deluxe	89.99
LP93917		Riding mower cover, standard	69.99
LP92624		Seat cover, medium deluxe yellow	42.99
LP92324		Seat cover, medium standard yellow	26.99
Spark Arrester			
AM115837		Spark arrester muffler screen	33.76
AM123168		Spark arrestor kit	104.43
Sprayers			
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	464.00
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	482.00
Spreaders			
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	363.00
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	410.00
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	449.00
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	298.00
Thatchers			
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	253.00
Tire Chains			
LP39856		TerraGrip traction belts (pair) for 20x10-8 non-Turf Saver, 20x10-10, and 20x9-8 tires	85.00
LP39858		TerraGrip traction belts (pair) for 22x11-10 tires	85.00
TY16200		Tire chains (pair) for 20x10-8 non-Turf Saver and 20x10-10 tires	83.74
TY24327		Tire chains (pair) for 22x11-10 and 22x9.5-12 tires	90.45
Tow Behind			

JOHN DEERE TURF & UTILITY PRODUCTS
LAWN TRACTORS

Current Attachments for Non-Current LX Lawn Tractors
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LPSTS42JD	Lawn Sweeper, 42 in. (107 cm)	391.00
	LP49038	Lawn Sweeper, 44 in. (112 cm)	379.99
	LP42108	Lawn sweeper dethatcher kit (LPSTS42JD)	133.00
	LP39089	MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
	LPPRT36JD	Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	253.00
	LPPA40JD	Tow-Behind Plug Aerator, 40 in. (102 cm)	459.00
	LPPA48JD	Tow-Behind Plug Aerator, 48 in. (122 cm) <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	499.00
	LPSAT40JD	Tow-Behind Spiker Aerator, 40 in. (102 cm)	334.00
		Weights	
	BM17964	30-lb (14-kg) Wheel Weight (1), cast iron, 8-in. front wheel <i>Includes one wheel weight. Requires one BM17978 mounting hardware.</i>	105.93
	BM19123	31-lb (14-kg) Wheel Weights (pair), plastic, 8-in. front or rear wheel, includes mounting hardware <i>Not for LT190.</i>	70.61
	BM17962	34-lb (15-kg) Wheel Weight (1), cast iron, 5-in. or 6-in. front wheel <i>Includes one wheel weight. Requires one BM17978 mounting hardware.</i>	147.66
	UC13263	Quik-Tatch Weight, 42 lb (19 kg)	59.91
	BM17296	Rear Weight Mounting kit (LX Series) <i>For two UC13263 weights. Mounting kit is not needed for LX280 and LX289 tractors. LX277 AWS and LX280 AWS also require BM17977 adapter kit.</i>	85.60
	BM17978	Wheel weight mounting hardware for attaching one front wheel weight	11.77