

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X330 Select Series Tractor with 42-in. Accel Deep Mower Deck

Equipment for Base Machine

ENGINE

22 hp* (16.4 kW)
44.2-cu in. (724-cc)
displacement
Air cooled, V-twin cylinder with
cast-iron liners
Gasoline
Cyclonic air filter, oil drain
hose, and clean out ports
Model 44J6

ELECTRICAL SYSTEM

12-V, 340-CCA battery
14-amp charging capacity
Instrument display with
hourmeter and fuel gauge;
optional MowerPlus Smart
Connector available
Optional 12-V outlet

TRANSAXLE

K46 hydrostatic transmission
Twin Touch pedals
0-5.5 mph (0-8.9 km/h) forward
speed
0-4 mph (0-6.4 km/h) reverse
speed
Cruise control

CHASSIS

Cast-iron front axle
15x6-6 front turf tires
20x10-8 rear turf tires
Storage under seat, covered
toolbox, and cup holder
Optional front weight bracket
holds up to four 42-lb (19-kg)
Quik-Tatch weights
Standard rear weight bracket
holds up to two 42-lb (19-kg)
Quik-Tatch weights

STEERING

Manual, two-wheel steer
14-in. (36-cm) steering wheel
16-in. (41-cm) turning radius
42A: 26-in. (66-cm) uncut circle
radius

SEAT

15-in. (38-cm) open back with
grasp

LIFT SYSTEM

Foot pedal mower deck and
implement lift with optional
adjustable lift-assist spring

MOWER DECK

42-in. (107-cm) Accel Deep Mower
Deck
12-gauge, 0.105-in. (2.6-mm),
steel shell
Wash port with hose end
Electric PTO clutch
Two mower deck wheels

*Engine horsepower and torque
information for non-Deere
engines are provided by the
engine manufacturer for
comparison purposes only. Actual
operating horsepower and torque
will be less. Refer to the
engine manufacturer's Web site
for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

4692M		X330 Select Series Tractor with 42-in. Accel Deep Mower Deck	3,199.00
-------	--	--	----------

DESTINATION

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

Carts

LP21935	Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	223.00
LP22755	Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD	Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	279.00
LP72978	Utility Cart, 10PX Poly with full dump <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	359.00

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X330 Select Series Tractor with 42-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LPHDC13JD		Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	412.00
LP68186		Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	399.00
LPPCT17JD		Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	423.00
LPHDC18JD		Utility Cart, 18 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	541.00
LP63768		Drawbar Magnetic hitch pin	18.99
LG277		Home Maintenance Kits Home maintenance kit <i>For use with X330</i>	50.52
BG20754		MCS Chutes Rear bagger chute for 42A Mower <i>Replaced by BUC11244 upon depletion. Model year 2021 and newer X354 and X370 tractors (serial number 110,010-) with 18-in. (46-cm) cut-and-sewn seat, must use BUC11244.</i>	130.54
BUC11244		Rear bagger chute for 42A Mower	159.43
BUC11233		MCS Hoppers 7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines.</i>	509.31
BM21679		7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines. Replaced by BUC11233 upon depletion. Model year 2021 and newer X354, X370 X380, X384, X390, and X394 tractors (serial number 110,001-) with 18-in. (46-cm) cut-and-sewn seat must use BUC11233.</i>	461.17
AM135486		Loose knit bag (1) for 7-bu Hopper	45.45
LP47168		MCS 7 Dump-from-Seat Hopper, X300 with 7-bu (247-L) Hopper <i>Requires separate material collection system</i>	549.95
BM24915		Miscellaneous 12-V outlet kit (X300) <i>Used on model year 2012- X300s (SN 220,001-)</i>	13.91
LP63767		40-in. (102-cm) Tractor Shovel	999.95
TY25866		Battery charger and maintainer	39.01
LPJD301		Bucket holder (double)	94.95

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X330 Select Series Tractor with 42-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
TY27534		Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.69
BM25887		Lift-assist spring kit (X330, X350, X354)	39.59
BUC10537		MowerPlus Smart Connector <i>Requires MowerPlus app.</i>	99.51
AM136046		Seat net kit	64.39
BM26155		Snow blower and front blade compatibility kit <i>Updates a model year 2006-2015 44-in. (112-cm) Snow Blower (7001M/SKU23045), 47-in. (119-cm) Snow Blower (7002M/SKU23047), or 48-in. (122-cm) Front Blade (6002M/SKU23048) for use on a model year 2016- X300/X500 M-T Tractor.</i>	343.47
		Mower Blades	
GX25668		Blade (42A bagging)	21.95
M170642		Blade (42A mulching)	26.05
		Mower Decks	
LP63762		Grass Striping Groomer for 42A Deck	104.95
AM130907		Mower deck leveling gauge	7.15
		Mulch Kits	
BM24794		42A MulchControl attachment <i>Includes mulching blades</i>	139.10
BUC10164		42A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information. http://dtac.deere.com/Solutions/English/110887.htm</i>	326.36
		Protection	
BM23057		Brush guard (X300/X500 M-T)	131.61
BM23056		Bumper (X300s, X500, X530, X534, X570)	69.56
LP70686		Riding mower cover, for tractor with material collection system <i>Fits X300 tractors with 42A mower deck and 7-bu materiel collection system</i>	135.99
LP93647		Riding mower cover, large deluxe	99.99
LP93917		Riding mower cover, standard	69.99
LP92624		Seat cover, medium deluxe yellow	42.99
LP92324		Seat cover, medium standard yellow	26.99
		Spark Arrester	
AM135845		Spark arrester muffler screen (X300s, X500 M-Ts)	53.75

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X330 Select Series Tractor with 42-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
Sprayers			
LP22861		Mounted Sprayer, 25 gal. (95 L) (X300/X500 M-T) <i>Requires mid-mount mower, front implement, two front wheel weights, or four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	494.95
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	469.95
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	489.95
Spreaders			
LP35439		Mounted Electric Broadcast Spreader, 125 lb (57 kg) (X300/X500 M-T/X700) <i>Requires two front wheel weights or two front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	579.00
LP23117		Mounted electric broadcast spreader barrier shield	69.00
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	363.00
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	410.00
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	449.00
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	298.00
Sun Protection			
BM23054		Sun shade (X300 and X500 M-T)	189.39
Thatchers			
LP48004		38-in. (97-cm) Front Thatcher (Center) <i>Requires mounting frame</i>	261.00
LP48003		8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	58.00
LP48005		Thatcher Mounting Frame (X300/X500 M-T)	219.00
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	253.00
Tire Chains			
LP39856		TerraGrip traction belts (pair) for 20x10-8 non-Turf Saver, 20x10-10, and 20x9-8 tires	104.99
TY16200		Tire chains (pair) for 20x10-8 non-Turf Saver and 20x10-10 tires	91.85
Tow Behind			
LPSTS42JD		Lawn Sweeper, 42 in. (107 cm)	391.00
LP49038		Lawn Sweeper, 44 in. (112 cm)	379.99
LP42108		Lawn sweeper dethatcher kit (LPSTS42JD)	133.00
LP39089		MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
LPPRT36JD		Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	253.00

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X330 Select Series Tractor with 42-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LPPA40JD		Tow-Behind Plug Aerator, 40 in. (102 cm)	459.00
LPSAT40JD		Tow-Behind Spiker Aerator, 40 in. (102 cm)	334.00
		Weather Enclosures	
LP55438		X300 Series weather enclosure <i>For use with model year 2021 tractors with the following serial numbers or lower:</i> o X330/42A - (serial number -110,208) o X330/48A - (serial number -110,016) o X350/42A - (serial number -110,215) o X350/48A - (serial number -110,220) o X350 less deck - (serial number -110,004) <i>For higher serial numbers, a new weather enclosure is expected by fall 2021, with larger clamps that are compatible with the rolled-edge fender deck.</i>	524.99
		Weights	
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Use up to two weights on the rear of X300 Series Tractors. Use up to four weights on the rear of X500 Series Tractors.</i>	60.99
BM25370		Weight bracket, front (X300/X500 M-T) <i>Allows installation of up to four UC13263 Quik-Tatch Weights. Used on X300s, model year 2007- model X500 (SN 020,001-), X530, model year 2011- X534 (SN 060,001-), and X570.</i>	71.69
BM17978		Wheel weight mounting hardware for attaching one front wheel weight	11.77

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X330 Select Series Tractor with 48-in. Accel Deep Mower Deck

Equipment for Base Machine

ENGINE 22 hp* (16.4 kW) 44.2-cu in. (724-cc) displacement Air cooled, V-twin cylinder with cast-iron liners Gasoline Cyclonic air filter, oil drain hose, and clean out ports Model 44J6	Cast-iron front axle 15x6-6 front turf tires 20x10-8 rear turf tires Storage under seat, covered toolbox, and cup holder Optional front weight bracket holds up to four 42-lb (19-kg) Quik-Tatch weights Standard rear weight bracket holds up to two 42-lb (19-kg) Quik-Tatch weights	48-in. (122-cm) Accel Deep Mower Deck 10-gauge, 0.135-in. (3.4-mm), steel shell Wash port with hose end Electric PTO clutch Four mower deck wheels, and center front rollers Mower deck wheels rotate 90 degrees for easy mower removal
ELECTRICAL SYSTEM 12-V, 340-CCA battery 14-amp charging capacity Instrument display with hourmeter and fuel gauge; optional MowerPlus Smart Connector available Optional 12-V outlet	STERING Manual, two-wheel steer 14-in. (36-cm) steering wheel 16-in. (41-cm) turning radius 48A: 21-in. (53-cm) uncut circle radius	*Engine horsepower and torque information for non-Deere engines are provided by the engine manufacturer for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's Web site for additional information.
TRANSAXLE K46 hydrostatic transmission Twin Touch pedals 0-5.5 mph (0-8.9 km/h) forward speed 0-4 mph (0-6.4 km/h) reverse speed Cruise control	SEAT 15-in. (38-cm) open back with grasp	
CHASSIS	MOWER DECK	
LIFT SYSTEM Foot pedal mower deck and implement lift with adjustable lift-assist spring		

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

4693M	X330 Select Series Tractor with 48-in. Accel Deep Mower Deck	3,599.00
-------	--	----------

DESTINATION

001A	United States and Canada	In Base Price
------	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

	Carts	
LP21935	Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	223.00
LP22755	Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD	Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	279.00
LP72978	Utility Cart, 10PX Poly with full dump <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	359.00

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X330 Select Series Tractor with 48-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LPHDC13JD	Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	412.00
	LP68186	Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	399.00
	LPPCT17JD	Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	423.00
	LPHDC18JD	Utility Cart, 18 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	541.00
		Drawbar	
	LP63768	Magnetic hitch pin	18.99
		Home Maintenance Kits	
	LG277	Home maintenance kit <i>For use with X330</i>	50.52
		MCS Chutes	
	BM21681	Power Flow chute (6.5/7 bu)	115.56
		MCS Hoppers	
	BUC11233	7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines.</i>	509.31
	BM21679	7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines. Replaced by BUC11233 upon depletion. Model year 2021 and newer X354, X370 X380, X384, X390, and X394 tractors (serial number 110,001-) with 18-in. (46-cm) cut-and-sewn seat must use BUC11233.</i>	461.17
	AM135486	Loose knit bag (1) for 7-bu Hopper	45.45
	LP47168	MCS 7 Dump-from-Seat Hopper, X300 with 7-bu (247-L) Hopper <i>Requires separate material collection system</i>	549.95
		MCS Power Flow Blowers	
	BG20748	48A High-Performance Power Flow blower (X300/X500 M-T)	566.03
		Miscellaneous	
	BM24915	12-V outlet kit (X300) <i>Used on model year 2012- X300s (SN 220,001-)</i>	13.91
	LP63767	40-in. (102-cm) Tractor Shovel	999.95
	TY25866	Battery charger and maintainer	39.01
	LPJD301	Bucket holder (double)	94.95
	TY27534	Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.69

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X330 Select Series Tractor with 48-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BUC10537		MowerPlus Smart Connector <i>Requires MowerPlus app.</i>	99.51
AM136046		Seat net kit	64.39
BM26155		Snow blower and front blade compatibility kit <i>Updates a model year 2006-2015 44-in. (112-cm) Snow Blower (7001M/SKU23045), 47-in. (119-cm) Snow Blower (7002M/SKU23047), or 48-in. (122-cm) Front Blade (6002M/SKU23048) for use on a model year 2016- X300/X500 M-T Tractor.</i>	343.47
		Mower Blades	
M127673		Blade (48C/48X/48A mulching)	13.30
M145476		Blade (48C/48X/48A side discharge)	11.73
		Mower Decks	
BM26238		Dry-condition kit (48A)	59.91
LP63761		Grass Striping Groomer for 48A or 54A Deck	114.95
AM130907		Mower deck leveling gauge	7.15
		Mulch Kits	
BM24993		48A MulchControl attachment <i>Includes mulching blades</i>	169.06
BUC10165		48A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000; X500 serial number 110,001-130,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information.</i>	356.31
		Protection	
BM23057		Brush guard (X300/X500 M-T)	131.61
BM23056		Bumper (X300s, X500, X530, X534, X570)	69.56
LP93647		Riding mower cover, large deluxe	99.99
LP93917		Riding mower cover, standard	69.99
LP92624		Seat cover, medium deluxe yellow	42.99
LP92324		Seat cover, medium standard yellow	26.99
		Spark Arrester	
AM135845		Spark arrester muffler screen (X300s, X500 M-Ts)	53.75
		Sprayers	
LP22861		Mounted Sprayer, 25 gal. (95 L) (X300/X500 M-T) <i>Requires mid-mount mower, front implement, two front wheel weights, or four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	494.95
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	469.95
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	489.95

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X330 Select Series Tractor with 48-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
Spreaders			
LP35439		Mounted Electric Broadcast Spreader, 125 lb (57 kg) (X300/X500 M-T/X700) <i>Requires two front wheel weights or two front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	579.00
LP23117		Mounted electric broadcast spreader barrier shield	69.00
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	363.00
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	410.00
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	449.00
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	298.00
Sun Protection			
BM23054		Sun shade (X300 and X500 M-T)	189.39
Thatchers			
LP48004		38-in. (97-cm) Front Thatcher (Center) <i>Requires mounting frame</i>	261.00
LP48003		8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	58.00
LP48005		Thatcher Mounting Frame (X300/X500 M-T)	219.00
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	253.00
Tire Chains			
LP39856		TerraGrip traction belts (pair) for 20x10-8 non-Turf Saver, 20x10-10, and 20x9-8 tires	104.99
TY16200		Tire chains (pair) for 20x10-8 non-Turf Saver and 20x10-10 tires	91.85
Tow Behind			
LPSTS42JD		Lawn Sweeper, 42 in. (107 cm)	391.00
LP49038		Lawn Sweeper, 44 in. (112 cm)	379.99
LP42108		Lawn sweeper dethatcher kit (LPSTS42JD)	133.00
LP39089		MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
LPPRT36JD		Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	253.00
LPPA40JD		Tow-Behind Plug Aerator, 40 in. (102 cm)	459.00
LPSAT40JD		Tow-Behind Spiker Aerator, 40 in. (102 cm)	334.00

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X330 Select Series Tractor with 48-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Weather Enclosures	
LP55438		X300 Series weather enclosure For use with model year 2021 tractors with the following serial numbers or lower: o X330/42A - (serial number -110,208) o X330/48A - (serial number -110,016) o X350/42A - (serial number -110,215) o X350/48A - (serial number -110,220) o X350 less deck - (serial number -110,004) For higher serial numbers, a new weather enclosure is expected by fall 2021, with larger clamps that are compatible with the rolled-edge fender deck.	524.99
		Weights	
UC13263		Quik-Tatch Weight, 42 lb (19 kg) Use up to two weights on the rear of X300 Series Tractors. Use up to four weights on the rear of X500 Series Tractors.	60.99
BM25370		Weight bracket, front (X300/X500 M-T) Allows installation of up to four UC13263 Quik-Tatch Weights. Used on X300s, model year 2007- model X500 (SN 020,001-), X530, model year 2011- X534 (SN 060,001-), and X570.	71.69
BM17978		Wheel weight mounting hardware for attaching one front wheel weight	11.77

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X350 Select Series Tractor with 42-in. Accel Deep Mower Deck

Equipment for Base Machine

ENGINE

21.5 hp* (16.0 kW)
44.3-cu in. (726-cc)
displacement
Air cooled, V-twin cylinder with
cast-iron liners
Gasoline
No tools oil drain
Model FR651V

ELECTRICAL SYSTEM

12-V, 340-CCA battery
12-amp charging capacity
Instrument display with
hourmeter and fuel gauge;
optional MowerPlus Smart
Connector available
Optional 12-V outlet

TRANSAXLE

K46 hydrostatic transmission
Twin Touch pedals
0-5.5 mph (0-8.9 km/h) forward
speed
0-4 mph (0-6.4 km/h) reverse
speed
Cruise control

CHASSIS**Cast-iron front axle**

15x6-6 front turf tires
20x10-8 rear turf tires
Storage under seat, covered
toolbox, and cup holder
Optional front weight bracket
holds up to four 42-lb (19-kg)
Quik-Tatch weights
Standard rear weight bracket
holds up to two 42-lb (19-kg)
Quik-Tatch weights

STERING

Manual, two-wheel steer
14-in. (36-cm) steering wheel
16-in. (41-cm) turning radius
42A: 26-in. (66-cm) uncut circle
radius

SEAT

15-in. (38-cm) open back with
grasp

LIFT SYSTEM

Foot pedal mower deck and
implement lift with optional
adjustable lift-assist spring

MOWER DECK

42-in. (107-cm) Accel Deep Mower
Deck
12-gauge, 0.105-in. (2.6-mm),
steel shell
Wash port with hose end
Electric PTO clutch
Two mower deck wheels

*Engine horsepower and torque
information for non-Deere
engines are provided by the
engine manufacturer for
comparison purposes only. Actual
operating horsepower and torque
will be less. Refer to the
engine manufacturer's Web site
for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

4888M	X350 Select Series Tractor with 42-in. Accel Deep Mower Deck	3,399.00
-------	--	----------

DESTINATION

001A	United States and Canada	In Base Price
------	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION**Carts**

LP21935	Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	223.00
LP22755	Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD	Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	279.00
LP72978	Utility Cart, 10PX Poly with full dump <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	359.00

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X350 Select Series Tractor with 42-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LPHDC13JD	Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	412.00
	LP68186	Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	399.00
	LPPCT17JD	Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	423.00
	LPHDC18JD	Utility Cart, 18 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	541.00
		Drawbar	
	LP63768	Magnetic hitch pin	18.99
		Home Maintenance Kits	
	LG265	Home maintenance kit	48.44
		MCS Chutes	
	BUC11244	Rear bagger chute for 42A Mower	159.43
	BG20754	Rear bagger chute for 42A Mower <i>Replaced by BUC11244 upon depletion. Model year 2021 and newer X354 and X370 tractors (serial number 110,010-) with 18-in. (46-cm) cut-and-sewn seat, must use BUC11244.</i>	130.54
		MCS Hoppers	
	BUC11233	7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines.</i>	509.31
	BM21679	7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines. Replaced by BUC11233 upon depletion. Model year 2021 and newer X354, X370 X380, X384, X390, and X394 tractors (serial number 110,001-) with 18-in. (46-cm) cut-and-sewn seat must use BUC11233.</i>	461.17
	AM135486	Loose knit bag (1) for 7-bu Hopper	45.45
	LP47168	MCS 7 Dump-from-Seat Hopper, X300 with 7-bu (247-L) Hopper <i>Requires separate material collection system</i>	549.95
		Miscellaneous	
	BM24915	12-V outlet kit (X300) <i>Used on model year 2012- X300s (SN 220,001-)</i>	13.91
	LP63767	40-in. (102-cm) Tractor Shovel	999.95
	TY25866	Battery charger and maintainer	39.01
	LPJD301	Bucket holder (double)	94.95

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X350 Select Series Tractor with 42-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
TY27534		Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.69
BM25887		Lift-assist spring kit (X330, X350, X354)	39.59
BUC10537		MowerPlus Smart Connector <i>Requires MowerPlus app.</i>	99.51
AM136046		Seat net kit	64.39
BM26155		Snow blower and front blade compatibility kit <i>Updates a model year 2006-2015 44-in. (112-cm) Snow Blower (7001M/SKU23045), 47-in. (119-cm) Snow Blower (7002M/SKU23047), or 48-in. (122-cm) Front Blade (6002M/SKU23048) for use on a model year 2016- X300/X500 M-T Tractor.</i>	343.47
		Mower Blades	
GX25668		Blade (42A bagging)	21.95
M170642		Blade (42A mulching)	26.05
		Mower Decks	
LP63762		Grass Striping Groomer for 42A Deck	104.95
AM130907		Mower deck leveling gauge	7.15
		Mulch Kits	
BM24794		42A MulchControl attachment <i>Includes mulching blades</i>	139.10
BUC10164		42A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information. http://dtac.deere.com/Solutions/English/110887.htm</i>	326.36
		Protection	
BM23057		Brush guard (X300/X500 M-T)	131.61
BM23056		Bumper (X300s, X500, X530, X534, X570)	69.56
LP70686		Riding mower cover, for tractor with material collection system <i>Fits X300 tractors with 42A mower deck and 7-bu materiel collection system</i>	135.99
LP93647		Riding mower cover, large deluxe	99.99
LP93917		Riding mower cover, standard	69.99
LP92624		Seat cover, medium deluxe yellow	42.99
LP92324		Seat cover, medium standard yellow	26.99
		Spark Arrester	
AM135845		Spark arrester muffler screen (X300s, X500 M-Ts)	53.75

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X350 Select Series Tractor with 42-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
Sprayers			
LP22861		Mounted Sprayer, 25 gal. (95 L) (X300/X500 M-T) <i>Requires mid-mount mower, front implement, two front wheel weights, or four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	494.95
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	469.95
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	489.95
Spreaders			
LP35439		Mounted Electric Broadcast Spreader, 125 lb (57 kg) (X300/X500 M-T/X700) <i>Requires two front wheel weights or two front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	579.00
LP23117		Mounted electric broadcast spreader barrier shield	69.00
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	363.00
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	410.00
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	449.00
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	298.00
Sun Protection			
BM23054		Sun shade (X300 and X500 M-T)	189.39
Thatchers			
LP48004		38-in. (97-cm) Front Thatcher (Center) <i>Requires mounting frame</i>	261.00
LP48003		8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	58.00
LP48005		Thatcher Mounting Frame (X300/X500 M-T)	219.00
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	253.00
Tire Chains			
LP39856		TerraGrip traction belts (pair) for 20x10-8 non-Turf Saver, 20x10-10, and 20x9-8 tires	104.99
TY16200		Tire chains (pair) for 20x10-8 non-Turf Saver and 20x10-10 tires	91.85
Tow Behind			
LPSTS42JD		Lawn Sweeper, 42 in. (107 cm)	391.00
LP49038		Lawn Sweeper, 44 in. (112 cm)	379.99
LP42108		Lawn sweeper dethatcher kit (LPSTS42JD)	133.00
LP39089		MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
LPPRT36JD		Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	253.00

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X350 Select Series Tractor with 42-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LPPA40JD	Tow-Behind Plug Aerator, 40 in. (102 cm)	459.00
	LPSAT40JD	Tow-Behind Spiker Aerator, 40 in. (102 cm)	334.00
		Weather Enclosures	
	LP55438	X300 Series weather enclosure <i>For use with model year 2021 tractors with the following serial numbers or lower:</i> o X330/42A - (serial number -110,208) o X330/48A - (serial number -110,016) o X350/42A - (serial number -110,215) o X350/48A - (serial number -110,220) o X350 less deck - (serial number -110,004) <i>For higher serial numbers, a new weather enclosure is expected by fall 2021, with larger clamps that are compatible with the rolled-edge fender deck.</i>	524.99
		Weights	
	UC13263	Quik-Tatch Weight, 42 lb (19 kg) <i>Use up to two weights on the rear of X300 Series Tractors. Use up to four weights on the rear of X500 Series Tractors.</i>	60.99
	BM25370	Weight bracket, front (X300/X500 M-T) <i>Allows installation of up to four UC13263 Quik-Tatch Weights. Used on X300s, model year 2007- model X500 (SN 020,001-), X530, model year 2011- X534 (SN 060,001-), and X570.</i>	71.69
	BM17978	Wheel weight mounting hardware for attaching one front wheel weight	11.77

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X350 Select Series Tractor with 48-in. Accel Deep Mower Deck
Equipment for Base Machine

ENGINE

21.5 hp* (16.0 kW)
44.3-cu in. (726-cc)
displacement
Air cooled, V-twin cylinder with
cast-iron liners
Gasoline
No tools oil drain
Model FR651V

15x6-6 front turf tires
20x10-8 rear turf tires
Storage under seat, covered
toolbox, and cup holder
Optional front weight bracket
holds up to four 42-lb (19-kg)
Quik-Tatch weights
Standard rear weight bracket
holds up to two 42-lb (19-kg)
Quik-Tatch weights

Deck

10-gauge, 0.135-in. (3.4-mm),
steel shell
Wash port with hose end
Electric PTO clutch
Four mower deck wheels, and
center front rollers
Mower deck wheels rotate 90
degrees for easy mower removal

ELECTRICAL SYSTEM

12-V, 340-CCA battery
12-amp charging capacity
Instrument display with
hourmeter and fuel gauge;
optional MowerPlus Smart
Connector available
Optional 12-V outlet

STEERING

Manual, two-wheel steer
14-in. (36-cm) steering wheel
16-in. (41-cm) turning radius
48A: 21-in. (53-cm) uncut circle
radius

*Engine horsepower and torque
information for non-Deere
engines are provided by the
engine manufacturer for
comparison purposes only. Actual
operating horsepower and torque
will be less. Refer to the
engine manufacturer's Web site
for additional information.

TRANSAXLE

K46 hydrostatic transmission
Twin Touch pedals
0-5.5 mph (0-8.9 km/h) forward
speed
0-4 mph (0-6.4 km/h) reverse
speed
Cruise control

SEAT

15-in. (38-cm) open back with
grasp

LIFT SYSTEM

Foot pedal mower deck and
implement lift with adjustable
lift-assist spring

CHASSIS

Cast-iron front axle

MOWER DECK

48-in. (122-cm) Accel Deep Mower

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

4889M		X350 Select Series Tractor with 48-in. Accel Deep Mower Deck	3,799.00
-------	--	--	----------

DESTINATION

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

Carts

LP21935	Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	223.00
LP22755	Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD	Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	279.00
LP72978	Utility Cart, 10PX Poly with full dump <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	359.00

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X350 Select Series Tractor with 48-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LPHDC13JD	Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	412.00
	LP68186	Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	399.00
	LPPCT17JD	Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	423.00
	LPHDC18JD	Utility Cart, 18 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	541.00
		Drawbar	
	LP63768	Magnetic hitch pin	18.99
		Home Maintenance Kits	
	LG265	Home maintenance kit	48.44
		MCS Chutes	
	BM21681	Power Flow chute (6.5/7 bu)	115.56
		MCS Hoppers	
	BUC11233	7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines.</i>	509.31
	BM21679	7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines. Replaced by BUC11233 upon depletion. Model year 2021 and newer X354, X370 X380, X384, X390, and X394 tractors (serial number 110,001-) with 18-in. (46-cm) cut-and-sewn seat must use BUC11233.</i>	461.17
	AM135486	Loose knit bag (1) for 7-bu Hopper	45.45
	LP47168	MCS 7 Dump-from-Seat Hopper, X300 with 7-bu (247-L) Hopper <i>Requires separate material collection system</i>	549.95
		MCS Power Flow Blowers	
	BG20748	48A High-Performance Power Flow blower (X300/X500 M-T)	566.03
		Miscellaneous	
	BM24915	12-V outlet kit (X300) <i>Used on model year 2012- X300s (SN 220,001-)</i>	13.91
	LP63767	40-in. (102-cm) Tractor Shovel	999.95
	TY25866	Battery charger and maintainer	39.01
	LPJD301	Bucket holder (double)	94.95
	TY27534	Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.69

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X350 Select Series Tractor with 48-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BUC10537		MowerPlus Smart Connector <i>Requires MowerPlus app.</i>	99.51
AM136046		Seat net kit	64.39
BM26155		Snow blower and front blade compatibility kit <i>Updates a model year 2006-2015 44-in. (112-cm) Snow Blower (7001M/SKU23045), 47-in. (119-cm) Snow Blower (7002M/SKU23047), or 48-in. (122-cm) Front Blade (6002M/SKU23048) for use on a model year 2016- X300/X500 M-T Tractor.</i>	343.47
		Mower Blades	
M127673		Blade (48C/48X/48A mulching)	13.30
M145476		Blade (48C/48X/48A side discharge)	11.73
		Mower Decks	
BM26238		Dry-condition kit (48A)	59.91
LP63761		Grass Striping Groomer for 48A or 54A Deck	114.95
AM130907		Mower deck leveling gauge	7.15
		Mulch Kits	
BM24993		48A MulchControl attachment <i>Includes mulching blades</i>	169.06
BUC10165		48A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000; X500 serial number 110,001-130,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information.</i>	356.31
		Protection	
BM23057		Brush guard (X300/X500 M-T)	131.61
BM23056		Bumper (X300s, X500, X530, X534, X570)	69.56
LP93647		Riding mower cover, large deluxe	99.99
LP93917		Riding mower cover, standard	69.99
LP92624		Seat cover, medium deluxe yellow	42.99
LP92324		Seat cover, medium standard yellow	26.99
		Spark Arrester	
AM135845		Spark arrester muffler screen (X300s, X500 M-Ts)	53.75
		Sprayers	
LP22861		Mounted Sprayer, 25 gal. (95 L) (X300/X500 M-T) <i>Requires mid-mount mower, front implement, two front wheel weights, or four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	494.95
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	469.95
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	489.95

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X350 Select Series Tractor with 48-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
Spreaders			
LP35439		Mounted Electric Broadcast Spreader, 125 lb (57 kg) (X300/X500 M-T/X700) <i>Requires two front wheel weights or two front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	579.00
LP23117		Mounted electric broadcast spreader barrier shield	69.00
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	363.00
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	410.00
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	449.00
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	298.00
Sun Protection			
BM23054		Sun shade (X300 and X500 M-T)	189.39
Thatchers			
LP48004		38-in. (97-cm) Front Thatcher (Center) <i>Requires mounting frame</i>	261.00
LP48003		8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	58.00
LP48005		Thatcher Mounting Frame (X300/X500 M-T)	219.00
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	253.00
Tire Chains			
LP39856		TerraGrip traction belts (pair) for 20x10-8 non-Turf Saver, 20x10-10, and 20x9-8 tires	104.99
TY16200		Tire chains (pair) for 20x10-8 non-Turf Saver and 20x10-10 tires	91.85
Tow Behind			
LPSTS42JD		Lawn Sweeper, 42 in. (107 cm)	391.00
LP49038		Lawn Sweeper, 44 in. (112 cm)	379.99
LP42108		Lawn sweeper dethatcher kit (LPSTS42JD)	133.00
LP39089		MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
LPPRT36JD		Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	253.00
LPPA40JD		Tow-Behind Plug Aerator, 40 in. (102 cm)	459.00
LPSAT40JD		Tow-Behind Spiker Aerator, 40 in. (102 cm)	334.00

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X350 Select Series Tractor with 48-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Weather Enclosures	
LP55438		X300 Series weather enclosure For use with model year 2021 tractors with the following serial numbers or lower: o X330/42A - (serial number -110,208) o X330/48A - (serial number -110,016) o X350/42A - (serial number -110,215) o X350/48A - (serial number -110,220) o X350 less deck - (serial number -110,004) For higher serial numbers, a new weather enclosure is expected by fall 2021, with larger clamps that are compatible with the rolled-edge fender deck.	524.99
		Weights	
UC13263		Quik-Tatch Weight, 42 lb (19 kg) Use up to two weights on the rear of X300 Series Tractors. Use up to four weights on the rear of X500 Series Tractors.	60.99
BM25370		Weight bracket, front (X300/X500 M-T) Allows installation of up to four UC13263 Quik-Tatch Weights. Used on X300s, model year 2007- model X500 (SN 020,001-), X530, model year 2011- X534 (SN 060,001-), and X570.	71.69
BM17978		Wheel weight mounting hardware for attaching one front wheel weight	11.77

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X350 Select Series Tractor without mower deck
Equipment for Base Machine

ENGINE
21.5 hp* (16.0 kW)
44.3-cu in. (726-cc)
displacement
Air cooled, V-twin cylinder with
cast-iron liners
Gasoline
No tools oil drain
Model FR651V

20x10-8 rear turf tires
Storage under seat, covered
toolbox, and cup holder
Optional front weight bracket
holds up to four 42-lb (19-kg)
Quik-Tatch weights
Standard rear weight bracket
holds up to two 42-lb (19-kg)
Quik-Tatch weights

Deck
42M and 42A: 12-gauge, 0.105-in.
(2.7-mm) / 48A: 10-gauge,
0.135-in. (3.4-mm), steel shell
Wash port with hose end
Electric PTO clutch
42M and 42A: Two mower deck
wheels / 48A: Four mower deck
wheels, and center front rollers
48A: Mower deck wheels rotate 90
degrees for easy mower removal

ELECTRICAL SYSTEM
12-V, 340-CCA battery
12-amp charging capacity
Instrument display with
hourmeter and fuel gauge;
optional MowerPlus Smart
Connector available
Optional 12-V outlet

STEERING
Manual, two-wheel steer
14-in. (36-cm) steering wheel
16-in. (41-cm) turning radius
42M: Right 23-in. (58-cm) Left
27-in. (69-cm) / 42A: 26-in.
(66-cm) / 48A: 21-in. (53-cm)
uncut circle radius

*Engine horsepower and torque
information for non-Deere
engines are provided by the
engine manufacturer for
comparison purposes only. Actual
operating horsepower and torque
will be less. Refer to the
engine manufacturer's Web site
for additional information.

TRANSAXLE
K46 hydrostatic transmission
Twin Touch pedals
0-5.5 mph (0-8.9 km/h) forward
speed
0-4 mph (0-6.4 km/h) reverse
speed
Cruise control

SEAT
15-in. (38-cm) open back with
grasp

LIFT SYSTEM
Foot pedal mower deck and
implement lift with optional
adjustable lift-assist spring

CHASSIS
Cast-iron front axle

15x6-6 front turf tires

OPTIONAL MOWER DECKS
42-in. (107-cm) Accel Deep,
42-in. (107-cm) Edge Mulch, or
48-in. (122-cm) Accel Deep Mower

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

488AM		X350 Select Series Tractor without mower deck	2,899.00
-------	--	---	----------

DESTINATION

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

Carts			
LP21935	Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>		223.00
LP22755	Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>		199.00
LPPCT10JD	Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>		279.00

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X350 Select Series Tractor without mower deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LP72978		Utility Cart, 10PX Poly with full dump <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	359.00
LPHDC13JD		Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	412.00
LP68186		Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	399.00
LPPCT17JD		Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	423.00
LPHDC18JD		Utility Cart, 18 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	541.00
		Drawbar	
LP63768		Magnetic hitch pin	18.99
		Home Maintenance Kits	
LG265		Home maintenance kit	48.44
		MCS Chutes	
BM21681		Power Flow chute (6.5/7 bu)	115.56
BUC11244		Rear bagger chute for 42A Mower	159.43
BG20754		Rear bagger chute for 42A Mower <i>Replaced by BUC11244 upon depletion. Model year 2021 and newer X354 and X370 tractors (serial number 110,010-) with 18-in. (46-cm) cut-and-sewn seat, must use BUC11244.</i>	130.54
		MCS Hoppers	
BUC11233		7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines.</i>	509.31
BM21679		7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines. Replaced by BUC11233 upon depletion. Model year 2021 and newer X354, X370 X380, X384, X390, and X394 tractors (serial number 110,001-) with 18-in. (46-cm) cut-and-sewn seat must use BUC11233.</i>	461.17
AM135486		Loose knit bag (1) for 7-bu Hopper	45.45
LP47168		MCS 7 Dump-from-Seat Hopper, X300 with 7-bu (247-L) Hopper <i>Requires separate material collection system</i>	549.95
		MCS Power Flow Blowers	
BG20748		48A High-Performance Power Flow blower (X300/X500 M-T)	566.03

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X350 Select Series Tractor without mower deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
Miscellaneous			
BM24915		12-V outlet kit (X300) <i>Used on model year 2012- X300s (SN 220,001-)</i>	13.91
LP63767		40-in. (102-cm) Tractor Shovel	999.95
TY25866		Battery charger and maintainer	39.01
LPJD301		Bucket holder (double)	94.95
TY27534		Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.69
BM25887		Lift-assist spring kit (X330, X350, X354)	39.59
BUC10537		MowerPlus Smart Connector <i>Requires MowerPlus app.</i>	99.51
AM136046		Seat net kit	64.39
BM26155		Snow blower and front blade compatibility kit <i>Updates a model year 2006-2015 44-in. (112-cm) Snow Blower (7001M/SKU23045), 47-in. (119-cm) Snow Blower (7002M/SKU23047), or 48-in. (122-cm) Front Blade (6002M/SKU23048) for use on a model year 2016- X300/X500 M-T Tractor.</i>	343.47
Mower Blades			
GX25668		Blade (42A bagging)	21.95
M170642		Blade (42A mulching)	26.05
M127673		Blade (48C/48X/48A mulching)	13.30
M145476		Blade (48C/48X/48A side discharge)	11.73
AM140332		Blade Kit (42M mulching low lift and X350R mulching)	71.27
AM140973		Blade Kit (42M mulching)	42.75
Mower Decks			
BM26238		Dry-condition kit (48A)	59.91
LP63762		Grass Striping Groomer for 42A Deck	104.95
LP63761		Grass Striping Groomer for 48A or 54A Deck	114.95
AM130907		Mower deck leveling gauge	7.15
Mulch Kits			
BM24794		42A MulchControl attachment <i>Includes mulching blades</i>	139.10
BUC10164		42A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information. http://dtac.deere.com/Solutions/English/110887.htm</i>	326.36

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X350 Select Series Tractor without mower deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
AM140329		42M Mulch insert kit <i>Recommended for buyers who previously owned a Freedom 42 Mower Deck</i>	114.98
BM24993		48A MulchControl attachment <i>Includes mulching blades</i>	169.06
BUC10165		48A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000; X500 serial number 110,001-130,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information.</i>	356.31
		Protection	
BM23057		Brush guard (X300/X500 M-T)	131.61
BM23056		Bumper (X300s, X500, X530, X534, X570)	69.56
LP70686		Riding mower cover, for tractor with material collection system <i>Fits X300 tractors with 42A mower deck and 7-bu materiel collection system</i>	135.99
LP93647		Riding mower cover, large deluxe	99.99
LP93917		Riding mower cover, standard	69.99
LP92624		Seat cover, medium deluxe yellow	42.99
LP92324		Seat cover, medium standard yellow	26.99
		Spark Arrester	
AM135845		Spark arrester muffler screen (X300s, X500 M-Ts)	53.75
		Sprayers	
LP22861		Mounted Sprayer, 25 gal. (95 L) (X300/X500 M-T) <i>Requires mid-mount mower, front implement, two front wheel weights, or four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	494.95
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	469.95
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	489.95
		Spreaders	
LP35439		Mounted Electric Broadcast Spreader, 125 lb (57 kg) (X300/X500 M-T/X700) <i>Requires two front wheel weights or two front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	579.00
LP23117		Mounted electric broadcast spreader barrier shield	69.00
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	363.00
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	410.00
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	449.00
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	298.00

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X350 Select Series Tractor without mower deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Sun Protection	
BM23054		Sun shade (X300 and X500 M-T)	189.39
		Thatchers	
LP48004		38-in. (97-cm) Front Thatcher (Center) <i>Requires mounting frame</i>	261.00
LP48003		8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	58.00
LP48005		Thatcher Mounting Frame (X300/X500 M-T)	219.00
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	253.00
		Tire Chains	
LP39856		TerraGrip traction belts (pair) for 20x10-8 non-Turf Saver, 20x10-10, and 20x9-8 tires	104.99
TY16200		Tire chains (pair) for 20x10-8 non-Turf Saver and 20x10-10 tires	91.85
		Tow Behind	
LPSTS42JD		Lawn Sweeper, 42 in. (107 cm)	391.00
LP49038		Lawn Sweeper, 44 in. (112 cm)	379.99
LP42108		Lawn sweeper dethatcher kit (LPSTS42JD)	133.00
LP39089		MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
LPPRT36JD		Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	253.00
LPPA40JD		Tow-Behind Plug Aerator, 40 in. (102 cm)	459.00
LPSAT40JD		Tow-Behind Spiker Aerator, 40 in. (102 cm)	334.00
		Weather Enclosures	
LP55438		X300 Series weather enclosure <i>For use with model year 2021 tractors with the following serial numbers or lower:</i> <i>o X330/42A - (serial number -110,208)</i> <i>o X330/48A - (serial number -110,016)</i> <i>o X350/42A - (serial number -110,215)</i> <i>o X350/48A - (serial number -110,220)</i> <i>o X350 less deck - (serial number -110,004)</i> <i>For higher serial numbers, a new weather enclosure is expected by fall 2021, with larger clamps that are compatible with the rolled-edge fender deck.</i>	524.99
		Weights	
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Use up to two weights on the rear of X300 Series Tractors. Use up to four weights on the rear of X500 Series Tractors.</i>	60.99
BM25370		Weight bracket, front (X300/X500 M-T) <i>Allows installation of up to four UC13263 Quik-Tatch Weights. Used on X300s, model year 2007- model X500 (SN 020,001-), X530, model year 2011- X534 (SN 060,001-), and X570.</i>	71.69
BM17978		Wheel weight mounting hardware for attaching one front wheel weight	11.77

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X350 Select Series Tractor without mower deck, California version
Equipment for Base Machine

ENGINE
21.5 hp* (16.0 kW)
44.3-cu in. (726-cc)
displacement
Air cooled, V-twin cylinder with
cast-iron liners
Gasoline
No tools oil drain
Model FR651V

20x10-8 rear turf tires
Storage under seat, covered
toolbox, and cup holder
Optional front weight bracket
holds up to four 42-lb (19-kg)
Quik-Tatch weights
Standard rear weight bracket
holds up to two 42-lb (19-kg)
Quik-Tatch weights

Deck
42M and 42A: 12-gauge, 0.105-in.
(2.7-mm) / 48A: 10-gauge,
0.135-in. (3.4-mm), steel shell
Wash port with hose end
Electric PTO clutch
42M and 42A: Two mower deck
wheels / 48A: Four mower deck
wheels, and center front rollers
48A: Mower deck wheels rotate 90
degrees for easy mower removal

ELECTRICAL SYSTEM
12-V, 340-CCA battery
12-amp charging capacity
Instrument display with
hourmeter and fuel gauge;
optional MowerPlus Smart
Connector available
Optional 12-V outlet

STEERING
Manual, two-wheel steer
14-in. (36-cm) steering wheel
16-in. (41-cm) turning radius
42M: Right 23-in. (58-cm) Left
27-in. (69-cm) / 42A: 26-in.
(66-cm) / 48A: 21-in. (53-cm)
uncut circle radius

*Engine horsepower and torque
information for non-Deere
engines are provided by the
engine manufacturer for
comparison purposes only. Actual
operating horsepower and torque
will be less. Refer to the
engine manufacturer's Web site
for additional information.

TRANSAXLE
K46 hydrostatic transmission
Twin Touch pedals
0-5.5 mph (0-8.9 km/h) forward
speed
0-4 mph (0-6.4 km/h) reverse
speed
Cruise control

SEAT
15-in. (38-cm) open back with
grasp

LIFT SYSTEM
Foot pedal mower deck and
implement lift with optional
adjustable lift-assist spring

CHASSIS
Cast-iron front axle

15x6-6 front turf tires

OPTIONAL MOWER DECKS
42-in. (107-cm) Accel Deep,
42-in. (107-cm) Edge Mulch, or
48-in. (122-cm) Accel Deep Mower

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

488BM		X350 Select Series Tractor without mower deck, California version	2,999.00
-------	--	---	----------

DESTINATION

001G		California	In Base Price
------	--	------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

Carts			
LP21935	Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>		223.00
LP22755	Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>		199.00
LPPCT10JD	Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>		279.00

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X350 Select Series Tractor without mower deck, California version

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LP72978		Utility Cart, 10PX Poly with full dump <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	359.00
LPHDC13JD		Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	412.00
LP68186		Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	399.00
LPPCT17JD		Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	423.00
LPHDC18JD		Utility Cart, 18 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	541.00
		Drawbar	
LP63768		Magnetic hitch pin	18.99
		Home Maintenance Kits	
LG265		Home maintenance kit	48.44
		MCS Chutes	
BM21681		Power Flow chute (6.5/7 bu)	115.56
BUC11244		Rear bagger chute for 42A Mower	159.43
BG20754		Rear bagger chute for 42A Mower <i>Replaced by BUC11244 upon depletion. Model year 2021 and newer X354 and X370 tractors (serial number 110,010-) with 18-in. (46-cm) cut-and-sewn seat, must use BUC11244.</i>	130.54
		MCS Hoppers	
BUC11233		7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines.</i>	509.31
BM21679		7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines. Replaced by BUC11233 upon depletion. Model year 2021 and newer X354, X370 X380, X384, X390, and X394 tractors (serial number 110,001-) with 18-in. (46-cm) cut-and-sewn seat must use BUC11233.</i>	461.17
AM135486		Loose knit bag (1) for 7-bu Hopper	45.45
LP47168		MCS 7 Dump-from-Seat Hopper, X300 with 7-bu (247-L) Hopper <i>Requires separate material collection system</i>	549.95
		MCS Power Flow Blowers	
BG20748		48A High-Performance Power Flow blower (X300/X500 M-T)	566.03

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X350 Select Series Tractor without mower deck, California version

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
Miscellaneous			
BM24915		12-V outlet kit (X300) <i>Used on model year 2012- X300s (SN 220,001-)</i>	13.91
LP63767		40-in. (102-cm) Tractor Shovel	999.95
TY25866		Battery charger and maintainer	39.01
LPJD301		Bucket holder (double)	94.95
TY27534		Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.69
BM25887		Lift-assist spring kit (X330, X350, X354)	39.59
BUC10537		MowerPlus Smart Connector <i>Requires MowerPlus app.</i>	99.51
AM136046		Seat net kit	64.39
BM26155		Snow blower and front blade compatibility kit <i>Updates a model year 2006-2015 44-in. (112-cm) Snow Blower (7001M/SKU23045), 47-in. (119-cm) Snow Blower (7002M/SKU23047), or 48-in. (122-cm) Front Blade (6002M/SKU23048) for use on a model year 2016- X300/X500 M-T Tractor.</i>	343.47
Mower Blades			
GX25668		Blade (42A bagging)	21.95
M170642		Blade (42A mulching)	26.05
M127673		Blade (48C/48X/48A mulching)	13.30
M145476		Blade (48C/48X/48A side discharge)	11.73
AM140332		Blade Kit (42M mulching low lift and X350R mulching)	71.27
AM140973		Blade Kit (42M mulching)	42.75
Mower Decks			
BM26238		Dry-condition kit (48A)	59.91
LP63762		Grass Striping Groomer for 42A Deck	104.95
LP63761		Grass Striping Groomer for 48A or 54A Deck	114.95
AM130907		Mower deck leveling gauge	7.15
Mulch Kits			
BM24794		42A MulchControl attachment <i>Includes mulching blades</i>	139.10
BUC10164		42A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information. http://dtac.deere.com/Solutions/English/110887.htm</i>	326.36

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X350 Select Series Tractor without mower deck, California version

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
AM140329		42M Mulch insert kit <i>Recommended for buyers who previously owned a Freedom 42 Mower Deck</i>	114.98
BM24993		48A MulchControl attachment <i>Includes mulching blades</i>	169.06
BUC10165		48A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000; X500 serial number 110,001-130,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information.</i>	356.31
		Protection	
BM23057		Brush guard (X300/X500 M-T)	131.61
BM23056		Bumper (X300s, X500, X530, X534, X570)	69.56
LP70686		Riding mower cover, for tractor with material collection system <i>Fits X300 tractors with 42A mower deck and 7-bu materiel collection system</i>	135.99
LP93647		Riding mower cover, large deluxe	99.99
LP93917		Riding mower cover, standard	69.99
LP92624		Seat cover, medium deluxe yellow	42.99
LP92324		Seat cover, medium standard yellow	26.99
		Spark Arrester	
AM135845		Spark arrester muffler screen (X300s, X500 M-Ts)	53.75
		Sprayers	
LP22861		Mounted Sprayer, 25 gal. (95 L) (X300/X500 M-T) <i>Requires mid-mount mower, front implement, two front wheel weights, or four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	494.95
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	469.95
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	489.95
		Spreaders	
LP35439		Mounted Electric Broadcast Spreader, 125 lb (57 kg) (X300/X500 M-T/X700) <i>Requires two front wheel weights or two front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	579.00
LP23117		Mounted electric broadcast spreader barrier shield	69.00
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	363.00
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	410.00
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	449.00
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	298.00

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X350 Select Series Tractor without mower deck, California version

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Sun Protection	
BM23054		Sun shade (X300 and X500 M-T)	189.39
		Thatchers	
LP48004		38-in. (97-cm) Front Thatcher (Center) <i>Requires mounting frame</i>	261.00
LP48003		8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	58.00
LP48005		Thatcher Mounting Frame (X300/X500 M-T)	219.00
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	253.00
		Tire Chains	
LP39856		TerraGrip traction belts (pair) for 20x10-8 non-Turf Saver, 20x10-10, and 20x9-8 tires	104.99
TY16200		Tire chains (pair) for 20x10-8 non-Turf Saver and 20x10-10 tires	91.85
		Tow Behind	
LPSTS42JD		Lawn Sweeper, 42 in. (107 cm)	391.00
LP49038		Lawn Sweeper, 44 in. (112 cm)	379.99
LP42108		Lawn sweeper dethatcher kit (LPSTS42JD)	133.00
LP39089		MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
LPPRT36JD		Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	253.00
LPPA40JD		Tow-Behind Plug Aerator, 40 in. (102 cm)	459.00
LPSAT40JD		Tow-Behind Spiker Aerator, 40 in. (102 cm)	334.00
		Weights	
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Use up to two weights on the rear of X300 Series Tractors. Use up to four weights on the rear of X500 Series Tractors.</i>	60.99
BM25370		Weight bracket, front (X300/X500 M-T) <i>Allows installation of up to four UC13263 Quik-Tatch Weights. Used on X300s, model year 2007- model X500 (SN 020,001-), X530, model year 2011- X534 (SN 060,001-), and X570.</i>	71.69
BM17978		Wheel weight mounting hardware for attaching one front wheel weight	11.77

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X354 Select Series Tractor with 42-in. Accel Deep Mower Deck

Equipment for Base Machine

ENGINE

21.5 hp* (16.0 kW)
44.3-cu in. (726-cc)
displacement
Air cooled, V-twin cylinder with
cast-iron liners
Gasoline
No tools oil drain
Model FR651V

ELECTRICAL SYSTEM

12-V, 340-CCA battery
12-amp charging capacity
Instrument display with
hourmeter and fuel gauge;
optional MowerPlus Smart
Connector available
Optional 12-V outlet

TRANSAXLE

K46 hydrostatic transmission
Twin Touch pedals
0-5.5 mph (0-8.9 km/h) forward
speed
0-4 mph (0-6.4 km/h) reverse
speed
Cruise control

CHASSIS**Cast-iron front axle**

15x6-6 front turf tires
20x10-10 rear turf tires
Storage under seat, covered
toolbox, and cup holder
Optional front weight bracket
holds up to four 42-lb (19-kg)
Quik-Tatch weights
Optional rear weight bracket
holds up to two 42-lb (19-kg)
Quik-Tatch weights

STERING

Manual, four-wheel steer
14-in. (36-cm) steering wheel
15-in. (38-cm) turning radius
42A: 15-in. (38-cm) uncut circle
radius

SEAT

18-in. (46-cm) cut-and-sewn high
back with brand embroidery

LIFT SYSTEM

Foot pedal mower deck and
implement lift with optional
adjustable lift-assist spring

MOWER DECK

42-in. (107-cm) Accel Deep Mower
Deck
12-gauge, 0.105-in. (2.6-mm),
steel shell
Wash port with hose end
Electric PTO clutch
Two mower deck wheels

*Engine horsepower and torque
information for non-Deere
engines are provided by the
engine manufacturer for
comparison purposes only. Actual
operating horsepower and torque
will be less. Refer to the
engine manufacturer's Web site
for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

5194M	X354 Select Series Tractor with 42-in. Accel Deep Mower Deck	4,099.00
-------	--	----------

DESTINATION

001A	United States and Canada	In Base Price
------	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION**Carts**

LP21935	Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	223.00
LP22755	Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD	Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	279.00
LP72978	Utility Cart, 10PX Poly with full dump <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	359.00

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X354 Select Series Tractor with 42-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LPHDC13JD	Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	412.00
	LP68186	Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	399.00
	LPPCT17JD	Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	423.00
	LPHDC18JD	Utility Cart, 18 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	541.00
		Drawbar	
	LP63768	Magnetic hitch pin	18.99
		Home Maintenance Kits	
	LG265	Home maintenance kit	48.44
		MCS Chutes	
	BUC11244	Rear bagger chute for 42A Mower	159.43
		MCS Hoppers	
	BUC11233	7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines.</i>	509.31
	AM135486	Loose knit bag (1) for 7-bu Hopper	45.45
	LP47168	MCS 7 Dump-from-Seat Hopper, X300 with 7-bu (247-L) Hopper <i>Requires separate material collection system</i>	549.95
		Miscellaneous	
	BM24915	12-V outlet kit (X300) <i>Used on model year 2012- X300s (SN 220,001-)</i>	13.91
	LP63767	40-in. (102-cm) Tractor Shovel	999.95
	TY25866	Battery charger and maintainer	39.01
	LPJD301	Bucket holder (double)	94.95
	TY27534	Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.69
	BM25887	Lift-assist spring kit (X330, X350, X354)	39.59
	BUC10537	MowerPlus Smart Connector <i>Requires MowerPlus app.</i>	99.51
	BM26155	Snow blower and front blade compatibility kit <i>Updates a model year 2006-2015 44-in. (112-cm) Snow Blower (7001M/SKU23045), 47-in. (119-cm) Snow Blower (7002M/SKU23047), or 48-in. (122-cm) Front Blade (6002M/SKU23048) for use on a model year 2016- X300/X500 M-T Tractor.</i>	343.47

Mower Blades

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X354 Select Series Tractor with 42-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
GX25668		Blade (42A bagging)	21.95
M170642		Blade (42A mulching)	26.05
		Mower Decks	
LP63762		Grass Striping Groomer for 42A Deck	104.95
AM130907		Mower deck leveling gauge	7.15
		Mulch Kits	
BM24794		42A MulchControl attachment <i>Includes mulching blades</i>	139.10
BUC10164		42A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information. http://dtac.deere.com/Solutions/English/110887.htm</i>	326.36
		Protection	
BM23057		Brush guard (X300/X500 M-T)	131.61
BM23056		Bumper (X300s, X500, X530, X534, X570)	69.56
LP92634		Large Deluxe Seat Cover - Yellow	44.99
LP92334		Large Seat Cover - Yellow	27.99
LP70686		Riding mower cover, for tractor with material collection system <i>Fits X300 tractors with 42A mower deck and 7-bu materiel collection system</i>	135.99
LP93647		Riding mower cover, large deluxe	99.99
LP93917		Riding mower cover, standard	69.99
LP76670		Seat cover, 18-in. (46-cm), yellow, with armrests	47.99
LP92624		Seat cover, medium deluxe yellow	42.99
LP92324		Seat cover, medium standard yellow	26.99
		Seat	
BM23761		Armrest kit, 21-in. (53-cm) seat <i>For use with: Model year 2011- (serial number 060,001-) X534 and X540 tractors All X584 and X590 tractors Model year 2021- (serial number 110,001-) X354, X370, X380, X384, X390, and X394 tractors Model year 2021- (serial number 160,001-) X580 tractors</i>	86.67
		Spark Arrester	
AM135845		Spark arrester muffler screen (X300s, X500 M-Ts)	53.75

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X354 Select Series Tractor with 42-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
Sprayers			
LP22861		Mounted Sprayer, 25 gal. (95 L) (X300/X500 M-T) <i>Requires mid-mount mower, front implement, two front wheel weights, or four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	494.95
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	469.95
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	489.95
Spreaders			
LP35439		Mounted Electric Broadcast Spreader, 125 lb (57 kg) (X300/X500 M-T/X700) <i>Requires two front wheel weights or two front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	579.00
LP23117		Mounted electric broadcast spreader barrier shield	69.00
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	363.00
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	410.00
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	449.00
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	298.00
Sun Protection			
BM23054		Sun shade (X300 and X500 M-T)	189.39
Thatchers			
LP48004		38-in. (97-cm) Front Thatcher (Center) <i>Requires mounting frame</i>	261.00
LP48003		8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	58.00
LP48005		Thatcher Mounting Frame (X300/X500 M-T)	219.00
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	253.00
Tire Chains			
LP39856		TerraGrip traction belts (pair) for 20x10-8 non-Turf Saver, 20x10-10, and 20x9-8 tires	104.99
TY16200		Tire chains (pair) for 20x10-8 non-Turf Saver and 20x10-10 tires	91.85
Tow Behind			
LPSTS42JD		Lawn Sweeper, 42 in. (107 cm)	391.00
LP49038		Lawn Sweeper, 44 in. (112 cm)	379.99
LP42108		Lawn sweeper dethatcher kit (LPSTS42JD)	133.00
LP39089		MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
LPPRT36JD		Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	253.00

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X354 Select Series Tractor with 42-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LPPA40JD		Tow-Behind Plug Aerator, 40 in. (102 cm)	459.00
LPSAT40JD		Tow-Behind Spiker Aerator, 40 in. (102 cm)	334.00
		Weights	
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Use up to two weights on the rear of X300 Series Tractors. Use up to four weights on the rear of X500 Series Tractors.</i>	60.99
BM25370		Weight bracket, front (X300/X500 M-T) <i>Allows installation of up to four UC13263 Quik-Tatch Weights. Used on X300s, model year 2007- model X500 (SN 020,001-), X530, model year 2011- X534 (SN 060,001-), and X570.</i>	71.69
BM24011		Weight bracket, rear (X304, X324, X354, X384, X394, X534, X584) <i>Allows installation of up to two UC13263 Quik-Tatch weights on X304, X324, X354, X384, and X394 4-Wheel Steer Tractors. Allows installation of up to four UC13263 Quik-Tatch Weights on X534 and X584 4-Wheel Steer Tractors.</i>	94.16
BM17978		Wheel weight mounting hardware for attaching one front wheel weight	11.77

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X370 Select Series Tractor with 42-in. Accel Deep Mower Deck
Equipment for Base Machine

ENGINE
21.5 hp* (16.0 kW)
44.3-cu in. (726-cc)
displacement
Air cooled, V-twin cylinder with
cast-iron liners
Gasoline
No tools oil drain
Model FR651V

ELECTRICAL SYSTEM
12-V, 340-CCA battery
12-amp charging capacity
Instrument display with
hourmeter and fuel gauge;
optional MowerPlus Smart
Connector available
Optional 12-V outlet

TRANSAXLE
K57 hydrostatic transmission
Twin Touch pedals
0-5.8 mph (0-9.3 km/h) forward
speed
0-3.5 mph (5.6 km/h) reverse
speed
Cruise control

CHASSIS

Cast-iron front axle
Replaceable metal spindle
bushings
15x6-6 front turf tires
20x10-8 rear turf tires
Storage under seat, covered
toolbox, and cup holder
Optional front weight bracket
holds up to four 42-lb (19-kg)
Quik-Tatch weights
Standard rear weight bracket
holds up to two 42-lb (19-kg)
Quik-Tatch weights

STEERING
Power, two-wheel steer
14-in. (36-cm) steering wheel
22-in. (56-cm) turning radius
42A: 30-in. (76-cm) uncut circle
radius

SEAT
18-in. (46-cm) cut-and-sewn high
back with brand embroidery

LIFT SYSTEM
Hydraulic power mower deck and
implement lift

MOWER DECK
42-in. (107-cm) Accel Deep Mower
Deck
12-gauge, 0.105-in. (2.6-mm),
steel shell
Wash port with hose end
Electric PTO clutch
Two mower deck wheels

*Engine horsepower and torque
information for non-Deere
engines are provided by the
engine manufacturer for
comparison purposes only. Actual
operating horsepower and torque
will be less. Refer to the
engine manufacturer's Web site
for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

5203M		X370 Select Series Tractor with 42-in. Accel Deep Mower Deck	4,299.00
-------	--	--	----------

DESTINATION

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

Carts

LP21935	Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	223.00
LP22755	Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD	Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	279.00
LP72978	Utility Cart, 10PX Poly with full dump <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	359.00

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X370 Select Series Tractor with 42-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LPHDC13JD	Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	412.00
	LP68186	Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	399.00
	LPPCT17JD	Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	423.00
	LPHDC18JD	Utility Cart, 18 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	541.00
		Drawbar	
	LP63768	Magnetic hitch pin	18.99
		Home Maintenance Kits	
	LG265	Home maintenance kit	48.44
		MCS Chutes	
	BUC11244	Rear bagger chute for 42A Mower	159.43
		MCS Hoppers	
	BUC11233	7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines.</i>	509.31
	AM135486	Loose knit bag (1) for 7-bu Hopper	45.45
	LP47168	MCS 7 Dump-from-Seat Hopper, X300 with 7-bu (247-L) Hopper <i>Requires separate material collection system</i>	549.95
		Miscellaneous	
	BM24915	12-V outlet kit (X300) <i>Used on model year 2012- X300s (SN 220,001-)</i>	13.91
	LP63767	40-in. (102-cm) Tractor Shovel	999.95
	TY25866	Battery charger and maintainer	39.01
	LPJD301	Bucket holder (double)	94.95
	TY27534	Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.69
	BUC10537	MowerPlus Smart Connector <i>Requires MowerPlus app.</i>	99.51
	BM26155	Snow blower and front blade compatibility kit <i>Updates a model year 2006-2015 44-in. (112-cm) Snow Blower (7001M/SKU23045), 47-in. (119-cm) Snow Blower (7002M/SKU23047), or 48-in. (122-cm) Front Blade (6002M/SKU23048) for use on a model year 2016- X300/X500 M-T Tractor.</i>	343.47
		Mower Blades	
	GX25668	Blade (42A bagging)	21.95

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X370 Select Series Tractor with 42-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
M170642		Blade (42A mulching)	26.05
		Mower Decks	
LP63762		Grass Striping Groomer for 42A Deck	104.95
AM130907		Mower deck leveling gauge	7.15
		Mulch Kits	
BM24794		42A MulchControl attachment <i>Includes mulching blades</i>	139.10
BUC10164		42A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information. http://dtac.deere.com/Solutions/English/110887.htm</i>	326.36
		Protection	
BM23057		Brush guard (X300/X500 M-T)	131.61
BM23056		Bumper (X300s, X500, X530, X534, X570)	69.56
LP92634		Large Deluxe Seat Cover - Yellow	44.99
LP92334		Large Seat Cover - Yellow	27.99
LP70686		Riding mower cover, for tractor with material collection system <i>Fits X300 tractors with 42A mower deck and 7-bu materiel collection system</i>	135.99
LP93647		Riding mower cover, large deluxe	99.99
LP93917		Riding mower cover, standard	69.99
LP76670		Seat cover, 18-in. (46-cm), yellow, with armrests	47.99
LP92624		Seat cover, medium deluxe yellow	42.99
LP92324		Seat cover, medium standard yellow	26.99
		Seat	
BM23761		Armrest kit, 21-in. (53-cm) seat <i>For use with: Model year 2011- (serial number 060,001-) X534 and X540 tractors All X584 and X590 tractors Model year 2021- (serial number 110,001-) X354, X370, X380, X384, X390, and X394 tractors Model year 2021- (serial number 160,001-) X580 tractors</i>	86.67
		Spark Arrester	
AM135845		Spark arrester muffler screen (X300s, X500 M-Ts)	53.75
		Sprayers	
LP22861		Mounted Sprayer, 25 gal. (95 L) (X300/X500 M-T) <i>Requires mid-mount mower, front implement, two front wheel weights, or four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	494.95

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X370 Select Series Tractor with 42-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	469.95
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	489.95
		Spreaders	
LP35439		Mounted Electric Broadcast Spreader, 125 lb (57 kg) (X300/X500 M-T/X700) <i>Requires two front wheel weights or two front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	579.00
LP23117		Mounted electric broadcast spreader barrier shield	69.00
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	363.00
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	410.00
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	449.00
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	298.00
		Sun Protection	
BM23054		Sun shade (X300 and X500 M-T)	189.39
		Thatchers	
LP48004		38-in. (97-cm) Front Thatcher (Center) <i>Requires mounting frame</i>	261.00
LP48003		8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	58.00
LP48005		Thatcher Mounting Frame (X300/X500 M-T)	219.00
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	253.00
		Tire Chains	
LP39856		TerraGrip traction belts (pair) for 20x10-8 non-Turf Saver, 20x10-10, and 20x9-8 tires	104.99
TY16200		Tire chains (pair) for 20x10-8 non-Turf Saver and 20x10-10 tires	91.85
		Tow Behind	
LPSTS42JD		Lawn Sweeper, 42 in. (107 cm)	391.00
LP49038		Lawn Sweeper, 44 in. (112 cm)	379.99
LP42108		Lawn sweeper dethatcher kit (LPSTS42JD)	133.00
LP39089		MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
LPPRT36JD		Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	253.00
LPPA40JD		Tow-Behind Plug Aerator, 40 in. (102 cm)	459.00
LPSAT40JD		Tow-Behind Spiker Aerator, 40 in. (102 cm)	334.00
		Weights	

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X370 Select Series Tractor with 42-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Use up to two weights on the rear of X300 Series Tractors. Use up to four weights on the rear of X500 Series Tractors.</i>	60.99
BM25370		Weight bracket, front (X300/X500 M-T) <i>Allows installation of up to four UC13263 Quik-Tatch Weights. Used on X300s, model year 2007- model X500 (SN 020,001-), X530, model year 2011- X534 (SN 060,001-), and X570.</i>	71.69
BM17978		Wheel weight mounting hardware for attaching one front wheel weight	11.77

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X380 Select Series Tractor with 48-in. Accel Deep Mower Deck
Equipment for Base Machine

ENGINE

23 hp* (17.2 kW)
44.3-cu in. (726-cc) displacement
Air cooled, V-twin cylinder with cast-iron liners
Gasoline
No tools oil drain
Model FR691V

15x6.5-8 front turf tires
22x11-10 rear turf tires
Storage under seat, covered toolbox, and cup holder
Optional front weight bracket holds up to four 42-lb (19-kg) Quik-Tatch weights
Standard rear weight bracket holds up to two 42-lb (19-kg) Quik-Tatch weights

Deck

10-gauge, 0.135-in. (3.4-mm), steel shell
Wash port with hose end
Electric PTO clutch
Four mower deck wheels, and center front rollers
Mower deck wheels rotate 90 degrees for easy mower removal

ELECTRICAL SYSTEM

12-V, 340-CCA battery
12-amp charging capacity
Instrument display with hourmeter and fuel gauge;
optional MowerPlus Smart Connector available
Optional 12-V outlet

STEERING

Manual, two-wheel steer
14-in. (36-cm) steering wheel
16-in. (41-cm) turning radius
48A: 21-in. (53-cm) uncut circle radius

*Engine horsepower and torque information for non-Deere engines are provided by the engine manufacturer for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's Web site for additional information.

TRANSAXLE

K58 hydrostatic transmission
Twin Touch pedals
0-6.2 mph (0-10 km/h) forward speed
0-3.5 mph (5.6 km/h) reverse speed
Cruise control

SEAT

18-in. (46-cm) cut-and-sewn high back with brand embroidery

LIFT SYSTEM

Foot pedal mower deck and implement lift with adjustable lift-assist spring

CHASSIS

Cast-iron front axle

MOWER DECK

48-in. (122-cm) Accel Deep Mower

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

5216M		X380 Select Series Tractor with 48-in. Accel Deep Mower Deck	4,699.00
-------	--	--	----------

DESTINATION

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

Carts

LP21935	Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	223.00
LP22755	Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD	Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	279.00
LP72978	Utility Cart, 10PX Poly with full dump <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	359.00

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X380 Select Series Tractor with 48-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LPHDC13JD	Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	412.00
	LP68186	Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	399.00
	LPPCT17JD	Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	423.00
	LPHDC18JD	Utility Cart, 18 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	541.00
		Drawbar	
	LP63768	Magnetic hitch pin	18.99
		Home Maintenance Kits	
	LG265	Home maintenance kit	48.44
		MCS Chutes	
	BM21681	Power Flow chute (6.5/7 bu)	115.56
	BM20855	Power Flow chute (MC519 with C, X, or A Series Blowers)	92.01
		MCS Hoppers	
	BUC11233	7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines.</i>	509.31
	AM135486	Loose knit bag (1) for 7-bu Hopper	45.45
	LP49228	MC519 Material Collection System <i>Requires Power Flow blower and Power Flow chute. See Sales Manual for requirements for additional applications. See Sales Manual for ballast requirements.</i>	999.00
	LP47168	MCS 7 Dump-from-Seat Hopper, X300 with 7-bu (247-L) Hopper <i>Requires separate material collection system</i>	549.95
		MCS Power Flow Blowers	
	BG20748	48A High-Performance Power Flow blower (X300/X500 M-T)	566.03
		Miscellaneous	
	BM24915	12-V outlet kit (X300) <i>Used on model year 2012- X300s (SN 220,001-)</i>	13.91
	LP63767	40-in. (102-cm) Tractor Shovel	999.95
	TY25866	Battery charger and maintainer	39.01
	LPJD301	Bucket holder (double)	94.95
	TY27534	Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.69

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X380 Select Series Tractor with 48-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BUC10537		MowerPlus Smart Connector <i>Requires MowerPlus app.</i>	99.51
BM26155		Snow blower and front blade compatibility kit <i>Updates a model year 2006-2015 44-in. (112-cm) Snow Blower (7001M/SKU23045), 47-in. (119-cm) Snow Blower (7002M/SKU23047), or 48-in. (122-cm) Front Blade (6002M/SKU23048) for use on a model year 2016- X300/X500 M-T Tractor.</i>	343.47
		Mower Blades	
M127673		Blade (48C/48X/48A mulching)	13.30
M145476		Blade (48C/48X/48A side discharge)	11.73
		Mower Decks	
BM26238		Dry-condition kit (48A)	59.91
LP63761		Grass Striping Groomer for 48A or 54A Deck	114.95
AM130907		Mower deck leveling gauge	7.15
		Mulch Kits	
BM24993		48A MulchControl attachment <i>Includes mulching blades</i>	169.06
BUC10165		48A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000; X500 serial number 110,001-130,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information.</i>	356.31
		Protection	
BM23057		Brush guard (X300/X500 M-T)	131.61
BM23056		Bumper (X300s, X500, X530, X534, X570)	69.56
LP92634		Large Deluxe Seat Cover - Yellow	44.99
LP92334		Large Seat Cover - Yellow	27.99
LP93647		Riding mower cover, large deluxe	99.99
LP93917		Riding mower cover, standard	69.99
LP76670		Seat cover, 18-in. (46-cm), yellow, with armrests	47.99
LP92624		Seat cover, medium deluxe yellow	42.99
LP92324		Seat cover, medium standard yellow	26.99
		Seat	
BM23761		Armrest kit, 21-in. (53-cm) seat <i>For use with: Model year 2011- (serial number 060,001-) X534 and X540 tractors All X584 and X590 tractors Model year 2021- (serial number 110,001-) X354, X370, X380, X384, X390, and X394 tractors Model year 2021- (serial number 160,001-) X580 tractors</i>	86.67

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X380 Select Series Tractor with 48-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Spark Arrester	
AM135845		Spark arrester muffler screen (X300s, X500 M-Ts)	53.75
		Sprayers	
LP22861		Mounted Sprayer, 25 gal. (95 L) (X300/X500 M-T) <i>Requires mid-mount mower, front implement, two front wheel weights, or four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	494.95
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	469.95
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	489.95
		Spreaders	
LP35439		Mounted Electric Broadcast Spreader, 125 lb (57 kg) (X300/X500 M-T/X700) <i>Requires two front wheel weights or two front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	579.00
LP23117		Mounted electric broadcast spreader barrier shield	69.00
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	363.00
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	410.00
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	449.00
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	298.00
		Sun Protection	
BM23054		Sun shade (X300 and X500 M-T)	189.39
		Thatchers	
LP48004		38-in. (97-cm) Front Thatcher (Center) <i>Requires mounting frame</i>	261.00
LP48003		8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	58.00
LP48005		Thatcher Mounting Frame (X300/X500 M-T)	219.00
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	253.00
		Tire Chains	
LP39858		TerraGrip traction belts (pair) for 22x11-10 tires	104.99
TY24327		Tire chains (pair) for 22x11-10 and 22x9.5-12 tires	99.21
		Tow Behind	
LPSTS42JD		Lawn Sweeper, 42 in. (107 cm)	391.00
LP49038		Lawn Sweeper, 44 in. (112 cm)	379.99
LP42108		Lawn sweeper dethatcher kit (LPSTS42JD)	133.00
LP39089		MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X380 Select Series Tractor with 48-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LPPRT36JD	Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	253.00
	LPPA40JD	Tow-Behind Plug Aerator, 40 in. (102 cm)	459.00
	LPSAT40JD	Tow-Behind Spiker Aerator, 40 in. (102 cm)	334.00
		Weights	
	BM17964	30-lb (14-kg) Wheel Weight (1), cast iron, 8-in. front wheel <i>Includes one wheel weight. Requires one BM17978 mounting hardware.</i>	108.07
	UC13263	Quik-Tatch Weight, 42 lb (19 kg) <i>Use up to two weights on the rear of X300 Series Tractors. Use up to four weights on the rear of X500 Series Tractors.</i>	60.99
	BM25370	Weight bracket, front (X300/X500 M-T) <i>Allows installation of up to four UC13263 Quik-Tatch Weights. Used on X300s, model year 2007- model X500 (SN 020,001-), X530, model year 2011- X534 (SN 060,001-), and X570.</i>	71.69
	BM17978	Wheel weight mounting hardware for attaching one front wheel weight	11.77

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X380 Select Series Tractor with 54-in. Accel Deep Mower Deck
Equipment for Base Machine

ENGINE

23 hp* (17.2 kW)
44.3-cu in. (726-cc) displacement
Air cooled, V-twin cylinder with cast-iron liners
Gasoline
No tools oil drain
Model FR691V

15x6.5-8 front turf tires
22x11-10 rear turf tires
Storage under seat, covered toolbox, and cup holder
Optional front weight bracket holds up to four 42-lb (19-kg) Quik-Tatch weights
Standard rear weight bracket holds up to two 42-lb (19-kg) Quik-Tatch weights

Deck

10-gauge, 0.135-in. (3.4-mm), steel shell
Wash port with hose end
Electric PTO clutch
Four mower deck wheels, and center front rollers
Mower deck wheels rotate 90 degrees for easy mower removal

ELECTRICAL SYSTEM

12-V, 340-CCA battery
12-amp charging capacity
Instrument display with hourmeter and fuel gauge;
optional MowerPlus Smart Connector available
Optional 12-V outlet

STEERING

Manual, two-wheel steer
14-in. (36-cm) steering wheel
16-in. (41-cm) turning radius
54A: 18-in. (46-cm) uncut circle radius

*Engine horsepower and torque information for non-Deere engines are provided by the engine manufacturer for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's Web site for additional information.

TRANSAXLE

K58 hydrostatic transmission
Twin Touch pedals
0-6.2 mph (0-10 km/h) forward speed
0-3.5 mph (5.6 km/h) reverse speed
Cruise control

SEAT

18-in. (46-cm) cut-and-sewn high back with brand embroidery

LIFT SYSTEM

Foot pedal mower deck and implement lift with adjustable lift-assist spring

CHASSIS

Cast-iron front axle

MOWER DECK

54-in. (137-cm) Accel Deep Mower

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

5217M		X380 Select Series Tractor with 54-in. Accel Deep Mower Deck	4,999.00
-------	--	--	----------

DESTINATION

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

Carts

LP21935	Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	223.00
LP22755	Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD	Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	279.00
LP72978	Utility Cart, 10PX Poly with full dump <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	359.00

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X380 Select Series Tractor with 54-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LPHDC13JD	Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	412.00
	LP68186	Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	399.00
	LPPCT17JD	Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	423.00
	LPHDC18JD	Utility Cart, 18 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	541.00
		Drawbar	
	LP63768	Magnetic hitch pin	18.99
		Home Maintenance Kits	
	LG265	Home maintenance kit	48.44
		MCS Chutes	
	BM21681	Power Flow chute (6.5/7 bu)	115.56
	BM20855	Power Flow chute (MC519 with C, X, or A Series Blowers)	92.01
		MCS Hoppers	
	BUC11233	7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines.</i>	509.31
	AM135486	Loose knit bag (1) for 7-bu Hopper	45.45
	LP49228	MC519 Material Collection System <i>Requires Power Flow blower and Power Flow chute. See Sales Manual for requirements for additional applications. See Sales Manual for ballast requirements.</i>	999.00
	LP47168	MCS 7 Dump-from-Seat Hopper, X300 with 7-bu (247-L) Hopper <i>Requires separate material collection system</i>	549.95
		MCS Power Flow Blowers	
	BG20749	54A High-Performance Power Flow blower (X300/X500 M-T)	566.03
		Miscellaneous	
	BM24915	12-V outlet kit (X300) <i>Used on model year 2012- X300s (SN 220,001-)</i>	13.91
	LP63767	40-in. (102-cm) Tractor Shovel	999.95
	TY25866	Battery charger and maintainer	39.01
	LPJD301	Bucket holder (double)	94.95
	TY27534	Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.69

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X380 Select Series Tractor with 54-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BUC10537		MowerPlus Smart Connector <i>Requires MowerPlus app.</i>	99.51
BM26155		Snow blower and front blade compatibility kit <i>Updates a model year 2006-2015 44-in. (112-cm) Snow Blower (7001M/SKU23045), 47-in. (119-cm) Snow Blower (7002M/SKU23047), or 48-in. (122-cm) Front Blade (6002M/SKU23048) for use on a model year 2016- X300/X500 M-T Tractor.</i>	343.47
		Mower Blades	
M177791		Blade (54A mulching)	29.14
M152726		Blade (54C/54X/54A high lift)	15.82
M143520		Blade (54C/54X/54A side discharge)	17.33
		Mower Decks	
BM26239		Dry-condition kit (54A)	63.13
LP63761		Grass Striping Groomer for 48A or 54A Deck	114.95
AM130907		Mower deck leveling gauge	7.15
		Mulch Kits	
BM24994		54A MulchControl attachment <i>Includes mulching blades</i>	219.36
BUC10166		54A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000; X500 serial number 110,001-130,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information. http://dtac.deere.com/Solutions/English/110887.htm</i>	449.40
		Protection	
BM23057		Brush guard (X300/X500 M-T)	131.61
BM23056		Bumper (X300s, X500, X530, X534, X570)	69.56
LP92634		Large Deluxe Seat Cover - Yellow	44.99
LP92334		Large Seat Cover - Yellow	27.99
LP93647		Riding mower cover, large deluxe	99.99
LP93917		Riding mower cover, standard	69.99
LP76670		Seat cover, 18-in. (46-cm), yellow, with armrests	47.99
LP92624		Seat cover, medium deluxe yellow	42.99
LP92324		Seat cover, medium standard yellow	26.99

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X380 Select Series Tractor with 54-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Seat	
BM23761		Armrest kit, 21-in. (53-cm) seat <i>For use with:</i> <i>Model year 2011- (serial number 060,001-) X534 and X540 tractors</i> <i>All X584 and X590 tractors</i> <i>Model year 2021- (serial number 110,001-) X354, X370, X380, X384, X390, and X394 tractors</i> <i>Model year 2021- (serial number 160,001-) X580 tractors</i>	86.67
		Spark Arrester	
AM135845		Spark arrester muffler screen (X300s, X500 M-Ts)	53.75
		Sprayers	
LP22861		Mounted Sprayer, 25 gal. (95 L) (X300/X500 M-T) <i>Requires mid-mount mower, front implement, two front wheel weights, or four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	494.95
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	489.95
		Spreaders	
LP35439		Mounted Electric Broadcast Spreader, 125 lb (57 kg) (X300/X500 M-T/X700) <i>Requires two front wheel weights or two front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	579.00
LP23117		Mounted electric broadcast spreader barrier shield	69.00
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	363.00
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	410.00
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	449.00
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	298.00
		Sun Protection	
BM23054		Sun shade (X300 and X500 M-T)	189.39
		Thatchers	
LP48004		38-in. (97-cm) Front Thatcher (Center) <i>Requires mounting frame</i>	261.00
LP48003		8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	58.00
LP48005		Thatcher Mounting Frame (X300/X500 M-T)	219.00
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	253.00
		Tire Chains	
LP39858		TerraGrip traction belts (pair) for 22x11-10 tires	104.99
TY24327		Tire chains (pair) for 22x11-10 and 22x9.5-12 tires	99.21
		Tow Behind	
LPSTS42JD		Lawn Sweeper, 42 in. (107 cm)	391.00

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X380 Select Series Tractor with 54-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LP49038		Lawn Sweeper, 44 in. (112 cm)	379.99
LP42108		Lawn sweeper dethatcher kit (LPSTS42JD)	133.00
LP39089		MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
LPPRT36JD		Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	253.00
LPPA40JD		Tow-Behind Plug Aerator, 40 in. (102 cm)	459.00
LPSAT40JD		Tow-Behind Spiker Aerator, 40 in. (102 cm)	334.00
		Weights	
BM17964		30-lb (14-kg) Wheel Weight (1), cast iron, 8-in. front wheel <i>Includes one wheel weight. Requires one BM17978 mounting hardware.</i>	108.07
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Use up to two weights on the rear of X300 Series Tractors. Use up to four weights on the rear of X500 Series Tractors.</i>	60.99
BM25370		Weight bracket, front (X300/X500 M-T) <i>Allows installation of up to four UC13263 Quik-Tatch Weights. Used on X300s, model year 2007- model X500 (SN 020,001-), X530, model year 2011- X534 (SN 060,001-), and X570.</i>	71.69
BM17978		Wheel weight mounting hardware for attaching one front wheel weight	11.77

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X380 Select Series Tractor without Mower Deck, California version
Equipment for Base Machine

ENGINE

23 hp* (17.2 kW)
44.3-cu in. (726-cc)
displacement
Air cooled, V-twin cylinder with
cast-iron liners
Gasoline
No tools oil drain
Model FR691V

15x6.5-8 front turf tires
22x11-10 rear turf tires
Storage under seat, covered
toolbox, and cup holder
Optional front weight bracket
holds up to four 42-lb (19-kg)
Quik-Tatch weights
Standard rear weight bracket
holds up to two 42-lb (19-kg)
Quik-Tatch weights

48-in. (122-cm) or 54-in.
(137-cm) Accel Deep Mower Deck
10-gauge, 0.135-in. (3.4-mm),
steel shell
Wash port with hose end
Electric PTO clutch
Four mower deck wheels, and
center front rollers
Mower deck wheels rotate 90
degrees for easy mower removal

ELECTRICAL SYSTEM

12-V, 340-CCA battery
12-amp charging capacity
Instrument display with
hourmeter and fuel gauge;
optional MowerPlus Smart
Connector available
Optional 12-V outlet

STEERING

Manual, two-wheel steer
14-in. (36-cm) steering wheel
16-in. (41-cm) turning radius
48A: 21-in. (53-cm) / 54A:
18-in. (46-cm) uncut circle
radius

*Engine horsepower and torque
information for non-Deere
engines are provided by the
engine manufacturer for
comparison purposes only. Actual
operating horsepower and torque
will be less. Refer to the
engine manufacturer's Web site
for additional information.

TRANSAXLE

K58 hydrostatic transmission
Twin Touch pedals
0-6.2 mph (0-10 km/h) forward
speed
0-3.5 mph (5.6 km/h) reverse
speed
Cruise control

SEAT

18-in. (46-cm) cut-and-sewn high
back with brand embroidery

LIFT SYSTEM

Foot pedal mower deck and
implement lift with adjustable
lift-assist spring

CHASSIS

Cast-iron front axle

OPTIONAL MOWER DECKS

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

5219M		X380 Select Series Tractor without Mower Deck, California version	3,899.00
-------	--	---	----------

DESTINATION

001G		California	In Base Price
------	--	------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

Carts

LP21935	Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	223.00
LP22755	Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD	Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	279.00
LP72978	Utility Cart, 10PX Poly with full dump <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	359.00

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X380 Select Series Tractor without Mower Deck, California version

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LPHDC13JD	Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	412.00
	LP68186	Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	399.00
	LPPCT17JD	Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	423.00
	LPHDC18JD	Utility Cart, 18 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	541.00
		Drawbar	
	LP63768	Magnetic hitch pin	18.99
		Home Maintenance Kits	
	LG265	Home maintenance kit	48.44
		MCS Chutes	
	BM21681	Power Flow chute (6.5/7 bu)	115.56
	BM20855	Power Flow chute (MC519 with C, X, or A Series Blowers)	92.01
		MCS Hoppers	
	BUC11233	7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines.</i>	509.31
	AM135486	Loose knit bag (1) for 7-bu Hopper	45.45
	LP49228	MC519 Material Collection System <i>Requires Power Flow blower and Power Flow chute. See Sales Manual for requirements for additional applications. See Sales Manual for ballast requirements.</i>	999.00
	LP47168	MCS 7 Dump-from-Seat Hopper, X300 with 7-bu (247-L) Hopper <i>Requires separate material collection system</i>	549.95
		MCS Power Flow Blowers	
	BG20748	48A High-Performance Power Flow blower (X300/X500 M-T)	566.03
	BG20749	54A High-Performance Power Flow blower (X300/X500 M-T)	566.03
		Miscellaneous	
	BM24915	12-V outlet kit (X300) <i>Used on model year 2012- X300s (SN 220,001-)</i>	13.91
	LP63767	40-in. (102-cm) Tractor Shovel	999.95
	TY25866	Battery charger and maintainer	39.01
	LPJD301	Bucket holder (double)	94.95
	TY27534	Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.69

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X380 Select Series Tractor without Mower Deck, California version

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BUC10537		MowerPlus Smart Connector <i>Requires MowerPlus app.</i>	99.51
BM26155		Snow blower and front blade compatibility kit <i>Updates a model year 2006-2015 44-in. (112-cm) Snow Blower (7001M/SKU23045), 47-in. (119-cm) Snow Blower (7002M/SKU23047), or 48-in. (122-cm) Front Blade (6002M/SKU23048) for use on a model year 2016- X300/X500 M-T Tractor.</i>	343.47
		Mower Blades	
M127673		Blade (48C/48X/48A mulching)	13.30
M145476		Blade (48C/48X/48A side discharge)	11.73
M177791		Blade (54A mulching)	29.14
M152726		Blade (54C/54X/54A high lift)	15.82
M143520		Blade (54C/54X/54A side discharge)	17.33
		Mower Decks	
BM26238		Dry-condition kit (48A)	59.91
BM26239		Dry-condition kit (54A)	63.13
LP63761		Grass Striping Groomer for 48A or 54A Deck	114.95
AM130907		Mower deck leveling gauge	7.15
		Mulch Kits	
BM24993		48A MulchControl attachment <i>Includes mulching blades</i>	169.06
BUC10165		48A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000; X500 serial number 110,001-130,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information.</i>	356.31
BM24994		54A MulchControl attachment <i>Includes mulching blades</i>	219.36
BUC10166		54A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000; X500 serial number 110,001-130,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information. http://dtac.deere.com/Solutions/English/110887.htm</i>	449.40
		Protection	
BM23057		Brush guard (X300/X500 M-T)	131.61
BM23056		Bumper (X300s, X500, X530, X534, X570)	69.56
LP92634		Large Deluxe Seat Cover - Yellow	44.99
LP92334		Large Seat Cover - Yellow	27.99

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X380 Select Series Tractor without Mower Deck, California version

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LP93647		Riding mower cover, large deluxe	99.99
LP93917		Riding mower cover, standard	69.99
LP76670		Seat cover, 18-in. (46-cm), yellow, with armrests	47.99
LP92624		Seat cover, medium deluxe yellow	42.99
LP92324		Seat cover, medium standard yellow	26.99
		Seat	
BM23761		Armrest kit, 21-in. (53-cm) seat <i>For use with:</i> <i>Model year 2011- (serial number 060,001-) X534 and X540 tractors</i> <i>All X584 and X590 tractors</i> <i>Model year 2021- (serial number 110,001-) X354, X370, X380, X384, X390, and X394 tractors</i> <i>Model year 2021- (serial number 160,001-) X580 tractors</i>	86.67
		Spark Arrester	
AM135845		Spark arrester muffler screen (X300s, X500 M-Ts)	53.75
		Sprayers	
LP22861		Mounted Sprayer, 25 gal. (95 L) (X300/X500 M-T) <i>Requires mid-mount mower, front implement, two front wheel weights, or four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	494.95
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	469.95
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	489.95
		Spreaders	
LP35439		Mounted Electric Broadcast Spreader, 125 lb (57 kg) (X300/X500 M-T/X700) <i>Requires two front wheel weights or two front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	579.00
LP23117		Mounted electric broadcast spreader barrier shield	69.00
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	363.00
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	410.00
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	449.00
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	298.00
		Sun Protection	
BM23054		Sun shade (X300 and X500 M-T)	189.39
		Thatchers	
LP48004		38-in. (97-cm) Front Thatcher (Center) <i>Requires mounting frame</i>	261.00
LP48003		8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	58.00

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X380 Select Series Tractor without Mower Deck, California version

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LP48005		Thatcher Mounting Frame (X300/X500 M-T)	219.00
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	253.00
		Tire Chains	
LP39858		TerraGrip traction belts (pair) for 22x11-10 tires	104.99
TY24327		Tire chains (pair) for 22x11-10 and 22x9.5-12 tires	99.21
		Tow Behind	
LPSTS42JD		Lawn Sweeper, 42 in. (107 cm)	391.00
LP49038		Lawn Sweeper, 44 in. (112 cm)	379.99
LP42108		Lawn sweeper dethatcher kit (LPSTS42JD)	133.00
LP39089		MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
LPPRT36JD		Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	253.00
LPPA40JD		Tow-Behind Plug Aerator, 40 in. (102 cm)	459.00
LPSAT40JD		Tow-Behind Spiker Aerator, 40 in. (102 cm)	334.00
		Weights	
BM17964		30-lb (14-kg) Wheel Weight (1), cast iron, 8-in. front wheel <i>Includes one wheel weight. Requires one BM17978 mounting hardware.</i>	108.07
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Use up to two weights on the rear of X300 Series Tractors. Use up to four weights on the rear of X500 Series Tractors.</i>	60.99
BM25370		Weight bracket, front (X300/X500 M-T) <i>Allows installation of up to four UC13263 Quik-Tatch Weights. Used on X300s, model year 2007- model X500 (SN 020,001-), X530, model year 2011- X534 (SN 060,001-), and X570.</i>	71.69
BM17978		Wheel weight mounting hardware for attaching one front wheel weight	11.77

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X384 Select Series Tractor with 48-in. Accel Deep Mower Deck
Equipment for Base Machine

ENGINE

23 hp* (17.2 kW)
44.3-cu in. (726-cc) displacement
Air cooled, V-twin cylinder with cast-iron liners
Gasoline
No tools oil drain
Model FR691V

15x6-6 front turf tires
20x10-10 rear turf tires
Storage under seat, covered toolbox, and cup holder
Optional front weight bracket holds up to four 42-lb (19-kg) Quik-Tatch weights
Optional rear weight bracket holds up to two 42-lb (19-kg) Quik-Tatch weights

Deck

10-gauge, 0.135-in. (3.4-mm), steel shell
Wash port with hose end
Electric PTO clutch
Four mower deck wheels, and center front rollers
Mower deck wheels rotate 90 degrees for easy mower removal

ELECTRICAL SYSTEM

12-V, 340-CCA battery
12-amp charging capacity
Instrument display with hourmeter and fuel gauge;
optional MowerPlus Smart Connector available
Optional 12-V outlet

STEERING

Manual, four-wheel steer
14-in. (36-cm) steering wheel
15-in. (38-cm) turning radius
48A: 9-in. (23-cm) uncut circle radius

*Engine horsepower and torque information for non-Deere engines are provided by the engine manufacturer for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's Web site for additional information.

TRANSAXLE

K58 hydrostatic transmission
Twin Touch pedals
0-5.9 mph (0-9.5 km/h) forward speed
0-3.5 mph (5.6 km/h) reverse speed
Cruise control

SEAT

18-in. (46-cm) cut-and-sewn high back with brand embroidery

LIFT SYSTEM

Foot pedal mower deck and implement lift with adjustable lift-assist spring

CHASSIS

Cast-iron front axle

MOWER DECK

48-in. (122-cm) Accel Deep Mower

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

5221M	X384 Select Series Tractor with 48-in. Accel Deep Mower Deck	5,399.00
-------	--	----------

DESTINATION

001A	United States and Canada	In Base Price
------	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

Carts

LP21935	Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	223.00
LP22755	Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD	Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	279.00
LP72978	Utility Cart, 10PX Poly with full dump <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	359.00

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X384 Select Series Tractor with 48-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LPHDC13JD	Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	412.00
	LP68186	Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	399.00
	LPPCT17JD	Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	423.00
	LPHDC18JD	Utility Cart, 18 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	541.00
		Drawbar	
	LP63768	Magnetic hitch pin	18.99
		Home Maintenance Kits	
	LG265	Home maintenance kit	48.44
		MCS Chutes	
	BM21681	Power Flow chute (6.5/7 bu)	115.56
	BM20855	Power Flow chute (MC519 with C, X, or A Series Blowers)	92.01
		MCS Hoppers	
	BUC11233	7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines.</i>	509.31
	AM135486	Loose knit bag (1) for 7-bu Hopper	45.45
	LP49228	MC519 Material Collection System <i>Requires Power Flow blower and Power Flow chute. See Sales Manual for requirements for additional applications. See Sales Manual for ballast requirements.</i>	999.00
	LP47168	MCS 7 Dump-from-Seat Hopper, X300 with 7-bu (247-L) Hopper <i>Requires separate material collection system</i>	549.95
		MCS Power Flow Blowers	
	BG20748	48A High-Performance Power Flow blower (X300/X500 M-T)	566.03
		Miscellaneous	
	BM24915	12-V outlet kit (X300) <i>Used on model year 2012- X300s (SN 220,001-)</i>	13.91
	LP63767	40-in. (102-cm) Tractor Shovel	999.95
	TY25866	Battery charger and maintainer	39.01
	LPJD301	Bucket holder (double)	94.95
	TY27534	Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.69

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X384 Select Series Tractor with 48-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BUC10537		MowerPlus Smart Connector <i>Requires MowerPlus app.</i>	99.51
BM26155		Snow blower and front blade compatibility kit <i>Updates a model year 2006-2015 44-in. (112-cm) Snow Blower (7001M/SKU23045), 47-in. (119-cm) Snow Blower (7002M/SKU23047), or 48-in. (122-cm) Front Blade (6002M/SKU23048) for use on a model year 2016- X300/X500 M-T Tractor.</i>	343.47
		Mower Blades	
M127673		Blade (48C/48X/48A mulching)	13.30
M145476		Blade (48C/48X/48A side discharge)	11.73
		Mower Decks	
BM26238		Dry-condition kit (48A)	59.91
LP63761		Grass Striping Groomer for 48A or 54A Deck	114.95
AM130907		Mower deck leveling gauge	7.15
		Mulch Kits	
BM24993		48A MulchControl attachment <i>Includes mulching blades</i>	169.06
BUC10165		48A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000; X500 serial number 110,001-130,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information.</i>	356.31
		Protection	
BM23057		Brush guard (X300/X500 M-T)	131.61
BM23056		Bumper (X300s, X500, X530, X534, X570)	69.56
LP92634		Large Deluxe Seat Cover - Yellow	44.99
LP92334		Large Seat Cover - Yellow	27.99
LP93647		Riding mower cover, large deluxe	99.99
LP93917		Riding mower cover, standard	69.99
LP76670		Seat cover, 18-in. (46-cm), yellow, with armrests	47.99
LP92624		Seat cover, medium deluxe yellow	42.99
LP92324		Seat cover, medium standard yellow	26.99
		Seat	
BM23761		Armrest kit, 21-in. (53-cm) seat <i>For use with: Model year 2011- (serial number 060,001-) X534 and X540 tractors All X584 and X590 tractors Model year 2021- (serial number 110,001-) X354, X370, X380, X384, X390, and X394 tractors Model year 2021- (serial number 160,001-) X580 tractors</i>	86.67

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X384 Select Series Tractor with 48-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Spark Arrester	
AM135845		Spark arrester muffler screen (X300s, X500 M-Ts)	53.75
		Sprayers	
LP22861		Mounted Sprayer, 25 gal. (95 L) (X300/X500 M-T) <i>Requires mid-mount mower, front implement, two front wheel weights, or four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	494.95
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	469.95
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	489.95
		Spreaders	
LP35439		Mounted Electric Broadcast Spreader, 125 lb (57 kg) (X300/X500 M-T/X700) <i>Requires two front wheel weights or two front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	579.00
LP23117		Mounted electric broadcast spreader barrier shield	69.00
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	363.00
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	410.00
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	449.00
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	298.00
		Sun Protection	
BM23054		Sun shade (X300 and X500 M-T)	189.39
		Thatchers	
LP48004		38-in. (97-cm) Front Thatcher (Center) <i>Requires mounting frame</i>	261.00
LP48003		8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	58.00
LP48005		Thatcher Mounting Frame (X300/X500 M-T)	219.00
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	253.00
		Tire Chains	
LP39856		TerraGrip traction belts (pair) for 20x10-8 non-Turf Saver, 20x10-10, and 20x9-8 tires	104.99
TY16200		Tire chains (pair) for 20x10-8 non-Turf Saver and 20x10-10 tires	91.85
		Tow Behind	
LPSTS42JD		Lawn Sweeper, 42 in. (107 cm)	391.00
LP49038		Lawn Sweeper, 44 in. (112 cm)	379.99
LP42108		Lawn sweeper dethatcher kit (LPSTS42JD)	133.00
LP39089		MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X384 Select Series Tractor with 48-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LPPRT36JD	Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	253.00
	LPPA40JD	Tow-Behind Plug Aerator, 40 in. (102 cm)	459.00
	LPSAT40JD	Tow-Behind Spiker Aerator, 40 in. (102 cm)	334.00
		Weights	
	UC13263	Quik-Tatch Weight, 42 lb (19 kg) <i>Use up to two weights on the rear of X300 Series Tractors. Use up to four weights on the rear of X500 Series Tractors.</i>	60.99
	BM25370	Weight bracket, front (X300/X500 M-T) <i>Allows installation of up to four UC13263 Quik-Tatch Weights. Used on X300s, model year 2007- model X500 (SN 020,001-), X530, model year 2011- X534 (SN 060,001-), and X570.</i>	71.69
	BM24011	Weight bracket, rear (X304, X324, X354, X384, X394, X534, X584) <i>Allows installation of up to two UC13263 Quik-Tatch weights on X304, X324, X354, X384, and X394 4-Wheel Steer Tractors. Allows installation of up to four UC13263 Quik-Tatch Weights on X534 and X584 4-Wheel Steer Tractors.</i>	94.16
	BM17978	Wheel weight mounting hardware for attaching one front wheel weight	11.77

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X390 Select Series Tractor with 48-in. Accel Deep Mower Deck

Equipment for Base Machine

ENGINE
 23 hp* (17.2 kW)
 44.3-cu in. (726-cc)
 displacement
 Air cooled, V-twin cylinder with
 cast-iron liners
 Gasoline
 No tools oil drain
 Model FR691V

ELECTRICAL SYSTEM
 12-V, 340-CCA battery
 12-amp charging capacity
 Instrument display with
 hourmeter and fuel gauge;
 optional MowerPlus Smart
 Connector available
 Optional 12-V outlet

TRANSAXLE
 K58 hydrostatic transmission
 Twin Touch pedals
 0-6.2 mph (0-10 km/h) forward
 speed
 0-3.5 mph (5.6 km/h) reverse
 speed
 Cruise control

CHASSIS
 Cast-iron front axle

Replaceable metal spindle
 bushings
 15x6.5-8 front turf tires
 22x11-10 rear turf tires
 Storage under seat, covered
 toolbox, and cup holder
 Optional front weight bracket
 holds up to four 42-lb (19-kg)
 Quik-Tatch weights
 Standard rear weight bracket
 holds up to two 42-lb (19-kg)
 Quik-Tatch weights

STERING
 Power, two-wheel steer
 14-in. (36-cm) five position
 tilt steering wheel
 22-in. (56-cm) turning radius
 48A: 24-in. (61-cm) uncut circle
 radius

SEAT
 18-in. (46-cm) cut-and-sewn high
 back with brand embroidery

LIFT SYSTEM
 Hydraulic power mower deck and
 implement lift

MOWER DECK

48-in. (122-cm) Accel Deep Mower
 Deck
 10-gauge, 0.135-in. (3.4-mm),
 steel shell
 Wash port with hose end
 Electric PTO clutch
 Four mower deck wheels, and
 center front rollers
 Mower deck wheels rotate 90
 degrees for easy mower removal

*Engine horsepower and torque
 information for non-Deere
 engines are provided by the
 engine manufacturer for
 comparison purposes only. Actual
 operating horsepower and torque
 will be less. Refer to the
 engine manufacturer's Web site
 for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

5232M	X390 Select Series Tractor with 48-in. Accel Deep Mower Deck	5,699.00
-------	--	----------

DESTINATION

001A	United States and Canada	In Base Price
------	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Carts	
LP21935		Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	223.00
LP22755		Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD		Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	279.00
LP72978		Utility Cart, 10PX Poly with full dump <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	359.00

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X390 Select Series Tractor with 48-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LPHDC13JD	Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	412.00
	LP68186	Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	399.00
	LPPCT17JD	Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	423.00
	LPHDC18JD	Utility Cart, 18 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	541.00
		Drawbar	
	LP63768	Magnetic hitch pin	18.99
		Home Maintenance Kits	
	LG265	Home maintenance kit	48.44
		MCS Chutes	
	BM21681	Power Flow chute (6.5/7 bu)	115.56
	BM20855	Power Flow chute (MC519 with C, X, or A Series Blowers)	92.01
		MCS Hoppers	
	BUC11233	7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines.</i>	509.31
	AM135486	Loose knit bag (1) for 7-bu Hopper	45.45
	LP49228	MC519 Material Collection System <i>Requires Power Flow blower and Power Flow chute. See Sales Manual for requirements for additional applications. See Sales Manual for ballast requirements.</i>	999.00
	LP47168	MCS 7 Dump-from-Seat Hopper, X300 with 7-bu (247-L) Hopper <i>Requires separate material collection system</i>	549.95
		MCS Power Flow Blowers	
	BG20748	48A High-Performance Power Flow blower (X300/X500 M-T)	566.03
		Miscellaneous	
	BM24915	12-V outlet kit (X300) <i>Used on model year 2012- X300s (SN 220,001-)</i>	13.91
	LP63767	40-in. (102-cm) Tractor Shovel	999.95
	TY25866	Battery charger and maintainer	39.01
	LPJD301	Bucket holder (double)	94.95
	TY27534	Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.69

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X390 Select Series Tractor with 48-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BUC10537		MowerPlus Smart Connector <i>Requires MowerPlus app.</i>	99.51
BM26155		Snow blower and front blade compatibility kit <i>Updates a model year 2006-2015 44-in. (112-cm) Snow Blower (7001M/SKU23045), 47-in. (119-cm) Snow Blower (7002M/SKU23047), or 48-in. (122-cm) Front Blade (6002M/SKU23048) for use on a model year 2016- X300/X500 M-T Tractor.</i>	343.47
		Mower Blades	
M127673		Blade (48C/48X/48A mulching)	13.30
M145476		Blade (48C/48X/48A side discharge)	11.73
		Mower Decks	
BM26238		Dry-condition kit (48A)	59.91
LP63761		Grass Striping Groomer for 48A or 54A Deck	114.95
AM130907		Mower deck leveling gauge	7.15
		Mulch Kits	
BM24993		48A MulchControl attachment <i>Includes mulching blades</i>	169.06
BUC10165		48A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000; X500 serial number 110,001-130,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information.</i>	356.31
		Protection	
BM23057		Brush guard (X300/X500 M-T)	131.61
BM23056		Bumper (X300s, X500, X530, X534, X570)	69.56
LP92634		Large Deluxe Seat Cover - Yellow	44.99
LP92334		Large Seat Cover - Yellow	27.99
LP93647		Riding mower cover, large deluxe	99.99
LP93917		Riding mower cover, standard	69.99
LP76670		Seat cover, 18-in. (46-cm), yellow, with armrests	47.99
LP92624		Seat cover, medium deluxe yellow	42.99
LP92324		Seat cover, medium standard yellow	26.99
		Seat	
BM23761		Armrest kit, 21-in. (53-cm) seat <i>For use with: Model year 2011- (serial number 060,001-) X534 and X540 tractors All X584 and X590 tractors Model year 2021- (serial number 110,001-) X354, X370, X380, X384, X390, and X394 tractors Model year 2021- (serial number 160,001-) X580 tractors</i>	86.67

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X390 Select Series Tractor with 48-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Spark Arrester	
AM135845		Spark arrester muffler screen (X300s, X500 M-Ts)	53.75
		Sprayers	
LP22861		Mounted Sprayer, 25 gal. (95 L) (X300/X500 M-T) <i>Requires mid-mount mower, front implement, two front wheel weights, or four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	494.95
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	469.95
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	489.95
		Spreaders	
LP35439		Mounted Electric Broadcast Spreader, 125 lb (57 kg) (X300/X500 M-T/X700) <i>Requires two front wheel weights or two front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	579.00
LP23117		Mounted electric broadcast spreader barrier shield	69.00
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	363.00
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	410.00
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	449.00
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	298.00
		Sun Protection	
BM23054		Sun shade (X300 and X500 M-T)	189.39
		Thatchers	
LP48004		38-in. (97-cm) Front Thatcher (Center) <i>Requires mounting frame</i>	261.00
LP48003		8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	58.00
LP48005		Thatcher Mounting Frame (X300/X500 M-T)	219.00
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	253.00
		Tire Chains	
LP39858		TerraGrip traction belts (pair) for 22x11-10 tires	104.99
TY24327		Tire chains (pair) for 22x11-10 and 22x9.5-12 tires	99.21
		Tow Behind	
LPSTS42JD		Lawn Sweeper, 42 in. (107 cm)	391.00
LP49038		Lawn Sweeper, 44 in. (112 cm)	379.99
LP42108		Lawn sweeper dethatcher kit (LPSTS42JD)	133.00
LP39089		MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X390 Select Series Tractor with 48-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LPPRT36JD	Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	253.00
	LPPA40JD	Tow-Behind Plug Aerator, 40 in. (102 cm)	459.00
	LPSAT40JD	Tow-Behind Spiker Aerator, 40 in. (102 cm)	334.00
		Weights	
	BM17964	30-lb (14-kg) Wheel Weight (1), cast iron, 8-in. front wheel <i>Includes one wheel weight. Requires one BM17978 mounting hardware.</i>	108.07
	UC13263	Quik-Tatch Weight, 42 lb (19 kg) <i>Use up to two weights on the rear of X300 Series Tractors. Use up to four weights on the rear of X500 Series Tractors.</i>	60.99
	BM25370	Weight bracket, front (X300/X500 M-T) <i>Allows installation of up to four UC13263 Quik-Tatch Weights. Used on X300s, model year 2007- model X500 (SN 020,001-), X530, model year 2011- X534 (SN 060,001-), and X570.</i>	71.69
	BM17978	Wheel weight mounting hardware for attaching one front wheel weight	11.77

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X390 Select Series Tractor with 54-in. Accel Deep Mower Deck
Equipment for Base Machine

ENGINE
23 hp* (17.2 kW)
44.3-cu in. (726-cc) displacement
Air cooled, V-twin cylinder with cast-iron liners
Gasoline
No tools oil drain
Model FR691V

ELECTRICAL SYSTEM
12-V, 340-CCA battery
12-amp charging capacity
Instrument display with hourmeter and fuel gauge;
optional MowerPlus Smart Connector available
Optional 12-V outlet

TRANSAXLE
K58 hydrostatic transmission
Twin Touch pedals
0-6.2 mph (0-10 km/h) forward speed
0-3.5 mph (5.6 km/h) reverse speed
Cruise control

CHASSIS
Cast-iron front axle

Replaceable metal spindle bushings
15x6.5-8 front turf tires
22x11-10 rear turf tires
Storage under seat, covered toolbox, and cup holder
Optional front weight bracket holds up to four 42-lb (19-kg) Quik-Tatch weights
Standard rear weight bracket holds up to two 42-lb (19-kg) Quik-Tatch weights

STERING
Power, two-wheel steer
14-in. (36-cm) five position tilt steering wheel
22-in. (56-cm) turning radius
54A: 22-in. (56-cm) uncut circle radius

SEAT
18-in. (46-cm) cut-and-sewn high back with brand embroidery

LIFT SYSTEM
Hydraulic power mower deck and implement lift

MOWER DECK

54-in. (137-cm) Accel Deep Mower Deck
10-gauge, 0.135-in. (3.4-mm), steel shell
Wash port with hose end
Electric PTO clutch
Four mower deck wheels, and center front rollers
Mower deck wheels rotate 90 degrees for easy mower removal

*Engine horsepower and torque information for non-Deere engines are provided by the engine manufacturer for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's Web site for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

5233M	X390 Select Series Tractor with 54-in. Accel Deep Mower Deck	5,999.00
-------	--	----------

DESTINATION

001A	United States and Canada	In Base Price
------	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

Carts		
LP21935	Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	223.00
LP22755	Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD	Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	279.00
LP72978	Utility Cart, 10PX Poly with full dump <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	359.00

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X390 Select Series Tractor with 54-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LPHDC13JD	Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	412.00
	LP68186	Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	399.00
	LPPCT17JD	Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	423.00
	LPHDC18JD	Utility Cart, 18 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	541.00
		Drawbar	
	LP63768	Magnetic hitch pin	18.99
		Home Maintenance Kits	
	LG265	Home maintenance kit	48.44
		MCS Chutes	
	BM21681	Power Flow chute (6.5/7 bu)	115.56
	BM20855	Power Flow chute (MC519 with C, X, or A Series Blowers)	92.01
		MCS Hoppers	
	BUC11233	7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines.</i>	509.31
	AM135486	Loose knit bag (1) for 7-bu Hopper	45.45
	LP49228	MC519 Material Collection System <i>Requires Power Flow blower and Power Flow chute. See Sales Manual for requirements for additional applications. See Sales Manual for ballast requirements.</i>	999.00
	LP47168	MCS 7 Dump-from-Seat Hopper, X300 with 7-bu (247-L) Hopper <i>Requires separate material collection system</i>	549.95
		MCS Power Flow Blowers	
	BG20749	54A High-Performance Power Flow blower (X300/X500 M-T)	566.03
		Miscellaneous	
	BM24915	12-V outlet kit (X300) <i>Used on model year 2012- X300s (SN 220,001-)</i>	13.91
	LP63767	40-in. (102-cm) Tractor Shovel	999.95
	TY25866	Battery charger and maintainer	39.01
	LPJD301	Bucket holder (double)	94.95
	TY27534	Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.69

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X390 Select Series Tractor with 54-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BUC10537		MowerPlus Smart Connector <i>Requires MowerPlus app.</i>	99.51
BM26155		Snow blower and front blade compatibility kit <i>Updates a model year 2006-2015 44-in. (112-cm) Snow Blower (7001M/SKU23045), 47-in. (119-cm) Snow Blower (7002M/SKU23047), or 48-in. (122-cm) Front Blade (6002M/SKU23048) for use on a model year 2016- X300/X500 M-T Tractor.</i>	343.47
		Mower Blades	
M177791		Blade (54A mulching)	29.14
M152726		Blade (54C/54X/54A high lift)	15.82
M143520		Blade (54C/54X/54A side discharge)	17.33
		Mower Decks	
BM26239		Dry-condition kit (54A)	63.13
LP63761		Grass Striping Groomer for 48A or 54A Deck	114.95
AM130907		Mower deck leveling gauge	7.15
		Mulch Kits	
BM24994		54A MulchControl attachment <i>Includes mulching blades</i>	219.36
BUC10166		54A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000; X500 serial number 110,001-130,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information. http://dtac.deere.com/Solutions/English/110887.htm</i>	449.40
		Protection	
BM23057		Brush guard (X300/X500 M-T)	131.61
BM23056		Bumper (X300s, X500, X530, X534, X570)	69.56
LP92634		Large Deluxe Seat Cover - Yellow	44.99
LP92334		Large Seat Cover - Yellow	27.99
LP93647		Riding mower cover, large deluxe	99.99
LP93917		Riding mower cover, standard	69.99
LP76670		Seat cover, 18-in. (46-cm), yellow, with armrests	47.99
LP92624		Seat cover, medium deluxe yellow	42.99
LP92324		Seat cover, medium standard yellow	26.99

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X390 Select Series Tractor with 54-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Seat	
BM23761		Armrest kit, 21-in. (53-cm) seat <i>For use with:</i> <i>Model year 2011- (serial number 060,001-) X534 and X540 tractors</i> <i>All X584 and X590 tractors</i> <i>Model year 2021- (serial number 110,001-) X354, X370, X380, X384, X390, and X394 tractors</i> <i>Model year 2021- (serial number 160,001-) X580 tractors</i>	86.67
		Spark Arrester	
AM135845		Spark arrester muffler screen (X300s, X500 M-Ts)	53.75
		Sprayers	
LP22861		Mounted Sprayer, 25 gal. (95 L) (X300/X500 M-T) <i>Requires mid-mount mower, front implement, two front wheel weights, or four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	494.95
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	469.95
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	489.95
		Spreaders	
LP35439		Mounted Electric Broadcast Spreader, 125 lb (57 kg) (X300/X500 M-T/X700) <i>Requires two front wheel weights or two front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	579.00
LP23117		Mounted electric broadcast spreader barrier shield	69.00
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	363.00
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	410.00
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	449.00
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	298.00
		Sun Protection	
BM23054		Sun shade (X300 and X500 M-T)	189.39
		Thatchers	
LP48004		38-in. (97-cm) Front Thatcher (Center) <i>Requires mounting frame</i>	261.00
LP48003		8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	58.00
LP48005		Thatcher Mounting Frame (X300/X500 M-T)	219.00
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	253.00
		Tire Chains	
LP39858		TerraGrip traction belts (pair) for 22x11-10 tires	104.99
TY24327		Tire chains (pair) for 22x11-10 and 22x9.5-12 tires	99.21
		Tow Behind	

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X390 Select Series Tractor with 54-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LPSTS42JD	Lawn Sweeper, 42 in. (107 cm)	391.00
	LP49038	Lawn Sweeper, 44 in. (112 cm)	379.99
	LP42108	Lawn sweeper dethatcher kit (LPSTS42JD)	133.00
	LP39089	MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
	LPPRT36JD	Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	253.00
	LPPA40JD	Tow-Behind Plug Aerator, 40 in. (102 cm)	459.00
	LPSAT40JD	Tow-Behind Spiker Aerator, 40 in. (102 cm)	334.00
		Weights	
	BM17964	30-lb (14-kg) Wheel Weight (1), cast iron, 8-in. front wheel <i>Includes one wheel weight. Requires one BM17978 mounting hardware.</i>	108.07
	UC13263	Quik-Tatch Weight, 42 lb (19 kg) <i>Use up to two weights on the rear of X300 Series Tractors. Use up to four weights on the rear of X500 Series Tractors.</i>	60.99
	BM25370	Weight bracket, front (X300/X500 M-T) <i>Allows installation of up to four UC13263 Quik-Tatch Weights. Used on X300s, model year 2007- model X500 (SN 020,001-), X530, model year 2011- X534 (SN 060,001-), and X570.</i>	71.69
	BM17978	Wheel weight mounting hardware for attaching one front wheel weight	11.77

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X394 Select Series Tractor with 48-in. Accel Deep Mower Deck

Equipment for Base Machine

ENGINE
 23 hp* (17.2 kW)
 44.3-cu in. (726-cc)
 displacement
 Air cooled, V-twin cylinder with
 cast-iron liners
 Gasoline
 No tools oil drain
 Model FR691V

ELECTRICAL SYSTEM
 12-V, 340-CCA battery
 12-amp charging capacity
 Instrument display with
 hourmeter and fuel gauge;
 optional MowerPlus Smart
 Connector available
 Optional 12-V outlet

TRANSAXLE
 K58 hydrostatic transmission
 Twin Touch pedals
 0-6.2 mph (0-10 km/h) forward
 speed
 0-3.5 mph (5.6 km/h) reverse
 speed
 Cruise control

CHASSIS
 Cast-iron front axle

Replaceable metal spindle
 bushings
 15x6.5-8 front turf tires
 22x9.5-12 rear turf tires
 Storage under seat, covered
 toolbox, and cup holder
 Optional front weight bracket
 holds up to four 42-lb (19-kg)
 Quik-Tatch weights
 Optional rear weight bracket
 holds up to two 42-lb (19-kg)
 Quik-Tatch weights

STERING
 Power, four-wheel steer
 14-in. (36-cm) five position
 tilt steering wheel
 19-in. (48-cm) turning radius
 48A: 15-in. (38-cm) uncut circle
 radius

SEAT
 18-in. (46-cm) cut-and-sewn high
 back with brand embroidery

LIFT SYSTEM
 Hydraulic power mower deck and
 implement lift

MOWER DECK

48-in. (122-cm) Accel Deep Mower
 Deck
 10-gauge, 0.135-in. (3.4-mm),
 steel shell
 Wash port with hose end
 Electric PTO clutch
 Four mower deck wheels, and
 center front rollers
 Mower deck wheels rotate 90
 degrees for easy mower removal

*Engine horsepower and torque
 information for non-Deere
 engines are provided by the
 engine manufacturer for
 comparison purposes only. Actual
 operating horsepower and torque
 will be less. Refer to the
 engine manufacturer's Web site
 for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

5241M	X394 Select Series Tractor with 48-in. Accel Deep Mower Deck	6,399.00
-------	--	----------

DESTINATION

001A	United States and Canada	In Base Price
------	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Carts	
LP21935		Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	223.00
LP22755		Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD		Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	279.00
LP72978		Utility Cart, 10PX Poly with full dump <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	359.00

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X394 Select Series Tractor with 48-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LPHDC13JD	Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	412.00
	LP68186	Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	399.00
	LPPCT17JD	Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	423.00
	LPHDC18JD	Utility Cart, 18 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	541.00
		Drawbar	
	LP63768	Magnetic hitch pin	18.99
		Home Maintenance Kits	
	LG265	Home maintenance kit	48.44
		MCS Chutes	
	BM21681	Power Flow chute (6.5/7 bu)	115.56
	BM20855	Power Flow chute (MC519 with C, X, or A Series Blowers)	92.01
		MCS Hoppers	
	BUC11233	7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines.</i>	509.31
	AM135486	Loose knit bag (1) for 7-bu Hopper	45.45
	LP49228	MC519 Material Collection System <i>Requires Power Flow blower and Power Flow chute. See Sales Manual for requirements for additional applications. See Sales Manual for ballast requirements.</i>	999.00
	LP47168	MCS 7 Dump-from-Seat Hopper, X300 with 7-bu (247-L) Hopper <i>Requires separate material collection system</i>	549.95
		MCS Power Flow Blowers	
	BG20748	48A High-Performance Power Flow blower (X300/X500 M-T)	566.03
		Miscellaneous	
	BM24915	12-V outlet kit (X300) <i>Used on model year 2012- X300s (SN 220,001-)</i>	13.91
	LP63767	40-in. (102-cm) Tractor Shovel	999.95
	TY25866	Battery charger and maintainer	39.01
	LPJD301	Bucket holder (double)	94.95
	TY27534	Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.69

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X394 Select Series Tractor with 48-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BUC10537		MowerPlus Smart Connector <i>Requires MowerPlus app.</i>	99.51
BM26155		Snow blower and front blade compatibility kit <i>Updates a model year 2006-2015 44-in. (112-cm) Snow Blower (7001M/SKU23045), 47-in. (119-cm) Snow Blower (7002M/SKU23047), or 48-in. (122-cm) Front Blade (6002M/SKU23048) for use on a model year 2016- X300/X500 M-T Tractor.</i>	343.47
		Mower Blades	
M127673		Blade (48C/48X/48A mulching)	13.30
M145476		Blade (48C/48X/48A side discharge)	11.73
		Mower Decks	
BM26238		Dry-condition kit (48A)	59.91
LP63761		Grass Striping Groomer for 48A or 54A Deck	114.95
AM130907		Mower deck leveling gauge	7.15
		Mulch Kits	
BM24993		48A MulchControl attachment <i>Includes mulching blades</i>	169.06
BUC10165		48A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000; X500 serial number 110,001-130,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information.</i>	356.31
		Protection	
BM23057		Brush guard (X300/X500 M-T)	131.61
BM23056		Bumper (X300s, X500, X530, X534, X570)	69.56
LP92634		Large Deluxe Seat Cover - Yellow	44.99
LP92334		Large Seat Cover - Yellow	27.99
LP93647		Riding mower cover, large deluxe	99.99
LP93917		Riding mower cover, standard	69.99
LP76670		Seat cover, 18-in. (46-cm), yellow, with armrests	47.99
LP92624		Seat cover, medium deluxe yellow	42.99
LP92324		Seat cover, medium standard yellow	26.99
		Seat	
BM23761		Armrest kit, 21-in. (53-cm) seat <i>For use with: Model year 2011- (serial number 060,001-) X534 and X540 tractors All X584 and X590 tractors Model year 2021- (serial number 110,001-) X354, X370, X380, X384, X390, and X394 tractors Model year 2021- (serial number 160,001-) X580 tractors</i>	86.67

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X394 Select Series Tractor with 48-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Spark Arrester	
AM135845		Spark arrester muffler screen (X300s, X500 M-Ts)	53.75
		Sprayers	
LP22861		Mounted Sprayer, 25 gal. (95 L) (X300/X500 M-T) <i>Requires mid-mount mower, front implement, two front wheel weights, or four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	494.95
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	469.95
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	489.95
		Spreaders	
LP35439		Mounted Electric Broadcast Spreader, 125 lb (57 kg) (X300/X500 M-T/X700) <i>Requires two front wheel weights or two front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	579.00
LP23117		Mounted electric broadcast spreader barrier shield	69.00
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	363.00
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	410.00
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	449.00
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	298.00
		Sun Protection	
BM23054		Sun shade (X300 and X500 M-T)	189.39
		Thatchers	
LP48004		38-in. (97-cm) Front Thatcher (Center) <i>Requires mounting frame</i>	261.00
LP48003		8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	58.00
LP48005		Thatcher Mounting Frame (X300/X500 M-T)	219.00
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	253.00
		Tire Chains	
TY24327		Tire chains (pair) for 22x11-10 and 22x9.5-12 tires	99.21
		Tow Behind	
LPSTS42JD		Lawn Sweeper, 42 in. (107 cm)	391.00
LP49038		Lawn Sweeper, 44 in. (112 cm)	379.99
LP42108		Lawn sweeper dethatcher kit (LPSTS42JD)	133.00
LP39089		MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
LPPRT36JD		Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	253.00

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X394 Select Series Tractor with 48-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LPPA40JD		Tow-Behind Plug Aerator, 40 in. (102 cm)	459.00
LPSAT40JD		Tow-Behind Spiker Aerator, 40 in. (102 cm)	334.00
		Weights	
BM17964		30-lb (14-kg) Wheel Weight (1), cast iron, 8-in. front wheel <i>Includes one wheel weight. Requires one BM17978 mounting hardware.</i>	108.07
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Use up to two weights on the rear of X300 Series Tractors. Use up to four weights on the rear of X500 Series Tractors.</i>	60.99
BM25370		Weight bracket, front (X300/X500 M-T) <i>Allows installation of up to four UC13263 Quik-Tatch Weights. Used on X300s, model year 2007- model X500 (SN 020,001-), X530, model year 2011- X534 (SN 060,001-), and X570.</i>	71.69
BM24011		Weight bracket, rear (X304, X324, X354, X384, X394, X534, X584) <i>Allows installation of up to two UC13263 Quik-Tatch weights on X304, X324, X354, X384, and X394 4-Wheel Steer Tractors. Allows installation of up to four UC13263 Quik-Tatch Weights on X534 and X584 4-Wheel Steer Tractors.</i>	94.16
BM17978		Wheel weight mounting hardware for attaching one front wheel weight	11.77

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X350R Select Series Tractor with 42-in. Rear-Discharge Mower Deck

Equipment for Base Machine

ENGINE
 21.5 hp* (16.0 kW)
 44.3-cu in. (726-cc)
 displacement
 Air cooled, V-twin cylinder with
 cast-iron liners
 Gasoline
 No tools oil drain
 Model FR651V

ELECTRICAL SYSTEM
 12-V, 340-CCA battery
 12-amp charging capacity
 Instrument display with
 hourmeter and low-fuel
 indicator; optional MowerPlus
 Smart Connector available
 Optional 12-V outlet

TRANSAXLE
 K46 hydrostatic transmission
 Twin Touch pedals
 0-5.3 mph (0-8.5 km/h) forward
 speed
 0-4 mph (0-6.4 km/h) reverse
 speed
 Cruise control

CHASSIS

Cast-iron front axle
 15x6-6 front turf tires
 20x10-8 rear turf tires
 Storage under seat, covered
 toolbox, and cup holder
 Optional front weight bracket
 holds up to four 42-lb (19-kg)
 Quik-Tatch weights

STERING
 Manual, two-wheel steer
 14-in. (36-cm) steering wheel
 16.5-in. (42-cm) turning radius
 42R: Right 23-in. (58-cm) Left
 28-in. (71-cm) uncut circle
 radius

SEAT
 15-in. (38-cm) open back with
 grasp

LIFT SYSTEM
 Foot pedal mower deck and
 implement lift with
 non-adjustable lift-assist
 spring

MOWER DECK

42-in. (107-cm) rear discharge
 and collect
 11-gauge, 0.120-in. (3-mm),
 steel shell
 Wash port with hose end
 Electric PTO clutch
 Two mower deck wheels
 Mulching kit

*Engine horsepower and torque
 information for non-Deere
 engines are provided by the
 engine manufacturer for
 comparison purposes only. Actual
 operating horsepower and torque
 will be less. Refer to the
 engine manufacturer's Web site
 for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

4894M		X350R Select Series Tractor with 42-in. Rear-Discharge Mower Deck	4,699.00
-------	--	---	----------

DESTINATION

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

Carts

LP21935	Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	223.00
LP22755	Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD	Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	279.00
LP72978	Utility Cart, 10PX Poly with full dump <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	359.00

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X350R Select Series Tractor with 42-in. Rear-Discharge Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LPHDC13JD	Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	412.00
	LP68186	Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	399.00
	LPPCT17JD	Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	423.00
	LPHDC18JD	Utility Cart, 18 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	541.00
		Drawbar	
	LP63768	Magnetic hitch pin	18.99
		Home Maintenance Kits	
	LG265	Home maintenance kit	48.44
		Miscellaneous	
	BM24915	12-V outlet kit (X300) <i>Used on model year 2012- X300s (SN 220,001-)</i>	13.91
	LP63767	40-in. (102-cm) Tractor Shovel	999.95
	TY25866	Battery charger and maintainer	39.01
	TY27534	Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.69
	BUC10537	MowerPlus Smart Connector <i>Requires MowerPlus app.</i>	99.51
	BM25065	Rear deflector kit (X350R)	132.69
	AM136046	Seat net kit	64.39
	BM26155	Snow blower and front blade compatibility kit <i>Updates a model year 2006-2015 44-in. (112-cm) Snow Blower (7001M/SKU23045), 47-in. (119-cm) Snow Blower (7002M/SKU23047), or 48-in. (122-cm) Front Blade (6002M/SKU23048) for use on a model year 2016- X300/X500 M-T Tractor.</i>	343.47
	BM24810	Supplemental lift-assist spring kit (X350R)	88.81
		Mower Blades	
	AM140332	Blade Kit (42M mulching low lift and X350R mulching)	71.27
	AM147289	Blade kit (X350R bagging and rear discharge)	95.07
		Mower Decks	
	AM130907	Mower deck leveling gauge	7.15
		Mulch Kits	
	BM25257	Mulch kit (X350R) <i>Includes mulching blades</i>	112.36
		Protection	

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X350R Select Series Tractor with 42-in. Rear-Discharge Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM23057		Brush guard (X300/X500 M-T)	131.61
BM23056		Bumper (X300s, X500, X530, X534, X570)	69.56
LP93647		Riding mower cover, large deluxe	99.99
LP92624		Seat cover, medium deluxe yellow	42.99
LP92324		Seat cover, medium standard yellow	26.99
		Spark Arrester	
AM135845		Spark arrester muffler screen (X300s, X500 M-Ts)	53.75
		Sprayers	
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	469.95
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	489.95
		Spreaders	
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	363.00
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	410.00
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	449.00
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	298.00
		Thatchers	
LP48004		38-in. (97-cm) Front Thatcher (Center) <i>Requires mounting frame</i>	261.00
LP48003		8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	58.00
LP48005		Thatcher Mounting Frame (X300/X500 M-T)	219.00
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	253.00
		Tire Chains	
LP39856		TerraGrip traction belts (pair) for 20x10-8 non-Turf Saver, 20x10-10, and 20x9-8 tires	104.99
TY16200		Tire chains (pair) for 20x10-8 non-Turf Saver and 20x10-10 tires	91.85
		Tow Behind	
LPSTS42JD		Lawn Sweeper, 42 in. (107 cm)	391.00
LP49038		Lawn Sweeper, 44 in. (112 cm)	379.99
LP42108		Lawn sweeper dethatcher kit (LPSTS42JD)	133.00
LP39089		MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
LPPRT36JD		Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	253.00

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X350R Select Series Tractor with 42-in. Rear-Discharge Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LPPA40JD	Tow-Behind Plug Aerator, 40 in. (102 cm)	459.00
	LPSAT40JD	Tow-Behind Spiker Aerator, 40 in. (102 cm)	334.00
		Weights	
	BM19123	31-lb (14-kg) Wheel Weights (pair), plastic, front or rear 8-in. wheel, includes mounting hardware <i>For use on this product as a rear wheel weight</i>	71.69
	BM25370	Weight bracket, front (X300/X500 M-T) <i>Allows installation of up to four UC13263 Quik-Tatch Weights. Used on X300s, model year 2007- model X500 (SN 020,001-), X530, model year 2011- X534 (SN 060,001-), and X570.</i>	71.69
	BM17978	Wheel weight mounting hardware for attaching one front wheel weight	11.77

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X350R Select Series Tractor with 42-in. Rear-Discharge Mower Deck, California version

Equipment for Base Machine

ENGINE
 21.5 hp* (16.0 kW)
 44.3-cu in. (726-cc)
 displacement
 Air cooled, V-twin cylinder with
 cast-iron liners
 Gasoline
 No tools oil drain
 Model FR651V

Cast-iron front axle

 15x6-6 front turf tires
 20x10-8 rear turf tires
 Storage under seat, covered
 toolbox, and cup holder
 Optional front weight bracket
 holds up to four 42-lb (19-kg)
 Quik-Tatch weights

42-in. (107-cm) rear discharge
 and collect
 11-gauge, 0.120-in. (3-mm),
 steel shell
 Wash port with hose end
 Electric PTO clutch
 Two mower deck wheels
 Mulching kit

ELECTRICAL SYSTEM
 12-V, 340-CCA battery
 12-amp charging capacity
 Instrument display with
 hourmeter and low-fuel
 indicator; optional MowerPlus
 Smart Connector available
 Optional 12-V outlet

STEERING
 Manual, two-wheel steer
 14-in. (36-cm) steering wheel
 16.5-in. (42-cm) turning radius
 42R: Right 23-in. (58-cm) Left
 28-in. (71-cm) uncut circle
 radius

*Engine horsepower and torque
 information for non-Deere
 engines are provided by the
 engine manufacturer for
 comparison purposes only. Actual
 operating horsepower and torque
 will be less. Refer to the
 engine manufacturer's Web site
 for additional information.

TRANSAXLE
 K46 hydrostatic transmission
 Twin Touch pedals
 0-5.3 mph (0-8.5 km/h) forward
 speed
 0-4 mph (0-6.4 km/h) reverse
 speed
 Cruise control

SEAT
 15-in. (38-cm) open back with
 grasp

LIFT SYSTEM
 Foot pedal mower deck and
 implement lift with
 non-adjustable lift-assist
 spring

CHASSIS

MOWER DECK

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

4895M		X350R Select Series Tractor with 42-in. Rear-Discharge Mower Deck, California version	4,799.00
-------	--	---	----------

DESTINATION

001G		California	In Base Price
------	--	------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

Code	Description	List Price Suggested USD (\$)
LP21935	Carts Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	223.00
LP22755	Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD	Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	279.00

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

**X350R Select Series Tractor with 42-in. Rear-Discharge Mower Deck, California
version
Continued**

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LP72978		Utility Cart, 10PX Poly with full dump <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	359.00
LPHDC13JD		Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	412.00
LP68186		Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	399.00
LPPCT17JD		Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	423.00
LPHDC18JD		Utility Cart, 18 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	541.00
		Drawbar	
LP63768		Magnetic hitch pin	18.99
		Home Maintenance Kits	
LG265		Home maintenance kit	48.44
		Miscellaneous	
BM24915		12-V outlet kit (X300) <i>Used on model year 2012- X300s (SN 220,001-)</i>	13.91
LP63767		40-in. (102-cm) Tractor Shovel	999.95
TY25866		Battery charger and maintainer	39.01
TY27534		Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.69
BUC10537		MowerPlus Smart Connector <i>Requires MowerPlus app.</i>	99.51
BM25065		Rear deflector kit (X350R)	132.69
AM136046		Seat net kit	64.39
BM26155		Snow blower and front blade compatibility kit <i>Updates a model year 2006-2015 44-in. (112-cm) Snow Blower (7001M/SKU23045), 47-in. (119-cm) Snow Blower (7002M/SKU23047), or 48-in. (122-cm) Front Blade (6002M/SKU23048) for use on a model year 2016- X300/X500 M-T Tractor.</i>	343.47
BM24810		Supplemental lift-assist spring kit (X350R)	88.81
		Mower Blades	
AM140332		Blade Kit (42M mulching low lift and X350R mulching)	71.27
AM147289		Blade kit (X350R bagging and rear discharge)	95.07
		Mower Decks	
AM130907		Mower deck leveling gauge	7.15

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

**X350R Select Series Tractor with 42-in. Rear-Discharge Mower Deck, California
version
Continued**

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Mulch Kits	
BM25257		Mulch kit (X350R) <i>Includes mulching blades</i>	112.36
		Protection	
BM23057		Brush guard (X300/X500 M-T)	131.61
BM23056		Bumper (X300s, X500, X530, X534, X570)	69.56
LP93647		Riding mower cover, large deluxe	99.99
LP92624		Seat cover, medium deluxe yellow	42.99
LP92324		Seat cover, medium standard yellow	26.99
		Spark Arrester	
AM135845		Spark arrester muffler screen (X300s, X500 M-Ts)	53.75
		Sprayers	
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	469.95
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	489.95
		Spreaders	
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	363.00
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	410.00
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	449.00
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	298.00
		Thatchers	
LP48004		38-in. (97-cm) Front Thatcher (Center) <i>Requires mounting frame</i>	261.00
LP48003		8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	58.00
LP48005		Thatcher Mounting Frame (X300/X500 M-T)	219.00
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	253.00
		Tire Chains	
LP39856		TerraGrip traction belts (pair) for 20x10-8 non-Turf Saver, 20x10-10, and 20x9-8 tires	104.99
TY16200		Tire chains (pair) for 20x10-8 non-Turf Saver and 20x10-10 tires	91.85
		Tow Behind	
LPSTS42JD		Lawn Sweeper, 42 in. (107 cm)	391.00
LP49038		Lawn Sweeper, 44 in. (112 cm)	379.99

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

**X350R Select Series Tractor with 42-in. Rear-Discharge Mower Deck, California
version
Continued**

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LP42108	Lawn sweeper dethatcher kit (LPSTS42JD)	133.00
	LP39089	MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
	LPPRT36JD	Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	253.00
	LPPA40JD	Tow-Behind Plug Aerator, 40 in. (102 cm)	459.00
	LPSAT40JD	Tow-Behind Spiker Aerator, 40 in. (102 cm)	334.00
		Weights	
	BM19123	31-lb (14-kg) Wheel Weights (pair), plastic, front or rear 8-in. wheel, includes mounting hardware <i>For use on this product as a rear wheel weight</i>	71.69
	BM25370	Weight bracket, front (X300/X500 M-T) <i>Allows installation of up to four UC13263 Quik-Tatch Weights. Used on X300s, model year 2007- model X500 (SN 020,001-), X530, model year 2011- X534 (SN 060,001-), and X570.</i>	71.69
	BM17978	Wheel weight mounting hardware for attaching one front wheel weight	11.77

JOHN DEERE TURF & UTILITY PRODUCTS

LAWN TRACTORS

X354 Select Series Tractor without Mower Deck- California Version
Equipment for Base Machine

ENGINE
18.5 hp* (13.8 kW)
36.8-cu in. (603-cc)
displacement
Model FS600V
Air cooled, V-twin cylinder with
cast-iron liners
No tools oil drain

Optional rear weight bracket
holds up to two and optional
front weight bracket holds up to
four 42-lb (19-kg) Quik-Tatch
weights
Cast-iron front axle
15x6-6 front turf tires
20x10-10 rear turf tires
Storage under seat and on fender

in. (122 cm)
42M, 42A - 12-gauge, 0.105-in.
(2.7-mm); 48A - 10-gauge,
0.135-in. (3.4-mm) stamped steel
deck shell
Mower wash port
42 Mulch and 42A - Two mower
wheels, 48A - Four mower wheels
and front center rollers

FUEL SYSTEM
Gasoline
Instrument display with
hourmeter and low fuel indicator

STEERING
Manual, four-wheel steer
14-in. (35.6-cm) steering wheel
15-in. (38.1-cm) turning radius
42M - Right 12 in. (30 cm) Left
15 in. (38 cm), 42A - 15 in. (38
cm) uncut circle radius

*Engine horsepower and torque
information for non-Deere
engines are provided by the
engine manufacturer for
comparison purposes only. Actual
operating horsepower and torque
will be less. Refer to the
engine manufacturer's Web site
for additional information.

ELECTRICAL SYSTEM
12-V (340-CCA) battery
15-amp regulated flywheel
alternator
Optional 12-V outlet

SEAT
15-in. (38.1-cm) open back with
grasp

TRANSAXLE
K46 hydrostatic transmission
Twin Touch pedals
Cruise control
0-5.5 mph (0-8.9 km/h) forward
speed
0-4 mph (0-6.4 km/h) reverse
speed

LIFT SYSTEM
Foot pedal implement lift with
optional adjustable spring
assist

CHASSIS

OPTIONAL MOWER DECK
Mulch 42 in. (107 cm), side
discharge 42 in. (107 cm) or 48

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

5195M		X354 Select Series Tractor without Mower Deck- California Version	3,599.00
-------	--	---	----------

DESTINATION

001G		California	In Base Price
------	--	------------	---------------

Attachment Information is not available in MOCI for the base code 5195M