

**JOHN DEERE TURF & UTILITY PRODUCTS**

**GARDEN TRACTORS**

**X570 Select Series Tractor with 48-in. Accel Deep Mower Deck**  
Equipment for Base Machine

**ENGINE**  
24 hp\* (17.9 kW)  
44.3-cu in. (726-cc) displacement  
Air cooled, V-twin cylinder with cast-iron liners  
Gasoline  
No tools oil drain  
Model FS730V

**ELECTRICAL SYSTEM**  
12-V, 500-CCA battery  
15-amp regulated flywheel alternator  
Instrument display with hourmeter and fuel gauge; optional MowerPlus Smart Connector available  
12-V outlet

**TRANSAXLE**  
K72 hydrostatic transmission  
Twin Touch pedals  
Differential lock  
0-7.2 mph (0-11.6 km/h) forward speed  
0-5.2 mph (0-8.4 km/h) reverse speed  
Cruise control

**CHASSIS**

Cast-iron front axle  
Replaceable metal spindle bushings  
15x6.5-8 front turf tires  
24x12-12 rear turf tires  
Storage under seat, covered toolbox, and cup holder  
Fender handles  
Optional front weight bracket holds up to four 42-lb (19-kg) Quik-Tatch weights  
Standard rear weight bracket holds up to four 42-lb (19-kg) Quik-Tatch weights

**STEERING**  
Manual, two-wheel steer  
14-in. (36-cm) steering wheel  
16-in. (41-cm) turning radius  
48A: 23-in. (58-cm) uncut circle radius

**SEAT**  
15-in. (38-cm) open back with grasp

**LIFT SYSTEM**  
Foot pedal mower deck and implement lift with adjustable lift-assist spring

**MOWER DECK**  
48-in. (122-cm) Accel Deep Mower Deck  
10-gauge, 0.135-in. (3.4-mm), steel shell  
Wash port with hose end  
Electric PTO clutch  
Four mower deck wheels, and center front rollers  
Mower deck wheels rotate 90 degrees for easy mower removal

\*Engine horsepower and torque information for non-Deere engines are provided by the engine manufacturer for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's Web site for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

5344M		X570 Select Series Tractor with 48-in. Accel Deep Mower Deck	6,399.00
-------	--	--	----------

**DESTINATION**

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

**Carts**

LP21935	Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	223.00
LP22755	Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD	Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	279.00
LP72978	Utility Cart, 10PX Poly with full dump <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	359.00

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## X570 Select Series Tractor with 48-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LPHDC13JD	Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	412.00
	LP68186	Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	399.00
	LPPCT17JD	Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	423.00
	LPHDC18JD	Utility Cart, 18 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	541.00
		<b>Drawbar</b>	
	LP63768	Magnetic hitch pin	18.99
		<b>Home Maintenance Kits</b>	
	LG265	Home maintenance kit	48.44
		<b>MCS Chutes</b>	
	LP65063	MC542 Mower Deck Boot Kit (48A)	96.00
	BM21682	Power Flow chute (14 bu)	147.66
	BM21681	Power Flow chute (6.5/7 bu)	115.56
	BM20855	Power Flow chute (MC519 with C, X, or A Series Blowers)	92.01
		<b>MCS Hoppers</b>	
	BM21680	14-bu (493-L) 3-Bag Hopper Assembly (X500 M-T) <i>Requires Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights are recommended for front ballast.</i>	976.91
	BUC11233	7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines.</i>	509.31
	BM21679	7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines. Replaced by BUC11233 upon depletion. Model year 2021 and newer X354, X370 X380, X384, X390, and X394 tractors (serial number 110,001-) with 18-in. (46-cm) cut-and-sewn seat must use BUC11233.</i>	461.17
	AM135486	Loose knit bag (1) for 7-bu Hopper	45.45
	LP49228	MC519 Material Collection System <i>Requires Power Flow blower and Power Flow chute. See Sales Manual for requirements for additional applications. See Sales Manual for ballast requirements.</i>	999.00
	LP47170	MCS 14 Dump-from-Seat Hopper, X500 and X700 with 14-bu (493-L) Hopper <i>Requires separate material collection system</i>	624.95

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## X570 Select Series Tractor with 48-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LP47169		MCS 8 Dump-from-Seat Hopper, X500 and X700 with 7-bu (247-L) Hopper <i>Requires separate material collection system</i>	549.95
		<b>MCS Power Flow Blowers</b>	
BG20748		48A High-Performance Power Flow blower (X300/X500 M-T)	566.03
		<b>Miscellaneous</b>	
LP63767		40-in. (102-cm) Tractor Shovel	999.95
TY25866		Battery charger and maintainer	39.01
LPJD301		Bucket holder (double)	94.95
TY27534		Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.69
BUC10537		MowerPlus Smart Connector <i>Requires MowerPlus app.</i>	99.51
AM136046		Seat net kit	64.39
BM26155		Snow blower and front blade compatibility kit <i>Updates a model year 2006-2015 44-in. (112-cm) Snow Blower (7001M/SKU23045), 47-in. (119-cm) Snow Blower (7002M/SKU23047), or 48-in. (122-cm) Front Blade (6002M/SKU23048) for use on a model year 2016- X300/X500 M-T Tractor.</i>	343.47
		<b>Mower Blades</b>	
M127673		Blade (48C/48X/48A mulching)	13.30
M145476		Blade (48C/48X/48A side discharge)	11.73
		<b>Mower Decks</b>	
BM26238		Dry-condition kit (48A)	59.91
LP63761		Grass Striping Groomer for 48A or 54A Deck	114.95
AM130907		Mower deck leveling gauge	7.15
		<b>Mulch Kits</b>	
BM24993		48A MulchControl attachment <i>Includes mulching blades</i>	169.06
BUC10165		48A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000; X500 serial number 110,001-130,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information.</i>	356.31
		<b>Protection</b>	
BM23057		Brush guard (X300/X500 M-T)	131.61
BM23056		Bumper (X300s, X500, X530, X534, X570)	69.56
LP93647		Riding mower cover, large deluxe	99.99
LP93917		Riding mower cover, standard	69.99
LP92624		Seat cover, medium deluxe yellow	42.99

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## X570 Select Series Tractor with 48-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LP92324		Seat cover, medium standard yellow	26.99
		<b>Rear Hitch</b>	
LPBS38		Integral hitch 38-in. box scraper	264.00
LPBB56		Integral hitch 42-in. rear blade	241.00
LPCC55		Integral hitch cultivator	234.00
LPDD55		Integral hitch disk harrow	273.00
LPPP510		Integral hitch moldboard plow	369.00
LP31357		Integral hitch, mechanical (X500 M-T)	339.00
		<b>Rear Wheels and Tires</b>	
BM18434		23x10.50-12 in. bar tires (rear pair)	383.06
BM21977		24X12.00-12 in. HDAP tires (rear pair)	399.11
BM21516		24X12.00-12 in. turf tires (rear pair)	355.24
		<b>Seat</b>	
BUC10625		Seat, 21-in. (53-cm) two-piece adjustable <i>Upgrades a model year 2006- X500 Multi-Terrain tractor. Includes seat, arm-rests, four-bar suspension, and seat slide.</i>	460.10
		<b>Spark Arrester</b>	
AM135845		Spark arrester muffler screen (X300s, X500 M-Ts)	53.75
		<b>Sprayers</b>	
LP22885		High Performance Sprayer Precision Boom (12.5 ft)	269.95
LP22884		High performance boomless nozzles	169.95
LP22861		Mounted Sprayer, 25 gal. (95 L) (X300/X500 M-T) <i>Requires mid-mount mower, front implement, two front wheel weights, or four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	494.95
LP39963		Tow-Behind High Performance Sprayer, 45 gal. (170 L), requires LP22884 or LP22885 boom <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	774.95
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	469.95
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	489.95
LP20485		Tow-Behind Sprayer, 45 gal. (170 L) <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	629.95
		<b>Spreaders</b>	
LP35439		Mounted Electric Broadcast Spreader, 125 lb (57 kg) (X300/X500 M-T/X700) <i>Requires two front wheel weights or two front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	579.00
LP23117		Mounted electric broadcast spreader barrier shield	69.00

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## X570 Select Series Tractor with 48-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	363.00
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	410.00
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	449.00
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	298.00
		<b>Sun Protection</b>	
BM23054		Sun shade (X300 and X500 M-T)	174.41
		<b>Thatchers</b>	
LP48004		38-in. (97-cm) Front Thatcher (Center) <i>Requires mounting frame</i>	261.00
LP48003		8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	58.00
LP48005		Thatcher Mounting Frame (X300/X500 M-T)	219.00
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	253.00
		<b>Tire Chains</b>	
LP39862		TerraGrip traction belts (pair) for 24x12-12 tires	99.95
TY24328		Tire chains (pair) for 24x12-12 tires	115.71
		<b>Tow Behind</b>	
LPSTS42JD		Lawn Sweeper, 42 in. (107 cm)	391.00
LP49038		Lawn Sweeper, 44 in. (112 cm)	379.99
LP42108		Lawn sweeper dethatcher kit (LPSTS42JD)	133.00
LP39089		MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
LPPRT36JD		Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	253.00
LP64738		Tow-Behind Lawn Roller, 24 x 48 in. (61 x 122 cm) Steel <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	289.00
LPPA40JD		Tow-Behind Plug Aerator, 40 in. (102 cm)	459.00
LPPA48JD		Tow-Behind Plug Aerator, 48 in. (122 cm) <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	499.00
LPSAT40JD		Tow-Behind Spiker Aerator, 40 in. (102 cm)	334.00
		<b>Weather Enclosures</b>	
LP55439		X500 Series weather enclosure	524.99
		<b>Weights</b>	
BM17964		30-lb (14-kg) Wheel Weight (1), cast iron, 8-in. front wheel <i>Includes one wheel weight. Requires one BM17978 mounting hardware.</i>	108.07

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

**X570 Select Series Tractor with 48-in. Accel Deep Mower Deck**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM17972		50-lb (23-kg) Wheel Weight (1), cast iron, 12-in. rear wheel <i>Requires mounting hardware</i>	140.17
BM17976		50-lb (23-kg) Wheel Weight (1), plastic, rear 12-in. wheel, with mounting hardware	70.61
BM17985		Mounting hardware (1) for attaching one wheel weight	13.91
BM17977		Mounting hardware (1) for attaching two 50-lb (23-kg) Weights on 23-in., 24-in., or 26-in. Tire	22.47
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Use up to two weights on the rear of X300 Series Tractors. Use up to four weights on the rear of X500 Series Tractors.</i>	60.99
BM25370		Weight bracket, front (X300/X500 M-T) <i>Allows installation of up to four UC13263 Quik-Tatch Weights. Used on X300s, model year 2007- model X500 (SN 020,001-), X530, model year 2011- X534 (SN 060,001-), and X570.</i>	71.69
BM17978		Wheel weight mounting hardware for attaching one front wheel weight	11.77

**JOHN DEERE TURF & UTILITY PRODUCTS**

**GARDEN TRACTORS**

**X570 Select Series Tractor with 54-in. Accel Deep Mower Deck**  
Equipment for Base Machine

**ENGINE**  
24 hp\* (17.9 kW)  
44.3-cu in. (726-cc) displacement  
Air cooled, V-twin cylinder with cast-iron liners  
Gasoline  
No tools oil drain  
Model FS730V

**ELECTRICAL SYSTEM**  
12-V, 500-CCA battery  
15-amp regulated flywheel alternator  
Instrument display with hourmeter and fuel gauge; optional MowerPlus Smart Connector available  
12-V outlet

**TRANSAXLE**  
K72 hydrostatic transmission  
Twin Touch pedals  
Differential lock  
0-7.2 mph (0-11.6 km/h) forward speed  
0-5.2 mph (0-8.4 km/h) reverse speed  
Cruise control

**CHASSIS**

Cast-iron front axle  
Replaceable metal spindle bushings  
15x6.5-8 front turf tires  
24x12-12 rear turf tires  
Storage under seat, covered toolbox, and cup holder  
Fender handles  
Optional front weight bracket holds up to four 42-lb (19-kg) Quik-Tatch weights  
Standard rear weight bracket holds up to four 42-lb (19-kg) Quik-Tatch weights

**STEERING**  
Manual, two-wheel steer  
14-in. (36-cm) steering wheel  
16-in. (41-cm) turning radius  
54A: 20-in. (51-cm) uncut circle radius

**SEAT**  
15-in. (38-cm) open back with grasp

**LIFT SYSTEM**  
Foot pedal mower deck and implement lift with adjustable lift-assist spring

**MOWER DECK**  
54-in. (137-cm) Accel Deep Mower Deck  
10-gauge, 0.135-in. (3.4-mm), steel shell  
Wash port with hose end  
Electric PTO clutch  
Four mower deck wheels, and center front rollers  
Mower deck wheels rotate 90 degrees for easy mower removal

\*Engine horsepower and torque information for non-Deere engines are provided by the engine manufacturer for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's Web site for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

5345M		X570 Select Series Tractor with 54-in. Accel Deep Mower Deck	6,699.00
-------	--	--	----------

**DESTINATION**

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

**Carts**

LP21935	Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	223.00
LP22755	Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD	Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	279.00
LP72978	Utility Cart, 10PX Poly with full dump <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	359.00

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## X570 Select Series Tractor with 54-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LPHDC13JD	Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	412.00
	LP68186	Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	399.00
	LPPCT17JD	Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	423.00
	LPHDC18JD	Utility Cart, 18 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	541.00
		<b>Drawbar</b>	
	LP63768	Magnetic hitch pin	18.99
		<b>Home Maintenance Kits</b>	
	LG265	Home maintenance kit	48.44
		<b>MCS Chutes</b>	
	BM21682	Power Flow chute (14 bu)	147.66
	BM21681	Power Flow chute (6.5/7 bu)	115.56
	BM20855	Power Flow chute (MC519 with C, X, or A Series Blowers)	92.01
		<b>MCS Hoppers</b>	
	BM21680	14-bu (493-L) 3-Bag Hopper Assembly (X500 M-T) <i>Requires Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights are recommended for front ballast.</i>	976.91
	BUC11233	7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines.</i>	509.31
	BM21679	7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Replaced by BUC11233 upon depletion. Model year 2021 and newer X354, X370 X380, X384, X390, and X394 tractors (serial number 110,001-) with 18-in. (46-cm) cut-and-sewn seat must use BUC11233. Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines.</i>	461.17
	AM135486	Loose knit bag (1) for 7-bu Hopper	45.45
	LP49228	MC519 Material Collection System <i>Requires Power Flow blower and Power Flow chute. See Sales Manual for requirements for additional applications. See Sales Manual for ballast requirements.</i>	999.00
	LP47170	MCS 14 Dump-from-Seat Hopper, X500 and X700 with 14-bu (493-L) Hopper <i>Requires separate material collection system</i>	624.95
	LP47169	MCS 8 Dump-from-Seat Hopper, X500 and X700 with 7-bu (247-L) Hopper <i>Requires separate material collection system</i>	549.95
		<b>MCS Power Flow Blowers</b>	



## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## X570 Select Series Tractor with 54-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BG20749		54A High-Performance Power Flow blower (X300/X500 M-T)	566.03
		<b>Miscellaneous</b>	
LP63767		40-in. (102-cm) Tractor Shovel	999.95
TY25866		Battery charger and maintainer	39.01
LPJD301		Bucket holder (double)	94.95
TY27534		Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.69
BUC10537		MowerPlus Smart Connector <i>Requires MowerPlus app.</i>	99.51
AM136046		Seat net kit	64.39
BM26155		Snow blower and front blade compatibility kit <i>Updates a model year 2006-2015 44-in. (112-cm) Snow Blower (7001M/SKU23045), 47-in. (119-cm) Snow Blower (7002M/SKU23047), or 48-in. (122-cm) Front Blade (6002M/SKU23048) for use on a model year 2016- X300/X500 M-T Tractor.</i>	343.47
		<b>Mower Blades</b>	
M177791		Blade (54A mulching)	29.14
M152726		Blade (54C/54X/54A high lift)	15.82
M143520		Blade (54C/54X/54A side discharge)	17.33
		<b>Mower Decks</b>	
BM26239		Dry-condition kit (54A)	63.13
LP63761		Grass Striping Groomer for 48A or 54A Deck	114.95
AM130907		Mower deck leveling gauge	7.15
		<b>Mulch Kits</b>	
BM24994		54A MulchControl attachment <i>Includes mulching blades</i>	219.36
BUC10166		54A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000; X500 serial number 110,001-130,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information. <a href="http://dtac.deere.com/Solutions/English/110887.htm">http://dtac.deere.com/Solutions/English/110887.htm</a></i>	406.60
		<b>Protection</b>	
BM23057		Brush guard (X300/X500 M-T)	131.61
BM23056		Bumper (X300s, X500, X530, X534, X570)	69.56
LP93647		Riding mower cover, large deluxe	99.99
LP93917		Riding mower cover, standard	69.99
LP92624		Seat cover, medium deluxe yellow	42.99

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## X570 Select Series Tractor with 54-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LP92324		Seat cover, medium standard yellow	26.99
		<b>Rear Hitch</b>	
LPBS38		Integral hitch 38-in. box scraper	264.00
LPBB56		Integral hitch 42-in. rear blade	241.00
LPCC55		Integral hitch cultivator	234.00
LPDD55		Integral hitch disk harrow	273.00
LPPP510		Integral hitch moldboard plow	369.00
LP31357		Integral hitch, mechanical (X500 M-T)	339.00
		<b>Rear Wheels and Tires</b>	
BM18434		23x10.50-12 in. bar tires (rear pair)	383.06
BM21977		24X12.00-12 in. HDAP tires (rear pair)	399.11
BM21516		24X12.00-12 in. turf tires (rear pair)	355.24
		<b>Seat</b>	
BUC10625		Seat, 21-in. (53-cm) two-piece adjustable <i>Upgrades a model year 2006- X500 Multi-Terrain tractor. Includes seat, arm-rests, four-bar suspension, and seat slide.</i>	460.10
		<b>Spark Arrester</b>	
AM135845		Spark arrester muffler screen (X300s, X500 M-Ts)	53.75
		<b>Sprayers</b>	
LP22885		High Performance Sprayer Precision Boom (12.5 ft)	269.95
LP22884		High performance boomless nozzles	169.95
LP22861		Mounted Sprayer, 25 gal. (95 L) (X300/X500 M-T) <i>Requires mid-mount mower, front implement, two front wheel weights, or four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	494.95
LP39963		Tow-Behind High Performance Sprayer, 45 gal. (170 L), requires LP22884 or LP22885 boom <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	774.95
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	469.95
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	489.95
LP20485		Tow-Behind Sprayer, 45 gal. (170 L) <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	629.95
		<b>Spreaders</b>	
LP35439		Mounted Electric Broadcast Spreader, 125 lb (57 kg) (X300/X500 M-T/X700) <i>Requires two front wheel weights or two front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	579.00
LP23117		Mounted electric broadcast spreader barrier shield	69.00

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## X570 Select Series Tractor with 54-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	363.00
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	410.00
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	449.00
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	298.00
		<b>Sun Protection</b>	
BM23054		Sun shade (X300 and X500 M-T)	174.41
		<b>Thatchers</b>	
LP48004		38-in. (97-cm) Front Thatcher (Center) <i>Requires mounting frame</i>	261.00
LP48003		8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	58.00
LP48005		Thatcher Mounting Frame (X300/X500 M-T)	219.00
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	253.00
		<b>Tire Chains</b>	
LP39862		TerraGrip traction belts (pair) for 24x12-12 tires	99.95
TY24328		Tire chains (pair) for 24x12-12 tires	115.71
		<b>Tow Behind</b>	
LPSTS42JD		Lawn Sweeper, 42 in. (107 cm)	391.00
LP49038		Lawn Sweeper, 44 in. (112 cm)	379.99
LP42108		Lawn sweeper dethatcher kit (LPSTS42JD)	133.00
LP39089		MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
LPPRT36JD		Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	253.00
LP64738		Tow-Behind Lawn Roller, 24 x 48 in. (61 x 122 cm) Steel <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	289.00
LPPA40JD		Tow-Behind Plug Aerator, 40 in. (102 cm)	459.00
LPPA48JD		Tow-Behind Plug Aerator, 48 in. (122 cm) <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	499.00
LPSAT40JD		Tow-Behind Spiker Aerator, 40 in. (102 cm)	334.00
		<b>Weather Enclosures</b>	
LP55439		X500 Series weather enclosure	524.99
		<b>Weights</b>	
BM17964		30-lb (14-kg) Wheel Weight (1), cast iron, 8-in. front wheel <i>Includes one wheel weight. Requires one BM17978 mounting hardware.</i>	108.07

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

**X570 Select Series Tractor with 54-in. Accel Deep Mower Deck**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM17972		50-lb (23-kg) Wheel Weight (1), cast iron, 12-in. rear wheel <i>Requires mounting hardware</i>	140.17
BM17976		50-lb (23-kg) Wheel Weight (1), plastic, rear 12-in. wheel, with mounting hardware	70.61
BM17985		Mounting hardware (1) for attaching one wheel weight	13.91
BM17977		Mounting hardware (1) for attaching two 50-lb (23-kg) Weights on 23-in., 24-in., or 26-in. Tire	22.47
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Use up to two weights on the rear of X300 Series Tractors. Use up to four weights on the rear of X500 Series Tractors.</i>	60.99
BM25370		Weight bracket, front (X300/X500 M-T) <i>Allows installation of up to four UC13263 Quik-Tatch Weights. Used on X300s, model year 2007- model X500 (SN 020,001-), X530, model year 2011- X534 (SN 060,001-), and X570.</i>	71.69
BM17978		Wheel weight mounting hardware for attaching one front wheel weight	11.77

**JOHN DEERE TURF & UTILITY PRODUCTS**

**GARDEN TRACTORS**

**X570 Select Series Tractor without Mower Deck, California version**  
Equipment for Base Machine

**ENGINE**  
24 hp\* (17.9 kW)  
44.3-cu in. (726-cc) displacement  
Air cooled, V-twin cylinder with cast-iron liners  
Gasoline  
No tools oil drain  
Model FS730V

**ELECTRICAL SYSTEM**  
12-V, 500-CCA battery  
15-amp regulated flywheel alternator  
Instrument display with hourmeter and fuel gauge; optional MowerPlus Smart Connector available  
12-V outlet

**TRANSAXLE**  
K72 hydrostatic transmission  
Twin Touch pedals  
Differential lock  
0-7.2 mph (0-11.6 km/h) forward speed  
0-5.2 mph (0-8.4 km/h) reverse speed  
Cruise control

**CHASSIS**

Cast-iron front axle  
Replaceable metal spindle bushings  
15x6.5-8 front turf tires  
24x12-12 rear turf tires  
Storage under seat, covered toolbox, and cup holder  
Fender handles  
Optional front weight bracket holds up to four 42-lb (19-kg) Quik-Tatch weights  
Standard rear weight bracket holds up to four 42-lb (19-kg) Quik-Tatch weights

**STEERING**  
Manual, two-wheel steer  
14-in. (36-cm) steering wheel  
16-in. (41-cm) turning radius  
48A: 23-in. (58-cm) / 54A: 20-in. (51-cm) uncut circle radius

**SEAT**  
15-in. (38-cm) open back with grasp

**LIFT SYSTEM**  
Foot pedal mower deck and implement lift with adjustable lift-assist spring

**OPTIONAL MOWER DECKS**  
48-in. (122-cm) or 54-in. (137-cm) Accel Deep Mower Deck  
10-gauge, 0.135-in. (3.4-mm), steel shell  
Wash port with hose end  
Electric PTO clutch  
Four mower deck wheels, and center front rollers  
Mower deck wheels rotate 90 degrees for easy mower removal

\*Engine horsepower and torque information for non-Deere engines are provided by the engine manufacturer for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's Web site for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

5347M		X570 Select Series Tractor without Mower Deck, California version	5,599.00
-------	--	---	----------

**DESTINATION**

001G		California	In Base Price
------	--	------------	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

<b>Carts</b>			
LP21935	Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>		223.00
LP22755	Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>		199.00
LPPCT10JD	Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>		279.00
LP72978	Utility Cart, 10PX Poly with full dump <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>		359.00

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## X570 Select Series Tractor without Mower Deck, California version

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LPHDC13JD	Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	412.00
	LP68186	Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	399.00
	LPPCT17JD	Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	423.00
	LPHDC18JD	Utility Cart, 18 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	541.00
		<b>Drawbar</b>	
	LP63768	Magnetic hitch pin	18.99
		<b>Home Maintenance Kits</b>	
	LG265	Home maintenance kit	48.44
		<b>MCS Chutes</b>	
	LP65063	MC542 Mower Deck Boot Kit (48A)	96.00
	BM21682	Power Flow chute (14 bu)	147.66
	BM21681	Power Flow chute (6.5/7 bu)	115.56
	BM20855	Power Flow chute (MC519 with C, X, or A Series Blowers)	92.01
		<b>MCS Hoppers</b>	
	BM21680	14-bu (493-L) 3-Bag Hopper Assembly (X500 M-T) <i>Requires Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights are recommended for front ballast.</i>	976.91
	BUC11233	7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines.</i>	509.31
	BM21679	7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines. Replaced by BUC11233 upon depletion. Model year 2021 and newer X354, X370 X380, X384, X390, and X394 tractors (serial number 110,001-) with 18-in. (46-cm) cut-and-sewn seat must use BUC11233.</i>	461.17
	AM135486	Loose knit bag (1) for 7-bu Hopper	45.45
	LP49228	MC519 Material Collection System <i>Requires Power Flow blower and Power Flow chute. See Sales Manual for requirements for additional applications. See Sales Manual for ballast requirements.</i>	999.00
	LP47170	MCS 14 Dump-from-Seat Hopper, X500 and X700 with 14-bu (493-L) Hopper <i>Requires separate material collection system</i>	624.95

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## X570 Select Series Tractor without Mower Deck, California version

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LP47169		MCS 8 Dump-from-Seat Hopper, X500 and X700 with 7-bu (247-L) Hopper <i>Requires separate material collection system</i>	549.95
		<b>MCS Power Flow Blowers</b>	
BG20748		48A High-Performance Power Flow blower (X300/X500 M-T)	566.03
BG20749		54A High-Performance Power Flow blower (X300/X500 M-T)	566.03
		<b>Miscellaneous</b>	
LP63767		40-in. (102-cm) Tractor Shovel	999.95
TY25866		Battery charger and maintainer	39.01
LPJD301		Bucket holder (double)	94.95
TY27534		Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.69
BUC10537		MowerPlus Smart Connector <i>Requires MowerPlus app.</i>	99.51
AM136046		Seat net kit	64.39
BM26155		Snow blower and front blade compatibility kit <i>Updates a model year 2006-2015 44-in. (112-cm) Snow Blower (7001M/SKU23045), 47-in. (119-cm) Snow Blower (7002M/SKU23047), or 48-in. (122-cm) Front Blade (6002M/SKU23048) for use on a model year 2016- X300/X500 M-T Tractor.</i>	343.47
		<b>Mower Blades</b>	
M127673		Blade (48C/48X/48A mulching)	13.30
M145476		Blade (48C/48X/48A side discharge)	11.73
M177791		Blade (54A mulching)	29.14
M152726		Blade (54C/54X/54A high lift)	15.82
M143520		Blade (54C/54X/54A side discharge)	17.33
		<b>Mower Decks</b>	
BM26238		Dry-condition kit (48A)	59.91
BM26239		Dry-condition kit (54A)	63.13
LP63761		Grass Striping Groomer for 48A or 54A Deck	114.95
AM130907		Mower deck leveling gauge	7.15
		<b>Mulch Kits</b>	
BM24993		48A MulchControl attachment <i>Includes mulching blades</i>	169.06
BUC10165		48A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000; X500 serial number 110,001-130,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information.</i>	356.31

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## X570 Select Series Tractor without Mower Deck, California version

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM24994		54A MulchControl attachment <i>Includes mulching blades</i>	219.36
BUC10166		54A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000; X500 serial number 110,001-130,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information. <a href="http://dtac.deere.com/Solutions/English/110887.htm">http://dtac.deere.com/Solutions/English/110887.htm</a></i>	406.60
		<b>Protection</b>	
BM23057		Brush guard (X300/X500 M-T)	131.61
BM23056		Bumper (X300s, X500, X530, X534, X570)	69.56
LP93647		Riding mower cover, large deluxe	99.99
LP93917		Riding mower cover, standard	69.99
LP92624		Seat cover, medium deluxe yellow	42.99
LP92324		Seat cover, medium standard yellow	26.99
		<b>Rear Hitch</b>	
LPBS38		Integral hitch 38-in. box scraper	264.00
LPBB56		Integral hitch 42-in. rear blade	241.00
LPCC55		Integral hitch cultivator	234.00
LPDD55		Integral hitch disk harrow	273.00
LPPP510		Integral hitch moldboard plow	369.00
LP31357		Integral hitch, mechanical (X500 M-T)	339.00
		<b>Rear Wheels and Tires</b>	
BM18434		23x10.50-12 in. bar tires (rear pair)	383.06
BM21977		24X12.00-12 in. HDAP tires (rear pair)	399.11
BM21516		24X12.00-12 in. turf tires (rear pair)	355.24
		<b>Seat</b>	
BUC10625		Seat, 21-in. (53-cm) two-piece adjustable <i>Upgrades a model year 2006- X500 Multi-Terrain tractor. Includes seat, arm-rests, four-bar suspension, and seat slide.</i>	460.10
		<b>Spark Arrester</b>	
AM135845		Spark arrester muffler screen (X300s, X500 M-Ts)	53.75
		<b>Sprayers</b>	
LP22885		High Performance Sprayer Precision Boom (12.5 ft)	269.95
LP22884		High performance boomless nozzles	169.95



## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## X570 Select Series Tractor without Mower Deck, California version

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LP22861		Mounted Sprayer, 25 gal. (95 L) (X300/X500 M-T) <i>Requires mid-mount mower, front implement, two front wheel weights, or four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	494.95
LP39963		Tow-Behind High Performance Sprayer, 45 gal. (170 L), requires LP22884 or LP22885 boom <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	774.95
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	469.95
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	489.95
LP20485		Tow-Behind Sprayer, 45 gal. (170 L) <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	629.95
		<b>Spreaders</b>	
LP35439		Mounted Electric Broadcast Spreader, 125 lb (57 kg) (X300/X500 M-T/X700) <i>Requires two front wheel weights or two front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	579.00
LP23117		Mounted electric broadcast spreader barrier shield	69.00
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	363.00
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	410.00
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	449.00
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	298.00
		<b>Sun Protection</b>	
BM23054		Sun shade (X300 and X500 M-T)	174.41
		<b>Thatchers</b>	
LP48004		38-in. (97-cm) Front Thatcher (Center) <i>Requires mounting frame</i>	261.00
LP48003		8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	58.00
LP48005		Thatcher Mounting Frame (X300/X500 M-T)	219.00
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	253.00
		<b>Tire Chains</b>	
LP39862		TerraGrip traction belts (pair) for 24x12-12 tires	99.95
TY24328		Tire chains (pair) for 24x12-12 tires	115.71
		<b>Tow Behind</b>	
LPSTS42JD		Lawn Sweeper, 42 in. (107 cm)	391.00
LP49038		Lawn Sweeper, 44 in. (112 cm)	379.99

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## X570 Select Series Tractor without Mower Deck, California version

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LP42108		Lawn sweeper dethatcher kit (LPSTS42JD)	133.00
LP39089		MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
LPPRT36JD		Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	253.00
LP64738		Tow-Behind Lawn Roller, 24 x 48 in. (61 x 122 cm) Steel <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	289.00
LPPA40JD		Tow-Behind Plug Aerator, 40 in. (102 cm)	459.00
LPPA48JD		Tow-Behind Plug Aerator, 48 in. (122 cm) <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	499.00
LPSAT40JD		Tow-Behind Spiker Aerator, 40 in. (102 cm)	334.00
		<b>Weather Enclosures</b>	
LP55439		X500 Series weather enclosure	524.99
		<b>Weights</b>	
BM17964		30-lb (14-kg) Wheel Weight (1), cast iron, 8-in. front wheel <i>Includes one wheel weight. Requires one BM17978 mounting hardware.</i>	108.07
BM17972		50-lb (23-kg) Wheel Weight (1), cast iron, 12-in. rear wheel <i>Requires mounting hardware</i>	140.17
BM17976		50-lb (23-kg) Wheel Weight (1), plastic, rear 12-in. wheel, with mounting hardware	70.61
BM17985		Mounting hardware (1) for attaching one wheel weight	13.91
BM17977		Mounting hardware (1) for attaching two 50-lb (23-kg) Weights on 23-in., 24-in., or 26-in. Tire	22.47
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Use up to two weights on the rear of X300 Series Tractors. Use up to four weights on the rear of X500 Series Tractors.</i>	60.99
BM25370		Weight bracket, front (X300/X500 M-T) <i>Allows installation of up to four UC13263 Quik-Tatch Weights. Used on X300s, model year 2007- model X500 (SN 020,001-), X530, model year 2011- X534 (SN 060,001-), and X570.</i>	71.69
BM17978		Wheel weight mounting hardware for attaching one front wheel weight	11.77

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## X580 Select Series Tractor with 54-in. Accel Deep Mower Deck

Equipment for Base Machine

**ENGINE**  
 24 hp\* (17.9 kW)  
 44.3-cu in. (726-cc)  
 displacement  
 Air cooled, V-twin cylinder with  
 cast-iron liners  
 Gasoline  
 No tools oil drain  
 Model FS730V

**ELECTRICAL SYSTEM**  
 12-V, 500-CCA battery  
 15-amp regulated flywheel  
 alternator  
 Instrument display with  
 hourmeter and fuel gauge;  
 optional MowerPlus Smart  
 Connector available  
 12-V outlet

**TRANSAXLE**  
 K72 hydrostatic transmission  
 Twin Touch pedals  
 Differential lock  
 0-7.2 mph (0-11.6 km/h) forward  
 speed  
 0-5.2 mph (0-8.4 km/h) reverse  
 speed  
 Cruise control

**CHASSIS**

Cast-iron front axle  
 Replaceable metal spindle  
 bushings  
 16x6.5-8 front turf tires  
 24x12-12 rear HDAP tires  
 Storage under seat, covered  
 toolbox, and cup holder  
 Fender handles  
 Standard front weight bracket  
 holds up to four 42-lb (19-kg)  
 Quik-Tatch weights  
 Standard rear weight bracket  
 holds up to four 42-lb (19-kg)  
 Quik-Tatch weights

**STEERING**  
 Power, two-wheel steer  
 14-in. (36-cm) steering wheel  
 22-in. (56-cm) turning radius  
 54A: 24-in. (61-cm) uncut circle  
 radius

**SEAT**  
 21-in. (53-cm) cut-and-sewn high  
 back with brand embroidery

**LIFT SYSTEM**  
 Hydraulic power mower deck and  
 implement lift

**MOWER DECK**

54-in. (137-cm) Accel Deep Mower  
 Deck  
 10-gauge, 0.135-in. (3.4-mm),  
 steel shell  
 Wash port with hose end  
 Electric PTO clutch  
 Four mower deck wheels, and  
 center front rollers  
 Mower deck wheels rotate 90  
 degrees for easy mower removal

\*Engine horsepower and torque  
 information for non-Deere  
 engines are provided by the  
 engine manufacturer for  
 comparison purposes only. Actual  
 operating horsepower and torque  
 will be less. Refer to the  
 engine manufacturer's Web site  
 for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

### BASE MACHINE

5351M	X580 Select Series Tractor with 54-in. Accel Deep Mower Deck	7,699.00
-------	--	----------

### DESTINATION

001A	United States and Canada	In Base Price
------	--------------------------	---------------

### ATTACHMENTS FOR FIELD CONVERSION

Code	Description	List Price Suggested USD (\$)
LP21935	<b>Carts</b> Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	223.00
LP22755	Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD	Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	279.00
LP72978	Utility Cart, 10PX Poly with full dump <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	359.00

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## X580 Select Series Tractor with 54-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LPHDC13JD	Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	412.00
	LP68186	Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	399.00
	LPPCT17JD	Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	423.00
	LPHDC18JD	Utility Cart, 18 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	541.00
		<b>Drawbar</b>	
	LP63768	Magnetic hitch pin	18.99
		<b>Home Maintenance Kits</b>	
	LG265	Home maintenance kit	48.44
		<b>MCS Chutes</b>	
	BM21682	Power Flow chute (14 bu)	147.66
	BM21681	Power Flow chute (6.5/7 bu)	115.56
	BM20855	Power Flow chute (MC519 with C, X, or A Series Blowers)	92.01
		<b>MCS Hoppers</b>	
	BM21680	14-bu (493-L) 3-Bag Hopper Assembly (X500 M-T) <i>Requires Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights are recommended for front ballast.</i>	976.91
	BUC11233	7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines.</i>	509.31
	BM21679	7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Replaced by BUC11233 upon depletion. Model year 2021 and newer X354, X370 X380, X384, X390, and X394 tractors (serial number 110,001-) with 18-in. (46-cm) cut-and-sewn seat must use BUC11233. Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines.</i>	461.17
	AM135486	Loose knit bag (1) for 7-bu Hopper	45.45
	LP49228	MC519 Material Collection System <i>Requires Power Flow blower and Power Flow chute. See Sales Manual for requirements for additional applications. See Sales Manual for ballast requirements.</i>	999.00
	LP47170	MCS 14 Dump-from-Seat Hopper, X500 and X700 with 14-bu (493-L) Hopper <i>Requires separate material collection system</i>	624.95
	LP47169	MCS 8 Dump-from-Seat Hopper, X500 and X700 with 7-bu (247-L) Hopper <i>Requires separate material collection system</i>	549.95
		<b>MCS Power Flow Blowers</b>	

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## X580 Select Series Tractor with 54-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BG20749		54A High-Performance Power Flow blower (X300/X500 M-T)	566.03
		<b>Miscellaneous</b>	
LP63767		40-in. (102-cm) Tractor Shovel	999.95
TY25866		Battery charger and maintainer	39.01
LPJD301		Bucket holder (double)	94.95
TY27534		Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.69
BUC10537		MowerPlus Smart Connector <i>Requires MowerPlus app.</i>	99.51
BM26155		Snow blower and front blade compatibility kit <i>Updates a model year 2006-2015 44-in. (112-cm) Snow Blower (7001M/SKU23045), 47-in. (119-cm) Snow Blower (7002M/SKU23047), or 48-in. (122-cm) Front Blade (6002M/SKU23048) for use on a model year 2016- X300/X500 M-T Tractor.</i>	343.47
		<b>Mower Blades</b>	
M177791		Blade (54A mulching)	29.14
M152726		Blade (54C/54X/54A high lift)	15.82
M143520		Blade (54C/54X/54A side discharge)	17.33
		<b>Mower Decks</b>	
BM26239		Dry-condition kit (54A)	63.13
LP63761		Grass Striping Groomer for 48A or 54A Deck	114.95
AM130907		Mower deck leveling gauge	7.15
		<b>Mulch Kits</b>	
BM24994		54A MulchControl attachment <i>Includes mulching blades</i>	219.36
BUC10166		54A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000; X500 serial number 110,001-130,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information. <a href="http://dtac.deere.com/Solutions/English/110887.htm">http://dtac.deere.com/Solutions/English/110887.htm</a></i>	406.60
		<b>Protection</b>	
BM23057		Brush guard (X300/X500 M-T)	131.61
LP92634		Large Deluxe Seat Cover - Yellow	44.99
LP92334		Large Seat Cover - Yellow	27.99
LP93647		Riding mower cover, large deluxe	99.99
LP93917		Riding mower cover, standard	69.99
LP92624		Seat cover, medium deluxe yellow	42.99

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## X580 Select Series Tractor with 54-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LP92324		Seat cover, medium standard yellow	26.99
		<b>Rear Hitch</b>	
LPBS38		Integral hitch 38-in. box scraper	264.00
LPBB56		Integral hitch 42-in. rear blade	241.00
LPCC55		Integral hitch cultivator	234.00
LPDD55		Integral hitch disk harrow	273.00
LPPP510		Integral hitch moldboard plow	369.00
LP31357		Integral hitch, mechanical (X500 M-T)	339.00
LP66661		Integral hitch, power (X530, X534, X540, X580, X584, and X590)	500.00
		<b>Rear Wheels and Tires</b>	
BM18434		23x10.50-12 in. bar tires (rear pair)	383.06
BM21977		24X12.00-12 in. HDAP tires (rear pair)	399.11
BM21516		24X12.00-12 in. turf tires (rear pair)	355.24
		<b>Seat</b>	
BM23761		Armrest kit, 21-in. (53-cm) seat <i>For use with: Model year 2011- (serial number 060,001-) X534 and X540 tractors All X584 and X590 tractors Model year 2021- (serial number 110,001-) X354, X370, X380, X384, X390, and X394 tractors Model year 2021- (serial number 160,001-) X580 tractors</i>	86.67
BUC10625		Seat, 21-in. (53-cm) two-piece adjustable <i>Upgrades a model year 2006- X500 Multi-Terrain tractor. Includes seat, arm-rests, four-bar suspension, and seat slide.</i>	460.10
		<b>Spark Arrester</b>	
AM135845		Spark arrester muffler screen (X300s, X500 M-Ts)	53.75
		<b>Sprayers</b>	
LP22885		High Performance Sprayer Precision Boom (12.5 ft)	269.95
LP22884		High performance boomless nozzles	169.95
LP22861		Mounted Sprayer, 25 gal. (95 L) (X300/X500 M-T) <i>Requires mid-mount mower, front implement, two front wheel weights, or four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	494.95
LP39963		Tow-Behind High Performance Sprayer, 45 gal. (170 L), requires LP22884 or LP22885 boom <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	774.95
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	469.95
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	489.95

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## X580 Select Series Tractor with 54-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LP20485		Tow-Behind Sprayer, 45 gal. (170 L) <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	629.95
		<b>Spreaders</b>	
LP35439		Mounted Electric Broadcast Spreader, 125 lb (57 kg) (X300/X500 M-T/X700) <i>Requires two front wheel weights or two front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	579.00
LP23117		Mounted electric broadcast spreader barrier shield	69.00
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	363.00
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	410.00
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	449.00
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	298.00
		<b>Sun Protection</b>	
BM23054		Sun shade (X300 and X500 M-T)	174.41
		<b>Thatchers</b>	
LP48004		38-in. (97-cm) Front Thatcher (Center) <i>Requires mounting frame</i>	261.00
LP48003		8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	58.00
LP48005		Thatcher Mounting Frame (X300/X500 M-T)	219.00
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	253.00
		<b>Tire Chains</b>	
LP39862		TerraGrip traction belts (pair) for 24x12-12 tires	99.95
TY24328		Tire chains (pair) for 24x12-12 tires	115.71
		<b>Tow Behind</b>	
LPSTS42JD		Lawn Sweeper, 42 in. (107 cm)	391.00
LP49038		Lawn Sweeper, 44 in. (112 cm)	379.99
LP42108		Lawn sweeper dethatcher kit (LPSTS42JD)	133.00
LP39089		MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
LPPRT36JD		Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	253.00
LP64738		Tow-Behind Lawn Roller, 24 x 48 in. (61 x 122 cm) Steel <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	289.00
LPPA40JD		Tow-Behind Plug Aerator, 40 in. (102 cm)	459.00

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## X580 Select Series Tractor with 54-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LPPA48JD		Tow-Behind Plug Aerator, 48 in. (122 cm) <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	499.00
LPSAT40JD		Tow-Behind Spiker Aerator, 40 in. (102 cm)	334.00
		<b>Weather Enclosures</b>	
LP55439		X500 Series weather enclosure	524.99
		<b>Weights</b>	
BM17964		30-lb (14-kg) Wheel Weight (1), cast iron, 8-in. front wheel <i>Includes one wheel weight. Requires one BM17978 mounting hardware.</i>	108.07
BM17972		50-lb (23-kg) Wheel Weight (1), cast iron, 12-in. rear wheel <i>Requires mounting hardware</i>	140.17
BM17976		50-lb (23-kg) Wheel Weight (1), plastic, rear 12-in. wheel, with mounting hardware	70.61
BM17985		Mounting hardware (1) for attaching one wheel weight	13.91
BM17977		Mounting hardware (1) for attaching two 50-lb (23-kg) Weights on 23-in., 24-in., or 26-in. Tire	22.47
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Use up to two weights on the rear of X300 Series Tractors. Use up to four weights on the rear of X500 Series Tractors.</i>	60.99
BM17978		Wheel weight mounting hardware for attaching one front wheel weight	11.77



**JOHN DEERE TURF & UTILITY PRODUCTS**

**GARDEN TRACTORS**

**X584 Select Series Tractor without Mower Deck**  
Equipment for Base Machine

**ENGINE**  
24 hp\* (17.9 kW)  
44.3-cu in. (726-cc)  
displacement  
Air cooled, V-twin cylinder with  
cast-iron liners  
Gasoline  
No tools oil drain  
Model FS730V

**ELECTRICAL SYSTEM**  
12-V, 500-CCA battery  
15-amp regulated flywheel  
alternator  
Instrument display with  
hourmeter and fuel gauge;  
optional MowerPlus Smart  
Connector available  
12-V outlet

**TRANSAXLE**  
K72 hydrostatic transmission  
Twin Touch pedals  
Differential lock  
0-7.2 mph (0-11.6 km/h) forward  
speed  
0-5.2 mph (0-8.4 km/h) reverse  
speed  
Cruise control

**CHASSIS**

Cast-iron front axle  
Replaceable metal spindle  
bushings  
16x6.5-8 front turf tires  
24x9.5-12 rear turf tires  
Storage under seat, covered  
toolbox, and cup holder  
Fender handles  
Standard front weight bracket  
holds up to four 42-lb (19-kg)  
Quik-Tatch weights  
Optional rear weight bracket  
holds up to four 42-lb (19-kg)  
Quik-Tatch weights

**STEERING**  
Power, four-wheel steer  
14-in. (36-cm) five position  
tilt steering wheel  
19-in. (48-cm) turning radius  
48A: 15-in. (38-cm) / 54A:  
12-in. (30-cm) uncut circle  
radius

**SEAT**  
21-in. (53-cm) cut-and-sewn high  
back with brand embroidery

**LIFT SYSTEM**  
Hydraulic power mower deck and  
implement lift

**OPTIONAL MOWER DECKS**  
48-in. (122-cm) or 54-in.  
(137-cm) Accel Deep Mower Deck  
10-gauge, 0.135-in. (3.4-mm),  
steel shell  
Wash port with hose end  
Electric PTO clutch  
Four mower deck wheels, and  
center front rollers  
Mower deck wheels rotate 90  
degrees for easy mower removal

\*Engine horsepower and torque  
information for non-Deere  
engines are provided by the  
engine manufacturer for  
comparison purposes only. Actual  
operating horsepower and torque  
will be less. Refer to the  
engine manufacturer's Web site  
for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

5363M		X584 Select Series Tractor without Mower Deck	7,099.00
-------	--	---	----------

**DESTINATION**

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

<b>Carts</b>			
LP21935	Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>		223.00
LP22755	Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>		199.00
LPPCT10JD	Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>		279.00
LP72978	Utility Cart, 10PX Poly with full dump <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>		359.00

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## X584 Select Series Tractor without Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LPHDC13JD	Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	412.00
	LP68186	Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	399.00
	LPPCT17JD	Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	423.00
	LPHDC18JD	Utility Cart, 18 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	541.00
		<b>Drawbar</b>	
	LP63768	Magnetic hitch pin	18.99
		<b>Home Maintenance Kits</b>	
	LG265	Home maintenance kit	48.44
		<b>MCS Chutes</b>	
	LP65063	MC542 Mower Deck Boot Kit (48A)	96.00
	BM21682	Power Flow chute (14 bu)	147.66
	BM21681	Power Flow chute (6.5/7 bu)	115.56
	BM20855	Power Flow chute (MC519 with C, X, or A Series Blowers)	92.01
		<b>MCS Hoppers</b>	
	BM21680	14-bu (493-L) 3-Bag Hopper Assembly (X500 M-T) <i>Requires Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights are recommended for front ballast.</i>	976.91
	BUC11233	7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines.</i>	509.31
	BM21679	7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines. Replaced by BUC11233 upon depletion. Model year 2021 and newer X354, X370 X380, X384, X390, and X394 tractors (serial number 110,001-) with 18-in. (46-cm) cut-and-sewn seat must use BUC11233.</i>	461.17
	AM135486	Loose knit bag (1) for 7-bu Hopper	45.45
	LP49228	MC519 Material Collection System <i>Requires Power Flow blower and Power Flow chute. See Sales Manual for requirements for additional applications. See Sales Manual for ballast requirements.</i>	999.00
	LP47170	MCS 14 Dump-from-Seat Hopper, X500 and X700 with 14-bu (493-L) Hopper <i>Requires separate material collection system</i>	624.95

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## X584 Select Series Tractor without Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LP47169		MCS 8 Dump-from-Seat Hopper, X500 and X700 with 7-bu (247-L) Hopper <i>Requires separate material collection system</i>	549.95
		<b>MCS Power Flow Blowers</b>	
BG20748		48A High-Performance Power Flow blower (X300/X500 M-T)	566.03
BG20749		54A High-Performance Power Flow blower (X300/X500 M-T)	566.03
		<b>Miscellaneous</b>	
LP63767		40-in. (102-cm) Tractor Shovel	999.95
TY25866		Battery charger and maintainer	39.01
LPJD301		Bucket holder (double)	94.95
TY27534		Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.69
BUC10537		MowerPlus Smart Connector <i>Requires MowerPlus app.</i>	99.51
BM26155		Snow blower and front blade compatibility kit <i>Updates a model year 2006-2015 44-in. (112-cm) Snow Blower (7001M/SKU23045), 47-in. (119-cm) Snow Blower (7002M/SKU23047), or 48-in. (122-cm) Front Blade (6002M/SKU23048) for use on a model year 2016- X300/X500 M-T Tractor.</i>	343.47
		<b>Mower Blades</b>	
M127673		Blade (48C/48X/48A mulching)	13.30
M145476		Blade (48C/48X/48A side discharge)	11.73
M177791		Blade (54A mulching)	29.14
M152726		Blade (54C/54X/54A high lift)	15.82
M143520		Blade (54C/54X/54A side discharge)	17.33
		<b>Mower Decks</b>	
BM26238		Dry-condition kit (48A)	59.91
BM26239		Dry-condition kit (54A)	63.13
LP63761		Grass Striping Groomer for 48A or 54A Deck	114.95
AM130907		Mower deck leveling gauge	7.15
		<b>Mulch Kits</b>	
BM24993		48A MulchControl attachment <i>Includes mulching blades</i>	169.06
BUC10165		48A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000; X500 serial number 110,001-130,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information.</i>	356.31
BM24994		54A MulchControl attachment <i>Includes mulching blades</i>	219.36

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## X584 Select Series Tractor without Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BUC10166		54A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000; X500 serial number 110,001-130,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information. <a href="http://dtac.deere.com/Solutions/English/110887.htm">http://dtac.deere.com/Solutions/English/110887.htm</a></i>	406.60
		<b>Protection</b>	
BM23057		Brush guard (X300/X500 M-T)	131.61
LP48865		Bucket Seat Cover - Yellow / Black	39.99
LP92634		Large Deluxe Seat Cover - Yellow	44.99
LP92334		Large Seat Cover - Yellow	27.99
LP93647		Riding mower cover, large deluxe	99.99
LP93917		Riding mower cover, standard	69.99
		<b>Rear Hitch</b>	
LPBS38		Integral hitch 38-in. box scraper	264.00
LPBB56		Integral hitch 42-in. rear blade	241.00
LPCC55		Integral hitch cultivator	234.00
LPDD55		Integral hitch disk harrow	273.00
LPPP510		Integral hitch moldboard plow	369.00
LP31357		Integral hitch, mechanical (X500 M-T)	339.00
LP66661		Integral hitch, power (X530, X534, X540, X580, X584, and X590)	500.00
		<b>Seat</b>	
BM23761		Armrest kit, 21-in. (53-cm) seat <i>For use with: Model year 2011- (serial number 060,001-) X534 and X540 tractors All X584 and X590 tractors Model year 2021- (serial number 110,001-) X354, X370, X380, X384, X390, and X394 tractors Model year 2021- (serial number 160,001-) X580 tractors</i>	86.67
BUC10625		Seat, 21-in. (53-cm) two-piece adjustable <i>Upgrades a model year 2006- X500 Multi-Terrain tractor. Includes seat, arm-rests, four-bar suspension, and seat slide.</i>	460.10
		<b>Spark Arrester</b>	
AM135845		Spark arrester muffler screen (X300s, X500 M-Ts)	53.75
		<b>Sprayers</b>	
LP22885		High Performance Sprayer Precision Boom (12.5 ft)	269.95
LP22884		High performance boomless nozzles	169.95

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## X584 Select Series Tractor without Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LP22861		Mounted Sprayer, 25 gal. (95 L) (X300/X500 M-T) <i>Requires mid-mount mower, front implement, two front wheel weights, or four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	494.95
LP39963		Tow-Behind High Performance Sprayer, 45 gal. (170 L), requires LP22884 or LP22885 boom <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	774.95
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	469.95
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	489.95
LP20485		Tow-Behind Sprayer, 45 gal. (170 L) <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	629.95
		<b>Spreaders</b>	
LP35439		Mounted Electric Broadcast Spreader, 125 lb (57 kg) (X300/X500 M-T/X700) <i>Requires two front wheel weights or two front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	579.00
LP23117		Mounted electric broadcast spreader barrier shield	69.00
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	363.00
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	410.00
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	449.00
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	298.00
		<b>Sun Protection</b>	
BM23054		Sun shade (X300 and X500 M-T)	174.41
		<b>Thatchers</b>	
LP48004		38-in. (97-cm) Front Thatcher (Center) <i>Requires mounting frame</i>	261.00
LP48003		8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	58.00
LP48005		Thatcher Mounting Frame (X300/X500 M-T)	219.00
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	253.00
		<b>Tire Chains</b>	
TY26227		Tire Chains (pair) for 23x9.5-12 and 24x9.5-12 tires on X534 and X584	117.11
		<b>Tow Behind</b>	
LPSTS42JD		Lawn Sweeper, 42 in. (107 cm)	391.00
LP49038		Lawn Sweeper, 44 in. (112 cm)	379.99
LP42108		Lawn sweeper dethatcher kit (LPSTS42JD)	133.00

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

**X584 Select Series Tractor without Mower Deck**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LP39089		MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
LPPRT36JD		Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	253.00
LP64738		Tow-Behind Lawn Roller, 24 x 48 in. (61 x 122 cm) Steel <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	289.00
LPPA40JD		Tow-Behind Plug Aerator, 40 in. (102 cm)	459.00
LPPA48JD		Tow-Behind Plug Aerator, 48 in. (122 cm) <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	499.00
LPSAT40JD		Tow-Behind Spiker Aerator, 40 in. (102 cm)	334.00
		<b>Weather Enclosures</b>	
LP55439		X500 Series weather enclosure	524.99
		<b>Weights</b>	
BM17964		30-lb (14-kg) Wheel Weight (1), cast iron, 8-in. front wheel <i>Includes one wheel weight. Requires one BM17978 mounting hardware.</i>	108.07
BM17972		50-lb (23-kg) Wheel Weight (1), cast iron, 12-in. rear wheel <i>Requires mounting hardware</i>	140.17
BM17985		Mounting hardware (1) for attaching one wheel weight	13.91
BM17977		Mounting hardware (1) for attaching two 50-lb (23-kg) Weights on 23-in., 24-in., or 26-in. Tire	22.47
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Use up to two weights on the rear of X300 Series Tractors. Use up to four weights on the rear of X500 Series Tractors.</i>	60.99
BM24011		Weight bracket, rear (X304, X324, X354, X384, X394, X534, X584) <i>Allows installation of up to two UC13263 Quik-Tatch Weights on Region 2 (CE) X300 Tractors. Allows installation of up to four UC13263 Quik-Tatch Weights to X534 and X584 4-Wheel Steer Tractors.</i> <i>Allows installation of up to two UC13263 Quik-Tatch weights on X304, X324, X354, X384, and X394 4-Wheel Steer Tractors. Allows installation of up to four UC13263 Quik-Tatch Weights on X534 and X584 4-Wheel Steer Tractors.</i>	94.16
BM17978		Wheel weight mounting hardware for attaching one front wheel weight	11.77

**JOHN DEERE TURF & UTILITY PRODUCTS**

**GARDEN TRACTORS**

**X590 Select Series Tractor with 54-in. Accel Deep Mower Deck**  
Equipment for Base Machine

**ENGINE**  
25.5 hp\* (19 kW)  
44.3-cu in. (726-cc)  
displacement  
Air cooled, V-twin cylinder with  
cast-iron liners  
Gasoline  
No tools oil drain  
Model FS730V with electronic  
fuel injection and electronic  
throttle control

**ELECTRICAL SYSTEM**  
12-V, 500-CCA battery  
15-amp regulated flywheel  
alternator  
Instrument display with  
hourmeter and fuel gauge;  
optional MowerPlus Smart  
Connector available  
12-V outlet

**TRANSAXLE**  
K72 hydrostatic transmission  
Twin Touch pedals  
Differential lock  
0-7.2 mph (0-11.6 km/h) forward  
speed  
0-5.2 mph (0-8.4 km/h) reverse  
speed  
Cruise control

**CHASSIS**  
Cast-iron front axle  
Replaceable metal spindle  
bushings  
16x6.5-8 front turf tires  
24x12-12 rear HDAP tires  
Storage under seat, covered  
toolbox, and cup holder  
Fender handles  
Standard front weight bracket  
holds up to four 42-lb (19-kg)  
Quik-Tatch weights  
Standard rear weight bracket  
holds up to four 42-lb (19-kg)  
Quik-Tatch weights

**STEERING**  
Power, two-wheel steer  
14-in. (36-cm) five position  
tilt steering wheel  
22-in. (56-cm) turning radius  
54A: 24-in. (61-cm) uncut circle  
radius

**SEAT**  
21-in. (53-cm) cut-and-sewn high  
back with brand embroidery

**LIFT SYSTEM**  
Hydraulic power mower deck and  
implement lift

**MOWER DECK**  
54-in. (137-cm) Accel Deep Mower  
Deck  
10-gauge, 0.135-in. (3.4-mm),  
steel shell  
Wash port with hose end  
Electric PTO clutch  
Four mower deck wheels, and  
center front rollers  
Mower deck wheels rotate 90  
degrees for easy mower removal

\*Engine horsepower and torque  
information for non-Deere  
engines are provided by the  
engine manufacturer for  
comparison purposes only. Actual  
operating horsepower and torque  
will be less. Refer to the  
engine manufacturer's Web site  
for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

4867M	X590 Select Series Tractor with 54-in. Accel Deep Mower Deck	8,299.00
-------	--	----------

**DESTINATION**

001A	United States and Canada	In Base Price
------	--------------------------	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

	Carts	
LP21935	Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	223.00
LP22755	Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD	Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	279.00

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## X590 Select Series Tractor with 54-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LP72978		Utility Cart, 10PX Poly with full dump <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	359.00
LPHDC13JD		Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	412.00
LP68186		Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	399.00
LPPCT17JD		Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	423.00
LPHDC18JD		Utility Cart, 18 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	541.00
LP63768		<b>Drawbar</b> Magnetic hitch pin	18.99
LG265		<b>Home Maintenance Kits</b> Home maintenance kit	48.44
BM21682		<b>MCS Chutes</b> Power Flow chute (14 bu)	147.66
BM21681		Power Flow chute (6.5/7 bu)	115.56
BM20855		Power Flow chute (MC519 with C, X, or A Series Blowers)	92.01
BM21680		<b>MCS Hoppers</b> 14-bu (493-L) 3-Bag Hopper Assembly (X500 M-T) <i>Requires Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights are recommended for front ballast.</i>	976.91
BUC11233		7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines.</i>	509.31
BM21679		7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines. Replaced by BUC11233 upon depletion. Model year 2021 and newer X354, X370 X380, X384, X390, and X394 tractors (serial number 110,001-) with 18-in. (46-cm) cut-and-sewn seat must use BUC11233.</i>	461.17
AM135486		Loose knit bag (1) for 7-bu Hopper	45.45
LP49228		MC519 Material Collection System <i>Requires Power Flow blower and Power Flow chute. See Sales Manual for requirements for additional applications. See Sales Manual for ballast requirements.</i>	999.00
LP47170		MCS 14 Dump-from-Seat Hopper, X500 and X700 with 14-bu (493-L) Hopper <i>Requires separate material collection system</i>	624.95



## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## X590 Select Series Tractor with 54-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LP47169		MCS 8 Dump-from-Seat Hopper, X500 and X700 with 7-bu (247-L) Hopper <i>Requires separate material collection system</i>	549.95
		<b>MCS Power Flow Blowers</b>	
BG20749		54A High-Performance Power Flow blower (X300/X500 M-T)	566.03
		<b>Miscellaneous</b>	
LP63767		40-in. (102-cm) Tractor Shovel	999.95
TY25866		Battery charger and maintainer	39.01
LPJD301		Bucket holder (double)	94.95
TY27534		Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.69
BUC10537		MowerPlus Smart Connector <i>Requires MowerPlus app.</i>	99.51
BM26155		Snow blower and front blade compatibility kit <i>Updates a model year 2006-2015 44-in. (112-cm) Snow Blower (7001M/SKU23045), 47-in. (119-cm) Snow Blower (7002M/SKU23047), or 48-in. (122-cm) Front Blade (6002M/SKU23048) for use on a model year 2016- X300/X500 M-T Tractor.</i>	343.47
		<b>Mower Blades</b>	
M177791		Blade (54A mulching)	29.14
M152726		Blade (54C/54X/54A high lift)	15.82
M143520		Blade (54C/54X/54A side discharge)	17.33
		<b>Mower Decks</b>	
BM26239		Dry-condition kit (54A)	63.13
LP63761		Grass Striping Groomer for 48A or 54A Deck	114.95
AM130907		Mower deck leveling gauge	7.15
		<b>Mulch Kits</b>	
BM24994		54A MulchControl attachment <i>Includes mulching blades</i>	219.36
BUC10166		54A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000; X500 serial number 110,001-130,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information. <a href="http://dtac.deere.com/Solutions/English/110887.htm">http://dtac.deere.com/Solutions/English/110887.htm</a></i>	406.60
		<b>Protection</b>	
BM23057		Brush guard (X300/X500 M-T)	131.61
LP48865		Bucket Seat Cover - Yellow / Black	39.99
LP92634		Large Deluxe Seat Cover - Yellow	44.99
LP92334		Large Seat Cover - Yellow	27.99

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## X590 Select Series Tractor with 54-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LP93647		Riding mower cover, large deluxe	99.99
LP93917		Riding mower cover, standard	69.99
		<b>Rear Hitch</b>	
LPBS38		Integral hitch 38-in. box scraper	264.00
LPBB56		Integral hitch 42-in. rear blade	241.00
LPCC55		Integral hitch cultivator	234.00
LPDD55		Integral hitch disk harrow	273.00
LPPP510		Integral hitch moldboard plow	369.00
LP31357		Integral hitch, mechanical (X500 M-T)	339.00
LP66661		Integral hitch, power (X530, X534, X540, X580, X584, and X590)	500.00
		<b>Rear Wheels and Tires</b>	
BM18434		23x10.50-12 in. bar tires (rear pair)	383.06
BM21977		24X12.00-12 in. HDAP tires (rear pair)	399.11
BM21516		24X12.00-12 in. turf tires (rear pair)	355.24
		<b>Seat</b>	
BM23761		Armrest kit, 21-in. (53-cm) seat <i>For use with:</i> <i>Model year 2011- (serial number 060,001-) X534 and X540 tractors</i> <i>All X584 and X590 tractors</i> <i>Model year 2021- (serial number 110,001-) X354, X370, X380, X384, X390, and X394 tractors</i> <i>Model year 2021- (serial number 160,001-) X580 tractors</i>	86.67
BUC10625		Seat, 21-in. (53-cm) two-piece adjustable <i>Upgrades a model year 2006- X500 Multi-Terrain tractor. Includes seat, arm-rests, four-bar suspension, and seat slide.</i>	460.10
		<b>Spark Arrester</b>	
AM135845		Spark arrester muffler screen (X300s, X500 M-Ts)	53.75
		<b>Sprayers</b>	
LP22885		High Performance Sprayer Precision Boom (12.5 ft)	269.95
LP22884		High performance boomless nozzles	169.95
LP22861		Mounted Sprayer, 25 gal. (95 L) (X300/X500 M-T) <i>Requires mid-mount mower, front implement, two front wheel weights, or four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	494.95
LP39963		Tow-Behind High Performance Sprayer, 45 gal. (170 L), requires LP22884 or LP22885 boom <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	774.95
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	469.95
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	489.95

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## X590 Select Series Tractor with 54-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LP20485		Tow-Behind Sprayer, 45 gal. (170 L) <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	629.95
		<b>Spreaders</b>	
LP35439		Mounted Electric Broadcast Spreader, 125 lb (57 kg) (X300/X500 M-T/X700) <i>Requires two front wheel weights or two front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	579.00
LP23117		Mounted electric broadcast spreader barrier shield	69.00
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	363.00
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	410.00
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	449.00
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	298.00
		<b>Sun Protection</b>	
BM23054		Sun shade (X300 and X500 M-T)	174.41
		<b>Thatchers</b>	
LP48004		38-in. (97-cm) Front Thatcher (Center) <i>Requires mounting frame</i>	261.00
LP48003		8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	58.00
LP48005		Thatcher Mounting Frame (X300/X500 M-T)	219.00
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	253.00
		<b>Tire Chains</b>	
LP39862		TerraGrip traction belts (pair) for 24x12-12 tires	99.95
TY24328		Tire chains (pair) for 24x12-12 tires	115.71
		<b>Tow Behind</b>	
LPSTS42JD		Lawn Sweeper, 42 in. (107 cm)	391.00
LP49038		Lawn Sweeper, 44 in. (112 cm)	379.99
LP42108		Lawn sweeper dethatcher kit (LPSTS42JD)	133.00
LP39089		MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
LPPRT36JD		Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	253.00
LP64738		Tow-Behind Lawn Roller, 24 x 48 in. (61 x 122 cm) Steel <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	289.00
LPPA40JD		Tow-Behind Plug Aerator, 40 in. (102 cm)	459.00

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## X590 Select Series Tractor with 54-in. Accel Deep Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LPPA48JD		Tow-Behind Plug Aerator, 48 in. (122 cm) <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	499.00
LPSAT40JD		Tow-Behind Spiker Aerator, 40 in. (102 cm)	334.00
		<b>Weather Enclosures</b>	
LP55439		X500 Series weather enclosure	524.99
		<b>Weights</b>	
BM17964		30-lb (14-kg) Wheel Weight (1), cast iron, 8-in. front wheel <i>Includes one wheel weight. Requires one BM17978 mounting hardware.</i>	108.07
BM17972		50-lb (23-kg) Wheel Weight (1), cast iron, 12-in. rear wheel <i>Requires mounting hardware</i>	140.17
BM17976		50-lb (23-kg) Wheel Weight (1), plastic, rear 12-in. wheel, with mounting hardware	70.61
BM17985		Mounting hardware (1) for attaching one wheel weight	13.91
BM17977		Mounting hardware (1) for attaching two 50-lb (23-kg) Weights on 23-in., 24-in., or 26-in. Tire	22.47
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Use up to two weights on the rear of X300 Series Tractors. Use up to four weights on the rear of X500 Series Tractors.</i>	60.99
BM17978		Wheel weight mounting hardware for attaching one front wheel weight	11.77

**JOHN DEERE TURF & UTILITY PRODUCTS**

**GARDEN TRACTORS**

**X590 Select Series Tractor without Mower Deck**  
Equipment for Base Machine

**ENGINE**

25.5 hp\* (19 kW)  
44.3-cu in. (726-cc) displacement  
Air cooled, V-twin cylinder with cast-iron liners  
Gasoline  
No tools oil drain  
Model FS730V with electronic fuel injection and electronic throttle control

**ELECTRICAL SYSTEM**

12-V, 500-CCA battery  
15-amp regulated flywheel alternator  
Instrument display with hourmeter and fuel gauge; optional MowerPlus Smart Connector available  
12-V outlet

**TRANSAXLE**

K72 hydrostatic transmission  
Twin Touch pedals  
Differential lock  
0-7.2 mph (0-11.6 km/h) forward speed  
0-5.2 mph (0-8.4 km/h) reverse speed  
Cruise control

**CHASSIS**

Cast-iron front axle  
Replaceable metal spindle bushings  
16x6.5-8 front turf tires  
24x12-12 rear turf tires  
Storage under seat, covered toolbox, and cup holder  
Fender handles  
Standard front weight bracket holds up to four 42-lb (19-kg) Quik-Tatch weights  
Standard rear weight bracket holds up to four 42-lb (19-kg) Quik-Tatch weights

**STEERING**

Power, two-wheel steer  
14-in. (36-cm) five position tilt steering wheel  
22-in. (56-cm) turning radius  
48A: 27-in. (69-cm) / 54A: 24-in. (61-cm) uncut circle radius

**SEAT**

21-in. (53-cm) cut-and-sewn high back with brand embroidery

**LIFT SYSTEM**

Hydraulic power mower deck and implement lift

**OPTIONAL MOWER DECKS**

48-in. (122-cm) or 54-in. (137-cm) Accel Deep Mower Deck  
10-gauge, 0.135-in. (3.4-mm), steel shell  
Wash port with hose end  
Electric PTO clutch  
Four mower deck wheels, and center front rollers  
Mower deck wheels rotate 90 degrees for easy mower removal

\*Engine horsepower and torque information for non-Deere engines are provided by the engine manufacturer for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's Web site for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

4868M	X590 Select Series Tractor without Mower Deck	7,099.00
-------	---	----------

**DESTINATION**

001A	United States and Canada	In Base Price
------	--------------------------	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

**Carts**

LP21935	Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	223.00
LP22755	Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD	Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	279.00

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## X590 Select Series Tractor without Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LP72978		Utility Cart, 10PX Poly with full dump <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	359.00
LPHDC13JD		Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	412.00
LP68186		Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	399.00
LPPCT17JD		Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	423.00
LPHDC18JD		Utility Cart, 18 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	541.00
		<b>Drawbar</b>	
LP63768		Magnetic hitch pin	18.99
		<b>Home Maintenance Kits</b>	
LG265		Home maintenance kit	48.44
		<b>MCS Chutes</b>	
LP65063		MC542 Mower Deck Boot Kit (48A)	96.00
BM21682		Power Flow chute (14 bu)	147.66
BM21681		Power Flow chute (6.5/7 bu)	115.56
BM20855		Power Flow chute (MC519 with C, X, or A Series Blowers)	92.01
		<b>MCS Hoppers</b>	
BM21680		14-bu (493-L) 3-Bag Hopper Assembly (X500 M-T) <i>Requires Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights are recommended for front ballast.</i>	976.91
BUC11233		7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines.</i>	509.31
BM21679		7-bu (247-L) 2-Bag Hopper Assembly (X300/X500 M-T) <i>Replaced by BUC11233 upon depletion. Model year 2021 and newer X354, X370 X380, X384, X390, and X394 tractors (serial number 110,001-) with 18-in. (46-cm) cut-and-sewn seat must use BUC11233. Requires rear bagger chute, or Power Flow blower and Power Flow chute. Two UC13263 42 lb (19 kg) Quik-Tatch weights or two front wheel weights are recommended for front ballast, especially on hills or inclines.</i>	461.17
AM135486		Loose knit bag (1) for 7-bu Hopper	45.45
LP49228		MC519 Material Collection System <i>Requires Power Flow blower and Power Flow chute. See Sales Manual for requirements for additional applications. See Sales Manual for ballast requirements.</i>	999.00

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## X590 Select Series Tractor without Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LP47170		MCS 14 Dump-from-Seat Hopper, X500 and X700 with 14-bu (493-L) Hopper <i>Requires separate material collection system</i>	624.95
LP47169		MCS 8 Dump-from-Seat Hopper, X500 and X700 with 7-bu (247-L) Hopper <i>Requires separate material collection system</i>	549.95
		<b>MCS Power Flow Blowers</b>	
BG20748		48A High-Performance Power Flow blower (X300/X500 M-T)	566.03
BG20749		54A High-Performance Power Flow blower (X300/X500 M-T)	566.03
		<b>Miscellaneous</b>	
LP63767		40-in. (102-cm) Tractor Shovel	999.95
TY25866		Battery charger and maintainer	39.01
LPJD301		Bucket holder (double)	94.95
TY27534		Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.69
BUC10537		MowerPlus Smart Connector <i>Requires MowerPlus app.</i>	99.51
BM26155		Snow blower and front blade compatibility kit <i>Updates a model year 2006-2015 44-in. (112-cm) Snow Blower (7001M/SKU23045), 47-in. (119-cm) Snow Blower (7002M/SKU23047), or 48-in. (122-cm) Front Blade (6002M/SKU23048) for use on a model year 2016- X300/X500 M-T Tractor.</i>	343.47
		<b>Mower Blades</b>	
M127673		Blade (48C/48X/48A mulching)	13.30
M145476		Blade (48C/48X/48A side discharge)	11.73
M177791		Blade (54A mulching)	29.14
M152726		Blade (54C/54X/54A high lift)	15.82
M143520		Blade (54C/54X/54A side discharge)	17.33
		<b>Mower Decks</b>	
BM26238		Dry-condition kit (48A)	59.91
BM26239		Dry-condition kit (54A)	63.13
LP63761		Grass Striping Groomer for 48A or 54A Deck	114.95
AM130907		Mower deck leveling gauge	7.15
		<b>Mulch Kits</b>	
BM24993		48A MulchControl attachment <i>Includes mulching blades</i>	169.06
BUC10165		48A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000; X500 serial number 110,001-130,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information.</i>	356.31

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## X590 Select Series Tractor without Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM24994		54A MulchControl attachment <i>Includes mulching blades</i>	219.36
BUC10166		54A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000; X500 serial number 110,001-130,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information. <a href="http://dtac.deere.com/Solutions/English/110887.htm">http://dtac.deere.com/Solutions/English/110887.htm</a></i>	406.60
		<b>Protection</b>	
BM23057		Brush guard (X300/X500 M-T)	131.61
LP48865		Bucket Seat Cover - Yellow / Black	39.99
LP92634		Large Deluxe Seat Cover - Yellow	44.99
LP92334		Large Seat Cover - Yellow	27.99
LP93647		Riding mower cover, large deluxe	99.99
LP93917		Riding mower cover, standard	69.99
		<b>Rear Hitch</b>	
LPBS38		Integral hitch 38-in. box scraper	264.00
LPBB56		Integral hitch 42-in. rear blade	241.00
LPCC55		Integral hitch cultivator	234.00
LPDD55		Integral hitch disk harrow	273.00
LPPP510		Integral hitch moldboard plow	369.00
LP31357		Integral hitch, mechanical (X500 M-T)	339.00
LP66661		Integral hitch, power (X530, X534, X540, X580, X584, and X590)	500.00
		<b>Rear Wheels and Tires</b>	
BM18434		23x10.50-12 in. bar tires (rear pair)	383.06
BM21977		24X12.00-12 in. HDAP tires (rear pair)	399.11
BM21516		24X12.00-12 in. turf tires (rear pair)	355.24
		<b>Seat</b>	
BM23761		Armrest kit, 21-in. (53-cm) seat <i>For use with: Model year 2011- (serial number 060,001-) X534 and X540 tractors All X584 and X590 tractors Model year 2021- (serial number 110,001-) X354, X370, X380, X384, X390, and X394 tractors Model year 2021- (serial number 160,001-) X580 tractors</i>	86.67
BUC10625		Seat, 21-in. (53-cm) two-piece adjustable <i>Upgrades a model year 2006- X500 Multi-Terrain tractor. Includes seat, arm-rests, four-bar suspension, and seat slide.</i>	460.10



## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## X590 Select Series Tractor without Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Spark Arrester</b>	
AM135845		Spark arrester muffler screen (X300s, X500 M-Ts)	53.75
		<b>Sprayers</b>	
LP22885		High Performance Sprayer Precision Boom (12.5 ft)	269.95
LP22884		High performance boomless nozzles	169.95
LP22861		Mounted Sprayer, 25 gal. (95 L) (X300/X500 M-T) <i>Requires mid-mount mower, front implement, two front wheel weights, or four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	494.95
LP39963		Tow-Behind High Performance Sprayer, 45 gal. (170 L), requires LP22884 or LP22885 boom <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	774.95
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	469.95
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	489.95
LP20485		Tow-Behind Sprayer, 45 gal. (170 L) <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	629.95
		<b>Spreaders</b>	
LP35439		Mounted Electric Broadcast Spreader, 125 lb (57 kg) (X300/X500 M-T/X700) <i>Requires two front wheel weights or two front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	579.00
LP23117		Mounted electric broadcast spreader barrier shield	69.00
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	363.00
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	410.00
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	449.00
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	298.00
		<b>Sun Protection</b>	
BM23054		Sun shade (X300 and X500 M-T)	174.41
		<b>Thatchers</b>	
LP48004		38-in. (97-cm) Front Thatcher (Center) <i>Requires mounting frame</i>	261.00
LP48003		8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	58.00
LP48005		Thatcher Mounting Frame (X300/X500 M-T)	219.00
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	253.00
		<b>Tire Chains</b>	
LP39862		TerraGrip traction belts (pair) for 24x12-12 tires	99.95

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## X590 Select Series Tractor without Mower Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
TY24328		Tire chains (pair) for 24x12-12 tires	115.71
<b>Tow Behind</b>			
LPSTS42JD		Lawn Sweeper, 42 in. (107 cm)	391.00
LP49038		Lawn Sweeper, 44 in. (112 cm)	379.99
LP42108		Lawn sweeper dethatcher kit (LPSTS42JD)	133.00
LP39089		MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
LPPRT36JD		Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	253.00
LP64738		Tow-Behind Lawn Roller, 24 x 48 in. (61 x 122 cm) Steel <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	289.00
LPPA40JD		Tow-Behind Plug Aerator, 40 in. (102 cm)	459.00
LPPA48JD		Tow-Behind Plug Aerator, 48 in. (122 cm) <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	499.00
LPSAT40JD		Tow-Behind Spiker Aerator, 40 in. (102 cm)	334.00
<b>Weather Enclosures</b>			
LP55439		X500 Series weather enclosure	524.99
<b>Weights</b>			
BM17964		30-lb (14-kg) Wheel Weight (1), cast iron, 8-in. front wheel <i>Includes one wheel weight. Requires one BM17978 mounting hardware.</i>	108.07
BM17972		50-lb (23-kg) Wheel Weight (1), cast iron, 12-in. rear wheel <i>Requires mounting hardware</i>	140.17
BM17976		50-lb (23-kg) Wheel Weight (1), plastic, rear 12-in. wheel, with mounting hardware	70.61
BM17985		Mounting hardware (1) for attaching one wheel weight	13.91
BM17977		Mounting hardware (1) for attaching two 50-lb (23-kg) Weights on 23-in., 24-in., or 26-in. Tire	22.47
UC13263		Quik-Tatch Weight, 42 lb (19 kg) <i>Use up to two weights on the rear of X300 Series Tractors. Use up to four weights on the rear of X500 Series Tractors.</i>	60.99
BM17978		Wheel weight mounting hardware for attaching one front wheel weight	11.77

**JOHN DEERE TURF & UTILITY PRODUCTS**

**GARDEN TRACTORS**

**Signature Series X730 Tractor Less Deck**  
Equipment for Base Machine

**ENGINE**  
25.5 hp\* (19 kW)  
45.5-cu in. (745-cc)  
displacement  
Model FD750D EFI  
Liquid cooled, V-twin cylinder  
with cast-iron liners

**FUEL SYSTEM**  
Gasoline  
Instrument display with  
hourmeter and fuel gauge

**ELECTRICAL SYSTEM**  
12-V (300-CCA) battery  
20-amp regulated flywheel  
alternator  
12-V outlet with switch

**TRANSAXLE**  
K90 hydrostatic transmission  
Twin Touch pedals  
Cruise control  
Differential lock  
0-8.5 mph (0-13.7 km/h) forward  
speed  
0-6 mph (0-9.7 km/h) reverse  
speed

**CHASSIS**  
Standard front weight bracket  
holds up to four 42-lb (19-kg)

Quik-Tatch weights  
Cast-iron front axle  
Replaceable metal spindle  
bushings  
18x8.50-8 front turf tires, 4PR  
26x12-12 rear turf tires, 4PR  
Covered toolbox  
Fender handles

**STEERING**  
Power, two-wheel steer  
14-in. (35.6-cm) six-position  
tilt steering wheel  
25-in. (63.5-cm) turning radius  
54 HC - 32-in. (81-cm), 60 HC -  
28-in. (71-cm) uncut circle  
radius

**SEAT**  
21-in. (53.3-cm) two-piece  
adjustable seat

**LIFT SYSTEM**  
Two-function, hydraulic  
implement lift and four  
hydraulic outlets

**OPTIONAL MOWER DECKS**  
Side discharge 48 in. (122 cm),  
54 in. (137 cm), 60 in. (152 cm)  
48A - 10-gauge, 0.135-in.  
(3.4-mm) or 54 HC, 60 HC 9-gauge

0.150-in. (3.8-mm) stamped steel  
deck shell  
Mower wash port  
Four mower wheels, 48A has front  
center rollers

**MOWER ATTACHABILITY**  
48A - Mower wheels rotate 90  
degrees for easy mower removal,  
54 HC or 60 HC - Drive-over deck  
mower installation

\*Engine horsepower and torque  
information for non-Deere  
engines are provided by the  
engine manufacturer for  
comparison purposes only. Actual  
operating horsepower and torque  
will be less. Refer to the  
engine manufacturer's Web site  
for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Horicon, Wisconsin*

5812M		Signature Series X730 Tractor Less Deck <i>Not available for sale in California.</i>	10,089.00
-------	--	---	-----------

**DESTINATION**

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Ballast Box</b>		
BW14313	Ballast box (Category 1, 3-point hitch)		338.11
BM20715	Ballast box, Click-N-Go (X400/X500 HDGTs, X700s) <i>Requires BM20714 Click-N-Go Bracket</i>		302.81
	<b>Carts</b>		
LP21935	Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>		223.00

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## Signature Series X730 Tractor Less Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LP22755	Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
	LPPCT10JD	Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	279.00
	LP72978	Utility Cart, 10PX Poly with full dump <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	359.00
	LPHDC13JD	Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	412.00
	LP68186	Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	399.00
	LPPCT17JD	Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	423.00
	LPHDC18JD	Utility Cart, 18 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	541.00
	LPUT21JD	Utility Cart, 21 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator. Compatible with X700 and similar-sized lawn and garden tractors.</i>	990.00
		<b>Drawbar</b>	
	BM23989	Drawbar/ ball mount for 1.25 in. receiver hitch <i>Requires BM20877 rear receiver hitch kit. Ball mount sold separately.</i>	40.66
	LP63768	Magnetic hitch pin	18.99
	BM20877	Rear receiver hitch kit	47.09
		<b>Fenders</b>	
	BM24429	Front fender kit (X710, X730, X750, X940) <i>Not compatible with 60 HC Mower Deck</i>	166.91
		<b>Front Power Take-Off (PTO)</b>	
	BM25304	2000-rpm front PTO (X400 and 2-wheel drive X700s) <i>BM25304 must be used with BM25772 implement drive and upstop for snow blowers, or BM25775 implement drive shaft for rotary brooms. BM25772 is available as an attachment through parts, 47-in. Snow Blower (1474M) option code 4013, and 54-in. Snow Blower (02C1M ) option code 4013. BM25775 is available as an attachment through parts, 52-in. Rotary Broom (3880M) option code 4004, and 60-in. Broom (3790M) option code 5004.</i>	402.31
		<b>Front Quick-Hitch</b>	
	BM26236	Front quick hitch and hydraulic lift (X400/X500 HDGTs, X700s, X940s)	739.37
	BM20896	Hydraulic retro kit <i>Required to fit a Customer's 425, 445 and 455 Snow Blower or Snow Thrower on a New X400/X500 HDGT or X700 Series Tractor.</i>	31.03

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## Signature Series X730 Tractor Less Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Home Maintenance Kits</b>	
LG244		Home maintenance kit (EFI)	93.60
		<b>Hydraulic Angling</b>	
BM25609		Hydraulic angling (X400/X500 HDGTs, X700s, X940s)	226.84
		<b>MCS Chutes</b>	
LP65063		MC542 Mower Deck Boot Kit (48A)	96.00
LP44079		MC542 Mower Deck Boot Kit (54HC)	96.00
LP23082		MC542 Mower Deck Boot Kit (60 HC and 60D)	96.00
BM21682		Power Flow chute (14 bu)	147.66
BM21681		Power Flow chute (6.5/7 bu)	115.56
BM20855		Power Flow chute (MC519 with C, X, or A Series Blowers)	92.01
		<b>MCS Hoppers</b>	
BM20671		14-bu (493-L) 3-Bag Hopper Assembly (X400/X500 HDGT and X700 Series) <i>Requires Power Flow blower, Power Flow chute, and BM20714 Click-N-Go bracket. Two UC13263 42 lb (19 kg) Quik-Tatch weights are recommended for front ballast. Not compatible with 48X deck on X729, X739 or X749 Tractors.</i>	995.10
LP68577		20-bu (705-L) Click-N-Go™ Material Collection System <i>Requires Power Flow blower, 4 UC13263 42 lb (19 kg) Quik-Tatch weights, and BM20714 Click-N-Go bracket.. Includes Power Flow chute. Not compatible with cab or weather enclosure.</i>	2,624.95
BM20780		7-bu (247-L) 2-Bag Hopper Assembly (X400/X500 HDGT and X700 Series) <i>Requires Power Flow blower, Power Flow chute, and BM20714 Click-N-Go bracket. Two UC13263 42 lb (19 kg) Quik-Tatch weights are recommended for front ballast. Not compatible with a tractor cab or weather enclosure.</i>	507.19
AM135486		Loose knit bag (1) for 7-bu Hopper	45.45
LP49228		MC519 Material Collection System <i>Requires Power Flow blower and Power Flow chute. X400/X500 HDGT and X700 Tractors require LP52039 adapter kit. See Sales Manual for requirements for additional applications. See Sales Manual for ballast requirements.</i>	999.00
LP52039		MC519 Operator's Manual and Attaching Parts for X400/X500 HDGT and X700 Tractors	43.00
LP47170		MCS 14 Dump-from-Seat Hopper, X500 and X700 with 14-bu (493-L) Hopper <i>Requires separate material collection system</i>	624.95
LP47169		MCS 8 Dump-from-Seat Hopper, X500 and X700 with 7-bu (247-L) Hopper <i>Requires separate material collection system</i>	549.95
		<b>MCS Power Flow Blowers</b>	
BG20859		48A High-Performance Power Flow (X700 Signature Series)	566.03
BM22696		48C/48X High-Performance Power Flow blower (X300/X500 M-T/X700) <i>When used on X400/X500 HDGT or X700 Tractor with 48C/48X deck (SN -050589) also order one each of 34M7119 spring pin, M145850 mower wheel pin, and M147235 pin, bent.</i>	566.03

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## Signature Series X730 Tractor Less Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BUC10282		54 HC High-Performance Power Flow (X700 Signature Series) <i>For model year 2019- (S.N. 070,001-) 54 HC mower decks (base code 9078M)</i>	688.01
BG20867		54 HC High-Performance Power Flow (X700 Signature Series) <i>For model year 2013-2018 (S.N. 010,001-700,000) 54 HC mower decks (base code 9074M)</i>	674.10
BUC10277		60 HC High-Performance Power Flow (X700 Signature Series) <i>For model year 2019- (S.N. 070,001-) 60 HC mower decks (base code 9079M)</i>	688.01
BG20727		60 HC High-Performance Power Flow (X700 Signature Series) <i>For model year 2013-2018 (S.N. 010,001-070,000) 60 HC mower decks (base code 9075M)</i>	674.10
BG20752		Power Flow Bracket Kit <i>Provides a bracket to give more gauge wheel offset to correct belt rubbing on early production BM24514 Power Flow and BM24515 CE Power Flow.</i>	17.11
		<b>Miscellaneous</b>	
LP54000		54-in. (137-cm) Tractor Shovel <i>Requires 54-in. (137-cm) Front Blade. Go to Order Zone for specific requirements.</i>	799.95
BUC10188		Auxiliary alternator kit (X710, X730, X734, X738, X739) <i>Supplements standard 20-amp alternator. Recommended with heated cabs.</i>	459.03
TY25866		Battery charger and maintainer	39.01
LPJD301		Bucket holder (double)	94.95
BM20714		Click-N-Go Bracket (X400/X500 HDGTs, X700s)	119.84
TY27534		Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.69
		<b>Mower Decks</b>	
BUC10611		BUC10611 Roller striping kit (60 HC mower decks) <i>Compatible with 54 HC mower decks used on model year 2013- (SN 010,001-) X700 and X900 Signature Series tractors. See VSN attachment story for additional parts requirements for model year 2013-2016 (SN 010,001-050,000) mower decks.</i>	399.11
BM26238		Dry-condition kit (48A)	59.91
BUC10313		Front roller kit <i>For model year 2018- (deck serial number 060,000-) 54-in. (137-cm) and 60-in. (152-cm) HC mower decks</i>	93.09
BUC10329		Front roller kit <i>For model year 2013-2017 (deck serial number 010,001-059,999) 54-in. (137-cm) HC mower decks</i>	93.09
BUC10328		Front roller kit <i>For model year 2013-2017 (deck serial number 010,001-059,999) 60-in. (152-cm) HC mower decks</i>	93.09
LP46468		Grass Striping Groomer for 48A, 54 HC, or 60 HC Deck	114.95
AM130907		Mower deck leveling gauge	7.15

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## Signature Series X730 Tractor Less Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BUC10610		Roller striping kit (54 HC mower decks) <i>Compatible with 54 HC mower decks used on model year 2013- (SN 010,001-) X700 and X900 Signature Series tractors. See VSN attachment story for additional parts requirements for model year 2013-2016 (SN 010,001-050,000) mower decks.</i>	408.74
		<b>Mulch Kits</b>	
BM24993		48A MulchControl attachment <i>Includes mulching blades</i>	169.06
BM23977		54 HC Mulch kit <i>Includes mulching blades</i>	241.81
BM26300		54-in. High Capacity MulchControl attachment	241.81
BM23978		60 HC Mulch kit <i>Includes mulching blades</i>	254.66
BM25258		60-in. High Capacity MulchControl attachment	257.87
BUC10536		Hydraulic MulchControl actuator <i>Allows operator to hydraulically actuate MulchControl while mowing. Includes actuator cylinder, mounting parts, and hydraulic hoses. Requires separate High Capacity MulchControl attachment. For model year 2019- (S.N. 070,001-) 54 HC and 60 HC mower decks.</i>	335.99
		<b>Protection</b>	
BM24375		Front brush guard kit (X710, X730, X734, X738, X739, X750, X754, X758, X940, X948, X949) <i>Not compatible with front quick hitch</i>	264.29
LP93647		Riding mower cover, large deluxe	99.99
LP47913		X700 Signature Series seat cover	69.99
		<b>Rear Hitch</b>	
BM17327		3-point hitch (Category 0) <i>Requires BM23883 adapter kit for use on X700s</i>	676.24
BUC10169		3-point hitch, limited Category 1 (X400/X500 HDGTs, X700s, X940s)	676.24
BM23883		Adaptor kit, X400/X500 HDGT 3-point hitch on X700s <i>Converts a BM21263 (X400/X500 Category 1) or BM17327 (Category 0) for use on X700s</i>	87.74
LVU12858		iMatch™ Quick Hitch Bushings	25.21
LVB25976		iMatch™ Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of LVU15507 bushings.</i>	383.90
		<b>Rear Power Take-Off (PTO)</b>	
BM23588		540-rpm rear PTO (X700s, June 2010 and later production) <i>For use on X700 Series Tractors produced after mid-June 2010 when new-pitch gears entered production. See Sales Manual for tractor serial number break and/or verify that the transmission serial number starts with K00.</i>	999.39
		<b>Rear Wheels and Tires</b>	
BM26280		26x12-12 rear HDAP tires	651.63
BM18369		26x12-12 rear bar tires <i>Use with two-wheel steer only.</i>	669.81

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## Signature Series X730 Tractor Less Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
<b>Seat</b>			
BUC10601		Air-ride suspension seat <i>Model year 2013-2018 (S.N. 010,001-070,000) requires AM146765 wiring harness. See DTAC solution 115258 for more information. <a href="http://dtac.deere.com/Solutions/English/115258.htm">http://dtac.deere.com/Solutions/English/115258.htm</a></i>	937.31
BUC10553		Arm rest kit <i>For model year 2019- (S.N. 070,001-) X700s</i>	55.64
<b>Spark Arrester</b>			
AM108146		Spark Arrester Screen for Muffler	36.65
<b>Sprayers</b>			
LP22886		3-Point Hitch Deluxe Sprayer, 45 gal. (170 L) <i>Requires LP22884 or LP22885 boom. Requires 3-point hitch and four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights.</i>	874.95
LP20840		3-Point Hitch Sprayer, 45 gal. (170 L) <i>Requires 3-point hitch and four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	859.95
LP22885		High Performance Sprayer Precision Boom (12.5 ft)	269.95
LP22884		High performance boomless nozzles	169.95
LP22862		Mounted Sprayer, 25 gal. (95 L) (X400/X500 HDGT/X700) <i>Requires mid-mount mower, front implement, two front wheel weights, or four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	504.95
LP39963		Tow-Behind High Performance Sprayer, 45 gal. (170 L), requires LP22884 or LP22885 boom <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	774.95
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	469.95
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	489.95
LP20485		Tow-Behind Sprayer, 45 gal. (170 L) <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	629.95
AM105666		Tow-behind sprayer wiring harness extension (X400/X500 HDGTs, X700s, 322, 330, 332, 425, 445, 455) <i>30-in. (76.2-cm) extension for use with sprayers on (X400s/X500s, 322, 330, 332, 425, 445, 455)</i>	40.94
<b>Spreaders</b>			
LP53522		Drop Spreader, 5 cu ft (Click-N-Go) <i>Requires BM20714 Click-N-Go bracket. Requires front implement or four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights.</i>	3,999.95
LP35439		Mounted Electric Broadcast Spreader, 125 lb (57 kg) (X300/X500 M-T/X700) <i>Requires two front wheel weights or two front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	579.00
LP23117		Mounted electric broadcast spreader barrier shield	69.00
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	363.00
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	410.00



## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## Signature Series X730 Tractor Less Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LP67403		Salt Spreader, 3 cu ft (Click-N-Go) <i>Requires BM20714 Click-N-Go bracket. Requires front implement or four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights.</i>	1,349.95
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	449.00
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	298.00
		<b>Thatchers</b>	
LP48004		38-in. (97-cm) Front Thatcher (Center) <i>Requires Mounting Frame</i>	261.00
LP48003		8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	58.00
LP47977		Thatcher mounting frame (X700)	228.00
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	253.00
		<b>Tire Chains</b>	
LP39860		TerraGrip traction belts (pair) for 26x12-12 tires	99.95
TY15958		Tire chains (pair) for 26x12-12 tires	126.41
		<b>Tow Behind</b>	
LPSTS42JD		Lawn Sweeper, 42 in. (107 cm)	391.00
LP49038		Lawn Sweeper, 44 in. (112 cm)	379.99
LP42108		Lawn sweeper dethatcher kit (LPSTS42JD)	133.00
LP39089		MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
LPPRT36JD		Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	253.00
LP64738		Tow-Behind Lawn Roller, 24 x 48 in. (61 x 122 cm) Steel <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	289.00
LPPA40JD		Tow-Behind Plug Aerator, 40 in. (102 cm)	459.00
LPPA48JD		Tow-Behind Plug Aerator, 48 in. (122 cm) <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	499.00
LPSAT40JD		Tow-Behind Spiker Aerator, 40 in. (102 cm)	334.00
		<b>Weather Enclosures</b>	
LP41114		X700 Signature Series weather enclosure	549.99
		<b>Weights</b>	
BM24363		9-weight front weight bracket <i>For X400/X500 HDGTs, and X700s</i>	202.23
UC13263		Quik-Tatch Weight, 42 lb (19 kg)	60.99

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## Signature Series X730 Tractor Less Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM20779	Rear Click-N-Go weight bracket (X400/X500 HDGTs, X700s, X940s) <i>Requires BM20714 Click-N-Go bracket</i>	166.91

**JOHN DEERE TURF & UTILITY PRODUCTS**

**GARDEN TRACTORS**

**Signature Series X734 Tractor Less Deck**  
Equipment for Base Machine

**ENGINE**  
25.5 hp\* (19 kW)  
45.5-cu in. (745-cc)  
displacement  
Model FD750D EFI  
Liquid cooled, V-twin cylinder  
with cast-iron liners

**FUEL SYSTEM**  
Gasoline  
Instrument display with  
hourmeter and fuel gauge

**ELECTRICAL SYSTEM**  
12-V (300-CCA) battery  
20-amp regulated flywheel  
alternator  
12-V outlet with switch

**TRANSAXLE**  
K90 hydrostatic transmission  
Twin Touch pedals  
Cruise control  
Differential lock  
0-8.5 mph (0-13.7 km/h) forward  
speed  
0-6 mph (0-9.7 km/h) reverse  
speed

**CHASSIS**  
Standard front weight bracket  
holds up to four 42-lb (19-kg)

Quik-Tatch weights  
Cast-iron front axle  
Replaceable metal spindle  
bushings  
18x7.00-8 front turf tires, 4PR  
26x10.50-12 rear turf tires, 2PR  
Covered toolbox  
Fender handles

**STEERING**  
Power, four-wheel steer  
14-in. (35.6-cm) six-position  
tilt steering wheel  
25-in. (63.5-cm) turning radius  
54 HC - 10-in. (25-cm), 60 HC -  
6-in. (15-cm) uncut circle  
radius

**SEAT**  
21-in. (53.3-cm) two-piece  
adjustable seat

**LIFT SYSTEM**  
Two-function, hydraulic  
implement lift and four  
hydraulic outlets

**OPTIONAL MOWER DECKS**  
Side discharge 48 in. (122 cm),  
54 in. (137 cm), 60 in. (152 cm)  
48A - 10-gauge, 0.135-in.  
(3.4-mm) or 54 HC, 60 HC 9-gauge

0.150-in. (3.8-mm) stamped steel  
deck shell  
Mower wash port  
Four mower wheels, 48A has front  
center rollers

**MOWER ATTACHABILITY**  
48A - Mower wheels rotate 90  
degrees for easy mower removal,  
54 HC or 60 HC - Drive-over deck  
mower installation

\*Engine horsepower and torque  
information for non-Deere  
engines are provided by the  
engine manufacturer for  
comparison purposes only. Actual  
operating horsepower and torque  
will be less. Refer to the  
engine manufacturer's Web site  
for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Horicon, Wisconsin*

5822M		Signature Series X734 Tractor Less Deck <i>Not available for sale in California.</i>	11,099.00
-------	--	---	-----------

**DESTINATION**

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Ballast Box</b>		
BW14313	Ballast box (Category 1, 3-point hitch)		338.11
BM20715	Ballast box, Click-N-Go (X400/X500 HDGTs, X700s) <i>Requires BM20714 Click-N-Go Bracket</i>		302.81
	<b>Carts</b>		
LP21935	Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>		223.00

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## Signature Series X734 Tractor Less Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LP22755	Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
	LPPCT10JD	Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	279.00
	LP72978	Utility Cart, 10PX Poly with full dump <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	359.00
	LPHDC13JD	Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	412.00
	LP68186	Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	399.00
	LPPCT17JD	Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	423.00
	LPHDC18JD	Utility Cart, 18 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	541.00
	LPUT21JD	Utility Cart, 21 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator. Compatible with X700 and similar-sized lawn and garden tractors.</i>	990.00
		<b>Drawbar</b>	
	BM23989	Drawbar/ ball mount for 1.25 in. receiver hitch <i>Requires BM20877 rear receiver hitch kit. Ball mount sold separately.</i>	40.66
	LP63768	Magnetic hitch pin	18.99
	BM20877	Rear receiver hitch kit	47.09
		<b>Front Power Take-Off (PTO)</b>	
	BM25304	2000-rpm front PTO (X400 and 2-wheel drive X700s) <i>BM25304 must be used with BM25772 implement drive and upstop for snow blowers, or BM25775 implement drive shaft for rotary brooms. BM25772 is available as an attachment through parts, 47-in. Snow Blower (1474M) option code 4013, and 54-in. Snow Blower (02C1M ) option code 4013. BM25775 is available as an attachment through parts, 52-in. Rotary Broom (3880M) option code 4004, and 60-in. Broom (3790M) option code 5004.</i>	402.31
		<b>Front Quick-Hitch</b>	
	BM26236	Front quick hitch and hydraulic lift (X400/X500 HDGTs, X700s, X940s)	739.37
	BM20896	Hydraulic retro kit <i>Required to fit a Customer's 425, 445 and 455 Snow Blower or Snow Thrower on a New X400/X500 HDGT or X700 Series Tractor.</i>	31.03
		<b>Home Maintenance Kits</b>	
	LG244	Home maintenance kit (EFI)	93.60
		<b>Hydraulic Angling</b>	

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## Signature Series X734 Tractor Less Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM25609		Hydraulic angling (X400/X500 HDGTs, X700s, X940s)	226.84
		<b>MCS Chutes</b>	
LP65063		MC542 Mower Deck Boot Kit (48A)	96.00
LP44079		MC542 Mower Deck Boot Kit (54HC)	96.00
LP23082		MC542 Mower Deck Boot Kit (60 HC and 60D)	96.00
BM21682		Power Flow chute (14 bu)	147.66
BM21681		Power Flow chute (6.5/7 bu)	115.56
BM20855		Power Flow chute (MC519 with C, X, or A Series Blowers)	92.01
		<b>MCS Hoppers</b>	
BM20671		14-bu (493-L) 3-Bag Hopper Assembly (X400/X500 HDGT and X700 Series) <i>Requires Power Flow blower, Power Flow chute, and BM20714 Click-N-Go bracket. Two UC13263 42 lb (19 kg) Quik-Tatch weights are recommended for front ballast. Not compatible with 48X deck on X729, X739 or X749 Tractors.</i>	995.10
LP68577		20-bu (705-L) Click-N-Go™ Material Collection System <i>Requires Power Flow blower, 4 UC13263 42 lb (19 kg) Quik-Tatch weights, and BM20714 Click-N-Go bracket.. Includes Power Flow chute. Not compatible with cab or weather enclosure.</i>	2,624.95
BM20780		7-bu (247-L) 2-Bag Hopper Assembly (X400/X500 HDGT and X700 Series) <i>Requires Power Flow blower, Power Flow chute, and BM20714 Click-N-Go bracket. Two UC13263 42 lb (19 kg) Quik-Tatch weights are recommended for front ballast. Not compatible with a tractor cab or weather enclosure.</i>	507.19
AM135486		Loose knit bag (1) for 7-bu Hopper	45.45
LP49228		MC519 Material Collection System <i>Requires Power Flow blower and Power Flow chute. X400/X500 HDGT and X700 Tractors require LP52039 adapter kit. See Sales Manual for requirements for additional applications. See Sales Manual for ballast requirements.</i>	999.00
LP52039		MC519 Operator's Manual and Attaching Parts for X400/X500 HDGT and X700 Tractors	43.00
LP47170		MCS 14 Dump-from-Seat Hopper, X500 and X700 with 14-bu (493-L) Hopper <i>Requires separate material collection system</i>	624.95
LP47169		MCS 8 Dump-from-Seat Hopper, X500 and X700 with 7-bu (247-L) Hopper <i>Requires separate material collection system</i>	549.95
		<b>MCS Power Flow Blowers</b>	
BG20859		48A High-Performance Power Flow (X700 Signature Series)	566.03
BM22696		48C/48X High-Performance Power Flow blower (X300/X500 M-T/X700) <i>When used on X400/X500 HDGT or X700 Tractor with 48C/48X deck (SN -050589) also order one each of 34M7119 spring pin, M145850 mower wheel pin, and M147235 pin, bent.</i>	566.03
BUC10282		54 HC High-Performance Power Flow (X700 Signature Series) <i>For model year 2019- (S.N. 070,001-) 54 HC mower decks (base code 9078M)</i>	688.01

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## Signature Series X734 Tractor Less Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BG20867		54 HC High-Performance Power Flow (X700 Signature Series) <i>For model year 2013-2018 (S.N. 010,001-700,000) 54 HC mower decks (base code 9074M)</i>	674.10
BUC10277		60 HC High-Performance Power Flow (X700 Signature Series) <i>For model year 2019- (S.N. 070,001-) 60 HC mower decks (base code 9079M)</i>	688.01
BG20727		60 HC High-Performance Power Flow (X700 Signature Series) <i>For model year 2013-2018 (S.N. 010,001-070,000) 60 HC mower decks (base code 9075M)</i>	674.10
BG20752		Power Flow Bracket Kit <i>Provides a bracket to give more gauge wheel offset to correct belt rubbing on early production BM24514 Power Flow and BM24515 CE Power Flow.</i>	17.11
		<b>Miscellaneous</b>	
LP54000		54-in. (137-cm) Tractor Shovel <i>Requires 54-in. (137-cm) Front Blade. Go to Order Zone for specific requirements.</i>	799.95
BUC10188		Auxiliary alternator kit (X710, X730, X734, X738, X739) <i>Supplements standard 20-amp alternator. Recommended with heated cabs.</i>	459.03
TY25866		Battery charger and maintainer	39.01
LPJD301		Bucket holder (double)	94.95
BM20714		Click-N-Go Bracket (X400/X500 HDGTs, X700s)	119.84
TY27534		Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.69
		<b>Mower Decks</b>	
BUC10611		BUC10611 Roller striping kit (60 HC mower decks) <i>Compatible with 54 HC mower decks used on model year 2013- (SN 010,001-) X700 and X900 Signature Series tractors. See VSN attachment story for additional parts requirements for model year 2013-2016 (SN 010,001-050,000) mower decks.</i>	399.11
BM26238		Dry-condition kit (48A)	59.91
BUC10313		Front roller kit <i>For model year 2018- (deck serial number 060,000-) 54-in. (137-cm) and 60-in. (152-cm) HC mower decks</i>	93.09
BUC10329		Front roller kit <i>For model year 2013-2017 (deck serial number 010,001-059,999) 54-in. (137-cm) HC mower decks</i>	93.09
BUC10328		Front roller kit <i>For model year 2013-2017 (deck serial number 010,001-059,999) 60-in. (152-cm) HC mower decks</i>	93.09
LP46468		Grass Striping Groomer for 48A, 54 HC, or 60 HC Deck	114.95
AM130907		Mower deck leveling gauge	7.15
BUC10610		Roller striping kit (54 HC mower decks) <i>Compatible with 54 HC mower decks used on model year 2013- (SN 010,001-) X700 and X900 Signature Series tractors. See VSN attachment story for additional parts requirements for model year 2013-2016 (SN 010,001-050,000) mower decks.</i>	408.74

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## Signature Series X734 Tractor Less Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Mulch Kits</b>	
BM24993		48A MulchControl attachment <i>Includes mulching blades</i>	169.06
BM23977		54 HC Mulch kit <i>Includes mulching blades</i>	241.81
BM26300		54-in. High Capacity MulchControl attachment	241.81
BM23978		60 HC Mulch kit <i>Includes mulching blades</i>	254.66
BM25258		60-in. High Capacity MulchControl attachment	257.87
BUC10536		Hydraulic MulchControl actuator <i>Allows operator to hydraulically actuate MulchControl while mowing. Includes actuator cylinder, mounting parts, and hydraulic hoses. Requires separate High Capacity MulchControl attachment. For model year 2019- (S.N. 070,001-) 54 HC and 60 HC mower decks.</i>	335.99
		<b>Protection</b>	
BM24375		Front brush guard kit (X710, X730, X734, X738, X739, X750, X754, X758, X940, X948, X949) <i>Not compatible with front quick hitch</i>	264.29
LP93647		Riding mower cover, large deluxe	99.99
LP47913		X700 Signature Series seat cover	69.99
		<b>Rear Hitch</b>	
BM17327		3-point hitch (Category 0) <i>Requires BM23883 adapter kit for use on X700s</i>	676.24
BUC10169		3-point hitch, limited Category 1 (X400/X500 HDGTs, X700s, X940s)	676.24
BM23883		Adaptor kit, X400/X500 HDGT 3-point hitch on X700s <i>Converts a BM21263 (X400/X500 Category 1) or BM17327 (Category 0) for use on X700s</i>	87.74
LVU12858		iMatch™ Quick Hitch Bushings	25.21
LVB25976		iMatch™ Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of LVU15507 bushings.</i>	383.90
		<b>Rear Power Take-Off (PTO)</b>	
BM23588		540-rpm rear PTO (X700s, June 2010 and later production) <i>For use on X700 Series Tractors produced after mid-June 2010 when new-pitch gears entered production. See Sales Manual for tractor serial number break and/or verify that the transmission serial number starts with K00.</i>	999.39
		<b>Seat</b>	
BUC10601		Air-ride suspension seat <i>Model year 2013-2018 (S.N. 010,001-070,000) requires AM146765 wiring harness. See DTAC solution 115258 for more information. <a href="http://dtac.deere.com/Solutions/English/115258.htm">http://dtac.deere.com/Solutions/English/115258.htm</a></i>	937.31
BUC10553		Arm rest kit <i>For model year 2019- (S.N. 070,001-) X700s</i>	55.64

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## Signature Series X734 Tractor Less Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Spark Arrester</b>	
AM108146		Spark Arrester Screen for Muffler	36.65
		<b>Sprayers</b>	
LP22886		3-Point Hitch Deluxe Sprayer, 45 gal. (170 L) <i>Requires LP22884 or LP22885 boom. Requires 3-point hitch and four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights.</i>	874.95
LP20840		3-Point Hitch Sprayer, 45 gal. (170 L) <i>Requires 3-point hitch and four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	859.95
LP22885		High Performance Sprayer Precision Boom (12.5 ft)	269.95
LP22884		High performance boomless nozzles	169.95
LP22862		Mounted Sprayer, 25 gal. (95 L) (X400/X500 HDGT/X700) <i>Requires mid-mount mower, front implement, two front wheel weights, or four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	504.95
LP39963		Tow-Behind High Performance Sprayer, 45 gal. (170 L), requires LP22884 or LP22885 boom <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	774.95
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	469.95
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	489.95
LP20485		Tow-Behind Sprayer, 45 gal. (170 L) <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	629.95
AM105666		Tow-behind sprayer wiring harness extension (X400/X500 HDGTs, X700s, 322, 330, 332, 425, 445, 455) <i>30-in. (76.2-cm) extension for use with sprayers on (X400s/X500s, 322, 330, 332, 425, 445, 455)</i>	40.94
		<b>Spreaders</b>	
LP53522		Drop Spreader, 5 cu ft (Click-N-Go) <i>Requires BM20714 Click-N-Go bracket. Requires front implement or four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights.</i>	3,999.95
LP35439		Mounted Electric Broadcast Spreader, 125 lb (57 kg) (X300/X500 M-T/X700) <i>Requires two front wheel weights or two front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	579.00
LP23117		Mounted electric broadcast spreader barrier shield	69.00
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	363.00
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	410.00
LP67403		Salt Spreader, 3 cu ft (Click-N-Go) <i>Requires BM20714 Click-N-Go bracket. Requires front implement or four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights.</i>	1,349.95
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	449.00
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99



## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## Signature Series X734 Tractor Less Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LPBS36JD	Tow-Behind Broadcast Spreader, 175 lb (80 kg)	298.00
		<b>Thatchers</b>	
	LP48004	38-in. (97-cm) Front Thatcher (Center) <i>Requires Mounting Frame</i>	261.00
	LP48003	8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	58.00
	LP47977	Thatcher mounting frame (X700)	228.00
	LPTA40JD	Tow-Behind Thatcherator, 40 in. (102 cm)	253.00
		<b>Tire Chains</b>	
	LP39859	TerraGrip traction belts (pair) for 26x10.5-12 tires <i>4-wheel steer tractors require BM22725 wheel spacer kit</i>	99.95
	TY24328	Tire chains (pair) for 24x12-12 tires <i>Also use with 26x10.5-12 tires on model year 2016- (SN 040,000-) X734 and X754.</i>	115.71
	TY25326	Tire chains (pair) for 26x10.5-12 tires <i>For model year -2015 (SN -040,000)</i>	115.71
		<b>Tow Behind</b>	
	LPSTS42JD	Lawn Sweeper, 42 in. (107 cm)	391.00
	LP49038	Lawn Sweeper, 44 in. (112 cm)	379.99
	LP42108	Lawn sweeper dethatcher kit (LPSTS42JD)	133.00
	LP39089	MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
	LPPRT36JD	Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	253.00
	LP64738	Tow-Behind Lawn Roller, 24 x 48 in. (61 x 122 cm) Steel <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	289.00
	LPPA40JD	Tow-Behind Plug Aerator, 40 in. (102 cm)	459.00
	LPPA48JD	Tow-Behind Plug Aerator, 48 in. (122 cm) <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	499.00
	LPSAT40JD	Tow-Behind Spiker Aerator, 40 in. (102 cm)	334.00
		<b>Weather Enclosures</b>	
	LP41114	X700 Signature Series weather enclosure	549.99
		<b>Weights</b>	
	BM24363	9-weight front weight bracket <i>For X400/X500 HDGTs, and X700s</i>	202.23
	UC13263	Quik-Tatch Weight, 42 lb (19 kg)	60.99
	BM20779	Rear Click-N-Go weight bracket (X400/X500 HDGTs, X700s, X940s) <i>Requires BM20714 Click-N-Go bracket</i>	166.91

**JOHN DEERE TURF & UTILITY PRODUCTS**

**GARDEN TRACTORS**

**Signature Series X738 Tractor Less Deck**  
Equipment for Base Machine

<p><b>ENGINE</b> 25.5 hp* (19 kW) 45.5-cu in. (745-cc) displacement Model FD750D EFI Liquid cooled, V-twin cylinder with cast-iron liners</p> <p><b>FUEL SYSTEM</b> Gasoline Instrument display with hourmeter and fuel gauge</p> <p><b>ELECTRICAL SYSTEM</b> 12-V (300-CCA) battery 20-amp regulated flywheel alternator 12-V outlet with switch</p> <p><b>TRANSAXLE</b> Full-time four-wheel drive K90 hydrostatic transmission Twin Touch pedals Cruise control Differential lock 0-8.5 mph (0-13.7 km/h) forward speed 0-6 mph (0-9.7 km/h) reverse speed</p> <p><b>CHASSIS</b> Standard front weight bracket</p>	<p>holds up to four 42-lb (19-kg) Quik-Tatch weights Cast-iron front axle</p> <p>18x8.50-10 front HDAP tires, 4PR 26x12-12 rear HDAP tires, 2PR Covered toolbox Fender handles</p> <p><b>STEERING</b> Power, two-wheel steer 14-in. (35.6-cm) six-position tilt steering wheel 25-in. (63.5-cm) turning radius 54 HC - 32-in. (81-cm), 60 HC - 28-in. (71-cm) uncut circle radius</p> <p><b>SEAT</b> 21-in. (53.3-cm) two-piece adjustable seat</p> <p><b>LIFT SYSTEM</b> Two-function, hydraulic implement lift and four hydraulic outlets</p> <p><b>OPTIONAL MOWER DECKS</b> Side discharge 48 in. (122 cm), 54 in. (137 cm), 60 in. (152 cm) 48A - 10-gauge, 0.135-in. (3.4-mm) or 54 HC, 60 HC 9-gauge</p>	<p>0.150-in. (3.8-mm) stamped steel deck shell Mower wash port Four mower wheels, 48A has front center rollers</p> <p><b>MOWER ATTACHABILITY</b> 48A - Mower wheels rotate 90 degrees for easy mower removal, 54 HC or 60 HC - Drive-over deck mower installation</p> <p>*Engine horsepower and torque information for non-Deere engines are provided by the engine manufacturer for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's Web site for additional information.</p>
---	--	---

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Horicon, Wisconsin*

5832M	Signature Series X738 Tractor Less Deck <i>Not available for sale in California.</i>	11,709.00
-------	---	-----------

**DESTINATION**

001A	United States and Canada	In Base Price
------	--------------------------	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

	<p><b>Ballast Box</b> Ballast box (Category 1, 3-point hitch)</p>	338.11
BW14313		
BM20715	Ballast box, Click-N-Go (X400/X500 HDGTs, X700s) <i>Requires BM20714 Click-N-Go Bracket</i>	302.81
	<p><b>Carts</b> Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i></p>	223.00
LP21935		

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## Signature Series X738 Tractor Less Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LP22755	Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
	LPPCT10JD	Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	279.00
	LP72978	Utility Cart, 10PX Poly with full dump <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	359.00
	LPHDC13JD	Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	412.00
	LP68186	Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	399.00
	LPPCT17JD	Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	423.00
	LPHDC18JD	Utility Cart, 18 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	541.00
	LPUT21JD	Utility Cart, 21 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator. Compatible with X700 and similar-sized lawn and garden tractors.</i>	990.00
		<b>Drawbar</b>	
	BM23989	Drawbar/ ball mount for 1.25 in. receiver hitch <i>Requires BM20877 rear receiver hitch kit. Ball mount sold separately.</i>	40.66
	LP63768	Magnetic hitch pin	18.99
	BM20877	Rear receiver hitch kit	47.09
		<b>Fenders</b>	
	BM24430	Front fender kit (X738, X739, X758, X948, X949)	166.91
		<b>Front Power Take-Off (PTO)</b>	
	BM25305	2000-rpm front PTO (X500 HDGT and 4-wheel drive X700s)	402.31
		<b>Front Quick-Hitch</b>	
	BM26236	Front quick hitch and hydraulic lift (X400/X500 HDGTs, X700s, X940s)	739.37
	BM20896	Hydraulic retro kit <i>Required to fit a Customer's 425, 445 and 455 Snow Blower or Snow Thrower on a New X400/X500 HDGT or X700 Series Tractor.</i>	31.03
		<b>Front Wheels and Tires</b>	
	BM26277	18x8.50-10 front turf tires on Special Edition wheels	345.61
		<b>Home Maintenance Kits</b>	
	LG244	Home maintenance kit (EFI)	93.60
		<b>Hydraulic Angling</b>	

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## Signature Series X738 Tractor Less Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM25609		Hydraulic angling (X400/X500 HDGTs, X700s, X940s)	226.84
		<b>MCS Chutes</b>	
LP65063		MC542 Mower Deck Boot Kit (48A)	96.00
LP44079		MC542 Mower Deck Boot Kit (54HC)	96.00
LP23082		MC542 Mower Deck Boot Kit (60 HC and 60D)	96.00
BM21682		Power Flow chute (14 bu)	147.66
BM21681		Power Flow chute (6.5/7 bu)	115.56
BM20855		Power Flow chute (MC519 with C, X, or A Series Blowers)	92.01
		<b>MCS Hoppers</b>	
BM20671		14-bu (493-L) 3-Bag Hopper Assembly (X400/X500 HDGT and X700 Series) <i>Requires Power Flow blower, Power Flow chute, and BM20714 Click-N-Go bracket. Two UC13263 42 lb (19 kg) Quik-Tatch weights are recommended for front ballast. Not compatible with 48X deck on X729, X739 or X749 Tractors.</i>	995.10
LP68577		20-bu (705-L) Click-N-Go™ Material Collection System <i>Requires Power Flow blower, 4 UC13263 42 lb (19 kg) Quik-Tatch weights, and BM20714 Click-N-Go bracket.. Includes Power Flow chute. Not compatible with cab or weather enclosure.</i>	2,624.95
BM20780		7-bu (247-L) 2-Bag Hopper Assembly (X400/X500 HDGT and X700 Series) <i>Requires Power Flow blower, Power Flow chute, and BM20714 Click-N-Go bracket. Two UC13263 42 lb (19 kg) Quik-Tatch weights are recommended for front ballast. Not compatible with a tractor cab or weather enclosure.</i>	507.19
AM135486		Loose knit bag (1) for 7-bu Hopper	45.45
LP49228		MC519 Material Collection System <i>Requires Power Flow blower and Power Flow chute. X400/X500 HDGT and X700 Tractors require LP52039 adapter kit. See Sales Manual for requirements for additional applications. See Sales Manual for ballast requirements.</i>	999.00
LP52039		MC519 Operator's Manual and Attaching Parts for X400/X500 HDGT and X700 Tractors	43.00
LP47170		MCS 14 Dump-from-Seat Hopper, X500 and X700 with 14-bu (493-L) Hopper <i>Requires separate material collection system</i>	624.95
LP47169		MCS 8 Dump-from-Seat Hopper, X500 and X700 with 7-bu (247-L) Hopper <i>Requires separate material collection system</i>	549.95
		<b>MCS Power Flow Blowers</b>	
BG20859		48A High-Performance Power Flow (X700 Signature Series)	566.03
BM22696		48C/48X High-Performance Power Flow blower (X300/X500 M-T/X700) <i>When used on X400/X500 HDGT or X700 Tractor with 48C/48X deck (SN -050589) also order one each of 34M7119 spring pin, M145850 mower wheel pin, and M147235 pin, bent.</i>	566.03
BUC10282		54 HC High-Performance Power Flow (X700 Signature Series) <i>For model year 2019- (S.N. 070,001-) 54 HC mower decks (base code 9078M)</i>	688.01

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## Signature Series X738 Tractor Less Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BG20867		54 HC High-Performance Power Flow (X700 Signature Series) <i>For model year 2013-2018 (S.N. 010,001-700,000) 54 HC mower decks (base code 9074M)</i>	674.10
BUC10277		60 HC High-Performance Power Flow (X700 Signature Series) <i>For model year 2019- (S.N. 070,001-) 60 HC mower decks (base code 9079M)</i>	688.01
BG20727		60 HC High-Performance Power Flow (X700 Signature Series) <i>For model year 2013-2018 (S.N. 010,001-070,000) 60 HC mower decks (base code 9075M)</i>	674.10
BG20752		Power Flow Bracket Kit <i>Provides a bracket to give more gauge wheel offset to correct belt rubbing on early production BM24514 Power Flow and BM24515 CE Power Flow.</i>	17.11
		<b>Miscellaneous</b>	
LP54000		54-in. (137-cm) Tractor Shovel <i>Requires 54-in. (137-cm) Front Blade. Go to Order Zone for specific requirements.</i>	799.95
BUC10188		Auxiliary alternator kit (X710, X730, X734, X738, X739) <i>Supplements standard 20-amp alternator. Recommended with heated cabs.</i>	459.03
TY25866		Battery charger and maintainer	39.01
LPJD301		Bucket holder (double)	94.95
BM20714		Click-N-Go Bracket (X400/X500 HDGTs, X700s)	119.84
TY27534		Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.69
		<b>Mower Decks</b>	
BUC10611		BUC10611 Roller striping kit (60 HC mower decks) <i>Compatible with 54 HC mower decks used on model year 2013- (SN 010,001-) X700 and X900 Signature Series tractors. See VSN attachment story for additional parts requirements for model year 2013-2016 (SN 010,001-050,000) mower decks.</i>	399.11
BM26238		Dry-condition kit (48A)	59.91
BUC10313		Front roller kit <i>For model year 2018- (deck serial number 060,000-) 54-in. (137-cm) and 60-in. (152-cm) HC mower decks</i>	93.09
BUC10329		Front roller kit <i>For model year 2013-2017 (deck serial number 010,001-059,999) 54-in. (137-cm) HC mower decks</i>	93.09
BUC10328		Front roller kit <i>For model year 2013-2017 (deck serial number 010,001-059,999) 60-in. (152-cm) HC mower decks</i>	93.09
LP46468		Grass Striping Groomer for 48A, 54 HC, or 60 HC Deck	114.95
AM130907		Mower deck leveling gauge	7.15
BUC10610		Roller striping kit (54 HC mower decks) <i>Compatible with 54 HC mower decks used on model year 2013- (SN 010,001-) X700 and X900 Signature Series tractors. See VSN attachment story for additional parts requirements for model year 2013-2016 (SN 010,001-050,000) mower decks.</i>	408.74

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## Signature Series X738 Tractor Less Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Mulch Kits</b>	
BM24993		48A MulchControl attachment <i>Includes mulching blades</i>	169.06
BM23977		54 HC Mulch kit <i>Includes mulching blades</i>	241.81
BM26300		54-in. High Capacity MulchControl attachment	241.81
BM23978		60 HC Mulch kit <i>Includes mulching blades</i>	254.66
BM25258		60-in. High Capacity MulchControl attachment	257.87
BUC10536		Hydraulic MulchControl actuator <i>Allows operator to hydraulically actuate MulchControl while mowing. Includes actuator cylinder, mounting parts, and hydraulic hoses. Requires separate High Capacity MulchControl attachment. For model year 2019- (S.N. 070,001-) 54 HC and 60 HC mower decks.</i>	335.99
		<b>Protection</b>	
BM24375		Front brush guard kit (X710, X730, X734, X738, X739, X750, X754, X758, X940, X948, X949) <i>Not compatible with front quick hitch</i>	264.29
LP93647		Riding mower cover, large deluxe	99.99
LP47913		X700 Signature Series seat cover	69.99
		<b>Rear Hitch</b>	
BM17327		3-point hitch (Category 0) <i>Requires BM23883 adapter kit for use on X700s</i>	676.24
BUC10169		3-point hitch, limited Category 1 (X400/X500 HDGTs, X700s, X940s)	676.24
BM23883		Adaptor kit, X400/X500 HDGT 3-point hitch on X700s <i>Converts a BM21263 (X400/X500 Category 1) or BM17327 (Category 0) for use on X700s</i>	87.74
LVU12858		iMatch™ Quick Hitch Bushings	25.21
LVB25976		iMatch™ Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of LVU15507 bushings.</i>	383.90
		<b>Rear Power Take-Off (PTO)</b>	
BM23588		540-rpm rear PTO (X700s, June 2010 and later production) <i>For use on X700 Series Tractors produced after mid-June 2010 when new-pitch gears entered production. See Sales Manual for tractor serial number break and/or verify that the transmission serial number starts with K00.</i>	999.39
		<b>Rear Wheels and Tires</b>	
BM26280		26x12-12 rear HDAP tires	651.63
BM18369		26x12-12 rear bar tires <i>Use with two-wheel steer only.</i>	669.81
BM26279		26x12-12 rear turf tires on Special Edition wheels	508.26

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## Signature Series X738 Tractor Less Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Seat</b>	
BUC10601		Air-ride suspension seat <i>Model year 2013-2018 (S.N. 010,001-070,000) requires AM146765 wiring harness. See DTAC solution 115258 for more information. <a href="http://dtac.deere.com/Solutions/English/115258.htm">http://dtac.deere.com/Solutions/English/115258.htm</a></i>	937.31
BUC10553		Arm rest kit <i>For model year 2019- (S.N. 070,001-) X700s</i>	55.64
		<b>Spark Arrester</b>	
AM108146		Spark Arrester Screen for Muffler	36.65
		<b>Sprayers</b>	
LP22886		3-Point Hitch Deluxe Sprayer, 45 gal. (170 L) <i>Requires LP22884 or LP22885 boom. Requires 3-point hitch and four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights.</i>	874.95
LP20840		3-Point Hitch Sprayer, 45 gal. (170 L) <i>Requires 3-point hitch and four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	859.95
LP22885		High Performance Sprayer Precision Boom (12.5 ft)	269.95
LP22884		High performance boomless nozzles	169.95
LP22862		Mounted Sprayer, 25 gal. (95 L) (X400/X500 HDGT/X700) <i>Requires mid-mount mower, front implement, two front wheel weights, or four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	504.95
LP39963		Tow-Behind High Performance Sprayer, 45 gal. (170 L), requires LP22884 or LP22885 boom <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	774.95
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	469.95
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	489.95
LP20485		Tow-Behind Sprayer, 45 gal. (170 L) <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	629.95
AM105666		Tow-behind sprayer wiring harness extension (X400/X500 HDGTs, X700s, 322, 330, 332, 425, 445, 455) <i>30-in. (76.2-cm) extension for use with sprayers on (X400s/X500s, 322, 330, 332, 425, 445, 455)</i>	40.94
		<b>Spreaders</b>	
LP53522		Drop Spreader, 5 cu ft (Click-N-Go) <i>Requires BM20714 Click-N-Go bracket. Requires front implement or four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights.</i>	3,999.95
LP35439		Mounted Electric Broadcast Spreader, 125 lb (57 kg) (X300/X500 M-T/X700) <i>Requires two front wheel weights or two front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	579.00
LP23117		Mounted electric broadcast spreader barrier shield	69.00
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	363.00
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	410.00

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## Signature Series X738 Tractor Less Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LP67403		Salt Spreader, 3 cu ft (Click-N-Go) <i>Requires BM20714 Click-N-Go bracket. Requires front implement or four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights.</i>	1,349.95
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	449.00
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	298.00
		<b>Thatchers</b>	
LP48004		38-in. (97-cm) Front Thatcher (Center) <i>Requires Mounting Frame</i>	261.00
LP48003		8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	58.00
LP47977		Thatcher mounting frame (X700)	228.00
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	253.00
		<b>Tire Chains</b>	
LP39860		TerraGrip traction belts (pair) for 26x12-12 tires	99.95
TY15958		Tire chains (pair) for 26x12-12 tires	126.41
		<b>Tow Behind</b>	
LPSTS42JD		Lawn Sweeper, 42 in. (107 cm)	391.00
LP49038		Lawn Sweeper, 44 in. (112 cm)	379.99
LP42108		Lawn sweeper dethatcher kit (LPSTS42JD)	133.00
LP39089		MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
LPPRT36JD		Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	253.00
LP64738		Tow-Behind Lawn Roller, 24 x 48 in. (61 x 122 cm) Steel <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	289.00
LPPA40JD		Tow-Behind Plug Aerator, 40 in. (102 cm)	459.00
LPPA48JD		Tow-Behind Plug Aerator, 48 in. (122 cm) <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	499.00
LPSAT40JD		Tow-Behind Spiker Aerator, 40 in. (102 cm)	334.00
		<b>Weather Enclosures</b>	
LP41114		X700 Signature Series weather enclosure	549.99
		<b>Weights</b>	
BM24363		9-weight front weight bracket <i>For X400/X500 HDGTs, and X700s</i>	202.23
UC13263		Quik-Tatch Weight, 42 lb (19 kg)	60.99



## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## Signature Series X738 Tractor Less Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM20779	Rear Click-N-Go weight bracket (X400/X500 HDGTs, X700s, X940s) <i>Requires BM20714 Click-N-Go bracket</i>	166.91

**JOHN DEERE TURF & UTILITY PRODUCTS**

**GARDEN TRACTORS**

**Signature Series X739 Tractor Less Deck**  
Equipment for Base Machine

**ENGINE**  
25.5 hp\* (19 kW)  
45.5-cu in. (745-cc)  
displacement  
Model FD750D EFI  
Liquid cooled, V-twin cylinder  
with cast-iron liners

**FUEL SYSTEM**  
Gasoline  
Instrument display with  
hourmeter and fuel gauge

**ELECTRICAL SYSTEM**  
12-V (300-CCA) battery  
20-amp regulated flywheel  
alternator  
12-V outlet with switch

**TRANSAXLE**  
Full-time four-wheel drive K90  
hydrostatic transmission  
Twin Touch pedals  
Cruise control  
Differential lock  
0-8.5 mph (0-13.7 km/h) forward  
speed  
0-6 mph (0-9.7 km/h) reverse  
speed

**CHASSIS**  
Standard front weight bracket

holds up to four 42-lb (19-kg)  
Quik-Tatch weights  
Cast-iron front axle  
  
18x8.50-10 front HDAP tires, 4PR  
26x12-12 rear HDAP tires, 2PR  
Covered toolbox  
Fender handles

**STEERING**  
Power, four-wheel steer  
14-in. (35.6-cm) six-position  
tilt steering wheel  
25-in. (63.5-cm) turning radius  
54 HC - 10-in. (25-cm), 60 HC -  
6-in. (15-cm) uncut circle  
radius

**SEAT**  
21-in. (53.3-cm) two-piece  
adjustable seat

**LIFT SYSTEM**  
Two-function, hydraulic  
implement lift and four  
hydraulic outlets

**OPTIONAL MOWER DECKS**  
Side discharge 48 in. (122 cm),  
54 in. (137 cm), 60 in. (152 cm)  
48A - 10-gauge, 0.135-in.  
(3.4-mm) or 54 HC, 60 HC 9-gauge

0.150-in. (3.8-mm) stamped steel  
deck shell  
Mower wash port  
Four mower wheels, 48A has front  
center rollers

**MOWER ATTACHABILITY**  
48A - Mower wheels rotate 90  
degrees for easy mower removal,  
54 HC or 60 HC - Drive-over deck  
mower installation

\*Engine horsepower and torque  
information for non-Deere  
engines are provided by the  
engine manufacturer for  
comparison purposes only. Actual  
operating horsepower and torque  
will be less. Refer to the  
engine manufacturer's Web site  
for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Horicon, Wisconsin*

5842M		Signature Series X739 Tractor Less Deck <i>Not available for sale in California.</i>	12,369.00
-------	--	---	-----------

**DESTINATION**

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

	<b>Ballast Box</b>		
BW14313	Ballast box (Category 1, 3-point hitch)		338.11
BM20715	Ballast box, Click-N-Go (X400/X500 HDGTs, X700s) <i>Requires BM20714 Click-N-Go Bracket</i>		302.81
	<b>Carts</b>		
LP21935	Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>		223.00

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## Signature Series X739 Tractor Less Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LP22755		Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD		Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	279.00
LP72978		Utility Cart, 10PX Poly with full dump <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	359.00
LPHDC13JD		Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	412.00
LP68186		Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	399.00
LPPCT17JD		Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	423.00
LPHDC18JD		Utility Cart, 18 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	541.00
LPUT21JD		Utility Cart, 21 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator. Compatible with X700 and similar-sized lawn and garden tractors.</i>	990.00
		<b>Drawbar</b>	
BM23989		Drawbar/ ball mount for 1.25 in. receiver hitch <i>Requires BM20877 rear receiver hitch kit. Ball mount sold separately.</i>	40.66
LP63768		Magnetic hitch pin	18.99
BM20877		Rear receiver hitch kit	47.09
		<b>Fenders</b>	
BM24430		Front fender kit (X738, X739, X758, X948, X949)	166.91
		<b>Front Power Take-Off (PTO)</b>	
BM25305		2000-rpm front PTO (X500 HDGT and 4-wheel drive X700s)	402.31
		<b>Front Quick-Hitch</b>	
BM26236		Front quick hitch and hydraulic lift (X400/X500 HDGTs, X700s, X940s)	739.37
BM20896		Hydraulic retro kit <i>Required to fit a Customer's 425, 445 and 455 Snow Blower or Snow Thrower on a New X400/X500 HDGT or X700 Series Tractor.</i>	31.03
		<b>Front Wheels and Tires</b>	
BM26277		18x8.50-10 front turf tires on Special Edition wheels	345.61
		<b>Home Maintenance Kits</b>	
LG244		Home maintenance kit (EFI)	93.60
		<b>Hydraulic Angling</b>	

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## Signature Series X739 Tractor Less Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM25609		Hydraulic angling (X400/X500 HDGTs, X700s, X940s)	226.84
		<b>MCS Chutes</b>	
LP65063		MC542 Mower Deck Boot Kit (48A)	96.00
LP44079		MC542 Mower Deck Boot Kit (54HC)	96.00
LP23082		MC542 Mower Deck Boot Kit (60 HC and 60D)	96.00
BM21682		Power Flow chute (14 bu)	147.66
BM21681		Power Flow chute (6.5/7 bu)	115.56
BM20855		Power Flow chute (MC519 with C, X, or A Series Blowers)	92.01
		<b>MCS Hoppers</b>	
BM20671		14-bu (493-L) 3-Bag Hopper Assembly (X400/X500 HDGT and X700 Series) <i>Requires Power Flow blower, Power Flow chute, and BM20714 Click-N-Go bracket. Two UC13263 42 lb (19 kg) Quik-Tatch weights are recommended for front ballast. Not compatible with 48X deck on X729, X739 or X749 Tractors.</i>	995.10
LP68577		20-bu (705-L) Click-N-Go™ Material Collection System <i>Requires Power Flow blower, 4 UC13263 42 lb (19 kg) Quik-Tatch weights, and BM20714 Click-N-Go bracket.. Includes Power Flow chute. Not compatible with cab or weather enclosure.</i>	2,624.95
BM20780		7-bu (247-L) 2-Bag Hopper Assembly (X400/X500 HDGT and X700 Series) <i>Requires Power Flow blower, Power Flow chute, and BM20714 Click-N-Go bracket. Two UC13263 42 lb (19 kg) Quik-Tatch weights are recommended for front ballast. Not compatible with a tractor cab or weather enclosure.</i>	507.19
AM135486		Loose knit bag (1) for 7-bu Hopper	45.45
LP49228		MC519 Material Collection System <i>Requires Power Flow blower and Power Flow chute. X400/X500 HDGT and X700 Tractors require LP52039 adapter kit. See Sales Manual for requirements for additional applications. See Sales Manual for ballast requirements.</i>	999.00
LP52039		MC519 Operator's Manual and Attaching Parts for X400/X500 HDGT and X700 Tractors	43.00
LP47170		MCS 14 Dump-from-Seat Hopper, X500 and X700 with 14-bu (493-L) Hopper <i>Requires separate material collection system</i>	624.95
LP47169		MCS 8 Dump-from-Seat Hopper, X500 and X700 with 7-bu (247-L) Hopper <i>Requires separate material collection system</i>	549.95
		<b>MCS Power Flow Blowers</b>	
BG20859		48A High-Performance Power Flow (X700 Signature Series)	566.03
BM22696		48C/48X High-Performance Power Flow blower (X300/X500 M-T/X700) <i>When used on X400/X500 HDGT or X700 Tractor with 48C/48X deck (SN -050589) also order one each of 34M7119 spring pin, M145850 mower wheel pin, and M147235 pin, bent.</i>	566.03
BUC10282		54 HC High-Performance Power Flow (X700 Signature Series) <i>For model year 2019- (S.N. 070,001-) 54 HC mower decks (base code 9078M)</i>	688.01

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## Signature Series X739 Tractor Less Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BG20867		54 HC High-Performance Power Flow (X700 Signature Series) <i>For model year 2013-2018 (S.N. 010,001-700,000) 54 HC mower decks (base code 9074M)</i>	674.10
BUC10277		60 HC High-Performance Power Flow (X700 Signature Series) <i>For model year 2019- (S.N. 070,001-) 60 HC mower decks (base code 9079M)</i>	688.01
BG20727		60 HC High-Performance Power Flow (X700 Signature Series) <i>For model year 2013-2018 (S.N. 010,001-070,000) 60 HC mower decks (base code 9075M)</i>	674.10
BG20752		Power Flow Bracket Kit <i>Provides a bracket to give more gauge wheel offset to correct belt rubbing on early production BM24514 Power Flow and BM24515 CE Power Flow.</i>	17.11
		<b>Miscellaneous</b>	
LP54000		54-in. (137-cm) Tractor Shovel <i>Requires 54-in. (137-cm) Front Blade. Go to Order Zone for specific requirements.</i>	799.95
BUC10188		Auxiliary alternator kit (X710, X730, X734, X738, X739) <i>Supplements standard 20-amp alternator. Recommended with heated cabs.</i>	459.03
TY25866		Battery charger and maintainer	39.01
LPJD301		Bucket holder (double)	94.95
BM20714		Click-N-Go Bracket (X400/X500 HDGTs, X700s)	119.84
TY27534		Fuel-Protect for gasoline engines, 8 oz (237 mL)	4.69
		<b>Mower Decks</b>	
BUC10611		BUC10611 Roller striping kit (60 HC mower decks) <i>Compatible with 54 HC mower decks used on model year 2013- (SN 010,001-) X700 and X900 Signature Series tractors. See VSN attachment story for additional parts requirements for model year 2013-2016 (SN 010,001-050,000) mower decks.</i>	399.11
BM26238		Dry-condition kit (48A)	59.91
BUC10313		Front roller kit <i>For model year 2018- (deck serial number 060,000-) 54-in. (137-cm) and 60-in. (152-cm) HC mower decks</i>	93.09
BUC10329		Front roller kit <i>For model year 2013-2017 (deck serial number 010,001-059,999) 54-in. (137-cm) HC mower decks</i>	93.09
BUC10328		Front roller kit <i>For model year 2013-2017 (deck serial number 010,001-059,999) 60-in. (152-cm) HC mower decks</i>	93.09
LP46468		Grass Striping Groomer for 48A, 54 HC, or 60 HC Deck	114.95
AM130907		Mower deck leveling gauge	7.15
BUC10610		Roller striping kit (54 HC mower decks) <i>Compatible with 54 HC mower decks used on model year 2013- (SN 010,001-) X700 and X900 Signature Series tractors. See VSN attachment story for additional parts requirements for model year 2013-2016 (SN 010,001-050,000) mower decks.</i>	408.74

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## Signature Series X739 Tractor Less Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Mulch Kits</b>	
BM24993		48A MulchControl attachment <i>Includes mulching blades</i>	169.06
BM23977		54 HC Mulch kit <i>Includes mulching blades</i>	241.81
BM26300		54-in. High Capacity MulchControl attachment	241.81
BM23978		60 HC Mulch kit <i>Includes mulching blades</i>	254.66
BM25258		60-in. High Capacity MulchControl attachment	257.87
BUC10536		Hydraulic MulchControl actuator <i>Allows operator to hydraulically actuate MulchControl while mowing. Includes actuator cylinder, mounting parts, and hydraulic hoses. Requires separate High Capacity MulchControl attachment. For model year 2019- (S.N. 070,001-) 54 HC and 60 HC mower decks.</i>	335.99
		<b>Protection</b>	
BM24375		Front brush guard kit (X710, X730, X734, X738, X739, X750, X754, X758, X940, X948, X949) <i>Not compatible with front quick hitch</i>	264.29
LP93647		Riding mower cover, large deluxe	99.99
LP47913		X700 Signature Series seat cover	69.99
		<b>Rear Hitch</b>	
BM17327		3-point hitch (Category 0) <i>Requires BM23883 adapter kit for use on X700s</i>	676.24
BUC10169		3-point hitch, limited Category 1 (X400/X500 HDGTs, X700s, X940s)	676.24
BM23883		Adaptor kit, X400/X500 HDGT 3-point hitch on X700s <i>Converts a BM21263 (X400/X500 Category 1) or BM17327 (Category 0) for use on X700s</i>	87.74
LVU12858		iMatch™ Quick Hitch Bushings	25.21
LVB25976		iMatch™ Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of LVU15507 bushings.</i>	383.90
		<b>Rear Power Take-Off (PTO)</b>	
BM23588		540-rpm rear PTO (X700s, June 2010 and later production) <i>For use on X700 Series Tractors produced after mid-June 2010 when new-pitch gears entered production. See Sales Manual for tractor serial number break and/or verify that the transmission serial number starts with K00.</i>	999.39
		<b>Rear Wheels and Tires</b>	
BM26280		26x12-12 rear HDAP tires	651.63
BM26278		26x12-12 rear turf tires on Special Edition wheels (X729, X739, X749, X949)	508.26
		<b>Seat</b>	
BUC10601		Air-ride suspension seat <i>Model year 2013-2018 (S.N. 010,001-070,000) requires AM146765 wiring harness. See DTAC solution 115258 for more information. <a href="http://dtac.deere.com/Solutions/English/115258.htm">http://dtac.deere.com/Solutions/English/115258.htm</a></i>	937.31

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## Signature Series X739 Tractor Less Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BUC10553		Arm rest kit <i>For model year 2019- (S.N. 070,001-) X700s</i>	55.64
AM108146		<b>Spark Arrester</b> Spark Arrester Screen for Muffler	36.65
LP22886		<b>Sprayers</b> 3-Point Hitch Deluxe Sprayer, 45 gal. (170 L) <i>Requires LP22884 or LP22885 boom. Requires 3-point hitch and four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights.</i>	874.95
LP20840		3-Point Hitch Sprayer, 45 gal. (170 L) <i>Requires 3-point hitch and four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	859.95
LP22885		High Performance Sprayer Precision Boom (12.5 ft)	269.95
LP22884		High performance boomless nozzles	169.95
LP22862		Mounted Sprayer, 25 gal. (95 L) (X400/X500 HDGT/X700) <i>Requires mid-mount mower, front implement, two front wheel weights, or four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	504.95
LP39963		Tow-Behind High Performance Sprayer, 45 gal. (170 L), requires LP22884 or LP22885 boom <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	774.95
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	469.95
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	489.95
LP20485		Tow-Behind Sprayer, 45 gal. (170 L) <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	629.95
AM105666		Tow-behind sprayer wiring harness extension (X400/X500 HDGTs, X700s, 322, 330, 332, 425, 445, 455) <i>30-in. (76.2-cm) extension for use with sprayers on (X400s/X500s, 322, 330, 332, 425, 445, 455)</i>	40.94
LP53522		<b>Spreaders</b> Drop Spreader, 5 cu ft (Click-N-Go) <i>Requires BM20714 Click-N-Go bracket. Requires front implement or four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights.</i>	3,999.95
LP35439		Mounted Electric Broadcast Spreader, 125 lb (57 kg) (X300/X500 M-T/X700) <i>Requires two front wheel weights or two front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	579.00
LP23117		Mounted electric broadcast spreader barrier shield	69.00
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	363.00
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	410.00
LP67403		Salt Spreader, 3 cu ft (Click-N-Go) <i>Requires BM20714 Click-N-Go bracket. Requires front implement or four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights.</i>	1,349.95
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	449.00

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## Signature Series X739 Tractor Less Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	298.00
		<b>Thatchers</b>	
LP48004		38-in. (97-cm) Front Thatcher (Center) <i>Requires Mounting Frame</i>	261.00
LP48003		8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	58.00
LP47977		Thatcher mounting frame (X700)	228.00
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	253.00
		<b>Tire Chains</b>	
LP39860		TerraGrip traction belts (pair) for 26x12-12 tires <i>X729, X739, X749, X949 Tractors require BM22725 wheel spacer kit</i>	99.95
TY15958		Tire chains (pair) for 26x12-12 tires <i>X729, X739, X749, X949 Tractors require BM22725 wheel spacer kit</i>	126.41
BM22725		Wheel spacer kit	171.20
		<b>Tow Behind</b>	
LPSTS42JD		Lawn Sweeper, 42 in. (107 cm)	391.00
LP49038		Lawn Sweeper, 44 in. (112 cm)	379.99
LP42108		Lawn sweeper dethatcher kit (LPSTS42JD)	133.00
LP39089		MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
LPPRT36JD		Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	253.00
LP64738		Tow-Behind Lawn Roller, 24 x 48 in. (61 x 122 cm) Steel <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	289.00
LPPA40JD		Tow-Behind Plug Aerator, 40 in. (102 cm)	459.00
LPPA48JD		Tow-Behind Plug Aerator, 48 in. (122 cm) <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	499.00
LPSAT40JD		Tow-Behind Spiker Aerator, 40 in. (102 cm)	334.00
		<b>Weather Enclosures</b>	
LP41114		X700 Signature Series weather enclosure	549.99
		<b>Weights</b>	
BM24363		9-weight front weight bracket <i>For X400/X500 HDGTs, and X700s</i>	202.23
UC13263		Quik-Tatch Weight, 42 lb (19 kg)	60.99
BM20779		Rear Click-N-Go weight bracket (X400/X500 HDGTs, X700s, X940s) <i>Requires BM20714 Click-N-Go bracket</i>	166.91



**JOHN DEERE TURF & UTILITY PRODUCTS**

**GARDEN TRACTORS**

---

**Signature Series X739 Tractor Less Deck**

Continued

**JOHN DEERE TURF & UTILITY PRODUCTS**

**GARDEN TRACTORS**

**Signature Series X758 Tractor Less Deck**  
Equipment for Base Machine

**ENGINE**  
24 hp\* (17.9 kW)  
60.6-cu in. (993-cc)  
displacement  
Model 3TNM74F  
Liquid cooled, 3-cylinder with  
cast-iron liners

**FUEL SYSTEM**  
Diesel  
Instrument display with  
hourmeter and fuel gauge

**ELECTRICAL SYSTEM**  
12-V (500-CCA) battery  
40-amp regulated engine-mounted  
alternator  
12-V outlet with switch

**TRANSAXLE**  
Full-time four-wheel drive K90  
hydrostatic transmission  
Twin Touch pedals  
Cruise control  
Differential lock  
0-8.5 mph (0-13.7 km/h) forward  
speed  
0-6 mph (0-9.7 km/h) reverse  
speed

**CHASSIS**  
Standard front weight bracket

holds up to four 42-lb (19-kg)  
Quik-Tatch weights  
Cast-iron front axle

18x8.50-10 front HDAP tires, 4PR  
26x12-12 rear HDAP tires, 2PR  
Covered toolbox  
Fender handles

**STEERING**  
Power, two-wheel steer  
14-in. (35.6-cm) six-position  
tilt steering wheel  
25-in. (63.5-cm) turning radius  
54 HC - 32-in. (81-cm), 60 HC -  
28-in. (71-cm) uncut circle  
radius

**SEAT**  
21-in. (53.3-cm) two-piece  
adjustable seat

**LIFT SYSTEM**  
Two-function, hydraulic  
implement lift and four  
hydraulic outlets

**OPTIONAL MOWER DECKS**  
Side discharge 48 in. (122 cm),  
54 in. (137 cm), 60 in. (152 cm)  
48A - 10-gauge, 0.135-in.  
(3.4-mm) or 54 HC, 60 HC 9-gauge

0.150-in. (3.8-mm) stamped steel  
deck shell  
Mower wash port  
Four mower wheels, 48A has front  
center rollers

**MOWER ATTACHABILITY**  
48A - Mower wheels rotate 90  
degrees for easy mower removal,  
54 HC or 60 HC - Drive-over deck  
mower installation

\*Engine horsepower and torque  
information for non-Deere  
engines are provided by the  
engine manufacturer for  
comparison purposes only. Actual  
operating horsepower and torque  
will be less. Refer to the  
engine manufacturer's Web site  
for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Horicon, Wisconsin*

5874M		Signature Series X758 Tractor Less Deck	12,929.00
-------	--	---	-----------

**DESTINATION**

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>Ballast Box</b>	
	BW14313	Ballast box (Category 1, 3-point hitch)	338.11
	BM20715	Ballast box, Click-N-Go (X400/X500 HDGTs, X700s) <i>Requires BM20714 Click-N-Go Bracket</i>	302.81
		<b>Carts</b>	
	LP21935	Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	223.00

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## Signature Series X758 Tractor Less Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LP22755		Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD		Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	279.00
LP72978		Utility Cart, 10PX Poly with full dump <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	359.00
LPHDC13JD		Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	412.00
LP68186		Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	399.00
LPPCT17JD		Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	423.00
LPHDC18JD		Utility Cart, 18 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	541.00
LPUT21JD		Utility Cart, 21 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator. Compatible with X700 and similar-sized lawn and garden tractors.</i>	990.00
		<b>Cold Start Packages</b>	
MIA881629		Engine Block Heater Adapter	116.10
AR87167		Engine Coolant Heater (110 V) <i>X740 (SN -060,000), X744 (SN -060,000), and X748 (SN -060,000) require AM134805 engine block heater adapter. X740 (SN 060,001-), X744 (SN 060,001-), X748 (SN 060,001-), X750, X754, and X758 require MIA881629 engine block heater adapter, (2) 19M7868 bolts and (1) M87940 spacer.</i>	82.67
		<b>Drawbar</b>	
BM23989		Drawbar/ ball mount for 1.25 in. receiver hitch <i>Requires BM20877 rear receiver hitch kit. Ball mount sold separately.</i>	40.66
LP63768		Magnetic hitch pin	18.99
BM20877		Rear receiver hitch kit	47.09
		<b>Fenders</b>	
BM24430		Front fender kit (X738, X739, X758, X948, X949)	166.91
		<b>Front Power Take-Off (PTO)</b>	
BM25305		2000-rpm front PTO (X500 HDGT and 4-wheel drive X700s)	402.31
		<b>Front Quick-Hitch</b>	
BM26236		Front quick hitch and hydraulic lift (X400/X500 HDGTs, X700s, X940s)	739.37

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## Signature Series X758 Tractor Less Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM20896		Hydraulic retro kit <i>Required to fit a Customer's 425, 445 and 455 Snow Blower or Snow Thrower on a New X400/X500 HDGT or X700 Series Tractor.</i>	31.03
		<b>Front Wheels and Tires</b>	
BM26277		18x8.50-10 front turf tires on Special Edition wheels	345.61
		<b>Home Maintenance Kits</b>	
LG260		Home maintenance kit (Diesel)	71.38
		<b>Hydraulic Angling</b>	
BM25609		Hydraulic angling (X400/X500 HDGTs, X700s, X940s)	226.84
		<b>MCS Chutes</b>	
LP65063		MC542 Mower Deck Boot Kit (48A)	96.00
LP44079		MC542 Mower Deck Boot Kit (54HC)	96.00
LP23082		MC542 Mower Deck Boot Kit (60 HC and 60D)	96.00
BM21682		Power Flow chute (14 bu)	147.66
BM21681		Power Flow chute (6.5/7 bu)	115.56
BM20855		Power Flow chute (MC519 with C, X, or A Series Blowers)	92.01
		<b>MCS Hoppers</b>	
BM20671		14-bu (493-L) 3-Bag Hopper Assembly (X400/X500 HDGT and X700 Series) <i>Requires Power Flow blower, Power Flow chute, and BM20714 Click-N-Go bracket. Two UC13263 42 lb (19 kg) Quik-Tatch weights are recommended for front ballast. Not compatible with 48X deck on X729, X739 or X749 Tractors.</i>	995.10
LP68577		20-bu (705-L) Click-N-Go™ Material Collection System <i>Requires Power Flow blower, 4 UC13263 42 lb (19 kg) Quik-Tatch weights, and BM20714 Click-N-Go bracket.. Includes Power Flow chute. Not compatible with cab or weather enclosure.</i>	2,624.95
BM20780		7-bu (247-L) 2-Bag Hopper Assembly (X400/X500 HDGT and X700 Series) <i>Requires Power Flow blower, Power Flow chute, and BM20714 Click-N-Go bracket. Two UC13263 42 lb (19 kg) Quik-Tatch weights are recommended for front ballast. Not compatible with a tractor cab or weather enclosure.</i>	507.19
AM135486		Loose knit bag (1) for 7-bu Hopper	45.45
LP49228		MC519 Material Collection System <i>Requires Power Flow blower and Power Flow chute. X400/X500 HDGT and X700 Tractors require LP52039 adapter kit. See Sales Manual for requirements for additional applications. See Sales Manual for ballast requirements.</i>	999.00
LP52039		MC519 Operator's Manual and Attaching Parts for X400/X500 HDGT and X700 Tractors	43.00
LP47170		MCS 14 Dump-from-Seat Hopper, X500 and X700 with 14-bu (493-L) Hopper <i>Requires separate material collection system</i>	624.95
LP47169		MCS 8 Dump-from-Seat Hopper, X500 and X700 with 7-bu (247-L) Hopper <i>Requires separate material collection system</i>	549.95
		<b>MCS Power Flow Blowers</b>	

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## Signature Series X758 Tractor Less Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BG20859		48A High-Performance Power Flow (X700 Signature Series)	566.03
BM22696		48C/48X High-Performance Power Flow blower (X300/X500 M-T/X700) <i>When used on X400/X500 HDGT or X700 Tractor with 48C/48X deck (SN -050589) also order one each of 34M7119 spring pin, M145850 mower wheel pin, and M147235 pin, bent.</i>	566.03
BUC10282		54 HC High-Performance Power Flow (X700 Signature Series) <i>For model year 2019- (S.N. 070,001-) 54 HC mower decks (base code 9078M)</i>	688.01
BG20867		54 HC High-Performance Power Flow (X700 Signature Series) <i>For model year 2013-2018 (S.N. 010,001-700,000) 54 HC mower decks (base code 9074M)</i>	674.10
BUC10277		60 HC High-Performance Power Flow (X700 Signature Series) <i>For model year 2019- (S.N. 070,001-) 60 HC mower decks (base code 9079M)</i>	688.01
BG20727		60 HC High-Performance Power Flow (X700 Signature Series) <i>For model year 2013-2018 (S.N. 010,001-070,000) 60 HC mower decks (base code 9075M)</i>	674.10
BG20752		Power Flow Bracket Kit <i>Provides a bracket to give more gauge wheel offset to correct belt rubbing on early production BM24514 Power Flow and BM24515 CE Power Flow.</i>	17.11
		<b>Miscellaneous</b>	
LP54000		54-in. (137-cm) Tractor Shovel <i>Requires 54-in. (137-cm) Front Blade. Go to Order Zone for specific requirements.</i>	799.95
TY25866		Battery charger and maintainer	39.01
LPJD301		Bucket holder (double)	94.95
BM20714		Click-N-Go Bracket (X400/X500 HDGTs, X700s)	119.84
		<b>Mower Decks</b>	
BUC10611		BUC10611 Roller striping kit (60 HC mower decks) <i>Compatible with 54 HC mower decks used on model year 2013- (SN 010,001-) X700 and X900 Signature Series tractors. See VSN attachment story for additional parts requirements for model year 2013-2016 (SN 010,001-050,000) mower decks.</i>	399.11
BM26238		Dry-condition kit (48A)	59.91
BUC10313		Front roller kit <i>For model year 2018- (deck serial number 060,000-) 54-in. (137-cm) and 60-in. (152-cm) HC mower decks</i>	93.09
BUC10329		Front roller kit <i>For model year 2013-2017 (deck serial number 010,001-059,999) 54-in. (137-cm) HC mower decks</i>	93.09
BUC10328		Front roller kit <i>For model year 2013-2017 (deck serial number 010,001-059,999) 60-in. (152-cm) HC mower decks</i>	93.09
LP46468		Grass Striping Groomer for 48A, 54 HC, or 60 HC Deck	114.95
AM130907		Mower deck leveling gauge	7.15

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## Signature Series X758 Tractor Less Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BUC10610		Roller striping kit (54 HC mower decks) <i>Compatible with 54 HC mower decks used on model year 2013- (SN 010,001-) X700 and X900 Signature Series tractors. See VSN attachment story for additional parts requirements for model year 2013-2016 (SN 010,001-050,000) mower decks.</i>	408.74
		<b>Mulch Kits</b>	
BM24993		48A MulchControl attachment <i>Includes mulching blades</i>	169.06
BM23977		54 HC Mulch kit <i>Includes mulching blades</i>	241.81
BM26300		54-in. High Capacity MulchControl attachment	241.81
BM23978		60 HC Mulch kit <i>Includes mulching blades</i>	254.66
BM25258		60-in. High Capacity MulchControl attachment	257.87
BUC10536		Hydraulic MulchControl actuator <i>Allows operator to hydraulically actuate MulchControl while mowing. Includes actuator cylinder, mounting parts, and hydraulic hoses. Requires separate High Capacity MulchControl attachment. For model year 2019- (S.N. 070,001-) 54 HC and 60 HC mower decks.</i>	335.99
		<b>Protection</b>	
BM24375		Front brush guard kit (X710, X730, X734, X738, X739, X750, X754, X758, X940, X948, X949) <i>Not compatible with front quick hitch</i>	264.29
LP93647		Riding mower cover, large deluxe	99.99
LP47913		X700 Signature Series seat cover	69.99
		<b>Rear Hitch</b>	
BM17327		3-point hitch (Category 0) <i>Requires BM23883 adapter kit for use on X700s</i>	676.24
BUC10169		3-point hitch, limited Category 1 (X400/X500 HDGTs, X700s, X940s)	676.24
BM23883		Adaptor kit, X400/X500 HDGT 3-point hitch on X700s <i>Converts a BM21263 (X400/X500 Category 1) or BM17327 (Category 0) for use on X700s</i>	87.74
LVU12858		iMatch™ Quick Hitch Bushings	25.21
LVB25976		iMatch™ Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of LVU15507 bushings.</i>	383.90
		<b>Rear Power Take-Off (PTO)</b>	
BM23588		540-rpm rear PTO (X700s, June 2010 and later production) <i>For use on X700 Series Tractors produced after mid-June 2010 when new-pitch gears entered production. See Sales Manual for tractor serial number break and/or verify that the transmission serial number starts with K00.</i>	999.39
		<b>Rear Wheels and Tires</b>	
BM26280		26x12-12 rear HDAP tires	651.63
BM18369		26x12-12 rear bar tires <i>Use with two-wheel steer only.</i>	669.81

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## Signature Series X758 Tractor Less Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BM26279		26x12-12 rear turf tires on Special Edition wheels	508.26
		<b>Seat</b>	
BUC10601		Air-ride suspension seat <i>Model year 2013-2018 (S.N. 010,001-070,000) requires AM146765 wiring harness. See DTAC solution 115258 for more information. <a href="http://dtac.deere.com/Solutions/English/115258.htm">http://dtac.deere.com/Solutions/English/115258.htm</a></i>	937.31
BUC10553		Arm rest kit <i>For model year 2019- (S.N. 070,001-) X700s</i>	55.64
		<b>Spark Arrester</b>	
AM108146		Spark Arrester Screen for Muffler	36.65
		<b>Sprayers</b>	
LP22886		3-Point Hitch Deluxe Sprayer, 45 gal. (170 L) <i>Requires LP22884 or LP22885 boom. Requires 3-point hitch and four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights.</i>	874.95
LP20840		3-Point Hitch Sprayer, 45 gal. (170 L) <i>Requires 3-point hitch and four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	859.95
LP22885		High Performance Sprayer Precision Boom (12.5 ft)	269.95
LP22884		High performance boomless nozzles	169.95
LP22862		Mounted Sprayer, 25 gal. (95 L) (X400/X500 HDGT/X700) <i>Requires mid-mount mower, front implement, two front wheel weights, or four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	504.95
LP39963		Tow-Behind High Performance Sprayer, 45 gal. (170 L), requires LP22884 or LP22885 boom <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	774.95
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	469.95
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	489.95
LP20485		Tow-Behind Sprayer, 45 gal. (170 L) <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	629.95
AM105666		Tow-behind sprayer wiring harness extension (X400/X500 HDGTs, X700s, 322, 330, 332, 425, 445, 455) <i>30-in. (76.2-cm) extension for use with sprayers on (X400s/X500s, 322, 330, 332, 425, 445, 455)</i>	40.94
		<b>Spreaders</b>	
LP53522		Drop Spreader, 5 cu ft (Click-N-Go) <i>Requires BM20714 Click-N-Go bracket. Requires front implement or four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights.</i>	3,999.95
LP35439		Mounted Electric Broadcast Spreader, 125 lb (57 kg) (X300/X500 M-T/X700) <i>Requires two front wheel weights or two front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	579.00
LP23117		Mounted electric broadcast spreader barrier shield	69.00
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	363.00

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## Signature Series X758 Tractor Less Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	410.00
LP67403		Salt Spreader, 3 cu ft (Click-N-Go) <i>Requires BM20714 Click-N-Go bracket. Requires front implement or four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights.</i>	1,349.95
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	449.00
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	298.00
		<b>Thatchers</b>	
LP48004		38-in. (97-cm) Front Thatcher (Center) <i>Requires Mounting Frame</i>	261.00
LP48003		8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	58.00
LP47977		Thatcher mounting frame (X700)	228.00
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	253.00
		<b>Tire Chains</b>	
LP39860		TerraGrip traction belts (pair) for 26x12-12 tires	99.95
TY15958		Tire chains (pair) for 26x12-12 tires	126.41
		<b>Tow Behind</b>	
LPSTS42JD		Lawn Sweeper, 42 in. (107 cm)	391.00
LP49038		Lawn Sweeper, 44 in. (112 cm)	379.99
LP42108		Lawn sweeper dethatcher kit (LPSTS42JD)	133.00
LP39089		MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
LPPRT36JD		Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	253.00
LP64738		Tow-Behind Lawn Roller, 24 x 48 in. (61 x 122 cm) Steel <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	289.00
LPPA40JD		Tow-Behind Plug Aerator, 40 in. (102 cm)	459.00
LPPA48JD		Tow-Behind Plug Aerator, 48 in. (122 cm) <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	499.00
LPSAT40JD		Tow-Behind Spiker Aerator, 40 in. (102 cm)	334.00
		<b>Weather Enclosures</b>	
LP41114		X700 Signature Series weather enclosure	549.99
		<b>Weights</b>	
BM24363		9-weight front weight bracket <i>For X400/X500 HDGTs, and X700s</i>	202.23



## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

**Signature Series X758 Tractor Less Deck**

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	UC13263	Quik-Tatch Weight, 42 lb (19 kg)	60.99
	BM20779	Rear Click-N-Go weight bracket (X400/X500 HDGTs, X700s, X940s) <i>Requires BM20714 Click-N-Go bracket</i>	166.91

**JOHN DEERE TURF & UTILITY PRODUCTS**

**GARDEN TRACTORS**

**Signature Series X750 Tractor Less Deck  
Equipment for Base Machine**

**ENGINE**  
24 hp\* (17.9 kW)  
60.6-cu in. (993-cc)  
displacement  
Model 3TNM74F  
Liquid cooled, 3-cylinder with  
cast-iron liners

**FUEL SYSTEM**  
Diesel  
Instrument display with  
hourmeter and fuel gauge

**ELECTRICAL SYSTEM**  
12-V (500-CCA) battery  
40-amp regulated engine-mounted  
alternator  
12-V outlet with switch

**TRANSAXLE**  
K90 hydrostatic transmission  
Twin Touch pedals  
Cruise control  
Differential lock  
0-8.5 mph (0-13.7 km/h) forward  
speed  
0-6 mph (0-9.7 km/h) reverse  
speed

**CHASSIS**  
Standard front weight bracket  
holds up to four 42-lb (19-kg)

Quik-Tatch weights  
Cast-iron front axle  
Replaceable metal spindle  
bushings  
18x8.50-8 front turf tires, 4PR  
26x12-12 rear turf tires, 4PR  
Covered toolbox  
Fender handles

**STEERING**  
Power, two-wheel steer  
14-in. (35.6-cm) six-position  
tilt steering wheel  
25-in. (63.5-cm) turning radius  
54 HC - 32-in. (81-cm), 60 HC -  
28-in. (71-cm) uncut circle  
radius

**SEAT**  
21-in. (53.3-cm) two-piece  
adjustable seat

**LIFT SYSTEM**  
Two-function, hydraulic  
implement lift and four  
hydraulic outlets

**OPTIONAL MOWER DECKS**  
Side discharge 48 in. (122 cm),  
54 in. (137 cm), 60 in. (152 cm)  
48A - 10-gauge, 0.135-in.  
(3.4-mm) or 54 HC, 60 HC 9-gauge

0.150-in. (3.8-mm) stamped steel  
deck shell  
Mower wash port  
Four mower wheels, 48A has front  
center rollers

**MOWER ATTACHABILITY**  
48A - Mower wheels rotate 90  
degrees for easy mower removal,  
54 HC or 60 HC - Drive-over deck  
mower installation

\*Engine horsepower and torque  
information for non-Deere  
engines are provided by the  
engine manufacturer for  
comparison purposes only. Actual  
operating horsepower and torque  
will be less. Refer to the  
engine manufacturer's Web site  
for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Horicon, Wisconsin*

5854M		Signature Series X750 Tractor Less Deck	11,309.00
-------	--	---	-----------

**DESTINATION**

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>Ballast Box</b>	
	BW14313	Ballast box (Category 1, 3-point hitch)	338.11
	BM20715	Ballast box, Click-N-Go (X400/X500 HDGTs, X700s) <i>Requires BM20714 Click-N-Go Bracket</i>	302.81
		<b>Carts</b>	
	LP21935	Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	223.00

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## Signature Series X750 Tractor Less Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LP22755		Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD		Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	279.00
LP72978		Utility Cart, 10PX Poly with full dump <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	359.00
LPHDC13JD		Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	412.00
LP68186		Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	399.00
LPPCT17JD		Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	423.00
LPHDC18JD		Utility Cart, 18 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	541.00
LPUT21JD		Utility Cart, 21 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator. Compatible with X700 and similar-sized lawn and garden tractors.</i>	990.00
		<b>Cold Start Packages</b>	
MIA881629		Engine Block Heater Adapter	116.10
AR87167		Engine Coolant Heater (110 V) <i>X740 (SN -060,000), X744 (SN -060,000), and X748 (SN -060,000) require AM134805 engine block heater adapter. X740 (SN 060,001-), X744 (SN 060,001-), X748 (SN 060,001-), X750, X754, and X758 require MIA881629 engine block heater adapter, (2) 19M7868 bolts and (1) M87940 spacer.</i>	82.67
		<b>Drawbar</b>	
BM23989		Drawbar/ ball mount for 1.25 in. receiver hitch <i>Requires BM20877 rear receiver hitch kit. Ball mount sold separately.</i>	40.66
LP63768		Magnetic hitch pin	18.99
BM20877		Rear receiver hitch kit	47.09
		<b>Fenders</b>	
BM24429		Front fender kit (X710, X730, X750, X940) <i>Not compatible with 60 HC Mower Deck</i>	166.91

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## Signature Series X750 Tractor Less Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Front Power Take-Off (PTO)</b>	
BM25304		2000-rpm front PTO (X400 and 2-wheel drive X700s) <i>BM25304 must be used with BM25772 implement drive and upstop for snow blowers, or BM25775 implement drive shaft for rotary brooms. BM25772 is available as an attachment through parts, 47-in. Snow Blower (1474M) option code 4013, and 54-in. Snow Blower (02CIM ) option code 4013. BM25775 is available as an attachment through parts, 52-in. Rotary Broom (3880M) option code 4004, and 60-in. Broom (3790M) option code 5004.</i>	402.31
		<b>Front Quick-Hitch</b>	
BM26236		Front quick hitch and hydraulic lift (X400/X500 HDGTs, X700s, X940s)	739.37
BM20896		Hydraulic retro kit <i>Required to fit a Customer's 425, 445 and 455 Snow Blower or Snow Thrower on a New X400/X500 HDGT or X700 Series Tractor.</i>	31.03
		<b>Home Maintenance Kits</b>	
LG260		Home maintenance kit (Diesel)	71.38
		<b>Hydraulic Angling</b>	
BM25609		Hydraulic angling (X400/X500 HDGTs, X700s, X940s)	226.84
		<b>MCS Chutes</b>	
LP65063		MC542 Mower Deck Boot Kit (48A)	96.00
LP44079		MC542 Mower Deck Boot Kit (54HC)	96.00
LP23082		MC542 Mower Deck Boot Kit (60 HC and 60D)	96.00
BM21682		Power Flow chute (14 bu)	147.66
BM21681		Power Flow chute (6.5/7 bu)	115.56
BM20855		Power Flow chute (MC519 with C, X, or A Series Blowers)	92.01
		<b>MCS Hoppers</b>	
BM20671		14-bu (493-L) 3-Bag Hopper Assembly (X400/X500 HDGT and X700 Series) <i>Requires Power Flow blower, Power Flow chute, and BM20714 Click-N-Go bracket. Two UC13263 42 lb (19 kg) Quik-Tatch weights are recommended for front ballast. Not compatible with 48X deck on X729, X739 or X749 Tractors.</i>	995.10
LP68577		20-bu (705-L) Click-N-Go™ Material Collection System <i>Requires Power Flow blower, 4 UC13263 42 lb (19 kg) Quik-Tatch weights, and BM20714 Click-N-Go bracket.. Includes Power Flow chute. Not compatible with cab or weather enclosure.</i>	2,624.95
BM20780		7-bu (247-L) 2-Bag Hopper Assembly (X400/X500 HDGT and X700 Series) <i>Requires Power Flow blower, Power Flow chute, and BM20714 Click-N-Go bracket. Two UC13263 42 lb (19 kg) Quik-Tatch weights are recommended for front ballast. Not compatible with a tractor cab or weather enclosure.</i>	507.19
AM135486		Loose knit bag (1) for 7-bu Hopper	45.45
LP49228		MC519 Material Collection System <i>Requires Power Flow blower and Power Flow chute. X400/X500 HDGT and X700 Tractors require LP52039 adapter kit. See Sales Manual for requirements for additional applications. See Sales Manual for ballast requirements.</i>	999.00

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## Signature Series X750 Tractor Less Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LP52039		MC519 Operator's Manual and Attaching Parts for X400/X500 HDGT and X700 Tractors	43.00
LP47170		MCS 14 Dump-from-Seat Hopper, X500 and X700 with 14-bu (493-L) Hopper <i>Requires separate material collection system</i>	624.95
LP47169		MCS 8 Dump-from-Seat Hopper, X500 and X700 with 7-bu (247-L) Hopper <i>Requires separate material collection system</i>	549.95
		<b>MCS Power Flow Blowers</b>	
BG20859		48A High-Performance Power Flow (X700 Signature Series)	566.03
BM22696		48C/48X High-Performance Power Flow blower (X300/X500 M-T/X700) <i>When used on X400/X500 HDGT or X700 Tractor with 48C/48X deck (SN -050589) also order one each of 34M7119 spring pin, M145850 mower wheel pin, and M147235 pin, bent.</i>	566.03
BUC10282		54 HC High-Performance Power Flow (X700 Signature Series) <i>For model year 2019- (S.N. 070,001-) 54 HC mower decks (base code 9078M)</i>	688.01
BG20867		54 HC High-Performance Power Flow (X700 Signature Series) <i>For model year 2013-2018 (S.N. 010,001-700,000) 54 HC mower decks (base code 9074M)</i>	674.10
BUC10277		60 HC High-Performance Power Flow (X700 Signature Series) <i>For model year 2019- (S.N. 070,001-) 60 HC mower decks (base code 9079M)</i>	688.01
BG20727		60 HC High-Performance Power Flow (X700 Signature Series) <i>For model year 2013-2018 (S.N. 010,001-070,000) 60 HC mower decks (base code 9075M)</i>	674.10
BG20752		Power Flow Bracket Kit <i>Provides a bracket to give more gauge wheel offset to correct belt rubbing on early production BM24514 Power Flow and BM24515 CE Power Flow.</i>	17.11
		<b>Miscellaneous</b>	
LP54000		54-in. (137-cm) Tractor Shovel <i>Requires 54-in. (137-cm) Front Blade. Go to Order Zone for specific requirements.</i>	799.95
TY25866		Battery charger and maintainer	39.01
LPJD301		Bucket holder (double)	94.95
BM20714		Click-N-Go Bracket (X400/X500 HDGTs, X700s)	119.84
		<b>Mower Decks</b>	
BUC10611		BUC10611 Roller striping kit (60 HC mower decks) <i>Compatible with 54 HC mower decks used on model year 2013- (SN 010,001-) X700 and X900 Signature Series tractors. See VSN attachment story for additional parts requirements for model year 2013-2016 (SN 010,001-050,000) mower decks.</i>	399.11
BM26238		Dry-condition kit (48A)	59.91
BUC10313		Front roller kit <i>For model year 2018- (deck serial number 060,000-) 54-in. (137-cm) and 60-in. (152-cm) HC mower decks</i>	93.09

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## Signature Series X750 Tractor Less Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BUC10329		Front roller kit <i>For model year 2013-2017 (deck serial number 010,001-059,999) 54-in. (137-cm) HC mower decks</i>	93.09
BUC10328		Front roller kit <i>For model year 2013-2017 (deck serial number 010,001-059,999) 60-in. (152-cm) HC mower decks</i>	93.09
LP46468		Grass Striping Groomer for 48A, 54 HC, or 60 HC Deck	114.95
AM130907		Mower deck leveling gauge	7.15
BUC10610		Roller striping kit (54 HC mower decks) <i>Compatible with 54 HC mower decks used on model year 2013- (SN 010,001-) X700 and X900 Signature Series tractors. See VSN attachment story for additional parts requirements for model year 2013-2016 (SN 010,001-050,000) mower decks.</i>	408.74
		<b>Mulch Kits</b>	
BM24993		48A MulchControl attachment <i>Includes mulching blades</i>	169.06
BM23977		54 HC Mulch kit <i>Includes mulching blades</i>	241.81
BM26300		54-in. High Capacity MulchControl attachment	241.81
BM23978		60 HC Mulch kit <i>Includes mulching blades</i>	254.66
BM25258		60-in. High Capacity MulchControl attachment	257.87
BUC10536		Hydraulic MulchControl actuator <i>Allows operator to hydraulically actuate MulchControl while mowing. Includes actuator cylinder, mounting parts, and hydraulic hoses. Requires separate High Capacity MulchControl attachment. For model year 2019- (S.N. 070,001-) 54 HC and 60 HC mower decks.</i>	335.99
		<b>Protection</b>	
BM24375		Front brush guard kit (X710, X730, X734, X738, X739, X750, X754, X758, X940, X948, X949) <i>Not compatible with front quick hitch</i>	264.29
LP93647		Riding mower cover, large deluxe	99.99
LP47913		X700 Signature Series seat cover	69.99
		<b>Rear Hitch</b>	
BM17327		3-point hitch (Category 0) <i>Requires BM23883 adapter kit for use on X700s</i>	676.24
BUC10169		3-point hitch, limited Category 1 (X400/X500 HDGTs, X700s, X940s)	676.24
BM23883		Adaptor kit, X400/X500 HDGT 3-point hitch on X700s <i>Converts a BM21263 (X400/X500 Category 1) or BM17327 (Category 0) for use on X700s</i>	87.74
LVU12858		iMatch™ Quick Hitch Bushings	25.21

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## Signature Series X750 Tractor Less Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LVB25976		iMatch™ Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of LVU15507 bushings.</i>	383.90
BM23588		<b>Rear Power Take-Off (PTO)</b> 540-rpm rear PTO (X700s, June 2010 and later production) <i>For use on X700 Series Tractors produced after mid-June 2010 when new-pitch gears entered production. See Sales Manual for tractor serial number break and/or verify that the transmission serial number starts with K00.</i>	999.39
BM26280		<b>Rear Wheels and Tires</b> 26x12-12 rear HDAP tires	651.63
BM18369		26x12-12 rear bar tires <i>Use with two-wheel steer only.</i>	669.81
BUC10601		<b>Seat</b> Air-ride suspension seat <i>Model year 2013-2018 (S.N. 010,001-070,000) requires AM146765 wiring harness. See DTAC solution 115258 for more information. <a href="http://dtac.deere.com/Solutions/English/115258.htm">http://dtac.deere.com/Solutions/English/115258.htm</a></i>	937.31
BUC10553		Arm rest kit <i>For model year 2019- (S.N. 070,001-) X700s</i>	55.64
AM108146		<b>Spark Arrester</b> Spark Arrester Screen for Muffler	36.65
LP22886		<b>Sprayers</b> 3-Point Hitch Deluxe Sprayer, 45 gal. (170 L) <i>Requires LP22884 or LP22885 boom. Requires 3-point hitch and four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights.</i>	874.95
LP20840		3-Point Hitch Sprayer, 45 gal. (170 L) <i>Requires 3-point hitch and four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	859.95
LP22885		High Performance Sprayer Precision Boom (12.5 ft)	269.95
LP22884		High performance boomless nozzles	169.95
LP22862		Mounted Sprayer, 25 gal. (95 L) (X400/X500 HDGT/X700) <i>Requires mid-mount mower, front implement, two front wheel weights, or four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	504.95
LP39963		Tow-Behind High Performance Sprayer, 45 gal. (170 L), requires LP22884 or LP22885 boom <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	774.95
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	469.95
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	489.95
LP20485		Tow-Behind Sprayer, 45 gal. (170 L) <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	629.95
AM105666		Tow-behind sprayer wiring harness extension (X400/X500 HDGTs, X700s, 322, 330, 332, 425, 445, 455) <i>30-in. (76.2-cm) extension for use with sprayers on (X400s/X500s, 322, 330, 332, 425, 445, 455)</i>	40.94
		<b>Spreaders</b>	

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## Signature Series X750 Tractor Less Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LP53522		Drop Spreader, 5 cu ft (Click-N-Go) <i>Requires BM20714 Click-N-Go bracket. Requires front implement or four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights.</i>	3,999.95
LP35439		Mounted Electric Broadcast Spreader, 125 lb (57 kg) (X300/X500 M-T/X700) <i>Requires two front wheel weights or two front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	579.00
LP23117		Mounted electric broadcast spreader barrier shield	69.00
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	363.00
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	410.00
LP67403		Salt Spreader, 3 cu ft (Click-N-Go) <i>Requires BM20714 Click-N-Go bracket. Requires front implement or four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights.</i>	1,349.95
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	449.00
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	298.00
		<b>Thatchers</b>	
LP48004		38-in. (97-cm) Front Thatcher (Center) <i>Requires Mounting Frame</i>	261.00
LP48003		8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	58.00
LP47977		Thatcher mounting frame (X700)	228.00
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	253.00
		<b>Tire Chains</b>	
LP39860		TerraGrip traction belts (pair) for 26x12-12 tires	99.95
TY15958		Tire chains (pair) for 26x12-12 tires	126.41
		<b>Tow Behind</b>	
LPSTS42JD		Lawn Sweeper, 42 in. (107 cm)	391.00
LP49038		Lawn Sweeper, 44 in. (112 cm)	379.99
LP42108		Lawn sweeper dethatcher kit (LPSTS42JD)	133.00
LP39089		MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
LPPRT36JD		Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	253.00
LP64738		Tow-Behind Lawn Roller, 24 x 48 in. (61 x 122 cm) Steel <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	289.00
LPPA40JD		Tow-Behind Plug Aerator, 40 in. (102 cm)	459.00



## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## Signature Series X750 Tractor Less Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	LPPA48JD	Tow-Behind Plug Aerator, 48 in. (122 cm) <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	499.00
	LPSAT40JD	Tow-Behind Spiker Aerator, 40 in. (102 cm)	334.00
		<b>Weather Enclosures</b>	
	LP41114	X700 Signature Series weather enclosure	549.99
		<b>Weights</b>	
	BM24363	9-weight front weight bracket <i>For X400/X500 HDGTs, and X700s</i>	202.23
	UC13263	Quik-Tatch Weight, 42 lb (19 kg)	60.99
	BM20779	Rear Click-N-Go weight bracket (X400/X500 HDGTs, X700s, X940s) <i>Requires BM20714 Click-N-Go bracket</i>	166.91

**JOHN DEERE TURF & UTILITY PRODUCTS**

**GARDEN TRACTORS**

**Signature Series X754 Tractor Less Deck**  
Equipment for Base Machine

**ENGINE**  
24 hp\* (17.9 kW)  
60.6-cu in. (993-cc)  
displacement  
Model 3TNM74F  
Liquid cooled, 3-cylinder with  
cast-iron liners

**FUEL SYSTEM**  
Diesel  
Instrument display with  
hourmeter and fuel gauge

**ELECTRICAL SYSTEM**  
12-V (500-CCA) battery  
40-amp regulated engine-mounted  
alternator  
12-V outlet with switch

**TRANSAXLE**  
K90 hydrostatic transmission  
Twin Touch pedals  
Cruise control  
Differential lock  
0-8.5 mph (0-13.7 km/h) forward  
speed  
0-6 mph (0-9.7 km/h) reverse  
speed

**CHASSIS**  
Standard front weight bracket  
holds up to four 42-lb (19-kg)

Quik-Tatch weights  
Cast-iron front axle  
Replaceable metal spindle  
bushings  
18x7.00-8 front turf tires, 4PR  
26x10.50-12 rear turf tires, 2PR  
Covered toolbox  
Fender handles

**STEERING**  
Power, four-wheel steer  
14-in. (35.6-cm) six-position  
tilt steering wheel  
25-in. (63.5-cm) turning radius  
54 HC - 10-in. (25-cm), 60 HC -  
6-in. (15-cm) uncut circle  
radius

**SEAT**  
21-in. (53.3-cm) two-piece  
adjustable seat

**LIFT SYSTEM**  
Two-function, hydraulic  
implement lift and four  
hydraulic outlets

**OPTIONAL MOWER DECKS**  
Side discharge 48 in. (122 cm),  
54 in. (137 cm), 60 in. (152 cm)  
48A - 10-gauge, 0.135-in.  
(3.4-mm) or 54 HC, 60 HC 9-gauge

0.150-in. (3.8-mm) stamped steel  
deck shell  
Mower wash port  
Four mower wheels, 48A has front  
center rollers

**MOWER ATTACHABILITY**  
48A - Mower wheels rotate 90  
degrees for easy mower removal,  
54 HC or 60 HC - Drive-over deck  
mower installation

\*Engine horsepower and torque  
information for non-Deere  
engines are provided by the  
engine manufacturer for  
comparison purposes only. Actual  
operating horsepower and torque  
will be less. Refer to the  
engine manufacturer's Web site  
for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

**BASE MACHINE**

*F.O.B. Horicon, Wisconsin*

5864M		Signature Series X754 Tractor Less Deck	12,319.00
-------	--	---	-----------

**DESTINATION**

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

**ATTACHMENTS FOR FIELD CONVERSION**

	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>Ballast Box</b>	
	BW14313	Ballast box (Category 1, 3-point hitch)	338.11
	BM20715	Ballast box, Click-N-Go (X400/X500 HDGTs, X700s) <i>Requires BM20714 Click-N-Go Bracket</i>	302.81
		<b>Carts</b>	
	LP21935	Utility Cart, 7P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	223.00

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## Signature Series X754 Tractor Less Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LP22755		Utility Cart, 8Y Convertible Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	199.00
LPPCT10JD		Utility Cart, 10P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	279.00
LP72978		Utility Cart, 10PX Poly with full dump <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	359.00
LPHDC13JD		Utility Cart, 13 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	412.00
LP68186		Utility Cart, 16YS Swivel Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	399.00
LPPCT17JD		Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	423.00
LPHDC18JD		Utility Cart, 18 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	541.00
LPUT21JD		Utility Cart, 21 Steel <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator. Compatible with X700 and similar-sized lawn and garden tractors.</i>	990.00
		<b>Cold Start Packages</b>	
MIA881629		Engine Block Heater Adapter	116.10
AR87167		Engine Coolant Heater (110 V) <i>X740 (SN -060,000), X744 (SN -060,000), and X748 (SN -060,000) require AM134805 engine block heater adapter. X740 (SN 060,001-), X744 (SN 060,001-), X748 (SN 060,001-), X750, X754, and X758 require MIA881629 engine block heater adapter, (2) 19M7868 bolts and (1) M87940 spacer.</i>	82.67
		<b>Drawbar</b>	
BM23989		Drawbar/ ball mount for 1.25 in. receiver hitch <i>Requires BM20877 rear receiver hitch kit. Ball mount sold separately.</i>	40.66
LP63768		Magnetic hitch pin	18.99
BM20877		Rear receiver hitch kit	47.09
		<b>Front Power Take-Off (PTO)</b>	
BM25304		2000-rpm front PTO (X400 and 2-wheel drive X700s) <i>BM25304 must be used with BM25772 implement drive and upstop for snow blowers, or BM25775 implement drive shaft for rotary brooms. BM25772 is available as an attachment through parts, 47-in. Snow Blower (1474M) option code 4013, and 54-in. Snow Blower (02C1M ) option code 4013. BM25775 is available as an attachment through parts, 52-in. Rotary Broom (3880M) option code 4004, and 60-in. Broom (3790M) option code 5004.</i>	402.31

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## Signature Series X754 Tractor Less Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>			
		<b>Front Quick-Hitch</b>	
BM26236		Front quick hitch and hydraulic lift (X400/X500 HDGTs, X700s, X940s)	739.37
BM20896		Hydraulic retro kit <i>Required to fit a Customer's 425, 445 and 455 Snow Blower or Snow Thrower on a New X400/X500 HDGT or X700 Series Tractor.</i>	31.03
<b>Home Maintenance Kits</b>			
LG260		Home maintenance kit (Diesel)	71.38
<b>Hydraulic Angling</b>			
BM25609		Hydraulic angling (X400/X500 HDGTs, X700s, X940s)	226.84
<b>MCS Chutes</b>			
LP65063		MC542 Mower Deck Boot Kit (48A)	96.00
LP44079		MC542 Mower Deck Boot Kit (54HC)	96.00
LP23082		MC542 Mower Deck Boot Kit (60 HC and 60D)	96.00
BM21682		Power Flow chute (14 bu)	147.66
BM21681		Power Flow chute (6.5/7 bu)	115.56
BM20855		Power Flow chute (MC519 with C, X, or A Series Blowers)	92.01
<b>MCS Hoppers</b>			
BM20671		14-bu (493-L) 3-Bag Hopper Assembly (X400/X500 HDGT and X700 Series) <i>Requires Power Flow blower, Power Flow chute, and BM20714 Click-N-Go bracket. Two UC13263 42 lb (19 kg) Quik-Tatch weights are recommended for front ballast. Not compatible with 48X deck on X729, X739 or X749 Tractors.</i>	995.10
LP68577		20-bu (705-L) Click-N-Go™ Material Collection System <i>Requires Power Flow blower, 4 UC13263 42 lb (19 kg) Quik-Tatch weights, and BM20714 Click-N-Go bracket.. Includes Power Flow chute. Not compatible with cab or weather enclosure.</i>	2,624.95
BM20780		7-bu (247-L) 2-Bag Hopper Assembly (X400/X500 HDGT and X700 Series) <i>Requires Power Flow blower, Power Flow chute, and BM20714 Click-N-Go bracket. Two UC13263 42 lb (19 kg) Quik-Tatch weights are recommended for front ballast. Not compatible with a tractor cab or weather enclosure.</i>	507.19
AM135486		Loose knit bag (1) for 7-bu Hopper	45.45
LP49228		MC519 Material Collection System <i>Requires Power Flow blower and Power Flow chute. X400/X500 HDGT and X700 Tractors require LP52039 adapter kit. See Sales Manual for requirements for additional applications. See Sales Manual for ballast requirements.</i>	999.00
LP52039		MC519 Operator's Manual and Attaching Parts for X400/X500 HDGT and X700 Tractors	43.00
LP47170		MCS 14 Dump-from-Seat Hopper, X500 and X700 with 14-bu (493-L) Hopper <i>Requires separate material collection system</i>	624.95
LP47169		MCS 8 Dump-from-Seat Hopper, X500 and X700 with 7-bu (247-L) Hopper <i>Requires separate material collection system</i>	549.95
<b>MCS Power Flow Blowers</b>			

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## Signature Series X754 Tractor Less Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BG20859		48A High-Performance Power Flow (X700 Signature Series)	566.03
BM22696		48C/48X High-Performance Power Flow blower (X300/X500 M-T/X700) <i>When used on X400/X500 HDGT or X700 Tractor with 48C/48X deck (SN -050589) also order one each of 34M7119 spring pin, M145850 mower wheel pin, and M147235 pin, bent.</i>	566.03
BUC10282		54 HC High-Performance Power Flow (X700 Signature Series) <i>For model year 2019- (S.N. 070,001-) 54 HC mower decks (base code 9078M)</i>	688.01
BG20867		54 HC High-Performance Power Flow (X700 Signature Series) <i>For model year 2013-2018 (S.N. 010,001-700,000) 54 HC mower decks (base code 9074M)</i>	674.10
BUC10277		60 HC High-Performance Power Flow (X700 Signature Series) <i>For model year 2019- (S.N. 070,001-) 60 HC mower decks (base code 9079M)</i>	688.01
BG20727		60 HC High-Performance Power Flow (X700 Signature Series) <i>For model year 2013-2018 (S.N. 010,001-070,000) 60 HC mower decks (base code 9075M)</i>	674.10
BG20752		Power Flow Bracket Kit <i>Provides a bracket to give more gauge wheel offset to correct belt rubbing on early production BM24514 Power Flow and BM24515 CE Power Flow.</i>	17.11
		<b>Miscellaneous</b>	
LP54000		54-in. (137-cm) Tractor Shovel <i>Requires 54-in. (137-cm) Front Blade. Go to Order Zone for specific requirements.</i>	799.95
TY25866		Battery charger and maintainer	39.01
LPJD301		Bucket holder (double)	94.95
BM20714		Click-N-Go Bracket (X400/X500 HDGTs, X700s)	119.84
		<b>Mower Decks</b>	
BUC10611		BUC10611 Roller striping kit (60 HC mower decks) <i>Compatible with 54 HC mower decks used on model year 2013- (SN 010,001-) X700 and X900 Signature Series tractors. See VSN attachment story for additional parts requirements for model year 2013-2016 (SN 010,001-050,000) mower decks.</i>	399.11
BM26238		Dry-condition kit (48A)	59.91
BUC10313		Front roller kit <i>For model year 2018- (deck serial number 060,000-) 54-in. (137-cm) and 60-in. (152-cm) HC mower decks</i>	93.09
BUC10329		Front roller kit <i>For model year 2013-2017 (deck serial number 010,001-059,999) 54-in. (137-cm) HC mower decks</i>	93.09
BUC10328		Front roller kit <i>For model year 2013-2017 (deck serial number 010,001-059,999) 60-in. (152-cm) HC mower decks</i>	93.09
LP46468		Grass Striping Groomer for 48A, 54 HC, or 60 HC Deck	114.95
AM130907		Mower deck leveling gauge	7.15

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## Signature Series X754 Tractor Less Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BUC10610		Roller striping kit (54 HC mower decks) <i>Compatible with 54 HC mower decks used on model year 2013- (SN 010,001-) X700 and X900 Signature Series tractors. See VSN attachment story for additional parts requirements for model year 2013-2016 (SN 010,001-050,000) mower decks.</i>	408.74
		<b>Mulch Kits</b>	
BM24993		48A MulchControl attachment <i>Includes mulching blades</i>	169.06
BM23977		54 HC Mulch kit <i>Includes mulching blades</i>	241.81
BM26300		54-in. High Capacity MulchControl attachment	241.81
BM23978		60 HC Mulch kit <i>Includes mulching blades</i>	254.66
BM25258		60-in. High Capacity MulchControl attachment	257.87
BUC10536		Hydraulic MulchControl actuator <i>Allows operator to hydraulically actuate MulchControl while mowing. Includes actuator cylinder, mounting parts, and hydraulic hoses. Requires separate High Capacity MulchControl attachment. For model year 2019- (S.N. 070,001-) 54 HC and 60 HC mower decks.</i>	335.99
		<b>Protection</b>	
BM24375		Front brush guard kit (X710, X730, X734, X738, X739, X750, X754, X758, X940, X948, X949) <i>Not compatible with front quick hitch</i>	264.29
LP93647		Riding mower cover, large deluxe	99.99
LP47913		X700 Signature Series seat cover	69.99
		<b>Rear Hitch</b>	
BM17327		3-point hitch (Category 0) <i>Requires BM23883 adapter kit for use on X700s</i>	676.24
BUC10169		3-point hitch, limited Category 1 (X400/X500 HDGTs, X700s, X940s)	676.24
BM23883		Adaptor kit, X400/X500 HDGT 3-point hitch on X700s <i>Converts a BM21263 (X400/X500 Category 1) or BM17327 (Category 0) for use on X700s</i>	87.74
LVU12858		iMatch™ Quick Hitch Bushings	25.21
LVB25976		iMatch™ Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of LVU15507 bushings.</i>	383.90
		<b>Rear Power Take-Off (PTO)</b>	
BM23588		540-rpm rear PTO (X700s, June 2010 and later production) <i>For use on X700 Series Tractors produced after mid-June 2010 when new-pitch gears entered production. See Sales Manual for tractor serial number break and/or verify that the transmission serial number starts with K00.</i>	999.39
		<b>Seat</b>	
BUC10601		Air-ride suspension seat <i>Model year 2013-2018 (S.N. 010,001-070,000) requires AM146765 wiring harness. See DTAC solution 115258 for more information. <a href="http://dtac.deere.com/Solutions/English/115258.htm">http://dtac.deere.com/Solutions/English/115258.htm</a></i>	937.31

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## Signature Series X754 Tractor Less Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
BUC10553		Arm rest kit <i>For model year 2019- (S.N. 070,001-) X700s</i>	55.64
AM108146		<b>Spark Arrester</b> Spark Arrester Screen for Muffler	36.65
LP22886		<b>Sprayers</b> 3-Point Hitch Deluxe Sprayer, 45 gal. (170 L) <i>Requires LP22884 or LP22885 boom. Requires 3-point hitch and four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights.</i>	874.95
LP20840		3-Point Hitch Sprayer, 45 gal. (170 L) <i>Requires 3-point hitch and four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	859.95
LP22885		High Performance Sprayer Precision Boom (12.5 ft)	269.95
LP22884		High performance boomless nozzles	169.95
LP22862		Mounted Sprayer, 25 gal. (95 L) (X400/X500 HDGT/X700) <i>Requires mid-mount mower, front implement, two front wheel weights, or four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	504.95
LP39963		Tow-Behind High Performance Sprayer, 45 gal. (170 L), requires LP22884 or LP22885 boom <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	774.95
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	469.95
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	489.95
LP20485		Tow-Behind Sprayer, 45 gal. (170 L) <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	629.95
AM105666		Tow-behind sprayer wiring harness extension (X400/X500 HDGTs, X700s, 322, 330, 332, 425, 445, 455) <i>30-in. (76.2-cm) extension for use with sprayers on (X400s/X500s, 322, 330, 332, 425, 445, 455)</i>	40.94
LP53522		<b>Spreaders</b> Drop Spreader, 5 cu ft (Click-N-Go) <i>Requires BM20714 Click-N-Go bracket. Requires front implement or four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights.</i>	3,999.95
LP35439		Mounted Electric Broadcast Spreader, 125 lb (57 kg) (X300/X500 M-T/X700) <i>Requires two front wheel weights or two front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights</i>	579.00
LP23117		Mounted electric broadcast spreader barrier shield	69.00
LP25353		Pull-Type Spin Spreader, 125 lb (57 kg)	363.00
LP25354		Pull-Type Spin Spreader, 175 lb (80 kg)	410.00
LP67403		Salt Spreader, 3 cu ft (Click-N-Go) <i>Requires BM20714 Click-N-Go bracket. Requires front implement or four front-mounted UC13263 42-lb (19-kg) Quik-Tatch weights.</i>	1,349.95
LPAS40JD		Tow-Behind Aerator-Spreader, 40 in. (102 cm)	449.00

## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## Signature Series X754 Tractor Less Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
LP39087		Tow-Behind Broadcast Spreader, 130 lb (59 kg)	199.99
LPBS36JD		Tow-Behind Broadcast Spreader, 175 lb (80 kg)	298.00
		<b>Thatchers</b>	
LP48004		38-in. (97-cm) Front Thatcher (Center) <i>Requires Mounting Frame</i>	261.00
LP48003		8-in. (20-cm) Front Thatcher (Extension) <i>Add one or two extensions to 38-in. (97-cm) Thatcher (Center) as needed to approximate mower width.</i>	58.00
LP47977		Thatcher mounting frame (X700)	228.00
LPTA40JD		Tow-Behind Thatcherator, 40 in. (102 cm)	253.00
		<b>Tire Chains</b>	
LP39859		TerraGrip traction belts (pair) for 26x10.5-12 tires <i>4-wheel steer tractors require BM22725 wheel spacer kit</i>	99.95
TY24328		Tire chains (pair) for 24x12-12 tires <i>Also use with 26x10.5-12 tires on model year 2016- (SN 040,000-) X734 and X754.</i>	115.71
TY25326		Tire chains (pair) for 26x10.5-12 tires <i>For model year -2015 (SN -040,000)</i>	115.71
		<b>Tow Behind</b>	
LPSTS42JD		Lawn Sweeper, 42 in. (107 cm)	391.00
LP49038		Lawn Sweeper, 44 in. (112 cm)	379.99
LP42108		Lawn sweeper dethatcher kit (LPSTS42JD)	133.00
LP39089		MT42C Multi-Tool 42 in. Combo (Plug Aerator and Thatcher)	349.99
LPPRT36JD		Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	253.00
LP64738		Tow-Behind Lawn Roller, 24 x 48 in. (61 x 122 cm) Steel <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	289.00
LPPA40JD		Tow-Behind Plug Aerator, 40 in. (102 cm)	459.00
LPPA48JD		Tow-Behind Plug Aerator, 48 in. (122 cm) <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	499.00
LPSAT40JD		Tow-Behind Spiker Aerator, 40 in. (102 cm)	334.00
		<b>Weather Enclosures</b>	
LP41114		X700 Signature Series weather enclosure	549.99
		<b>Weights</b>	
BM24363		9-weight front weight bracket <i>For X400/X500 HDGTs, and X700s</i>	202.23
UC13263		Quik-Tatch Weight, 42 lb (19 kg)	60.99



## JOHN DEERE TURF &amp; UTILITY PRODUCTS

## GARDEN TRACTORS

## Signature Series X754 Tractor Less Deck

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		<b>ATTACHMENTS FOR FIELD CONVERSION Continued...</b>	
	BM20779	Rear Click-N-Go weight bracket (X400/X500 HDGTs, X700s, X940s) <i>Requires BM20714 Click-N-Go bracket</i>	166.91

# JOHN DEERE TURF & UTILITY PRODUCTS

## GARDEN TRACTORS

---

### Current Attachments for Non-Current GT and GX Garden Tractors

Equipment for Base Machine

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Attachment Information is not available in MOCI for the base code 3575M

**JOHN DEERE TURF & UTILITY PRODUCTS**

**GARDEN TRACTORS**

**Current Attachments for Non-Current 400-Series (425, 445, 455) Heavy Duty Garden Tractors**

Equipment for Base Machine

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

**Attachment Information is not available in MOCI for the base code 3451M**

**JOHN DEERE TURF & UTILITY PRODUCTS**

**GARDEN TRACTORS**

---

**Current Attachments for Non-Current X465, X475, X485, X495, X575, X585, and X595  
Heavy Duty Garden Tractors  
Equipment for Base Machine**

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

**Attachment Information is not available in MOCI for the base code 9610M**

**JOHN DEERE TURF & UTILITY PRODUCTS**

**GARDEN TRACTORS**

**Current Attachments for Non-Current Model Year 2006-2012 X700 Heavy Duty Garden Tractors**

Equipment for Base Machine

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

**Attachment Information is not available in MOCI for the base code 4902M**