

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS**

44-in. Front Blade (model year 2006-2015 X300s)
Equipment for Base Machine

1118 mm (44 in.) Cutting Width Thickness
1016 mm (40 in.) Cutting Width
at 25 degree angle
3 Angling Positions
3.05 mm (0.12 in.) Blade

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

6001M		44-in. Front Blade (model year 2006-2015 X300s) <i>For Model Year 2006-2015 Select Series X300 Tractors</i> <i>Rear weights and tire chains are recommended for additional traction.</i>	589.00
-------	--	--	--------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous

LP33711		Electric lift kit (model year 2006-2015)	453.00
M146542		Front blade rubber squeegee (44-in. blade) <i>Requires 7 03M7188 bolts and 7 14M7273 nuts</i>	72.03
LP33712		Manual angling kit (44-in. Front Blade X300s)	170.00
AM135847		Snow blower and front blade replacement tractor side lift parts <i>Replaces the tractor mounted lift parts from a 2006-2015 44-in. Snow Blower (7001M/SKU23045), 47-in. Snow Blower (7002M/SKU23047), 44-in. Front Blade (6001M/SKU23044), or 48-in. Front Blade (6002M/SKU23048) for use on a model year 2006-2015 X300/X500 M-T tractor.</i>	268.42

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS**

44-in. Front Blade (model year 2016- X300s)
Equipment for Base Machine

1118 mm (44 in.) Cutting Width Thickness
1016 mm (40 in.) Cutting Width
at 25 degree angle
3 Angling Positions
3.05 mm (0.12 in.) Blade

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

6005M		44-in. Front Blade (model year 2016- X300s) <i>For model year 2016- Select Series X300 tractors.</i> <i>X350R tractors require M167277 lift arm. See DTAC solution 117694 for more information. http://dtac.deere.com/Solutions/English/117694.htm</i> <i>Rear weights and tire chains are available for additional traction.</i> <i>Sales are restricted to the following countries: Australia, Austria, Belgium, Canada, Czech Republic, Denmark, Finland, France, Germany, Ireland, Italy, Japan, Luxembourg, Netherlands, New Zealand, Norway, Portugal, Poland, Spain, Sweden, Switzerland, United Kingdom, and United States.</i>	589.00
-------	--	--	--------

DESTINATION

001A		US and Canada	In Base Price
------	--	---------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous		
LP64865		Electric lift kit (model year 2016-)	498.00
M146542		Front blade rubber squeegee (44-in. blade) <i>Requires 7 03M7188 bolts and 7 14M7273 nuts</i>	72.03
LP33712		Manual angling kit (44-in. Front Blade X300s)	170.00
	Spanish North American Kit		
BUC10209		44-in Front Blade Spanish North American Operator's Manual and Decal kit (6005M for 2016- X300 Series)	31.03

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS**

**48-in. Front Blade (model year 2006-2015 X500s)
Equipment for Base Machine**

1219 mm (48 in.) Cutting Width	Spring-Trip with Lock
1194 mm (47 in.) Cutting Width at 15 degree angle	3.05 mm (0.12 in.) Blade Thickness
1067 mm (42 in.) Cutting Width at 30 degree angle	
5 Angling Positions	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

6002M		48-in. Front Blade (model year 2006-2015 X500s) <i>For Model Year 2006-2015 Select Series X500 M-T Tractors</i> <i>Rear weights and tire chains are recommended for additional traction.</i>	829.00
-------	--	--	--------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous

LP33711		Electric lift kit (model year 2006-2015)	453.00
M42868		Front blade rubber squeegee (48-in. and 54-in. blades) <i>48-in. (122-cm) Front Blade requires 7 03M7188 bolts and 7 14M7273 nuts.</i> <i>54-in. (137-cm) Front Blade requires 10 03M7188 bolts and 10 14M7273 nuts.</i>	70.60
AM119321		Heavy-duty skid shoe (1) <i>Optional upgrade on 48-in. (122-cm) Front Blades and 54-in. (137-cm) Quick Hitch Front Blade. Standard equipment on 60-in. (152-cm) Quick Hitch Front Blade. Two required.</i>	69.94
BM23448		Manual angling kit (48-in. Front Blade X394 and X500 M-T)	264.29
AM135847		Snow blower and front blade replacement tractor side lift parts <i>Replaces the tractor mounted lift parts from a 2006-2015 44-in. Snow Blower (7001M/SKU23045), 47-in. Snow Blower (7002M/SKU23047), 44-in. Front Blade (6001M/SKU23044), or 48-in. Front Blade (6002M/SKU23048) for use on a model year 2006-2015 X300/X500 M-T tractor.</i>	268.42
LP64664		Snow plow markers <i>Compatible with 48-in. Front Blade and 54-in. Quick Hitch Front Blade</i>	25.00

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS**

48-in. Front Blade (X394, model year 2016- X500s)
Equipment for Base Machine

1219 mm (48 in.) Cutting Width	Spring-Trip with Lock
1194 mm (47 in.) Cutting Width at 15 degree angle	3.05 mm (0.12 in.) Blade Thickness
1067 mm (42 in.) Cutting Width at 30 degree angle	
5 Angling Positions	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

6006M	48-in. Front Blade (X394, model year 2016- X500s) <i>For X394, and model year 2016- Select Series X500 M-T tractors.</i> <i>Rear weights and tire chains are recommended for additional traction.</i> <i>Sales are restricted to the following countries: Australia, Austria, Belgium, Canada, Czech Republic, Denmark, Finland, France, Germany, Ireland, Italy, Japan, Luxembourg, Netherlands, New Zealand, Norway, Portugal, Poland, Spain, Sweden, Switzerland, United Kingdom, and United States.</i>	829.00
-------	--	--------

DESTINATION

001A	US and Canada	In Base Price
------	---------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous

LP64865	Electric lift kit (model year 2016-) <i>For X394 and X570, not compatible with X580, X584, and X590.</i>	498.00
M42868	Front blade rubber squeegee (48-in. and 54-in. blades) <i>48-in. (122-cm) Front Blade requires 7 03M7188 bolts and 7 14M7273 nuts.</i> <i>54-in. (137-cm) Front Blade requires 10 03M7188 bolts and 10 14M7273 nuts.</i>	70.60
AM119321	Heavy-duty skid shoe (1) <i>Optional upgrade on 48-in. (122-cm) Front Blades and 54-in. (137-cm) Quick Hitch Front Blade. Standard equipment on 60-in. (152-cm) Quick Hitch Front Blade. Two required.</i>	69.94
BM23448	Manual angling kit (48-in. Front Blade X394 and X500 M-T)	264.29
LP64664	Snow plow markers <i>Compatible with 48-in. Front Blade and 54-in. Quick Hitch Front Blade</i>	25.00
BUC10208	Spanish North American Kit 48-in Front Blade Spanish North American Operator's Manual and Decal kit (6006M for 2016- X500 Series)	63.13

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**54 in. Quick-Hitch Front Blade
Equipment for Base Machine**

1372 mm (54 in.) Clearing Width Straight	degrees
1219 mm (48 in.) Clearing Width Fully Angled	Two Adjustable Skid Shoes
Replaceable Cutting Edge	Reinforced Angle Bar on Back of Blade Spring Breakaway with Lock-Out Pin
Heavy 11-Gauge, Curved Blade	
Angled Left or Right Up to 27	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

1492M		54 in. Quick-Hitch Front Blade <i>For 425, 445, 455, X400/X500 Heavy Duty Garden Tractors, X700s, X940s, X950R, 1023E, 1025R, 1026R, 2210, 2305, 2025R, 2026R, 2027R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110 and 4115 Tractors. Compact tractors require dual selective control valve and front attaching support kit. See Sales Manual for front attaching support requirements. See Sales Manual for ballast requirements. BM20761 hydraulic coupler kit required on 425, X465, X475, X700, and X710 Tractors.</i>	539.00
-------	--	---	--------

DESTINATION

0202	United States <i>Requires option code 0409 English operator's manual and decal kit or option code 0437 Spanish operator's manual and decal kit.</i>	In Base Price
0184	Canada <i>Requires option code 0409 English operator's manual and decal kit or option code 0413 French operator's manual and decal kit.</i>	No Added Cost
0205	Quebec <i>Requires option code 0413 French operator's manual and decal kit.</i>	No Added Cost
0195	Mexico <i>Requires option code 0457 Spanish operator's manual and no-text decal kit.</i>	No Added Cost

OPERATOR'S MANUAL

0409	English operator's manual and decal kit	In Base Price
0413	French Canada operator's manual and decal kit	No Added Cost
0437	Spanish operator's manual and decal kit	No Added Cost
0448	English operator's manual and no-text decal kit	No Added Cost
0457	Spanish operator's manual and no-text decal kit	No Added Cost

FRONT QUICK-HITCH

6940	Front Quick-Hitch and Hydraulic Lift	645.00
------	--------------------------------------	--------

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

54 in. Quick-Hitch Front Blade

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		FRONT QUICK-HITCH Continued... <i>For X400 and X500 Heavy Duty Garden Tractors, X700s, X940s.</i>	
6947		Front Quick-Hitch and Hydraulic Lift <i>For 425, 445, and 455.</i>	667.00
6943		Front Quick-Hitch and Hydraulic Lift <i>For 2210 and 2305. Also requires LVB25396 front attaching support.</i>	685.00
6950		Front Quick-Hitch and Hydraulic Lift <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115. Also requires LVB24895 front attaching support (model year 2013-2016 2025R and 2320). Also requires LVB25302 front attaching support (model year 2013-2016 2032R, 2520, 2720, 4100, 4110, 4115).</i>	749.00
6953		Front Quick-Hitch and Hydraulic Lift <i>For model year 2017- 2025R, and 2026R. Includes BLV10680 front attaching support kit.</i>	959.00
6952		Front Quick-Hitch and Hydraulic Lift <i>For 1023E, 1025R, and 1026R. Includes BLV10796 front attaching support kit.</i>	950.00
6968		Less Front Quick-Hitch	In Base Price
<hr/>			
HYDRAULIC ANGLING			
6800		Hydraulic Angling <i>For X400/X500 Heavy Duty Garden Tractors, X700s, X940s, and X950R.</i>	198.00
6801		Hydraulic Angling <i>For 425, 445, and 455.</i>	173.00
6802		Hydraulic Angling <i>For 2210 and 2305.</i>	200.00
6803		Hydraulic Angling <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115.</i>	206.00
6805		Hydraulic Angling <i>For 1023E, 1025R, 1026R, model year 2017- 2025R, and 2026R.</i>	271.00
6818		Less Hydraulic Angling	In Base Price
<hr/>			
ATTACHMENTS FOR FIELD CONVERSION			
		Attaching Parts	
LVB24899		Front Hitch/Mid-Mount Mower Combo Bracket (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320-2720)</i>	136.96

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

54 in. Quick-Hitch Front Blade

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LVB25302		Front-Attaching Support Kit <i>For model year 2013-2016 2032R, 2520, 2720, 4100, 4110, 4115 tractors. If tractor is equipped with hood guard, attaching support kit is not required. See Sales Manual for front attaching support requirements.</i>	63.13
		Front Hitch	
BLV10680		Front Attaching Support kit (model year 2017- 2025R, 2026R)	284.61
BLV10880		Hydraulic angling (1023E, 1025R, 1026R, model year 2017- 2025R, 2026R)	303.89
BLV10708		Quick Hitch Kit (1023E, 1025R, 1026R, model year 2017- 2025R, 2026R)	793.94
		Front Power Take-off (Pto)	
BLV10796		Front Attaching Support kit (1023E, 1025R, 1026R)	273.91
		Front Quick-hitch	
BM20921		Front Quick-Hitch and Hydraulic Lift (2305) <i>Fits also 2210 Tractors (for 47SB only).</i>	770.40
LVB24898		Front Quick-Hitch and Hydraulic Lift (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720) <i>Fits also 4010, 4100, 4110 and 4115 Tractors for 47SB only.</i>	841.01
BM17347		Front quick hitch and hydraulic lift (415, 425, 445, 455)	750.07
BM26236		Front quick hitch and hydraulic lift (X400/X500 HDGTs, X700s, X940s) <i>BM25609 hydraulic angling kit recommended</i>	724.39
BM20761		Hydraulic coupler kit <i>Required on X700, X710, X465, X475, and 425 Tractors</i>	57.79
		Hydraulic Angling	
BM20922		Hydraulic angling (2210, 2305)	224.70
BM17650		Hydraulic angling (415, 425, 445, 455)	193.67
BM25609		Hydraulic angling (X400/X500 HDGTs, X700s, X940s)	222.56
LVB24901		Hydraulic angling (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	232.19
		Miscellaneous	
LP54000		54-in. (137-cm) Tractor Shovel <i>For X400/X500 HDGTs, and X700s. See Sales Manual for specific requirements.</i>	760.00
LVB25396		Front Attaching Support Kit (2305) <i>2210 and 2305 Tractors with 200X or 200CX hood guard require attaching support kit. Fits also 2210 Tractors (for 47SB only.) See Sales Manual for front attaching support requirements.</i>	62.06
LVB24895		Front Attaching Support Kit (model year 2013-2016 2025R, 2320) <i>2025R and 2320 tractors with 200X or 200CX hood guard require attaching support kit. See sales manual for front attaching support requirements.</i>	90.96
M42868		Front blade rubber squeegee (48-in. and 54-in. blades) <i>48-in. (122-cm) Front Blade requires 7 03M7188 bolts and 7 14M7273 nuts. 54-in. (137-cm) Front Blade requires 10 03M7188 bolts and 10 14M7273 nuts.</i>	70.60

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

54 in. Quick-Hitch Front Blade
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LP53767		Front blade snow extension kit <i>Pair of 9-inch extensions to lengthen 54-inch front blade to 72-inch width. For use in snow removal applications on X400/X500 HDGT's and X700's. Not approved for dirt or any CUT applications.</i>	208.00
BM20753		Front light kit <i>For X400/X500 HDGT and X700 Series Garden Tractors.</i>	217.21
AM119321		Heavy-duty skid shoe (1) <i>Optional upgrade on 48-in. (122-cm) Front Blades and 54-in. (137-cm) Quick Hitch Front Blade. Standard equipment on 60-in. (152-cm) Quick Hitch Front Blade. Two required.</i>	69.94
LP64664		Snow plow markers <i>Compatible with 48-in. Front Blade and 54-in. Quick Hitch Front Blade</i>	25.00

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

60 in. Quick-Hitch Front Blade
Equipment for Base Machine

1524 mm (60 in.) Clearing Width Straight	Two Adjustable Heavy Duty Skid Shoes
1358 mm (53.5 in.) Clearing Width Fully Angled	Reinforced Angle Bar on Back of Blade Spring Breakaway with Lock-Out Pin
Replaceable Cutting Edge Heavy 7-Gauge, Curved Blade Angled Left or Right Up to 27 degrees	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

9820M		60 in. Quick-Hitch Front Blade <i>For X400/X500 Heavy Duty Garden Tractors, X700s, X940s, X950R, 1023E, 1025R, 1026R, 2210, 2305, 2025R, 2026R, 2027R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110 and 4115 Tractors. BM20761 hydraulic coupler kit required on X465, X475, X700, and X710 Tractors. Compact tractors require dual selective control valve and front attaching support lit. See Sales Manual for front attaching support requirements. See Sales Manual for ballast requirements.</i>	929.00
-------	--	---	--------

DESTINATION

0202	United States <i>Requires option code 0409 English operator's manual and decal kit or option code 0437 Spanish operator's manual and decal kit.</i>	In Base Price
0184	Canada <i>Requires option code 0409 English operator's manual and decal kit or option code 0413 French operator's manual and decal kit.</i>	No Added Cost
0205	Quebec <i>Requires option code 0413 French operator's manual and decal kit.</i>	No Added Cost
0195	Mexico <i>Requires option code 0457 Spanish operator's manual and no-text decal kit.</i>	No Added Cost

OPERATOR'S MANUAL

0409	English operator's manual and decal kit	In Base Price
0413	French Canada operator's manual and decal kit	No Added Cost
0437	Spanish operator's manual and decal kit	No Added Cost
0448	English operator's manual and no-text decal kit	No Added Cost
0457	Spanish operator's manual and no-text decal kit	No Added Cost

FRONT QUICK-HITCH

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

60 in. Quick-Hitch Front Blade

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
6940		FRONT QUICK-HITCH Continued... Front Quick-Hitch and Hydraulic Lift <i>For X400 and X500 Heavy Duty Garden Tractors, X700s, X940s.</i>	645.00
6943		Front Quick-Hitch and Hydraulic Lift <i>For 2210 and 2305. Also requires LVB25396 front attaching support.</i>	685.00
6950		Front Quick-Hitch and Hydraulic Lift <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115. Also requires LVB24895 front attaching support (model year 2013-2016 2025R and 2320). Also requires LVB25302 front attaching support (model year 2013-2016 2032R, 2520, 2720, 4100, 4110, 4115).</i>	749.00
6953		Front Quick-Hitch and Hydraulic Lift <i>For model year 2017- 2025R, and 2026R. Includes BLV10680 front attaching support kit.</i>	959.00
6952		Front Quick-Hitch and Hydraulic Lift <i>For 1023E, 1025R, and 1026R. Includes BLV10796 front attaching support kit.</i>	950.00
6968		Less Front Quick-Hitch	In Base Price

HYDRAULIC ANGLING

6800		Hydraulic Angling <i>For X400/X500 Heavy Duty Garden Tractors, X700s, X940s, and X950R.</i>	198.00
6802		Hydraulic Angling <i>For 2210 and 2305.</i>	200.00
6803		Hydraulic Angling <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115.</i>	206.00
6805		Hydraulic Angling <i>For 1023E, 1025R, 1026R, model year 2017- 2025R, and 2026R.</i>	271.00
6818		Less Hydraulic Angling	In Base Price

ATTACHMENTS FOR FIELD CONVERSION

	Attaching Parts		
LVB24899	Front Hitch/Mid-Mount Mower Combo Bracket (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320-2720)</i>		136.96
LVB25302	Front-Attaching Support Kit <i>For model year 2013-2016 2032R, 2520, 2720, 4100, 4110, 4115 tractors. If tractor is equipped with hood guard, attaching support kit is not required. See Sales Manual for front attaching support requirements.</i>		63.13
	Front Hitch		
BLV10680	Front Attaching Support kit (model year 2017- 2025R, 2026R)		284.61

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

60 in. Quick-Hitch Front Blade

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10880		Hydraulic angling (1023E, 1025R, 1026R, model year 2017- 2025R, 2026R)	303.89
BLV10708		Quick Hitch Kit (1023E, 1025R, 1026R, model year 2017- 2025R, 2026R)	793.94
		Front Power Take-off (Pto)	
BLV10796		Front Attaching Support kit (1023E, 1025R, 1026R)	273.91
		Front Quick-hitch	
BM20921		Front Quick-Hitch and Hydraulic Lift (2305) <i>Fits also 2210 Tractors (for 47SB only).</i>	770.40
LVB24898		Front Quick-Hitch and Hydraulic Lift (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720) <i>Fits also 4010, 4100, 4110 and 4115 Tractors for 47SB only.</i>	841.01
BM26236		Front quick hitch and hydraulic lift (X400/X500 HDGTs, X700s, X940s) <i>BM25609 hydraulic angling kit recommended</i>	724.39
BM20761		Hydraulic coupler kit <i>Required on X700, X710, X465, X475, and 425 Tractors</i>	57.79
		Hydraulic Angling	
BM20922		Hydraulic angling (2210, 2305)	224.70
BM25609		Hydraulic angling (X400/X500 HDGTs, X700s, X940s)	222.56
LVB24901		Hydraulic angling (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	232.19
		Miscellaneous	
LVB25396		Front Attaching Support Kit (2305) <i>2210 and 2305 Tractors with 200X or 200CX hood guard require attaching support kit. Fits also 2210 Tractors (for 47SB only.) See Sales Manual for front attaching support requirements.</i>	62.06
LVB24895		Front Attaching Support Kit (model year 2013-2016 2025R, 2320) <i>2025R and 2320 tractors with 200X or 200CX hood guard require attaching support kit. See sales manual for front attaching support requirements.</i>	90.96
BM20753		Front light kit <i>For X400/X500 HDGT and X700 Series Garden Tractors.</i>	217.21
AM119321		Heavy-duty skid shoe (1)	69.94
LP64664		Snow plow markers <i>Compatible with 48-in. Front Blade and 54-in. Quick Hitch Front Blade</i>	25.00

JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR RIDERS & TRACTORS

ROPS Hard Cab Equipment for Base Machine

Modular Design
Roll-Over Protective Structure
(ROPS) Certified
Steel Doors
Sliding Glass Windows
Front windshield wiper

Safety Glass Rear Window

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

9356M		ROPS Hard Cab <i>For X700 Signature Series Tractors (X710, X730, X734, X738, X739, X750, X754, and X758)</i>	5,119.00
-------	--	---	----------

DESTINATION

001A		US and Canada	In Base Price
------	--	---------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

		Miscellaneous		
LVB25015		55-amp alternator	<i>Replaces standard 40 amp alternator on X750, X754, and X758 Tractors. Model year 2013-2015 tractors (SN 010,001-040,000) also require BM25347 55-amp alternator harness kit.</i>	323.14
BM25347		55-amp alternator harness kit		49.21
BUC10188		Auxiliary alternator kit (X710, X730, X734, X738, X739)	<i>Supplements standard 20-amp alternator. Recommended with heated cabs.</i>	450.47
BM25094		Heater quick connect kit (X710,X730,X734,X738,X739,X750,X754,X758)		185.11
BM25033		Heater, Tuck-Away		469.73
BM25081		Interior rear-view mirror kit (X710, X730, X734, X738, X739, X750, X754, X758)		115.56
BM25062		Mirror kit (X710,X730,X734,X738,X739,X750,X754,X758)		114.49
BM25061		Rear wiper kit (X710,X730,X734,X738,X739,X750,X754,X758)		156.21
BM25063		Strobe light kit (X710,X730,X734,X738,X739,X750,X754,X758)		164.79
BM25064		Switch-panel fuse block kit (X710,X730,X734,X738,X739,X750,X754,X758)		317.79
BM25082		Work light kit (X710,X730,X734,X738,X739,X750,X754,X758)		231.11

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS**

38 in. Edge Xtra Deck (38X)
Equipment for Base Machine

38-in. (96.5-cm) cutting width
Side discharge Edge Xtra
12-gauge, 0.105-in. (2.7-mm)
stamped-steel deck shell
Belt drive
Two greaseable blade spindles

Mower wash port
Two front mower wheels

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Janesville, Wisconsin.

9038M		38 in. Edge Xtra Deck (38X) <i>For Model Year 2006-2015 Select Series Tractors (Model X300, and X310). Requires M156856 Right-Hand Lift Arm.</i>	630.00
-------	--	---	--------

DESTINATION

0202		United States and Canada	In Base Price
------	--	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

	Mower Decks		
AM130907	Mower deck leveling gauge		7.01
	Mulch Kits		
BM21817	Mulch kit, 38 in. (97 cm)/38X		138.03

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS**

42 in. Edge Xtra Deck (42X)
Equipment for Base Machine

42-in. (107-cm) cutting width	Mower wash port
Side discharge Edge Xtra	Two front mower wheels
12-gauge, 0.105-in. (2.7-mm)	
stamped-steel deck shell	
Belt drive	
Two greaseable blade spindles	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Janesville, Wisconsin.

9039M		42 in. Edge Xtra Deck (42X) <i>For Model Year 2006-2015 Select Series Tractors (Model X300, X304, X310, X320, X324, X340, X360, Model X500, X520, X540, and Model Year 2015 X590).</i>	630.00
-------	--	---	--------

DESTINATION

0202		United States and Canada	In Base Price
------	--	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

	Mower Decks		
AM130907	Mower deck leveling gauge		7.01
	Mulch Kits		
BM21816	Mulch kit, 42 in. (107 cm)/42X		103.79

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS**

42 in. Edge Mulch Deck (42M)
Equipment for Base Machine

42-in. (107-cm) cutting width
Mulch rear discharge
12-gauge, 0.105-in. (2.7-mm)
stamped-steel deck shell
Belt drive
Two greaseable blade spindles

Mower wash port
Two front mower wheels

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Janesville, Wisconsin.

903RM		42 in. Edge Mulch Deck (42M) <i>For Model Year 2006-2015 Select Series Tractors (Model X300, X304, X310, X320, X324, X340, X360, Model X500, X520, X540, and Model Year 2015 X590).</i> <i>Also order AM136646 Lift Assist Spring Kit when used on X300-38,X300-42X, X300-Less deck, X304-42X, or with MY2006-MY2009 (Serial 010001-150,000) X300-42M tractors.</i>	735.00
-------	--	---	--------

DESTINATION

0202		United States and Canada	In Base Price
------	--	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

AM130907		Mower Decks Mower deck leveling gauge	7.01
----------	--	---	------

JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR RIDERS & TRACTORS

48 in. Edge Xtra Deck (48X) Equipment for Base Machine

48-in. (122-cm) cutting width
Side discharge Edge Xtra
11-gauge, 0.120-in. (3-mm)
stamped-steel deck shell
Belt drive
Three greaseable blade spindles
Mower wash port

Four mower wheels and front
center roller
Mower wheels rotate 90 degrees
for easy mower removal

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Janesville, Wisconsin.

903SM		48 in. Edge Xtra Deck (48X) <i>For Model Year 2006-2015 Select Series Tractors (Model X300, X304, X310, X320, X324, X340, X360, Model X500, X520, X534, X540, and Model Year 2015 X590).</i> <i>Also order AM136646 Lift Assist Spring Kit when used on X300-38, X300-42X, X300-Less deck, X304-42X, or with MY2006-MY2009 (Serial 010001-150,000) X300-42M tractors.</i>	1,050.00
-------	--	---	----------

DESTINATION

0202		United States and Canada	In Base Price
------	--	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

		Mower Decks	
AM130907		Mower deck leveling gauge	7.01
		Mulch Kits	
BM20007		Mulch kit (48C/48X)	164.79

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS**

54 in. Edge Xtra Deck (54X)
Equipment for Base Machine

54-in. (137-cm) cutting width
Side discharge Edge Xtra
10-gauge, 0.135-in. (3.4-mm)
stamped-steel deck shell
Belt drive
Three greaseable blade spindles
Mower wash port

Four mower wheels and front
center roller
Mower wheels rotate 90 degrees
for easy mower removal

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Janesville, Wisconsin.

903TM		54 in. Edge Xtra Deck (54X) <i>For Model Year 2006-2015 Select Series Tractors (X320, X324, X340, X360, Model X500, X520, X534, X540, and Model Year 2015 X590).</i>	1,360.00
-------	--	---	----------

DESTINATION

0202		United States and Canada	In Base Price
------	--	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

	Mower Decks		
AM130907	Mower deck leveling gauge		7.01
	Mulch Kits		
BM20827	Mulch kit (54C/54D/54X)		222.56

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS**

42-in. Accel Deep Mower Deck (42A)
Equipment for Base Machine

42-in. (107-cm) cutting width
Side discharge Accel Deep
12-gauge, 0.105-in. (2.7-mm)
stamped-steel deck shell
Belt drive
Two greaseable blade spindles

Mower wash port
Two front mower wheels

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Horicon, Wisconsin

5370M		42-in. Accel Deep Mower Deck (42A) <i>For Model Year 2016- Select Series Tractors (X330, X350, X354, and X370).</i>	600.00
-------	--	--	--------

DESTINATION

001A		US/CANANDA	In Base Price
0195		MEXICO	No Added Cost

ATTACHMENTS FOR FIELD CONVERSION

Mower Decks		
AM130907	Mower deck leveling gauge	7.01
Mulch Kits		
BM24794	42A MulchControl attachment	139.10
BUC10164	42A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information. http://dtac.deere.com/Solutions/English/110887.htm</i>	321.00

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS**

42-in. Edge Mulch Mower Deck (42M)
Equipment for Base Machine

42-in. (107-cm) cutting width	Mower wash port
Mulch rear discharge	Two front mower wheels
12-gauge, 0.105-in. (2.7-mm)	
stamped-steel deck shell	
Belt drive	
Two greaseable blade spindles	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Horicon, Wisconsin

5376M		42-in. Edge Mulch Mower Deck (42M) <i>For Model Year 2016- Select Series Tractors (X330, X350, X354, and X370).</i>	700.00
-------	--	--	--------

DESTINATION

001A		US/CANANDA	In Base Price
------	--	------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

	Mower Decks		
AM130907	Mower deck leveling gauge		7.01

JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR RIDERS & TRACTORS

48-in. Accel Deep Mower Deck (48A) Equipment for Base Machine

48-in. (122-cm) cutting width Side discharge Accel Deep 10-gauge, 0.135-in. (3.4-mm) stamped-steel deck shell Belt drive Three greaseable blade spindles Mower wash port	Four mower wheels and front center roller Mower wheels rotate 90 degrees for easy mower removal
--	--

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

<i>F.O.B. Horicon, Wisconsin</i>		
5372M	48-in. Accel Deep Mower Deck (48A) <i>For Model Year 2016- Select Series Tractors (X330, X350, X354, X370, X380, X384, X390, X394, X570, X580, X584, and X590 Serial 110,001-).</i> X330, X350, and X354 tractors shipped with 42A mower deck or less deck require BM25887 lift assist spring kit.	1,000.00

DESTINATION

001A	US/CANANDA	In Base Price
0195	MEXICO	No Added Cost

ATTACHMENTS FOR FIELD CONVERSION

Mower Decks		
AM130907	Mower deck leveling gauge	7.01
Mulch Kits		
BM24993	48A MulchControl attachment	169.06
BUC10165	48A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000; X500 serial number 110,001-130,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information. http://dtac.deere.com/Solutions/English/110887.htm</i>	350.96

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS**

54-in. Accel Deep Mower Deck (54A)
Equipment for Base Machine

54-in. (137-cm) cutting width	Four mower wheels and front center roller
Side discharge Accel Deep 10-gauge, 0.135-in. (3.4-mm) stamped-steel deck shell	Mower wheels rotate 90 degrees for easy mower removal
Belt drive	
Three greaseable blade spindles	
Mower wash port	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Horicon, Wisconsin

5373M		54-in. Accel Deep Mower Deck (54A) <i>For Model Year 2016- Select Series Tractors (X380, X384, X390, X394, X570, X580, X584, and X590 Serial 110,001-).</i>	1,300.00
-------	--	--	----------

DESTINATION

001A		US/CANANDA	In Base Price
0195		MEXICO	No Added Cost

ATTACHMENTS FOR FIELD CONVERSION

Mower Decks		
AM130907	Mower deck leveling gauge	7.01
Mulch Kits		
BM24994	54A MulchControl attachment	219.36
BUC10166	54A electric one-touch MulchControl attachment <i>Includes mulching blades. Allows operator to actuate MulchControl with a dash mounted switch while mowing. Includes switch, actuator, and MulchControl mower deck components. Installation on model year 2016 and 2017 (X300 serial number 010,001-050,000; X500 serial number 110,001-130,000) requires replacement tractor wiring harness and dash. See DTAC solution 110887 for more information. http://dtac.deere.com/Solutions/English/110887.htm</i>	401.26

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS**

48-in. Shaft Drive Edge Xtra Mower Deck (48X)
Equipment for Base Machine

48-in. (122-cm) cutting width	Four mower wheels and front center roller
Side discharge Edge Xtra	center roller
11-gauge, 0.120-in. (3-mm) stamped-steel deck shell	Mower wheels rotate 90 degrees for easy mower removal
Shaft drive	
Three greaseable blade spindles	
Mower wash port	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Horicon, Wisconsin

9070M		48-in. Shaft Drive Edge Xtra Mower Deck (48X) For X400/X500 HDGTs (Heavy-Duty Garden Tractors), Model Year 2006-2012 X700 Signature Series, and Model Year 2013-2015 X700 Signature Series. Model Year 2013-2015 Signature Series Models (X710, X730, X734, X738, X739, X750, X754, and X758) require BM24370 Upstop Kit (Order Through Parts).	1,360.00
-------	--	---	----------

DESTINATION

0202		United States and Canada	In Base Price
------	--	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

Attaching Parts			
BM24370		48X Draft arm kit, X700 Signature Series Installation on X700 tractors built after 22 September 2016 (including all model year 2017- tractors) also require two M176459 half-moon bushings.	66.34
Mower Decks			
AM130907		Mower deck leveling gauge	7.01
Mulch Kits			
BM20007		Mulch kit (48C/48X)	164.79

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS**

**54-in. Shaft Drive Convertible/Edge Xtra Mower Deck (54C/54X)
Equipment for Base Machine**

54-in. (137-cm) cutting width	Four mower wheels and front center roller
Side discharge Edge Xtra	center roller
10-gauge, 0.135-in. (3.4-mm) stamped-steel deck shell	Mower wheels rotate 90 degrees for easy mower removal
Shaft drive	
Three greaseable blade spindles	
Mower wash port	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Horicon, Wisconsin

9071M		54-in. Shaft Drive Convertible/Edge Xtra Mower Deck (54C/54X) <i>For X400/X500 HDGTs (Heavy-Duty Garden Tractors), Model Year 2006-2012 X700 Series, 2210 and 2305 Compact Utility Tractors.</i>	1,360.00
-------	--	---	----------

DESTINATION

0202		United States and Canada	In Base Price
0195		Mexico	No Added Cost

ATTACHING PARTS

1000		Attaching Parts for 2305, 2210 (Mechanical Mower Lift)	277.00
1001		Attaching Parts for 2305 (Independent Mower Lift) <i>Independent Lift is not Available on 2210.</i>	551.00
1010		Less Attaching Parts <i>Order when mower deck will be used on X400/X500 HDGTs (heavy-duty garden tractors) or X700s.</i>	In Base Price

ATTACHMENTS FOR FIELD CONVERSION

Attaching Parts			
LVB25631		Attaching Parts for 2305 (Independent Mower Lift) <i>Requires LVB25630 independent lift kit. Not available for 2210 tractors.</i>	197.96
LVB25419		Attaching Parts for 2305, 2210 (Mechanical Mower Lift)	311.37
LVB25630		Independent Lift Kit for 2305, 2025R, 2320 Tractors <i>Requires LVB25620 (option code 1001) attaching parts. Requires LVB25631 (independent lift attaching parts). Not available for 2210 tractors. Requires LVB25620 (option code 1001) attaching parts. Requires LVB25631 (independent lift attaching parts). Not available for 2210 tractors.</i>	420.51
Hydraulics			
LVB25822		Loader and Mower Mechanical Diverter Valve Kit (2305, 2025R, 2320) <i>Diverter is not compatible with mechanical mower lift system. Diverter is not compatible with mechanical mower lift system.</i>	432.29

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS

54-in. Shaft Drive Convertible/Edge Xtra Mower Deck (54C/54X)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Mower Decks	
AM130907		Mower deck leveling gauge	7.01
BM23648		Roller striping kit (X400/X500 HDGT, X700s) <i>Compatible with model year 2004- (SN 040, 001-) 54C, 54X, 62X, and 60-in. (152-cm) 7-Iron Mowers used on X400/X500 HDGT and X700 Ultimate Tractors. See Sales Manual for additional parts requirements on model year 2004-2007 (SN 040,001-100,000) 54C, 54X, 62C and 62X Decks.</i>	294.26
		Mulch Kits	
BM20827		Mulch kit (54C/54D/54X)	222.56
		Spanish North American Kit	
LVB26020		North American Spanish Labels	0.00

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS**

62-in. Shaft Drive Convertible/Edge Xtra Mower Deck (62C/62X)
Equipment for Base Machine

62-in. (157-cm) cutting width	Four mower wheels and front center roller
Side discharge Edge Xtra	center roller
10-gauge, 0.135-in. (3.4-mm) stamped-steel deck shell	Mower wheels rotate 90 degrees for easy mower removal
Shaft drive	
Three greaseable blade spindles	
Mower wash port	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Horicon, Wisconsin

9072M		62-in. Shaft Drive Convertible/Edge Xtra Mower Deck (62C/62X) <i>For X400/X500 HDGTs (Heavy-Duty Garden Tractors), Model Year 2006-2012 X700 Series, 2210 and 2305 Compact Utility Tractors.</i>	1,780.00
-------	--	---	----------

DESTINATION

0202		United States and Canada	In Base Price
0195		Mexico	No Added Cost

ATTACHING PARTS

1000		Attaching Parts for 2305, 2210 (Mechanical Mower Lift)	277.00
1001		Attaching Parts for 2305 (Independent Mower Lift) <i>Independent Lift is not Available on 2210.</i>	551.00
1010		Less Attaching Parts <i>Order when mower deck will be used on X400/X500 HDGTs (heavy-duty garden tractors) or X700s.</i>	In Base Price

ATTACHMENTS FOR FIELD CONVERSION

Attaching Parts			
LVB25631		Attaching Parts for 2305 (Independent Mower Lift) <i>Requires LVB25630 independent lift kit. Not available for 2210 tractors.</i>	197.96
LVB25419		Attaching Parts for 2305, 2210 (Mechanical Mower Lift)	311.37
LVB25630		Independent Lift Kit for 2305, 2025R, 2320 Tractors <i>Requires LVB25620 (option code 1001) attaching parts. Requires LVB25631 (independent lift attaching parts). Not available for 2210 tractors. Requires LVB25620 (option code 1001) attaching parts. Requires LVB25631 (independent lift attaching parts). Not available for 2210 tractors.</i>	420.51
Hydraulics			
LVB25822		Loader and Mower Mechanical Diverter Valve Kit (2305, 2025R, 2320) <i>Diverter is not compatible with mechanical mower lift system. Diverter is not compatible with mechanical mower lift system.</i>	432.29

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS

62-in. Shaft Drive Convertible/Edge Xtra Mower Deck (62C/62X)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Mower Decks	
AM130907		Mower deck leveling gauge	7.01
BM23648		Roller striping kit (X400/X500 HDGT, X700s) <i>Compatible with model year 2004- (SN 040, 001-) 54C, 54X, 62X, and 60-in. (152-cm) 7-Iron Mowers used on X400/X500 HDGT and X700 Ultimate Tractors. See Sales Manual for additional parts requirements on model year 2004-2007 (SN 040,001-100,000) 54C, 54X, 62C and 62X Decks.</i>	294.26
		Mulch Kits	
BM21890		Mulch kit (62C/62D/62X)	237.54
		Spanish North American Kit	
LVB26020		North American Spanish Labels	0.00

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS**

60-in. Shaft Drive 7-Iron Mower Deck (60D)
Equipment for Base Machine

60-in. (152-cm) cutting width	Four mower wheels and front center roller
Side discharge 7-Iron	center roller
7-gauge, 0.179-in. (4.6-mm) stamped-steel deck shell	Mower wheels rotate 90 degrees for easy mower removal
Shaft drive	
Three greaseable blade spindles	
Mower wash port	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Horicon, Wisconsin

9076M		60-in. Shaft Drive 7-Iron Mower Deck (60D) <i>Compatible With Model Year 2007-2012 (Serial 020,001-080,000) X700-Series 2-Wheel Steer Tractors. Not Compatible with 4-Wheel Steer Models.</i> <i>Requires Turf Tires or BM22425 HDAP Tires. BM22425 Tires are Factory Equipment on Serial MOX728A020102- and MOX748A020388-.</i> <i>See Sales Manual for Complete Compatibility Information for 3-Point Hitches, Cabs, Special Edition Models and Special Edition Serial Number Breaks.</i>	2,300.00
-------	--	--	----------

DESTINATION

001A	United States and Canada	In Base Price
------	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

Mower Decks		
AM130907	Mower deck leveling gauge	7.01
Mulch Kits		
TCB10953	Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	334.91

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS**

48-in. Shaft Drive Accel Deep Mower Deck (48A)
Equipment for Base Machine

48-in. (122-cm) cutting width	Four mower wheels and front center roller
Side discharge Accel Deep 10-gauge, 0.135-in. (3.4-mm) stamped-steel deck shell	Mower wheels rotate 90 degrees for easy mower removal
Shaft drive	
Three greaseable blade spindles	
Mower wash port	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Horicon, Wisconsin

9077M		48-in. Shaft Drive Accel Deep Mower Deck (48A) <i>For X700 Signature Series (Model Year 2013-).</i>	1,300.00
-------	--	--	----------

DESTINATION

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

POWER TAKE-OFF (PTO) CONNECTION

3425		Standard Connect	In Base Price
3426		Auto Connect	259.00
3490		Less Drive Shaft	-190.00

ATTACHMENTS FOR FIELD CONVERSION

	Mower Decks		
AM130907	Mower deck leveling gauge		7.01
	Mulch Kits		
BM24993	48A MulchControl attachment		169.06
	Power Take-off (Pto) Connection		
BM25677	AutoConnect attachment, X700 Signature Series and X940s		505.04
BM25678	Standard drive shaft with hanger, X700 Signature Series and X940s		214.00
	Spanish North American Kit		
BM26467	Spanish Label & Owner's Manual Kit Spanish kit (48A, 54HC, 60HC) <i>Model year 2017</i>		34.24

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS**

**54-in. Shaft Drive High Capacity Mower Deck (54 HC)
Equipment for Base Machine**

54-in. (137-cm) cutting width	Four mower wheels
Side discharge High Capacity	Drive-over deck mower
9-gauge, 0.150-in. (3.8-mm)	installation/removal
stamped-steel deck shell	
Shaft drive	
Three greaseable blade spindles	
Mower wash port	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Horicon, Wisconsin

9078M		54-in. Shaft Drive High Capacity Mower Deck (54 HC) <i>For X700 Signature Series (model year 2013-).</i>	1,700.00
-------	--	---	----------

DESTINATION

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

POWER TAKE-OFF (PTO) CONNECTION

3425		Standard Connect	In Base Price
3426		Auto Connect	259.00
3490		Less Drive Shaft	-190.00

ATTACHMENTS FOR FIELD CONVERSION

Mower Decks		
AM130907	Mower deck leveling gauge	7.01
Mulch Kits		
BM23977	54 HC Mulch kit	237.54
BM26300	54-in. High Capacity MulchControl attachment	241.81
BUC10536	Hydraulic MulchControl actuator <i>Allows operator to hydraulically actuate MulchControl while mowing. Includes actuator cylinder, mounting parts, and hydraulic hoses. Requires separate High Capacity MulchControl attachment. For model year 2019- (S.N. 070,001-) 54 HC and 60 HC mower decks.</i>	329.56
Power Take-off (Pto) Connection		
BM25677	AutoConnect attachment, X700 Signature Series and X940s	505.04
BM25678	Standard drive shaft with hanger, X700 Signature Series and X940s	214.00

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS**

**60-in. Shaft Drive High Capacity Mower Deck (60 HC)
Equipment for Base Machine**

60-in. (152-cm) cutting width	Four mower wheels
Side discharge High Capacity	Drive-over deck mower
9-gauge, 0.150-in. (3.8-mm)	installation/removal
stamped-steel deck shell	
Shaft drive	
Three greaseable blade spindles	
Mower wash port	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Horicon, Wisconsin

9079M		60-in. Shaft Drive High Capacity Mower Deck (60 HC) <i>For X700 Signature Series (model year 2013-).</i>	2,100.00
-------	--	---	----------

DESTINATION

001A		United States and Canada	In Base Price
------	--	--------------------------	---------------

POWER TAKE-OFF (PTO) CONNECTION

3425		Standard Connect	In Base Price
3426		Auto Connect	259.00
3490		Less Drive Shaft	-190.00

ATTACHMENTS FOR FIELD CONVERSION

	Mower Decks		
AM130907	Mower deck leveling gauge		7.01
	Mulch Kits		
BM23978	60 HC Mulch kit		249.31
BM25258	60-in. High Capacity MulchControl attachment		257.87
BUC10536	Hydraulic MulchControl actuator <i>Allows operator to hydraulically actuate MulchControl while mowing. Includes actuator cylinder, mounting parts, and hydraulic hoses. Requires separate High Capacity MulchControl attachment. For model year 2019- (S.N. 070,001-) 54 HC and 60 HC mower decks.</i>		329.56
	Power Take-off (Pto) Connection		
BM25677	AutoConnect attachment, X700 Signature Series and X940s		505.04
BM25678	Standard drive shaft with hanger, X700 Signature Series and X940s		214.00

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**52 in. Quick-Hitch Rotary Broom
Equipment for Base Machine**

52 In. (1,321 mm) Clearing Width "Straight"	Heavy Duty No. 50 Chain Drive (2) Adjustable Rear Mounting
48 In. (1,219 mm) Clearing Width "Angled"	Caster Wheels Brush Head Height Adjustment
Storage Stands	Three Spare Driveshaft Shear
21 In. (533 mm) Diameter Polypropylene Brush	Bolts "Mounted to Shell"
Gearbox with 3:1 Reduction	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

3880M	52 in. Quick-Hitch Rotary Broom <i>For X400/X500 Heavy Duty Garden Tractors, X700's, 1023E, 1025R, 1026R, 2210, 2305, 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115 Tractors. BM20761 hydraulic coupler kit required on X465, X475, X700, and X710 Tractors. Not compatible with BM17347, 425-455 Quick-Hitch updated for use on X400/X500 HDGT's and X700's with BM20979 front-hitch angling retro-fit kit. Compact tractors require dual selective control valve and front attaching support kit. See Sales Manual for front attaching support requirements.</i>	2,289.00
-------	---	----------

FRONT QUICK-HITCH

1000	Front Quick-Hitch and Hydraulic Lift <i>For X400/X500 Heavy Duty Garden Tractors, X700s, and X940s.</i>	645.00
1012	Front Quick-Hitch and Hydraulic Lift <i>For 1023E, 1025R, and 1026R. Includes BLV10796 front attaching support kit.</i>	950.00
1005	Front Quick-Hitch and Hydraulic Lift <i>For 2210 and 2305. Also requires LVB25396 front attaching support.</i>	685.00
1006	Front Quick-Hitch and Hydraulic Lift <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115. Also requires LVB24895 front attaching support (model year 2013-2016 2025R and 2320). Also requires LVB25302 front attaching support (model year 2013-2016 2032R, 2520, 2720, 4100, 4110, 4115).</i>	749.00
1013	Front Quick-Hitch and Hydraulic Lift <i>For model year 2017- 2025R Tractors. Includes BLV10680 front attaching support kit.</i>	959.00
1010	Less Front Quick-Hitch	In Base Price

HYDRAULIC ANGLING

2000	Hydraulic Angling	198.00
------	-------------------	--------

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

52 in. Quick-Hitch Rotary Broom
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
HYDRAULIC ANGLING Continued...			
<i>For X400/X500 Heavy Duty Garden Tractors, X700s, X940s, and X950R.</i>			
2006		Hydraulic Angling <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115.</i>	206.00
2009		Hydraulic Angling <i>For 1023E, 1025R, 1026R, and model year 2017- 2025R.</i>	271.00
2005		Hydraulic Angling <i>For 2210 and 2305.</i>	200.00
2010		Less Hydraulic Angling	In Base Price
<hr/>			
FRONT POWER TAKE-OFF (PTO)			
3003		2000 RPM Front PTO <i>For 4100 and 4110.</i>	272.00
3004		2000 RPM Front PTO <i>For 4010 and 4115.</i>	272.00
3005		2000 RPM Front PTO <i>For 2210 and 2305.</i>	295.00
3006		2000 RPM Front PTO <i>For model year 2013-2016 2025R and 2320.</i>	272.00
3017		2000 RPM Front PTO Kit <i>For model year 2017- 2025R.</i>	371.00
3007		2000 RPM Front PTO <i>For model year 2013-2016 2032R, 2520, and 2720.</i>	279.00
3016		2000 RPM Front PTO Kit <i>For 1023E, 1025R, and 1026R. See DTAC solution 111853 when used with BLV10159 Front Quick-Hitch. BLV10159 Front Quick-Hitch was available as an attachment through parts, 47-in. Snow Blower (1474M) option code 2008, 54-in. Snow Blower (02C1M) option code 2008, 52-in. Rotary Broom (3880M) option code 1001, and 60-in. Broom (3790M) option code 2007. http://dtac.deere.com/Solutions/English/111853.htm</i>	455.00
3010		Less 2000 RPM Front PTO	In Base Price
3014		2-Wheel Drive 2000 RPM Front PTO <i>For X400 Heavy Duty Garden Tractors, X700, X720, X724, X740, X744, X710, X730, X734, X750, and X754. Must be used with BM25775 implement drive shaft for rotary brooms. BM25775 is available as an attachment through parts, 52-in. Rotary Broom (3880M) option code 4004, and 60-in. Broom (3790M) option code 5004.</i>	351.00
3015		4-Wheel Drive 2000 RPM Front PTO <i>For X500 Heavy Duty Garden Tractors, X728, X729, X748, X749, X738, X739, and X758.</i>	351.00
<hr/>			
IMPLEMENT DRIVE SHAFT			
4006		Implement Drive Shaft <i>For 2210, 2305, 1023E, 1025R, 1026R, and model year 2017- 2025R.</i> <i>Includes BLV10900 implement drive shaft and BLV10794 mounting frame.</i>	291.00

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

52 in. Quick-Hitch Rotary Broom
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
4002		IMPLEMENT DRIVE SHAFT Continued... Implement Drive Shaft <i>For model year 2013-2016 2025R and 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115 Tractors.</i>	275.00
4004		Implement Drive Shaft <i>For X400/X500 Heavy Duty Garden Tractors and X700's.</i>	262.00
4010		Less Implement Drive Shaft	In Base Price

ATTACHMENTS FOR FIELD CONVERSION

		Attaching Parts	
LVB24899		Front Hitch/Mid-Mount Mower Combo Bracket (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320-2720)</i>	136.96
LVB25302		Front-Attaching Support Kit <i>For model year 2013-2016 2032R, 2520, 2720, 4100, 4110, 4115 tractors. If tractor is equipped with hood guard, attaching support kit is not required. See Sales Manual for front attaching support requirements.</i>	63.13
		Front Hitch	
BLV10680		Front Attaching Support kit (model year 2017- 2025R, 2026R)	284.61
BLV10880		Hydraulic angling (1023E, 1025R, 1026R, model year 2017- 2025R, 2026R)	303.89
BLV10708		Quick Hitch Kit (1023E, 1025R, 1026R, model year 2017- 2025R, 2026R)	793.94
		Front Power Take-off (Pto)	
BLV10786		2000 RPM Front PTO <i>For 1023E, 1025R, and 1026R.</i> <i>Includes shaft to route mid-PTO to the front-PTO. Includes front bearing and support structure. Includes RIO override for front implements. See DTAC solution 111853 when used with BLV10159 Front Quick-Hitch. BLV10159 Front Quick-Hitch was available as an attachment through parts, 47-in. Snow Blower (1474M) option code 2008, 54-in. Snow Blower (02CIM) option code 2008, 52-in. Rotary Broom (3880M) option code 1001, and 60-in. Broom (3790M) option code 2007. http://dtac.deere.com/Solutions/English/111853.htm</i>	510.39
BLV10681		2000 RPM Front PTO <i>For model year 2017- 2025R, and 2026R.</i> <i>Includes shaft to route mid-PTO to the front-PTO. Includes front bearing and support structure. Includes RIO override for front implements.</i>	416.23
BLV10475		2000 RPM Front PTO (model year 2013-2016 2032R, 2520, 2720, 3120-3720, 3033R-3046R) <i>Includes RIO override for front implements.</i>	313.51
LVB25966		2000-rpm Front Power Take-Off (PTO) (2210, 2305)	331.70
BM18695		2000-rpm Front Power Take-Off (PTO) (4100, 4110)	304.96
LVB24900		2000-rpm Front Power Take-Off (PTO) (model year 2013-2016 2025R and 2320.	304.96

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

52 in. Quick-Hitch Rotary Broom
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
LVB25305		2000-rpm Front Power Take-Off (PTO) Kit (4010, 4115)	304.96
BM25304		2000-rpm front PTO (X400 and 2-wheel drive X700s) <i>BM25304 must be used with BM25772 implement drive and upstop for snow blowers, or BM25775 implement drive shaft for rotary brooms. BM25772 is available as an attachment through parts, 47-in. Snow Blower (1474M) option code 4013, and 54-in. Snow Blower (02CIM) option code 4013. BM25775 is available as an attachment through parts, 52-in. Rotary Broom (3880M) option code 4004, and 60-in. Broom (3790M) option code 5004.</i>	394.83
BM25305		2000-rpm front PTO (X500 HDGT and 4-wheel drive X700s)	394.83
BLV10796		Front Attaching Support kit (1023E, 1025R, 1026R)	273.91
Front Quick-hitch			
BM20921		Front Quick-Hitch and Hydraulic Lift (2305) <i>Fits also 2210 Tractors (for 47SB only).</i>	770.40
LVB24898		Front Quick-Hitch and Hydraulic Lift (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720) <i>Fits also 4010, 4100, 4110 and 4115 Tractors for 47SB only.</i>	841.01
BM26236		Front quick hitch and hydraulic lift (X400/X500 HDGTs, X700s, X940s) <i>BM25609 hydraulic angling kit recommended</i>	724.39
BM20761		Hydraulic coupler kit <i>Required on X700, X710, X465, X475, and 425 Tractors</i>	57.79
Hydraulic Angling			
BM20922		Hydraulic angling (2210, 2305)	224.70
BM25609		Hydraulic angling (X400/X500 HDGTs, X700s, X940s)	222.56
LVB24901		Hydraulic angling (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	232.19
Implement Drive Shaft			
BM25775		Broom implement drive shaft (X400/X500 HDGT and X700s)	294.26
BM20836		Broom implement drive shaft (model year 2013-16 2025R/2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	309.23
BM21854		Implement Drive Shaft for Rotary Brooms <i>For use on 425-455, 2210, 2305, and 1023E, 1025R, and 1026R.</i>	294.26
BLV10900		Implement Drive Shaft for Rotary Brooms <i>For model year 1023E, 1025R, 1026R, and model year 2017- 2025R.</i>	294.26
Miscellaneous			
BM21777		Deflector kit (52-in. Rotary Broom)	63.13
LVB25396		Front Attaching Support Kit (2305) <i>2210 and 2305 Tractors with 200X or 200CX hood guard require attaching support kit. Fits also 2210 Tractors (for 47SB only.) See Sales Manual for front attaching support requirements.</i>	62.06
LVB24895		Front Attaching Support Kit (model year 2013-2016 2025R, 2320) <i>2025R and 2320 tractors with 200X or 200CX hood guard require attaching support kit. See sales manual for front attaching support requirements.</i>	90.96

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

52 in. Quick-Hitch Rotary Broom
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM20753		Front light kit <i>For X400/X500 HDGT and X700 Series Garden Tractors.</i>	217.21
BM21853		Thatching-wheel kit (52-in. Rotary Broom)	274.99
		Mounting Frame	
BLV10794		52-in. Quick-Hitch Rotary Broom mounting frame <i>For 1023E, 1025R, 1026R, and model year 2017- 2025R.</i>	32.10
		Spanish North American Kit	
BLV11054		52-in. Quick Hitch Rotary Broom Spanish kit (CUTs)	101.66
BM26530		52-in. Quick Hitch Rotary Broom and 60-in. Heavy-Duty Quick Hitch Rotary Broom Spanish kit (X700s)	38.51
BLV11056		60-in. Heavy-Duty Quick Hitch Rotary Broom Spanish kit (CUTs)	103.79

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

60 In. Heavy-Duty Rotary Broom
Equipment for Base Machine

57 In. (1,448 mm) Clearing Width "Straight"	Chain and Sprocket Final Drive (2) Adjustable Rear Mounted Caster Wheels
50 In. (1,270 mm) Clearing Width "Angled"	Broom Head Float
Storage Stands	Four Spare Driveshaft Shear
26 In. (660 mm) Diameter	Bolts Two Sizes, "Mounted to Shell"
Polypropylene Brush	
Gearbox with 3:1 Reduction	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

3790M		60 In. Heavy-Duty Rotary Broom <i>For X400/X500 Heavy Duty Garden Tractors, X700's, 1023E, 1025R, 1026R, 2305, 2025R, 2032R, 2036R, 2038R, 2320, 2520, 2720, 3120-3720, 3033R-3046R, 2210, 4010, 4100, 4110, 4115, and 4400-4410 Tractors. BM20761 hydraulic coupler kit required on X465, X475, X700, and X710 Tractors. See Sales Manual for ballast requirements. Not compatible with BM17347, 400-Series Quick-Hitch. Compact tractors require dual selective control valve and mid PTO. Small chassis compact tractors also require front attaching support kit. See Sales Manual for front attaching support requirements. 3120-3720 Tractors with mid-mount mowers for use with front three-point hitch with A-Frame require LVB25820 (AutoConnect decks) or LVB24810 (old 7-Iron decks).</i>	3,499.00
-------	--	---	----------

MOUNTING FRAME

1000		Mounting Frame <i>For X400/X500 Heavy Duty Garden Tractors, X700s, 2210, 2305, 2320, 2520, 2720, 4010, 4100, 4110, 4115, model year 2013-2016 2025R, and model year 2013-2016 2032R.</i>	411.00
1004		Mounting Frame <i>For 1023E, 1025R, 1026R, and model year 2017- 2025R.</i>	411.00
1002		Mounting Frame with Drive Shaft and Hydraulic Angling <i>For 3033R-3046R, and 3120-3720.</i>	847.00
1003		Mounting Frame with Drive Shaft and Hydraulic Angling <i>For model year 2017- 2032R, 2036R and 2038R.</i>	892.00
1010		Less Mounting Frame	In Base Price

FRONT QUICK-HITCH

2000		Front Quick-Hitch and Hydraulic Lift <i>For X400/X500 Heavy Duty Garden Tractors and X700's.</i>	645.00
2002		Front Quick-Hitch and Hydraulic Lift <i>For 4210-4410.</i>	770.00
2004		Front Quick-Hitch and Hydraulic Lift <i>For 2210 and 2305.</i>	685.00

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

60 In. Heavy-Duty Rotary Broom
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
FRONT QUICK-HITCH Continued...			
<i>Also requires LVB25396 front attaching support.</i>			
2005		Front Quick-Hitch and Hydraulic Lift <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115. Also requires LVB24895 front attaching support (model year 2013-2016 2025R and 2320). Also requires LVB25302 front attaching support (model year 2013-2016 2032R, 2520, 2720, 4100, 4110, 4115).</i>	749.00
2012		Front Quick-Hitch and Hydraulic Lift <i>For model year 2017- 2025R Tractors. Includes BLV10680 front attaching support kit.</i>	959.00
2011		Front Quick-Hitch and Hydraulic Lift <i>For 1023E, 1025R, and 1026R. Includes BLV10796 front attaching support kit.</i>	950.00
2008		Front Three-Point Hitch with A-Frame Quick Attach System <i>For 3120-3720, and 3033R-3046R.</i>	1,488.00
2009		Front Three-Point Hitch with A-Frame Quick Attach System <i>For model year 2017- 2032R, 2036R and 2038R.</i>	1,476.00
2010		Less Front Quick-Hitch and Hydraulic Lift	In Base Price
<hr/>			
HYDRAULIC ANGLING			
<i>Hydraulic Angling for 3120-3720, model year 2017- 2032R, 2036R, 2038R, 4200-4400, and 4210-4410 Tractors are included in option codes 1001, 1002, and 1003.</i>			
3000		Hydraulic Angling <i>For X400/X500 Heavy Duty Garden Tractors and X700's.</i>	198.00
3002		Hydraulic Angling Kit <i>For 2210 and 2305.</i>	200.00
3003		Hydraulic Angling <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115.</i>	206.00
3005		Hydraulic Angling <i>For 1023E, 1025R, 1026R, and model year 2017- 2025R.</i>	271.00
3010		Less Hydraulic Angling	In Base Price
<hr/>			
FRONT POWER TAKE-OFF (PTO)			
4002		2000 RPM Front PTO Kit <i>For 4100 and 4110.</i>	272.00
4003		2000 RPM Front PTO Kit <i>For 4010 and 4115.</i>	272.00
4004		2000 RPM Front PTO Kit <i>For 4200-4400 and 4210-4410.</i>	271.00
4005		2000 RPM Front PTO Kit	295.00

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

60 In. Heavy-Duty Rotary Broom
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
FRONT POWER TAKE-OFF (PTO) Continued...			
<i>For 2210 and 2305.</i>			
4006		2000 RPM Front PTO Kit <i>For model year 2013-2016 2025R and 2320.</i>	272.00
4017		2000 RPM Front PTO Kit <i>For model year 2017- 2025R.</i>	371.00
4007		2000 RPM Front PTO Kit <i>For model year 2013-2016 2032R, 2520, 2720, 3033R-3046R, and 3120-3720.</i>	279.00
4016		2000 RPM Front PTO Kit <i>For 1023E, 1025R, and 1026R. See DTAC solution 111853 when used with BLV10159 Front Quick-Hitch. BLV10159 Front Quick-Hitch was available as an attachment through parts, 47-in. Snow Blower (1474M) option code 2008, 54-in. Snow Blower (02C1M) option code 2008, 52-in. Rotary Broom (3880M) option code 1001, and 60-in. Broom (3790M) option code 2007. http://dtac.deere.com/Solutions/English/111853.htm</i>	455.00
4010		Less 2000 RPM Front PTO Kit	In Base Price
4014		2-Wheel Drive 2000 RPM Front PTO <i>For X400 Heavy Duty Garden Tractors, X700, X720, X724, X740, X744, X710, X730, X734, X750, and X754. Must be used with BM25775 implement drive shaft for rotary brooms. BM25775 is available as an attachment through parts, 52-in. Rotary Broom (3880M) option code 4004, and 60-in. Broom (3790M) option code 5004.</i>	351.00
4015		4-Wheel Drive 2000 RPM Front PTO <i>For X500 Heavy Duty Garden Tractors, X728, X729, X748, X749, X738, X739, and X758.</i>	351.00
4012		2000 RPM Front PTO Kit <i>For model year 2017- 2032R, 2036R and 2038R.</i>	280.00

IMPLEMENT DRIVE SHAFT

Drive Shaft for Model Year 2017- 2032R, 2036R, 2038R, 3120-3720, 4200-4400 and 4210-4410 Tractors are Included in Option Codes 1001, 1002, and 1003.

5001		Implement Drive Shaft <i>For model year 2013-2016 2025R and 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115.</i>	275.00
5005		Implement Drive Shaft <i>For 2210, 2305, 1023E, 1025R, 1026R, and model year 2017- 2025R</i>	262.00
5004		Implement Drive Shaft <i>For X400/X500 Heavy Duty Garden Tractors and X700's.</i>	262.00
5010		Less Implement Drive Shaft	In Base Price

ATTACHMENTS FOR FIELD CONVERSION

LVB24899		Attaching Parts Front Hitch/Mid-Mount Mower Combo Bracket (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320-2720)</i>	136.96
----------	--	---	--------

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

60 In. Heavy-Duty Rotary Broom
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LVB25302		Front-Attaching Support Kit <i>For model year 2013-2016 2032R, 2520, 2720, 4100, 4110, 4115 tractors. If tractor is equipped with hood guard, attaching support kit is not required. See Sales Manual for front attaching support requirements.</i>	63.13
		Front Hitch	
BLV10637		A-Frame Quick Attach System (3120-3720, 3033R-3046R, model year 2017- 2032R, 2036R, and 2038R tractors)	215.60
BLV10634		Auxiliary front hydraulic coupler kit (model year 2017- 2032R, 2036R, and 2038R tractors) <i>Includes couplers, hoses, and brackets to route hydraulics from the mid-SCV to the front three-point hitch.</i>	95.70
BLV10680		Front Attaching Support kit (model year 2017- 2025R, 2026R)	284.61
BLV10631		Front Three-Point Hitch (model year 2017- 2032R, 2036R, and 2038R tractors)	1,393.70
BLV10638		Hydraulic accumulator kit for Front Three-Point Hitch (model year 2017- 2032R, 2036R, and 2038R tractors) <i>For use in applications where there is significant transporting done at higher speeds. Accumulator system will absorb the bounce associated with front implements when traveling on the roadway.</i>	126.50
BLV10880		Hydraulic angling (1023E, 1025R, 1026R, model year 2017- 2025R, 2026R)	303.89
BLV10708		Quick Hitch Kit (1023E, 1025R, 1026R, model year 2017- 2025R, 2026R)	793.94
		Front Power Take-off (Pto)	
BLV10786		2000 RPM Front PTO <i>For 1023E, 1025R, and 1026R.</i> <i>Includes shaft to route mid-PTO to the front-PTO.</i> <i>Includes front bearing and support structure.</i> <i>Includes RIO override for front implements.</i> <i>See DTAC solution 111853 when used with BLV10159 Front Quick-Hitch. BLV10159 Front Quick-Hitch was available as an attachment through parts, 47-in. Snow Blower (1474M) option code 2008, 54-in. Snow Blower (02CIM) option code 2008, 52-in. Rotary Broom (3880M) option code 1001, and 60-in. Broom (3790M) option code 2007.</i> <i>http://dtac.deere.com/Solutions/English/111853.htm</i>	510.39
BLV10681		2000 RPM Front PTO <i>For model year 2017- 2025R, and 2026R.</i> <i>Includes shaft to route mid-PTO to the front-PTO.</i> <i>Includes front bearing and support structure.</i> <i>Includes RIO override for front implements.</i>	416.23
BLV10475		2000 RPM Front PTO (model year 2013-2016 2032R, 2520, 2720, 3120-3720, 3033R-3046R) <i>Includes RIO override for front implements.</i>	313.51
BLV10633		2000 RPM Front PTO (model year 2017- 2032R, 2036R, and 2038R) <i>Includes RIO override for front implements.</i>	323.40
LVB25966		2000-rpm Front Power Take-Off (PTO) (2210, 2305)	331.70
BM18695		2000-rpm Front Power Take-Off (PTO) (4100, 4110)	304.96
BM19576		2000-rpm Front Power Take-Off (PTO) (4200-4400, 4210-4410)	303.89

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

60 In. Heavy-Duty Rotary Broom
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LVB24900		2000-rpm Front Power Take-Off (PTO) (model year 2013-2016 2025R and 2320.	304.96
LVB25305		2000-rpm Front Power Take-Off (PTO) Kit (4010, 4115)	304.96
BM25304		2000-rpm front PTO (X400 and 2-wheel drive X700s) <i>BM25304 must be used with BM25772 implement drive and upstop for snow blowers, or BM25775 implement drive shaft for rotary brooms. BM25772 is available as an attachment through parts, 47-in. Snow Blower (1474M) option code 4013, and 54-in. Snow Blower (02C1M) option code 4013. BM25775 is available as an attachment through parts, 52-in. Rotary Broom (3880M) option code 4004, and 60-in. Broom (3790M) option code 5004.</i>	394.83
BM25305		2000-rpm front PTO (X500 HDGT and 4-wheel drive X700s)	394.83
BLV10796		Front Attaching Support kit (1023E, 1025R, 1026R)	273.91
BLV10452		Front Power Take-Off (PTO) Bracket (3120-3720, 3033R-3046R)	95.70
		Front Quick-hitch	
LVB25878		Front 3-Point Hitch (3120-3720)	1,344.99
LVB24810		Front 3-Point Hitch and Mid-Mount Mower Draft Arms <i>Required for use with LVB25878 Front Three-Point Hitch with A-Frame (3033R-3046R and 3120-3720 Tractors Only) and old 7-Iron Mid-Mount Mowers.</i>	243.96
BM20921		Front Quick-Hitch and Hydraulic Lift (2305)	770.40
LVB25306		Front Quick-Hitch and Hydraulic Lift (4210-4410)	865.63
LVB24898		Front Quick-Hitch and Hydraulic Lift (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720) <i>Fits also 4010, 4100, 4110 and 4115 Tractors for 47SB only.</i>	841.01
BLV10439		Front Three-Point Hitch (3033R-3046R) <i>Requires BLV10452 (Front PTO Bracket).</i>	1,393.70
LVB25820		Front Three-Point Hitch/Mid Mount Mower Compatibility Brackets <i>Required for use with BLV10316, BLV10439 and BLV10452 Front Three-Point Hitch with A-Frame (3120-3720 and 3033R-3046R Tractors Only) and AutoConnect Mowers.</i>	179.30
BM26236		Front quick hitch and hydraulic lift (X400/X500 HDGTs, X700s, X940s) <i>BM25609 hydraulic angling kit recommended</i>	724.39
BM20761		Hydraulic coupler kit <i>Required on X700, X710, X465, X475, and 425 Tractors</i>	57.79
		Hydraulic Angling	
BM20922		Hydraulic angling (2210, 2305)	224.70
BM25609		Hydraulic angling (X400/X500 HDGTs, X700s, X940s)	222.56
LVB24901		Hydraulic angling (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	232.19
		Implement Drive Shaft	
BM25775		Broom implement drive shaft (X400/X500 HDGT and X700s)	294.26

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

60 In. Heavy-Duty Rotary Broom
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM20836		Broom implement drive shaft (model year 2013-16 2025R/2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	309.23
BM21854		Implement Drive Shaft for Rotary Brooms <i>For use on 425-455, 2210, 2305, and 1023E, 1025R, and 1026R.</i>	294.26
BLV10900		Implement Drive Shaft for Rotary Brooms <i>For model year 1023E, 1025R, 1026R, and model year 2017- 2025R.</i>	294.26
LVB24956		Implement Drive Shaft for Rotary Brooms (3120-3720, 3033R-3046R)	178.69
BLV10800		Implement Drive Shaft for Rotary Brooms (model year 2017- 2032R, 2036R, and 2038R)	230.06
		Miscellaneous	
BM19805		Debris deflector (60-in. Heavy-Duty Rotary Broom)	428.00
LVB25396		Front Attaching Support Kit (2305) <i>2210 and 2305 Tractors with 200X or 200CX hood guard require attaching support kit. Fits also 2210 Tractors (for 47SB only.) See Sales Manual for front attaching support requirements.</i>	62.06
LVB24895		Front Attaching Support Kit (model year 2013-2016 2025R, 2320) <i>2025R and 2320 tractors with 200X or 200CX hood guard require attaching support kit. See sales manual for front attaching support requirements.</i>	90.96
BM20753		Front light kit <i>For X400/X500 HDGT and X700 Series Garden Tractors.</i>	217.21
BM20706		Heavy-duty wheel kit (60-in. Heavy-Duty Rotary Broom)	370.21
AM128682		Wafers, polypropylene bristle (pack of 16)	338.40
AM128683		Wafers, steel bristle (pack of 16)	544.10
		Mounting Frame	
BM20626		60-in. Rotary Broom mounting frame <i>For use on X400/X500 HDGT's, X700s, 2210, 2305, model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115.</i>	461.17
BLV10795		60-in. Rotary Broom mounting frame <i>For 1023E, 1025R, 1026R, and model year 2017- 2025R.</i>	461.17
BLV10776		Mounting Frame and Hydraulic Angling (3120-3720, 3033R-3046R, model year 2017-2032R, 2036R, and 2038R)	773.61
		Spanish North American Kit	
BLV11054		52-in. Quick Hitch Rotary Broom Spanish kit (CUTs)	101.66
BM26530		52-in. Quick Hitch Rotary Broom and 60-in. Heavy-Duty Quick Hitch Rotary Broom Spanish kit (X700s)	38.51
BLV11056		60-in. Heavy-Duty Quick Hitch Rotary Broom Spanish kit (CUTs)	103.79

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS**

44-in. Snow Blower (model year 2014- 100 Series and S240)
Equipment for Base Machine

1118 mm (44 in.) clearing width	Cast iron gear box
One-tool removal and re-installation	Sealed, anti-friction ball bearings
305 mm (12 in.) diameter auger	Remote spout cap control
Reversible and replaceable cutting blade	Adjustable skid shoes
200-degree spout rotation	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

700AM		44-in. Snow Blower (model year 2014- 100 Series and S240) <i>For use with lawn tractors built after April 2014. This includes all S240 tractors, all 100 Series tractors with an E prefix, all D155 tractors, and tractors with a D prefix above the serial number breaks listed in heat shield DTAC solution 98995. http://dtac.deere.com/Solutions/English/98995.htm</i> Requires two UC13263 suit case weights and one BG20627 rear weight bracket. Tire chains are recommended for additional traction. Sales are restricted to the following countries: Canada and United States.	1,519.00
-------	--	--	----------

DESTINATION

001A	US and Canada		In Base Price
------	---------------	--	---------------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous			
M88984	Drift blade	For snow blowers. Requires two 19H1914 bolts and two N10217 lock nuts.	32.10
AM122263	Skid shoe, heavy-duty left-hand (1)	Used on 44-in. (112-cm) and 47-in. (119-cm) Snow Blowers	64.17
AM122264	Skid shoe, heavy-duty right-hand (1)	Used on 44-in. (112-cm) and 47-in. (119-cm) Snow Blowers	64.17
M157831	Skid shoe, plastic (1)	Used on 44-in. (112-cm) and 47-in. (119-cm) Snow Blowers. Two required.	31.98
LP68150	Snow blower electric lift kit (for snow blower 700AM on 100 Series and S240)		472.00
LP70692	Snow blower storage dollies		100.00
Spanish North American Kit			
BUC10298	Snow Blower Spanish North American Operator's Manual & Decal Kit (7007M, 7008M, 7009M, and 700AM)		96.30

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS**

44-in. Snow Blower (model year 2006-2015 X300s, X500, X520)
Equipment for Base Machine

1118-mm (44-in.) Clearing Width	Sealed, Anti-Friction Ball
Easy-On, Easy-Off Mounting	Bearings
305-mm (12-in.) Diameter Auger	Remote Spout Cap Control
Reversible and Replaceable	Adjustable Skid Shoes
Cutting Blade	
200 degree Spout Rotation	
Cast Iron Gear Box	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

7001M		<p>44-in. Snow Blower (model year 2006-2015 X300s, X500, X520) <i>For model year 2006-2015 Select Series tractors (model X300, X304, X310, X320, X324, X340, X360, X300R, X305R, model X500, and X520).</i></p> <p><i>Rear weights and tire chains are recommended for additional traction.</i></p> <p><i>Winter grill cover recommended on model year 2006-2013 air-cooled engines to prevent carburetor icing.</i></p> <p><i>X300 and X304 tractors shipped with 38X, 42X, or less deck require AM136646 lift assist spring kit.</i></p> <p><i>X300-42M and X304-42M built with Edge Mulch deck with a single belt (model year 2006-2009, S.N. 010,001- 150,000) require AM136646 lift-assist spring kit.</i></p> <p><i>X320, X324, X340, model X500, and X520 tractors built prior to September 2006 (see Sales Manual for tractor serial number breaks) require the original M151924 lift-assist spring be replaced with AM136645 lift-assist spring.</i></p> <p><i>X300R and X305R tractors require collection hopper or a rear deflector kit. For snow blowers built prior to April 2008 (S.N. -030,001) see DTAC solution 79224 for adaptation instructions.</i></p> <p><i>Not for sale in France.</i></p>	1,639.00
-------	--	---	----------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous

M88984	<p>Drift blade <i>For snow blowers. Requires two 19H1914 bolts and two N10217 lock nuts.</i></p>	32.10
LP33711	Electric lift kit (model year 2006-2015)	453.00
AM122263	<p>Skid shoe, heavy-duty left-hand (1) <i>Used on 44-in. (112-cm) and 47-in. (119-cm) Snow Blowers</i></p>	64.17
AM122264	<p>Skid shoe, heavy-duty right-hand (1) <i>Used on 44-in. (112-cm) and 47-in. (119-cm) Snow Blowers</i></p>	64.17
M157831	<p>Skid shoe, plastic (1) <i>Used on 44-in. (112-cm) and 47-in. (119-cm) Snow Blowers. Two required.</i></p>	31.98

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS

44-in. Snow Blower (model year 2006-2015 X300s, X500, X520)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	AM135847	Snow blower and front blade replacement tractor side lift parts <i>Replaces the tractor mounted lift parts from a 2006-2015 44-in. Snow Blower (7001M/SKU23045), 47-in. Snow Blower (7002M/SKU23047), 44-in. Front Blade (6001M/SKU23044), or 48-in. Front Blade (6002M/SKU23048) for use on a model year 2006-2015 X300/X500 M-T tractor.</i>	268.42
	LP70692	Snow blower storage dollies	100.00

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS**

44-in. Snow Blower (model year 2016- X300s and X570)
Equipment for Base Machine

1118 mm (44 in.) Clearing Width	Sealed, Anti-Friction Ball
Easy-On, Easy-Off Mounting	Bearings
305 mm (12 in.) Diameter Auger	Remote Spout Cap Control
Reversible and Replaceable	Adjustable Skid Shoes
Cutting Blade	
200 degree Spout Rotation	
Cast Iron Gear Box	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

7007M	<p>44-in. Snow Blower (model year 2016- X300s and X570) <i>For model year 2016- Select Series tractors (X330, X350, X354, X370, X380, X384, X390, X394, X350R, and X570).</i></p> <p><i>Rear weights and tire chains are recommended for additional traction.</i></p> <p><i>X330, X350, and X354 tractors shipped with 42-in. Accel Deep mower deck or less deck require BM25887 lift assist spring kit.</i></p> <p><i>X350R tractors require BM24810 supplemental lift assist spring kit.</i></p> <p><i>X350R tractors require collection hopper or a rear deflector kit.</i></p> <p><i>Sales are restricted to the following countries: Austria, Belgium, Canada, Czech Republic, Denmark, Finland, France, Germany, Ireland, Italy, Luxembourg, Netherlands, Norway, Poland, Spain, Sweden, Switzerland, United Kingdom, and United States.</i></p>	1,639.00
-------	--	----------

DESTINATION

001A	US and Canada	In Base Price
------	---------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous		
M88984	<p>Drift blade <i>For snow blowers. Requires two 19H1914 bolts and two N10217 lock nuts.</i></p>	32.10
LP64865	Electric lift kit (model year 2016-)	498.00
AM122263	<p>Skid shoe, heavy-duty left-hand (1) <i>Used on 44-in. (112-cm) and 47-in. (119-cm) Snow Blowers</i></p>	64.17
AM122264	<p>Skid shoe, heavy-duty right-hand (1) <i>Used on 44-in. (112-cm) and 47-in. (119-cm) Snow Blowers</i></p>	64.17
M157831	<p>Skid shoe, plastic (1) <i>Used on 44-in. (112-cm) and 47-in. (119-cm) Snow Blowers. Two required.</i></p>	31.98
LP70692	Snow blower storage dollies	100.00

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS

44-in. Snow Blower (model year 2016- X300s and X570)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Spanish North American Kit	
BUC10298		Snow Blower Spanish North American Operator's Manual & Decal Kit (7007M, 7008M, 7009M, and 700AM)	96.30

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS**

47-in. Snow Blower (X530, X534, X540, model year 2015 X590)
Equipment for Base Machine

1194 mm (47 in.) Clearing Width	Sealed, Anti-Friction Ball
Easy-On, Easy-Off Mounting	Bearings
406 mm (16 in.) Diameter Auger	Remote Spout Cap Control
Reversible and Replaceable	Adjustable Skid Shoes
Cutting Blade	
200 degree Spout Rotation	
Cast Iron Gear Box	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

7002M	<p>47-in. Snow Blower (X530, X534, X540, model year 2015 X590) <i>For model year 2006-2015 Select Series tractors (X530, X534, X540, and model year 2015 X590).</i></p> <p><i>Rear weights and tire chains are recommended for additional traction.</i></p> <p><i>Winter grill cover recommended on model year 2006-2013 air-cooled engines to prevent carburetor icing.</i></p> <p><i>Also order M158756 spring and M174506 belt when used on model year 2015 X590 (serial 100,001-110,000).</i></p> <p><i>Not for sale in France.</i></p>	1,849.00
-------	---	----------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous

M88984	<p>Drift blade <i>For snow blowers. Requires two 19H1914 bolts and two N10217 lock nuts.</i></p>	32.10
LP33711	<p>Electric lift kit (model year 2006-2015)</p>	453.00
AM122263	<p>Skid shoe, heavy-duty left-hand (1) <i>Used on 44-in. (112-cm) and 47-in. (119-cm) Snow Blowers</i></p>	64.17
AM122264	<p>Skid shoe, heavy-duty right-hand (1) <i>Used on 44-in. (112-cm) and 47-in. (119-cm) Snow Blowers</i></p>	64.17
M157831	<p>Skid shoe, plastic (1) <i>Used on 44-in. (112-cm) and 47-in. (119-cm) Snow Blowers. Two required.</i></p>	31.98
AM135847	<p>Snow blower and front blade replacement tractor side lift parts <i>Replaces the tractor mounted lift parts from a 2006-2015 44-in. Snow Blower (7001M/SKU23045), 47-in. Snow Blower (7002M/SKU23047), 44-in. Front Blade (6001M/SKU23044), or 48-in. Front Blade (6002M/SKU23048) for use on a model year 2006-2015 X300/X500 M-T tractor.</i></p>	268.42
LP70692	<p>Snow blower storage dollies</p>	100.00

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS**

47-in. Snow Blower (X580, X584, model year 2016- X590)
Equipment for Base Machine

1194 mm (47 in.) Clearing Width	Sealed, Anti-Friction Ball
Easy-On, Easy-Off Mounting	Bearings
406 mm (16 in.) Diameter Auger	Remote Spout Cap Control
Reversible and Replaceable	Adjustable Skid Shoes
Cutting Blade	
200 degree Spout Rotation	
Cast Iron Gear Box	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

7008M	47-in. Snow Blower (X580, X584, model year 2016- X590) <i>For model year 2016- Select Series tractors (X580, X584, and model year 2016- X590).</i>	1,849.00
	<i>Rear weights and tire chains are recommended for additional traction.</i>	
	<i>Sales are restricted to the following countries: Austria, Belgium, Canada, Czech Republic, Denmark, Finland, France, Germany, Ireland, Italy, Luxembourg, Netherlands, Norway, Poland, Spain, Sweden, Switzerland, United Kingdom, and United States.</i>	

DESTINATION

001A	US and Canada	In Base Price
------	---------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous		
M88984	Drift blade <i>For snow blowers. Requires two 19H1914 bolts and two N10217 lock nuts.</i>	32.10
AM122263	Skid shoe, heavy-duty left-hand (1) <i>Used on 44-in. (112-cm) and 47-in. (119-cm) Snow Blowers</i>	64.17
AM122264	Skid shoe, heavy-duty right-hand (1) <i>Used on 44-in. (112-cm) and 47-in. (119-cm) Snow Blowers</i>	64.17
M157831	Skid shoe, plastic (1) <i>Used on 44-in. (112-cm) and 47-in. (119-cm) Snow Blowers. Two required.</i>	31.98
LP70692	Snow blower storage dollies	100.00
Spanish North American Kit		
BUC10298	Snow Blower Spanish North American Operator's Manual & Decal Kit (7007M, 7008M, 7009M, and 700AM)	96.30

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**47 In. Quick-Hitch Two-Stage Snow Blower
Equipment for Base Machine**

Hydraulic Discharge Chute	Wear Plates
Rotation 100 Degrees Right and Left	Reversible and Replaceable Scraper Blade
47 In. Clearing Width "Straight"	Four Extra Shear Bolts "Shell Mounted"
15.5 In. Diameter Impeller	Hydraulic Chute Angling
16 In. Diameter Auger	Less Front Quick-Hitch
Shear Bolt Protection	Less Front PTO
Adjustable Spout Cap Deflector	Less Implement Drive and Upstop
Two-Stage Design	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

1474M		47 In. Quick-Hitch Two-Stage Snow Blower <i>For 425, 445, 455, X400/X500 Heavy Duty Garden Tractors, X700's, 1023E, 1025R, 1026R, 2210, 2305, 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115 Tractors. BM20761 hydraulic coupler kit required on 425, X465, X475, X700, and X710 Tractors. Compact tractors require dual selective control valve and front attaching support kit. See Sales Manual for front attaching support requirements. See Sales Manual for ballast requirements.</i>	2,219.00
-------	--	---	----------

FRONT QUICK-HITCH

2000		Front Quick-Hitch and Hydraulic Lift <i>For 425, 445, and 455.</i>	667.00
2005		Front Quick-Hitch and Hydraulic Lift <i>For X400-X500 Heavy Duty Garden Tractors, X700s, and X940s.</i>	645.00
2006		Front Quick-Hitch and Hydraulic Lift <i>For 2210, 2305 Tractors. Also requires LVB25396 front attaching support.</i>	685.00
2007		Front Quick-Hitch and Hydraulic Lift <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115 Tractors. Also requires LVB24895 front attaching support (model year 2013-2016 2025R and 2320). Also requires LVB25302 front attaching support (model year 2013-2016 2032R, 2520, 2720, 4100, 4110, 4115).</i>	749.00
2013		Front Quick-Hitch and Hydraulic Lift <i>For model year 2017- 2025R Tractors. Includes BLV10680 front attaching support kit.</i>	959.00
2012		Front Quick-Hitch and Hydraulic Lift <i>For 1023E, 1025R, and 1026R. Includes BLV10796 front attaching support kit.</i>	950.00
2010		Less Front Quick-Hitch	In Base Price

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

47 In. Quick-Hitch Two-Stage Snow Blower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
FRONT POWER TAKE-OFF (PTO)			
3000		2000 RPM Front PTO <i>For 425, 445, and 455.</i>	246.00
3003		2000 RPM Front PTO <i>For 4100 and 4110.</i>	272.00
3006		2000 RPM Front PTO <i>For 4010 and 4115.</i>	272.00
3007		2000 RPM Front PTO <i>For 2210, 2305 Tractors.</i>	295.00
3008		2000 RPM Front PTO Kit <i>For model year 2013-2016 2025R and 2320.</i>	272.00
3017		2000 RPM Front PTO Kit <i>For model year 2017- 2025R.</i>	371.00
3016		2000 RPM Front PTO Kit <i>For 1023E, 1025R, and 1026R. See DTAC solution 111853 when used with BLV10159 Front Quick-Hitch. BLV10159 Front Quick-Hitch was available as an attachment through parts, 47-in. Snow Blower (1474M) option code 2008, 54-in. Snow Blower (02C1M) option code 2008, 52-in. Rotary Broom (3880M) option code 1001, and 60-in. Broom (3790M) option code 2007. http://diac.deere.com/Solutions/English/111853.htm</i>	455.00
3009		2000 RPM Front PTO <i>For model year 2013-2016 2032R, and 2520-2720.</i>	279.00
3010		Less Power Take Off	In Base Price
3014		2-Wheel Drive 2000 RPM Front PTO <i>For X400 Heavy Duty Garden Tractors, X700, X720, X724, X740, X744, X710, X730, X734, X750, and X754. Must be used with BM25772 implement drive and upstop. BM25772 is available as an attachment through parts, BM25772 is available as an attachment through parts, 47-in. Snow Blower (1474M) option code 4013, and 54-in. Snow Blower (02C1M) option code 4013.</i>	351.00
3015		4-Wheel Drive 2000 RPM Front PTO <i>For X500 Heavy Duty Garden Tractors, X728, X729, X748, X749, X738, X739, and X758.</i>	351.00
IMPLEMENT DRIVE AND UPSTOP			
4000		Implement Drive and Upstop <i>For 425, 445, and 455.</i>	231.00
4005		Implement Drive and Upstop <i>For model year 2013-2016 2025R, 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115 tractors.</i>	386.00
4014		Implement Drive and Upstop <i>For 2210, 2305, 1023E, 1025R, 1026R, and model year 2017- 2025R.</i> <i>Includes BLV10899 implement drive shaft and BLV10793 upstop.</i>	441.00
4010		Less Implement Drive and Upstop	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

47 In. Quick-Hitch Two-Stage Snow Blower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
4013		IMPLEMENT DRIVE AND UPSTOP Continued... Implement Drive and Upstop <i>For X400/X500 Heavy Duty Garden Tractors and X700's.</i>	280.00
ATTACHMENTS FOR FIELD CONVERSION			
		Attaching Parts	
LVB24899		Front Hitch/Mid-Mount Mower Combo Bracket (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320-2720)</i>	136.96
LVB25302		Front-Attaching Support Kit <i>For model year 2013-2016 2032R, 2520, 2720, 4100, 4110, 4115 tractors. If tractor is equipped with hood guard, attaching support kit is not required. See Sales Manual for front attaching support requirements.</i>	63.13
		Front Hitch	
BLV10680		Front Attaching Support kit (model year 2017- 2025R, 2026R)	284.61
BLV10708		Quick Hitch Kit (1023E, 1025R, 1026R, model year 2017- 2025R, 2026R)	793.94
		Front Power Take-off (Pto)	
BLV10786		2000 RPM Front PTO <i>For 1023E, 1025R, and 1026R.</i> <i>Includes shaft to route mid-PTO to the front-PTO. Includes front bearing and support structure. Includes RIO override for front implements. See DTAC solution 111853 when used with BLV10159 Front Quick-Hitch. BLV10159 Front Quick-Hitch was available as an attachment through parts, 47-in. Snow Blower (1474M) option code 2008, 54-in. Snow Blower (02CIM) option code 2008, 52-in. Rotary Broom (3880M) option code 1001, and 60-in. Broom (3790M) option code 2007. http://dtac.deere.com/Solutions/English/111853.htm</i>	510.39
BLV10681		2000 RPM Front PTO <i>For model year 2017- 2025R, and 2026R.</i> <i>Includes shaft to route mid-PTO to the front-PTO. Includes front bearing and support structure. Includes RIO override for front implements.</i>	416.23
BLV10475		2000 RPM Front PTO (model year 2013-2016 2032R, 2520, 2720, 3120-3720, 3033R-3046R) <i>Includes RIO override for front implements.</i>	313.51
LVB25966		2000-rpm Front Power Take-Off (PTO) (2210, 2305)	331.70
BM18695		2000-rpm Front Power Take-Off (PTO) (4100, 4110)	304.96
LVB24900		2000-rpm Front Power Take-Off (PTO) (model year 2013-2016 2025R and 2320.	304.96
LVB25305		2000-rpm Front Power Take-Off (PTO) Kit (4010, 4115)	304.96

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

47 In. Quick-Hitch Two-Stage Snow Blower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM25304		2000-rpm front PTO (X400 and 2-wheel drive X700s) <i>BM25304 must be used with BM25772 implement drive and upstop for snow blowers, or BM25775 implement drive shaft for rotary brooms. BM25772 is available as an attachment through parts, 47-in. Snow Blower (1474M) option code 4013, and 54-in. Snow Blower (02C1M) option code 4013. BM25775 is available as an attachment through parts, 52-in. Rotary Broom (3880M) option code 4004, and 60-in. Broom (3790M) option code 5004.</i>	394.83
BM25305		2000-rpm front PTO (X500 HDGT and 4-wheel drive X700s)	394.83
BM17330		2000-rpm front power take-off (PTO) (415, 425, 445, 455)	277.13
BLV10796		Front Attaching Support kit (1023E, 1025R, 1026R)	273.91
		Front Quick-hitch	
BM20921		Front Quick-Hitch and Hydraulic Lift (2305) <i>Fits also 2210 Tractors (for 47SB only).</i>	770.40
LVB24898		Front Quick-Hitch and Hydraulic Lift (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720) <i>Fits also 4010, 4100, 4110 and 4115 Tractors for 47SB only.</i>	841.01
BM26236		Front quick hitch and hydraulic lift (X400/X500 HDGTs, X700s, X940s)	724.39
BM20761		Hydraulic coupler kit <i>Required on X700, X710, X465, X475, and 425 Tractors</i>	57.79
BM20896		Hydraulic retro kit <i>Required to fit a customer's 425, 445 and 455 snow blower or snow thrower on a new X400/X500 HDGT or X700 Series tractor.</i>	29.96
		Implement Drive And Upstop	
LVB24902		Implement Drive and Upstop <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110 and 4115 Tractors (for 47SB only).</i>	434.41
BM20871		Implement drive and upstop (425, 445, 455, F900's)	260.01
BM25772		Implement drive and upstop (X400/X500 HDGT and X700s)	314.59
BLV10793		Snow Blower Attaching Kit (Upstop) <i>For 1023E, 1025R, 1026R, and model year 2017- 2025R.</i>	191.53
BLV10899		Snow Blower Drive Shaft <i>For 1023E, 1025R, 1026R, and model year 2017- 2025R.</i>	303.89
		Miscellaneous	
M88984		Drift blade <i>For snow blowers. Requires two 19H1914 bolts and two N10217 lock nuts.</i>	32.10
BLV10843		Electric Remote Spout Control Kit <i>For model year 2017- 2025R.</i> <i>Requires separate chassis harness for tractor.</i>	292.11
LVB25396		Front Attaching Support Kit (2305) <i>2210 and 2305 Tractors with 200X or 200CX hood guard require attaching support kit. Fits also 2210 Tractors (for 47SB only.) See Sales Manual for front attaching support requirements.</i>	62.06

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

47 In. Quick-Hitch Two-Stage Snow Blower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LVB24895		Front Attaching Support Kit (model year 2013-2016 2025R, 2320) <i>2025R and 2320 tractors with 200X or 200CX hood guard require attaching support kit. See sales manual for front attaching support requirements.</i>	90.96
BM20753		Front light kit <i>For X400/X500 HDGT and X700 Series Garden Tractors.</i>	217.21
AM119321		Heavy-duty skid shoe (1) <i>For 47-in. Quick Hitch Snow Blowers (SN -060,000)</i>	69.94
AM128337		Left-side skid shoe plate and hardware	52.68
LVB24958		Remote Spout Cap Control Kit <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, and 2720 tractors. See Sales Manual for required attaching parts.</i>	160.50
LVB26213		Remote Spout Cap Control Kit <i>For 1023E, 1025R and 1026R Tractors</i>	215.07
BLV10720		Remote Spout Control - Chassis Harness <i>For model year 2017- 2025R.</i>	205.44
BM20960		Remote spout cap control kit <i>For 425-455, 318, 322, 332, 420, 430, X400/X500 HDGT's, F900's, X700's, 2210, 2305, 4010, 4100, 4110, 4115 Tractors. See Sales Manual for required attaching parts.</i>	129.47
AM128336		Right-side skid shoe plate and hardware	52.68
M157831		Skid shoe, plastic (1) <i>Used on 44-in. (112-cm) and 47-in. (119-cm) Snow Blowers. Two required.</i>	31.98
LP70692		Snow blower storage dollies	100.00
BLV11058		Spanish North American Kit 47-in. and 54-in. Quick Hitch Snowblower Spanish kit (CUTs)	89.89

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

**54 In. Quick-Hitch Two-Stage Snow Blower
Equipment for Base Machine**

Hydraulic Discharge Chute	Wear Plates
Rotation 100 Degrees Right and Left	Reversible and Replaceable Scraper Blade
54 In. Clearing Width "Straight"	Four Extra Shear Bolts "Shell Mounted"
15 In. Diameter Impeller	Hydraulic Chute Angling
16 In. Diameter Auger	Less Front Quick-Hitch
Shear Bolt Protection	Less Front PTO
Adjustable Spout Cap Deflector	Less Implement Drive and Upstop
Two-Stage Design	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

02C1M		54 In. Quick-Hitch Two-Stage Snow Blower <i>For X400/X500 Heavy Duty Garden Tractors, X700's, 1023E, 1025R, 1026R, 2305, 2025R, model year 2013-2016 2032R, 2320-2720 Tractors. BM20761 hydraulic coupler kit required on X465, X475, X700, and X710 Tractors. Compact tractors require dual selective control valve and front attaching support kit. See Sales Manual for front attaching support requirements. See Sales Manual for ballast requirements.</i>	2,669.00
-------	--	--	----------

FRONT QUICK-HITCH

2005		Front Quick-Hitch and Hydraulic Lift <i>For X400-X500 Heavy Duty Garden Tractors, X700s, and X940s.</i>	645.00
2006		Front Quick-Hitch and Hydraulic Lift <i>For 2305 Tractor. Also requires LVB25396 front attaching support.</i>	685.00
2007		Front Quick-Hitch and Hydraulic Lift <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, and 2320, 2520, 2720 Tractors. Also requires LVB24895 front attaching support (model year 2013-2016 2025R and 2320). Also requires LVB25302 front attaching support (model year 2013-2016 2032R, 2520, 2720).</i>	749.00
2013		Front Quick-Hitch and Hydraulic Lift <i>For model year 2017- 2025R Tractors. Includes BLV10680 front attaching support kit.</i>	959.00
2012		Front Quick-Hitch and Hydraulic Lift <i>For 1023E, 1025R, and 1026R. Includes BLV10796 front attaching support kit.</i>	950.00
2010		Less Front Quick-Hitch	In Base Price

FRONT POWER TAKE-OFF (PTO)

3007		2000 RPM Front PTO	295.00
------	--	--------------------	--------

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS**

54 In. Quick-Hitch Two-Stage Snow Blower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
FRONT POWER TAKE-OFF (PTO) Continued...			
<i>For 2305 Tractor.</i>			
3008		2000 RPM Front PTO Kit <i>For model year 2013-2016 2025R and 2320.</i>	272.00
3017		2000 RPM Front PTO Kit <i>For model year 2017- 2025R.</i>	371.00
3016		2000 RPM Front PTO Kit <i>For 1023E, 1025R, and 1026R. See DTAC solution 111853 when used with BLV10159 Front Quick-Hitch. BLV10159 Front Quick-Hitch was available as an attachment through parts, 47-in. Snow Blower (1474M) option code 2008, 54-in. Snow Blower (02C1M) option code 2008, 52-in. Rotary Broom (3880M) option code 1001, and 60-in. Broom (3790M) option code 2007. http://dtac.deere.com/Solutions/English/111853.htm</i>	455.00
3009		2000 RPM Front PTO <i>For model year 2013-2016 2032R, and 2520-2720.</i>	279.00
3010		Less Power Take Off	In Base Price
3014		2-Wheel Drive 2000 RPM Front PTO <i>For X400 Heavy Duty Garden Tractors, X700, X720, X724, X740, X744, X710, X730, X734, X750, and X754. Must be used with BM25772 implement drive and upstop. BM25772 is available as an attachment through parts, BM25772 is available as an attachment through parts, 47-in. Snow Blower (1474M) option code 4013, and 54-in. Snow Blower (02C1M) option code 4013.</i>	351.00
3015		4-Wheel Drive 2000 RPM Front PTO <i>For X500 Heavy Duty Garden Tractors, X728, X729, X748, X749, X738, X739, and X758.</i>	351.00
IMPLEMENT DRIVE AND UPSTOP			
4005		Implement Drive and Upstop <i>For model year 2013-2016 2025R, 2013-2016 2032R, 2320, 2520, and 2720 tractors.</i>	386.00
4014		Implement Drive and Upstop <i>For 2210, 2305, 1023E, 1025R, 1026R, and model year 2017- 2025R.</i> <i>Includes BLV10899 implement drive shaft and BLV10793 upstop.</i>	441.00
4010		Less Implement Drive and Upstop	In Base Price
4013		Implement Drive and Upstop <i>For X400/X500 Heavy Duty Garden Tractors and X700's.</i>	280.00
ATTACHMENTS FOR FIELD CONVERSION			
	Attaching Parts		
LVB24899		Front Hitch/Mid-Mount Mower Combo Bracket (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320-2720)</i>	136.96

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

54 In. Quick-Hitch Two-Stage Snow Blower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
LVB25302		Front-Attaching Support Kit <i>For model year 2013-2016 2032R, 2520, 2720, 4100, 4110, 4115 tractors. If tractor is equipped with hood guard, attaching support kit is not required. See Sales Manual for front attaching support requirements.</i>	63.13
		Front Hitch	
BLV10680		Front Attaching Support kit (model year 2017- 2025R, 2026R)	284.61
BLV10708		Quick Hitch Kit (1023E, 1025R, 1026R, model year 2017- 2025R, 2026R)	793.94
		Front Power Take-off (Pto)	
BLV10786		2000 RPM Front PTO <i>For 1023E, 1025R, and 1026R.</i> <i>Includes shaft to route mid-PTO to the front-PTO. Includes front bearing and support structure. Includes RIO override for front implements. See DTAC solution 111853 when used with BLV10159 Front Quick-Hitch. BLV10159 Front Quick-Hitch was available as an attachment through parts, 47-in. Snow Blower (1474M) option code 2008, 54-in. Snow Blower (02C1M) option code 2008, 52-in. Rotary Broom (3880M) option code 1001, and 60-in. Broom (3790M) option code 2007. http://dtac.deere.com/Solutions/English/111853.htm</i>	510.39
BLV10681		2000 RPM Front PTO <i>For model year 2017- 2025R, and 2026R.</i> <i>Includes shaft to route mid-PTO to the front-PTO. Includes front bearing and support structure. Includes RIO override for front implements.</i>	416.23
BLV10475		2000 RPM Front PTO (model year 2013-2016 2032R, 2520, 2720, 3120-3720, 3033R-3046R) <i>Includes RIO override for front implements.</i>	313.51
LVB25966		2000-rpm Front Power Take-Off (PTO) (2210, 2305)	331.70
LVB24900		2000-rpm Front Power Take-Off (PTO) (model year 2013-2016 2025R and 2320.	304.96
BM25304		2000-rpm front PTO (X400 and 2-wheel drive X700s) <i>BM25304 must be used with BM25772 implement drive and upstop for snow blowers, or BM25775 implement drive shaft for rotary brooms. BM25772 is available as an attachment through parts, 47-in. Snow Blower (1474M) option code 4013, and 54-in. Snow Blower (02C1M) option code 4013. BM25775 is available as an attachment through parts, 52-in. Rotary Broom (3880M) option code 4004, and 60-in. Broom (3790M) option code 5004.</i>	394.83
BM25305		2000-rpm front PTO (X500 HDGT and 4-wheel drive X700s)	394.83
BLV10796		Front Attaching Support kit (1023E, 1025R, 1026R)	273.91
		Front Quick-hitch	
BM20921		Front Quick-Hitch and Hydraulic Lift (2305) <i>Fits also 2210 Tractors (for 47SB only).</i>	770.40
LVB24898		Front Quick-Hitch and Hydraulic Lift (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720) <i>Fits also 4010, 4100, 4110 and 4115 Tractors for 47SB only.</i>	841.01
BM26236		Front quick hitch and hydraulic lift (X400/X500 HDGTs, X700s, X940s)	724.39

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

54 In. Quick-Hitch Two-Stage Snow Blower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM20761		Hydraulic coupler kit <i>Required on X700, X710, X465, X475, and 425 Tractors</i>	57.79
BM23238		Implement Drive And Upstop Implement Drive and Upstop <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, and 2720 tractors.</i>	339.19
BM25772		Implement drive and upstop (X400/X500 HDGT and X700s)	314.59
BLV10793		Snow Blower Attaching Kit (Upstop) <i>For 1023E, 1025R, 1026R, and model year 2017- 2025R.</i>	191.53
BLV10899		Snow Blower Drive Shaft <i>For 1023E, 1025R, 1026R, and model year 2017- 2025R.</i>	303.89
M88984		Miscellaneous Drift blade <i>For snow blowers. Requires two 19H1914 bolts and two N10217 lock nuts.</i>	32.10
BLV10843		Electric Remote Spout Control Kit <i>For model year 2017- 2025R.</i> <i>Requires separate chassis harness for tractor.</i>	292.11
LVB25396		Front Attaching Support Kit (2305) <i>2210 and 2305 Tractors with 200X or 200CX hood guard require attaching support kit. Fits also 2210 Tractors (for 47SB only.) See Sales Manual for front attaching support requirements.</i>	62.06
LVB24895		Front Attaching Support Kit (model year 2013-2016 2025R, 2320) <i>2025R and 2320 tractors with 200X or 200CX hood guard require attaching support kit. See sales manual for front attaching support requirements.</i>	90.96
BM20753		Front light kit <i>For X400/X500 HDGT and X700 Series Garden Tractors.</i>	217.21
AM128337		Left-side skid shoe plate and hardware	52.68
LVB24958		Remote Spout Cap Control Kit <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, and 2720 tractors. See Sales Manual for required attaching parts.</i>	160.50
LVB26213		Remote Spout Cap Control Kit <i>For 1023E, 1025R and 1026R Tractors</i>	215.07
BLV10720		Remote Spout Control - Chassis Harness <i>For model year 2017- 2025R.</i>	205.44
BM20960		Remote spout cap control kit <i>For 425-455, 318, 322, 332, 420, 430, X400/X500 HDGT's, F900's, X700's, 2210, 2305, 4010, 4100, 4110, 4115 Tractors. See Sales Manual for required attaching parts.</i>	129.47
AM128336		Right-side skid shoe plate and hardware	52.68
M157831		Skid shoe, plastic (1) <i>Used on 44-in. (112-cm) and 47-in. (119-cm) Snow Blowers. Two required.</i>	31.98
LP70692		Snow blower storage dollies	100.00

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

54 In. Quick-Hitch Two-Stage Snow Blower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
		Spanish North American Kit	
BLV11058		47-in. and 54-in. Quick Hitch Snowblower Spanish kit (CUTs)	89.89

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS**

30-in. Mechanical Tiller (X500s)
Equipment for Base Machine

762 mm (30 In.) Tilling Width
356 mm (14 In.) Tine Diameter
152 mm (6 In.) Tilling Depth
Easy-On, Easy-Off Mounting

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
Select One Code From Each Required Category			
BASE MACHINE			
<i>F.O.B. Davenport, Iowa</i>			
5003M		30-in. Mechanical Tiller (X500s) <i>For Select Series Model X500, X520, X530, X540, X570, X580, and X590 Tractors.</i> <i>See Sales Manual for Ballast Requirements.</i>	1,859.00
DESTINATION			
001A		US and Canada	In Base Price

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS**

42-in. Hydraulic Tiller (X530, X540, X580, X590)
Equipment for Base Machine

1067 mm (42 In.) Tilling Width	Door
356 mm (14 In.) Tine Diameter	Standard or Counter-Rotating
25-152 mm (1-6 In.) Tilling Depth	Tines
Self-Contained Hydraulic Drive System	
Adjustable Rear Hinged Cover	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

5002M	42-in. Hydraulic Tiller (X530, X540, X580, X590) <i>For Select Series Model X530, X540, X580, and X590 Tractors.</i> <i>See Sales Manual for Ballast Requirements.</i>	2,689.00
-------	--	----------

ATTACHMENTS FOR FIELD CONVERSION

BM19406	Miscellaneous Adjustable skid shoes (42-in. Hydraulic Tiller)	234.33
---------	---	--------

JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR RIDERS & TRACTORS

42-in. Hydraulic Tiller (X700s) Equipment for Base Machine

1067 mm (42 In.) Tilling Width	Depth
Shaft Drive with Lock-Back Collar	Adjustable Rear Hinged Cover Door
Category "1" 3-Point Hitch Mounting	Standard or Counter-Rotating Tines
356 mm (14 In.) Tine Diameter	
25-152 mm (1-6 In.) Tilling	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

	<i>F.O.B. Davenport, Iowa</i>		
4392M	42-in. Hydraulic Tiller (X700s) <i>For X700s and non-current X400 and X500 Heavy-Duty Garden Tractors (HDGT). See base code 5002M for the version used on X530, X540, X580, and X590 Tractors.</i>	<p><i>Bar tires are recommended on two-wheel drive tractors and HDAP tires recommended on four-wheel drive tractors for tilling applications. Tire chains are not recommended for tilling.</i></p> <p><i>72 kg (160 lbs.) of front ballast is required for X400 and X500 HDGT and X700 Series Garden Tractors.</i></p> <p><i>X400 and X500 HDGT and X700 Series Garden Tractors must be equipped with 3-Point Hitch.</i></p>	2,569.00

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous		
BM19406	Adjustable skid shoes (42-in. Hydraulic Tiller)		234.33

JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

647 Rotary Tiller Equipment for Base Machine

48 In. (1,219 mm) Tilling Width Drive Shaft (See Code Selection) Pre-set Slip Clutch 15-35 PTO HP Rated Main Gearbox Breather on Gearbox and Chain Case Dipstick on Gearbox Sight Glass on Chain Case 7 In. (177 mm) Tilling Depth 14 In. (368 mm) Rotor Diameter	6 Hybrid Tines per Flange 6 Flanges - Total of 36 Tines 4 Position Adjustable Skidshoes ASA 60 Roller Chain Parking Stands Adjustable Rear Hinged Cover Door Center Mounted Cat 1 Hitch iMatch & Alpha Compatible 3-Point Hitch
---	---

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

0206LV		647 Rotary Tiller <i>For X400/X500 HDGT, X700 Series, 3005, 4005, 1023E, 1025R, 1026R, 3025E, 3032E, 3038E, 2210, 4010, 4100, 4110, 4115, 2305, 2025R, 2032R, 2038R, 2320-2720, 3203, 3033R-3039R, 3120-3720, and 4105 Tractors.</i> <i>X400/X500HDGT and X700 Series Tractors Must be Equipped with 540 RPM Rear PTO Drive and Category 1 3-Point Hitch.</i> <i>FrontBallast is Required, See Sales Manual for Specific Requirements.</i>	2,751.00
--------	--	---	----------

DESTINATION

0184	Canada		No Added Cost
0202	United States		No Added Cost
0205	Quebec		No Added Cost

OPERATOR'S MANUAL

0409	English North American Operator's Manual and Decal Kit		No Added Cost
0413	French Canadian Operator's Manual and Decal Kit		No Added Cost
0437	Spanish North American Operator's Manual and Decal Kit		No Added Cost

DRIVE SHAFT

1000	Drive Shaft <i>For compact utility tractors.</i>		In Base Price
1001	Drive Shaft for X400/X500 HDGT and X700 Series Tractors <i>X400/X500 HDGT and X700 Series Tractors equipped with iMatch hitch should order option code 1000 Drive Shaft for Compact Utility Tractors.</i>		34.00
1995	Less Drive Shaft		-344.00

BRACKETS

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

647 Rotary Tiller
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
2000		BRACKETS Continued... Brackets for Compact Utility Tractors	In Base Price
2001		Brackets for X400/X500 HDGT and X700 Series Tractors	No Added Cost
2995		Less Brackets	-153.00
ATTACHMENTS FOR FIELD CONVERSION			
		Front Weights	
BLV10442		Front Weight Bracket Extension Kit <i>Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to ten front Quik-Tatch weights.</i>	246.40
BLV10623		Front Weight Bracket Extension Kit (1023E, 1025R, 1026R, 2305, 2025R, 2026R, 2320, 2520, 2027R, 2032R) <i>Includes Extension Bracket and Hardware (Including Rod and Spring Pins) to hold up to seven weights (R66949).</i>	223.30
		Implement Drive Shaft	
LVB25518		Drive Shaft Kit (CUTS)	387.34
LVB25545		Drive Shaft Kit (X400/X500 HDGT's, X700's) <i>X400/X500 HDGT and X700 Series Tractors equipped with iMatch hitch should order LVB25518 Drive Shaft Kit (CUTS).</i>	424.79
		Miscellaneous	
LVB19607		Front Quik-Tatch Weight Kit (3020 Series, 3203, 4105) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	48.40
BLV11178		John Deere Quik-Knect Driveline Yoke Bundle <i>One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). At least one tractor receiver bundle (BLV10953) is needed per tractor. The tractor receiver bundle is removable and can be used on various tractors within the compatibility. For information on what Implement driveling yoke bundle to select, refer to the compatibility table within the sales manual.</i>	275.00
		Mounting Brackets	
LVB25769		Brackets for Compact Utility Tractors	172.27
		Rear Power Take-off (Pto)	
BM21914		540-rpm rear PTO (X400/X500 HDGTs, X700s before June 2010 production) <i>For use on X400/X500 HDGTs and X700 Series Tractors produced through mid-June 2010. See Sales Manual for tractor serial number break and/or verify that the transmission serial number starts with K02 or K03. When used on model year 2005 and older X400/X500 HDGTs, also order AM120840 module.</i>	1,015.43
BM23588		540-rpm rear PTO (X700s, June 2010 and later production) <i>For use on X700 Series Tractors produced after mid-June 2010 when new-pitch gears entered production. See Sales Manual for tractor serial number break and/or verify that the transmission serial number starts with K00.</i>	1,004.73
		Weights	
CH14083		Front Quik-Tatch Weight Kit (990, 4005) <i>Includes Rod and Spring Pins for Front Quik-Tatch Weights.</i>	29.97
BM17998		Front Weight Bracket Extension Kit (790, 3005) <i>Includes Extension Bracket and Hardware (Including Rod and Spring Pins) to Hold up to Four Quik-Tatch Weights. Includes Extension Bracket and Hardware (Including Rod and Spring Pins) to Hold up to Four Quik-Tatch Weights.</i>	247.50

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

647 Rotary Tiller
Continued