



500 Lincoln County Parkway Ext.
Lincolnton, NC 28092

Order Entry Process:

All orders for LeeBoy / Rosco brand equipment need to be submitted on the current LeeBoy Equipment Pricing & Order Form. Each unit must have the Form completely filled out along with your Company's Purchase Order number (One P.O. number per unit). Please fill out **ALL** of the following fields on the Order Form or we will not be able to accept & process your order in a timely manner:

- **Dealer**
- **Date**
- **PO Number**
- **Floor Plan** ******(If Yes, please list the Finance Company you would like to use)
- **Contact Email**
- **Ship To Address**
- **Ship VIA**
- **Requested Need by date** ******(This is our target this date but are not obligated to ship by this date)
- **Stock Order** ******(If unit is SOLD, please list the customer it is sold to)
- **If a Specification (BID) is linked to this order, it must be submitted at the time of order**
- **Check the appropriate machine you would like to order**
- **Check any options** (if applicable)
- **Signature** ******(Signature must be hand written, not typed)

Please e-mail or fax all orders to the attention of the Sales Department.

LeeBoy Equipment Sales Department Email: Sales@LeeBoy.com

LeeBoy Equipment Sales Department Fax # [704-919-5350](tel:704-919-5350)

Once your order is received, we will process your order (s) and send an order acknowledgement via email. Please check these acknowledgements for accuracy and let us know if there are any questions or issues. If you have not received an acknowledgement within 24-48 hours, please contact us at the above email.

There will be a promise date on the acknowledgement; this is our target date to ship your order.

If you have any questions or concerns, please feel free to contact us. Have a Great day!

Thanks,
LeeBoy Sales Dept.
P: 704-966-3300
F: 704-919-5350



Phone: 704.966.3300
eFax: 704.919.5350
Sales@LeeBoy.com

EQUIPMENT PRICING & ORDER FORM

2020 Model Year Pricing

Effective: 23 December 2019
Prices in US Dollars
FOB Lincolnton, NC

Maximizer 4B Distributor

DEALER: _____ DATE: _____
P. O. NO: _____ FLOOR PLAN: YES / NO WITH: _____
NEED BY DATE: _____ STOCK ORDER: YES / NO CUSTOMER: _____
SHIP VIA: _____

Specification are required with orders linked to bids

SOLD ORDER - CUSTOMER CLASS:			
CONTRACTOR	GOV / MUNI	GSA	NJPA

MAXIMUM TANK CAPACITY *	LIST PRICE	ORDER NUMBER	CK
2,050 Gallons (7,760 L)	\$ 119,645	MAX 4B 1900	
3,150 Gallons (11,924 L)	\$ 121,345	MAX 4B 3000	
3,700 Gallons (14,006 L)	\$ 123,725	MAX 4B 3500	
4,250 Gallons (16,088 L)	\$ 127,395	MAX 4B 4000	

* Gallons listed are maximum tank capacities. Recommended tank capacities may be limited by 1.) Thermal expansion of materials. 2.) Density of materials.
3.) Truck/axle load ratings. For more detail, please contact your local Rosco Sales Representative or Dealer.

STANDARD FEATURES

Truck Prices NOT Included Power Mirrors and ICC Bumpers are standard on all LeeBoy Supplied Truck Chassis.

ALL CUSTOMER SUPPLIED CHASSIS REQUIRE PRE-APPROVAL PRIOR TO ORDER ACCEPTANCE

All Maximizer 4B Asphalt Distributors are equipped with: low profile elliptical steel tank with 7 GA flat, flanged, and reinforced heads; tank shell supporting sills; full section 10-gauge surge plates and 22" diameter manhole, dual 8" diameter heating flues with 90-degree flue bends designed for more effective heat transfer, rear pump suction sump designed to allow complete tank drainage, front recirculation return providing agitation and even heating, 2" Rockwool insulation and stainless steel exhaust stack, variable displacement hydrostatic pump driven by chassis engine crankshaft (truck chassis must be suitable for front live power), Viking 560 GPM positive displacement asphalt pump, diesel-fired burner with heat limit control, 8-ft to 16-ft Rosco EZ-Spray telescoping spraybar, GPS ground speed sensor, full circulating spraybar that extend/retract via cab controls and automatically turn on nozzles when extended and shut off when retracted, additional 4ft cab controlled folding wings spraybar section with on/off in 1ft increments for total spraybar of 24 ft, GPS ground speed sensor, **Plus-1 CAN-Bus control and onboard diagnostic system w/DP700 (7",800x400 pixel) Color Graphic Display:** controller for automatic application rate control and automatic valves for cab control of distributor functions, rear control panel with pump speed display duplicates hydraulic and flush controls, exclusive enviro-flush system, single nozzle handspray wand with 25-ft rubber hose, front and rear dial content gauges, 5" dial thermometer, RTD thermometer, sampling valve, I.C.C. clearance lights and reflectors, back-up alarm. Unit meets Federal DOT regulations for hot asphalt.

OPTIONS			
DESCRIPTION	LIST PRICE	ORDER NUMBER	CK
Installation for a customer supplied truck chassis	\$ 1,975	0000	
PTO Transmission (required if not using front live power)	\$ 1,975	0000	
LPG burner in lieu of diesel burner (includes 52 gallon LP tank)	\$ 2,750	1005599	
LPG Burners with electronic ignition 100% outfire protection and heat limit control	\$ 4,275	1005601	
Diesel Burners with outfire protection and heat limit control	\$ 1,750	1005305	
Oil Heat System (Heated from the bottom flue tube, tracing on emulsion tank sump, asphalt pump, and the interior of spraybar)	\$ 9,524	0000	
Emulsion Tank Hand Railing (Electric actuated with in cab, warning buzzer)	\$ 3,810	0000	
Washdown System with pump and hose & self winding hose reel	\$ 1,550	1005612	
Loading Hose, 3" X 15' flexible steel, with quick couplers	\$ 950	1005608	
Loading Hose, 3" X 15' rubber, with quick couplers	\$ 1,250	1005607	
Hose Trough for Loading Hose	\$ 875	0000	
LED Worklights Qty 4	\$ 995	0000	
Beacon Light	\$ 750	1007960	
Frame Mounted Toolbox **Placement is dependent on framerail availability	\$ 975	0000	
Extra Fender Mounted Toolbox	\$ 850	0000	
Wet Storage Box **Placement is dependent on framerail availability	\$ 1,250	0000	
Full Width Mudflap	\$ 875	0000	
Electric Overnight Heat, 240V Single Phase *(If requirement is different from STD, please specify rating)	\$ 8,250	1005611	
Radar Horn in lieu of GPS	\$ 950	1005609	
Nozzle Selection **#1 Nozzles will be installed unless otherwise noted Nozzle Selection:	No Charge	0000	
Extended Warranty Program (Contact Factory for Specifics or go to www.LeeBoy.com and view extended program under the warranty tab of the dealer login home page.)	Call for Pricing	0000	
Total List Price		\$	-

COMMENTS: _____

SIGNATURE: _____ PHONE: _____

EQUIPMENT PRICING & ORDER FORM

Phone: 704.966.3300
eFax: 704.919.5350
Sales@LeeBoy.com

2020 Model Year Pricing

Effective: **23 December 2019**
Prices in US Dollars
FOB Lincoln, NC

Maximizer 3B Distributor

DEALER: _____ DATE: _____
 P. O. NO: _____ FLOOR PLAN: YES / NO WITH: _____
 NEED BY DATE: _____ STOCK ORDER: YES / NO CUSTOMER: _____
 SHIP VIA: _____
 CONTACT EMAIL: _____
 SHIP TO ADDRESS: _____

*****Specification are required with orders linked to bids*****

SOLD ORDER - CUSTOMER CLASS:			
CONTRACTOR	GOV / MUNI	GSA	NJPA
[Orange Box]	[Orange Box]	[Orange Box]	[Orange Box]

MAXIMUM TANK CAPACITY *	LIST PRICE	ORDER NUMBER	CK
1,050 Gallons (3,974 L)	\$ 97,655	MAX 3B 1000	
1,600 Gallons (6,056 L)	\$ 101,825	MAX 3B 1500	
2,050 Gallons (7,760 L)	\$ 102,650	MAX 3B 1900	
3,150 Gallons (11,924 L)	\$ 109,450	MAX 3B 3000	
3,700 Gallons (14,006 L)	\$ 111,725	MAX 3B 3500	
4,250 Gallons (16,088 L)	\$ 115,550	MAX 3B 4000	

* Gallons listed are maximum tank capacities. Recommended tank capacities may be limited by 1.) Thermal expansion of materials. 2.) Density of materials. 3.) Truck/axle load ratings. For more detail, please contact your local Rosco Sales Representative or Dealer.

STANDARD FEATURES

***Truck Prices NOT Included* Power Mirrors and ICC Bumpers are standard on all LeeBoy Supplied Truck Chassis.**

****ALL CUSTOMER SUPPLIED CHASSIS REQUIRE PRE-APPROVAL PRIOR TO ORDER ACCEPTANCE****

All Maximizer 3B Asphalt Distributors are equipped with: low profile elliptical steel tank with 7 GA flat, flanged, and reinforced heads; tank shell supporting sills; full section 10-gauge surge plates and 22" diameter manhole, dual 8" diameter heating flues with 90-degree flue bends designed for more effective heat transfer, rear pump suction sump designed to allow complete tank drainage, front circulation return providing agitation and even heating, 2" Rockwool insulation and stainless steel exhaust stack, variable displacement hydrostatic pump driven by chassis engine crankshaft (truck chassis must be suitable for front live power), Viking 400 GPM positive displacement asphalt pump, diesel-fired burner with heat limit control, 8-ft to 16-ft Rosco EZ-Spray telescoping spraybar, GPS ground speed sensor, full circulating spraybar that extend/retract via cab controls and automatically turn on nozzles when extended and shut off when retracted, **Plus-1 CAN-Bus control and onboard diagnostic system w/DP700 (7",800x400 pixel) Color Graphic Display:** controller for automatic application rate control and automatic valves for cab control of distributor functions, exclusive enviro-flush system, single nozzle handspray wand with 25-ft rubber hose, front and rear dial content gauges, 5" dial thermometer, sampling valve, I.C.C. clearance lights and reflectors, back-up alarm. Unit meets Federal DOT regulations for hot asphalt.

DESCRIPTION		LIST PRICE	ORDER NUMBER	CK
Installation for a customer supplied truck chassis		\$ 1,975	0000	
PTO Transmission (required if not using front live power)		\$ 1,975	0000	
LPG burner in lieu of diesel burner (includes LP tank)		\$ 2,750	1005599	
LPG Burners with electronic ignition 100% outfire protection and heat limit control		\$ 4,275	1005601	
Diesel Burners with outfire protection and heat limit control		\$ 1,750	1005605	
Heated Asphalt Pump		\$ 4,750	1012034	
Washdown System with pump and hose & self winding hose reel		\$ 1,550	1005612	
Loading Hose, 3" X 15' flexible steel, with quick couplers		\$ 950	1005608	
Loading Hose, 3" X 15' rubber, with quick couplers		\$ 1,250	1005607	
Hose Trough for Loading Hose		\$ 875	0000	
LED Worklights Qty 4		\$ 995	0000	
Beacon Light		\$ 750	1007960	
Frame Mounted Toolbox **Placement is dependent on framrail availability		\$ 850	0000	
Extra Fender Mounted Toolbox		\$ 775	0000	
Wet Storage Box **Placement is dependent on framrail availability		\$ 1,250	0000	
Full Width Mudflap		\$ 875	22942	
Hot Oil Option **Contact Factory for Application review and Availability		\$ 11,750	0000	
Electric Overnight Heat, 240V Single Phase (If requirement is different from STD, please specify rating)		\$ 8,250	1005611	
Radar Horn in lieu of GPS		\$ 950	1005609	
Nozzle Selection **#1 Nozzles will be installed unless otherwise noted		Nozzle Selection:	0000	
Extended Warranty Program (Contact Factory for Specifics or go to www.LeeBoy.com and view extended program under the warranty tab of the dealer login home page.)		Call for Pricing	0000	
Total List Price			\$	-

COMMENTS: _____

SIGNATURE: _____ PHONE: _____

EQUIPMENT PRICING & ORDER FORM

Phone: 704.966.3300
eFax: 704.919.5350
Sales@LeeBoy.com

2020 Model Year Pricing

Effective: **23 December 2019**

Prices in US Dollars
FOB Lincolnton, NC

Maximizer 2B Distributor

DEALER: _____ DATE: _____
P. O. NO: _____ FLOOR PLAN: YES / NO WITH: _____
NEED BY DATE: _____ STOCK ORDER: YES / NO CUSTOMER: _____
SHIP VIA: _____

*****Specification are required with orders linked to bids*****

SOLD ORDER - CUSTOMER CLASS:

CONTRACTOR	GOV / MUNI	GSA	NJPA
[]	[]	[]	[]

MAXIMUM TANK CAPACITY *	LIST PRICE	ORDER NUMBER	CK
1,050 Gallons (3,974 L)	\$ 93,595	MAX 2B 1000	
1,600 Gallons (6,056 L)	\$ 96,450	MAX 2B 1500	
2,050 Gallons (7,760 L)	\$ 98,750	MAX 2B 1900	
3,150 Gallons (11,924 L)	\$ 104,925	MAX 2B 3000	
3,700 Gallons (14,006 L)	\$ 107,675	MAX 2B 3500	
4,250 Gallons (16,088 L)	\$ 110,925	MAX 2B 4000	

* Gallons listed are maximum tank capacities. Recommended tank capacities may be limited by 1.) Thermal expansion of materials. 2.) Density of materials. 3.) Truck/axle load ratings. For more detail, please contact your local Rosco Sales Representative or Dealer.

STANDARD FEATURES

Truck Prices NOT Included Power Mirrors and ICC Bumpers are standard on all LeeBoy Supplied Truck Chassis.

****ALL CUSTOMER SUPPLIED CHASSIS REQUIRE PRE-APPROVAL PRIOR TO ORDER ACCEPTANCE****

All Maximizer 2B Asphalt Distributors are equipped with: low profile elliptical steel tank with 7 GA flat, flanged, and reinforced heads; tank shell supporting sills; full section 10-gauge surge plates and 22" diameter manhole, dual 8" diameter heating flues with 90-degree flue bends designed for more effective heat transfer, rear pump suction sump designed to allow complete tank drainage, front circulation return providing agitation and even heating, 2" Rockwool insulation and stainless steel exhaust stack, variable displacement hydrostatic pump driven by chassis engine crankshaft (truck chassis must be suitable for front live power), Viking 400 GPM positive displacement asphalt pump, GPS ground speed sensor, diesel-fired burner with heat limit control, 12-ft full circulating spraybar, cab control spraybar on/off in 1-ft increments, cab control folding spraybar wings, **Plus-1 CAN-Bus control and onboard diagnostic system w/DP 700 (7", 800x400 pixel) Color Graphic Display;** controller for automatic application rate control and automatic valves for cab control of distributor functions, exclusive enviro-flush system, single nozzle handspray wand with 25-ft rubber hose, front and rear dial content gauges, 5" dial thermometer, RTD thermometer, sampling valve, I.C.C. clearance lights and reflectors, back-up alarm. Unit meets Federal DOT regulations for hot asphalt.

OPTIONS

DESCRIPTION	LIST PRICE	ORDER NUMBER	CK
Installation for a customer supplied truck chassis	\$ 1,975	0000	
PTO Transmission (required if not using front live power)	\$ 1,975	0000	
LPG burner in lieu of diesel burner (includes LP tank)	\$ 2,750	1005722	
LPG Burners with electronic ignition 100% outfire protection and heat limit control	\$ 4,275	1005723	
Diesel Burners with outfire protection and heat limit control	\$ 1,750	1005725	
Heated Asphalt Pump	\$ 4,750	1012795	
Washdown System with pump and hose & self winding hose reel	\$ 1,550	1005731	
Spraybar Extensions - 1' lengths (Max 4 ea)	QTY: \$ 850	1005741	
Spraybar Extensions - 2' lengths (Max 2 ea)	QTY: \$ 1,225	1005745	
Loading Hose, 3" X 15' flexible steel, with quick couplers	\$ 950	1005727	
Loading Hose, 3" X 15' rubber, with quick couplers	\$ 1,250	1005726	
Hose Trough for Loading Hose	\$ 875	0000	
LED Worklights Qty 4	\$ 995	0000	
Beacon Light	\$ 750	1007960	
Frame Mounted Toolbox **Placement is dependenton framerrail aavailability	\$ 850	0000	
Extra Fender Mounted Toolbox	\$ 775	0000	
Wet Storage Box **Placement is dependenton framerrail aavailability	\$ 1,250	0000	
Full Width Mudflap	\$ 875	22942	
Electric Overnight Heat, 240V Single Phase *(If requirement is different from STD, please specify rating)	\$ 8,250	1005730	
Spraywand Hose Reel - Manual	\$ 2,500	0000	
Radar Horn in lieu of GPS	\$ 950	1005728	
Nozzle Selection - #1 Nozzles will be installed unless otherwise noted	No Charge	0000	
Extended Warranty Program (Contact Factory for Specifics or go to www.LeeBoy.com and view extended program under the warranty tab of the dealer login home page.)	Call for Pricing	0000	
Total List Price		\$	-

COMMENTS: _____

SIGNATURE: _____ PHONE: _____

EQUIPMENT PRICING & ORDER FORM

Phone: 704.966.3300
 eFax: 704.919.5350
Sales@LeeBoy.com

Effective: **23 December 2019**

2020 Model Year Pricing

Prices in US Dollars
 FOB Lincolnton, NC

RA 400 Patcher

DEALER: _____ DATE: _____
 P. O. NO: _____ FLOOR PLAN: YES / NO WITH: _____
 NEED BY DATE: _____ STOCK ORDER: YES / NO CUSTOMER: _____
 SHIP VIA: _____
 CONTACT EMAIL: _____
 SHIP TO ADDRESS: _____

*****Specification are required with orders linked to bids*****

SOLD ORDER - CUSTOMER CLASS:			
CONTRACTOR	GOV / MUNI	GSA	NJPA

MODEL	DESCRIPTION	LIST PRICE	ORDER NUMBER	CK
RA 400	65 HP Enclosed Kubota Aux Eng Patch On-The-Go, <i>Tier 4 FINAL</i>	\$ 138,950	RA400AP	
STANDARD FEATURES				
Truck Prices NOT Included Power Mirrors and ICC Bumpers are standard on all LeeBoy Supplied Truck Chassis.				
<u>**ALL CUSTOMER SUPPLIED CHASSIS REQUIRE PRE-APPROVAL PRIOR TO ORDER ACCEPTANCE**</u>				

All RA-400 Spray Patcher are designed for one-man control from the cab of the truck.

Units are equipped with: 300-gallon heated emulsion tank, overnight heating with two electric heat elements located in the water heat exchanger tube, hydraulically-driven, low pressure positive displacement blower and the exclusive "Patch On The Go" system, Venturi Nozzle with cleanout, welded rectangular aggregate hopper, vibration system, adjustable feed control slide gate, in-cab & driver's side emulsion level indicator, tank-mounted 5" dial thermometer, one-piece double-acting boom, 3-stage telescoping aggregate delivery tube, emulsion hose E-Chain hose protection, 30" x 60" 13-bulb multi-function arrow board with separate arrow board control panel, control panel with fuses, Features a Joystick controller for extending/retracting, swing of boom, boom raise/lower, Rock on/off, and a trigger for maximum Blower output. Functions driven by a variable displacement hydrostatic pump controlled by the Plus 1 system with DP200 Graphic Display for system monitoring and settings adjustment; Driven by Auxiliary engine with a PV480 Color Graphic Display for engine monitoring. Switch Panel includes switches for blower, work lights, and beacon light.

****ICC Bumpers are standard on all LeeBoy Truck Chassis****

OPTIONS			
DESCRIPTION	LIST PRICE	ORDER NUMBER	CK
Back-up / Reverse camera w/in cab color display	\$ 1,795	1007953	
LED Lights in the 30" x 60" Arrow Board (13 light)	\$ 2,325	37686	
Larger Arrow Board, 48" to 96"	\$ 2,275	985623	
LED Night Work Light Package (2 front, 1 rear work lights)	\$ 950	1006026	
LED Lights; stop, turn signals and tail lights	\$ 2,175	1005379	
240 V Heater Conversation in lieu of 120V	\$ 995	22766	
Emergency Triangle Kit, Flare Kit, Fire Extinguisher	\$ 950	1005478	
Jet Flush System	\$ 2,225	1003459	
Extended Warranty Program (Contact Factory for Specifics or go to www.LeeBoy.com and view extended program under the warranty tab of the dealer login home page.)	Call for Pricing	0000	
Total List Price		\$	-

COMMENTS: _____

SIGNATURE: _____ PHONE: _____

EQUIPMENT PRICING & ORDER FORM

Phone: 704.966.3300
 eFax: 704.919.5350
Sales@LeeBoy.com

2020 Model Year Pricing

Effective: **23 December 2019**

Prices in US Dollars
 FOB Lincolnton, NC

Variable Width Chip Spreader

DEALER: _____	DATE: _____	
P. O. NO: _____	FLOOR PLAN: YES / NO	WITH: _____
NEED BY DATE: _____	STOCK ORDER: YES / NO	CUSTOMER: _____
SHIP VIA: _____	***Specification are required with orders linked to bids***	
CONTACT EMAIL: _____	SOLD ORDER - CUSTOMER CLASS:	
SHIP TO ADDRESS: _____	CONTRACTOR	GOV / MUNI
	<input type="checkbox"/>	<input type="checkbox"/>
	GSA	NJPA
	<input type="checkbox"/>	<input type="checkbox"/>

MODEL	ENGINE	Drive	HOPPER WIDTH	LIST PRICE	ORDER NUMBER	CK
CSV	275 HP Cummins	Front Wheel Drive	Variable 0'-16'	\$ 303,495	CSV816	
STANDARD FEATURES						

All Hydrostatic Chip Spreaders are front wheel drive and equipped with: Tier 4 Final Engine ; Proportional hydraulic fan drive: new system to save horsepower, reduce noise, and reverses for radiator cleanout; Temperature controlled hydraulic oil cooler; infinitely variable speed hydrostatic drive system, 385/65R Duplex radial tires, 10' wide receiving hopper with Folding Wings at 4 cu.yd. truck capacity, rubber skirting and feed control gates adjustable from deck, variable width spread hopper with individual gate control, sonic controlled automatic cut offs for conveyor & augers when they are full, hydraulic-driven spread roll and augers, hydraulically-released & hydraulically adjustable height truck hitch, Full left-hand sliding driver's station with operators control console that includes; ignition switch, automatic conveyor control and application rate control, Plus 1 CAN-Bus control and onboard diagnostic system w/DP 710TM Color Graphic Display: gauges include engine water temperature, engine oil pressure, tachometer, fuel gauge, voltmeter, hydraulic temperature, hour meter, speed and direction controls, engine throttle, spread hopper/conveyor controls; hitch release hitch-height, conveyor on/off & horn; Pressure Transducers to Display Hydraulic Pressures; Right Hand remote operator control panel; Remote Camera for Truck Hitch; handrail mounted Amber Safety Strobe, light package (includes headlamps, taillights, stop and turn signals, and four-way hazard warning flasher).Toolbox. 8'6" legal hauling width without permits.

OPTIONS			
DESCRIPTION	LIST PRICE	ORDER NUMBER	CK
All-Wheel Drive System	\$ 25,975	1016690	
Dual Operator Consoles with Slides	\$ 16,515	1014785	
Spread Hopper Vibrators	\$ 2,945	1019302	
Umbrella (Qty 2)	\$ 595	920235	
Extended Warranty Program (Contact Factory for Specifics or go to www.LeeBoy.com and view extended program under the warranty tab of the dealer login home page.)	Call for Pricing	0000	
Total List Price		\$	-

COMMENTS: _____

SIGNATURE: _____ PHONE: _____

EQUIPMENT PRICING & ORDER FORM

Phone: 704.966.3300

eFax: 704.919.5350

Sales@LeeBoy.com

Effective:

23 December 2019

2020 Model Year Pricing

Prices in US Dollars

FOB Lincolnton, NC

Challenger 7 Broom

DEALER: _____

DATE: _____

P. O. NO: _____

FLOOR PLAN: YES / NO

WITH: _____

NEED BY DATE: _____

STOCK ORDER: YES / NO

CUSTOMER: _____

SHIP VIA: _____

*****Specification are required with orders linked to bids*****

CONTACT EMAIL: _____

SOLD ORDER - CUSTOMER CLASS:

SHIP TO ADDRESS: _____

CONTRACTOR

GOV / MUNI

GSA

NJPA

MODEL	ENGINE	TRACTOR	LIST PRICE	ORDER NUMBER	CK
<i>Challenger 7</i>	74 HP Cummins	7'-6" Heavy Duty Frame - Poly/Steel Tube Brush	\$ 88,595	CHAL7CMN	
STANDARD FEATURES					

All Challenger 7 Brooms are equipped with: 74 HP *Tier 4 Final* engine w/rotary pre-cleaner, Forward/Reverse Rotation, LED Light Package: Beacon, Front/Rear Work & Turn Signal Lights, 7'6"x32" Quick Change Poly/Steel Brush Core w/Heavy Duty 11 ga. Fully Enclosed Brush Cover, Back-Up Alarm, Slow Moving Vehicle Sign, ST225/75-15R Tires & Vandalism Package.

Fully Enclosed ROPS Cab that Includes: Padded Seat & Safety Belt, FNR Joystick w/Brush Head Controls (Pivot RH/LH, Raise & Float), Mirror Package: Dual West coat Mirrors, Variable Down Pressure Control, Brush Speed Control, Front Windshield Wiper, Dome Light, Horn, Turn Signals, 2 Speed Defroster Fan, 12 Volt Outlet, E-Stop, Manual Box, Cup Holder, PV101 Digital Display w/Hour & VloIt Meter, Oil Pressure, RPM, Fuel & Water Temperature.

OPTIONS			
DESCRIPTION	LIST PRICE	ORDER NUMBER	CK
Front Windshield Washer (wiper is standard)	\$ 450	21167	
Rear Wiper and Washer Assembly	\$ 950	21166	
Combination Poly Wafers (includes reusable steel brush tube) (in lieu of Poly Tube)	\$ 885	1005054	
Combination Poly/Steel Wafers (inlues reusable steel brush tube) (in lieu of Poly Tube)	\$ 925	1005055	
Poly/Steel Tube Brush (in lieu of Poly Tube)	\$ 885	38806	
Suspension Seat Assembly w/Safety Belt	\$ 755	1010416	
Back-up / Reverse camera w/in cab color display	\$ 1,795	1007953	
Radio/CD/Bluetooth w/Dual Speakers and Remote	\$ 995	1000705	
Cab Air Filtration & Pressue Mointor System (MERV 16 Rated)	\$ 2,795	1019987	
Engine Block Heater	\$ 595	1016450	
Spare Tire and mount	\$ 1,050	1017973	
Extended Warranty Program (Contact Factory for Specifics or go to www.LeeBoy.com and view extended program under the warranty tab of the dealer login home page.)	Call for Pricing	0000	
Total List Price		\$	-

COMMENTS: _____

SIGNATURE: _____

PHONE: _____



A LeeBoy Company

Phone: 704.966.3300

eFax: 704.919.5350

Sales@LeeBoy.com

EQUIPMENT PRICING & ORDER FORM

Effective: **23 December 2019**

Prices in US Dollars

FOB Lincolnton, NC

2020 Model Year Pricing

NV55 Broom

DEALER: _____ DATE: _____

P. O. NO: _____ FLOOR PLAN: YES / NO WITH: _____

NEED BY DATE: _____ STOCK ORDER: YES / NO CUSTOMER: _____

SHIP VIA: _____

CONTACT EMAIL: _____

SHIP TO ADDRESS: _____

*****Specification are required with orders linked to bids*****

SOLD ORDER - CUSTOMER CLASS:

CONTRACTOR	GOV / MUNI	GSA	NJPA
[]	[]	[]	[]

MODEL	ENGINE	FRONT-MOUNTED BRUSH	LIST PRICE	ORDER NUMBER	CK
NV55	74 HP Hatz	7' 6" with Poly Tube	\$ 69,975	NV55HATZ	
STANDARD FEATURES					

All NV55 Brooms are equipped with: 74 HP Tier 4 Final engine w/rotary pre-cleaner, LED Light Package: Beacon, Front/Rear Work, & Turn Signal Lights, 7'6"x32" Quick Change Poly Brush Core w/12 ga. Fully Enclosed Brush Cover, Heavy Duty Hydraulics (gear pump & brush motor), Back-Up Alarm, Slow Moving Vehicle Sign, ST225/75-15R Tires, & Vandalism Package.

Fully Enclosed Cab w/ROPS that includes: Tilt Steering Column, Suspension Seat w/Arm Rest & Safety Belt, Sliding Window, FNR Joystick w/Brush Head Controls (Pivot RH/LH, Raise, & Float), Mirror Package: Dual West Coast Mirrors, Center Rear View, & Convex Safety Mirrors, Variable Down Pressure Control, Brush Speed Control, Front Windshield Wiper, Dome Light, Horn, Turn Signals, 2 Speed Defroster Fan, 12 Volt Outlet, E-Stop, Manual Box, Cup Holder, PV380 Digital Display w/Hour & Volt Meter, Oil Pressure, RPM, Fuel, & Water Temperature.

OPTIONS			
DESCRIPTION	LIST PRICE	ORDER NUMBER	CK
Cab Air Filtration and Pressure Monitor System (MERV 16 Rated)	\$ 2,795	1018731	
Air Conditioning & Heater	\$ 3,300	1017120	
(2) 75 Gallon Water Tanks w/Spraying System	\$ 1,300	1021602	
Combination Poly Wafers (includes reusable steel brush tube) (in lieu of Poly Tube)	\$ 550	1005054	
Combination Poly/Steel Wafers (includes reusable steel brush tube) (in lieu of Poly Tube)	\$ 575	1005055	
Poly/Steel Tube Brush (in lieu of Poly Tube)	\$ 300	1007309	
Forward/Reverse Brush Rotation	\$ 775	1021946	
Rear Windshield Wiper and Washer	\$ 650	1016182	
Front Windshield Washer (wiper is standard)	\$ 250	1016181	
Spare Tire and Mount	\$ 750	1017973	
Side Shift Brush Head (18" Both Directions)	\$ 1,995	1021110	
Back-Up/Reverse Camera w/in cab color display	\$ 1,550	1007953	
Radio/CD/Bluetooth w/Dual Speakers and Remote	\$ 650	1016867	
Extended Warranty Program (Contact Factory for Specifics or go to www.LeeBoy.com and view extended program under the warranty tab of the dealer login home page.)	Call for Pricing	0000	
Total List Price		\$	-

COMMENTS: _____

SIGNATURE: _____

PHONE: _____

EQUIPMENT PRICING & ORDER FORM

Phone: 704.966.3300

eFax: 704.919.5350

Sales@LeeBoy.com

Effective:

23 December 2019

2020 Model Year Pricing

Prices in US Dollars

FOB Lincolnton, NC

RB-50 Broom

DEALER: _____

DATE: _____

P. O. NO: _____

FLOOR PLAN: YES / NO WITH: _____

NEED BY DATE: _____

STOCK ORDER: YES / NO CUSTOMER: _____

SHIP VIA: _____

*****Specification are required with orders linked to bids*****

CONTACT EMAIL: _____

SHIP TO ADDRESS: _____

SOLD ORDER - CUSTOMER CLASS:			
CONTRACTOR	GOV / MUNI	GSA	NJPA
[]	[]	[]	[]

MODEL	ENGINE	BRUSH	STYLE	LIST PRICE	ORDER NUMBER	CK
RB-50	74 HP HATZ	7'6" with Poly Tube	CANOPY	\$ 61,975	RB50CAHTZ	
RB-50	74 HP HATZ	7'6" with Poly Tube	CAB	\$ 64,295	RB50CBHTZ	

STANDARD FEATURES

All RB50 Brooms are equipped with: 74 HP Tier 4 Final engine w/rotary pre-cleaner, LED Light Package; Beacon, Front/Rear Work & Turn Signal Lights, 7'6" x 32" Quick Change Poly Brush Core w/12 ga. Fully Enclosed Brush Cover, Back-Up Alarm, Slow Moving Vehicle Sign, ST225/75-15R Tires, and Vanalim Package.

Fully Enclosed Cab w/ROPS that includes: Padded Seat & Safety Belt, FNR Joystick w/Brush Head Controls (Pivot RH/LH, Raise & Float), Mirror Package: Dual West Coast Mirrors, Variable Down pressure Control, Front Windshield Wipe, Dome Light, Horn, Turn Signals, 2 Speed Defroster Fan, 12 Volt Outlet, E-Stop, Manual Box, Cup Holder, PV380 Digital Display w/Hour & Volt Meter, Oil Pressure, RPM, Fuel, and Water Temperature.

OPTIONS			
DESCRIPTION	LIST PRICE	ORDER NUMBER	CK
Air Conditioning & Heater <i>(Cab model only)</i>	\$ 3,250	1017120	
150 gallon Water Tank w/ Spraying System	\$ 1,575	1015862	
Combination Poly Wafers (includes reusable steel brush tube) (in lieu of Poly Tube)	\$ 885	1005054	
Combination Poly/Steel Wafers (includes reusable steel brush tube) (in lieu of Poly Tube)	\$ 925	1005055	
Poly/Steel Tube Brush (in lieu of Poly Tube)	\$ 885	1007309	
Forward/Reverse Brush Rotation	\$ 775	1020778	
Rear Wiper and Washer Assembly <i>(Cab model only)</i>	\$ 950	1016182	
Front Windshield Washer (wiper is standard) <i>(Cab model only)</i>	\$ 450	1016181	
7'6" Front Strike-Off Blafde	\$ 6,175	1016639	
Front Wheel Fenders	\$ 375	1008024	
Curb Brush	\$ 4,150	1016640	
Spare Tire and Mount	\$ 1,050	1017973	
Suspension Seat Assembly	\$ 755	1015620	
Back-up / Reverse camera w/in cab color display	\$ 1,795	1007953	
Cab Air Filtration & Pressure Monitor System (MERV 16 Rated)	\$ 2,795	1018731	
Radio/CD/Bluetooth w/Dual Speakers and Remote <i>(Cab model only)</i>	\$ 995	1016867	
Extended Warranty Program (Contact Factory for Specifics or go to www.LeeBoy.com and view extended program under the warranty tab of the dealer login home page.)	Call for Pricing	0000	
Total List Price		\$	-

COMMENTS: _____

SIGNATURE: _____

PHONE: _____