

CATERPILLAR MACHINE PRICE LIST

M322F

M322F HYDRAULIC WHEEL EXCAVATOR
GRENOBLE, FRANCE

Ship Weight
lbs

LIST PRICE
AT DEALER

Standard Equipment:

POWERTRAIN

Engine:

- Cat C7.1, EPA/ARB tier 4 Final and EU
- Stage IV certified engine with
- Aftertreatment
- Altitude capability: 3000m/9842 ft
- Automatic starting aid

UNDERCARRIAGE

- Four wheel drive
- Heavy-duty axles with advanced disc brake system and travel motor with adjustable braking force
- Hydrostatic transmission, two speed
- Automatic lock mode for oscillating front axle & service brake
- Steps including tool boxes, left & right

HYDRAULICS

- Heavy lift mode
- Separate swing pump
- Load sensing hydraulic system

ELECTRICAL

- Alternator, 115 ampere
- Roading lights (two front, two rear)
- Signal/warning horn
- Refueling pump

OPERATOR ENVIRONMENT

- Reinforced cab structure compliant with 2006/42/EC and tested according ISO 12117-2:2008
- Air conditioner heater & defroster
- 24 Volt lighter
- Beverage cup/can holder
- Bolt-on FOGS capability
- Bottom mounted, intermittent, parallel wiper and washer
- Full graphic and full color display
- Interior lighting with door switch
- Joysticks, pilot operated
- Left side console, tiltable, with lock-out for all controls
- FM radio incl speakers
- Power supply, 12V-10A
- Steering column, adjustable angle & height
- Storage compartment suitable for a lunch box
- Sunshade for windshield and skylight
- Cruise control system
- Pin code type engine start prevention
- RHS and rear view camera (incl.lights) displayed on additional cab monitor

OTHER STANDARD EQUIPMENT

- BLCV including overload warning device
- SLCV
- VA booms include FLCV
- Automatic swing brake
- Capability to add auxiliary hydraulic circuits
- Caterpillar datalink and electronic technician capability

CATERPILLAR MACHINE PRICE LIST

M322F

M322F HYDRAULIC WHEEL EXCAVATOR
 GRENOBLE, FRANCE

Ship Weight
 lbs

LIST PRICE
 AT DEALER

**Lane 2 is reserved for the Base Order Management program.
 Please only use Lane 2 when placing orders that are part of the Base
 Order Management Program.**

599-6765 M322F WHL HEX AM-N DCA3 0 \$373,830
 LANE 1 - AVAILABLE FROM BALTIMORE PDC

Versatility for contractors and county work:
 Blade front, stabilizers rear, VA boom, 9'6" stick, high &
 medium pressure and pin grabber lines, tool control,
 joystick steering , B linkage compatible.

The following attachments MUST be selected from Lane 1
 Mandatory section : 0P9001 , 0G9240 .
 Undercarriage attachments are welded on and are therefore
 permanent part of the lower frame. It is not possible to
 add/remove or to change any outrigger or blade undercarriage

- INCLUDES:
- 501-3122 M322F WHEEL EXCAVATOR
 - 503-4944 BOOM, VA, A-LUBE
 - 503-2178 STICK, 2.9 M (9'6"), A-LUBE
 - 477-2417 UC BLADE FRONT/ OUT.REAR
 - 583-6608 ENGINE, EU
 - 373-6030 SEAT COMFORT W/51 (W/2") SEAT BELT
 - 489-2995 CAB, 70/30
 - 123-4801 PIN, BUCKET, ADJ
 - 374-5098 WIPER, 70/30
 - 383-3964 PEDAL, HPF/HAMMER
 - 422-9762 BEACON, ROTATING, REMOVABLE
 - 423-0669 BLCV, VA
 - 434-2731 COOLING SYSTEM, STANDARD
 - 440-3569 SPEED 30 KPH (18.6 MPH)
 - 485-2364 COUNTERWEIGHT, 4700 Kg (10350 LBS)
 - 454-2157 STEPS, UC
 - 459-6004 PRODUCT LINK, CELLULAR PL641
 - 465-7062 HYDRAULIC OIL, MINERAL
 - 465-7065 CONTROL, JOYSTICK STEERING
 - 473-2982 DECALS, NORTH AMERICA (ANSI)
 - 474-7231 TIRES, MITAS 11.00-20 DUAL
 - 491-1065 MIRROR, VA/MH
 - 491-8396 LIGHTS, LED
 - 492-8471 CONTROLLER, ELECTRONIC XL
 - 494-0903 SETTING, QC CTRL, PIN GRABBER
 - 497-1005 JOYSTICK, 1-SLIDER
 - 505-5366 ALARM, BACK-UP
 - 509-9870 JOYSTICK PATTERN, CHANGEABLE
 - 510-9702 CONTROL, 1PC & VA

NOTE: Please refer to the Lane 1 section to complete your order.

501-3122 M322F WHEEL EXCAVATOR 0 \$272,160
 LANE 2 - AVAILABLE FROM GRENOBLE FACTORY
 LANE 3 - AVAILABLE FROM GRENOBLE FACTORY
 AVAILABLE FOR: AM-N, EU, ISRAEL, ANZ-A

CATERPILLAR MACHINE PRICE LIST

M322F

M322F HYDRAULIC WHEEL EXCAVATOR
GRENOBLE, FRANCE

Ship Weight
lbs

LIST PRICE
AT DEALER

0G-0545

M322F MISCELLANEOUS MATERIAL 0
AVAILABLE FROM GRENOBLE FACTORY

NC

Only reference numbers that have the text
"ALSO AVAILABLE ON A MISCELLANEOUS ORDER" can be used on a Misc order.

CATERPILLAR MACHINE PRICE LIST

M322F

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

Mandatory ATT with M322F ADSD-N DCA1 , ADSD-N DCA3

0P-9001	LANE 1 ORDER	0		NC
0G-9240	COMPLETE STORAGE PROTECTION Includes CILIX and foam protection on all cylinders Machines from the factory have been sprayed with Fluid Film TM. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer. Cilix and foam protection on all cylinders are also included in this storage protection procedure. Includes operator protections in cab Required for: Shipping by sea from Grenoble France Recommended for: all type of long distance shipment	0		\$389 NET

CATERPILLAR MACHINE PRICE LIST

M322F

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

OP-9002	LANE 2 ORDER	0	NC
	Only for dealers enrolled in the Base Orders Management (BOM) program.		
OP-9003	LANE 3 ORDER	0	NC

REGIONAL PACKAGES

ENGINE

L	583-6608	ENGINE, EU	0	NC
		ONLY FOR USE WITH: EU dealers, AM-N, AUSTRALIA dealers		

BOOMS, STICKS, AND LINKAGES

BOOM ARRANGEMENTS

L	503-4079	BOOM, 1PC, A-LUBE	0	\$45,050
		Arrangements for standard sticks Includes: Cab controlled Automatic Lubrication System for front linkage and swing bearing. High pressure 2-way tool control circuit boom lines. Medium pressure auxiliary hydraulic circuit boom lines. CW & Pin Grabber Quick Coupler control boom lines. One piece boom 5.65M / 18' 6"		
		ONLY FOR USE WITH: LANE 3 ONLY		
L	503-4944	BOOM, VA, A-LUBE	0	\$49,840
		Arrangements for standard sticks Includes: Cab controlled Automatic Lubrication System for front linkage and swing bearing. High pressure 2-way tool control circuit boom lines. Medium pressure auxiliary hydraulic circuit boom lines. CW & Pin Grabber Quick Coupler control boom lines. Two piece boom 5.49M / 18'		

STICK ARRANGEMENTS

L	503-2185	STICK, 8'2", A-LUBE	0	\$16,330
		Standard sticks including Bucket Linkage Includes: Bucket linkage and cylinder. High pressure auxiliary hydraulic circuit stick lines. Medium pressure auxiliary hydraulic circuit stick lines. With CVC type quick disconnect couplings. Quick coupler control stick lines. Automatic Lubrication System stick lines.		

CATERPILLAR MACHINE PRICE LIST

M322F

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

BOOMS, STICKS, AND LINKAGES (CONT.)

STICK ARRANGEMENTS (Cont.)

L	503-2178	STICK, 9'6", A-LUBE 0		\$16,840
		Standard sticks including Bucket Linkage Includes: Bucket linkage and cylinder. High pressure auxiliary hydraulic circuit stick lines. Medium pressure auxiliary hydraulic circuit stick lines. With CVC type quick disconnect couplings. Quick coupler control stick lines. Automatic Lubrication System stick lines.		

SMARTBOOM & RIDE CONTROL

The Ride Control feature improves operator comfort by reducing machine bouncing when travelling.

Smartboom eases operations and improves operator comfort. It is useful and recommended for Hammering, Rock-cleaning and smooth leveling.

Includes:
 Boom lowering control device, reducing boom drift, and overload warning device, which signals a hydraulic overload with an acoustical warning in the cab.

L	423-0687	RC, 1PC INCL. SMARTBOOM 0		\$7,340
		Arrangement including Ride Control & BLCV Includes: Smartboom ONLY FOR USE WITH: One piece boom (1PC) LANE 3 ONLY		
L	423-0684	RC, VA INCL. SMARTBOOM 0		\$8,500
		Arrangement including Ride Control & BLCV Includes: Smartboom ONLY FOR USE WITH: Two piece boom (VA)		
L	471-1544	BLCV, 1PC 0		NC
		Arrangement without Ride Control Note: Smartboom not included ONLY FOR USE WITH: One piece boom (1PC) LANE 3 ONLY		
L	423-0669	BLCV, VA 0		\$1,175
		Arrangement without Ride Control Note: Smartboom not included ONLY FOR USE WITH: Two piece boom (VA)		
L	423-0678	BLCV, 1PC INCL. SMARTBOOM 0		\$2,910
		Arrangement without Ride Control Includes: Smartboom ONLY FOR USE WITH: One piece boom (1PC) LANE 3 ONLY		
L	423-0681	BLCV, VA INCL. SMARTBOOM 0		\$4,080
		Arrangement without Ride Control Includes: Smartboom ONLY FOR USE WITH: Two piece boom (VA)		

CATERPILLAR MACHINE PRICE LIST

M322F

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

POWERTRAIN

TARVEL SPEED

L	440-3568	SPEED 12.4 MPH 0 Travel speed 20kph / 12.4mph CANNOT BE USED WITH: Cooling Package Fine Mesh		NC
L	440-3569	SPEED 18.6 MPH 0 Travel speed 30kph / 18.6mph CANNOT BE USED WITH: Cooling Package Fine Mesh Solid Rubber Tires		NC
L	440-3571	SPEED 12.4 MPH, FINE MESH 0 Travel speed 20kph / 12.4mph ONLY FOR USE WITH: Cooling Package Fine Mesh		NC
L	452-4478	SPEED 18.6 MPH, FINE MESH 0 Travel speed 30kph / 18.6mph ONLY FOR USE WITH: Cooling Package Fine Mesh CANNOT BE USED WITH: Solid Rubber Tires		NC

UNDERCARRIAGE

UNDERCARRIAGE ARRANGEMENTS

NOTE: Undercarriage attachments are welded on and are therefore a permanent part of the machine. It is not possible to add or change dozer blade or outrigger attachments.

L	477-2417	UC BLADE FRONT/ OUT.REAR 0 Includes: Welded undercarriage Outriggers rear Parallel blade rear remote greasing (width: 2.75M / 9') Standard Axle width 2.69M / 8' 10"		\$23,260
L	465-7058	UC OUT.FRONT / BLADE REAR 0 Includes: Welded undercarriage Outriggers front Parallel blade rear remote greasing (width: 2.75M / 9') Standard Axle width 2.69M / 8' 10"		\$23,990
L	465-7060	UC OUT. FRONT & REAR. 0 Includes: Welded undercarriage Outriggers front Outriggers rear Standard Axle width 2.69M / 8' 10"		\$28,260

STEPS

L	454-2157	STEPS, UC 0 Uppercarriage access steps with integrated toolbox.		\$264
L	455-7068	STEPS, UC, INCL. FENDERS 0 Uppercarriage access steps with integrated toolbox. Includes: One set of four fenders reducing dirt and water spray from tires onto machine. REQUIRED BY: 4328185 GERMAN ROADING PACKAGE 30KPH		\$2,785

CATERPILLAR MACHINE PRICE LIST

M322F

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

UNDERCARRIAGE (CONT.)

TIRES

DUAL TIRES

L	474-7226	TIRES,SOLID RUB.10.00-20 DUAL 0 SOLID RUBBER Tires for industrial applications. Spacer rings are included. REQUIRES: 20kph / 12.4mph travel speed		\$14,840
L	474-7228	TIRES,BRIDGEST.11.00-20 DUAL 0 BRIDGESTONE FG, PR16 (DIAGONAL/CROSS PLY) The FG's separate lugs are tapered for greater traction and self cleaning, resulting in an easier drive through heavy dirt and mud. Spacer rings are included.		\$5,320
L	474-7231	TIRES, MITAS 11.00-20 DUAL 0 MITAS NB38, BIAS (DIAGONAL/CROSS PLY), PR16. Spacer rings are included.		\$1,550

HYDRAULICS

MEDIUM PRESSURE AUXILIARY HYDRAULIC CONTROLS

L	431-8616	CONTROL, MPF 0 Provides medium pressure circuit for tool rotation/tilt.		\$1,320
L	465-7065	CONTROL, JOYSTICK STEERING 0 Provides medium pressure circuit for tool rotation/tilt. Enables steering of the machine while travelling in first gear by using the sliding switch on the right hand joystick. Includes: Auxiliary medium pressure control circuit		\$3,495

OPERATOR ENVIRONMENT

CAB WINDSHIELD

L	489-2995	CAB, 70/30 0 Openable, 70/30 split, laminated glass windshield (Tempered glass lower window 4MM / 0.16" Laminated glass upper window 7MM / 0.28") Laminated glass top window and tempered glass side and rear windows.		NC
---	----------	--	--	----

WINDSHIELD WIPER

L	374-5098	WIPER, 70/30 0 ONLY FOR USE WITH: 70/30 windshield		NC
---	----------	--	--	----

Seats & Seat-Belts

Comfort Seat

CATERPILLAR MACHINE PRICE LIST

M322F

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

Seats & Seat-Belts (Cont.)

L	373-6030	SEAT COMFORT W/2" SEAT BELT 0 The Comfort Seat features vertical air suspension (low-frequency), horizontal suspension, automatic weight adjustment, mechanical lumbar support, passive climate system, seat cushion length and angle adjustment and a seat heater Includes: 2"/51mm retractable seat belt		\$855
L	393-1386	SEAT COMFORT W/3" SEAT BELT 0 The Comfort Seat features vertical air suspension (low-frequency), horizontal suspension, automatic weight adjustment, mechanical lumbar support, passive climate system, seat cushion length and angle adjustment and a seat heater Includes: 3"/76mm retractable seat belt		\$855

Deluxe Seat

L	377-4501	SEAT DELUXE W/2" SEAT BELT 0 The Deluxe Seat features vertical air suspension (low-frequency), horizontal suspension, automatic height & weight adjustment, active climate system (two step heating & body sweat removal), premium microfibre seat fabric, pneumatic lumbar support, seat cushion length and angle adjustment and adjustable dampening. Includes: 2"/51mm retractable seat belt		\$2,570
L	393-1387	SEAT DELUXE W/3" SEAT BELT 0 The Deluxe Seat features vertical air suspension (low-frequency), horizontal suspension, automatic height & weight adjustment, active climate system (two step heating & body sweat removal), premium microfibre seat fabric, pneumatic lumbar support, seat cushion length and angle adjustment and adjustable dampening. Includes: 3"/76mm retractable seat belt		\$2,570

Auxiliary Hydraulic Pedal

L	261-3608	NO PEDAL 2 Floorboard cover required if HPF/Hammer pedal is not selected.		NC
L	383-3964	PEDAL, HPF/HAMMER 0 HPF/Hammer Pedal allows secondary operation of auxiliary high pressure control circuit in addition to the standard slider control on the right joystick.		\$1,045

Hydraulic Joystick Pattern

L	509-9870	JOYSTICK PATTERN, CHANGEABLE 0 Provides ability to change from the standard excavator joystick control pattern (SAE) for hydraulic functions to the backhoe joystick control pattern (ISO).		\$960
---	----------	---	--	-------

Hydraulic Joystick

L	497-1005	JOYSTICK, 1-SLIDER 0 Provides standard joysticks with 1 slider and 4 buttons.		NC
L	488-1890	JOYSTICK, 2-SLIDER 0 Provides enhanced joysticks with 2 sliders and 5 buttons.		\$1,285

CATERPILLAR MACHINE PRICE LIST

M322F

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

CONTROL MAIN VALVE

L	510-9702	CONTROL, 1PC & VA	0	NC
		Implement Control Valve including 2 way tool control.		

CONTROLLERS

L	337-5820	CONTROLLER, ELECTRONIC	0	NC
		Provides a control unit to activate and control electrical functions of hydraulic components. CANNOT BE USED WITH: Ride Control, Joystick Steering 2nd High Pressure Control, Smartboom		
L	492-8471	CONTROLLER, ELECTRONIC XL	0	NC
		Provides a control unit to activate and control electrical functions of hydraulic components. ONLY FOR USE WITH: Ride Control, Joystick Steering 2nd High Pressure Control, Smartboom		

TECHNOLOGY PRODUCTS

PRODUCT LINK COMMUNICATIONS

Product Link enables the remote transmission of information about the the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country. Please contact your Cat marketing presentative with questions.

L	459-6004	PRODUCT LINK, CELLULAR PL641	0	NC
		Product Link Pro series PL641 uses UMTS and CDMA 3G cellular networks to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		
L	459-6005	PRODUCT LINK, SATELLITE PL631	0	\$446
		Product Link Pro series PL631 uses satellite network to transmit location, utilization and condition information for viewing in Product Link's remote monitoring web interface. For use in areas with poor or no cellular coverage.		

SAFETY AND SECURITY

LIGHTING / CAB GUARD

Arrangements without Cab Guard

L	491-8396	LIGHTS, LED	0	NC
		Provides LED type cab working lights Includes cab rain visor. Without Cab Guard		

Arrangements Including Cab Guard

CATERPILLAR MACHINE PRICE LIST

M322F

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

SAFETY AND SECURITY (CONT.)

LIGHTING / CAB GUARD (Cont.)

L	491-8397	FOGS, LED 0 Provides LED type cab working lights Includes cab guards front and roof.		\$4,880
---	----------	--	--	---------

MIRRORS

L	489-4672	MIRROR, ELECTRIC, VA/MH 0 Provides rearview mirrors on cab and on RH side of machine. Heated Mirrors adjustable from Cab ONLY FOR USE WITH: Two piece booms (VA & Offset)		\$1,020
L	489-4673	MIRROR, ELECTRIC, 1PC. 0 Provides rearview mirrors on cab and on RH side of machine. Heated Mirrors adjustable from Cab ONLY FOR USE WITH: One piece booms LANE 3 ONLY		\$1,020
L	491-1065	MIRROR, VA/MH 0 Provides rearview mirrors on cab and on RH side of machine. ONLY FOR USE WITH: Two piece booms (VA & Offset)		NC
L	491-1066	MIRROR, 1PC. 0 Provides rearview mirrors on cab and on RH side of machine. ONLY FOR USE WITH: LANE 3 ONLY One piece booms		NC

COOLING

COOLING PACKAGE

L	434-2731	COOLING SYSTEM, STANDARD 0		NC
L	465-7064	COOLING SYSTEM, FINE MESH 0 Provides improved protection to the radiator, the ATAAC, the A/C condenser to prevent clogging, when working with the machine in dusty environments. Includes an additional engine air pre-cleaner.		\$935

FRAMES

COUNTERWEIGHTS

L	443-8000	COUNTERWEIGHT, 7716 LBS 0 Standard Counterweight 3500KG / 7700LBS		\$710
L	485-2364	COUNTERWEIGHT, 10350 LBS 0 Heavy Counterweight 4700KG / 10350LBS Not allowed for roading in certain territories as axle load exceeds 12 tons. CANNOT BE USED WITH: DBS CERTIFICATE, GERMANY		\$965

FLUIDS

LUBRICATIONS

L	465-7062	HYDRAULIC OIL, MINERAL 0 Filling with Cat HYDO Advanced 10 oil		NC
---	----------	---	--	----

CATERPILLAR MACHINE PRICE LIST

M322F

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

INSTRUCTIONS

INTERNATIONAL INSTRUCTIONS

L	473-2982	DECALS, NORTH AMERICA (ANSI)	0	NC
---	----------	--	---	----

PACKING

EXPORT PACKING

OG-9240	COMPLETE STORAGE PROTECTION	0	\$389 NET
	<p>Includes CILIX and foam protection on all cylinders Machines from the factory have been sprayed with Fluid Film TM. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer. Cilix and foam protection on all cylinders are also included in this storage protection procedure. Includes operator protections in cab Required for: Shipping by sea from Grenoble France Recommended for: all type of long distance shipment</p>		

CATERPILLAR MACHINE PRICE LIST

M322F

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

HYDRAULICS

SECOND HIGH PRESSURE HYDRAULIC CIRCUIT CONTROL GROUP

Provides additional two way high or medium pressure function for worktools requiring additional hydraulic circuits for tilting or rotating, such as tilt-rotators.
 Must order control and stick lines to complete auxiliary circuit.

REQUIRES 2- Slider Joystick

If CAT TILTROTATOR SUPPORT is selected ,2ND HPF Control will be optimized for usage with a Cat Tiltrotator.In this case only one way flow with minimized return line back pressure will be provided

L	509-9881	CONTROL, 2ND HPF, 1PC 0 Second high pressure control valve. ONLY FOR USE WITH: One piece boom & 2 slider joystick LANE 3 ONLY		\$6,300
L	509-9882	CONTROL, 2ND HPF, VA 0 Second high pressure control valve. ONLY FOR USE WITH: Two piece boom (VA) & 2 slider joystick		\$5,990

Second High Pressure Hydraulic Circuit Stick Lines

Must order stick lines to complete auxiliary circuit.

L	251-8048	LINES, 2ND HPF, 8'2" STICK 31 Second high pressure lines for stick 2.5M / 8' 2". REQUIRED BY: CONTROL 2ND HPF		\$820
L	251-8049	LINES, 2ND HPF, 9'6" STICK 33 Second high pressure lines for stick 2.8M / 9' 2". REQUIRED BY: CONTROL 2ND HPF		\$970

Couplings Circuit

P	176-6765	COUPLING, QUICK DISC MPF DC 2 "ALSO AVAILABLE ON A MISCELLANEOUS ORDER" Provides adapters (CVC type coupling to internal thread M22 x 1.5) for stick lines medium pressure, side (bucket tilt)		\$345 NI
---	----------	--	--	----------

QUICK COUPLER CONTROL SETTINGS

L	494-0903	SETTING, QC CTRL, PIN GRABBER 0 Provides control strategy and pressure settings appropriate for Cat Pin Grabber quick coupler. CANNOT BE USED WITH: CW-type quick coupler		NC
---	----------	---	--	----

CATERPILLAR MACHINE PRICE LIST

M322F

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

ELECTRICAL

ALARM

L	505-5366	ALARM, BACK-UP 0 REQUIRED BY: USA & Canada dealers Acoustical warning signal when moving the machine .		\$755
---	----------	--	--	-------

SAFETY AND SECURITY

BEACON

L	422-9762	BEACON, ROTATING, REMOVABLE 0 Orange beacon light with cable and magnet foot.		\$303
---	----------	--	--	-------

MACHINE SECURITY SYSTEM

L	422-9723	SECURITY SYSTEM, MACHINE 0 Advanced, programmable system to manage access to machine. Requires special Machine Security System keys. Machine shipped with system inactive but with two of these keys already programmed into system. Requires Caterpillar Service Tool Electronic Technician (ET) to activate and to program system for additional keys. Additional keys available through Parts Distribution.		\$1,450
---	----------	---	--	---------

BUCKETS

BUCKET RETENTION PINS

Note: PIN,BUCKET,TDP bucket retention pins are not compatible
 with pin-on CAT Tilt-Rotator System (TRS) models.
 If the machine will be equipped with a pin-on TRS model
 please select PIN,BUCKET,ADJ.

P	123-4801	PIN, BUCKET, ADJ 95 "ALSO AVAILABLE ON A MISCELLANEOUS ORDER"	95	\$366 \$366 NI
---	----------	--	----	-------------------

FIELD INSTALLED ATTACHMENTS

KIT FOR FIELD INSTALLED ATTACHMENTS

Not Installed Attachments

Please contact Product Group if further details are required.

L	473-7060	KIT, CAB GUARD, FOGS 0 Provides cab guards front and top for field installation. "ALSO AVAILABLE ON A MISCELLANEOUS ORDER"		\$5,030 NI
---	----------	--	--	------------

CATERPILLAR MACHINE PRICE LIST

M322F

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS (CONT.)

KIT FOR FIELD INSTALLED ATTACHMENTS (Cont.)

L	487-0165	KIT, COOLING, WASTE HANDLING 0 Provides reversible fan and radiator screen vibration functionality to prevent radiator clogging in dusty environments. Includes engine air precleaner. "ALSO AVAILABLE ON A MISCELLANEOUS ORDER"		\$9,340 NI
---	----------	--	--	-------------------

DOCUMENTATION

CERTIFICATES OF CONFORMITY

	0P-6814	DECLARATION OF INCORPORATION 0 (DOI) certificate. CANNOT BE USED WITH: 1323391 CE MARK CERTIFICATE AND PLATE		NC
--	---------	--	--	-----------

PACKING

EXPORT PACKING

	0G-3565	PACKING -SEA/TRUCK MISC.MATER.. 0 ONLY FOR USE WITH: only with Not installed Misc.Mater (Ni)		\$223 NET
--	---------	---	--	------------------