

AGRICULTURAL EQUIPMENT

U.S. Price List Effective October 1, 2020

MAXXUM™ SERIES TRACTORS PL-100 MA Revision 25 SAP Price List 036 C3

THIS IS A COMPLETE REVISION

This price list is intended for dealers with the AG and AL contract only.

Products included in this price list are eligible for the Performance Plus Program.

The prices included in this revision supersede any prices established prior to the effective date shown unless specifically identified in a price bulletin as superseding this price list.

Dealers should retain prior price list pages for any discontinued equipment or attachments remaining in inventory.

Prices in this revision are subject to change. Check eQuipment for the most current pricing.

Copyright 2020 By CNH Industrial America LLC



July 6, 2020

TO: All Case IH NAFTA Region Dealers and Field

SUBJECT: NEW Maxxum Price Book



Attached is the Model year 2021 Case IH Maxxum tractor price book. This pricing is available for units that will be built in October and November 2020. Once those slots are filled, a new Maxxum price book will be released for models that will feature the new Tier 4B Final/Stage V compliant emissions system. New packages will also be released at that time. Please refer to eQuipment for the most up to date pricing.

Good Selling,

JE Cadle

Marketing Manager – Maxxum/Puma/Optum Tractors
je.cadle@caseih.com

ADVANCE FREIGHT

Advance freight will be added to the machinery invoice as a separate net charge for machinery shipped from field locations or from other than specified Ex Works locations.

PRICES

Prices are Ex Works factory, where the goods are manufactured, except where noted. For detailed information concerning prices, please refer to your OPERATING GUIDE. Prices and specifications are subject to change without notice.

CONTENTS OF ORGANIZATION

CNH Industrial N.V. issues price lists and revisions covering each Case IH contract. The U.S. Price List is published in U.S. funds and the Canadian Price List is published in Canadian funds. Ensure that you are using the correct price list. U.S. or Canada is referenced at the top of each page and the Canadian price lists have a Maple Leaf on the price list cover page.

Freight, duty and sales taxes are NOT included in any wholegoods or attachment prices shown in the price list. Any appropriate freight, duty, Federal, State, and Provincial taxes will be added to the machinery invoice as separate net charges.

PROCEDURE

The price pages for each machine (or group of machines) lists both "Factory Supplied Options" and "Factory Supplied Accessories."

Each price list is comprised of the various machines sold under that contract. Each price book section has "Factory Supplied Options" and "Factory Supplied Accessories" price pages. When ordering and pricing a machine, follow the ordering instructions listed for that machine. Accessories listed following the "Factory Supplied Accessories" heading are available for installation in the field.

DISTRIBUTION OF PRICE LISTS

Price lists and periodic price list revisions will be posted on the Dealer Portal and distributed electronically when possible.

Printed copies of current price lists, index tabs and binders can be purchased from the Document Management Center (DMC). Orders should be placed only through the DMC web site link located on the Dealer Portal. For DMC customer service inquiries, other than placing orders, call (262) 636-7540.

Internal E-mail: #NA DMC ORDER CENTER Complete U.S. Price List is PL-100 Complete Canadian Price List is PLC-100

Periodic price list revisions are usually accompanied by a cover sheet which carries instructions on price page changes and where to insert replacement or new price pages. The revisions are dated and are effective as of that date. However, PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.



MAXXUM™ SERIES TRACTORS TABLE OF CONTENTS

MAXXUM™ SERIES TRACTORS

MAXXUM™ 115-150 TRACTOR - ACTIVEDRIVE 4	
Standard Features Price List	1 5
MAXXUM™ 115-150 TRACTOR - MC ACTIVEDRIVE 8	
Standard Features Price List	25 29
MAXXUM™ SERIES 115-145 TRACTOR- CVXDRIVE	
Standard Features Price List	53 57
TIRE CHARTS MAXXUM Tire Charts	77
CASE IH PURCHASED PROTECTION PLAN	81



(Ex Works Port Of Entry) Standard Equipment

ENGINE:

115 - 145: 4 Cylinder Turbocharged and Intercooled Engine with electronic management with Power Boost

115: 95 PTO hp @ 2200 RPM/ 273 cu. in. (4.5 L) Displacement 125: 105 PTO hp @ 2200 RPM/

273 cu. in. (4.5 L) Displacement

135: 110 PTO hp @ 2200 RPM/ 273 cu. in. (4.5 L) Displacement

145: 120 PTO hp @ 2200 RPM/ 273 cu. in. (4.5 L) Displacement

150: 6 Cylinder Turbocharged and Intercooled Engine with electronic management with Power Boost

Power Boost 150: 125 PTO hp @ 2200 RPM/ 411 cu. in. (6.75 L) Displacement

Tier 4B Emissions Compliant 4 valves per cylinder

Bosch fuel injection pump (electronic) Air Cleaner w/ Precleaner & Exhaust

Aspiration

Dual element air filter Hand and foot throttle Grid Heater Starting Aid 115-150: 55.4-gallon (210 L) Fuel

Tank w/guard
10.4 Gallon (39.5 L) Diesel Exhaust

Fuel (DEF) Tank

Viscous fan (9 Blades)

Engine auto shut down feature Fuel Cooler

EXHAUST:

A-Post exhaust with integral muffler

OPERATOR PROTECTIVE STRUCTURE: CAB:

ROPS protected, ISO-mounted flat deck platform, narrow profile roof design with heater and air conditioner (with 4-speed pressurizer), tinted windshield with sunshade, fixed

OPERATOR PROTECTIVE STRUCTURE:

(continued)

hi-visibility roof window with retractable sun screen, front intermittent wipers and washers, two doors with locks, two external mirrors, hinged rear window (fully opens), radio ready (speakers, wiring, antenna), rear window access panel for control/monitor box or wiring harness entrance, interior dome light, self-cancelling turn signal, and two external courtesy lights
Steering wheel: tilt and telescoping Seat: Basic air suspension seat with operator's presence sensor, seat belt, and swivel

INSTRUMENTATION:

Analog/Digital instrumentation cluster with LCD display
Warning lights for air cleaner service, alternator, oil pressure, fuel sediment/water sensor, headlight high beam and parking brake
Gauges for fuel level, engine temperature, tachometer (mechanical) and hour meter

TRANSMISSION:

16F x 16R Semi-Powershift
- ACTIVEDRIVE 4 Transmission
Steering column mounted Left Hand
Power clutchless shuttle (F/R)
Fully synchronized
4 powershifts in 4 ranges
Clutchless range change
Multiplate wet clutch design

MFD -- 25 mph (40 kph) Speed varies with tire selection

CLUTCH:

Multi-plate wet clutch design



(Ex Works Port Of Entry) Standard Equipment

STEERING/BRAKES:

Hydrostatic Power Steering
Hydraulically actuated wet disc brakes
(self-equalizing and self-adjusting)
Independent Parking brake

HYDRAULICS:

Fixed displacement gear pump system:
Maximum flow at rated engine speed
22.7 gpm (86 1/m) flow
(implement pump)
12.4 gpm (47 1/m) flow
(steering and operating circuits)
35.1 gpm (133 1/m) total tractor
hydraulic flow
Two closed-center remote valves
with flow control, quick couplers,
and anti-leak down
Dual individual lever control
Rear remote oil collection system
Hydraulic tapping port (power beyond)

AXLES:

MFD Front Axle:
Class III MFD Axle
Limited slip front differential
without steering sensors
Dual steering cylinders
Adjustable tread width from
61.4 in. to 88.8 in. (May vary
up to 1 in. depending on tires)
55 degree Turning Angle
12 degree Axle Oscillation
Drive Shaft Shield
Standard front tires:
14.9R28 (RIW)

Rear Axle: Flange type Dog Clutch rear differential: MFD - Electro-hydraulic engaged (front and rear) Standard rear tires:

18.4R38 (R1W)

HITCH:

Electronic draft control
(lower link sensing)
3-point hitch category II with flex link
ends and telescoping stabilizers
Fast Raise/Lower Control (in cab)
6200 lb/2812 kg lift capacity (OECD)
with dual *80mm external assist ram
Rear fender mounted remote
hitch switches
Ride control
Swinging drawbar

PTO:

Independent 540/1000 RPM with single reversible shaft Multi-plate wet clutch design Electro-hydraulic engagement with soft start/auto feathering Flip-up PTO shaft guard Fender mounted PTO control switch

(1) 12-volt 800 cca Battery

ELECTRICAL:

Geared starter motor (4.2kW)
7-pin outlet for trailer/implement
lighting
3-pin implement socket (40 amp)
15 amp screw type positive/negative
terminals
Single Pin (8 amp) Accessory Power
outlet
150 amp Alternator
Two roof mounted single pin outlets
for beacon Cigar lighter

LIGHTING:

Two hood mounted forward facing
Eight LED worklights
Two cab roof mounted forward facing
Two grab rail mounted forward facing
Two cab roof mounted rear facing
Two "C"-post mounted rear facing
Two tailights



(Ex Works Port Of Entry) Standard Equipment

LIGHTING: (continued)
Time delayed turn indicators with
audible warning
Front and rear cab roof mounted
flashing safety lights

MISCELLANEOUS:
Pivoting engine hood
SMV emblem
Toolbox
Horn
NEBRASKA TEST REPORT STATUS:
Nebraska Temporary Sales Permit
to be applied for



(Ex Works Port Of Entry) Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
MAXXUM 115 ACTIVEDRIVE4	11,376 LB	9089041P26	\$115,638.00
MAXXUM 125 ACTIVEDRIVE4	11,376 LB	9095202P03	\$123,639.00
MAXXUM 135 ACTIVEDRIVE4	11,376 LB	9097880P09	\$127,117.00
MAXXUM 145 ACTIVEDRIVE4	12,555 LB	9103147P66	\$133,958.00
MAXXUM 150 ACTIVEDRIVE4	12,831 LB	9107522P03	\$139,639.00

Factory Supplied Options

Order Code Description We	eight	Factory Data	List Price
---------------------------	-------	--------------	------------

PACKAGES

SD T9980 PACKAGIN	G
-------------------	---

1 1 1	X0412XX	No Package- Custom		No Charge
		CIH Custom allows for individual selection of each option		
	X0408XX	CIH PKG STANDARD	(900392P70)	(\$510.00)
		Package includes Standard Features and following:		
		758497Bracket for Equipment Monitor		
		743714Deluxe Radio w Bluetooth		
		758441113L/Min. CCLS Pump		
		7437413 Mech Rear Remote Valves (2C)		
		758489Rotary Beacon Lefthand Side		
		7583554 LED Std Power Low-Roof (deduct)		
		Note - each option will be selected and display pricing; package		
		selection is for ease of selection		
	X0409XX	CIH PKG C DELUXE	(900785P40)	(\$1,020.00)
		Package includes Standard Packages features plus		
		adds following:		
		758558200 AMP_Alternator		
		758435Extended Life Brake Discs		
		759140Hvy Dty Bty Mech ISO		
		743902Enhanced Inst w/ ISO Socket		
		758452Cat II/III Flex Links		
		7585938 LED High Power Low-Roof		
		758479Suspended Cab		
		758349Rear Window Wiper		
		Note - each option will be selected and display pricing; package		
		selection is for ease of selection		



(Ex Works Port Of Entry)

X0410X	CIH PKG D LUXURY	(901178P10)	(\$1,530.00)
	Package includes Deluxe Packages features plus		
	adds following:		
	759130Large Fuel Tank+Guard		
	7436854 Mech Rear Remotes (2NC+2C)		
	7438112 External 90MM		
	758488High Headlight Righthand DIP		
	758580Sunshade, Rear Window		
	7591542 Tele/Heat/Rem Adj Mirrors		
	758483Leather Steering Wheel + Carpet		
	Note - each option will be selected and display pricing; package		
	selection is for ease of selection		

OPERATOR STRUCTURE

OPERATOR STRUCTURE

SD_T9200 OPERATOR STRUCTURE #1

	П	391610	Cab w/Fixed Front Screen		No Charge
			Standard Cab - Does not include Cab Suspension	N. C.	
		758479	Suspended_Cab	9001387P54	\$1,802.00
			Two shocks mounted in rear of cab increase operator comfort		
	1		Reduces shock loads transmitted to the tractor by up to 25%		
			When coupled with a suspended axle, the ultimate in ride comfort		
1	1 1		is achieved.	1	
			Includes tinted rear window		

CAB

SD_T7620 SPEAKERS

Г		390653	Radio Predisposition.		No Charge
			Includes speakers and wiring. Ready for aftermarket radio in DIN		
			slot.		
		743714	Deluxe Radio with Bluetooth	9000401P94	\$522.00
			Bluetooth Radio including: AM, FM, Micro SD, USB, AUX, and		
			Bluetooth with noise cancelling microphone. Includes speakers		
			and wiring.		

SD_T9000 STORAGE BOX/SEAT

	390905	Less LH Front Box		No Charge
	758568	Lefthand Front Box	9000104P72	\$136.00
		Storage area near the LH door, instead of an instructor seat		
	758569	Instructional Seat with Belt	9000466P62	\$606.00
		Includes seatbelt		
		Cloth will match operator seat		



\perp	000000	EAR CAB STORAGE BO		
1	390906	Less Rear Cab Storage Box		No Charge
	758570	Lefthand Rear Cab Storage Box	9000175P56	\$228.00
		Large LH storage box		
		Located in the back left hand corner, behind instructor seat area		
Щ		Compatible with or without instructor seat/front toolbox options		
,	SD TOSSO CI	IMATE CONTROL		
T	392701	AIR CONDITIONING 392701	T T	Na Observ
	392701	Standard A/C		No Charg
_		Standard AVC		
Ş	SD T9260 RE	EAR WIPER & WASHER		
	390675	Less Rear Wiper		No Charg
Г	758348	Rear Window Wiper	9000351P89	\$457.0
		Includes a rear windshield wiper: Allows for easier rear window		4 101 10
		cleaning, especially in dusty conditions with sharp sun angles into	1	
		the cab		
	•	· · · · · · · · · · · · · · · · · · ·		
5	SD_T9291 RE	EAR WINDOW SUNSHADE		
Œ	X92911X	No Rear Window Sunshade		No Charg
)	758580	Sunshade, Rear Window	9000161P70	\$210.0
1_		Pull down perforated material sunscreen.		
T .	SD_T9553 LU			
	391152	Std Steering Wheel		No Charg
-		Standard, non-leather steering wheel		
	758483	Leather Steering Wheel +Carpet	9000204P05	\$265.0
		Black Leather wrapped steering wheel with red stitching. Includes		
1		Wheat Brown carpet with Case IH Logo.		
-				
	EDINO COLUM			
STE	ERING COLUM	MN		
	25-1	125-147-W0-500-0-1-1-0-1-1-1-1-1-1-1-1-1-1-1-1-1-		
	D_T6300 ST	EERING OR AUTOGUIDANCE READY		Na Chara
	25-1	EERING OR AUTOGUIDANCE READY Standard Steering		No Charg
	D_T6300 ST	EERING OR AUTOGUIDANCE READY Standard Steering Factory Installed Autoguidance is not available on		No Charg
	D_T6300 ST	EERING OR AUTOGUIDANCE READY Standard Steering		No Charg
S	SD_T6300 ST 391630	EERING OR AUTOGUIDANCE READY Standard Steering Factory Installed Autoguidance is not available on Active Drive 4 MaxxumTractors		No Charg
S	GD_T6300 ST 391630 GD_T9180 AL	EERING OR AUTOGUIDANCE READY Standard Steering Factory Installed Autoguidance is not available on Active Drive 4 MaxxumTractors DIBLE WARNING TURN INDICATOR	(annespag)	
S	SD_T6300 ST 391630	EERING OR AUTOGUIDANCE READY Standard Steering Factory Installed Autoguidance is not available on Active Drive 4 MaxxumTractors DIBLE WARNING TURN INDICATOR Audible Turn Indicator	(900066P99)	
S	GD_T6300 ST 391630 GD_T9180 AL	Standard Steering Factory Installed Autoguidance is not available on Active Drive 4 MaxxumTractors DIBLE WARNING TURN INDICATOR Audible Turn Indicator Non-self cancelling - operator must manually cancel the turn	(900066P99)	
S	GD_T6300 ST 391630 GD_T9180 AL	Standard Steering Factory Installed Autoguidance is not available on Active Drive 4 MaxxumTractors DIBLE WARNING TURN INDICATOR Audible Turn Indicator Non-self cancelling - operator must manually cancel the turn signal following the turn	(900066P99)	No Charg
S	SD_T6300 ST 391630 SD_T9180 AU 390930	Standard Steering Factory Installed Autoguidance is not available on Active Drive 4 MaxxumTractors DIBLE WARNING TURN INDICATOR Audible Turn Indicator Non-self cancelling - operator must manually cancel the turn signal following the turn Sound and dash light indicates turn signal active	(900066P99)	(\$87.00
S	GD_T6300 ST 391630 GD_T9180 AL	Standard Steering Factory Installed Autoguidance is not available on Active Drive 4 MaxxumTractors DIBLE WARNING TURN INDICATOR Audible Turn Indicator Non-self cancelling - operator must manually cancel the turn signal following the turn	(900066P99)	



	(EX WORKET OF Entry)		
MIRRORS			
SD_T9360 R			N. O
759453	2 Std Mirrors		No Charge
750450	2 Standard Mirrors: 6.3" x 10.4" (160 x 263 mm)	9000217P91	\$283.00
759153	2 Telescopic Mirrors 759153	9000217P91	φ203.00
	2 Telescopic Mirrors (Shatter Proof with Large Head and Spotter)	1 1	
759154	7.9" x 11.8" (200 x 300 mm) 2 Tele/Heat/Rem Adj Mirror	9000268P73	\$349.00
759154	2 Telescopic, Heated, Remote Adjustable Mirrors (Shatter proof	3000200173	φο-το.οο
	with Large Head and Spotter)	1	
	7.9" x 11.8" (200 x 300 mm)	1 1	
	1.5 X 11.0 (256 X 666 Hill)		
INSTRUMENTATI	ON		
SD T7610 IN	ISTRUMENT PANEL		
390761	Analog/Digital Basic Cluster		No Charge
	Basic instrument cluster	1	
	Does not monitor PTO speed		
743902	Enhanced Inst w/ ISO Socket	9000134P75	\$175.00
	Required with radar	1	
	Includes 7-pin DIN/ISO 11786 socket in RH console to power		
	implement monitors		
	Includes ground speed, rear PTO speed, and rear 3-point position &	I II	
	work status	1 1	
	Includes functionality for Area accumulator, odometer, PTO speed		
	display, and wheel slip on dashboard instrument cluster.		
0.3220.00	*		
WORK LIGHTING			
CD TOLLO	OOD LICUTS		
SD_T9110 H 759446	BASIC HOOD LIGHTS		No Charge
/ / / / / / / / / / / / / / / / / / / /	New Grill Styling with updated headlights		140 Onlarge
	2 halogen road lights 2 halogen work lights		
759447	HIGH SPEC HOOD LIGHT	9000794P64	\$1,032.00
''3944'	New Grill Styling with updated LED High Spec Hood Lights	0333.1 0	* 1,000
	2 halogen road lights 4 led work lights 2 LED signature lights		
	z narogen road ngme r roa work ngme z zzo og navare ngme		
SD_T9130 V	VORK LAMPS		
758355	4 LED Std Power Low-Roof	(901231P23)	(\$1,599.00
	Included in base equipment		
	Standard power 1100 Lumens LED work lights		
	2 front roof-mounted LED work lights	I I	
	2 rear roof-mounted LED work lights		
	,	1 1	
	2 halogen road hood lights		



MAXXUM ACTIVEDRIVE 4 SERIES TRACTOR

	(Ex Works Port Of Entry)		
7585			No Charge
	High power 1950 Lumens LED work lamps		0
1 1	2 front roof-mounted LED work lights		
	2 rear roof-mounted LED work lights		
	2 rear post-mounted LED work lights		
	2 halogen road hood lights		
	2 halogen work hood lights		
High power 1950 Lumens LED work lamps 2 front roof-mounted LED work lights 2 rear roof-mounted LED work lights 2 grab rail LED work lights (redesigned structures) 2 rear post-mounted LED work lights 2 halogen road hood lights			
			No Charge
1-1	- · · · · · · · · · · · · · · · · · · ·	9000243P32	\$316.00
	gggg	30002431 32	Ψ310.00
* **			
BEACON LIGH	ITING		
SD_T9146	ROTARY BEACON		
X914	61X No Rotary Beacon		No Charge
75848	Rotary Beacon Lefthand Side	9000328P02	\$426.00
21	Single Rotary Beacon placed on rear left of tractor for increased		
	safety and visibility		
75849	1 Twin Beacon	9000656P81	\$853.00
	Dual Rotary Beacons placed on the rear of the cab on both the left		
	and right side for maximum safety and visibility		
DISPLAY MOU	INTING		
			No Charge
/5849		9000124P74	\$162.00
	Includes monitor bar only, no harnesses or mounting bracket		
RECISION E	ARMING		Uli al Webal Word
TLEOIOIOI I	TAMIN'O		
AUTOGUIDAN	CE		
SD T5101	ADV PROCESSOR		
X150			No Charac
75849		9000312P62	No Charge \$406.00
	Beguired for front over engine	30003121 02	ψ+00.0€

Required for front suspension Required for front hitch



IGINE			
and 16000460 12			
SD_T1000_E			No Char
392194	T4B Engine W/Boost	1 1	NO Criai
750400	Elect. Fuel pump - 4 valves with Power Boost	9001498P42	\$1,946.
758400	Tier 4B Engine Exhaust Brake Elect. Fuel pump - 4 valves with Power Boost and Engine Exhaust	30014301 42	Ψ1,040,
	Brake - Activated by depressing a pedal on left side in the cab	1 1	
	Closes the exhaust flap to act as an exhaust brake to reduce	1 1	
	braking when hauling heavy loads on steep terrain.		
	Diaming Wild Hading Houry Today on Story Tolking		
SD_T1010_E	INGINE OPTIONS		
392300	STD ENG COOLING FAN		No Char
SD_T1040 (CHARGING SYSTEMS		
758557	150 AMP_Alternator		No Char
758558	200 AMP_Alternator	9000188P65	\$24 5.
	Required for Suspended Cab w/htd screens 758480		
CHECK-LEWISENIN TE			
	ING SPEED MANAGEMENT		No Chai
390465	Less Engine Speed Management	9000365P75	\$475.
743814	Engine Speed Management Constant Engine RPM (CERPM) Functions	9000303173	ψ+7.5.
	Allows operator to set and switch between two engine RPM		
	set-points		
	Switches located on RH console		
	Owitches located on full consolic		
STARTING AID			
SD_T1938 \	NEATHER PACK		
758401	Grid_Heater		No Cha
	-18F (-10C) to -32.4F (-18C)		
758402	Grid_Heater + 110V Pack	9000318P01	\$413.
	Improves cold weather starting abilities; transmission heat	Mr. I	
	maintainer		
	110V Electrical Plug in		
	Engine block heater includes 2 heaters: 1 for engine block heater		
	and 1 for transmission and hydraulic heat maintainer		
	Plugs located side by side, below main cab door opening		
BATTERY			
SD_T7420			No Cha
392499	STD DTY MECH ISOLAT		NO CHA
	Standard Duty Battery (140AH) Mech Isolator		



(Ex Works Port Of Entry)

758407	HD Battery 176AH	9000087P78	\$114.00
	Heavy Duty Battery (176Ah 1300 EN cca)		
	Does not include battery isolator		
758409	HD Battery W/Isolator 176AH	9000431P97	\$561.00
	Includes electronic battery isolator switch on right hand rear		
	c-pillar in cab.		
	In-cab switch disconnects battery to prevent battery drainage.		
759140	Hvy Dty Bty Mech ISO	9000345P73	\$449.00
	Includes mechanical battery isolator switch		
	Mechanical switch disconnects battery to prevent battery drainage.		

FUEL TANK

SD_T1400 FUEL TANK

	759127	Std Fuel Tank	(900261P80)	(\$340.00)
		Does not include fuel tank guards		
		Capacity - 55.4 Gal (210L)		
	759128	Std Fuel Tank+Guard		No Charge
111	Δ.	Includes fuel tank guards		
		Capacity - 55.4 Gal (210L)		
(1)	759130	Large Fuel Tank+Guard	9000184P80	\$240.00
	:1	Includes fuel tank guards		
1 1	_	Incompatible with 34" rear wheels (8365401)		
		Capacity - 66 Gal (250L)		

TRANSMISSION

TRANSMISSION

SD_T2800 SPEED

	2WD Only			
	759375	30KPH 16X16 L/Autoshift	(901136P52)	(\$1,476.00)
		19 MPH (30 KPH)		
	759377	30KPH 16X16 W/Autoshift	(900523P60)	(\$680.00)
		19 MPH (30 KPH)		
		Includes autoshift-field and autoshift-road modes for ease of		
1 1		operation		
		Autoshift road mode allows for automatic shifting		
		between gears 9-16/17		
		Autoshift field mode will allow for automatic shifting between		
11		a specific set of gears		
11		When engaged transmission will automatically shift with		
		throttle input		



	(Ex Works Port Of Entry)		
759379	30KPH 16X16 Autoshift+Creeper	9001402P17	\$1,821.00
	19 MPH (30 KPH)		
	Includes autoshift-field and autoshift-road modes for ease of	1 1 1	
	operation		
	Autoshift road mode allows for automatic shifting		
	between gears 9-16/17		
	Autoshift field mode will allow for automatic shifting between	1 1 1	
	a specific set of gears		
	When engaged transmission will automatically shift	1 1 1	
	with throttle input		
MFD			
392195	40KPH_16X16_L/Autoshift		No Charge
	25 MPH (40 KPH)		
	Does not include autoshift functionality		
758413	40KPH 16X16 w/Autoshift	9000623P70	\$810.00
	25 MPH (40 KPH)		
	Includes autoshift-field and autoshift-road modes for ease of		
	operation		
	Autoshift road mode allows for automatic shifting	1 1	
	between gears 9-16/17		
	Autoshift field mode will allow for automatic shifting between	1 1	
	a specific set of gears		
	When engaged transmission will automatically shift	1 1	
	with throttle input		
758414	40KPH_32X32_Autoshift+Creeper	9002587P97	\$3,361.00
	25 MPH (40 KPH)		
	Includes autoshift-field and autoshift-road modes for ease of		
	operation		
	Autoshift road mode allows for automatic shifting		
	between gears 9-16/17		
	Autoshift field mode will allow for automatic shifting between		
	a specific set of gears		
	When engaged transmission will automatically shift		
	with throttle input		
743764	40 KPH (17x16) ECO	9001727P88	\$2,244.00
	25 MPH (40 KPH)		
	In 17th gear, engine RPMs limited to save fuel at max speed		
	Includes autoshift-field and autoshift-road modes for ease of		
	operation		
	Autoshift road mode allows for automatic shifting		
	between gears 9-16/17		
	Autoshift field mode will allow for automatic shifting between		
	a specific set of gears		
	When engaged transmission will automatically shift		
	with throttle input		
	I with thouse mout		



(Ex Works Port Of Entry)

743766	50 KPH (17x16)	9001727P88	\$2,244.00
	31 MPH (50 KPH)		
	Includes autoshift-field and autoshift-road modes for ease of		
	operation		
	Autoshift road mode allows for automatic shifting		
	between gears 9-16/17		
	Autoshift field mode will allow for automatic shifting between		
	a specific set of gears		
	When engaged transmission will automatically shift		
	with throttle input	ļ.	
	Requires class 4 suspended front axle with brakes, hydraulic		
	trailer brakes, specific tires, and the 26.5 gpm (113L/min)		
	hydraulic pump		

RADAR

SD T7580 RADAR

_	_	D 11000 10			
		390703	Less Radar		No Charge
		758501	Radar NAR	9000642P18	\$834.00
1			Provides more accurate speed readings and area measurements		
1	1		Requires enhanced instrumentation		
1	1		(758546) A Pillar CIH Enhanced Instru		

TRAILER BRAKES

SD_T7230 PNEUM TRAILER BRAKE

390729	L/ Pneumatic Trailer Brakes		No Charge
758447	Pneumatic Trailer Brake Univ	9006357P89	\$8,257.00
1	Requires hydraulic trailer brakes (744784) or brake logic valve		
1	(744783)		
	Dual air line system is used for dual cylinder truck type trailer		
1	brakes.		
1	For customers with air brakes in heavy hauling applications, such		
1	as with manure tankers.		

TRAILER BRAKES

SD_T7130 TRLR BRK VLV

	390711	Less trailer brakes		No Charge
	744784	Hyd Trailer Brake Universal	9000888P58	\$1,154.00
11		Synchronized trailer braking only when both service brake pedals		
		are actuated.	1	
1 1	1	System consists of trailer brake valve with priority over hydraulic		
		lift and remotes.		
		For customers with hydraulically powered brakes in heavy		
		hauling applications, such as with manure tankers.	li li	



	US PRICE LIST	A TOTAL CONTRACTOR AND ADDRESS OF	
	(Ex Works Port Of Entry)		
759472	HYD TRLBRK - NOT ISO	9000888P58	\$1,154.00
		- IN I -DAY WITH	Nen su
IITCH			
FRONT HITCH			
THORTIMON			
	RONT THREE POINT HITCH		
390811	Less Front Linkage	00004000044	No Charge
759144	Integrated FHPL 759144	9006108P41	\$7,933,00
	Integrated Front Hitch		\$40 T00 00
759147	Int FHPL+FPTO	9012884P41	\$16,733.00
	Integrated Front Hitch with PTO	1 1	
	The front PTO is a 6 spline, 1 3/8" 1000 RPM shaft, which rotates	1	
	counter-clockwise when looking from the front of the tractor.		
OD TOOO I	OOFO FOR FURI		
390926	OSES FOR FHPL Less Tubes for FHPL		No Charge
758473	Tubes FHPL Connect Mech RR		No Charge
100470	Connects front hitch to mechanical rear remote	l II	J
758582	Tubes + Coupler Mech Rear Rem.	9000151P69	\$197.00
730302	Front hitch and 1 front remote to mechanical rear remotes	333.33.	*******
REAR 3-POINT	THORE INCOME TO HIS ON A TOUR TOWN TOWN		
REAR 3-POINT SD_T8950 A			
EDSCRIPE W	UX RAMS EDC Base Hydraulic Lift Cyl.		No Charge
SD_T8950 A	UX RAMS		No Charge
SD_T8950 A	UX RAMS EDC Base Hydraulic Lift Cyl.		No Charge
SD_T8950 A	UX RAMS EDC Base Hydraulic Lift Cyl. 3-Point Hitch Capacity with two 80mm lift cylinders		No Charge
SD_T8950 A	UX RAMS EDC Base Hydraulic Lift Cyl. 3-Point Hitch Capacity with two 80mm lift cylinders 6,990 lbs. (3,170 kg) OECD rated lift capacity	9000415P80	
SD_T8950_A	UX RAMS EDC Base Hydraulic Lift Cyl. 3-Point Hitch Capacity with two 80mm lift cylinders 6,990 lbs. (3,170 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test	9000415P80	
SD_T8950_A	UX RAMS EDC Base Hydraulic Lift Cyl. 3-Point Hitch Capacity with two 80mm lift cylinders 6,990 lbs. (3,170 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test 2 External 90mm Cylinders -EDC 3-Point Hitch Capacity with two 90mm lift cylinders	9000415P80	
SD_T8950_A	UX RAMS EDC Base Hydraulic Lift Cyl. 3-Point Hitch Capacity with two 80mm lift cylinders 6,990 lbs. (3,170 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test 2 External 90mm Cylinders -EDC	9000415P80	No Charge \$540.00
SD_T8950 A 390911 743811	EDC Base Hydraulic Lift Cyl. 3-Point Hitch Capacity with two 80mm lift cylinders 6,990 lbs. (3,170 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test 2 External 90mm Cylinders -EDC 3-Point Hitch Capacity with two 90mm lift cylinders 8945 lbs. (4057 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test	9000415P80	
SD_T8950 A 390911 743811	EDC Base Hydraulic Lift Cyl. 3-Point Hitch Capacity with two 80mm lift cylinders 6,990 lbs. (3,170 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test 2 External 90mm Cylinders -EDC 3-Point Hitch Capacity with two 90mm lift cylinders 8945 lbs. (4057 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test	9000415P80	\$540.00
SD_T8950 A 390911 743811	EDC Base Hydraulic Lift Cyl. 3-Point Hitch Capacity with two 80mm lift cylinders 6,990 lbs. (3,170 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test 2 External 90mm Cylinders -EDC 3-Point Hitch Capacity with two 90mm lift cylinders 8945 lbs. (4057 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test	9000415P80	\$540.00
SD_T8950 A 390911 743811 SD_T8960 E 758451	EDC Base Hydraulic Lift Cyl. 3-Point Hitch Capacity with two 80mm lift cylinders 6,990 lbs. (3,170 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test 2 External 90mm Cylinders -EDC 3-Point Hitch Capacity with two 90mm lift cylinders 8945 lbs. (4057 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test PRAWBAR AND 3 POINT HITCH Cat II Flex Links Telescopic link ends		\$540.000 No Charge
SD_T8950 A 390911 743811	UX RAMS EDC Base Hydraulic Lift Cyl. 3-Point Hitch Capacity with two 80mm lift cylinders 6,990 lbs. (3,170 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test 2 External 90mm Cylinders -EDC 3-Point Hitch Capacity with two 90mm lift cylinders 8945 lbs. (4057 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test RAWBAR AND 3 POINT HITCH Cat II Flex Links Telescopic link ends Cat II/III Flex Links	9000415P80 9000099P33	\$540.000 No Charge
SD_T8950_A 390911 743811 SD_T8960_E 758451 758452	EDC Base Hydraulic Lift Cyl. 3-Point Hitch Capacity with two 80mm lift cylinders 6,990 lbs. (3,170 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test 2 External 90mm Cylinders -EDC 3-Point Hitch Capacity with two 90mm lift cylinders 8945 lbs. (4057 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test RAWBAR AND 3 POINT HITCH Cat II Flex Links Telescopic link ends Cat II/III Flex Links Telescopic link ends	9000099P33	\$540.00 No Charge \$129.00
SD_T8950 A 390911 743811 SD_T8960 E 758451	EDC Base Hydraulic Lift Cyl. 3-Point Hitch Capacity with two 80mm lift cylinders 6,990 lbs. (3,170 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test 2 External 90mm Cylinders -EDC 3-Point Hitch Capacity with two 90mm lift cylinders 8945 lbs. (4057 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test PRAWBAR AND 3 POINT HITCH Cat II Flex Links Telescopic link ends Cat II/III Flex Links Telescopic link ends C2/3 QA Hyd Top Link		\$540.00 No Charge \$129.00
SD_T8950_A 390911 743811 SD_T8960_E 758451 758452	EDC Base Hydraulic Lift Cyl. 3-Point Hitch Capacity with two 80mm lift cylinders 6,990 lbs. (3,170 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test 2 External 90mm Cylinders -EDC 3-Point Hitch Capacity with two 90mm lift cylinders 8945 lbs. (4057 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test RAWBAR AND 3 POINT HITCH Cat II Flex Links Telescopic link ends Cat II/III Flex Links Telescopic link ends C2/3 QA Hyd Top Link Quick-Attach "Claw-type" link ends.	9000099P33	\$540.00 No Charge \$129.00
SD_T8950_A 390911 743811 SD_T8960_E 758451 758452	EDC Base Hydraulic Lift Cyl. 3-Point Hitch Capacity with two 80mm lift cylinders 6,990 lbs. (3,170 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test 2 External 90mm Cylinders -EDC 3-Point Hitch Capacity with two 90mm lift cylinders 8945 lbs. (4057 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test PRAWBAR AND 3 POINT HITCH Cat II Flex Links Telescopic link ends Cat II/III Flex Links Telescopic link ends C2/3 QA Hyd Top Link	9000099P33	\$540.00 No Charge \$129.00
SD_T8950_A 390911 743811 SD_T8960_E 758451 758452	EDC Base Hydraulic Lift Cyl. 3-Point Hitch Capacity with two 80mm lift cylinders 6,990 lbs. (3,170 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test 2 External 90mm Cylinders -EDC 3-Point Hitch Capacity with two 90mm lift cylinders 8945 lbs. (4057 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test RAWBAR AND 3 POINT HITCH Cat II Flex Links Telescopic link ends Cat II/III Flex Links Telescopic link ends C2/3 QA Hyd Top Link Quick-Attach "Claw-type" link ends.	9000099P33 9000289P52	\$540.00 No Charge \$129.00 \$376.00
SD_T8950_A 390911 743811 SD_T8960_E 758451 758452	EDC Base Hydraulic Lift Cyl. 3-Point Hitch Capacity with two 80mm lift cylinders 6,990 lbs. (3,170 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test 2 External 90mm Cylinders -EDC 3-Point Hitch Capacity with two 90mm lift cylinders 8945 lbs. (4057 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test RAWBAR AND 3 POINT HITCH Cat II Flex Links Telescopic link ends Cat II/III Flex Links Telescopic link ends C2/3 QA Hyd Top Link Quick-Attach "Claw-type" link ends. Includes hydraulic top link, which uses 1 pair of	9000099P33	
SD_T8950_A 390911 743811 SD_T8960_E 758451 758452 758454	EDC Base Hydraulic Lift Cyl. 3-Point Hitch Capacity with two 80mm lift cylinders 6,990 lbs. (3,170 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test 2 External 90mm Cylinders -EDC 3-Point Hitch Capacity with two 90mm lift cylinders 8945 lbs. (4057 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test RAWBAR AND 3 POINT HITCH Cat II Flex Links Telescopic link ends Cat II/III Flex Links Telescopic link ends C2/3 QA Hyd Top Link Quick-Attach "Claw-type" link ends. Includes hydraulic top link, which uses 1 pair of rear remote valves	9000099P33 9000289P52	\$540.00 No Charge \$129.00 \$376.00



(Ex Works Port Of Entry)

HYDRAULICS

 SD_T8230 H	YD PUMP		
391828	80L/Min Fixed Displacement Pmp		No Charge
	Fixed Displacement Pump		
	Max flow available @ remotes (combined flow) or		
	power beyond (I/min) considering 90% efficiency- 19.3gpm (73 I/m)		
758441	CCLS Pump	9001300P53	\$1,689.00
	Pressure Flow Compensating (PFC) Closed Center Load Sensing		
	Optional for mechanical rear remote valves		
	Max flow available @ remotes (combined flow) or		
	power beyond (I/min) considering 90% efficiency- 32.2 gpm (122		

REAR REMOTE VALVES

S	D_T8270 RE	EAR REMOTES		
7	390840	2 Mechanical Rear Remotes		No Charge
		2 mechanical; non-configurable		
	743740	2 Mech Rear Remote Valves (2C)	9000264P11	\$343.00
		2 mechanical; configurable rear remotes		
	743741	3 Mech Rear Remote Valves (2C)	9000967P89	\$1,257.00
		3 mechanical rear remotes, 2 configurable detents and flow control		
	743685	4 Mech Rear Remotes (2NC+2C)	9001932P70	\$2,510.00
		4 mechanical rear remotes, 2 configurable detents and flow control		
	758358	4-Mech Rear Remotes F/ Pwr Byd	9002524P83	\$3,279.00
		4 mechanical rear remotes, 2 with configurable detents and flow		
		control, power beyond ready. This option is required if power		
		beyond is going to be equipped with 4 mechanical rear remotes.		

POWER BEYOND

	_5	SD_T8275 PC	WER BEYOND COUPLE		
		390710	Hyd Power Beyond Capped	(900141P68)	(\$184.00)
11			Hydraulic power beyond capped off.		
			This option is less power beyond and less low-pressure return line.		
		758540	Low-Pressure Return		No Charge
			Low pressure return line with 1/2" hydraulic quick coupler.		
			ISO 7241 Series A hydraulic quick coupler, non-flat face design.		
			Does not include load sense line		
Ш			Requires male end on implement 83972881 (CNH Industrial Parts)		



(Ex Works Port Of Entry)

758542	Power Beyond + Low-Pressure		9000603P68	\$784,00
	Requires 4 remotes Requires 113 L/min pump (758441)			
	Power beyond is used in situations where the implement controls			
	how much hydraulic flow it demands, such as applications running			
	oribital motors.			
	The load sense line adjusts the swash plate, varying the flow of oil	1		
	out of the Power side of the circuit.			
	Implement requires the following matching male couplers (CNH			
	Industrial Parts):			
	Return: 87482232 Power: 87482231 Load Sense: 87482228			
	Includes low pressure return line with 1/2" hydraulic quick coupler			
	(non-flat face design).			
	Low pressure return requires male end on implement: 83972881			
	(CNH Industrial Parts).			

PTO

SD T8720 AUTO PTO

	390160	Less Auto PTO		No Charge
	330160	Auto PTO Management System	9000174P02	\$226.00
		Allows PTO to automatically engage/disengage based on rear		
		three-point hitch position.		
		Enabled via switch on RH console near RH C-pillar		

FRONT AXLE

SD_T4010 FRONT AXLE

759381	2WD Heavy Duty Axle	(907071P68)	(\$9,184.00)
	Requires 30 KPH (19 MPH) transmission and 11.00-16 10PR		
	tires (8138401)		
1 1 1	Not compatible with Front PTO or Front Fenders		
	Compatible with 758344: Complete Loader Ready		
	Only compatible with L735 Loader		
392196	Class 3, L/Brakes		No Charge
	Class 3 less brakes		
758420	Class 3 Hydraulic Lock	9000261P80	\$340.00
	9,039 lbs. maximum carrying capacity		
	Hydraulic Differential Lock: Multiplate differential lock, engages		
	when operator engages the rear differential lock		



(Ex Works Port Of Entry)

		(EX WORKS FOIL OF EITHRY)			
	758425	Class 4 Hydraulic Lock		9000989P45	\$1,285.00
		Class 4 MFD axle with multi-plate fully locking, front differential			
		with steering sensors			
		10,803 maximum carrying capacity			
		Requires 113 L/min pump (758441)			
		Hydraulic Differential Lock: Multiplate differential lock, engages			
		when operator engages the rear differential lock			
		Incompatible with 34 inch rear wheels			
	758427	Class 4 Suspension Lock		9005527P06	\$7,178.00
		10,803 maximum carrying capacity			
		Suspension: Cushions and dampens the movement of the front			
		axle, Smoother ride for increased operator comfort and decreased			
		fatigue, improved traction. Suspenson can be locked solid by the			
		operator using an in-cab switch, locatedon the RH console.			
		Requires 113 L/min pump (758441)			
	758428	Class 4 Susp + Brake Hyd Lock		9005970P58	\$7,754.00
		10,803 maximum carrying capacity			
		Suspension: Cushions and dampens the movement of the front			
		axle. Smoother ride for increased operator comfort and decreased			
		fatigue. Improved traction, Suspenson can be locked solid by the			
(operator using an in-cab switch, locatedon the RH console			
1					
		Brakes: Front wheel brakes allow for additional braking power for a)	
		shorter braking distance, Recommended for hauling applications,	1		
		Required for high-speed applications (31 mph/50 KPH)			
	759109	Class 4 HD Std Axle		9001188P11	\$1,543.00
		Class 4 Heavy Duty Axle	l		
		Includes multi-plate, fully locking front differential for extra traction			
		in slippery conditions			
		Recommended for Loader application			
		Non-suspended			
		Requires 113 L/min pump (758441)			

FRONT WHEELS AND TIRES

SD_T4940 FRONT WHEELS AND TIRES

	For Class 3	Front Axle		
	8859604	320/85R34 R1W MI,FI	9000575P96	\$748.00
		Brands: Michelin		
		Requires 320/90R50 R1W		
	8250401	340/85(13.6)R28 R1W	9000249P48	\$324.00
		Brands: Firestone, Mitas, Trelleborg		
		Requires 16.9R38 R1W		
	8240402	380/85(14.9)R24 A8	9000249P48	\$324.00
		Brands: Firestone, Michelin		
رادل		Requires 460/85(18.4)R34 R1W		



	(Ex Works Port Of Entry)		
8241401	380/85(14.9)R28 A8		No Charge
	Brands: Mitas, Firestone, Michelin, Trelleborg		
	Requires 460(18.4)R38 R1W		
8201201	400/80R28 Fixed Cls 3 Alliance	9000815P43	\$1,059.00
	Brand: Alliance		
8258404	380/85(14.9)R30R1W MI,F,T,C,A	9000441P21	\$573.00
	Brands: Michelin		
	Requires 18.4R42 R1W		
8255404	420/85(16.9) R28 R1W MI-FI-TR	9000582P12	\$756.00
	Brands: Michelin, Firestone		
	Requires 20.8R38 R1W		
8825401	480/65R28(R1W) Fixed Rims F/CL	9000284P13	\$369.00
	Michelin, Firestone, Mitas		
8801301	520/60R28 MAVT Rims - MI	9001811P04	\$2,352.00
	Brand: Michelin		
8299905	Front Shipping Wheels-4WD	(900955P57)	(\$1,241.00)
	Requires rear shipping wheels		
2WD Only			
8138401	11.00-16 10PR F2 GY	(901365P21)	(\$1,773.00)
	Requires 2WD Front Axle		
For Class 4	Front Axle		
8801604	320/85R34 R1W Brands - MI	9000575P96	\$748.00
	Brands: Michelin, Firestone		
	Requires 320/90R50 R1W		
8241901	380/85(14.9)R28R1W HD-MIFITRCO		No Charge
	Brands: Trelleborg, Michelin, Firestone, Mitas		
	Requires: 460(18.4)R38 R1W		
8258704	380/85(14.9)R30 R1W MI-FI-CM	9000441P21	\$573.00
1 1	Brands: Michelin, Firestone, Mitas, Alliance		
	Requires 18.4R42 R1W or 14.9R46 R1W		
8866501	400/80R28 Fixed Cls 4 Alliance	9000815P43	\$1,059.00
	Brand: Alliance		
8255904	420/85(16.9)R28 R1W MI-FI	9000582P12	\$756.00
	Brands: Michelin, Firestone		
	Requires 20.8R38 R1W or 18.4R42 R1W		
8815601	480/65R28 R1W HD	9000284P13	\$369.0
	Brands: Firestone, Michelin, Trelleborg		
	Requires 600/65R38 R1W		
11	Requires Full Cover Rear Fenders		
8801601	520/60R28 R1W Fixed HD	9002584P12	\$3,356.0
	Brand: Michelin		
	Requires 650/60R38		
8299906		(900955P57)	(\$1,241.00
	Requires rear shipping wheels		



(Ex Works Port Of Entry)

REAR AXLE

SD T3200 REAR AXLE

	3D_13200 RE				
1 1 1	392197	HD Flange With Dog Diff			No Charge
		Axle: HD Flange 56.3"-84" (1,430 mm - 2,134 mm)		1	
1 1 1		Differential: Dog-Clutch			
		Wheel: Steel Wheel Rims		5	
	Multi-Differe	ntial			
	758430	HD Flange Multi-Diff		9000261P80	\$340.00
		Axle: HD Flange- 56.3"-84" (1430 mm - 2134 mm)			
		Differential: Hydraulic			
		Wheel: Steel Wheel Rims			
	758432	HD Bar Steel Multi-Diff		9001169P63	\$1,519.00
		Axle: HD 98" (2,489 mm) Bar			
		Differential: Hydraulic			
		Wheel: Steel Wheel Rims	1		
	758434	HD Bar Cast Multi-Diffential		9001169P63	\$1,519.00
		Axie: HD 98" (2,489 mm) Bar			
	1	Differential: Hydraulic			
1		Wheel: Cast Wheel Rims			
		Not compatible with Cast Wheel Weights	ľ		

REAR WHEELS AND TIRES

SD T4950 REAR WHEELS AND TIRES

Cast Wh	eel, Bar Axle Only		
83344	06 460/85(18.4)R38 R1W- MI,FI,CM	9001241P24	\$1,612.00
	Brands: Michelin, Firestone, Mitas		
83844	06 460/85(18.4)R42 R1W - MI	9001564P64	\$2,032.00
	Brands: Michelin, Firestone, Mitas, Alliance		
Flange o	r Bar Axle Steel Disc		
89635	04 320/90R50 R1W MI	9000488P18	\$634.00
	Brands: Michelin		
83704	04 380/90(14.9)R46R1WAdj Rim-C,MI	9000302P61	\$393.00
	Brands: Mitas		
83755	01 420/85(16.9)R38 R1W FI,CM	(900045P43)	(\$59.00)
	Brands: Firestone, Mitas		
83654	01 460/85(18.4)R34 A8 FI,MI,CO,TR	(901115P73)	(\$1,449.00)
	Brands: Michelin, Firestone, Mitas, Trelleborg		
83284	01 460/85(18.4)R38 R1W-MIFITRCO		No Charge
	Brands: Trelleborg, Michelin, Firestone, Mitas		
83884	04 460/85(18.4)R42R1W MI,F,T,C,A	9000374P99	\$487.00
	Michelin		



(Ex Works Port Of Entry)

8919401	480/80R38 Alliance	9001111P11	\$1,443.00
	Alliance 550 Multi-Use		
8380404	520/85 (20.8) R38 R1W MI, TR	9001686P30	\$2,190.00
	Brands: Michelin		
	Requires full cover rear fenders (743707 or 743708)		
8969401	600/65R38 R1W-FI,MI,CO,TR	9000832P37	\$1,081.00
	Brands: Trelleborg, Michelin, Firestone, Mitas		
8907601	650/60R38 R1W F/Bar AXL - MI	9001082P62	\$1,406.00
	Brands: Michelin		
8399906	Rear Shipping Wheels	(902827P44)	(\$3,672.00)
	Requires front shipping wheels		

FENDERS

SD_T8710 FENDERS PTO CONTROL

Г	392803	Fender Mounted Controls		No Charge
1		Fender mounted switches for rear PTO and rear three-point hitch		
		for operation from outside cab		

FRONT FENDERS

SD_T8740 FRONT FENDERS

39	90875	Less front fender		No Charge
7!	58505	Front Fender 420mm Dynamic	9000617P54	\$802.00
1 1 1		Recommended for tire sizes less than 420/16.9"		
		Dynamic front fenders allow the fenders to turn with the tires		
75	58506	Front Fender 480mm Dynamic	9000717P64	\$932.00
		Recommended for tire sizes less than 480/18.9"		
		Dynamic front fenders allow the fenders to turn with the tires		
7!	58507	Front Fender 540mm Dynamic	9000806P19	\$1,047.00
		Recommended for tire sizes larger than 520/20.8"	4	
		Dynamic front fenders allow the fenders to turn with the tires		

REAR FENDERS

SD_T8700 FENDERS

391153	Standard Fenders		No Charge
	85.4 in (2170 mm) overall width		
743777	Standard fenders with extensn	9000304P92	\$396.00
	3" (75 mm) fender extensions added on to the full cover fenders		
743707	Full Cover	9000569P80	\$740.00
	92.1 in./2340 mm rear fenders.		
743708	Full Cover with extension	9000871P64	\$1,132.00
	Full cover with 3 in./ 75 mm wide extensions.		



LOAL	JEK		The same of the same of the same of	
MOI	JNTING BRAC	CKETS		
WO	SIVINO BIVAC	METO.		
S	SD T8110 LC	DADER BRACKETS		
	Side Rails	STORY OF STORY CONTROL		
	758478	Engine Side Rails	9000763P84	\$992.00
		Recommended for side-mounted attachments e.g. sprayer	3333.33.33.	Ψ002.00
		tanks.		
		No Loader Brackets.		
		Not compatible with loader equipment.		
	Loader Brad			
	390819	Less Loader Ready		No Charge
		No Loader Brackets	li li	710 0114191
		No Engine Side Rails		
	758344	Loader Ready + 2Mech MMV +Joy	9005898P20	\$7,660.00
		Complete Loader Ready includes		4.,000.00
		TPS Mount Bracket Set (with Grill Guard) and	l II	
		Mid Mounted Valve - 2 function mechanical		
		(Includes valve, mech joystick, cables, & hose kit)		
	758351	Loader Ready + 3Mech MMV+Joy	9007294P98	\$9,474.00
		Complete Loader Ready includes		, , , , , , , , , , , , , , , , , , , ,
		TPS Mount Bracket Set (with Grill Guard) and		
		3MMVs - 2 Mechanical and 1 Electronic		
		(Includes valve, mech joystick, cables, & hose kit)		
		Required for "live" third function such as a		
		grapple attachment		
		Not available with 759381: 2WD Heavy Duty Axle		
OTHE	R EQUIPME	NT CONTROL OF THE STATE OF THE	and the state of the state of	Barrier X
- FDO	NT DALL ACT			
FRU	NT BALLAST			
S	D_T2150 FR	RONT BALLAST		
	Tow Hook-C	Dnly		
	390444	Tow Hook-Only		No Charge
		Tow Hook 251 lbs/114 kg		
		Not allowed with Front hitch (743699 or 743700)		
	Weight Carr			
	758562	Weight Carrier w/Hook	9000204P82	\$266.00
		Weight Carrier		
		Narrow Weight Carrier 253 lbs/115 kg		
		Holds up to 8 weights		
		Not compatible with Front hitch (743699 or 743700)		



	(EX WORKS PORT OF Entry)		
758563	Wide carrier CIH	9000344P19	\$447.00
	Wide front weight carrier		
	Wide Weight Carrier 361 lbs/164 kg,		
	holds up to 16 weights.		
	Not compatible with front loader.		
Wahts plu	s Carrier no Tow Hook		
758515		9000754P60	\$980.00
	4 weights plus narrow carrier		
	Narrow Weight Carrier 253 lbs/115 kg,		
	plus 4 Weights 396 lbs/180 kg.		
	Total weight 649 lbs/295 kg.		
	Not compatible with Front hitch (743699 or 743700)		
758516		9001304P38	\$1,694.00
	8 weights plus narrow carrier		
	Narrow Weight Carrier 253 lbs/115 kg,		
	plus 8 Weights 792 lbs/359 kg.		
	Total weight 1045 lbs/474 kg.	1	
	Not compatible with Front hitch (743699 or 743700)		
758517		9002544P08	\$3,304.00
	16 weights plus wide carrier		
	Wide Weight Carrier 361 lbs/164 kg,	1	
	Plus 16 Weights 1584 lbs/718 kg.		
	Total weight 1945 lbs/882 kg.		
	Not compatible with Front hitch (743699 or 743700)		
Wahts nlı	us Carrier w/ Tow Hook		
758518		9000887P04	\$1,152.00
	Weight Pack A		
	Narrow Weight Carrier 253 lbs/115 kg.		
	Plus Center Tow Hook Weight 251 lbs/114 kg.		
	Plus 2 Weights 198 lbs/90 kg.	1 1	
	Total weight 702 lbs/318 kg.	1 1	
	Not compatible with Front hitch (743699 or 743700)	1	
758519		9001380P61	\$1,793.00
'''	Weight Pack B		, ,
	Narrow Weight Carrier 253 lbs/115 kg.	1 1	
	Plus Center Tow Hook Weight 251 lbs/114 kg.	1 1	
	Plus 6 Weights 594 lbs/269 kg.	1 1	
	Total weight 1098 lbs/498 kg.	Al III	
		1 1	
758520	Not compatible with Front hitch (743699 or 743700) Weight Pack C w/Hook	9002249P94	\$2,922.00
1 1 7 30 5 2 0	Weight Pack C	30022401 34	Ψ=,022.00
	Wide Weight Carrier 361 lbs/164 kg.		
	Plus Center Tow Hook Weight 251 lbs/114 kg.		
	Plus 12 Weights 1188 lbs/549 kg.		
	Total weight 1800 lbs/816 kg.		
	Not compatible with Front hitch (743699 or 743700)		



(Ex Works Port Of Entry)

RE	AR	BAL	LAST

SD	T4960	WHEEL WEIGHTS	

X49601X	L/Wheel Weights		No Charge
758564	6X65KG Wheel Weight	9000940P94	\$1,222.00
	Each weight weighs 143 lbs. (65 kg)		
	3 weights are on each side on the rear		
	Total weight = 806 lbs. (389 kg)		
	Not Compatible with 650/60R38 (8907501 or 8907601)		
759137	2X150KG + 2X250KG Wheel Weight	9001227P38	\$1,594.00
	2 x 331 lbs. (150 kg) and 2 x 551 lbs. (250 kg)		
1 1 1	2 weights are on each side on the rear		
	Total weight = 1764 lbs. (800 kg)		
759821	2X150KG + 4X250KG Wheel Weight	9002106P72	\$2,736.00
	Recommended for Loader Applications		
1 1	2 x 331 lbs. (150 kg) and 4 x 551 lbs. (250 kg)		
	3 weights are on each side on the rear		
	Total weight = 2866 lbs. (1300 kg)		1
	Compatible with HD Bar Cast Multi-Diffential Axle (758434)		
	Not Compatible with 650/60R38 (8907501 or 8907601)		

ADDITIONAL EQUIPMENT

SD_T3600 BRAKE PACK

_	GB 10000 BIVARET NOR					
		390166	Std. Heavy Duty Brake Discs			No Charge
	ľ	758435	Extended-Life Brake Discs		9000268P73	\$349.00
			Made of a carbon mesh material for a significantly longer life than			
1			the standard brake packs			
L			Recommended for haulage applications			

SD	T9560	FRONT	TOOLBOX
OD.	13300	IIIOIII	IOOLUON

	390996	Standard Toolbox		No Charge
L		5.5 in. x 12.5 in. (140 mm x 315 mm)		
	743848	Large Toolbox	9000073P92	\$96.00
		5.5 in. x 16.5 in. (140 mm x 420 mm)		
		Great for larger tools, like hammers and larger wrenches		



(Ex Works Port Of Entry)

THFR	

TIRE BRAND PREFERENCE

SD T4900 TIRE CATEGORY CHOICE

	-	RE CATEGORY CHOICE		No Chara
1 1 1	330438	No tire brand preference		No Charge
		Tire brands are subject to availability.		
		If the Tire Brand Preference Code is ordered, the plant will		
		install the brand selected.		
		If no Tire Brand Preference is selected, a tire from existing inventory will be installed. This will include one of the following brands in the chosen tire size: Michelin, Firestone, Trelleborg, Alliance, or Mitas.		
		Availability of brands vary by size.		
	330447	Alliance	9000439P67	\$571.00
	330446	Firestone	9000439P67	\$571.00
	330442	Michelin	9000439P67	\$571.00
	330418	Trelleborg	9000439P67	\$571.00

OPERATOR'S MANUAL

SD_T9802 OPERATORS MANUAL

758534	English USA		No Charge
	Extra Operators Manual		
758535	Spanish NAR		No Charge
	Extra Operators Manual		
759101	French NAR		No Charge
	Extra Operators Manual		
X98021X	No Additional Operator Manual		No Charge
	Includes standard English Operators Manual		
	Does not include additional Operators Manual		



(Ex Works Port of Entry) Standard Equipment

ENGINE:

115 - 145: 4 Cylinder Turbocharged
 and Intercooled Engine with
 Electronic Power Management
 and Constant RPM feature Power
 Boost in Transport and PTO
 Modes

115: 95 PTO hp @ 2200 RPM/
 273 cu. in. (4.5 L) Displacement
125: 105 PTO hp @ 2200 RPM/
 273 cu. in. (4.5 L) Displacement
135: 110 PTO hp @ 2200 RPM/
 273 cu. in. (4.5 L) Displacement
145: 120 PTO hp @ 2200 RPM/

273 cu. in. (4.5 L) Displacement
150: 6 Cylinder Turbocharged
 and Intercooled Engine with
 electronic management with

Power Boost 150: 125 PTO hp @ 2200 RPM/

411 cu. in. (6.75 L) Displacement Tier 4B Emissions Compliant 4 valves per cylinder Bosch fuel injection pump (electronic) Air Cleaner w/ Precleaner & Exhaust

Aspiration
Dual element air filter
Hand and foot throttle
Grid Heater Starting Aid
115-150: 55.4-gallon (210 L) Fuel
Tank w/guard
10.4 Gallon (39.5 L) Diesel Exhaust
Fuel (DEF) Tank
Viscous fan (9 Blades)
Engine auto shut down feature

EXHAUST:

Fuel Cooler

A-Post exhaust with integral muffler

OPERATOR PROTECTIVE STRUCTURE: CAB:

ROPS protected, flat deck platform with Standard Cab, with heater and air conditioner (with 4 speed

OPERATOR PROTECTIVE STRUCTURE:

(continued)

pressurizer), tinted windshield with sunshade, opening hi-visibility roof window with retractable sun screen, front and rear intermittent wipers and washers, two doors with locks, two telescoping external mirrors, hinged rear window (fully opens), radio ready (speakers, wiring, antenna), rear window access panel for control / monitor box or wiring harness entrance, digital clock, interior storage box, interior dome light, self cancelling turn signal, and two external courtesy lights

Steering wheel: tilt and telescoping Seat: Deluxe air suspension seat with operator's presence sensor, seat belt, and swivel

MultiControl Armrest with Integrated Transmission, Throttle, PTO and Hitch Controls

INSTRUMENTATION:

A-Post mounted Analog/Digital
Instrument Cluster with display of
engine oil pressure, fuel level,
coolant temperature and speed,
hitch and PTO operational indicators

TRANSMISSION:

23 X 23 Dual Clutch Transmission

3 Range Transmission (A,B,C) Clutchless Range Change between ranges A/B and B/C Steering Column Mounted Left-hand Power Shuttle Multi-plate Wet Clutch Design

MFD -- 25 mph (40 kph)
Speed varies with tire selection



(Ex Works Port of Entry) Standard Equipment

STEERING/BRAKES:

Hydrostatic Power Steering
Hydraulically actuated wet disc brakes
(self-equalizing and self-adjusting)
Independent parking brake

HYDRAULICS:

Pressure and flow compensated hydraulic system (PFC): Variable displacement piston pump Maximum flow at rated engine speed 26.5 gpm (100 1/m) flow (implement pump) 17.1 gpm (65 1/m) flow (steering and operating circuits) 43.6 gpm (165 l/m) total tractor hydraulic flow 3 Closed-center Electronic Remote Valves with in-cab flow control Hydraulic Tapping Port (Power Beyond Ready) Fender mounted hydraulic 3rd remote activation switch

AXLES:

Class IV MFD Front Axle:
Electro-hydraulic auto MFD and
diff-lock engagement
Fully locking front differential
Dual steering cylinders
Adjustable tread width from
61.4 in. to 88.8 in. (May vary
up to 1 in. depending on tires)
55 degree Turning Angle
12 degree Axle Oscillation
Drive Shaft Shield
Standard front tires:
14.9R28 (RIW)

Rear Axle:

Flange type Wet plate rear differential lock MFD - Electro-hydraulic engaged Standard rear tires: 18.4R38 (R1W)

HITCH:

Electronic draft control
(lower link sensing)
3-point hitch category II with
flex link ends and telescoping stabilizers
Fast Raise/Lower Control (in cab)
6700 lb/3039 kg lift capacity (OECD)
with dual 80mm external assist ram
Rear fender mounted remote
hitch switches
Ride control
Swinging drawbar

PTO:

Independent 540/1000 RPM with single reversible shaft Multi-plate wet clutch design Electro-hydraulic engagement with soft start/auto feathering Flip-up PTO shaft guard Fender mounted PTO control switch

ELECTRICAL:

(1) 12-volt 1300 cca Battery
Geared starter motor (4.2kW)
7-pin outlet for trailer/implement
lighting
3-pin implement socket (40 amp)
ISO BUS 11783 rear breakaway socket
15 amp screw type positive/negative
terminals
Single pin (8 amp) accessory power
outlet
150 amp Alternator
ISO/JD (30 amp) socket
Two roof mounted single pin outlets
for beacon Cigar lighter



(Ex Works Port of Entry) Standard Equipment

LIGHTING:

Two hood mounted forward facing
Eight LED worklights
Two cab roof mounted forward facing
Two grab rail mounted forward facing
Two cab roof mounted rear facing
Two rear "C"-post mounted rear
facing
Two tailights
Time delayed turn indicators with
audible warning
Front and rear cab roof mounted

flashing safety lights

MISCELLANEOUS:
Pivoting engine hood
SMV emblem
Toolbox
Horn

NEBRASKA TEST REPORT STATUS: Nebraska Temporary Sales Permit to be applied for



(Ex Works Port of Entry) Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
MAXXUM 115 MC ACTIVEDRIV	18,268 LB	9101224P20	\$131,460.00
Includes the following Equipment Auto PTO Management System (330°	160) \$226.	00	
MAXXUM 125 MC ACTIVEDRIV	18,268 LB	9107384P97	\$139,461.00
Includes the following Equipment Auto PTO Management System (330°	160) \$226.	00	
MAXXUM 135 MC ACTIVEDRIV	19,268 LB	9110063P03	\$142,939.00
Includes the following Equipment Auto PTO Management System (3301	160) \$226.	00	
MAXXUM 145 MC ACTIVEDRIV	19,268 LB	9115330P60	\$149,780.00
Includes the following Equipment Auto PTO Management System (3301	160) \$226.	00	
MAXXUM 150 MC ACTIVEDRIV	19,268 LB	9119705P74	\$155,462.00
Includes the following Equipment Auto PTO Management System (3301	160) \$226.	00	

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
OPERATOR STE	RUCTURE	(Vitel)		
OPERATOR STR	UCTURE			
SD_T9200 (PERATOR STRUCTURE #1			
391610	Cab w/Fixed Front Screen		(901387P54)	(\$1,802.00)
	Standard Cab - Does not include Cab Suspension			
758479	Suspended_Cab			No Charge
1 1	Two shocks mounted in rear of cab increase operator comfort			
1 1	Reduces shock loads transmitted to the tractor by up to 25%			
11	When coupled with a suspended axle, the ultimate in ride comfort			
	is achieved			
	Includes tinted rear window			



	(Ex Works Port of Entry)		
758481	Suspended Cab + Heated Screens Includes 758479 Suspended Cab plus heated front and rear windscreens Requires 200A alternator	9000398P09	\$517.00
В			
SD_T7620 SF	DEAKEDS		
390653	Radio Predisposition.		No Charg
550055	Includes speakers and wiring. Ready for aftermarket radio in DIN		3
	slot.		
743714	Deluxe Radio with Bluetooth	9000401P94	\$522.0
/10/11	Bluetooth Radio including: AM, FM, Micro SD, USB, AUX, and		·
	Bluetooth with noise cancelling microphone. Includes speakers		
	and wiring.		
	and wring.		
SD_T8500 SI	EAT		
391285	Deluxe Air Up/Down Head Rest		No Charg
	Deluxe Seat with Low Frequency Air Suspension		
758362	Deluxe Fabric w HT + VENT	9001535P38	\$1,994.0
	Deluxe air seat with low frequency suspension,		
	swivel headrest, heated, and passive venting		
	Deluxe Fabric material		
758363	MAX EVO LEATHER ACTIVE	9003009P93	\$3,909.0
	Active air suspension leather seat with low frequency suspension,		
	headrest, heated, and active venting		
	TORAGE BOX/SEAT	(000404770)	(0.4.00.0
390905	Less LH Front Box	(900104P72)	(\$136.0
758568	Lefthand Front Box		No Char
	Storage area near the LH door, instead of an instructor seat	0000204D42	£460.0
758569	Instructional Seat with Belt	9000361P13	\$469.0
	Includes seatbelt		
	Cloth/Leather will match operator seat		
SD TOOLO R	EAR CAB STORAGE BO		
390906	Less Rear Cab Storage Box		No Charg
758570	Lefthand Rear Cab Storage Box	9000175P56	\$228.0
1 700070	Large LH storage box		
	Located in the back left hand corner, behind instructor seat area		
	Compatible with or without instructor seat/front toolbox options		
-			
SD T9230 C	LIMATE CONTROL		
390643	Air_Conditioning		No Charg
		1	

Standard A/C



CONTRACTOR OF WILL	US PRICE LIST	E HI (FOR COMMAND)	
	(Ex Works Port of Entry)		
758482	Air Conditioning W/ATC Automatic Temperature Control (ATC). Operator sets desired temperature and system maintains set temperature.	9000572P88	\$744.00
SD-T9260 RI	EAR WIPER & WASHER		
390675	Less Rear Wiper		No Charge
758348	Rear Window Wiper Includes a rear windshield wiper: Allows for easier rear window cleaning, especially in dusty conditions with sharp sun angles into the cab	9000351P89	\$457.00
SD T9291 RI	AR WINDOW SUNSHADE		
X92911X	No Rear Window Sunshade		No Charge
758580	Sunshade, Rear Window	9000161P70	\$210.0
	Pull down perforated material sunscreen		
SD_T9553 LU	XURY PACK		
391152	Std Steering Wheel		No Charg
	Standard, non-leather steering wheel		
758483	Leather Steering Wheel +Carpet	9000204P05	\$265.0
7	Black Leather wrapped steering wheel with red stitching. Includes Wheat Brown carpet with Case IH Logo.		
SD_T6300 ST	EERING OR AUTOGUIDANCE READY		
391630	Standard Steering		No Charg
759185	Autoguidance Ready	9003759P14	
	Includes steering valve and manifold, hoses, wiring harness, and		
1 1			
I I	roof mounting bracket for receiver		
750400	roof mounting bracket for receiver Does not include display mount		\$4,882.0
759186	roof mounting bracket for receiver Does not include display mount Variable Ratio Steer	9002127P51	\$4,882.0
759186	roof mounting bracket for receiver Does not include display mount Variable Ratio Steer ASC (Adaptive Steering Control) adjusts steering ratio based on		\$4,882.0
759186	roof mounting bracket for receiver Does not include display mount Variable Ratio Steer ASC (Adaptive Steering Control) adjusts steering ratio based on vehicle speed for increased steering control		\$4,882.0
759186	roof mounting bracket for receiver Does not include display mount Variable Ratio Steer ASC (Adaptive Steering Control) adjusts steering ratio based on vehicle speed for increased steering control - Reduces number of steering wheel turns from lock to lock		\$4,882.0
759186	roof mounting bracket for receiver Does not include display mount Variable Ratio Steer ASC (Adaptive Steering Control) adjusts steering ratio based on vehicle speed for increased steering control - Reduces number of steering wheel turns from lock to lock - Great feature for loader operations		\$4,882.0
759186	roof mounting bracket for receiver Does not include display mount Variable Ratio Steer ASC (Adaptive Steering Control) adjusts steering ratio based on vehicle speed for increased steering control - Reduces number of steering wheel turns from lock to lock - Great feature for loader operations Functions via VRS rocker switch or via display (if tractor is fitted		\$4,882.0
759186 759187	roof mounting bracket for receiver Does not include display mount Variable Ratio Steer ASC (Adaptive Steering Control) adjusts steering ratio based on vehicle speed for increased steering control - Reduces number of steering wheel turns from lock to lock - Great feature for loader operations		\$4,882.0 \$2,763.0
	roof mounting bracket for receiver Does not include display mount Variable Ratio Steer ASC (Adaptive Steering Control) adjusts steering ratio based on vehicle speed for increased steering control - Reduces number of steering wheel turns from lock to lock - Great feature for loader operations Functions via VRS rocker switch or via display (If tractor is fitted with Pro 700 display)	9002127P51	\$4,882.0 \$2,763.0
	roof mounting bracket for receiver Does not include display mount Variable Ratio Steer ASC (Adaptive Steering Control) adjusts steering ratio based on vehicle speed for increased steering control - Reduces number of steering wheel turns from lock to lock - Great feature for loader operations Functions via VRS rocker switch or via display (if tractor is fitted with Pro 700 display) Va.Ratio + Autoguidance	9002127P51	\$4,882.0 \$2,763.0
759187	roof mounting bracket for receiver Does not include display mount Variable Ratio Steer ASC (Adaptive Steering Control) adjusts steering ratio based on vehicle speed for increased steering control - Reduces number of steering wheel turns from lock to lock - Great feature for loader operations Functions via VRS rocker switch or via display (if tractor is fitted with Pro 700 display) Va.Ratio + Autoguidance Includes Variable Ratio Steer 759186 and Autoguidance Ready	9002127P51	\$4,882.0 \$2,763.0
759187	roof mounting bracket for receiver Does not include display mount Variable Ratio Steer ASC (Adaptive Steering Control) adjusts steering ratio based on vehicle speed for increased steering control - Reduces number of steering wheel turns from lock to lock - Great feature for loader operations Functions via VRS rocker switch or via display (if tractor is fitted with Pro 700 display) Va.Ratio + Autoguidance Includes Variable Ratio Steer 759186 and Autoguidance Ready (759185)	9002127P51	\$4,882.0 \$2,763.0 \$5,396.0
759187 SD_T9180 AL	roof mounting bracket for receiver Does not include display mount Variable Ratio Steer ASC (Adaptive Steering Control) adjusts steering ratio based on vehicle speed for increased steering control - Reduces number of steering wheel turns from lock to lock - Great feature for loader operations Functions via VRS rocker switch or via display (If tractor is fitted with Pro 700 display) Va.Ratio + Autoguidance Includes Variable Ratio Steer 759186 and Autoguidance Ready (759185)	9002127P51 9004154P92	\$4,882.0 \$2,763.0 \$5,396.0
759187 SD_T9180 AL	roof mounting bracket for receiver Does not include display mount Variable Ratio Steer ASC (Adaptive Steering Control) adjusts steering ratio based on vehicle speed for increased steering control - Reduces number of steering wheel turns from lock to lock - Great feature for loader operations Functions via VRS rocker switch or via display (If tractor is fitted with Pro 700 display) Va.Ratio + Autoguidance Includes Variable Ratio Steer 759186 and Autoguidance Ready (759185) DIBLE WARNING TURN INDICATOR Audible Turn Indicator	9002127P51 9004154P92	\$4,882.0 \$2,763.0 \$5,396.0



	(Ex Works Port of Entry)		
758504	Self-Cancel + Audible Turn		No Charge
	Cancels automatically with the turn of the steering wheel		
	Sound and dash light indicates turn signal active		
RRORS			
SD_T9360 R	R MIRRORS		
759153	2 Telescopic Mirrors 759153		No Charg
	2 Telescopic Mirrors: Shatter Proof with Large Head and	1	
	Spotter 7.9" x 11.8" (200 x 300 mm)		
759154	2 Tele/Heat/Rem Adj Mirror	9000051P59	\$67.0
	2 Telescopic, Heated, Remote Adjustable Mirrors: Shatter proof	All In	
	with Large Head and Spotter 7.9" x 11.8" (200 x 300 mm)		
STRUMENTATI	ON		
SD_T7610 IN	ISTRUMENT PANEL		
390763	"A" Pillar for CIH Basic Instr		No Char
	Includes oil, brake, PTO speed, hitch, reset, electronic remote flow	1 1	
	and timer (when equipped), engine hours, fault codes, egress light	1 1	
	settings.		
758546	A Pillar CIH Enhanced Instru	9000130P13	\$169.0
	Includes oil, brake, PTO speed, hitch, reset, electronic remote flow		
	and timer (when equipped), engine hours, fault codes, egress light		
	settings.		
	Also includes A-Post data display, slip control, area worked, tractor	1	
	performance monitoring.		
ORK LIGHTING			
SD_T9110 H	T		N. Ob.
759446	BASIC HOOD LIGHTS		No Char
	New Grill Styling with updated hoodlights		
_	2 halogen roadlights 2 halogen worklights		***
759447	HIGH SPEC HOOD LIGHT	9000794P64	\$1,032.0
	New Grill Styling with LED High Spec Hood Lights		
1	2 halogen roadlights 4 led worklights 2 led signature lights		
SD_T9130 V			
SD_T9130_V 392212		(900308P00)	(\$400.0
	ORK LAMPS	(900308P00)	(\$400.0
	VORK LAMPS 8 LED Std Power Hi-Roof	(900308P00)	(\$400.0
	8 LED Std Power Hi-Roof Standard Power LED lights produce 1000 Lumens	(900308P00)	(\$400.0

2 halogen work hood lights



/E	VAI a alsa	D	(Entry)
CEX	VVOTKS	POHO	I PRITINI

	758357	8 LED High Power Hi-Roof		No Charge
		High Power LED lights 1950 Lumens		
1 1 1		4 front roof-mounted LED work lights		
111		4 rear roof-mounted LED work lights		
		2 halogen road hood lights		
		2 halogen work hood lights		
	758594	12 LED High Power Hi-Roof	9001231P23	\$1,599.00
		High Power LED lights produce 1950 Lumens		
		4 front roof-mounted LED work lights		
		4 rear roof-mounted LED work lights		
		2 front grab rail-mounted LED work lights		
1 1		2 rear post-mounted LED work lights		
		2 halogen road hood lights		
		2 halogen work hood lights		
	758595	14 LED High Power Hi-Roof	9001846P46	\$2,398.00
		High Power LED lights produce 1950 Lumens		
		4 front roof-mounted LED work lights		
		6 rear roof-mounted LED work lights		
		2 front grab rail-mounted LED work lights		
		2 rear post-mounted LED work lights		
		2 halogen road hood lights		
		2 halogen work hood lights		

SD_T9131 FRONT WORK LAMPS ON

	390661	Less High Mounted Headlamp		No Charge
	758488	High Headlight Righthand DIP	9000243P32	\$316.00
		2 Grab Rail-mounted headlights - remain on for road transport.		
		These lights assist in visibility during transport with a loader or		
		front 3-point hitch mounted implement.		

BEACON LIGHTING

SD T9146 ROTARY BEACON

	X91461X	No Rotary Beacon		No Charge
	758489	Rotary Beacon Lefthand Side	9000328P02	\$426.00
		Single Rotary Beacon placed on rear left of tractor for increased		
		safety and visibility		
	758491	Twin Beacon	9000656P81	\$853.00
		Dual Rotary Beacons placed on the rear of the cab on both the left		
		and right side for maximum safety and visibility		

DISPLAY MOUNTING

SD T9223	RH WINDOW BAR MOUNT

	390665	Fixings for Mounted Monitor		No Charge
		No Bar or Monitor		



(Ex Works Port of Entry)

758153	Monitor Mounting Bracket.	9000117P81	\$153.00
	Includes Bar mounted in righthand side of cab without Monitor		
758154	RH Window Bar Display Ready.	9000191P73	\$249.00
	Includes Bar mounted in righthand side of cab without Monitor		
	Includes AFS ready harness		
758621	10" Color Touch Screen Display	9004179P56	\$5,428.00
	Includes Bar mounted in righthand side of cab		
	Includes AFS ready harness	1	
	Includes AFS Pro 700 Color Touchscreen display		

SD T9228 RH ARMREST MOUNT

758147	Display Ready: Pre-wired	9000206P36	\$268.00
	MultiControl armrest complete with mounting bracket and		
	pre-wired to mount an optional AFS Pro 700 Display		
	No display included		
390686	Less Armrest Monitor.		No Charge
758548	10" Color Touch Screen Display	9004166P47	\$5,411.00
	Includes AFS Pro 700 Color Touchscreen display mounted at the		
	end of MultiControl Armrest		

PRECISION FARMING

AUTOGUIDANCE

SD_T4820 HEADLAND SYSTEM

	391341	Less Headland Control System	T-		No Charge
	392211	Headland Control System			No Charge
		End of Row functionality programmed through the tractor's			
		A-Post display			
	5	If equipped, sequences may be stored in the AFS Pro 700			
	758592	Adv. Headland Ctrl Confg EHR		9000764P61	\$993.00
		Allows End of Row functions to be precisely programmed within			
		AFS Pro 700 monitor			
		More user-friendly than basic End of Row controls			
1 1		Allows operator to choose within the display which remote is			
		operated on the MultiFunction handle			
		Requires an AFS Pro 700 display			

SD_T7630 AUTOGUIDANCE

	392484	Less Autoguidance		No Charge
	758803	Full AG Nav GPS L1	9006796P02	\$8,826.00
_		Includes WAAS with accuracy to +/- 3 Ft		
	758804	Full AG Nav GPS L2	9008759P52	\$11,376.00
		Includes Omnistar activation with accuracy to +/- 1.5 In.		



	(Ex Works Port of Entry)		
758871	Autoguidance Lvl 3 RTK Modem	9010723P02	\$13,926.00
	Full AG NAV GPS Level 3		
	Includes Omnistar and RTK receiver activation with accuracy		
	to +/- 1 In.		
	Requires an RT radio or modem		
	Requires subscription		
GINE	到1992年的1991年中,周月20日代,60年日中的1992年第二日中的	C' e Rose para d'Affer	
SD_T1000	ENGINE		
392194	T4B Engine W/Boost		No Charg
	Elect. Fuel pump - 4 valves with Power Boost		
758400	Tier 4B Engine Exhaust Brake	9001498P42	\$1,946.0
	Elect. Fuel pump - 4 valves with Power Boost and Engine Exhaust		
1	Brake - Activated by depressing a pedal on left side in the cab		
	Closes the exhaust flap to act as an exhaust brake to reduce		
	braking when hauling heavy loads on steep terrain.		
CD T1010	ENCINE OPTIONS		
392300	ENGINE OPTIONS STD ENG COOLING FAN		No Charg
758700		9000131P67	\$171.0
	Can vary speed independent of engine speed, based on the		V
	demand for cooling		
SD T1040	CHARGING SYSTEMS	*	
758557	150 AMP_Alternator		No Charg
758558		9000188P65	\$245.0
	Required for Suspended Cab w/htd screens 758480		
22 2101			
	ENG SPEED MANAGEMENT		
743814	9 1, 11 11 11 11 11 11 11 11 11 11 11 11		No Charç
	Constant Engine RPM (CERPM) Functions		
	Allows operator to set and switch between two engine RPM		
1	set-points		
	Switches located on RH console		
TARTING AID			

758401

Grid_Heater

-18F (-10C) to -32.4F (-18C)

No Charge



(Ex Works Port of Entry)

	75	8402	Grid_Heater + 110V Pack	9000318P01	\$413.00
			Improves cold weather starting abilities; transmission heat		
Н			maintainer		
Н		j)	110V Electrical Plug in		
П			Engine block heater includes 2 heaters: 1 for engine block heater		
Ш			and 1 for transmission and hydraulic heat maintainer		
Ш			Plugs located side by side, below door opening		

BATTERY

SD T7420 BATTERY

	758407	HD Battery 176AH		No Charge
		Heavy Duty Battery (176Ah 1300 EN cca)		
		Does not include battery isolator		
	759140	Hvy Dty Bty Mech ISO	9000258P72	\$336.00
1 1		Includes mechanical battery isolator switch		
		Mechanical switch disconnects battery to prevent battery drainage		
	758409	HD Battery W/Isolator 176AH	9000344P19	\$447.00
11		Includes electronic battery isolator switch on right hand rear		
		c-pillar in cab.		
		In-cab switch disconnects battery to prevent battery drainage.		

FUEL TANK

SD_T1400 FUEL TANK

	759127	Std Fuel Tank	(900261P80)	(\$340.00)
		Does not include fuel tank guards		
		Capacity - 210L (55.4 Gal)		
	759128	Std Fuel Tank+Guard		No Charge
		Includes fuel tank guards		
		Capacity - 210L (55.4 Gal)		
	759130	Large Fuel Tank+Guard	9000184P80	\$240.00
		Includes fuel tank guards		
111		Incompatible with 34" front tires (8801604 and 8859604)		
		Capacity - 250L (66 Gal)		



(Ex Works Port of Entry)

TRANSMISSION	Double Clutch Mechanical Transmission # up
	to 24 x 24, creeper option, cartridge
	hydraulic module. Eight step powershift
	transmission featuring true power shuttle,
	soft shift, autoshift for field and/or street,
	brake-to-inch, kick-down and memory
	shuttle. DCT provides 3 defined ranges: slow,
	medium, high to provide an optimized ratio
	across all the working conditions. Range 2
	handles 90% of operating conditions with
	speeds from 2.4 to
	10.7 mph (3.9 to 17.3 kph). Making it ideal
	for field, hay, and loader applications.

TRANSMISSION

SD T2800 SPEED

	SD_T2800 SP	PEED		
	DCT			
	759110	40 KPH DCT		No Charge
		23 Speed ActiveDrive 8 Transmission (DCT Style Transmission) up		
\sim		to 8 Power Shifts per range over 3 ranges		
1 1		Pushbutton shift, No need for mechanical range lever, No need		
		to clutch between ranges		
	759111	40 KPH ECO - DCT	9001439P13	\$1,869.00
		24 Speed ActiveDrive 8 Transmission (DCT Style Transmission) up		
1 1		to 8 Power Shifts per range over 3 ranges		
		Pushbutton shift, No need for mechanical range lever, No need		
		to clutch between ranges		
	759113	50 KPH - DCT	9001439P13	\$1,869.00
		24 Speed ActiveDrive 8 Transmission (DCT Style Transmission) up		
		to 8 Power Shifts per range over 3 ranges		
		Pushbutton shift, No need for mechanical range lever, No need		
1 1		to clutch between ranges		
		Requires 113L Hyd Pump (758441), Class 3 Susp + Brake Hyd Lock		
		(758423) or Class 4 Susp + Brake Hyd Lock (758428) and Front		
		Fenders	 	
	DCT + Cree	per		
	759131	40KPH DCT + CREEPER	9001964P27	\$2,551.00
1 1		23 Speed ActiveDrive 8 Transmission (DCT Style Transmission) up		
		to 8 Power Shifts per range over 3 ranges		
		Pushbutton shift, No need for mechanical range lever, No need		
		to clutch between ranges		
		Creeper - 722 Feet per hour (220 meters per hour)		



(Ex Works Port of Entry)

759112	40K ECO - DCT+CREEPE		9003402P63	\$4,419.00
	24 Speed ActiveDrive 8 Transmission (DCT Style Transmission) up			
	to 8 Power Shifts per range over 3 ranges			
	Pushbutton shift, No need for mechanical range lever, No need			
	to clutch between ranges			
	Creeper - 722 Feet per hour (220 meters per hour)			
759134	50KPH DCT + CREEPER		9003402P63	\$4,419.00
	23 Speed ActiveDrive 8 Transmission (DCT Style Transmission) up			
	to 8 Power Shifts per range over 3 ranges			
	Pushbutton shift, No need for mechanical range lever, No need	l l		
	to clutch between ranges			
	Requires 113L Hyd Pump (758441), Class 3 Susp + Brake Hyd Lock			
	(758423) or Class 4 Susp + Brake Hyd Lock (758428)			
	and Front Fenders			
	Creeper - 722 Feet per hour (220 meters per hour)			

SD_T2816 AUTO FEATURES

00 12010 710	710 12,1101120		
392359	LESS AUTO FEATURES 392359	(900723P80)	(\$940.00)
	Includes:		
	Smart Range Shift: automatically selects the correct gear when		
	shifting through ranges instead of just the next gear		
	Memory Shuttle: adapts to the users operating style when shuttling		
	from forward to reverse; remembers the last selected gear in the opposite direction		
	Smooth Shift: enables engine rpm modulation to further enhance		
	shift quality		
759166	BASIC AUTO FEATURE		No Charge
	Includes 392359 plus		
	Pedal Kick Down: Enhances acceleration while in autoshift mode		
	during transport applications		
	AutoShift: Automates shifting of gears based on engine load		
	Active Clutch II: Allows operator finite inching control by utilizing		
	brake pedal on the tractor		
758631	ADV TRANS AUTO FEAT	9000585P20	\$760.00
	Includes 392359 and 758631 plus		
	Target Speed Management (APM): Maintains set speed; similar		
	to Magnum		

RADAR

SD_T7580 RADAR	
390703 Less Radar	No Charge



(Ex Works Port of En

	758501	Radar NAR	9000642P18	\$834.00
1		Provides more accurate speed readings and area measurements		
1		Requires enhanced instrumentation		
L		758546 A Pillar CIH Enhanced Instru		

TRAILER BRAKES

SD T7230 PNEUM TRAILER BRAKE

	390729	L/ Pneumatic Trailer Brakes		No Charge
	758447	Pneumatic Trailer Brake Univ	9006357P89	\$8,257.00
		Requires hydraulic trailer brakes (744784) or brake logic valve		
H		(744783)		
П		Dual air line system is used for dual cylinder truck type trailer		
Н		brakes.		
		For customers with air brakes in heavy hauling applications, such		
Ш		as with manure tankers.		

TRAILER BRAKES

SD_T7130 TRLR BRK VLV

390711	Less trailer brakes		No Charge
744784	Hyd Trailer Brake Universal	9000888P58	\$1,154.00
	Synchronized trailer braking only when both service brake pedals		
	are actuated.		
	System consists of trailer brake valve with priority over hydraulic		
	lift and remotes.		
	For customers with hydraulically powered brakes in heavy		
	hauling applications, such as with manure tankers.		

HITCH

FRONT HITCH

SD_T8100 FRONT THREE POINT HITCH

	390811	Less Front Linkage			No Charge
	759144	Integrated FHPL 759144		9006108P41	\$7,933.00
		Integrated Front Hitch	,		
	759147	Int FHPL+FPTO		9012884P41	\$16,733.00
		Integrated Front Hitch with PTO			
		The front PTO is a 6 spline, 1 3/8" 1000 RPM shaft, which rotates			
		counter-clockwise when looking from the front of the tractor.			

CD	T8106	70 011	IC ON	CLICI	CHID
2017	101110	11-	ICS CHA	FILE	SUP

	XT8106X	Std L/ 7P Plug On F		No Charge
		Front Implement Lighting Connector		



	(Ex Works Port of Entry)		
758713	7PIN + 3 PIN 40AMP	9000130P13	\$169.00
	Front Implement Lighting Connector with 3 Pin Power Connector		
SD T8300 H	OSES FOR FHPL		
390926	Less Tubes for FHPL		No Charg
758473	Tubes FHPL Connect Mech RR		No Charg
	Connects front hitch to mechanical rear remote		
758474	Hose pkg for frt hitch w/ ERV		No Charg
	Front hitch to electronic rear remote		
758475	Hose pkg for frt hitch w/ MMV		No Charg
	Hose package to connect front hitch to		
	electronic mid-mount valves		
758544	Hse pkg frt hit w/MMV/frt coup	9000151P69	\$197.0
	Front hitch and 1 front remote to electronic mid-mount valves		
758582	Tubes + Coupler Mech Rear Rem.	9000151P69	\$197.0
	Front hitch and 1 front remote to mechanical rear remotes		
EAR 3-POINT			
EAR 3-POINT			
CAMPING BLOCK AND	EDC Base Hydraulic Lift Cyl.		No Charg
SD_T8950 A	EDC Base Hydraulic Lift Cyl. 3-Point Hitch Capacity with two 80mm lift cylinders		No Charg
SD_T8950 A	EDC Base Hydraulic Lift Cyl. 3-Point Hitch Capacity with two 80mm lift cylinders 6,990 lbs. (3,170 kg) OECD rated lift capacity		No Charg
SD_T8950_A 390911	EDC Base Hydraulic Lift Cyl. 3-Point Hitch Capacity with two 80mm lift cylinders 6,990 lbs. (3,170 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test		
SD_T8950 A	EDC Base Hydraulic Lift Cyl. 3-Point Hitch Capacity with two 80mm lift cylinders 6,990 lbs. (3,170 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test 2 External 90mm Cylinders -EDC	9000415P80	
SD_T8950_A 390911	EDC Base Hydraulic Lift Cyl. 3-Point Hitch Capacity with two 80mm lift cylinders 6,990 lbs. (3,170 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test 2 External 90mm Cylinders -EDC 3-Point Hitch Capacity with two 90mm lift cylinders	9000415P80	
SD_T8950_A 390911	EDC Base Hydraulic Lift Cyl. 3-Point Hitch Capacity with two 80mm lift cylinders 6,990 lbs. (3,170 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test 2 External 90mm Cylinders -EDC 3-Point Hitch Capacity with two 90mm lift cylinders 8945 lbs. (4057 kg) OECD rated lift capacity	9000415P80	
SD_T8950_A 390911	EDC Base Hydraulic Lift Cyl. 3-Point Hitch Capacity with two 80mm lift cylinders 6,990 lbs. (3,170 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test 2 External 90mm Cylinders -EDC 3-Point Hitch Capacity with two 90mm lift cylinders	9000415P80	No Charg \$540.0
SD_T8950 A 390911 743811	EDC Base Hydraulic Lift Cyl. 3-Point Hitch Capacity with two 80mm lift cylinders 6,990 lbs. (3,170 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test 2 External 90mm Cylinders -EDC 3-Point Hitch Capacity with two 90mm lift cylinders 8945 lbs. (4057 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test	9000415P80	
SD_T8950 A 390911 743811 SD_T8960 E	EDC Base Hydraulic Lift Cyl. 3-Point Hitch Capacity with two 80mm lift cylinders 6,990 lbs. (3,170 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test 2 External 90mm Cylinders -EDC 3-Point Hitch Capacity with two 90mm lift cylinders 8945 lbs. (4057 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test	9000415P80	\$540.0
SD_T8950 A 390911 743811	EDC Base Hydraulic Lift Cyl. 3-Point Hitch Capacity with two 80mm lift cylinders 6,990 lbs. (3,170 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test 2 External 90mm Cylinders -EDC 3-Point Hitch Capacity with two 90mm lift cylinders 8945 lbs. (4057 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test RAWBAR AND 3 POINT HITCH Cat II Flex Links	9000415P80	
SD_T8950 A 390911 743811 SD_T8960 E 758451	EDC Base Hydraulic Lift Cyl. 3-Point Hitch Capacity with two 80mm lift cylinders 6,990 lbs. (3,170 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test 2 External 90mm Cylinders -EDC 3-Point Hitch Capacity with two 90mm lift cylinders 8945 lbs. (4057 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test RAWBAR AND 3 POINT HITCH Cat II Flex Links Telescopic link ends		\$540.0 No Charg
SD_T8950 A 390911 743811 SD_T8960 E	EDC Base Hydraulic Lift Cyl. 3-Point Hitch Capacity with two 80mm lift cylinders 6,990 lbs. (3,170 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test 2 External 90mm Cylinders -EDC 3-Point Hitch Capacity with two 90mm lift cylinders 8945 lbs. (4057 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test RAWBAR AND 3 POINT HITCH Cat II Flex Links Telescopic link ends Cat II/III Flex Links	9000415P80 9000099P33	\$540.0 No Charg
SD T8950 A 390911 743811 SD T8960 E 758451 758452	EDC Base Hydraulic Lift Cyl. 3-Point Hitch Capacity with two 80mm lift cylinders 6,990 lbs. (3,170 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test 2 External 90mm Cylinders -EDC 3-Point Hitch Capacity with two 90mm lift cylinders 8945 lbs. (4057 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test RAWBAR AND 3 POINT HITCH Cat II Flex Links Telescopic link ends Cat II/III Flex Links Telescopic link ends		\$540.0
SD_T8950 A 390911 743811 SD_T8960 E 758451	EDC Base Hydraulic Lift Cyl. 3-Point Hitch Capacity with two 80mm lift cylinders 6,990 lbs. (3,170 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test 2 External 90mm Cylinders -EDC 3-Point Hitch Capacity with two 90mm lift cylinders 8945 lbs. (4057 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test RAWBAR AND 3 POINT HITCH Cat II Flex Links Telescopic link ends Cat II/III Flex Links	9000099P33	\$540.0 No Charg \$129.0



(Ex Works Port of Entry)

HYDRAULICS

SD T8230 HYD PUMP

391828	80L/Min Fixed Displacement Pmp	 (901300P53)	(\$1,689.00)
	Fixed Displacement Pump for use with mechanical rear remote		
	valves		
	Max flow available @ remotes (combined flow) or		
	power beyond (I/min) considering 90% efficiency- 19.3gpm (73 I/m)		
758441	CCLS Pump		No Charge
	Pressure Flow Compensating (PFC) Closed Center Load Sensing		
	Required for electronic rear remote valves and optional for		
11	mechanical rear remote valves		
	Max flow available @ remotes* (combined flow) or		
	power beyond (I/min)considering 90% efficiency- 32.2 gpm (122		
	l/m)		

KEAR REMOTE VALVES

SD_T8270 REAR REMOTES

3908	2 Mechanical Rear Remotes	(902879P03)	(\$3,739.00)
	2 mechanical; non-configurable		
7436	685 4 Mech Rear Remotes (2NC+2C)	(900947P10)	(\$1,230.00)
	4 mechanical rear remotes, 2 configurable detents and flow control		
7436	3 Elect Hyd. Rear Remote Valve		No Charge
	3 electronic rear remotes		
743	733 4 Elect Hyd. Rear Remote Valve	9000967P12	\$1,256.00
	4 electronic rear remotes		
743	740 2 Mech Rear Remote Valves (2C)	(902615P69)	(\$3,397.00)
	2 mechanical rear remotes, both with configurable detents and flow		
	control		
743	741 3 Mech Rear Remote Valves (2C)	(901912P68)	(\$2,484.00)
	3 mechanical rear remotes, 2 configurable detents and flow control		
7583	358 4-Mech Rear Remotes F/ Pwr Byd	(900354P97)	(\$461.00)
	4 mechanical rear remotes, 2 with configurable detents and flow		
	control, power beyond ready. This option is required if power		
	beyond is going to be equipped with 4 mechanical rear remotes.		
7583	4-Elec Rear Remotes F/ Pwr Byd	9001574P65	\$2,045.00
	4 electronic rear remotes, power beyond ready		



(Ex Works Port of Entry)

PC	JVVER	REY	

390710	Hyd Power Beyond Capped	(900141P68)	(\$184.00)
	Hydraulic power beyond capped off.		
	This option is less power beyond and less low-pressure return line.		
758540	Low-Pressure Return		No Charge
	Low pressure return line with 1/2" hydraulic quick coupler.		
	ISO 7241 Series A hydraulic quick coupler, non-flat face design.		
	Does not include load sense line		
	Requires male end on implement 83972881 (CNH Industrial Parts)		
758542	Power Beyond + Low-Pressure	9000603P68	\$784.0
	Requires 4 remotes Requires 113 L/min pump (758441)		
	Power beyond is used in situations where the implement controls		
	how much hydraulic flow it demands, such as applications running		
	oribital motors.		
	The load sense line adjusts the swash plate, varying the flow of oil		
	out of the Power side of the circuit.		
	Implement requires the following matching male couplers (CNH		
	Industrial Parts):		
	Return: 87482232 Power: 87482231 Load Sense: 87482228		
	Includes low pressure return line with 1/2" hydraulic quick coupler		
	(non-flat face design).		
	Low pressure return requires male end on implement: 83972881		

PTO

SD T8720 AUTO PTO

(CNH Industrial Parts).

	SU_18/20 AC	JIOPIO		
	390160	Less Auto PTO		No Charge
	330160	Auto PTO Management System	9000174P02	\$226.00
11		Allows PTO to automatically engage/disengage base on rear		
1 1		three-point		
1 1		hitch position.		
		Enabled via switch on RH console near RH C-pillar		

FRONT AXLE

SD_T4010 FRONT AXLE

П	758420	Class 3 Hydraulic Lock	(900989P45)	(\$1,285.00)
11		9,039 lbs. maximum carrying capacity		
		Hydraulic Differential Lock: Multiplate differential lock, engages		
1 1		when operator engages the rear differential lock		
1 1				



(Ex Works Port of Entry)

	(EX WORKS FOR OF EITHY)	i i	
758425	Class 4 Hydraulic Lock Class 4 MFD axle with multi-plate fully locking, front differential with steering sensors 10,803 maximum carrying capacity Requires 113 L/min pump (758441) Hydraulic Differential Lock: Multiplate differential lock, engages when operator engages the rear differential lock Incompatible with 34 inch rear wheels		No Charge
758422	Class 3 Suspension Lock 9,039 lbs. maximum carrying capacity Suspension: Cushions and dampens the movement of the front axle, Smoother ride for increased operator comfort and decreased fatigue, Improved traction, Suspenson can be locked solid by the operator using an in-cab switch, located on the RH console	9003548P93	\$4,609.00
758423	Class 3 Susp+ Brake Hyd Lock 9,039 lbs. maximum carrying capacity Suspension: Cushions and dampens the movement of the front axle, Smoother ride for increased operator comfort and decreased fatigue, Improved traction, Suspenson can be locked solid by the operator using an in-cab switch, locatedon the RH console Brakes: Front wheel brakes allow for additional braking power for a shorter braking distance, Recommended for hauling applications, Required for high-speed applications (31 mph/50 KPH)	9003993P22	\$5,186.00
758427	Class 4 Suspension Lock 10,803 maximum carrying capacity Suspension: Cushions and dampens the movement of the front axle, Smoother ride for increased operator comfort and decreased fatigue, improved traction. Suspenson can be locked solid by the operator using an in-cab switch, locatedon the RH console.	9004537P61	\$5,893.00
758428	Class 4 Susp + Brake Hyd Lock 10,803 maximum carrying capacity Suspension: Cushions and dampens the movement of the front axle. Smoother ride for increased operator comfort and decreased fatigue. Improved traction, Suspenson can be locked solid by the operator using an in-cab switch, located on the RH console Brakes: Front wheel brakes allow for additional braking power for a shorter braking distance, Recommended for hauling applications, Required for high-speed applications (31 mph/50 KPH)	9004981P13	\$6,469.00



(Ex Works Port of Entry)

Г	759109	Class 4 HD Std Axle	9000197P89	\$257.00
		Class 4 Heavy Duty Axle		
		Includes multi-plate, fully locking differential for extra traction		
		in slippery conditions		
		Non-suspended		

FRONT WHEELS AND TIRES

SD_T4940 FRONT WHEELS AND TIRES

For Class 3	Front Axle		
8859604	320/85R34 R1W MI,FI	9000575P96	\$748.00
	Brands: Michelin		
	Requires 320/90R50 R1W		
8250401	340/85(13.6)R28 R1W	(900249P48)	(\$324.00)
	Brands: Firestone, Mitas, Trelleborg		
	Requires 16.9R38 R1W		
8240402	380/85(14.9)R24 A8	(900249P48)	(\$324.00
	Brands: Firestone, Michelin		
	Requires 460/85(18.4)R34 R1W		
8241401	380/85(14.9)R28 A8		No Charge
	Brands: Michelin, Firestone, Mitas, Trelleborg		
	Requires 460(18.4)R38		
8258404	380/85(14.9)R30R1W MI,F,T,C,A	9000441P21	\$573.00
	Brands: Michelin, Firestone		
	Requires 18.4R42 R1W		
8255404	420/85(16.9) R28 R1W MI-FI-TR	9000582P12	\$756.00
	Brands: Michelin, Firestone		
	Requires 20.8R38 R1W		
8825401	480/65R28(R1W) Fixed Rims F/CL	9000284P13	\$369.00
	Michelin, Firestone, Mitas		
8801301	520/60R28 MAVT Rims - MI	9001811P04	\$2,352.00
	Brand: Michelin		
8299905	Front Shipping Wheels-4WD	(900955P57)	(\$1,241.00
	Requires rear shipping wheels		
8201201	400/80R28 Fixed Cls 3 Alliance	9000815P43	\$1,059.00
	Brand: Alliance		
For Class 4	Front Axle		
8801604	320/85R34 R1W Brands - MI	9000575P96	\$748.00
	Brands: Michelin, Firestone		
	Requires 320/90R50 R1W		
8241901	380/85(14.9)R28R1W HD-MIFITRCO		No Charg
	Brands: Trelleborg, Michelin, Firestone, Mitas		
	Requires: 460(18.4)R38 R1W		
8258704	380/85(14.9)R30 R1W MI-FI-CM	9000441P21	\$573.0
	Brands: Michelin, Firestone, Mitas, Alliance		
	Requires 18.4R42 R1W or 14.9R46 R1W		



(Ex Works Port of Entry)

8866501	400/80R28 Fixed CIs 4 Alliance	9000815P43	\$1,059.00
		9000815P43	\$1,059.00
	Brand: Alliance		
8255904	420/85(16.9)R28 R1W MI-FI	9000582P12	\$756.00
	Brands: Michelin, Firestone		
	Requires 20.8R38 R1W or 18.4R42 R1W		
8815601	480/65R28 R1W HD	9000284P13	\$369.00
	Brands: Firestone, Michelin, Trelleborg		
	Requires 600/65R38 R1W		
	Requires Full Cover Rear Fenders		
8801601	520/60R28 R1W Fixed HD	9002584P12	\$3,356.00
1 1 1	Brand: Michelin		
	fixed rims, not adjustable		
	Requires 650/60R38		
8299906	Front Shipping Wheels	(900955P57)	(\$1,241.00)
	Requires rear shipping wheels		

REAR AXLE

SD_T3200 REAR AXLE

	10200 11	-AIVAVEL		
()	758430	HD Flange Multi-Diff		No Charge
		HD Flange, Hydraulic, Steel wheel rims		
		Track setting with adjustable wheels 56.3 - 84.0 in (1430 - 2134 mm)		
	758432	HD Bar Steel Multi-Diff	9001169P63	\$1,519.00
		HD 98" (2,489 mm) Bar, Hydraulic, Steel Wheel Rims		
	758434	HD Bar Cast Multi-Diffential	9001169P63	\$1,519.00
		HD 98" Bar, Hydraulic, Cast Wheel Rims		
	759136	HD 98"BAR STEEL MULT	9001169P63	\$1,519.00
		98" (2489 mm)		
		This bar axle is for dual wheels		
		- 320/90R50 (8440104)		
		- 380/90R46 (8470404)		
		Includes 4 hubs with steel wheels		
		Multiplate Diff Lock 4WD Clutch		

REAR WHEELS AND TIRES

SD_T4950 REAR WHEELS AND TIRES

	Cast Wheel,	Bar Axle Only		
	8334406	460/85(18.4)R38 R1W- MI,FI,CM		No Charge
		Brands: Michelin, Firestone, Mitas		
	8384406	460/85(18.4)R42 R1W - MI	9001564P64	\$2,032.00
		Brands: Michelin, Firestone, Mitas, Alliance		
	Flange or Ba	r Axle Steel Disc		
	8963504	320/90R50 R1W MI	9000488P18	\$634.00
Labor.		Brands: Michelin		



(Ex Works Port of Entry)

8370404	380/90(14.9)R46R1WAdj Rim-C,MI	9000302P61	\$393.00
	Brands: Mitas		
8375501	420/85(16.9)R38 R1W FI,CM	(900045P43)	(\$59.00)
	Brands: Firestone, Mitas		
8365401	460/85(18.4)R34 A8 FI,MI,CO,TR	(901115P73)	(\$1,449.00)
	Brands: Trelleborg, Michelin, Firestone, Mitas		
8328401	460/85(18.4)R38 R1W-MIFITRCO		No Charge
	Brands: Trelleborg, Michelin, Firestone, Mitas		
8388404	460/85(18.4)R42R1W MI,F,T,C,A	9000374P99	\$487.00
	Michelin		
8919401	480/80R38 Alliance	9001111P11	\$1,443.00
	Alliance 550 Multi-Use		
8380404	520/85 (20.8) R38 R1W MI, TR	9001686P30	\$2,190.00
	Brands: Michelin		
	Requires full cover rear fenders (743707 or 743708)		
8969401	600/65R38 R1W-FI,MI,CO,TR	9000832P37	\$1,081.00
	Brands: Trelleborg, Michelin, Firestone, Mitas		
8907601	650/60R38 R1W F/Bar AXL - MI	9001082P62	\$1,406.00
	Brands: Michelin		
8399906	Rear Shipping Wheels	(902827P44)	(\$3,672.00)
	Requires front shipping wheels		
Dual			
8440104	DUAL 320/90R50	9005094P32	\$6,616.00
	This option is for Dual Rear Wheels and Tires		
	Must be ordered with Dual Rear Axle (759136)		
8470404	DUAL 380/90R46 (14.9) R1W MICO	9004907P21	\$6,373.00
	This option is for Dual Rear Wheels and Tires		
	Must be ordered with Dual Rear Axle (759136)		

FENDERS

SD T8710 FENDERS PTO CONTROL

	392803	Fender Mounted Controls	(900227P92)	(\$296.00)
		Fender mounted switches for rear PTO and rear three-point hitch		
		for operation from outside cab		
	743680	Fender EDC/PTO/Rem Valv Contrl		No Charge
1 1		Fender mounted switches for rear PTO, rear three-point hitch, and		
		third electronic rear remote.		

FRONT FENDERS

SD T8740 FRONT FENDERS

11	 101 10	TOTT I ENDERTO		
	390875	Less front fender		No Charge
	758505	Front Fender 420mm Dynamic	9000617P54	\$802.00
		Recommended for tire sizes less than 420/16.9"		
		Dynamic front fenders allow the fenders to turn with the tires		



(Ex Works Port of Entry)

1	758506	Front Fender 480mm Dynamic	9000717P64	\$932.00
П		Recommended for tire sizes less than 480/18.9"		
L		Dynamic front fenders allow the fenders to turn with the tires		
	758507	Front Fender 540mm Dynamic	9000806P19	\$1,047.00
ı		Recommended for tire sizes larger than 520/20.8"		
L		Dynamic front fenders allow the fenders to turn with the tires		

REAR FENDERS

SD_T8700 FENDERS

	391153	Standard Fenders		No Charge
	743777	Standard fenders with extensn	9000304P92	\$396.00
		3" (75 mm) fender extensions added on to the full cover fenders		
	743707	Full Cover	9000569P80	\$740.00
\Box		92.1 in./2340 mm rear fenders.		
	743708	Full Cover with extension	9000871P64	\$1,132.00
		Full cover with 3 in./ 75 mm wide extensions.		

LOADER

SD_T7780 JOYSTICK

	394782	Less Joystick		No Charge
	758068	Joystick with 3 Buttons	9001341P34	\$1,742.00
		Electronic Joystick with 3 buttons		
		Required if loader will include 3rd function Diverter Valve		
	758069	Joystick with Rocker Switch	9001260P49	\$1,637.00
	10	Electronic Joystick with Proportional Rocker		
		Required if loader will include "Live" 3rd function circuit		
	759396	EHSTICK ADV +/- PROP		
		Enhanced Electronic Joystick with Proportional Rocker		
1		Advanced +/- Buttons Enables Gear/Speed shifts		
		directly from Loader Joystick		
		if LOADER BRACKETS is NA LDR RDY+2MMV+ADV or LOADER BRACKETS is NA LDR RDY+3MMV+ADV		No Charge
		if LOADER BRACKETS is not NA LDR RDY+2MMV+ADV or LOADER BRACKETS is not NA LDR RDY+3MMV+ADV	9001609P30	\$2,090.00

SD_T7790 MID-MOUNT VALVES

390560	Less Mid-Mount Valves		No Charge
743689	2 Electronic MMV		****
	2 Electronic Mid-Mount Valves		
	Requires Electronic Joystick		
	if LOADER BRACKETS is Loader Ready + 2 EH MMV + Joy or LOADER BRACKETS is NA LDR RDY+2MMV+ADV		No Charge
	if LOADER BRACKETS is not Loader Ready + 2 EH MMV + Joy or LOADER BRACKETS is not NA LDR RDY+2MMV+ADV	9001962P73	\$2,549.00



(Ex Works Port of Entry)

743690	3 Electronic MMV			
	3 Electronic Mid-Mount Valves			
	Requires Electronic Joystick			
	if LOADER BRACKETS is Loader Ready + 3 EH MMV + Joy			No Charge
	or LOADER BRACKETS is NA LDR RDY+3MMV+ADV			
	if LOADER BRACKETS is not Loader Ready + 3 EH MMV + Joy		9003008P39	\$3,907.00
	743690	3 Electronic Mid-Mount Valves Requires Electronic Joystick if LOADER BRACKETS is Loader Ready + 3 EH MMV + Joy or LOADER BRACKETS is NA LDR RDY+3MMV+ADV	3 Electronic Mid-Mount Valves Requires Electronic Joystick if LOADER BRACKETS is Loader Ready + 3 EH MMV + Joy or LOADER BRACKETS is NA LDR RDY+3MMV+ADV if LOADER BRACKETS is not Loader Ready + 3 EH MMV + Joy	3 Electronic Mid-Mount Valves Requires Electronic Joystick if LOADER BRACKETS is Loader Ready + 3 EH MMV + Joy or LOADER BRACKETS is NA LDR RDY+3MMV+ADV if LOADER BRACKETS is not Loader Ready + 3 EH MMV + Joy 9003008P39

MOUNTING BRACKETS

SD T8110 LOADER BRACKETS

OD TOTTO LO	ADER BRACKETS			
Side Rails				
758478	Engine Side Rails		9000763P84	\$992.00
	Recommended for side-mounted attachments e.g. sprayer	1 1		
	tanks	1		
	No Loader Brackets			
	Not compatible with loader equipment			
Loader Brac	kets	19 1911		
390819	Less Loader Ready			No Charge
759470	NA LDR RDY+2MMV+ADV		9007695P38	\$9,994.00
	Complete Loader Ready includes:			
	Advanced Joystick 759396: EHSTICK ADV +/- PROP			
	2 Electronic MMV 743689	1 1		
	TPS Mount Bracket Set (with Grill Guard) and	1 1		
	(Includes valve, joystick, cables, & hose kit)			
759471	NA LDR RDY+3MMV+ADV		9008879P64	\$11,532.00
	Complete Loader Ready includes			
	Advanced Joystick 759396: EHSTICK ADV +/- PROP			
	3 Electronic MMV 743690			
	TPS Mount Bracket Set (with Grill Guard) and			
	(Includes valve, Proportional joystick, cables, & hose kit)			

OTHER EQUIPMENT

FRONT BALLAST

SD_T2150 FRONT BALLAST

	390444	Tow Hook-Only	\ \		No Charge
		Tow Hook 251 lbs/114 kg			
		Not allowed with Front hitch (743699 or 743700)			
	758515	Weight Pack A_CIH		9000754P60	\$980.00
		4 weights plus narrow carrier			
		Narrow Weight Carrier 253 lbs/115 kg,			
		plus 4 Weights 396 lbs/180 kg.			
		Total weight 649 lbs/295 kg.			
		Not compatible with Front hitch (743699 or 743700)			



(Ex Works Port of Entry)

	(Ex Works Port of Entry)		
758	516 Weight Pack B_CIH	9001304P38	\$1,694.00
	8 weights plus narrow carrier		
1 1	Narrow Weight Carrier 253 lbs/115 kg,		
	plus 8 Weights 792 lbs/359 kg.		
1 1	Total weight 1045 lbs/474 kg.		
	Not compatible with Front hitch		
758	517 Weight Pack C_CIH	9002544P08	\$3,304.00
	16 weights plus wide carrier		
	Wide Weight Carrier 361 lbs/164 kg,		
1 1	Plus 16 Weights 1584 lbs/718 kg.		
1.1	Total weight 1945 lbs/882 kg.	1 1	
	Not compatible with Front hitch (743699 or 743700)		
758		9000887P04	\$1,152.00
	Weight Pack A		
	Narrow Weight Carrier 253 lbs/115 kg.	1 1	
	Plus Center Tow Hook Weight 251 lbs/114 kg.	1 1	
	Plus 2 Weights 198 lbs/90 kg.	1 1	
1.1	Total weight 702 lbs/319 kg.	1 1	
	Not compatible with Front hitch	1 1	
7585		9001380P61	\$1,793.00
1	Weight Pack B		, .,.
2	Narrow Weight Carrier 253 lbs/115 kg.	1 1	
	Plus Center Tow Hook Weight 251 lbs/114 kg.	1 1	
1 1	Plus 6 Weights 594 lbs/269 kg.	1 1	
	Total weight 1098 lbs/498 kg.	1 1	
	Not compatible with Front hitch (743699 or 743700)	1 1	
7585		9002249P94	\$2,922.00
	Weight Pack C		+-,
	Wide Weight Carrier 361 lbs/164 kg.	1 1	
	Plus Center Tow Hook Weight 251 lbs/114 kg.	1 1	
	Plus 12 Weights 1188 lbs/539 kg.	1 1	
1.1	Total weight 1800 lbs/816 kg.	1 1	
	Not compatible with Front hitch	1 1	
7588		9000204P82	\$266.00
	Weight Carrier	555525 11 52	4200.00
11	Narrow Weight Carrier 253 lbs/115 kg	1 1	
	Holds up to 8 weights		
11	Not compatible with Front hitch (743699 or 743700)		
7585		9000344P19	\$447.00
	Wide front weight carrier	00000441 10	φ-7.00
	Wide Weight Carrier 361 lbs/164 kg,		
	holds up to 16 weights.		
	Not compatible with front loader.		



(Ex Works Port of Entry)

CD T4000	WHEEL WEIGHTS		
X49601	and officers 2		No Charg
758564		9000940P94	\$1,222.0
''0000'	Each weight weighs 143 lbs. (65 kg)		, ,,
	3 weights are on each side on the rear		
	Total weight = 806 lbs. (389 kg)		
	Not Compatible with 650/60R38 (8907501 or 8907601)		
759137		9001227P38	\$1,594.0
1 ,00101	2 x 331 lbs. (150 kg) and 2 x 551 lbs. (250 kg)		
	2 weights are on each side on the rear		
	Total weight = 1764 lbs. (800 kg)		
759821	2X150KG + 4X250KG Wheel Weight	9002106P72	\$2,736.0
1 .0002	Recommended for Loader Applications		,
	2 x 331 lbs. (150 kg) and 4 x 551 lbs. (250 kg)		
	3 weights are on each side on the rear		
	Total weight = 2866 lbs. (1300 kg)		
1	Not Compatible with 650/60R38 (8907501 or 8907601)		
DDITIONAL EC	QUIPMENT		
DDITIONAL EC	QUIPMENT		
SD_T2820	PARK LOCK		No Char
non salati	PARK LOCK Less electronic parkbrake lock		No Char
SD_T2820	PARK LOCK Less electronic parkbrake lock Less EPL will prevent full functionality of ISOBUS CL3 automation		No Char
SD_T2820	PARK LOCK Less electronic parkbrake lock Less EPL will prevent full functionality of ISOBUS CL3 automation There is no DIA kit to install this feature at a later date		No Char
SD_T2820 391147	PARK LOCK Less electronic parkbrake lock Less EPL will prevent full functionality of ISOBUS CL3 automation There is no DIA kit to install this feature at a later date EPL must be ordered from the factory	00000047004	
SD_T2820	PARK LOCK Less electronic parkbrake lock Less EPL will prevent full functionality of ISOBUS CL3 automation There is no DIA kit to install this feature at a later date EPL must be ordered from the factory EPL Electronic parkbrake75803	9000964P04	
SD_T2820 391147	PARK LOCK Less electronic parkbrake lock Less EPL will prevent full functionality of ISOBUS CL3 automation There is no DIA kit to install this feature at a later date EPL must be ordered from the factory	9000964P04	
SD_T2820 391147 758034	PARK LOCK Less electronic parkbrake lock Less EPL will prevent full functionality of ISOBUS CL3 automation There is no DIA kit to install this feature at a later date EPL must be ordered from the factory EPL Electronic parkbrake75803	9000964P04	
SD_T2820 391147 758034	Less electronic parkbrake lock Less EPL will prevent full functionality of ISOBUS CL3 automation There is no DIA kit to install this feature at a later date EPL must be ordered from the factory EPL Electronic parkbrake75803 Electronic Park Lock is require for ISOBUS CL3 automation BRAKE PACK	9000964P04	No Charg \$1,252.0 No Charg
SD_T2820 391147 758034 SD_T3600	PARK LOCK Less electronic parkbrake lock Less EPL will prevent full functionality of ISOBUS CL3 automation There is no DIA kit to install this feature at a later date EPL must be ordered from the factory EPL Electronic parkbrake75803 Electronic Park Lock is require for ISOBUS CL3 automation BRAKE PACK Std. Heavy Duty Brake Discs	9000964P04 9000268P73	\$1,252.
SD_T2820 391147 758034 SD_T3600 390166	PARK LOCK Less electronic parkbrake lock Less EPL will prevent full functionality of ISOBUS CL3 automation There is no DIA kit to install this feature at a later date EPL must be ordered from the factory EPL Electronic parkbrake75803 Electronic Park Lock is require for ISOBUS CL3 automation BRAKE PACK Std. Heavy Duty Brake Discs		\$1,252,0 No Char
SD_T2820 391147 758034 SD_T3600 390166	Less electronic parkbrake lock Less EPL will prevent full functionality of ISOBUS CL3 automation There is no DIA kit to install this feature at a later date EPL must be ordered from the factory EPL Electronic parkbrake75803 Electronic Park Lock is require for ISOBUS CL3 automation BRAKE PACK Std. Heavy Duty Brake Discs Extended-Life Brake Discs		\$1,252. No Char
SD_T2820 391147 758034 SD_T3600 390166	Less electronic parkbrake lock Less EPL will prevent full functionality of ISOBUS CL3 automation There is no DIA kit to install this feature at a later date EPL must be ordered from the factory EPL Electronic parkbrake75803 Electronic Park Lock is require for ISOBUS CL3 automation BRAKE PACK Std. Heavy Duty Brake Discs Extended-Life Brake Discs Made of a carbon mesh material for a significantly longer life than		\$1,252. No Char
SD_T2820 391147 758034 SD_T3600 390166 758438	Less electronic parkbrake lock Less EPL will prevent full functionality of ISOBUS CL3 automation There is no DIA kit to install this feature at a later date EPL must be ordered from the factory EPL Electronic parkbrake75803 Electronic Park Lock is require for ISOBUS CL3 automation BRAKE PACK Std. Heavy Duty Brake Discs Extended-Life Brake Discs Made of a carbon mesh material for a significantly longer life than the standard brake packs Recommended for haulage applications		\$1,252. No Char
SD_T2820 391147 758034 SD_T3600 390166 758438	Less electronic parkbrake lock Less EPL will prevent full functionality of ISOBUS CL3 automation There is no DIA kit to install this feature at a later date EPL must be ordered from the factory EPL Electronic parkbrake75803 Electronic Park Lock is require for ISOBUS CL3 automation BRAKE PACK Std. Heavy Duty Brake Discs Extended-Life Brake Discs Made of a carbon mesh material for a significantly longer life than the standard brake packs Recommended for haulage applications		\$1,252. No Char \$349.
SD_T2820 391147 758034 SD_T3600 390166 758435 SD_T7642 758632	Less electronic parkbrake lock Less EPL will prevent full functionality of ISOBUS CL3 automation There is no DIA kit to install this feature at a later date EPL must be ordered from the factory EPL Electronic parkbrake75803 Electronic Park Lock is require for ISOBUS CL3 automation BRAKE PACK Std. Heavy Duty Brake Discs Extended-Life Brake Discs Made of a carbon mesh material for a significantly longer life than the standard brake packs Recommended for haulage applications ISO BUS ISO CL2+9PIN IN CAB	9000268P73	\$1,252,0 No Char \$349.0 No Char
SD_T2820 391147 758034 SD_T3600 390166 758438 SD_T7642 758632 758710	Less electronic parkbrake lock Less EPL will prevent full functionality of ISOBUS CL3 automation There is no DIA kit to install this feature at a later date EPL must be ordered from the factory EPL Electronic parkbrake75803 Electronic Park Lock is require for ISOBUS CL3 automation BRAKE PACK Std. Heavy Duty Brake Discs Extended-Life Brake Discs Made of a carbon mesh material for a significantly longer life than the standard brake packs Recommended for haulage applications ISO BUS ISO CL2+9PIN IN CAB ISO CL3+9PIN+SPEED		\$1,252. No Char \$349. No Char \$400.
SD_T2820 391147 758034 SD_T3600 390166 758435 SD_T7642 758632	Less electronic parkbrake lock Less EPL will prevent full functionality of ISOBUS CL3 automation There is no DIA kit to install this feature at a later date EPL must be ordered from the factory EPL Electronic parkbrake75803 Electronic Park Lock is require for ISOBUS CL3 automation BRAKE PACK Std. Heavy Duty Brake Discs Extended-Life Brake Discs Made of a carbon mesh material for a significantly longer life than the standard brake packs Recommended for haulage applications ISO BUS ISO CL2+9PIN IN CAB ISO CL3+9PIN+SPEED	9000268P73	\$1,252,0 No Char



	(Ex Works Port of Entry)		
759485	ISO CL3+SPEED+STEER Allows compatible implements to work with the tractor to optimize the task by controlling Elec Hydraulic Remotes (EHR) Allows compatible implement to control speed of tractor	9000308P00	\$400.0
SD TOSSO E	RONT TOOLBOX		
390996	Standard Toolbox		No Charg
000000	5.5 in. x 12.5 in. (140 mm x 315 mm)		140 Onarg
743848	Large Toolbox 5.5 in. x 16.5 in. (140 mm x 420 mm)	9000073P92	\$96.0
	Great for larger tools, like hammers and larger wrenches		
ER OPTIONS			48.
U 1000	PECIAL COLORS/PANELS		
392209	Base Color ISO		No Charg
740700	Includes High Visibility Roof Panel	(000 450 (000)	(8507.0
743729	Std Color- No Visibility Panel Does not include high visibility roof panel	(900459P69)	(\$597.0
4.	Does not include high visibility roof panel		
	RE CATEGORY CHOICE Alliance	9000439P67	\$571.0
SD_T4900 TI 330447 330446	RE CATEGORY CHOICE Alliance Firestone	9000439P67 9000439P67	
330447	Alliance		\$571.0
330447 330446	Alliance Firestone	9000439P67	\$571. \$571.
330447 330446 330442	Alliance Firestone Michelin	9000439P67 9000439P67	\$571.0 \$571.0 \$571.0
330447 330446 330442 330418	Alliance Firestone Michelin Trelleborg	9000439P67 9000439P67	\$571.0 \$571.0 \$571.0
330447 330446 330442 330418	Alliance Firestone Michelin Trelleborg No tire brand preference	9000439P67 9000439P67	\$571.0 \$571.0 \$571.0
330447 330446 330442 330418	Alliance Firestone Michelin Trelleborg No tire brand preference Tire brands are subject to availability.	9000439P67 9000439P67	\$571.0 \$571.0 \$571.0
330447 330446 330442 330418	Alliance Firestone Michelin Trelleborg No tire brand preference Tire brands are subject to availability. If the Tire Brand Preference Code is ordered, the plant will	9000439P67 9000439P67	\$571.0 \$571.0 \$571.0
330447 330446 330442 330418	Alliance Firestone Michelin Trelleborg No tire brand preference Tire brands are subject to availability. If the Tire Brand Preference Code is ordered, the plant will install the brand selected.	9000439P67 9000439P67	\$571.0 \$571.0 \$571.0
330447 330446 330442 330418	Alliance Firestone Michelin Trelleborg No tire brand preference Tire brands are subject to availability. If the Tire Brand Preference Code is ordered, the plant will install the brand selected. If no Tire Brand Preference is selected, a tire from existing	9000439P67 9000439P67	\$571.0 \$571.0 \$571.0
330447 330446 330442 330418	Alliance Firestone Michelin Trelleborg No tire brand preference Tire brands are subject to availability. If the Tire Brand Preference Code is ordered, the plant will install the brand selected. If no Tire Brand Preference is selected, a tire from existing inventory will be installed. This will include one of the following	9000439P67 9000439P67	\$571.0 \$571.0 \$571.0
330447 330446 330442 330418	Alliance Firestone Michelin Trelleborg No tire brand preference Tire brands are subject to availability. If the Tire Brand Preference Code is ordered, the plant will install the brand selected. If no Tire Brand Preference is selected, a tire from existing inventory will be installed. This will include one of the following brands in the chosen tire size: Michelin, Firestone, Trelleborg,	9000439P67 9000439P67	\$571.0 \$571.0 \$571.0
330447 330446 330442 330418 330438	Alliance Firestone Michelin Trelleborg No tire brand preference Tire brands are subject to availability. If the Tire Brand Preference Code is ordered, the plant will install the brand selected. If no Tire Brand Preference is selected, a tire from existing inventory will be installed. This will include one of the following brands in the chosen tire size: Michelin, Firestone, Trelleborg, Alliance, or Mitas. Availability of brands vary by size.	9000439P67 9000439P67	\$571.0 \$571.0 \$571.0
330447 330446 330442 330418	Alliance Firestone Michelin Trelleborg No tire brand preference Tire brands are subject to availability. If the Tire Brand Preference Code is ordered, the plant will install the brand selected. If no Tire Brand Preference is selected, a tire from existing inventory will be installed. This will include one of the following brands in the chosen tire size: Michelin, Firestone, Trelleborg, Alliance, or Mitas. Availability of brands vary by size.	9000439P67 9000439P67	\$571.0 \$571.0 \$571.0
330447 330446 330442 330418 330438	Alliance Firestone Michelin Trelleborg No tire brand preference Tire brands are subject to availability. If the Tire Brand Preference Code is ordered, the plant will install the brand selected. If no Tire Brand Preference is selected, a tire from existing inventory will be installed. This will include one of the following brands in the chosen tire size: Michelin, Firestone, Trelleborg, Alliance, or Mitas. Availability of brands vary by size.	9000439P67 9000439P67	\$571.0 \$571.0 \$571.0
330447 330446 330442 330418 330438	Alliance Firestone Michelin Trelleborg No tire brand preference Tire brands are subject to availability. If the Tire Brand Preference Code is ordered, the plant will install the brand selected. If no Tire Brand Preference is selected, a tire from existing inventory will be installed. This will include one of the following brands in the chosen tire size: Michelin, Firestone, Trelleborg, Alliance, or Mitas. Availability of brands vary by size.	9000439P67 9000439P67	\$571.0 \$571.0 \$571.0
330447 330446 330442 330418 330438	Alliance Firestone Michelin Trelleborg No tire brand preference Tire brands are subject to availability. If the Tire Brand Preference Code is ordered, the plant will install the brand selected. If no Tire Brand Preference is selected, a tire from existing inventory will be installed. This will include one of the following brands in the chosen tire size: Michelin, Firestone, Trelleborg, Alliance, or Mitas. Availability of brands vary by size.	9000439P67 9000439P67	\$571.0 \$571.0 \$571.0 \$571.0 No Charg
330447 330446 330442 330418 330438	Alliance Firestone Michelin Trelleborg No tire brand preference Tire brands are subject to availability. If the Tire Brand Preference Code is ordered, the plant will install the brand selected. If no Tire Brand Preference is selected, a tire from existing inventory will be installed. This will include one of the following brands in the chosen tire size: Michelin, Firestone, Trelleborg, Alliance, or Mitas. Availability of brands vary by size.	9000439P67 9000439P67	\$571.0 \$571.0 \$571.0 No Charg



(Ex Works Port of Entry)

		(9/H0S) (1854 4/ 10)	
	758534	English USA	No Charge
		Extra Operators Manual	
	758535	Spanish NAR	No Charge
		Extra Operators Manual	
	759101	French NAR	No Charge
		Extra Operators Manual	



(Ex Works Port Of Entry) Standard Equipment

MODELS:

Maxxum 115 CVXDRIVE 95 PTO hp @ 2200 RPM

Maxxum 125 CVXDRIVE 105 PTO hp @ 2200 RPM

Maxxum 135 CVXDRIVE 110 PTO hp @ 2200 RPM

Maxxum 145 CVXDRIVE 120 PTO hp @ 2200 RPM

ENGINE:

273 cu. in. (4.5 L) Displacement 4 Cylinder Turbocharged and Intercooled Engine with Electronic Power Management and Constant RPM feature Power Boost in Transport and PTO Modes Tier 4B Emissions Compliant 4 valves per cylinder Bosch fuel injection pump (electronic) Air Cleaner w/ Precleaner & Exhaust Aspiration Dual element air filter Hand and foot throttle Grid Heater Starting Aid 55.4-gallon (210 L) Fuel Tank with guard 10.4 Gallon (39.5 L) Diesel Exhaust Fuel (DEF) Tank

EXHAUST:

Fuel Cooler

A-Post exhaust with integral muffler

OPERATOR PROTECTIVE STRUCTURE:

Engine auto shut down feature

Viscous fan (9 Blades)

CAB:

ROPS protected, flat deck platform with Standard Cab, with heater and air conditioner (with 4 speed pressurizer), tinted windshield with

OPERATOR PROTECTIVE STRUCTURE: (continued)

sunshade, opening hi-visibility roof window with retractable sun screen, front and rear intermittent wipers and washers, two doors with locks, two telescoping external mirrors, hinged rear window (fully opens), radio ready (speakers, wiring, antenna), rear window access panel for control / monitor box or wiring harness entrance, interior storage box, interior dome light, self-cancelling turn signal, and two external courtesy lights

Steering wheel: tilt and telescoping Seat: Deluxe air suspension seat with operator's presence sensor, seat belt, and swivel

MultiControl Armrest with Integrated Transmission, Throttle, PTO and Hitch Controls

INSTRUMENTATION:

A-Post mounted Analog/Digital Instrument Cluster with display of engine oil pressure, fuel level, coolant temperature and speed, hitch and PTO operational indicators

TRANSMISSION:

Continuously variable transmission with standard creep speeds and Active Stop control feature 25 mph (40 kph) Economy Transmission

MFD -- 25 mph (40 kph)
Speed varies with tire selection

CLUTCH:

Double wet clutch technology



(Ex Works Port Of Entry) Standard Equipment

STEERING/BRAKES:

Hydrostatic Power Steering
Hydraulically actuated wet disc brakes
(self-equalizing and self-adjusting)
Independent parking brake

HYDRAULICS:

Pressure and flow compensated hydraulic system (PFC): Variable displacement piston pump Maximum flow at rated engine speed 39.6 gpm (150 l/m) flow (implement pump) 17.7 gpm (67 l/m) flow (steering and operating circuits) 57.3 gpm (217 1/m) total tractor hydraulic flow 3 Closed-center Electronic Remote Valves with in-cab flow control Hydraulic Tapping Port (Power Beyond Ready) Fender mounted hydraulic 3rd remote activation switch

AXLES:

MFD Front Axle:
Class IV MFD Axle
Electro-hydraulic auto MFD and
diff-lock engagement
Fully locking front differential
Dual steering cylinders
Adjustable tread width from
61.4 in. to 88.8 in. (May vary
up to 1 in. depending on tires)
55 degree Turning Angle
12 degree Axle Oscillation
Drive Shaft Shield
Standard front tires:
14.9R28 (R1W)

Rear Axle:
Flange type
Wet plate rear differential lock:
MFD - Electro-hydraulic engaged
(front and rear)

Rear Axle: (continued)
Standard rear tires:
18.4R38 (R1W)

HITCH:

Electronic draft control
(lower link sensing)
3-point hitch category II with flex
link ends and telescoping stabilizers
Fast Raise/Lower Control (in cab)
6700 lb/3039 kg lift capacity (OECD)
with dual 80mm external assist ram
Rear fender mounted remote
hitch switches
Ride control
Swinging drawbar

PTO:

Independent 540/1000 RPM with single reversible shaft Multi-plate wet clutch design Electro-hydraulic engagement with soft start/auto feathering Flip-up PTO shaft guard Fender mounted PTO control switch

ELECTRICAL:

(1) 12-volt 1300 cca Battery
Geared starter motor (4.2kW)
7-pin outlet for trailer/implement
lighting
3-pin implement socket (40 amp)
15 amp screw type positive/negative
terminals
Single pin (8 amp) accessory power
outlet
150 amp Alternator
ISO/JD (30 amp) socket
ISO BUS 11783 rear breakaway socket
Two roof mounted single pin outlets
for beacon Cigar lighter



(Ex Works Port Of Entry) Standard Equipment

LIGHTING:

Two hood mounted forward facing
Eight LED worklights
Two cab roof mounted forward facing
Two grab rail mounted forward facing
Two cab roof mounted rear facing
Two rear "C"-post mounted rear
facing
Two tailights
Time delayed turn indicators with
audible warning
Front and rear cab roof mounted

flashing safety lights

MISCELLANEOUS: Pivoting engine hood SMV emblem Toolbox Horn

NEBRASKA TEST REPORT STATUS: Nebraska Temporary Sales Permit to be applied for



(Ex Works Port Of Entry)

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
MAXXUM 115 CVXDRIVE	11,376 LB	9110480P37	\$143,481.00
MAXXUM 125 CVXDRIVE	17,650 LB	9118677P79	\$154,127.00
MAXXUM 135 CVXDRIVE	11,376 LB	9126875P21	\$164,773.00
MAXXUM 145 CVXDRIVE	12,555 LB	9132339P13	\$171,869.00
MAXXUM 150 CVXDRIVE	12,555 LB	9136876P74	\$177,762.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
OPERATOR STR	UCTURE			
PERATOR STR	UCTURE			
) III III III III III III III III III I	0010112			
	PERATOR STRUCTURE #1			
391610	Cab w/Fixed Front Screen		(901387P54)	(\$1,802.00)
	Standard Cab - Does not include Cab Suspension			
758479	Suspended_Cab			No Charge
	Two shocks mounted in rear of cab increase operator comfort			
	Reduces shock loads transmitted to the tractor by up to 25%			
	When coupled with a suspended axle, the ultimate in ride comfort		1	
	is achieved			
758481	Includes tinted rear window			
/58481	Suspended Cab + Heated Screens		9000398P09	\$517.00
	Includes 758479, plus heated front and rear windscreens			
	Requires 200A alternator			
CAB				
6D T7000 B	DEAVEDO			
SD T7620 S 390653	PEAKERS Radio Predisposition.			No Charge
	Includes speakers and wiring. Ready for aftermarket radio in DIN			No Charge
	slot.			
743714	Deluxe Radio with Bluetooth		9000401P94	\$522.00
	Bluetooth Radio including: AM, FM, Micro SD, USB, AUX, and			4022.00
	Bluetooth with noise cancelling microphone.			
	Includes speakers and wiring.			



(Ex Works Port Of Entry)

SD_T8500 SI 391285	Deluxe Air Up/Down Head Rest		No Charge
	Deluxe Seat with Low Frequency Air Suspension		
758362	Deluxe Fabric w HT + VENT	9001535P38	\$1,994.00
	Deluxe air seat with low frequency suspension,		
	swivel headrest, heated, and passive venting	1 1	
	Deluxe Fabric material		
758363	MAX EVO LEATHER ACTIVE	9003009P93	\$3,909.00
	Active air suspension leather seat with low frequency suspension,	1 1	
	headrest, heated, and active venting		
	TORAGE BOX/SEAT	(000404D70)	(6426.00
390905	Less LH Front Box	(900104P72)	(\$136.00
758568	Lefthand Front Box	1 1	No Charg
	Storage area near the LH door, instead of an instructor seat	0000004740	6460.0
758569	Instructional Seat with Belt	9000361P13	\$469.0
	Includes seatbelt	1 1	
	Cloth/Leather will match operator seat		
SD T9010 R	EAR CAB STORAGE BO		
390906	Less Rear Cab Storage Box		No Charg
758570	Lefthand Rear Cab Storage Box	9000175P56	\$228.0
	Large LH storage box		+
1	Located in the back left hand corner, behind instructor seat area	1 1	
	Compatible with or without instructor seat/front toolbox options	1 1	
	Companies with at without motivator additional transfer options		
SD_T9230 C	LIMATE CONTROL		
392701	AIR CONDITIONING 392701		No Charg
758482	Air Conditioning W/ATC	9000572P88	\$744.0
	Automatic Temperature Control (ATC). Operator sets desired		
	temperature and system maintains set temperature.		
	EAR WINDOW SUNSHADE		No Charg
	No Rear Window Sunshade	9000161P70	\$210.0
758580	Sunshade, Rear Window	9000161270	\$210.0
	Pull down perforated material sunscreen.		
CD TOFFS I	IVIDY DACK		
SD_T9553 L 391152	Std Steering Wheel		No Charg
331132	Leather Steering Wheel +Carpet	9000204P05	\$265.0
759493	Black Leather wrapped steering wheel with red stitching. Includes	00002011 00	Ψ200.0
758483	Black Leather Wrapped Steering wheel with red stitching. Includes		
758483	Miles t Brown count with Cook Logo		
758483	Wheat Brown carpet with Case Logo.		
758483		1 1	
TEERING COLU			No Char



	(Ex Works Port Of Entry)		
75918	ASC (Adaptive Steering Control) adjusts steering ratio based on vehicle speed for increased steering control - Reduces number of steering wheel turns from lock to lock - Great feature for loader operations Functions via VRS rocker switch or via display (if tractor is fitted	9002127P51	\$2,763.0
75918	with Pro 700 display) 5 Autoguidance Ready Includes steering valve and manifold, hoses, wiring harness, and roof mounting bracket for receiver Does not include display mount	9003759P14	\$4,882.0
75918		9004154P92	\$5,396.0
SD T9180	AUDIBLE WARNING TURN INDICATOR		
39093		(900066P99)	(\$87.00
75850			No Charç
MIRRORS	X		
	RR MIRRORS	T	
75915	2 Telescopic Mirrors 759153 2 Telescopic Mirrors: Shatter Proof with Large Head and Spotter 7.9" x 11.8" (200 x 300 mm)		No Charg
75915		9000051P59	\$67.0
INICTOLIMENT	ATION		
INSTRUMENTA	ATION		
SD T7610	INSTRUMENT PANEL		
39076	"A" Pillar for CIH Basic Instr Includes oil, brake, PTO speed, hitch, reset, electronic remote flow and timer (when equipped), engine hours, fault codes, egress light		No Charç
	settings.		



	758546	A Pillar CIH Enhanced Instru	9000130P13	\$169.00
	(Includes oil, brake, PTO speed, hitch, reset, electronic remote flow		
	//	and timer (when equipped), engine hours, fault codes, egress light		1
	1	settings.		
		Also includes A-Post data display, slip control, area worked, tractor		
		performance monitoring.		

WORK LIGHTING

SD T9110 HOOD LIGHTS

	_	10110 110			
		759446	BASIC HOOD LIGHTS		No Charge
			New Grill Styling with updated hoodlights		
			2 halogen roadlights 2 halogen worklights		
		759447	HIGH SPEC HOOD LIGHT	9000794P64	\$1,032.00
1			New Grill Styling with LED High Spec Hood Lights		
			2 halogen roadlights 4 led worklights 2 led signature lights		

SD_T9130 WORK LAMPS

	JRK LAMPS		(0000000000011	(0.400.00)
392212	8 LED Std Power Hi-Roof		(900308P00)	(\$400.00)
	Standard Power LED lights produce 1000 Lumens		1	
	4 front roof-mounted LED work lights			
	4 rear roof-mounted LED work lights	1		
	2 halogen road hood lights			
	2 halogen work hood lights			
758357	8 LED High Power Hi-Roof			No Charge
	High Power LED lights produce 1950 Lumens			
	4 front roof-mounted LED work lights			
	4 rear roof-mounted LED work lights			
	2 halogen road hood lights			
	2 halogen work hood lights			
758594	12 LED High Power Hi-Roof		9001231P23	\$1,599.00
	High Power LED lights produce 1950 Lumens			
	4 front roof-mounted LED work lights			
	4 rear roof-mounted LED work lights			
	2 front grab rail-mounted LED work lights			
	2 rear post-mounted LED work lights		The state of the s	
	2 halogen road hood lights			
	2 halogen work hood lights			
758595	14 LED High Power Hi-Roof		9001846P46	\$2,398.00
	High Power LED lights produce 1950 Lumens			
	4 front roof-mounted LED work lights			
	6 rear roof-mounted LED work lights			
	2 front grab rail-mounted LED work lights			
	2 rear post-mounted LED work lights			
	2 halogen road hood lights			
	2 halogen work hood lights			



(Ex Works Port Of Entry)

SD T9131	FRONT	WORK:	LAMPS ON
----------	-------	-------	----------

390661	Less High Mounted Headlamp		No Charge
758488	High Headlight Righthand DIP	9000243P32	\$316.00
	2 Grab Rail-mounted headlights - remain on for road transport.		
	These lights assist in visibility during transport with a loader or		
	front 3-point hitch mounted implement.		

BEACON LIGHTING

SD_T9146 ROTARY BEACON

	X91461X	No Rotary Beacon		No Charge
	758489	Rotary Beacon Lefthand Side	9000328P02	\$426.00
		Single Rotary Beacon placed on rear left of tractor for increased		
		safety and visibility		
	758491	Twin Beacon	9000656P81	\$853.00
1 1		Dual Rotary Beacons placed on the rear of the cab on both the left		
		and right side for maximum safety and visibility		

DISPLAY MOUNTING

SD_T9223 RH WINDOW BAR MOUNT

	390665	Fixings for Mounted Monitor			No Charge
		No Bar or Monitor			
	758153	Monitor Mounting Bracket.	1	(900073P92)	(\$96.00)
		Includes Bar mounted in righthand side of cab without Monitor			
	758154	RH Window Bar Display Ready.		9000191P73	\$249.00
		Includes Bar mounted in righthand side of cab with AFS ready			
		harness and window mount without Monitor			
	758621	10" Color Touch Screen Display		9004166P47	\$5,411.00
		Includes Bar mounted in righthand side of cab			
1 1 1		Includes AFS ready harness			
		Includes AFS Pro 700 Color Touchscreen display			

SD_T9228 RH ARMREST MOUNT

390686	Less Armrest Monitor.		No Charge
758147	Display Ready: Pre-wired	9000206P36	\$268.00
	MultiControl armrest complete with mounting bracket and		
	pre-wired to mount an optional AFS Pro 700 Display		
	No display included		
758548	10" Color Touch Screen Display	9004179P56	\$5,428.00
	Includes AFS Pro 700 Color Touchscreen display mounted at the		
	end of MultiControl Armrest.		



(Ex Works Port Of Entry)

AUTOGUIDANCE				
SD_T4820 H	EADLAND SYSTEM			
392211	Headland Control System			No Charge
	End of Row functionality programmed through the tractor's			
	A-Post display			
	If equipped, sequences may be stored in the AFS Pro 700			
758592	Adv. Headland Ctrl Confg EHR		9000764P61	\$993.0
	Allows End of Row functions to be precisely programmed within			
	AFS Pro 700 monitor			
	More user-friendly than basic End of Row controls			
	Allows operator to choose within the display which remote is			
	operated on the MultiFunction handle			
	Requires an AFS Pro 700 display			
	JTOGUIDANCE			No Chara
392484	Less Autoguidance		0000700000	No Charg \$8,826.0
758803	Full AG Nav GPS L1		9006796P02	φο,ο20.0
750004	Includes WAAS with accuracy to +/- 3 Ft		9008759P52	\$11,376.0
758804	Full AG Nav GPS L2		9000739F32	ψ11,570.0
	Includes Omnistar activation with accuracy to +/- 1.5 In.			
758871	Requires subscription		9010723P02	\$13.926.00
/500/1	Autoguidance LvI 3 RTK Modem Full AG NAV GPS Level 3		90107231 02	φ13,320.0
	Includes Omnistar and RTK receiver activation with accuracy			
	to +/- 1 in.			
	Requires an RTK radio or modem			
	Requires subscription			
		TO THE WA		
NGINE	HERMONE, BY LEGULIA STATE OF S	AND DESCRIPTIONS	MI DIVINAYIYY EA KI KI KI	ROTTE LILL II
CD T4000 FI	NONE			
SD T1000 EI	T4B Engine W/Boost	ľ		No Charg
392194	Elect. Fuel pump - 4 valves with Power Boost			140 Onlarg
758400	Tier 4B Engine Exhaust Brake		9001498P42	\$1,946.0
/ 756400	Elect. Fuel pump - 4 valves with Power Boost and Engine Exhaust	5	90014901 42	Ψ1,540.0
1 1				
	Brake - Activated by depressing a pedal on left side in the cab Closes the exhaust flap to act as an exhaust brake to reduce			
	braking when hauling heavy loads on steep terrain.			
SD T1010 E	NGINE OPTIONS			
392300	STD ENG COOLING FAN			No Charg
1 392300	OTD ENG GOODING FAIR			



	(Ex Works Port Of Entry)		
758700	VISTRONIC FAN	9000131P67	\$171.00
	Can vary speed independent of engine speed, based on the		
	demand for cooling		
SD T1040 C	HARGING SYSTEMS		
758557	150 AMP Alternator		No Charg
758558	200 AMP_Alternator	9000188P65	\$245.0
	Required for Suspended Cab w/htd screens 758480		
STARTING AID			
ASSENCE SUCCESSAGE 2 - 160V	Wildlest, H. J. Garda, Milly 150		
	/EATHER PACK		
758401	Grid_Heater	1 1	No Charg
	-18F (-10C) to -32.4F (-18C)		
758402	Grid_Heater + 110V Pack	9000318P01	\$413,0
	Improves cold weather starting abilities; transmission heat		
	maintainer	1	
	110V Electrical Plug in	1 1	
	Engine block heater includes 2 heaters: 1 for engine block heater	1 1	
	and 1 for transmission and hydraulic heat maintainer		
BATTERY	and 1 for transmission and hydraulic heat maintainer Plugs located side by side, below door opening		
SD_T7420 B.	Plugs located side by side, below door opening ATTERY		No Charm
SOUND LOUIS OFFICE AND	Plugs located side by side, below door opening ATTERY HD Battery 176AH		No Charg
SD_T7420 B.	ATTERY HD Battery 176AH Heavy Duty Battery (176Ah 1300 EN cca)		No Charg
SD_T7420 B 758407	ATTERY HD Battery 176AH Heavy Duty Battery (176Ah 1300 EN cca) Does not include battery isolator	0000258D72	
SD_T7420 B.	Plugs located side by side, below door opening ATTERY HD Battery 176AH Heavy Duty Battery (176Ah 1300 EN cca) Does not include battery isolator Hvy Dty Bty Mech ISO	9000258P72	
SD_T7420 B 758407	Plugs located side by side, below door opening ATTERY HD Battery 176AH Heavy Duty Battery (176Ah 1300 EN cca) Does not include battery isolator Hvy Dty Bty Mech ISO Includes mechanical battery isolator switch	9000258P72	No Charg \$336.0
SD_T7420 B. 758407 759140	Plugs located side by side, below door opening ATTERY HD Battery 176AH Heavy Duty Battery (176Ah 1300 EN cca) Does not include battery isolator Hvy Dty Bty Mech ISO Includes mechanical battery isolator switch Mechanical switch disconnects battery to prevent battery drainage.		\$336.0
SD_T7420 B 758407	Plugs located side by side, below door opening ATTERY HD Battery 176AH Heavy Duty Battery (176Ah 1300 EN cca) Does not include battery isolator Hvy Dty Bty Mech ISO Includes mechanical battery isolator switch Mechanical switch disconnects battery to prevent battery drainage. HD Battery W/Isolator 176AH	9000258P72 9000344P19	
SD_T7420 B. 758407 759140	Plugs located side by side, below door opening ATTERY HD Battery 176AH Heavy Duty Battery (176Ah 1300 EN cca) Does not include battery isolator Hvy Dty Bty Mech ISO Includes mechanical battery isolator switch Mechanical switch disconnects battery to prevent battery drainage. HD Battery W/Isolator 176AH Includes electronic battery isolator switch on right hand rear		\$336.0
SD_T7420 B. 758407 759140	Plugs located side by side, below door opening ATTERY HD Battery 176AH Heavy Duty Battery (176Ah 1300 EN cca) Does not include battery isolator Hvy Dty Bty Mech ISO Includes mechanical battery isolator switch Mechanical switch disconnects battery to prevent battery drainage. HD Battery W/Isolator 176AH Includes electronic battery isolator switch on right hand rear c-pillar in cab.		\$336.0
SD_T7420 B. 758407 759140	Plugs located side by side, below door opening ATTERY HD Battery 176AH Heavy Duty Battery (176Ah 1300 EN cca) Does not include battery isolator Hvy Dty Bty Mech ISO Includes mechanical battery isolator switch Mechanical switch disconnects battery to prevent battery drainage. HD Battery W/Isolator 176AH Includes electronic battery isolator switch on right hand rear		\$336.0
SD_T7420 B. 758407 759140	Plugs located side by side, below door opening ATTERY HD Battery 176AH Heavy Duty Battery (176Ah 1300 EN cca) Does not include battery isolator Hvy Dty Bty Mech ISO Includes mechanical battery isolator switch Mechanical switch disconnects battery to prevent battery drainage. HD Battery W/Isolator 176AH Includes electronic battery isolator switch on right hand rear c-pillar in cab.		\$336.0
SD_T7420 B 758407 759140 758409	ATTERY HD Battery 176AH Heavy Duty Battery (176Ah 1300 EN cca) Does not include battery isolator Hvy Dty Bty Mech ISO Includes mechanical battery isolator switch Mechanical switch disconnects battery to prevent battery drainage. HD Battery W/Isolator 176AH Includes electronic battery isolator switch on right hand rear c-pillar in cab. In-cab switch disconnects battery to prevent battery drainage.		\$336.0
SD_T7420 B 758407 759140 758409 FUEL TANK	ATTERY HD Battery 176AH Heavy Duty Battery (176Ah 1300 EN cca) Does not include battery isolator Hvy Dty Bty Mech ISO Includes mechanical battery isolator switch Mechanical switch disconnects battery to prevent battery drainage. HD Battery W/Isolator 176AH Includes electronic battery isolator switch on right hand rear c-pillar in cab. In-cab switch disconnects battery to prevent battery drainage.		\$336.0 \$447.0
SD_T7420 B 758407 759140 758409	Plugs located side by side, below door opening ATTERY HD Battery 176AH Heavy Duty Battery (176Ah 1300 EN cca) Does not include battery isolator Hvy Dty Bty Mech ISO Includes mechanical battery isolator switch Mechanical switch disconnects battery to prevent battery drainage. HD Battery W/Isolator 176AH Includes electronic battery isolator switch on right hand rear c-pillar in cab. In-cab switch disconnects battery to prevent battery drainage. JEL TANK Std Fuel Tank		\$336.0 \$447.0
SD_T7420 B 758407 759140 758409 FUEL TANK	Plugs located side by side, below door opening ATTERY HD Battery 176AH Heavy Duty Battery (176Ah 1300 EN cca) Does not include battery isolator Hvy Dty Bty Mech ISO Includes mechanical battery isolator switch Mechanical switch disconnects battery to prevent battery drainage. HD Battery W/Isolator 176AH Includes electronic battery isolator switch on right hand rear c-pillar in cab. In-cab switch disconnects battery to prevent battery drainage. JEL TANK Std Fuel Tank Does not include fuel tank guards		\$336.0
SD_T7420 B. 758407 759140 758409 FUEL TANK SD_T1400 F1 759127	Plugs located side by side, below door opening ATTERY HD Battery 176AH Heavy Duty Battery (176Ah 1300 EN cca) Does not include battery isolator Hvy Dty Bty Mech ISO Includes mechanical battery isolator switch Mechanical switch disconnects battery to prevent battery drainage. HD Battery W/Isolator 176AH Includes electronic battery isolator switch on right hand rear c-pillar in cab. In-cab switch disconnects battery to prevent battery drainage. JEL TANK Std Fuel Tank Does not include fuel tank guards Capacity - 210L (55.4 Gal)	9000344P19	\$336.0 \$447.0 No Charg
SD_T7420 B 758407 759140 758409 FUEL TANK	Plugs located side by side, below door opening ATTERY HD Battery 176AH Heavy Duty Battery (176Ah 1300 EN cca) Does not include battery isolator Hvy Dty Bty Mech ISO Includes mechanical battery isolator switch Mechanical switch disconnects battery to prevent battery drainage. HD Battery W/Isolator 176AH Includes electronic battery isolator switch on right hand rear c-pillar in cab. In-cab switch disconnects battery to prevent battery drainage. JEL TANK Std Fuel Tank Does not include fuel tank guards		\$336.0 \$447.0



(Ex Works Port Of Entry

П	759130	Large Fuel Tank+Guard	9000446P60	\$580.00
		Includes fuel tank guards		
		Incompatible with 34" rear tires (8365401)		
		Capacity - 250L (66 Gal)		

TRANSMISSION

TRANSMISSION

SD T2800 SPEED

	 D 12800 SF	EED	 	
	396247	40 KPH Economy		No Charge
		25 mph (40 KPH)		
		Max ground speed possible as low as 1550 engine RPM		
	758549	50KPH ECO CVT	9001107P26	\$1,438.00
		31 mph (50 KPH)		
1		Max ground speed possible as low as 1700 engine RPM		
		Requires Class 3 Susp + Brake Hyd Lock (758423)		
		or Class 4 Susp + Brake Hyd Lock (758428) and Front Fenders		

RADAR

SD T7580 RADAR

	390703	Less Radar		No Charge
\vdash	758501	Radar NAR	9000642P18	\$834.00
11		Provides more accurate speed readings and area measurements		
11		Requires enhanced instrumentation		
		758546 A Pillar CIH Enhanced Instru		

TRAILER BRAKES

SD T7150 TRAILER CTRL FEATURE

	XT7150X	L/TRAILER CTRL FEAT		No Charge
	762071	ADVANCED TRAILER	9000410P41	\$533.00
		Requires Pneumatic Trailer Brakes (758447)		

SD_T7230 PNEUM TRAILER BRAKE

390729	L/ Pneumatic Trailer Brakes		No Charge
758447	Pneumatic Trailer Brake Univ	9006357P89	\$8,257.00
	Requires hydraulic trailer brakes (744784) or brake logic valve		
	(744783)		
	Dual air line system is used for dual cylinder truck type trailer		
	brakes.		
	For customers with air brakes in heavy hauling applications, such		
	as with manure tankers.		



(Ex Works Port Of Entry)

TRAILER BR	RAKES		
TTO WELLTON			
SD_T713	0 TRLR BRK VLV		
390	711 Less trailer brakes		No Charge
744	784 Hyd Trailer Brake Universal	9000888P58	\$1,154.00
	Synchronized trailer braking only when both service brake	1	
	pedals are actuated.	1 1	
	System consists of trailer brake valve with priority over		
4 1	hydraulic lift and remotes.	1	
	For customers with hydraulically powered brakes in heavy	L L	
	hauling applications, such as with manure tankers.		
759	472 HYD TRLBRK - NOT ISO	9000888P58	\$1,154.00
НІТСН	The state of the s	and a second second	1 / // / / / /
FRONT HITC	CH CH		
SD_T8100	0 FRONT THREE POINT HITCH		
390	811 Less Front Linkage		No Charge
759	144 Integrated FHPL 759144	9006108P41	\$7,933.00
	Integrated Front Hitch		
759	147 Int FHPL+FPTO	9012884P41	\$16,733,00
	Integrated Front Hitch with PTO		
	The front PTO is a 6 spline, 1 3/8" 1000 RPM shaft, which rotates		
	counter-clockwise when looking from the front of the tractor.		
SD_T8106	6 7P PLUG ON FHPL SUP		
XT8	3106X Std L/ 7P Plug On F		No Charge
	Front Implement Lighting Connector		ŭ
758	713 7PIN + 3 PIN 40AMP	9000130P13	\$169.00
	Front Implement Lighting Connector with 3 Pin Power Connector		
SD_T8300	0 HOSES FOR FHPL		
390	926 Less Tubes for FHPL		No Charge
758	473 Tubes FHPL Connect Mech RR		No Charge
	Connects front hitch to mechanical rear remote		
758	474 Hose pkg for frt hitch w/ ERV		No Charge
	Front hitch to electronic rear remote		
758	475 Hose pkg for frt hitch w/ MMV		No Charge
	Hose package to connect front hitch to		
	electronic mid-mount valves		
758	, ,	9000151P69	\$197.00
	Front hitch and 1 front remote to electronic mid-mount valves		
758	Tubes + Coupler Mech Rear Rem.	9000151P69	\$197.00
	Front hitch and 1 front remote to mechanical rear remotes		



(Ex Works Port Of Entry)

AR 3-POINT			
SD T8950 A	JX RAMS		
390911	EDC Base Hydraulic Lift Cyl.		No Charg
	3-Point Hitch Capacity with two 80mm lift cylinders		
	6,990 lbs. (3,170 kg) OECD rated lift capacity		
	through the whole range per Nebraska Tractor Test		
743811	2 External 90mm Cylinders -EDC	9000415P80	\$540.0
	3-Point Hitch Capacity with two 90mm lift cylinders		
	8945 lbs. (4057 kg) OECD rated lift capacity		
	through the whole range per Nebraska Tractor Test		
"			
1	RAWBAR AND 3 POINT HITCH		
758451	Cat II Flex Links		No Charg
	Telescopic link ends		
758452	Cat II/III Flex Links	9000099P33	\$129.0
	Telescopic link ends		4070
759922	HYDTOPLINK+FLEX LINK	9000289P52	\$376.0
	Includes hydraulic top link, which uses 1 pair of rear remote valves		
	T-1		
RAULICS	Telescopic Cat 2/3 Flex Links		
SD_T8230 H	YD PUMP		No Charg
	YD PUMP 125L/MIN CCLS PUMP		No Charg
SD_T8230 H	YD PUMP 125L/MIN CCLS PUMP Pressure Flow Compensating (PFC) Closed Center Load Sensing		No Charç
SD_T8230 H	YD PUMP 125L/MIN CCLS PUMP		No Charg
SD_T8230 H	YD PUMP 125L/MIN CCLS PUMP Pressure Flow Compensating (PFC) Closed Center Load Sensing Required for electronic rear remote valves and optional for mechanical rear remote valves		No Charg
SD_T8230 H	PUMP 125L/MIN CCLS PUMP Pressure Flow Compensating (PFC) Closed Center Load Sensing Required for electronic rear remote valves and optional for mechanical rear remote valves Max flow available @ remotes (combined flow) or power beyond		No Charç
SD_T8230 H	YD PUMP 125L/MIN CCLS PUMP Pressure Flow Compensating (PFC) Closed Center Load Sensing Required for electronic rear remote valves and optional for mechanical rear remote valves		No Char
SD_T8230 H	PUMP 125L/MIN CCLS PUMP Pressure Flow Compensating (PFC) Closed Center Load Sensing Required for electronic rear remote valves and optional for mechanical rear remote valves Max flow available @ remotes (combined flow) or power beyond (I/min) considering 90% efficiency- 35.1 gpm (133 I/m)		No Charg
SD_T8230 H 390244	PUMP 125L/MIN CCLS PUMP Pressure Flow Compensating (PFC) Closed Center Load Sensing Required for electronic rear remote valves and optional for mechanical rear remote valves Max flow available @ remotes (combined flow) or power beyond (I/min) considering 90% efficiency- 35.1 gpm (133 I/m)		No Charg
SD_T8230 H 390244	PUMP 125L/MIN CCLS PUMP Pressure Flow Compensating (PFC) Closed Center Load Sensing Required for electronic rear remote valves and optional for mechanical rear remote valves Max flow available @ remotes (combined flow) or power beyond (I/min) considering 90% efficiency- 35.1 gpm (133 I/m)		
SD_T8230 H 390244	PUMP 125L/MIN CCLS PUMP Pressure Flow Compensating (PFC) Closed Center Load Sensing Required for electronic rear remote valves and optional for mechanical rear remote valves Max flow available @ remotes (combined flow) or power beyond (I/min) considering 90% efficiency- 35.1 gpm (133 I/m)	(901912P68)	
SD_T8230 H 390244 AR REMOTE V SD_T8270 R	YD PUMP 125L/MIN CCLS PUMP Pressure Flow Compensating (PFC) Closed Center Load Sensing Required for electronic rear remote valves and optional for mechanical rear remote valves Max flow available @ remotes (combined flow) or power beyond (I/min) considering 90% efficiency- 35.1 gpm (133 I/m) ALVES EAR REMOTES 3 Mech Rear Remotes (1NC+2C) 3 Mechanical Rear Remotes with 2 Configurable	(901912P68)	(\$2,484.0
SD_T8230 H 390244 AR REMOTE V SD_T8270 R	YD PUMP 125L/MIN CCLS PUMP Pressure Flow Compensating (PFC) Closed Center Load Sensing Required for electronic rear remote valves and optional for mechanical rear remote valves Max flow available @ remotes (combined flow) or power beyond (I/min) considering 90% efficiency- 35.1 gpm (133 I/m) ALVES EAR REMOTES 3 Mech Rear Remotes (1NC+2C) 3 Mechanical Rear Remotes with 2 Configurable 3 Elect Hyd. Rear Remote Valve	(901912P68)	
SD_T8230 H 390244 AR REMOTE \ SD_T8270 R 396844	YD PUMP 125L/MIN CCLS PUMP Pressure Flow Compensating (PFC) Closed Center Load Sensing Required for electronic rear remote valves and optional for mechanical rear remote valves Max flow available @ remotes (combined flow) or power beyond (I/min) considering 90% efficiency- 35.1 gpm (133 I/m) ALVES EAR REMOTES 3 Mech Rear Remotes (1NC+2C) 3 Mechanical Rear Remotes with 2 Configurable		(\$2,484.0 No Char
SD_T8230 H 390244 AR REMOTE \ SD_T8270 R 396844	YD PUMP 125L/MIN CCLS PUMP Pressure Flow Compensating (PFC) Closed Center Load Sensing Required for electronic rear remote valves and optional for mechanical rear remote valves Max flow available @ remotes (combined flow) or power beyond (I/min) considering 90% efficiency- 35.1 gpm (133 I/m) ALVES EAR REMOTES 3 Mech Rear Remotes (1NC+2C) 3 Mechanical Rear Remotes with 2 Configurable 3 Elect Hyd. Rear Remote Valve	(901912P68) 9000967P12	(\$2,484.0
SD_T8230 H 390244 AR REMOTE \ SD_T8270 R 396844 743686	PUMP 125L/MIN CCLS PUMP Pressure Flow Compensating (PFC) Closed Center Load Sensing Required for electronic rear remote valves and optional for mechanical rear remote valves Max flow available @ remotes (combined flow) or power beyond (I/min) considering 90% efficiency- 35.1 gpm (133 l/m) ALVES EAR REMOTES 3 Mech Rear Remotes (1NC+2C) 3 Mechanical Rear Remotes with 2 Configurable 3 Elect Hyd. Rear Remote Valve 3 electronic rear remotes 4 Elect Hyd. Rear Remote Valve 4 electronic rear remotes	9000967P12	(\$2,484.0 No Charg \$1,256.0
SD_T8230 H 390244 AR REMOTE \ SD_T8270 R 396844 743686	PUMP 125L/MIN CCLS PUMP Pressure Flow Compensating (PFC) Closed Center Load Sensing Required for electronic rear remote valves and optional for mechanical rear remote valves Max flow available @ remotes (combined flow) or power beyond (I/min) considering 90% efficiency- 35.1 gpm (133 l/m) ALVES EAR REMOTES 3 Mechanical Rear Remotes (1NC+2C) 3 Mechanical Rear Remotes with 2 Configurable 3 Elect Hyd. Rear Remote Valve 3 electronic rear remotes 4 Elect Hyd. Rear Remote Valve		(\$2,484.0 No Char



(Ex Works Port Of Entry)

POWER BEYOND

SD T8275	POWER	BEYOND	COUPLE
----------	-------	---------------	--------

	390710	Hyd Power Beyond Capped	(900141P68)	(\$184.00)
		Hydraulic power beyond capped off.		
		This option is less power beyond and less low-pressure return line.		
	758540	Low-Pressure Return		No Charge
		Low pressure return line with 1/2" hydraulic quick coupler.		
		ISO 7241 Series A hydraulic quick coupler, non-flat face design.		
		Does not include load sense line		
		Requires male end on implement 83972881 (CNH Industrial Parts)		
	758542	Power Beyond + Low-Pressure	9000603P68	\$784.00
		Requires 4 remotes Requires 113 L/min pump (758441)		
		Power beyond is used in situations where the implement controls		
		how much hydraulic flow it demands, such as applications running		
		oribital motors.		
		The load sense line adjusts the swash plate, varying the flow of oil		
		out of the Power side of the circuit.		
		Implement requires the following matching male couplers (CNH		
		Industrial Parts):		
1		Return: 87482232 Power: 87482231 Load Sense: 87482228		
		Includes low pressure return line with 1/2" hydraulic quick coupler		
		(non-flat face design).		
		Low pressure return requires male end on implement: 83972881		
		(CNH Industrial Parts).		

FRONT AXLE

SD_T4010 FRONT AXLE

	758420	Class 3 Hydraulic Lock	(900989P45)	(\$1,285.00)
1		9,039 lbs. maximum carrying capacity		
		Hydraulic Differential Lock: Multiplate differential lock, engages		
\Box		when operator engages the rear differential lock		
	758425	Class 4 Hydraulic Lock		No Charge
		Class 4 MFD axle with multi-plate fully locking, front differential		
		with steering sensors		
		10,803 maximum carrying capacity		
		Hydraulic Differential Lock: Multiplate differential lock, engages		
		when operator engages the rear differential lock		
		Incompatible with 34 inch rear wheels		



(Ex Works Port Of Entry)

Class 4 Suspension Lock	9004537P61	\$5,893.00
10,803 maximum carrying capacity		
Suspension: Cushions and dampens the movement of the front		
axle, Smoother ride for increased operator comfort and decreased		
fatigue, improved traction. Suspenson can be locked solid by the		
operator using an in-cab switch, locatedon the RH console.		
Class 4 Susp + Brake Hyd Lock	9004981P13	\$6,469.00
10,803 maximum carrying capacity		
Suspension: Cushions and dampens the movement of the front		
axle. Smoother ride for increased operator comfort and decreased		
fatigue. Improved traction, Suspenson can be locked solid by the		
operator using an in-cab switch, locatedon the RH console		
Brakes: Front wheel brakes allow for additional braking power for a		
shorter braking distance, Recommended for hauling applications,		
Required for high-speed applications (31 mph/50 KPH)		
Class 4 HD Std Axle	9000197P89	\$257.00
Class 4 Heavy Duty Axle		
Includes multi-plate, fully locking front differential for extra traction		
in slippery conditions		
Non-suspended		
	10,803 maximum carrying capacity Suspension: Cushions and dampens the movement of the front axle, Smoother ride for increased operator comfort and decreased fatigue, improved traction. Suspenson can be locked solid by the operator using an in-cab switch, locatedon the RH console. Class 4 Susp + Brake Hyd Lock 10,803 maximum carrying capacity Suspension: Cushions and dampens the movement of the front axle. Smoother ride for increased operator comfort and decreased fatigue. Improved traction, Suspenson can be locked solid by the operator using an in-cab switch, locatedon the RH console Brakes: Front wheel brakes allow for additional braking power for a shorter braking distance, Recommended for hauling applications, Required for high-speed applications (31 mph/50 KPH) Class 4 HD Std Axle Class 4 Heavy Duty Axle Includes multi-plate, fully locking front differential for extra traction in slippery conditions	10,803 maximum carrying capacity Suspension: Cushions and dampens the movement of the front axle, Smoother ride for increased operator comfort and decreased fatigue, improved traction. Suspenson can be locked solid by the operator using an in-cab switch, locatedon the RH console. Class 4 Susp + Brake Hyd Lock 10,803 maximum carrying capacity Suspension: Cushions and dampens the movement of the front axle. Smoother ride for increased operator comfort and decreased fatigue. Improved traction, Suspenson can be locked solid by the operator using an in-cab switch, locatedon the RH console Brakes: Front wheel brakes allow for additional braking power for a shorter braking distance, Recommended for hauling applications, Required for high-speed applications (31 mph/50 KPH) Class 4 HD Std Axle Class 4 Heavy Duty Axle Includes multi-plate, fully locking front differential for extra traction in slippery conditions

FRONT WHEELS AND TIRES

SD_T4940 FRONT WHEELS AND TIRES

For Cla	ass 3 Front Axle		
8201	201 400/80R28 Fixed Cls 3 Alliance	9000815P43	\$1,059.00
	Brand: Alliance		
8240	380/85(14.9)R24 A8	(900249P48)	(\$324.00)
	Brands: Firestone, Michelin		
	Requires 460/85(18.4)R34 R1W		
8241	401 380/85(14.9)R28 A8		No Charge
	Brands: Michelin, Firestone, Mitas, Trelleborg		
	Requires 460(18.4)R38		
8250	0401 340/85(13.6)R28 R1W	(900249P48)	(\$324.00)
	Brands: Firestone, Mitas, Trelleborg		
	Requires 16.9R38 R1W		
8255	420/85(16.9) R28 R1W MI-FI-TR	9000582P12	\$756.00
	Brands: Michelin, Firestone		
	Requires 20.8R38 R1W		
8258	3404 380/85(14.9)R30R1W MI,F,T,C,A	9000441P21	\$573.00
	Brands: Michelin, Firestone	1 1 1	
	Requires 18.4R42 R1W		
8299	9905 Front Shipping Wheels-4WD	(900955P57)	(\$1,241.00)
	Requires rear shipping wheels		
8801	301 520/60R28 MAVT Rims - MI	9001811P04	\$2,352.00
	Brand: Michelin		



(Ex Works Port Of Entry)

	(EX WORS FOR CITETY)		
882540	1 480/65R28(R1W) Fixed Rims F/CL	9000284P13	\$369.00
	Michelin, Firestone, Mitas		
885960	4 320/85R34 R1W MI,FI	9000575P96	\$748.00
	Brands: Michelin		
	Requires 320/90R50 R1W		
For Class	4 Front Axle		
824190	1 380/85(14.9)R28R1W HD-MIFITRCO		No Charge
	Brands: Trelleborg, Michelin, Firestone, Mitas		
	Requires: 460(18.4)R38 R1W		
825590	4 420/85(16.9)R28 R1W MI-FI	9000582P12	\$756.00
	Brands: Michelin, Firestone		
	Requires 20.8R38 R1W or 18.4R42 R1W		
825870	4 380/85(14.9)R30 R1W MI-FI-CM	9000441P21	\$573.00
	Brands: Michelin, Firestone, Mitas, Alliance		
	Requires 18.4R42 R1W or 14.9R46 R1W		
829990	6 Front Shipping Wheels	(900955P57)	(\$1,241.00)
	Requires rear shipping wheels		
880160	1 520/60R28 R1W Fixed HD	9002584P12	\$3,356.00
	Brand: Michelin		
	Requires 650/60R38		
880160	4 320/85R34 R1W Brands - MI	9000575P96	\$748.00
J.	Brands: Michelin, Firestone	1 1 1	
	Requires 320/90R50 R1W		
881560	1 480/65R28 R1W HD	9000284P13	\$369.00
	Brands: Firestone, Michelin, Trelleborg		
	Requires 600/65R38 R1W	1 1 1	
	Requires Full Cover Rear Fenders		
886650	1 400/80R28 Fixed Cls 4 Alliance	9000815P43	\$1,059.00
	Brand: Alliance		

REAR AXLE

SD T3200 REAR AXLE

 	TOZOU IXE	THEFT		
	391223	Heavy-duty Rear Flange		No Charge
		Heavy Duty Rear Flange Axle (275MM Wheel Studs)		
l	758538	HD 98" Bar Axles - Steel Wheel	9001169P63	\$1,519.00
		Heavy Duty 98" (2489 mm) Bar Axle (2 Hubs F/Steel Wheels)		
	758539	HD 98" Bar Axles - Cast Wheel	9001169P63	\$1,519.00
		Heavy Duty 98" (2489 mm) Bar Axle (2 Hubs F/Cast Wheels)		



(Ex Works Port Of Entry)

REAR WHEELS AND TIRES

SD T4950 REAR WHEELS AND TIRES

CONTRACTOR OF THE CONTRACTOR O	AR WHEELS AND TIRES Bar Axle Only		
8334406	460/85(18.4)R38 R1W- MI,FI,CM	9001241P24	\$1,612.00
0334400	Brands: Michelin, Firestone, Mitas	30012411 24	Ψ1,012.00
8384406	460/85(18.4)R42 R1W - MI	9001564P64	\$2,032.00
0304400		9001304104	Ψ2,032.00
Flance on Dr	Brands: Michelin, Firestone, Mitas, Alliance		
	ar Axle Steel Disc		No Charge
8328401	460/85(18,4)R38 R1W-MIFITRCO		No Charge
	Brands: Trelleborg, Michelin, Firestone, Mitas	(00414 FP70)	(04.440.00)
8365401	460/85(18.4)R34 A8 FI,MI,CO,TR	(901115P73)	(\$1,449.00)
	Brands: Trelleborg, Michelin, Firestone, Mitas		4000.00
8370404	380/90(14.9)R46R1WAdj Rim-C,MI	9000302P61	\$393.00
	Brands: Mitas		
8375501	420/85(16.9)R38 R1W FI,CM	(900045P43)	(\$59.00)
	Brands: Firestone, Mitas		
8380404	520/85 (20.8) R38 R1W MI, TR	9001686P30	\$2,190.0
	Brands: Michelin		
	Requires full cover rear fenders (743707 or 743708)		
8388404	460/85(18.4)R42R1W MI,F,T,C,A	9000374P99	\$487.00
	Michelin		
8399906	Rear Shipping Wheels	(902827P44)	(\$3,672.00)
	Requires front shipping wheels		
8907601	650/60R38 R1W F/Bar AXL - MI	9001082P62	\$1,406.00
	Brands: Michelin		
8919401	480/80R38 Alliance	9001111P11	\$1,443.00
	Alliance 550 Multi-Use		
8963504	320/90R50 R1W MI	9000488P18	\$634.00
	Brands: Michelin		
8969401	600/65R38 R1W-FI,MI,CO,TR	9000832P37	\$1,081.00
	Brands: Trelleborg, Michelin, Firestone, Mitas		

FENDERS

SD_T8710 FENDERS PTO CONTROL

	392803	Fender Mounted Controls	Î	(900227P92)	(\$296.00)
L		Fender mounted switches for rear PTO and rear three-point hitch			
Γ	743680	Fender EDC/PTO/Rem Valv Contrl			No Charge
1		Fender mounted switches for rear PTO, rear three-point hitch, and			
L		third electronic rear remote.			



(Ex Works Port Of Entry)

ED	CALT	EEN	DERS

SD_T8740 FRONT FENDERS

390875	Less front fender		No Charge
758505	Front Fender 420mm Dynamic	9000617P54	\$802.00
	Recommended for tire sizes less than 420/16.9"		
	Dynamic front fenders allow the fenders to turn with the tires		
758506	Front Fender 480mm Dynamic	9000717P64	\$932.00
	Recommended for tire sizes less than 480/18.4"		
	Dynamic front fenders allow the fenders to turn with the tires		
758507	Front Fender 540mm Dynamic	9000806P19	\$1,047.00
	Recommended for tire sizes larger than 520/20.8"		
-	Dynamic front fenders allow the fenders to turn with the tires		

REAR FENDERS

SD_T8700 FENDERS

	391153	Standard Fenders		No Charge
	743777	Standard fenders with extensn	9000304P92	\$396.00
1		3" (75 mm) fender extensions added on to the full cover fenders		
	743707	Full Cover	9000569P80	\$740.00
		92.1 in./2340 mm rear fenders.		
	743708	Full Cover with extension	9000871P64	\$1,132.00
		Full cover with 3 in./ 75 mm wide extensions.		

LOADER

SD_T7780 JOYSTICK

	JD_17700 0C	TOTOK			
	394782	Less Joystick			No Charge
	758068	Joystick with 3 Buttons		9001341P34	\$1,742.00
		Electronic Joystick with 3 buttons	1 1		
		Required if loader will include 3rd function Diverter Valve			
	758069	Joystick with Rocker Switch		9001260P49	\$1,637.00
		Electronic Joystick with Proportional Rocker	1 1		
		Required if loader will include "Live" 3rd function circuit	1		
1	759396	EHSTICK ADV +/- PROP			
		Enhanced Electronic Joystick with Proportional Rocker	1 1		
		Advanced +/- Buttons Enables Gear/Speed shifts	1 1		
		directly from Loader Joystick	1 1		
		if LOADER BRACKETS is NA LDR RDY+2MMV+ADV			No Charge
		or LOADER BRACKETS is NA LDR RDY+3MMV+ADV			
		if LOADER BRACKETS is not NA LDR RDY+2MMV+ADV		9001609P30	\$2,090.00
		or LOADER BRACKETS is not NA LDR RDY+3MMV+ADV		_	

	r = 0
SD T7790 MID-MOUNT VALV	/

7.5	390560	Less Mid-Mount Valves	No Charge



(Ex Works Port Of Entry)

743689	2 Electronic MMV		
	2 Electronic Mid-Mount Valves		
	Requires Electronic Joystick		
	if LOADER BRACKETS is Loader Ready + 2 EH MMV + Joy or LOADER BRACKETS is NA LDR RDY+2MMV+ADV		No Charge
	if LOADER BRACKETS is not Loader Ready + 2 EH MMV + Joy or LOADER BRACKETS is not NA LDR RDY+2MMV+ADV	9001962P73	\$2,549.00
743690	3 Electronic MMV		
	3 Electronic Mid-Mount Valves		
	Requires Electronic Joystick		
	if LOADER BRACKETS is Loader Ready + 3 EH MMV + Joy or LOADER BRACKETS is NA LDR RDY+3MMV+ADV		No Charge
	if LOADER BRACKETS is not Loader Ready + 3 EH MMV + Joy or LOADER BRACKETS is not NA LDR RDY+3MMV+ADV	9003008P39	\$3,907.00

MOUNTING BRACKETS

SD T8110 LOADER BRACKETS

Side Rails		1911	
758478	Engine Side Rails	9000763P84	\$992.00
	Recommended for side-mounted attachments e.g. sprayer		
1 1	tanks	1	
	No Loader Brackets		
	Not compatible with loader equipment		
Loader Bra	ckets		
390819	Less Loader Ready		No Charge
759470	NA LDR RDY+2MMV+ADV	9007695P38	\$9,994.00
	Complete Loader Ready includes:		
	Advanced Joystick 759396: EHSTICK ADV +/- PROP		
	2 Electronic MMV 743689	The state of the s	
	TPS Mount Bracket Set (with Grill Guard) and		
	(Includes valve, joystick, cables, & hose kit)		
759471	NA LDR RDY+3MMV+ADV	9008879P64	\$11,532.00
	Complete Loader Ready includes		
1 1	Advanced Joystick 759396: EHSTICK ADV +/- PROP	T I	
	3 Electronic MMV 743690		
	TPS Mount Bracket Set (with Grill Guard) and		
	(includes valve, Proportional joystick, cables, & hose kit)		

OTHER EQUIPMENT

FRONT BALLAST

SD_T2150 FRONT BALLAST

390444	Tow Hook-Only		No Charge
	Tow Hook 251 lbs/114 kg		
	Not allowed with Front hitch (743699 or 743700)		



(Ex Works Port Of Entry)

		(EX WORKS PORT OF Entry)		
	758515	Weight Pack A_CIH	9000754P60	\$980.00
		4 weights plus narrow carrier		
		Narrow Weight Carrier 253 lbs/115 kg,		
1 1		plus 4 Weights 396 lbs/180 kg.		
		Total weight 650 lbs/295 kg.		
		Not compatible with Front hitch (743699 or 743700)		
	758516	Weight Pack B_CIH	9001304P38	\$1,694.00
		8 weights plus narrow carrier		
		Narrow Weight Carrier 253 lbs/115 kg,		
		plus 8 Weights 800 lbs/360 kg.		
		Total weight 1050 lbs/475 kg.		
		Not compatible with Front hitch (743699 or 743700)		
	758517	Weight Pack C_CIH	9002544P08	\$3,304.00
11		16 weights plus wide carrier		***************************************
		Wide Weight Carrier 361 lbs/164 kg,		
		Plus 16 Weights 1585 lbs/720 kg.		
		Total weight 1947 lbs/884 kg.		
		Not compatible with Front hitch (743699 or 743700)		
	758518	Weight Pack A w/Hook	9000887P04	\$1,152.00
		Weight Pack A		\$1,102.00
		Narrow Weight Carrier 253 lbs/115 kg.		
)		Plus Center Tow Hook Weight 251 lbs/114 kg.		
		Plus 2 Weights 198 lbs/90 kg.		
		Total weight 702 lbs/319 kg.		
		Not compatible with Front hitch (743699 or 743700)		
	758519	Weight Pack B w/Hook	9001380P61	\$1,793.00
	, 500,10	Weight Pack B	3001300131	ψ1,755.00
		Narrow Weight Carrier 253 lbs/115 kg.		
		Plus Center Tow Hook Weight 251 lbs/114 kg.		
		Plus 6 Weights 1099 lbs/499 kg.		
		Total weight 1603 lbs/728 kg.		
		Not compatible with Front hitch (743699 or 743700)		
+	758520	Weight Pack C w/Hook	9002249P94	\$2,922.00
	7 00020	Weight Pack C	9002249F 94	\$2,522.00
		Wide Weight Carrier 361 lbs/164 kg.		
		-		
		Plus Center Tow Hook Weight 251 lbs/114 kg. Plus 12 Weights 1189 lbs/540 kg.		
		, ,		
		Total weight 1801 lbs/818 kg.		
	758562	Not compatible with Front hitch (743699 or 743700)	0000004500	4000 00
	700002	Weight Carrier w/Hook	9000204P82	\$266.00
		Weight Carrier		
		Narrow Weight Carrier 253 lbs/115 kg		
		Holds up to 8 weights		
		Not compatible with Front hitch (743699 or 743700)		



(Ex	Works	Port	Of	Entry)

	758563	Wide carrier CIH		9000344P19	\$447.00
		Wide front weight carrier			
		Wide Weight Carrier 361 lbs/164 kg,			
U		holds up to 16 weights.	II.		
		Not compatible with front loader.			

REAR BALLAST

SD_T4960 WHEEL WEIGHTS

X49601X	L/Wheel Weights		No Charge
758564	6X65KG Wheel Weight	9000940P94	\$1,222.00
	Each weight weighs 143 lbs. (65 kg)		
	3 weights are on each side on the rear		
	Total weight = 806 lbs. (390 kg)		
	Not Compatible with 650/60R38 (8907501 or 8907601)		
759137	2X150KG + 2X250KG Wheel Weight	9001227P38	\$1,594.00
	2 x 331 lbs. (150 kg) and 2 x 551 lbs. (250 kg)		
	2 weights are on each side on the rear		
	Total weight = 1764 lbs. (800 kg)		
759821	2X150KG + 4X250KG Wheel Weight	9002106P72	\$2,736.00
	Recommended for Loader Applications		
	2 x 331 lbs. (150 kg) and 4 x 551 lbs. (250 kg)		
	3 weights are on each side on the rear		
	Total weight = 2866 lbs. (1300 kg)	1	
	Not Compatible with 650/60R38 (8907501 or 8907601)		
	Compatible with Cast Wheels		

ADDITIONAL EQUIPMENT

SD T3600 BRAKE PACK

		- 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
	390166	Std. Heavy Duty Brake Discs		No Charge
	758435	Extended-Life Brake Discs	9000268P73	\$349.00
		Made of a carbon mesh material for a significantly longer life than		
1 1		the standard brake packs		
		Recommended for haulage applications		

SD_T7642 ISO BUS

390648	Less ISOBUS Socket	(900211P75)	(\$275.00)
758632	ISO CL2+9PIN IN CAB		No Charge
758710	ISO CL3+9PIN+SPEED	9000308P00	\$400.00
	Allows compatible implements to work with the tractor to optimize the task by controlling Elec Hydraulic Remotes (EHR) Allows compatible implement to control speed of tractor		



(Ex Works Port Of Entry)

SD_T9560 FRONT TOOLBOX

	390996	Standard Toolbox		No Charge
		5.5 in. x 12.5 in. (140 mm x 315 mm)		
	743848	Large Toolbox	9000073P92	\$96.00
1		5.5 in. x 16.5 in. (140 mm x 420 mm)		
		Great for larger tools, like hammers and larger wrenches		

OTHER OPTIONS

SD_T9850 SPECIAL COLORS/PANELS

	392209	Base Color ISO		No Charge
		Includes High Visibility Roof Panel		
	743729	Std Color- No Visibility Panel	(900459P69)	(\$597.00)
		Base Color High Roof with no visibility panel		
L		Not recommended for loader operations		

TIRE BRAND PREFERENCE

SI	D_T4900 TII	RE CATEGORY CHOICE			
1	330438	No tire brand preference			No Charge
		Tire brands are subject to availability.	1 1		
		If the Tire Brand Preference Code is ordered, the plant will	1 1		
1 1		install the brand selected.	1		
		If no Tire Brand Preference is selected, a tire from existing inventory will be installed. This will include one of the following brands in the chosen tire size: Michelin, Firestone, Trelleborg, Alliance, or Mitas. Availability of brands vary by size.			
	330447	Alliance		9000439P67	\$571.00
\Box	330446	Firestone		9000439P67	\$571.00
	330442	Michelin		9000439P67	\$571.00
	330418	Trelleborg		9000439P67	\$571.00

OPERATOR'S MANUAL

SD_T9802 OPERATORS MANUAL

_	_		ETWATORO WATORE	
		758534	English USA	No Charge
			Extra Operators Manual	
		758535	Spanish NAR	No Charge
			Extra Operators Manual	
		759101	French NAR	No Charge
L	J		Extra Operators Manual	



(Ex Works Port Of Entry)

	X98021X	No Additional Operator Manual		No Charge
		Includes standard English Operators Manual		
L		Does not include additional Operators Manual		

CASE III

Front/ Rear	DESCRIPTION	max. Speed (kph)	Rim Type	Option Code	CL 3 front axle	CL 4 front axle	No Brand 330438	Trelleborg 330418	Michelin 330442	Firestone 330446	MITAS 330439	Nokian 330444	Alliance 330447
Shipping			Barrier .										
	11 2 24R-Shipping	(SHIPPING	8299905	Х								
	11.2 24R Shipping	7E_	SHIPPING	8299906		Х	X						
RR	12.4 32R Shipping	7E	SHIPPING	8399906	- 34	16.					<u> </u>		
STANDAR	RD TIRES	1											
FR	14 9 R24 (380/85 R24)	1 40	MAVT	8240402	X							Y	
RR	18 4 R34 (460/85 R34)	40	MAVT	8365401			Х		AB	Performer85			
FR	380/70 R28	1	L 4441/7	0050404	T v					r	r		
FR	16.9 R38 (420/85 R38)	40	MAVT	8850401	X		X	TM6/TM7	AB	Performer85/70	AC8/7 HC70		
- T	16 9 R38 (420/85 R38)	1	MAVT	8375501	35						<u> </u>		
/	13 6 R28 (340/85 R28)	40	MAVT	8250401	X			7110	45	Performer85	AC8		
RR	16.9 R38 (420/85 R38)	7 40	MAXT	8375501			Х	X TM 6	AB				
	14.9 R28 (380/85 R28)	1	LANCE	0044404	Lv					r .			
FR FR	14 9 R28 (380/85 R28)	50	MAVT	8241401	X								
RR	18.4 R38 (460/85 R28)		MAVT MAVT	8241901	_	Х	Х	TM 6	AB	Performer85	AC8		
KK	16 4 K36 (460/65 K36)	1	IVIAV	8328401	_			<u> </u>					
FR	14.9 R28 (380/85 R28)	50	Fixed	8241501	X				AB	Performer85			
RR	18,4 R38 (460/85 R38)	50	Fixed	8377501			Х	TM 6			AC8		
ED	1400/70 DO4		_ ww.			-							
FR	420/70 R24	40	MAVT	8840402	X		х		AB				
RR	520/70 R34		MAVT	8966401		I							
FR	380/70 R28	T 50	MAVT	8850401	X			i					
RR	480/70 R38	- 50	MAVT	8976401			Х	TM 7	AB	Performer70	AC7/HC70		
	Lucies Doo	_			1								
FR	440/65 R28	50	MAVT	8843801	X		X	7M 8	МВ	R9R9	AC6		
RR	540/65 R38		MAVT	8982801						L			
FR	440/65 R28	T 50	F	8843501	X				T	·			
RR	540/65 R38	50	Fixed	8982501	X TA	TM 8	MB	R9R9	AC6				
- FD	1420/70 DOD	_		0054403									
FR FR	420/70 R28		MANGE	8851401	X			T1.4.7	0.0	D (70	407#1070		
	420/70 R28		MAVT	8851501	_	X	Х	TM 7	OB	Performer70	AC7/HC70		Farmpro7
RR	520/70 R38			8978401									

CASE IH

		1110	Cilait									,	
Front/ Rear	DESCRIPTION	max. Speed (kph)	Rim Type	Option Code	CL 3 front axle	CL 4 front axle	No Brand 330438	Trelleborg 330418	Michelin 330442	Firestone 330446	MITAS 330439	Nokian 330444	Alliance 330447
FR	480/70 R28		MAVT	8813401		Х		TM7	ОВ	PERFORMER70	HC70		
RR	580/70 R38		IVIAVI	8984401				11417		T ETT OTTIMETOR	11070		
FR	480/70 R28	T 1		8813408		X	i '			I			
RR	520/70 R38		MAVT	8984407				TM7	ОВ	PERFORMER70	HC70		
				I	_								
FR	480/70 R28	1	FIXED	8833405	_	Х		TM7	OB	PERFORMER70	HC70		
RR	580/70 R38			8984401									
FR	480/70 R28		FIXED	8833407		Х		TM7	ОВ	PERFORMER70	HC70		
RR	520/70 R38		MAVT	8984407				TIVI7	UB UB	LIN ONWER/O			
FR	420/70 R28	1 1		8852401	X				1				
FR	420/70 R28		Fixed	8852501	- ^	Х	Х	TM 7	ОВ	Performer 70 AC7/HC70	AC7/HC70		Farmpro70
RR	520/70 R38	1 -		8975401		Ė							
		7		*							-		
FR	480/65 R28	4		8815401	X		×	TM 0	MD	Performer 65 AC6	A C 6		
FR	480/65 R28	1	MAVT	8815601 8969401	-	X		TM 8	MB		ACO		
RR	600/65 R38			1 8969401	-					L			
FR	480/65 R28	T I		8825401	Х		х	TM 8	MB	Performer 65	AC6		
FR	480/65 R28		Fixed	8825501		X							
RR	600/65 R38			8949401									
FR	520/60 R28			8801301	T X								
RR	650/60 R38	+	MAVT	8907601	-	-	X		XB				
KK	1000/00 K30	1		1 0301001	-						-		
FR	520/60 R28		Fixed	8801401	X								
FR	520/60 R28	50	Fixed	8801601		Х	X		XB				
RR	650/60 R38		MAVT	8907601									
FR	520/60 R28	1 1	MAVT	8801301	Ιx	т —	1			r			
RR	650/60 R38	50	Fixed	8907501	 ^		X		XB				
L KK	000/00 100		TIAGU	1 0301301	1								
FR	520/60 R28		Fixed	8801401	I x								
FR	520/60 R28	50	Fixed	8801601		Х	×		XB				
RR	650/60 R38		Fixed	8907501			1						



Front/ Rear	DESCRIPTION	max. Speed (kph)	Rim Type	Option Code	CL 3 front axle	CL 4 front axle	No Brand 330438	Trelleborg 330418	Michelin 330442	Firestone 330446	MITAS 330439	Nokian 330444	Alliance 330447
FR	540/65 R28		MAVT	8868401	×								
FR	540/65 R28	50	MAVT	8868901		Х	X	TM 8	мв	R9	AC6		1
RR	650/65 R38		MAVT	8986401									
FR	540/65 R28	1 1	P	8858401	1 -	_							
FR	540/65 R28	50	Fixed Fixed	8858501	X		×	TM 8	мв		AC6		
RR	650/65 R38	-1 °° 1			-	Х	. ^	1101.8	IVIB	R9	ALb		
KK	[03U/03 R30		Fixed	8998401									
FR	16,9 R28	1 1	MAVT	8255404	I x				1				r
	16,9 R28	50	MAVT	8255904		X	×		AB I	Performer 65	AC85		
]]	20.8 R38		MAVT	8380404					"	1 difference do	71000		
	T440 D00											r	
FR	14.9 R30	50		8258404	X								
FR	14 9 R30		MAVT	8258704		Х	Х		AB	Performer 85	AC85		Farm Pro 85
RR	18.4 R42			8388404									
FR	14.9 R30			8258404	X		r						
FR	14.9 R30	50	MAVT	8258704		Х	1 x		AB I		AC85		
RR	14.9 R46			8370404									
FR	320/85 R34	т т		8859604	X								
FR	320/85 R34	50	MAVT	8801604	1	Х	x	_	AB				
RR	320/90 R50	"	IVIAVI	8963504	_	-	^		1 ~ 1		-	-	
	To the second se					_						!	
FR	400/80 R28 Municipality	1 7		8201201	X		r				i	1	1
FR	400/80 R28 Municipality	50	FIX	8866501	<u> </u>	х	×					Tri2	Multiuse 550
RR	480/80 R38 Municipality			8919401								Tri2	Multiuse 550
CASTWH	IEELS for BAR AXLE												
FR	14.9 R28			8241401	l x							1	r
FR	14.9 R28	50	FIX	8241901	T	X	×		AB	Performer 85	AC85		
RR	18,4 R38			8334406						2110,1110, 00			
FR	380/85 R30			8258404	X								
FR	380/85 R30	50	FIX	8258704		Х	X		AB [Performer 85	AC85		Farm Pro 85



Front/ Rear	DESCRIPTION	max. Speed (kph)	Rim Type	Option Code	CL 3 front axle	CL 4 front axle	No Brand 330438	Trelleborg 330418	Michelin 330442	Firestone 330446	MITAS 330439	Nokian 330444	Alliance 330447
RR	18.4 R42			8384406									
	- Mentury												
FR	420/85 R28			8255404	X				1 1				
FR	420/85 R28	50	FIX	8255904		Х	X		AB	Performer 85	AC85		Farm Pro 8
RR	18.4 R42			8384406					1 1				
FR	RES FOR BAR AXLE - ALL STI 380/85R 30	EEL WHEEL	<u>s</u>	8258404					АВ		AC85		
RR	380/90R 46			8370404					1 AB		ACOS		
	UTY 2WD										T		
FR	11 16 10PR			8138401									
RR	12.4 32 8PR		SHIPPING	8399906			X		1 1		1		



PURCHASED PROTECTION

Pricing and program details can be found on the Dealer Portal or by contacting the CPP hotline @ 1-866-606-1802. Not all models are eligible for CPP.



August 28, 2020

Subject: L505 Series Value Loader Price List - Effective October 1, 2020

To: All U.S. Case IH Dealers

Attached is a complete price list revision for the Case IH L10 Series Premium Loader models. This revision includes a 2% economic price increase effective October 1, 2020. This price list (PL-100 VL Revision 15) is posted on the dealer portal and available for download and printing.

Be Ready,

Denny Stroo

		(