



MONROE FULL MOLDBOARD TRIP REVERSIBLE PLOW

MOLDBOARD: _____" HEIGHT X _____' LENGTH

Standard Equipment: 10 gauge roll formed moldboard, six ½" x 4" tapered, one piece, flame cut ribs, 2"x3" x 3/8" top moldboard angle, 4"x4"x3/4" bottom moldboard angle, horizontal moldboard brace angles, dual compression trip spring assemblies, 4"x4"x 3/8" cross-tube support, 3-1/2" x 3-1/2" x 1/2" semi-circle, two 3" x 10" double acting power reverse cylinders with 2" nitrided rods cushion valve (shipped loose built-in Monroe level lift assembly, moldboard and pushframe 100% continuously welded, parts-install manual. **Standard plow is Powder coated with the moldboard orange and a black pushframe.**

- * **Plow has 14" push height (measured to the center of the A-Frame) with standard 8" cutting edge, one piece, AASHTO hole pattern**
- * **Power reverse angle of plow requires one 4-way valve to operate angle (not included)**
- * **Manual reverse angle of plow requires no valve to operate angle**
- * **Plow lift cylinder requires one 4-way valve for double acting lift cylinder (not included)**
- * **Plow lift cylinder requires one 3-way valve for single acting lift cylinder (not included)**
- * **Caution: When choosing truck portion of hitch, low profile will affect the level lift on 48" tall models**
- * **Warranty 1 year, limited, from date of purchase, please check parts-installation manual for exact coverage**

Note: The plow part numbers may change with Husting type hitch and/or optional accessories

Caution: Plow weight, mounting distance from axle, hitch type and weight, and other additional equipment mounted on the front of a truck will require heavier truck GAWR (Gross Axle Weight Ratings). Contract chassis manufacturer for exact GAWR requirements for your specific equipment

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
MP36R10-CT	1475	00043600	36" high x 10' length reversible plow	\$7,705.07
MP36R10-ISCT	1500	00043601	36" high x 10' length reversible plow with integral shield	\$8,077.43
MP36R11-CT	1500	00043602	36" high x 11' length reversible plow	\$7,686.88
MP36R11-ISCT	1680	00043603	36" high x 11' length reversible plow with integral shield	\$8,534.32
MP36R12-CT	1520	00043604	36" high x 12' length reversible plow	\$7,837.75
MP36R12-ISCT	1700	00043605	36" high x 12' length reversible plow with integral shield	\$8,556.79
MP41R10-CT	1575	00043606	41" high x 10' length reversible plow	\$7,919.07
MP41R10-ISCT	1680	00043607	41" high x 10' length reversible plow with integral shield	\$8,342.79
MP41R11-CT	1625	00043608	41" high x 11' length reversible plow	\$8,259.33
MP41R11-ISCT	1700	00043609	41" high x 11' length reversible plow with integral shield	\$8,803.96

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE FULL MOLDBOARD TRIP REVERSIBLE PLOW

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
MP41R12-CT	1695	00043610	41" high x 12' length reversible plow	\$7,999.32
MP41R12-ISCT	1725	00043611	41" high x 12' length reversible plow with integral shield	\$8,938.78
MP48R10-CT		00043612	48" high x 10' length reversible plow	\$7,751.08
MP48R10-ISCT		00043613	48" high x 10' length reversible plow with integral shield	\$8,271.10
MP48R11-CT	1755	00043614	48" high x 11' length reversible plow	\$8,054.96
MP48R11-ISCT	1800	00043615	48" high x 11' length reversible plow with integral shield	\$8,864.95
MP48R12-CT	1845	00043616	48" high x 12' length reversible plow	\$8,344.93
MP48R12-ISCT	2000	00043617	48" high x 12' length reversible plow with integral shield	\$9,275.83
Moldboard:		Standard	10 gauge, roll-formed A569 Steel	
Options:		-		
3/16"	70	3/16" Moldboard-1	3/16" roll-formed moldboard	\$1,203.75
Polymer		Polymer Moldboard	3/8" UHMW polymer moldboard (Open Rib Design)	\$1,867.15
Polymer over Steel		Poly over Steel Moldboard	3/8" UHMW polymer sheet over 10 gauge standard moldboard	\$1,744.10
Mouse Ear on Moldboard (Moldboard Cannot be ordered with 36" high Moldboard)	30	ME	10 gauge mild steel mouse ear extension installed on moldboard Note: Plow must have integral shield. Plow may not lift level with single mouse ear moldboard. Incl. wider push frame and extra ribbing will be used **Specify adding Mouse Ear to the Right side or Left side	\$1,444.50
Mailbox Trim / Std. Dimensions Only		MT	Mailbox trim, per side, installed. (A completed Mailbox trim FORM #01 located in the Appendix at the end of this pricebook must be filled out and turned in at time of order)	\$567.10
Moldboard Trip:		Standard	Dual compression trip spring assemblies	
Heavy Duty Compression Trip Springs		HD-Spring	Heavy duty compression trip springs - 319# per square inch in lieu of standard 200# per square inch for 36" plows only, standard on 41 and 48	\$100.58
Canister Trip		BT	Enclosed trip spring assembly	\$1,551.50
Reversing Kits and Lift Kit:		Standard	Two 3" x 10" double acting cylinders	
4" Cylinders Kit	20	4PR	Two 4" x 10" double acting in lieu of 3" x 10"	\$203.30
Manual Reverse	<200>	Manual Reverse (Deduct)	Manual Reverse in lieu of 3" x 10" cylinders - NO reverse cylinders manual pin reverse, Left, Right & Center Positions	-\$411.95
Chain and Clevis		00066508	Chain and clevis level lift in lieu of standard	\$396.97
Dual Chain Level Lift		00055943	Dual chain lift in lieu of standard	\$94.16
Y Chain Level Lift		00018381	Y chain lift in lieu of standard	\$203.30
Cushion Block for Motor Spool Hydraulics		05044078	Cushion lock valve for motor spool hydraulics in lieu of standard	\$715.83
HD Tubular Push frame		HD Tubular Push frame	Heavy Duty Style Pushframe (00110870+00112360) (3"x15" cylinder)	\$1,744.10

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE FULL MOLDBOARD TRIP REVERSIBLE PLOW

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Cutting Edge:		Standard	5/8" x 8" C1080 top punched cutting edge with AASHTO bolt hole spacing	
Carbide CE (PRICED Per FT)	50/Ft	Carbide	¾" x 6" carbide cutting edge with cover blade AASHTO bolt hole pattern Note: Carbide cutting edge will make height of plow decrease 2" **NOTE - Price for Carbide Cutting Edge is per FOOT**	\$155.15
Rubber CE (PRICE per FT)	50/ft	RCE-i	1-1/2" x 10" - one piece rubber cutting edge with cover blade AASHTO hole pattern (Installed) **NOTE - Price for Rubber Cutting Edge is per FOOT**	\$84.53
Other		-	Other Cutting Edges Available upon request	
Paint:		Standard	Plow to be shot blasted with moldboard powder coated orange and pushframe powder coated black	
Other		Acrylic Enamel-1	Acrylic enamel in color other than standard (not powder coat), moldboard only, not pushframe	\$1,053.95
Custom Powder Coat Colors		Paint - Custom	Please call Factory for available colors	call factory
Shoes:		-	Note: Shoes do not come standard with plow and are shipped loose - installation of shoes on plow is available at an additional cost. See installation cost listed below on price sheet.	
Skid Shoes	170	00052867	Pair of 1.25" x 6" x 14" skid shoes 2 pc. cast shown with screw adjustable jack assemblies	\$1,525.82
Skid Shoes Installed	170	00052867i	Pair of 1.25" x 6" x 14" skid shoes 2 pc. Cast shown with screw adjustable jack assemblies (Installed)	\$1,558.99
Carbide Skid Shoes	180	00061207	Pair of 1" x 6" x 12" carbide skid shoes with carbide inserts and pair of screw adjustable jack assemblies	\$2,337.95
Carbide Skid Shoes Installed	180	00061207i	Pair of 1" x 6" x 12" carbide skid shoes with carbide inserts and pair of screw adjustable jack assemblies (Installed)	\$2,467.42
Mushroom Shoes Rigid	200	00012692	Pair of 2-1/4" x 11" diameter mushroom shoes with screw adjustable jack assemblies, rigid, non-oscillating	\$1,333.22
Mushroom Shoes Rigid Installed	200	00012692i	Pair of 2-1/4" x 11" diameter mushroom shoes with screw adjustable jack assemblies, rigid, non-oscillating (Installed)	\$1,357.83
Carbide Mushroom Shoes, Rigid	220	00061208	Pair of 1-1/8" x 10-1/4" diameter mushroom shoes with carbide inserts and screw adj. jack assemblies, rigid, non-oscillating	\$2,199.92
Carbide Mushroom Shoes, Rigid Installed	220	00061208i	Pair of 1-1/8" x 10-1/4" diameter mushroom shoes with carbide inserts and screw adj. Jack assemblies, rigid, non-oscillating (Installed)	\$2,237.37
ML-Products Oscillating Mushroom Shoes	250	00061209	Pair of ML - Products oscillating mushroom shoes 3" x 10-3/4" diameter with screw adjustable jack assemblies - Brinell 500	\$3,010.98
ML-Products Oscillating Mushroom Shoes Installed	250	00061209i	Pair of ML - Products oscillating mushroom shoes 3" x 10-3/4" diameter with screw adjustable jack assemblies - Brinell 500 (Installed)	\$3,065.55
Caster Wheels	160	00057967	Pair of 3" x 8" steel wheels with screw adjustable jack assemblies	\$1,923.86
Caster Wheels Installed	160	00057967i	Pair of 3" x 8" steel wheels with screw adjustable jack assemblies (Installed)	\$1,973.08

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE FULL MOLDBOARD TRIP REVERSIBLE PLOW

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Pneumatic Tires	220	00106637	Pair of 16" pneumatic rubber tires with required mount extensions & screw adjustable jack assemblies. (Rating 1500 pounds per pair)	\$2,042.63
Pneumatic Tires Installed	220	00106637i	Pair of 16" pneumatic rubber tires with required mount extensions & screw adjustable jack assemblies. (Rating 1500 pounds per pair) (Installed)	\$2,116.46
Pneumatic Foam Filled Tires	220	00106638	Pair of 16" pneumatic foam filled rubber tires with required cross-tube extensions installed & screw adjustable jack assemblies. (Rating 1500 pounds per pair)	\$2,189.22
Pneumatic Foam Filled Tires Installed	220	00106638i	Pair of 16" foam filled pneumatic rubber tires with required cross-tube extensions installed & screw adjustable jack assemblies. (Rating 1500 pounds per pair) (installed)	\$2,305.85
Snow Wheels	240	00149801	Pair of Sno-Wheels for plow with required mount. These are a swivel-type solid rubber 10.5" x 5.5" x 8" tire with screw-adjustable crank and shock adjuster-equipped. 2,000 lb load capacity per wheel; 6-bolt hub and Timken bearings.	\$4,623.63
Snow Wheels Installed	240	00149801i	Pair of Sno-Wheels for plow with required mount. These are a swivel-type solid rubber 10.5" x 5.5" x 8" tire with screw-adjustable crank and shock adjuster-equipped. 2,000 lb load capacity per wheel; 6-bolt hub and Timken bearings. (Installed)	\$4,656.96
Options:		-	Note: All options shipped loose unless otherwise noted. Options can be installed on plow for additional charge - please see installation charge listed below.	
Rubber Snow Deflector 10'	80	00043103	12" rubber snow deflector (Plow has holes punched in top angle to accommodate rubber snow deflector.) (Loose)	\$205.44
Rubber Snow Deflector 10' Installed	80	00043103i	12" rubber snow deflector (Plow has holes punched in top angle to accommodate rubber snow deflector.) (Installed)	\$248.24
Rubber Snow Deflector 11'	80	00043104	12" rubber snow deflector (Plow has holes punched in top angle to accommodate rubber snow deflector.) (Loose)	\$231.12
Rubber Snow Deflector 11' Installed	80	00043104i	12" rubber snow deflector (Plow has holes punched in top angle to accommodate rubber snow deflector.) (Installed)	\$299.60
Rubber Snow Deflector 12'	80	00043105	12" rubber snow deflector (Plow has holes punched in top angle to accommodate rubber snow deflector.) (Loose)	\$251.45
Rubber Snow Deflector 12' Installed	80	00043105i	12" rubber snow deflector (Plow has holes punched in top angle to accommodate rubber snow deflector.) (Installed)	\$326.35
Rubber Snow Deflector for mouse ear plows Installed	80	RSD-i	12" rubber snow deflector installed on a mouse eared plow (Installed)	\$347.75
Snow Foil Installed	300	SF-Kit-I	Note: ¼" black poly air foil kit (Installed) **Integral shield blade plow only**	\$2,070.45
Cast Moldboard Shoes F/8"CE installed	140	00061797i	Pair of cast iron moldboard shoes for standard 8" cutting edge. (Installed)	\$560.68
Fabricated Moldboard Shoes Installed for 6" CE	60	00059115i	Pair of fabricated moldboard shoes - works with 6" cutting edge or center punched cutting edge (Installed)	\$306.02
Cast Moldboard Shoes F/6"CE installed	140	00062549i	Pair of cast iron moldboard shoes - works with 6" cutting edge or center punched cutting edge (Installed)	\$456.89

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



MONROE FULL MOLDBOARD TRIP REVERSIBLE PLOW

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Curb Guards:				
		-		
Cast Iron ½" Moon	40	00061213i	Cast iron ½" moon curb guard - Price is for 1 which includes 1 curb guard - for both sides must order 2 sets (Installed)	\$189.39
Wrap-Around Curb Guard	20	00039621i	Wrap-around curb guard (Installed) Designate Right or Left	\$98.44
Removable Screw Adjustable Parking Jack	30	00061212i	Removable Screw adjustable parking jack (Installed)	\$220.42
Markers:				
		-		
Flexible Plastic	5	05051432	Pair of 36" fluorescent orange flexible markers with brackets (Loose)	\$52.43
Cable Markers	5	05051181	Pair of 42" orange cable markers with brackets (loose)	\$52.43
Plow Portion Hitch:				
		-	Note: Plow portion hitches do not come standard with plow and are shipped loose. Installation of plow portion hitch is available at an additional charge - see hitch installation listed below on price sheet.	
Monroe Quick Hitch - MC6000	175	00023450	Monroe plow portion quick hitch MC6000	\$994.03
Monroe Quick Hitch - MC6000 Installed	175	00023450i	Monroe plow portion quick hitch MC6000 (Installed)	\$1,119.22
Swivel Plate for Hitch w/ 21" Centers	100	00060837	Pin type swivel plate hitch available in 21" centers	\$491.13
Swivel Plate for Hitch w/ 21" Centers	100	00060837i	Pin type swivel plate hitch available in 21" centers (Installed)	\$625.95
Swivel Plate for Hitch w/ 30.5" Centers	100	00060822	Pin type swivel plate hitch available in 30.5" centers	\$518.95
Swivel Plate for Hitch w/ 30.5" Centers Installed	100	00060822i	Pin type swivel plate hitch available in 30.5" centers (Installed)	\$553.19
Swivel Plate for Hitch w/ 33.5" Centers	100	00060836	Pin type swivel plate hitch available in 33.5" centers	\$547.84
Swivel Plate for Hitch w/ 33.5" Centers Installed	100	00060836i	Pin type swivel plate hitch available in 33.5" centers (Installed)	\$604.55
Swivel Plate Falls Style Hitches 36.75" w/1.25" Bolt		00017643i	Bolt-On / NOTE: USE WITH MONROE PLOWS ONLY	\$1,016.50
Tor-lock Installed	105	00039953i	Plow portion tor-lock / arrowhead hitch (welded on type)	\$1,030.41
Tor-lock Pivot	70	00061320	Oscillating plow portion tor-lock / arrowhead hitch (bolt on type)	\$1,006.87
Tor-lock Pivot Installed	70	00061320i	Oscillating plow portion tor-lock / arrowhead hitch (bolt on type) (Installed)	\$1,103.17
QCP-loop Installed	80	00023428i	Plow portion QCP loop hitch (welded on type) (Installed)	\$720.11
SP-Gled-loop	100	00023427	Oscillating Gled-loop plow portion	\$814.27

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE FULL MOLDBOARD TRIP REVERSIBLE PLOW

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
SP-Gled-loop Installed	100	00023427i	Oscillating Gled-loop plow portion (Installed)	\$878.47
Quick Link Swivel Plate	100	00039999	Quick link plow portion swivel plate hitch	\$570.31
Quick Link Swivel Plate Installed	100	00039999i	Quick link plow portion swivel plate hitch (Installed)	\$633.44
Husting Hitches:	-		Note: Husting Hitch information sheet must be completed at time of order. (Use Husting Hitch FORM #02 located in the Appendix at the end of this pricebook) Monroe level lift not included with Husting Hitch	
29"	175	00069488i	29" Husting Hitch (Installed) Standard	\$1,621.05
34"	195	00069489i	34" Husting Hitch (Installed) Standard	\$1,582.53
Husting Hitch w/ extension for hitches w/ 29" Centers	195	00069490i	Husting hitch with 8" extension and top cross bracing (installed)	\$1,885.34
Husting Hitch w/ extension for hitches w/ 34" Centers	215	00069491i	Husting hitch with 8" extension and top cross bracing (installed)	\$1,763.36
Oscillating Husting Hitch 29" Centers	195	00039066i	29" Oscillating Husting Hitch (Installed)	\$1,824.35
Oscillating Husting Hitch 34" Centers	215	00039077i	34" Oscillating Husting Hitch (Installed)	\$1,954.89
Oscillating Husting Hitch w / extension 29"	215	00069492i	Oscillating Style Husting hitch with 8" extension and top cross bracing (installed)	\$2,055.47
Oscillating Husting Hitch w / extension 34"	235	00069493i	Oscillating Style Husting hitch with 8" extension and top cross bracing (installed)	\$2,108.97
Roller Kit for Husting Hitch	55	00043300	Roller kit for Husting Hitch must be purchased with plow (Not Installed)	\$665.54
Parrallelogram		Parallel	Parallogram Lift option to include Truck Portion Hitch	\$8,569.78

**For other options contact factory.
Prices and specifications subject to change without notice.
All pricing is F.O.B. factory Monroe, Wisconsin.
Prices effective Jan. 2018**

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE FULL MOLDBOARD TRIP REVERSIBLE PLOW

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



FULL MOLDBOARD TRIP REVERSIBLE With 35 Degree Angle With Extended Curl
Moldboard test

MOLDBOARD: _____ " **HEIGHT X** _____ ' **LENGTH**

Standard Equipment: 10 gauge roll-formed moldboard, six ½" x 4" tapered, one-piece, flame cut ribs, 2" x 3" x 3/8" top angle, 4" x 4" x 1/2" bottom angle, horizontal moldboard angle bracing. Two adj. dual compression spring trip assemblies 35 degree moldboard attack angle, 4" x 4" x 3/8" cross-tube support, 3-1/2" x 3-1/2" X 1/2" semi circle, two 3" x 10" double acting reverse cylinders with cushion valve, 45" plows are level lift, 55" plows are single chain w/block, lift moldboard and pushframe to be 100% continuously welded, parts-installation manual.

Standard plow is powder coated with the moldboard orange and a black pushframe.

- **Plow has 14" push height, (measured to the center of the A-Frame) with standard 8" cutting edge, one piece, AASHTO hole pattern**
- **Power reverse angle of plow requires one 4-way valve to operate angle (not included)**
- **Manual reverse angle of plow requires no valve to operate angle**
- **Plow lift cylinder requires one 4-way valve for double acting lift cylinder (not included)**
- **Plow lift cylinder requires one 3-way valve for single acting lift cylinder (not included)**
- **Warranty 1 year, limited, from date of purchase, please check parts-installation manual for exact coverage**

Caution: Plow weight, mounting distance from axle, hitch type and weight, and other additional equipment mounted on the front of a truck will require heavier truck GAWR (Gross Axle Weight Ratings). Contact chassis manufacturer for exact GAWR requirements for your specific equipment.

NOTE: Not recommended for use with Husting Hitch

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
MP45R11-ISCT		00016584	45" high x 11' length reversible plow with integral shield 35 degree attack angle	\$8,812.52
MP45R12-ISCT	1755	00016586	45" high x 12' length reversible plow with integral shield 35 degree attack angle	\$9,046.85
MP55R11-ISCT		00016588	55" high x 11' length reversible plow with integral shield 35 degree attack angle	\$8,929.15
MP55R12-ISCT	2100	00016590	55" high x 12' length reversible plow with integral shield 35 degree attack angle	\$9,923.18
Moldboard:		Standard	10 gauge, roll-formed A569 Steel	
3/16"	70	3/16" Moldboard-1	3/16" roll-formed moldboard	\$1,203.75
Polymer over Steel	100	Poly over Steel Moldboard	3/8" UHMW polymer sheet over 10 gauge standard moldboard	\$1,744.10

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



**FULL MOLDBOARD TRIP REVERSIBLE With 35 Degree Angle With Extended Curl
Moldboard**

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Mailbox Trim / Std. Dimensions Only		MT	Mailbox trim, per side, installed. (A completed Mailbox trim FORM #01 located in the Appendix at the end of this pricebook must be filled out and turned in at time of order)	\$567.10
Moldboard Trip:		Standard	Dual compression trip spring assemblies	
Reversing Cylinders:		Standard	Two 3" x 10" double acting	
4" Cylinders	20	4PR	Two 4" x 10" double acting	\$203.30
Manual Reverse	<200>	Manual Reverse (Deduct)	Manual Reverse in lieu of 3" x 10" cylinders - NO reverse cylinders manual pin reverse, Left, Right & Center Positions	-\$411.95
Cutting Edge:		Standard	5/8" x 8" C1080 top punched cutting edge with AASHTO bolt hole spacing	
Carbide CE (PRICED Per FT)	50/Ft	Carbide	¾" x 6" carbide cutting edge with cover blade AASHTO bolt hole pattern Note: Carbide cutting edge will make height of plow decrease 2" **NOTE - Price for Carbide Cutting Edge is per FOOT**	\$155.15
Rubber CE (PRICE per FT)	50/ft	RCE-i	1-1/2" x 10" - one piece rubber cutting edge with cover blade AASHTO hole pattern (Installed) **NOTE - Price for Rubber Cutting Edge is per FOOT**	\$84.53
Other		-	Other Cutting Edges Available upon request	
Paint:		Standard	Plow to be shot blasted with moldboard Powder Coated orange and pushframe Powder Coated black	
Other		Acrylic Enamel-1	Acrylic enamel in color other than standard (not powder coat), moldboard only, not pushframe	\$1,053.95
Custom Powder Coat Colors		Paint - Custom	Please call Factory for available colors	call factory
Shoes:		-	Note: Shoes do not come standard with plow and are shipped loose- installation of shoes on plow is available at an additional cost. See installation cost listed below on price sheet.	
Skid Shoes	170	00052867	Pair of 1.25" x 6" x 14" skid shoes 2 pc. cast shown with screw adjustable jack assemblies	\$1,525.82
Skid Shoes Installed	170	00052867i	Pair of 1.25" x 6" x 14" skid shoes 2 pc. Cast shown with screw adjustable jack assemblies (Installed)	\$1,558.99
Carbide Skid Shoes	180	00061207	Pair of 1" x 6" x 12" carbide skid shoes with carbide inserts and pair of screw adjustable jack assemblies	\$2,337.95
Carbide Skid Shoes Installed	180	00061207i	Pair of 1" x 6" x 12" carbide skid shoes with carbide inserts and pair of screw adjustable jack assemblies (Installed)	\$2,467.42
Mushroom Shoes Rigid	200	00012692	Pair of 2-1/4" x 11" diameter mushroom shoes with screw adjustable jack assemblies, rigid, non-oscillating	\$1,333.22
Mushroom Shoes Rigid Installed	200	00012692i	Pair of 2-1/4" x 11" diameter mushroom shoes with screw adjustable jack assemblies, rigid, non-oscillating (Installed)	\$1,357.83
Carbide Mushroom Shoes, Rigid	220	00061208	Pair of 1-1/8" x 10-1/4" diameter mushroom shoes with carbide inserts and screw adj. jack assemblies, rigid, non-oscillating	\$2,199.92
Carbide Mushroom Shoes, Rigid Installed	220	00061208i	Pair of 1-1/8" x 10-1/4" diameter mushroom shoes with carbide inserts and screw adj. Jack assemblies, rigid, non-oscillating (Installed)	\$2,237.37

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



**FULL MOLDBOARD TRIP REVERSIBLE With 35 Degree Angle With Extended Curl
Moldboard**

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
ML-Products Oscillating Mushroom Shoes	250	00061209	Pair of ML - Products oscillating mushroom shoes 3" x 10-3/4" diameter with screw adjustable jack assemblies - Brinell 500	\$3,010.98
ML-Products Oscillating Mushroom Shoes Installed	250	00061209i	Pair of ML - Products oscillating mushroom shoes 3" x 10-3/4" diameter with screw adjustable jack assemblies - Brinell 500 (Installed)	\$3,065.55
Caster Wheels	160	00057967	Pair of 3" x 8" steel wheels with screw adjustable jack assemblies	\$1,923.86
Caster Wheels Installed	160	00057967i	Pair of 3" x 8" steel wheels with screw adjustable jack assemblies (Installed)	\$1,973.08
Snow Wheels		00149801	Pair of Sno-Wheels for plow with required mount. These are a swivel-type solid rubber 10.5" x 5.5" x 8" tire with screw-adjustable crank and shock adjuster-equipped. 2,000 lb load capacity per wheel; 6-bolt hub and Timken bearings.	\$4,623.63
Snow Wheels Installed		00149801i	Pair of Sno-Wheels for plow with required mount. These are a swivel-type solid rubber 10.5" x 5.5" x 8" tire with screw-adjustable crank and shock adjuster-equipped. 2,000 lb load capacity per wheel; 6-bolt hub and Timken bearings. (Installed)	\$4,656.96
Options:		-	Note: All options shipped loose unless otherwise noted. Options can be installed on plow for additional charge - please see installation charge listed below.	
Rubber Snow Deflector 10'	80	00043103	12" rubber snow deflector (Plow has holes punched in top angle to accommodate rubber snow deflector.) (Loose)	\$205.44
Rubber Snow Deflector 10' Installed	80	00043103i	12" rubber snow deflector (Plow has holes punched in top angle to accommodate rubber snow deflector.) (Installed)	\$248.24
Rubber Snow Deflector 11'	80	00043104	12" rubber snow deflector (Plow has holes punched in top angle to accommodate rubber snow deflector.) (Loose)	\$231.12
Rubber Snow Deflector 11' Installed	80	00043104i	12" rubber snow deflector (Plow has holes punched in top angle to accommodate rubber snow deflector.) (Installed)	\$299.60
Rubber Snow Deflector 12'	80	00043105	12" rubber snow deflector (Plow has holes punched in top angle to accommodate rubber snow deflector.) (Loose)	\$251.45
Rubber Snow Deflector 12' Installed	80	00043105i	12" rubber snow deflector (Plow has holes punched in top angle to accommodate rubber snow deflector.) (Installed)	\$326.35
Snow Foil Installed	300	SF-Kit-I	Note: Must be ordered with plow. (Installed) **Straight Blade Plow only**	\$2,070.45
Fabricated Moldboard Shoes Installed for 6" CE	60	00059115i	Pair of fabricated moldboard shoes - works with 6" cutting edge or center punched cutting edge (Installed)	\$306.02
Removable Screw Adjustable Parking Jack	30	00061212i	Removable Screw adjustable parking jack (Installed)	\$220.42
Markers:		-		
Flexible Plastic	5	05051432	Pair of 36" fluorescent orange flexible markers with brackets (Loose)	\$52.43
Cable Markers	5	05051181	Pair of 42" orange cable markers with brackets (loose)	\$52.43

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



**FULL MOLDBOARD TRIP REVERSIBLE With 35 Degree Angle With Extended Curl
Moldboard**

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Plow Portion Hitch:		-	Note: Plow portion hitches do not come standard with plow and are shipped loose. Installation of plow portion hitch is available at an additional charge - see hitch installation listed below on price sheet.	
Monroe Quick Hitch - MC6000	175	00023450	Monroe plow portion quick hitch MC6000	\$994.03
Monroe Quick Hitch - MC6000 Installed	175	00023450i	Monroe plow portion quick hitch MC6000 (Installed)	\$1,119.22
Swivel Plate:		-		
Swivel Plate for Hitch w/ 21" Centers	100	00060837	Pin type swivel plate hitch available in 21" centers	\$491.13
Swivel Plate for Hitch w/ 21" Centers	100	00060837i	Pin type swivel plate hitch available in 21" centers (Installed)	\$625.95
Swivel Plate for Hitch w/ 30.5" Centers	100	00060822	Pin type swivel plate hitch available in 30.5" centers	\$518.95
Swivel Plate for Hitch w/ 30.5" Centers Installed	100	00060822i	Pin type swivel plate hitch available in 30.5" centers (Installed)	\$553.19
Swivel Plate for Hitch w/ 33.5" Centers	100	00060836	Pin type swivel plate hitch available in 33.5" centers	\$547.84
Swivel Plate for Hitch w/ 33.5" Centers Installed	100	00060836i	Pin type swivel plate hitch available in 33.5" centers (Installed)	\$604.55
Swivel Plate for Falls Style Hitch - 36.75" w /1.25" Bolt		00017643i	Bolt - On NOTE: USE WITH MONROE PLOWS ONLY	\$1,016.50
Tor-lock Installed	105	00039953i	Plow portion tor-lock / arrowhead hitch (welded on type)	\$1,030.41
Tor-lock Pivot	70	00061320	Oscillating plow portion tor-lock / arrowhead hitch (bolt on type)	\$1,006.87
Tor-lock Pivot Installed	70	00061320i	Oscillating plow portion tor-lock / arrowhead hitch (bolt on type) (Installed)	\$1,103.17
QCP-loop Installed	80	00023428i	Plow portion QCP loop hitch (welded on type) (Installed)	\$720.11
SP-Gled-loop	100	00023427	Oscillating Gled-loop plow portion	\$814.27
SP-Gled-loop Installed	100	00023427i	Oscillating Gled-loop plow portion (Installed)	\$878.47
Quick Link Swivel Plate	100	00039999	Quick link plow portion swivel plate hitch	\$570.31
Quick Link Swivel Plate Installed	100	00039999i	Quick link plow portion swivel plate hitch (Installed)	\$633.44

**For other options contact factory.
Prices and specifications subject to change without notice.
All pricing is F.O.B. factory Monroe, Wisconsin.
Prices effective Jan. 2018**

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



FULL MOLDBOARD TRIP REVERSIBLE With 35 Degree Angle With Extended Curl
Moldboard

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE SLOTTED TRIP REVERSIBLE PLOW

MOLDBOARD: _____" HEIGHT X _____' LENGTH

Standard Equipment: 10 gauge roll-formed moldboard, six ½" x 4" tapered, one-piece, flame cut ribs, 2" x 3" x 3/8" top angle, 4" x 6" x 1/2" bottom angle, horizontal moldboard angle bracing. Two slotted trip assemblies with compression springs for moldboard trip and two additional slide assemblies, dual adjustable telescopic stabilizer arms with shear pins, 35 degree moldboard attack angle, 4" x 4" x 3/8" cross-tube support, 3-1/2" x 3-1/2" X 1/2" semi circle, two 3" x 10" double acting reverse cylinders with cushion valve, screw adjustable mushroom shoes, two chain lift moldboard and pushframe to be 100% continuously welded, parts-installation manual.

Standard plow is powder coated with the moldboard orange and a black pushframe.

- **Plow has 14" push height, (measured to the center of the A-Frame) with standard 8" cutting edge, one piece, AASHTO hole pattern**
- **Power reverse angle of plow requires one 4-way valve to operate angle (not included)**
- **Manual reverse angle of plow requires no valve to operate angle**
- **Plow lift cylinder requires one 4-way valve for double acting lift cylinder (not included)**
- **Plow lift cylinder requires one 3-way valve for single acting lift cylinder (not included)**
- **Warranty 1 year, limited, from date of purchase, please check parts-installation manual for exact coverage**

Caution: Plow weight, mounting distance from axle, hitch type and weight, and other additional equipment mounted on the front of a truck will require heavier truck GAWR (Gross Axle Weight Ratings). Contact chassis manufacturer for exact GAWR requirements for your specific equipment.

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
MP45R11-ISST	2575	00105370	45" high 11' length slotted trip reversible plow with integral shield	\$11,327.02
MP55R11-ISST	2680	00105373	55" high 11' length slotted trip reversible plow with integral shield	\$11,012.44
MP45R12-ISST	2616	00105371	45" high x 12' length slotted trip reversible plow with integral shield	\$11,456.49
MP55R12-ISST	2724	00052844	55" high x 12' length slotted trip reversible plow with integral shield	\$11,263.89
Moldboard:		Standard	10 gauge, roll-formed A569 Steel	
3/16"	70	3/16" Moldboard-1	3/16" roll-formed moldboard	\$1,203.75
Polymer over Steel	100	Poly over Steel moldboard	3/8" UHMW polymer sheet over 10 gauge standard moldboard	\$1,744.10
Moldboard Trip:		Standard	4 slide assemblies, 2 of the assemblies will have compression springs, dual adjustable telescopic stabilizer arms with shear pins - all to make-up slotted trip moldboard assembly	

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



MONROE SLOTTED TRIP REVERSIBLE PLOW

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Reversing Cylinders:		Standard	Two 3" x 10" double acting	
4" Cylinders	20	4PR	Two 4" x 10" double acting	\$203.30
Cutting Edge:		Standard	5/8" x 8" C1080 center punched cutting edge with AASHTO hole spacing	
Carbide CE (PRICED Per FT)	50/Ft	Carbide	3/4" x 6" carbide cutting edge with cover blade AASHTO bolt hole pattern Note: Carbide cutting edge will make height of plow decrease 2" ***NOTE - Price for Carbide Cutting Edge is per FOOT**	\$155.15
Rubber CE (PRICE per FT)	50/ft	RCE-i	1-1/2" x 10" - one piece rubber cutting edge with cover blade AASHTO hole pattern (Installed) **NOTE - Price for Rubber Cutting Edge is per FOOT**	\$84.53
Paint:		Standard	Plow to be shot blasted with moldboard powder coated orange and pushframe powder coated black	
Other		Acrylic Enamel-1	Acrylic enamel in color other than standard	\$1,053.95
Custom Powder Coat Colors		Paint - Custom	Please call Factory for available colors	call factory
Shoes:		-	Note: Mushroom Shoes come standard with plow. Installation of shoes on plow are available in lieu of standard at an additional cost. See cost listed below on price sheet	
Mushroom Shoes	200	Standard	Pair of 2-1/4" x 11" diameter mushroom shoes with screw adjustable jack assemblies, rigid, non-oscillating	
Carbide Mushroom Shoes	220	00106277	Pair of 1-1/8" x 10-1/4" diameter mushroom shoes with carbide inserts and screw jack assemblies, rigid, non-oscillating	\$1,917.44
Caster Wheels	160	00057967	Pair of 3" x 8" steel wheels with screw adjustable jack assemblies	\$1,923.86
Caster Wheels Installed	160	00057967i	Pair of 3" x 8" steel wheels with screw adjustable jack assemblies (Installed)	\$1,973.08
Options:		-	Note: All options shipped loose unless otherwise noted. Options can be installed on plow for additional charge-please see installation charge listed below.	
Rubber Snow Deflector 11'	80	00043104	12" rubber snow deflector (Plow has holes punched in top angle to accommodate rubber snow deflector.) (loose)	\$231.12
Rubber Snow Deflector 11' Installed	80	00043104i	12" rubber snow deflector (Plow has holes punched in top angle to accommodate rubber snow deflector.) (Installed)	\$299.60
Rubber Snow Deflector 12'		00043105	12" rubber snow deflector (Plow has holes punched in top angle to accommodate rubber snow deflector.) (loose)	\$251.45
Rubber Snow Deflector 12' Installed	80	00043105i	12" rubber snow deflector (Plow has holes punched in top angle to accommodate rubber snow deflector.) (Installed)	\$326.35
Cast Moldboard Shoes Installed	140	00069269i	Pair of cast iron moldboard shoes (installed)	\$343.47
Wrap-Around Curb Guard	20	00039621i	Wrap-around curb guard (Installed) Designate Right or Left	\$98.44
Removable Screw Adjustable Parking Jack	30	00061212i	Removable Screw adjustable parking jack (Installed)	\$220.42

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



MONROE SLOTTED TRIP REVERSIBLE PLOW

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Markers:		-		
Flexible Plastic	5	05051432	Pair of 36" fluorescent orange flexible markers with brackets (Loose)	\$52.43
Cable Markers	5	05051181	Pair of 42" orange cable markers with brackets (loose)	\$52.43
Plow Portion Hitch:		-	Note: Plow portion hitches do not come standard with plow and are shipped loose. Installation of plow portion hitch is available at an additional charge-see hitch installation listed below on price sheet.	
Monroe Quick Hitch - MC6000	175	00023450	Monroe plow portion quick hitch MC6000	\$994.03
Monroe Quick Hitch - MC6000 Installed	175	00023450i	Monroe plow portion quick hitch MC6000 (Installed)	\$1,119.22
Swivel Plate for Hitch w/ 21" Centers	100	00060837	Pin type swivel plate hitch available in 21" centers	\$491.13
Swivel Plate for Hitch w/ 21" Centers	100	00060837i	Pin type swivel plate hitch available in 21" centers (Installed)	\$625.95
Swivel Plate for Hitch w/ 30.5" Centers	100	00060822	Pin type swivel plate hitch available in 30.5" centers	\$518.95
Swivel Plate for Hitch w/ 30.5" Centers Installed	100	00060822i	Pin type swivel plate hitch available in 30.5" centers (Installed)	\$553.19
Swivel Plate for Hitch w/ 33.5" Centers	100	00060836	Pin type swivel plate hitch available in 33.5" centers	\$547.84
Swivel Plate for Hitch w/ 33.5" Centers Installed	100	00060836i	Pin type swivel plate hitch available in 33.5" centers (Installed)	\$604.55
Swivel Plate for Falls Style Hitch - 36.75" w /1.25" Bolt		00017643i	Bolt - On NOTE: USE WITH MONROE PLOWS ONLY	\$1,016.50
Plow Portion Hitch		-		
Tor-lock Installed	105	00039953i	Plow portion tor-lock / arrowhead hitch (welded on type)	\$1,030.41
Tor-lock Pivot	70	00061320	Oscillating plow portion tor-lock / arrowhead hitch (bolt on type)	\$1,006.87
Tor-lock Pivot Installed	70	00061320i	Oscillating plow portion tor-lock / arrowhead hitch (bolt on type) (Installed)	\$1,103.17
QCP-loop Installed	80	00023428i	Plow portion QCP loop hitch (welded on type) (Installed)	\$720.11
SP-Gled-loop	100	00023427	Oscillating Gled-loop plow portion	\$814.27
SP-Gled-loop Installed	100	00023427i	Oscillating Gled-loop plow portion (Installed)	\$878.47
Quick Link Swivel Plate	100	00039999	Quick link plow portion swivel plate hitch	\$570.31
Quick Link Swivel Plate Installed	100	00039999i	Quick link plow portion swivel plate hitch (Installed)	\$633.44

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



MONROE SLOTTED TRIP REVERSIBLE PLOW

**For other options contact factory.
Prices and specifications subject to change without notice.
All pricing is F.O.B. factory Monroe, Wisconsin.
Prices effective Jan. 2018**

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



MONROE SLOTTED TRIP REVERSIBLE PLOW

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE "C" STYLE TORSION TRIP EDGE REVERSIBLE PLOW

MOLDBOARD: _____" HEIGHT X _____' LENGTH

Standard Equipment: 10 gauge roll formed moldboard, six ½" x 4" tapered, one piece, flame-cut ribs, 2" X 3" X 3/8" top angle, 4" x 4" x 1/2" upper bottom angle, 3/4" bottom angle, six non-adj. square wire, bolt-in springs, 3/4" torsion spring assemblies for a three section trip edge, 4" x 4" x 3/8" cross tube support, 3-1/2" x 3-1/2" x 1/2" semi-circle, two 3" x 10" double acting reverse cylinders with cushion valve, built-in Monroe level lift assembly, moldboard and pushframe to be 100% continuously welded, parts-installation manual.

Standard plow is powder coated with the moldboard orange and a black pushframe.

- **Plow has 14" push height(measured to the center of the A-Frame) with standard 8" cutting edge, one piece, AASHTO hole pattern**
- **Power reverse angle of plow requires one 4-way valve to operate angle (not included)**
- **Manual reverse angle of plow requires no valve to operate angle**
- **Plow lift cylinder requires one 4-way valve for double acting lift cylinder (not included)**
- **Plow lift cylinder requires one 3-way valve for single acting lift cylinder (not included)**
- **Caution: When choosing truck portion of hitch, low profile will affect level lift**
- **Warranty 1 year, limited, from date of purchase, please check parts-installation manual for exact coverage**

Caution: Plow weight, mounting distance from axle, hitch type and weight, and other additional equipment mounted on the front of a truck will require heavier truck GAWR (Gross Axle Weight Ratings). Contact chassis manufacturer for exact GAWR requirements for your specific equipment.

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
MP39R10-TT	1900	00043636	39" high x 10' length torsion trip edge	\$10,411.10
MP39R10-ISTT	1950	00043637	39" high x 10' length torsion trip edge with integral shield	\$10,584.44
MP39R11-TT	2000	00043638	39" high x 11' length torsion trip edge	\$10,926.84
MP39R11-ISTT	2080	00043639	39" high x 11' length torsion trip edge with integral shield	\$11,034.91
MP39R12-TT	2060	00043640	39" high x 12' torsion trip edge	\$11,359.12
MP39R12-ISTT	2110	00043641	39" high x 12" torsion trip edge with integral shield	\$11,395.50
MP44R10-TT	2020	00043642	44" high x 10' length torsion trip edge	\$10,693.58
MP44R10-ISTT	2080	00043643	44" high x 10' length torsion trip edge with integral shield	\$10,927.91
MP44R11-TT	2100	00043644	44" high x 11' length torsion trip edge	\$11,215.74
MP44R11-ISTT	2160	00043645	44" high x 11' length torsion trip edge with integral shield	\$11,248.91

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



MONROE "C" STYLE TORSION TRIP EDGE REVERSIBLE PLOW

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
MP44R12-TT	2180	00043646	44" high x 12' length torsion trip edge	\$11,577.40
MP44R12-ISTT	2240	00043647	44" high x 12' length torsion trip edge with integral shield	\$12,162.69
MP51R11-TT	2195	00043650	51" high x 11' length torsion trip edge	\$11,572.05
MP51R11-ISTT	2255	00043651	51" high x 11' length torsion trip edge with integral shield	\$12,089.93
MP51R12-TT	2310	00043652	51" high x 12' length torsion trip edge	\$11,957.25
MP51R12-ISTT	2400	00043653	51" high x 12' length torsion trip edge with integral shield	\$12,497.60
MPV 44-52-12 ISTT		00169200	52" high x 12' length torsion trip edge. Parallel lift, power V-Plow	\$23,368.80
Moldboard:		Standard	10 gauge, roll-formed A569 Steel	
3/16"	70	3/16" Moldboard-1	3/16" roll-formed moldboard	\$1,203.75
Polymer over Steel Moldboard	100	-	3/8" UHMW polymer sheet over 10 gauge standard moldboard	
Mouse Ear on Moldboard (Cannot be ordered with 39" high moldboard)	30	ME	10 gauge mild steel mouse ear extension installed on moldboard Note: Plow must have integral shield. Plow may not lift level with single mouse ear moldboard. Incl. wider push frame and extra ribbing will be used **Specify adding Mouse Ear to the Right side or Left side	\$1,444.50
Mailbox Trim / Std. Dimensions Only		MT	Mailbox trim, per side, installed. (A completed Mailbox trim FORM #01 located in the Appendix at the end of this pricebook must be filled out and turned in at time of order)	\$567.10
Moldboard Trip:		Standard	Six 3/4" torsion trip spring assemblies for a 3 section trip edge	
Reversing		Standard	Two 3" x 10" double acting	
Cylinders:		-		
4" Cylinders	20	4PR	Two 4" x 10" double acting in lieu of 3"x10"	\$203.30
Manual Reverse	<200>	Manual Reverse (Deduct)	Manual Reverse in lieu of 3" x 10" cylinders - NO reverse cylinders manual pin reverse, Left, Right & Center Positions	-\$411.95
Cutting Edge:		Standard	5/8" x 8" C1080 top punched cutting edge with AASHTO bolt hole spacing	
Carbide CE (PRICED Per FT)	50/Ft	Carbide	3/4" x 6" carbide cutting edge with cover blade AASHTO bolt hole pattern Note: Carbide cutting edge will make height of plow decrease 2" **NOTE - Price for Carbide Cutting Edge is per FOOT**	\$155.15
Rubber CE (PRICE per FT)	50/ft	RCE-i	1-1/2" x 10" - one piece rubber cutting edge with cover blade AASHTO hole pattern (Installed) **NOTE - Price for Rubber Cutting Edge is per FOOT**	\$84.53
Paint:		Standard	Plow to be shot blasted with moldboard powder coated orange and pushframe powder coated black	
Other		Acrylic Enamel-1	Acrylic enamel in color other than standard (not powder coated), moldboard only, not pushframe	\$1,053.95
Custom Powder Coat Colors		Paint - Custom	Please call Factory for available colors	call factory

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE "C" STYLE TORSION TRIP EDGE REVERSIBLE PLOW

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Shoes:		-	Note: Shoes do not come standard with plow and are shipped loose - installation of shoes on plow is available at an additional cost. See installation cost listed below on price sheet.	
Skid Shoes	170	00052867	Pair of 1.25" x 6" x 14" skid shoes 2 pc. cast shown with screw adjustable jack assemblies	\$1,525.82
Skid Shoes Installed	170	00052867i	Pair of 1.25" x 6" x 14" skid shoes 2 pc. Cast shown with screw adjustable jack assemblies (Installed)	\$1,558.99
Carbide Skid Shoes	180	00061207	Pair of 1" x 6" x 12" carbide skid shoes with carbide inserts and pair of screw adjustable jack assemblies	\$2,337.95
Carbide Skid Shoes Installed	180	00061207i	Pair of 1" x 6" x 12" carbide skid shoes with carbide inserts and pair of screw adjustable jack assemblies (Installed)	\$2,467.42
Mushroom Shoes Rigid	200	00012692	Pair of 2-1/4" x 11" diameter mushroom shoes with screw adjustable jack assemblies, rigid, non-oscillating	\$1,333.22
Mushroom Shoes Rigid Installed	200	00012692i	Pair of 2-1/4" x 11" diameter mushroom shoes with screw adjustable jack assemblies, rigid, non-oscillating (Installed)	\$1,357.83
Carbide Mushroom Shoes, Rigid	220	00061208	Pair of 1-1/8" x 10-1/4" diameter mushroom shoes with carbide inserts and screw adj. jack assemblies, rigid, non-oscillating	\$2,199.92
Carbide Mushroom Shoes, Rigid Installed	220	00061208i	Pair of 1-1/8" x 10-1/4" diameter mushroom shoes with carbide inserts and screw adj. Jack assemblies, rigid, non-oscillating (Installed)	\$2,237.37
ML-Products Oscillating Mushroom Shoes	250	00061209	Pair of ML - Products oscillating mushroom shoes 3" x 10-3/4" diameter with screw adjustable jack assemblies - Brinell 500	\$3,010.98
ML-Products Oscillating Mushroom Shoes Installed	250	00061209i	Pair of ML - Products oscillating mushroom shoes 3" x 10-3/4" diameter with screw adjustable jack assemblies - Brinell 500 (Installed)	\$3,065.55
Caster Wheels	160	00057967	Pair of 3" x 8" steel wheels with screw adjustable jack assemblies	\$1,923.86
Caster Wheels Installed	160	00057967i	Pair of 3" x 8" steel wheels with screw adjustable jack assemblies (Installed)	\$1,973.08
Pneumatic Tires	220	00106637	Pair of 16" pneumatic rubber tires with required mount extensions & screw adjustable jack assemblies. (Rating 1500 pounds per pair)	\$2,042.63
Pneumatic Tires Installed	220	00106637i	Pair of 16" pneumatic rubber tires with required mount extensions & screw adjustable jack assemblies. (Rating 1500 pounds per pair) (Installed)	\$2,116.46
Pneumatic Foam Filled Tires		00106638	Pair of 16" pneumatic foam filled rubber tires with required cross-tube extensions installed & screw adjustable jack assemblies. (Rating 1500 pounds per pair)	\$2,189.22
Pneumatic Foam Filled Tires Installed		00106638i	Pair of 16" foam filled pneumatic rubber tires with required cross-tube extensions installed & screw adjustable jack assemblies. (Rating 1500 pounds per pair (installed)	\$2,305.85
Snow Wheels		00149801	Pair of Sno-Wheels for plow with required mount. These are a swivel-type solid rubber 10.5" x 5.5" x 8" tire with screw-adjustable crank and shock adjuster-equipped. 2,000 lb load capacity per wheel; 6-bolt hub and Timken bearings.	\$4,623.63

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE "C" STYLE TORSION TRIP EDGE REVERSIBLE PLOW

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Snow Wheels Installed		00149801i	Pair of Sno-Wheels for plow with required mount. These are a swivel-type solid rubber 10.5" x 5.5" x 8" tire with screw-adjustable crank and shock adjuster-equipped. 2,000 lb load capacity per wheel; 6-bolt hub and Timken bearings. (Installed)	\$4,656.96
Options:		-	Note: All options shipped loose unless otherwise noted. Options can be installed on plow for additional charge - please see installation charge listed below.	
Rubber Snow Deflector 10'	80	00043103	12" rubber snow deflector (Plow has holes punched in top angle to accommodate rubber snow deflector.)	\$205.44
Rubber Snow Deflector 10' Installed	80	00043103i	12" rubber snow deflector (Plow has holes punched in top angle to accommodate rubber snow deflector.) (Installed)	\$248.24
Rubber Snow Deflector 11	80	00043104	12" rubber snow deflector (Plow has holes punched in top angle to accommodate rubber snow deflector.)	\$231.12
Rubber Snow Deflector 11' Installed	80	00043104i	12" rubber snow deflector (Plow has holes punched in top angle to accommodate rubber snow deflector.) (Installed)	\$299.60
Rubber Snow Deflector 12	80	00043105	12" rubber snow deflector (Plow has holes punched in top angle to accommodate rubber snow deflector.) (Loose)	\$251.45
Rubber Snow Deflector 12' Installed	80	00043105i	12" rubber snow deflector (Plow has holes punched in top angle to accommodate rubber snow deflector.) (Installed)	\$326.35
Cast Moldboard Shoes F/8"CE installed	140	00061797i	Pair of cast iron moldboard shoes bolted over standard 8" cutting edge. (Installed)	\$560.68
Fabricated Moldboard Shoes Installed for 6" CE	60	00059115i	Pair of fabricated moldboard shoes - works with 6" cutting edge or center punched cutting edge (Installed)	\$306.02
Cast Moldboard Shoes F/6"CE installed	140	00062549i	Pair of cast iron moldboard shoes - works with 6" cutting edge or center punched cutting edge (Installed)	\$456.89
Curb Guards:		-		
Wrap-Around Curb Guard	20	00039621i	Wrap-around curb guard (Installed) Designate Right or Left	\$98.44
Removable Screw Adjustable Parking Jack	30	00061212i	Removable Screw adjustable parking jack (Installed)	\$220.42
Markers:		-		
Flexible Plastic	5	05051432	Pair of 36" fluorescent orange flexible markers with brackets (Loose)	\$52.43
Cable Markers	5	05051181	Pair of 42" orange cable markers with brackets (loose)	\$52.43
Plow Portion Hitch:		-	Note: Plow portion hitches do not come standard with plow and are shipped loose. Installation of plow portion hitch is available at an additional charge - see hitch installation listed below on price sheet	
Monroe Quick Hitch - MC6000	175	00023450	Monroe plow portion quick hitch MC6000	\$994.03
Monroe Quick Hitch - MC6000 Installed	175	00023450i	Monroe plow portion quick hitch MC6000 (Installed)	\$1,119.22

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



MONROE "C" STYLE TORSION TRIP EDGE REVERSIBLE PLOW

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Swivel Plate for Hitch w/ 21" Centers	100	00060837	Pin type swivel plate hitch available in 21" centers	\$491.13
Swivel Plate for Hitch w/ 21" Centers	100	00060837i	Pin type swivel plate hitch available in 21" centers (Installed)	\$625.95
Swivel Plate for Hitch w/ 30.5" Centers	100	00060822	Pin type swivel plate hitch available in 30.5" centers	\$518.95
Swivel Plate for Hitch w/ 30.5" Centers Installed	100	00060822i	Pin type swivel plate hitch available in 30.5" centers (Installed)	\$553.19
Swivel Plate for Hitch w/ 33.5" Centers	100	00060836	Pin type swivel plate hitch available in 33.5" centers	\$547.84
Swivel Plate for Hitch w/ 33.5" Centers Installed	100	00060836i	Pin type swivel plate hitch available in 33.5" centers (Installed)	\$604.55
Swivel Plate for Falls Style Hitch - 36.75" w /1.25" Bolt		00017643i	Bolt - On NOTE: USE WITH MONROE PLOWS ONLY	\$1,016.50
Tor-lock Installed	105	00039953i	Plow portion tor-lock / arrowhead hitch (welded on type)	\$1,030.41
Tor-lock Pivot	70	00061320	Oscillating plow portion tor-lock / arrowhead hitch (bolt on type)	\$1,006.87
Tor-lock Pivot Installed	70	00061320i	Oscillating plow portion tor-lock / arrowhead hitch (bolt on type) (Installed)	\$1,103.17
QCP-loop Installed	80	00023428i	Plow portion QCP loop hitch (welded on type) (Installed)	\$720.11
SP-Gled-loop	100	00023427	Oscillating Gled-loop plow portion	\$814.27
SP-Gled-loop Installed	100	00023427i	Oscillating Gled-loop plow portion (Installed)	\$878.47
Quick Link Swivel Plate	100	00039999	Quick link plow portion swivel plate hitch	\$570.31
Quick Link Swivel Plate Installed	100	00039999i	Quick link plow portion swivel plate hitch (Installed)	\$633.44
Husting Hitches:		-	Note: Husting Hitch information sheet must be completed at time of order. (Use Husting Hitch FORM #02 located in the Appendix at the end of this pricebook) Monroe level lift not included with Husting Hitch	
29"	175	00069488i	29" Husting Hitch (Installed) Standard	\$1,621.05
34"	195	00069489i	34" Husting Hitch (Installed) Standard	\$1,582.53
Husting Hitch w/ extension for hitches w/ 29" Centers	195	00069490i	Husting hitch with 8" extension and top cross bracing (installed)	\$1,885.34
Husting Hitch w/ extension for hitches w/ 34" Centers	215	00069491i	Husting hitch with 8" extension and top cross bracing (installed)	\$1,763.36
Oscillating Husting Hitch 29" Centers	195	00039066i	29" Oscillating Husting Hitch (Installed)	\$1,824.35
Oscillating Husting Hitch 34" Centers	215	00039077i	34" Oscillating Husting Hitch (Installed)	\$1,954.89

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



MONROE "C" STYLE TORSION TRIP EDGE REVERSIBLE PLOW

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Oscillating Husting Hitch w / extension 29"	215	00069492i	Oscillating Style Husting hitch with 8" extension and top cross bracing (installed)	\$2,055.47
Oscillating Husting Hitch w / extension 34" Style Hitch	235	00069493i	Oscillating Style Husting hitch with 8" extension and top cross bracing (installed)	\$2,108.97
Roller Kit for Husting Hitch	55	00043300	Roller kit for Husting Hitch must be purchased with plow (Not Installed)	\$665.54
Parallelogram		Parallel	Parallogram Lift option to include Truck Portion Hitch	\$8,569.78

**For other options contact factory.
Prices and specifications subject to change without notice.
All pricing is F.O.B. factory Monroe, Wisconsin.
Prices effective Jan. 2018**

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE "C" STYLE TORSION TRIP EDGE REVERSIBLE PLOW

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



TORSION TRIP EDGE "J" STYLE REVERSIBLE

MOLDBOARD: _____" HEIGHT X _____' LENGTH

Standard Equipment: Ten ½" one-piece, flame cut ribs, 2" x 3" x 3/8" top angle, 4" x 4" x 3/4" bottom angle, six adjustable 3/4" square torsion trip spring assemblies for a 1- section trip, one-piece cutting edge, 4" x 4" x 3/8" cross-tube support, 3-1/2" x 3-1/2" x ½" semi-circle, two 3" x 10" double acting reverse cylinders with cushion valve, built-in Monroe level lift assembly, moldboard and pushframe to be 100% continuously welded, parts-installation manual. **Standard steel moldboard plow is painted orange and pushframe painted black. Standard poly 3/8" moldboard plow and pushframe painted powder coat black.**

- **NOTE: Plow has 14" push height (measured to the center of the A-Frame) w / standard 8" cutting edge, one piece, AASHTO hole pattern**
- **Power reverse angle of plow requires one 4-way valve to operate angle (not included)**
- **Manual reverse angle of plow requires no valve to operate angle.**
- **Plow lift cylinder requires one 4-way valve for double acting lift cylinder (not included)**
- **Plow lift cylinder requires one 3-way valve for single acting lift cylinder (not included)**
- **Caution: When choosing truck portion of hitch, a low profile hitch will affect level lift**
- **Warranty: 1 year, limited, from date of purchase - please check parts-installation manual for exact coverage**

Caution: Plow weight, mounting distance from axle, hitch type and weight, and other additional equipment mounted on the front of a truck will require heavier truck GAWR (Gross Axle Weight Ratings). Contact chassis manufacturer for exact GAWR requirements for your specific equipment.

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
MPPJ39R10-ISTT	1860	00066218	39" high x 10' length J-style torsion trip edge with poly moldboard and integral shield	\$10,828.40
MPPJ39R11-ISTT	1925	00012660	39" high x 11' length J-style torsion trip edge with poly moldboard and integral shield	\$10,906.51
MPPJ39R12-ISTT	2140	00066219	39" high x 12' length J-style torsion trip edge with poly moldboard and integral shield	\$11,506.78
MPPJ45R10-ISTT	1880	00066200	45" high x 10' length J-style torsion trip edge with poly moldboard and integral shield	\$13,114.99
MPPJ45R11-ISTT	1940	00066201	45" high x 11' length J-style torsion trip edge with poly moldboard and integral shield	\$10,930.05
MPPJ45R12-ISTT	2160	00066202	45" high x 12' length J-style torsion trip edge with poly moldboard and integral shield	\$11,591.31
MPJ39R10-ISTT	2460	00066212	39" high x 10' length J-style torsion trip edge with mild steel moldboard and integral shield	\$10,734.24

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



TORSION TRIP EDGE "J" STYLE REVERSIBLE

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
MPJ39R11-ISTT	2550	00066213	39" high x 11' length J-style torsion trip edge with mild steel moldboard and integral shield	\$10,937.54
MPJ39R12-ISTT	2640	00066214	39" high x 12' length J-style torsion trip	\$11,318.46
MPJ45R10-ISTT	2700	00084405	45" high x 10' length J-style torsion trip edge with mild steel moldboard and integral shield	\$10,978.20
MPJ45R11-ISTT	2790	00084409	45" high x 11' length J-style torsion trip edge with mild steel moldboard and integral shield	\$11,011.37
MPJ45R12-ISTT	2880	00084419	45" high x 12' length J-style torsion trip edge with mild steel moldboard and integral shield	\$11,471.47
Option:		-		
3/16" Moldboard (Steel moldboard plows only)	70	3/16" Moldboard-1	3/16" brake formed steel moldboard in lieu of 10 gauge	\$1,203.75
Moldboard Trip:		Standard	Six 3/4" torsion trip spring assemblies for a 2 section, 1-piece trip edge	
Reversing		Standard	Two 3" x 10" double acting	
Cylinders:		-		
4" Cylinders	20	4PR	Two 4" x 10" dbl.- acting in lieu of 3" x 10"	\$203.30
Manual Reverse	<200>	Manual Reverse (Deduct)	Manual Reverse in lieu of 3" x 10" cylinders - NO reverse cylinders manual pin reverse, Left, Right & Center Positions	-\$411.95
Cutting Edge:		Standard	5/8" x 8" C1080 center punched cutting edge with AASHTO hole spacing	
Carbide CE (PRICED Per FT)	50/Ft	Carbide	3/4" x 6" carbide cutting edge with cover blade AASHTO bolt hole pattern Note: Carbide cutting edge will make height of plow decrease 2" **NOTE - Price for Carbide Cutting Edge is per FOOT**	\$155.15
Rubber CE (PRICE per FT)	50/ft	RCE-i	1-1/2" x 10" - one piece rubber cutting edge with cover blade AASHTO hole pattern (Installed) **NOTE - Price for Rubber Cutting Edge is per FOOT**	\$84.53
Two Piece Cutting Edge		Two Piece CE-I	Two Piece Cutting Edge (must be specified when ordered) (Installed)	\$169.06
Paint:		Standard	Standard steel moldboard plow is painted orange and pushframe painted black. Standard poly moldboard plow and pushframe painted powder coat black.	
Other		Acrylic Enamel-1	Acrylic enamel in color other than standard (not powder coated)	\$1,053.95
Custom Powder Coat Colors		Paint - Custom	Please call Factory for available colors	call factory
Shoes:		-	Note: Shoes do not come standard with plow and are shipped loose - installation of shoes on plow is available at an additional cost. See installation cost listed below on price sheet.	
Skid Shoes	170	00052867	Pair of 1.25" x 6" x 14" skid shoes 2 pc. cast shown with screw adjustable jack assemblies	\$1,525.82
Skid Shoes Installed	170	00052867i	Pair of 1.25" x 6" x 14" skid shoes 2 pc. Cast shown with screw adjustable jack assemblies (Installed)	\$1,558.99

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



TORSION TRIP EDGE "J" STYLE REVERSIBLE

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Carbide Skid Shoes	180	00061207	Pair of 1" x 6" x 12" carbide skid shoes with carbide inserts and a pair of screw adjustable jack assemblies	\$2,337.95
Carbide Skid Shoes Installed	180	00061207i	Pair of 1" x 6" x 12" carbide skid shoes with carbide inserts and pair of screw adjustable jack assemblies (Installed)	\$2,467.42
Mushroom Shoes Rigid	200	00012692	Pair of 2-1/4" x 11" diameter mushroom shoes with screw adjustable jack assemblies, rigid, non-oscillating	\$1,333.22
Mushroom Shoes Rigid Installed	200	00012692i	Pair of 2-1/4" x 11" diameter mushroom shoes with screw adjustable jack assemblies, rigid, non-oscillating (Installed)	\$1,357.83
Carbide Mushroom Shoes, Rigid	220	00061208	Pair of 1-1/8" x 10-1/4" diameter mushroom shoes with carbide inserts and screw adj.jack assemblies, rigid, non-oscillating	\$2,199.92
Carbide Mushroom Shoes, Rigid Installed	220	00061208i	Pair of 1-1/8" x 10-1/4" diameter mushroom shoes with carbide inserts and screw adj. Jack assemblies, rigid, non-oscillating (Installed)	\$2,237.37
ML-Products Oscillating Mushroom Shoes	250	00061209	Pair of ML - Products oscillating mushroom shoes 3" x 10-3/4" diameter with screw adjustable jack assemblies - Brinell 500	\$3,010.98
ML-Products Oscillating Mushroom Shoes Installed	250	00061209i	Pair of ML - Products oscillating mushroom shoes 3" x 10-3/4" diameter with screw adjustable jack assemblies - Brinell 500 (Installed)	\$3,065.55
Caster Wheels	160	00057967	Pair of 3" x 8" steel wheels with screw adjustable jack assemblies	\$1,923.86
Caster Wheels Installed	160	00057967i	Pair of 3" x 8" steel wheels with screw adjustable jack assemblies (Installed)	\$1,973.08
Pneumatic Tires	220	00106637	Pair of 16" pneumatic rubber tires with required mount extensions & screw adjustable jack assemblies. (Rating 1500 pounds per pair)	\$2,042.63
Pneumatic Tires Installed	220	00106637i	Pair of 16" pneumatic rubber tires with required mount extensions & screw adjustable jack assemblies. (Rating 1500 pounds per pair) (Installed)	\$2,116.46
Pneumatic Foam Filled Tires		00106638	Pair of 16" pneumatic foam filled rubber tires with required cross-tube extensions installed & screw adjustable jack assemblies. (Rating 1500 pounds per pair)	\$2,189.22
Pneumatic Foam Filled Tires Installed		00106638i	Pair of 16" foam filled pneumatic rubber tires with required cross-tube extensions installed & screw adjustable jack assemblies. (Rating 1500 pounds per pair (installed)	\$2,305.85
Snow Wheels		00149801	Pair of Sno-Wheels for plow with required mount. These are a swivel-type solid rubber 10.5" x 5.5" x 8" tire with screw-adjustable crank and shock adjuster-equipped. 2,000 lb load capacity per wheel; 6-bolt hub and Timken bearings.	\$4,623.63
Snow Wheels Installed		00149801i	Pair of Sno-Wheels for plow with required mount. These are a swivel-type solid rubber 10.5" x 5.5" x 8" tire with screw-adjustable crank and shock adjuster-equipped. 2,000 lb load capacity per wheel; 6-bolt hub and Timken bearings. (Installed)	\$4,656.96
Options:		-	Note: All options shipped loose unless otherwise noted. Options can be installed on plow for additional charge - please see installation charge listed below.	
Rubber Snow Deflector 10' (installed)	80	00069261i	12" rubber snow deflector (Plow has holes punched in top angle to accommodate rubber snow deflector).	\$369.02

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



TORSION TRIP EDGE "J" STYLE REVERSIBLE

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Rubber Snow Deflector 11' (installed)	80	00069262i	12" rubber snow deflector (Plow has holes punched in top angle to accommodate rubber snow deflector).	\$335.45
Rubber Snow Deflector 12' (installed)	80	00069263i	12" rubber snow deflector (Plow has holes punched in top angle to accommodate rubber snow deflector).	\$492.84
Cast Moldboard Shoes F/6"CE installed	140	00062549i	Pair of cast iron moldboard shoes - works with 6" cutting edge or center punched cutting edge (Installed)	\$456.89
Fabricated Moldboard Shoes Installed for 6" CE	60	00059115i	Pair of fabricated moldboard shoes - works with 6" cutting edge or center punched cutting edge (Installed)	\$306.02
Curb Guards:	-	-		
Wrap-Around Curb Guard	20	00039621i	Wrap-around curb guard (Installed) Designate Right or Left	\$98.44
Removable Screw Adjustable Parking Jack	30	00061212i	Removable Screw adjustable parking jack (Installed)	\$220.42
Markers:	-	-		
Flexible Plastic	5	05051432	Pair of 36" fluorescent orange flexible markers with brackets (Loose)	\$52.43
Cable Markers	5	05051181	Pair of 42" orange cable markers with brackets (loose)	\$52.43
Plow Portion Hitch:	-	-	Note: Plow portion hitches do not come standard with plow and are shipped loose. Installation of plow portion hitch is available at an additional charge - see hitch installation listed below on price sheet.	
Monroe Quick Hitch - MC6000	175	00023450	Monroe plow portion quick hitch MC6000	\$994.03
Monroe Quick Hitch - MC6000 Installed	175	00023450i	Monroe plow portion quick hitch MC6000 (Installed)	\$1,119.22
Swivel Plate for Hitch w/ 21" Centers	100	00060837	Pin type swivel plate hitch available in 21" centers	\$491.13
Swivel Plate for Hitch w/ 21" Centers	100	00060837i	Pin type swivel plate hitch available in 21" centers (Installed)	\$625.95
Swivel Plate for Hitch w/ 30.5" Centers	100	00060822	Pin type swivel plate hitch available in 30.5" centers	\$518.95
Swivel Plate for Hitch w/ 30.5" Centers Installed	100	00060822i	Pin type swivel plate hitch available in 30.5" centers (Installed)	\$553.19
Swivel Plate for Hitch w/ 33.5" Centers	100	00060836	Pin type swivel plate hitch available in 33.5" centers	\$547.84
Swivel Plate for Hitch w/ 33.5" Centers Installed	100	00060836i	Pin type swivel plate hitch available in 33.5" centers (Installed)	\$604.55
Swivel Plate for Falls Style Hitch - 36.75" w /1.25" Bolt		00017643i	Bolt - On NOTE: USE WITH MONROE PLOWS ONLY	\$1,016.50
Tor-lock Installed	105	00039953i	Plow portion tor-lock / arrowhead hitch (welded on type)	\$1,030.41

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



TORSION TRIP EDGE "J" STYLE REVERSIBLE

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Tor-lock Pivot	70	00061320	Oscillating plow portion tor-lock / arrowhead hitch (bolt on type)	\$1,006.87
Tor-lock Pivot Installed	70	00061320i	Oscillating plow portion tor-lock / arrowhead hitch (bolt on type) (Installed)	\$1,103.17
QCP-loop Installed	80	00023428i	Plow portion QCP loop hitch (welded on type) (Installed)	\$720.11
SP-Gled-loop	100	00023427	Oscillating Gled-loop plow portion	\$814.27
SP-Gled-loop Installed	100	00023427i	Oscillating Gled-loop plow portion (Installed)	\$878.47
Quick Link Swivel Plate	100	00039999	Quick link plow portion swivel plate hitch	\$570.31
Quick Link Swivel Plate Installed	100	00039999i	Quick link plow portion swivel plate hitch (Installed)	\$633.44
Husting Hitches:	-		Note: Husting Hitch information sheet must be completed at time of order. (Use Husting Hitch FORM #02 located in the Appendix at the end of this pricebook) Monroe level lift not included with Husting Hitch	
29"	175	00069488i	29" Husting Hitch (Installed) Standard	\$1,621.05
34"	195	00069489i	34" Husting Hitch (Installed) Standard	\$1,582.53
Husting Hitch w/ extension for hitches w/ 29" Centers	195	00069490i	Husting hitch with 8" extension and top cross bracing (installed)	\$1,885.34
Husting Hitch w/ extension for hitches w/ 34" Centers	215	00069491i	Husting hitch with 8" extension and top cross bracing (installed)	\$1,763.36
Oscillating Husting Hitch 29" Centers	195	00039066i	29" Oscillating Husting Hitch (Installed)	\$1,824.35
Oscillating Husting Hitch 34" Centers	215	00039077i	34" Oscillating Husting Hitch (Installed)	\$1,954.89
Oscillating Husting Hitch w / extension 29"	215	00069492i	Oscillating Style Husting hitch with 8" extension and top cross bracing (installed)	\$2,055.47
Oscillating Husting Hitch w / extension 34" Style Hitch	235	00069493i	Oscillating Style Husting hitch with 8" extension and top cross bracing (installed)	\$2,108.97
Roller Kit for Husting Hitch	55	00043300	Roller kit for Husting Hitch must be purchased with plow (Not Installed)	\$665.54
Parallelogram		Parallel	Parallogram Lift option to include Truck Portion Hitch	\$8,569.78

**For other options contact factory.
Prices and specifications subject to change without notice.
All pricing is F.O.B. factory Monroe, Wisconsin.
Prices effective Jan. 2018**

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



TORSION TRIP EDGE "J" STYLE REVERSIBLE

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE BOXED COMPRESSION TRIP EDGE REVERSIBLE PLOW

MOLDBOARD: _____" HEIGHT X _____' LENGTH

Standard Equipment: 10 gauge roll formed moldboard, six ½" x 4" tapered, one piece, flame cut ribs, 2"x3"x3/8" top angle, 4"x4"x3/4" bottom angle, 6 adjustable compression trip spring assemblies for a 3- section trip edge, 4"x4"x3/8" cross-tube support, 3-1/2"x3-1/2"x1/2" semi-circle, two 3"x10" double acting reverse cylinders with cushion valve built-in Monroe level lift assembly - moldboard and pushframe to be 100% continuously welded, parts-installation manual.

Standard plow is Powder coated with the moldboard orange and a black pushframe.

- **Plow has 14" push height (measured to the center of the A-Frame) with standard 8" cutting edge, three-piece AASHTO hole patterns**
- **Power reverse angle of plow requires one 4-way valve to operate angle (not included)**
- **Manual reverse angle of plow requires no valve to operate angle**
- **Plow lift cylinder requires one 4-way valve for double-acting lift cylinder (not included)**
- **Plow lift cylinder requires one 3-way valve for single-acting lift cylinder (not included)**
- **Caution: When choosing truck portion of hitch, low profile will affect level lift**
- **Warranty: 1 year, limited, from date of purchase - please check parts-installation manual for exact coverage**

Caution: Plow weight, mounting distance from axle, hitch type and weight, and other additional equipment mounted on the front of a truck will require heavier truck GAWR (gross Axle Weight Ratings). Contact chassis manufacturer for exact GAWR requirements for your specific equipment.

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
MP39R10-TE	2120	00043618	39" high x 10' length compression trip edge	\$12,669.87
MP39R10-ISTE	2140	00043619	39" high x 10' length compression trip edge with integral shield	\$12,878.52
MP39R11-TE	2200	00043620	39" high x 11' length compression trip edge	\$13,016.55
MP39R11-ISTE	2250	00043621	39" high x 11' length compression trip edge with integral shield	\$13,244.46
MP39R12-TE	2285	00043622	39" high x 12' length compression trip edge	\$13,310.80
MP39R12-ISTE	2370	00043623	39" high x 12' length compression trip edge with integral shield	\$13,568.67
MP44R10-TE	2300	00043624	44" high x 10' length compression trip edge	\$12,743.70
MP44R10-ISTE	2350	00043625	44" high x 10' length compression trip edge with integral shield	\$12,378.83
MP44R11-TE	2400	00043626	44" high x 11' length compression trip edge	\$13,163.14
MP44R11-ISTE	2450	00043627	44" high x 11' length compression trip edge with integral shield	\$12,743.70

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



MONROE BOXED COMPRESSION TRIP EDGE REVERSIBLE PLOW

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
MP44R12-TE	2600	00043628	44" high x 12' length compression trip edge	\$13,463.81
MP44R12-ISTE	2650	00043629	44" high x 12' length compression trip edge with integral shield	\$13,997.74
MP51R10-TE		00043630	51" high x 10' length compression trip edge	\$13,062.56
MP51R10-ISTE		00043631	51" high x 10' length compression trip edge with integral shield	\$13,616.82
MP51R11-TE	2750	00043632	51" high x 11' length compression trip edge	\$13,432.78
MP51R11-ISTE	2800	00043633	51" high x 11' length compression trip edge with integral shield	\$13,993.46
MP51R12-TE	2850	00043634	51" high x 12' length compression trip edge	\$13,762.34
MP51R12-ISTE	2900	00043635	51" high x 12' length compression trip edge with integral shield	\$14,328.37
Moldboard:		Standard	10 gauge, roll-formed A569 Steel	
3/16"	70	3/16" Moldboard-1	3/16" roll-formed moldboard	\$1,203.75
Polymer over Steel	100	Poly over Steel Moldboard	3/8" UMMW polymer sheet over 10 gauge standard moldboard	\$1,744.10
Mailbox Trim / Std. Dimensions Only		MT	Mailbox trim, per side, installed. (A completed Mailbox trim FORM #01 located in the Appendix at the end of this pricebook must be filled out and turned in at time of order)	\$567.10
Moldboard Trip:		Standard	Six adjustable compression trip spring assemblies for a 3 section trip edge	
Reversing		Standard	Two 3" x 10" double acting	
Cylinders:		-		
4" Cylinders	20	4PR	Two 4" x 10" double acting	\$203.30
Manual Reverse	<200>	Manual Reverse (Deduct)	Manual Reverse in lieu of 3" x 10" cylinders - NO reverse cylinders manual pin reverse, Left, Right & Center Positions	-\$411.95
Cutting Edge:		Standard	5/8" x 8" C1080 top punched cutting edge with AASHTO bolt hole spacing - 3 piece	
Carbide CE (PRICED Per FT)	50/Ft	Carbide	¾" x 6" carbide cutting edge with cover blade AASHTO bolt hole pattern Note: Carbide cutting edge will make height of plow decrease 2" **NOTE - Price for Carbide Cutting Edge is per FOOT**	\$155.15
Rubber CE (PRICE per FT)	50/ft	RCE-i	1-1/2" x 10" - one piece rubber cutting edge with cover blade AASHTO hole pattern (Installed) **NOTE - Price for Rubber Cutting Edge is per FOOT**	\$84.53
Paint:		Standard	Plow to be shot blasted with moldboard Powder coated orange and pushframe Powder Coated black	
Other		Acrylic Enamel-1	Acrylic enamel in color other than standard (not powder coated) Moldboard only, not pushframe	\$1,053.95
Custom Powder Coat Colors		Paint - Custom	Please call Factory for available colors	call factory
Shoes:		-	Note: Shoes do not come standard with plow and are shipped loose-installation of shoes on plow is available at an additional cost. See installation cost listed below on price sheet.	

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE BOXED COMPRESSION TRIP EDGE REVERSIBLE PLOW

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Skid Shoes	170	00052867	Pair of 1.25" x 6" x 14" skid shoes 2 pc. cast shown with screw adjustable jack assemblies	\$1,525.82
Skid Shoes Installed	170	00052867i	Pair of 1.25" x 6" x 14" skid shoes 2 pc. Cast shown with screw adjustable jack assemblies (Installed)	\$1,558.99
Carbide Skid Shoes	180	00061207	Pair of 1" x 6" x 12" carbide skid shoes with carbide inserts and pair of screw adjustable jack assemblies	\$2,337.95
Carbide Skid Shoes Installed	180	00061207i	Pair of 1" x 6" x 12" carbide skid shoes with carbide inserts and pair of screw adjustable jack assemblies (Installed)	\$2,467.42
Mushroom Shoes Rigid	200	00012692	Pair of 2-1/4" x 11" diameter mushroom shoes with screw adjustable jack assemblies, rigid, non-oscillating	\$1,333.22
Mushroom Shoes Rigid Installed	200	00012692i	Pair of 2-1/4" x 11" diameter mushroom shoes with screw adjustable jack assemblies, rigid, non-oscillating (Installed)	\$1,357.83
Carbide Mushroom Shoes, Rigid	220	00061208	Pair of 1-1/8" x 10-1/4" diameter mushroom shoes with carbide inserts and screw adj. jack assemblies, rigid, non-oscillating	\$2,199.92
Carbide Mushroom Shoes, Rigid Installed	220	00061208i	Pair of 1-1/8" x 10-1/4" diameter mushroom shoes with carbide inserts and screw adj. Jack assemblies, rigid, non-oscillating (Installed)	\$2,237.37
ML-Products Oscillating Mushroom Shoes	250	00061209	Pair of ML - Products oscillating mushroom shoes 3" x 10-3/4" diameter with screw adjustable jack assemblies - Brinell 500	\$3,010.98
ML-Products Oscillating Mushroom Shoes Installed	250	00061209i	Pair of ML - Products oscillating mushroom shoes 3" x 10-3/4" diameter with screw adjustable jack assemblies - Brinell 500 (Installed)	\$3,065.55
Caster Wheels	160	00057967	Pair of 3" x 8" steel wheels with screw adjustable jack assemblies	\$1,923.86
Caster Wheels Installed	160	00057967i	Pair of 3" x 8" steel wheels with screw adjustable jack assemblies (Installed)	\$1,973.08
Pneumatic Tires	220	00106637	Pair of 16" pneumatic rubber tires with required mount extensions & screw adjustable jack assemblies. (Rating 1500 pounds per pair)	\$2,042.63
Pneumatic Tires Installed	220	00106637i	Pair of 16" pneumatic rubber tires with required mount extensions & screw adjustable jack assemblies. (Rating 1500 pounds per pair) (Installed)	\$2,116.46
Pneumatic Foam Filled Tires		00106638	Pair of 16" pneumatic foam filled rubber tires with required cross-tube extensions installed & screw adjustable jack assemblies. (Rating 1500 pounds per pair)	\$2,189.22
Pneumatic Foam Filled Tires Installed		00106638i	Pair of 16" foam filled pneumatic rubber tires with required cross-tube extensions installed & screw adjustable jack assemblies. (Rating 1500 pounds per pair (installed)	\$2,305.85
Snow Wheels		00149801	Pair of Sno-Wheels for plow with required mount. These are a swivel-type solid rubber 10.5" x 5.5" x 8" tire with screw-adjustable crank and shock adjuster-equipped. 2,000 lb load capacity per wheel; 6-bolt hub and Timken bearings.	\$4,623.63
Snow Wheels Installed		00149801i	Pair of Sno-Wheels for plow with required mount. These are a swivel-type solid rubber 10.5" x 5.5" x 8" tire with screw-adjustable crank and shock adjuster-equipped. 2,000 lb load capacity per wheel; 6-bolt hub and Timken bearings. (Installed)	\$4,656.96

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



MONROE BOXED COMPRESSION TRIP EDGE REVERSIBLE PLOW

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Options:		-	Note: All options shipped loose unless otherwise noted. Options can be installed on plow for additional charge - please see installation charge listed below.	
Rubber Snow Deflector 10'	80	00043103	12" rubber snow deflector (Plow has holes punched in top angle to accommodate rubber snow deflector.)	\$205.44
Rubber Snow Deflector 10' Installed	80	00043103i	12" rubber snow deflector (Plow has holes punched in top angle to accommodate rubber snow deflector.) (Installed)	\$248.24
Rubber Snow Deflector 11'	80	00043104	12" rubber snow deflector (Plow has holes punched in top angle to accommodate rubber snow deflector.)	\$231.12
Rubber Snow Deflector 11' Installed	80	00043104i	12" rubber snow deflector (Plow has holes punched in top angle to accommodate rubber snow deflector.) (Installed)	\$299.60
Rubber Snow Deflector 12'	80	00043105	12" rubber snow deflector (Plow has holes punched in top angle to accommodate rubber snow deflector.) (Loose)	\$251.45
Rubber Snow Deflector 12' Installed	80	00043105i	12" rubber snow deflector (Plow has holes punched in top angle to accommodate rubber snow deflector.) (Installed)	\$326.35
Cast Moldboard Shoes F/8"CE installed	140	00061797i	Pair of cast iron moldboard shoes bolted over standard 8" cutting edge. (Installed)	\$560.68
Fabricated Moldboard Shoes Installed for 6" CE	60	00059115i	Pair of fabricated moldboard shoes - works with 6" cutting edge or center punched cutting edge (Installed)	\$306.02
Cast Moldboard Shoes F/6"CE installed	140	00062549i	Pair of cast iron moldboard shoes - works with 6" cutting edge or center punched cutting edge (Installed)	\$456.89
Curb Guards:		-		
Wrap-Around Curb Guard	20	00039621i	Wrap-around curb guard (Installed) Designate Right or Left	\$98.44
Removable Screw Adjustable Parking Jack	30	00061212i	Removable Screw adjustable parking jack (Installed)	\$220.42
Flexible Plastic	5	05051432	Pair of 36" fluorescent orange flexible markers with brackets (Loose)	\$52.43
Cable Markers	5	05051181	Pair of 42" orange cable markers with brackets (loose)	\$52.43
Plow Portion Hitch:		-	Note: Plow portion hitches do not come standard with plow and are shipped loose. Installation of plow portion hitch is available at an additional charge - see hitch installation listed below on price sheet	
Monroe Quick Hitch - MC6000	175	00023450	Monroe plow portion quick hitch MC6000	\$994.03
Monroe Quick Hitch - MC6000 Installed	175	00023450i	Monroe plow portion quick hitch MC6000 (Installed)	\$1,119.22
Swivel Plate for Hitch w/ 21" Centers	100	00060837	Pin type swivel plate hitch available in 21" centers	\$491.13
Swivel Plate for Hitch w/ 21" Centers	100	00060837i	Pin type swivel plate hitch available in 21" centers (Installed)	\$625.95
Swivel Plate for Hitch w/ 30.5" Centers	100	00060822	Pin type swivel plate hitch available in 30.5" centers	\$518.95

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



MONROE BOXED COMPRESSION TRIP EDGE REVERSIBLE PLOW

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Swivel Plate for Hitch w/ 30.5" Centers Installed	100	00060822i	Pin type swivel plate hitch available in 30.5" centers (Installed)	\$553.19
Swivel Plate for Hitch w/ 33.5" Centers	100	00060836	Pin type swivel plate hitch available in 33.5" centers	\$547.84
Swivel Plate for Hitch w/ 33.5" Centers Installed	100	00060836i	Pin type swivel plate hitch available in 33.5" centers (Installed)	\$604.55
Swivel Plate for Falls Style Hitch - 36.75" w /1.25" Bolt		00017643i	Bolt - On NOTE: USE WITH MONROE PLOWS ONLY	\$1,016.50
Tor-lock Installed	105	00039953i	Plow portion tor-lock / arrowhead hitch (welded on type)	\$1,030.41
Tor-lock Pivot	70	00061320	Oscillating plow portion tor-lock / arrowhead hitch (bolt on type)	\$1,006.87
Tor-lock Pivot Installed	70	00061320i	Oscillating plow portion tor-lock / arrowhead hitch (bolt on type) (Installed)	\$1,103.17
QCP-loop Installed	80	00023428i	Plow portion QCP loop hitch (welded on type) (Installed)	\$720.11
SP-Gled-loop	100	00023427	Oscillating Gled-loop plow portion	\$814.27
SP-Gled-loop Installed	100	00023427i	Oscillating Gled-loop plow portion (Installed)	\$878.47
Quick Link Swivel Plate	100	00039999	Quick link plow portion swivel plate hitch	\$570.31
Quick Link Swivel Plate Installed	100	00039999i	Quick link plow portion swivel plate hitch (Installed)	\$633.44
Husting Hitches:	-		Note: Husting Hitch information sheet must be completed at time of order. (Use Husting Hitch FORM #02 located in the Appendix at the end of this pricebook) Monroe level lift not included with Husting Hitch	
29"	175	00069488i	29" Husting Hitch (Installed) Standard	\$1,621.05
34"	195	00069489i	34" Husting Hitch (Installed) Standard	\$1,582.53
Husting Hitch w/ extension for hitches w/ 29" Centers	195	00069490i	Husting hitch with 8" extension and top cross bracing (installed)	\$1,885.34
Husting Hitch w/ extension for hitches w/ 34" Centers	215	00069491i	Husting hitch with 8" extension and top cross bracing (installed)	\$1,763.36
Oscillating Husting Hitch 29" Centers	195	00039066i	29" Oscillating Husting Hitch (Installed)	\$1,824.35
Oscillating Husting Hitch 34" Centers	215	00039077i	34" Oscillating Husting Hitch (Installed)	\$1,954.89
Oscillating Husting Hitch w / extension 29"	215	00069492i	Oscillating Style Husting hitch with 8" extension and top cross bracing (installed)	\$2,055.47
Oscillating Husting Hitch w / extension 34" Style Hitch	235	00069493i	Oscillating Style Husting hitch with 8" extension and top cross bracing (installed)	\$2,108.97

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE BOXED COMPRESSION TRIP EDGE REVERSIBLE PLOW

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Roller Kit for Husting Hitch	55	00043300	Roller kit for Husting Hitch must be purchased with plow (Not Installed)	\$665.54

**For other options contact factory.
Prices and specifications subject to change without notice.
All pricing is F.O.B. factory Monroe, Wisconsin.
Prices effective Jan. 2018**

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE BOXED COMPRESSION TRIP EDGE REVERSIBLE PLOW

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



MONROE EXPRESSWAY FULL TRIP REVERSIBLE PLOW

MOLDBOARD IS _____" CENTER HEIGHT X _____" DISCHARGE ENDS X _____' LENGTH

Standard Equipment: 10 gauge roll-formed moldboard, seven ½" x 4" tapered, one-piece, flame cut ribs, 2" x 3" x 3/8" top angle, 4" x 4" x 3/4" bottom angle, horizontal moldboard angle bracing, dual Heavy Duty compression trip spring assemblies, 4" x 4" x 3/8" cross-tube support, 3-1/2" x 3-1/2" x 1/2" semi-circle two 3" x 10" double acting reverse cylinders with cushion valve. Built-in Monroe level lift assembly, moldboard and pushframe are to be 100% continuously welded, parts-installation manual.

Standard plow is powder coated with the moldboard orange and a black pushframe.

- **Plow has 14" push height (measured to the center of the A-Frame) with standard 8" cutting edge, one-piece, AASHTO hole pattern**
- **Power reverse angle of plow requires one 4-way valve to operate angle (not included)**
- **Manual reverse angle of plow requires no valve to operate angle**
- **Plow lift cylinder requires one 4-way valve for double acting lift cylinder (not included)**
- **Plow lift cylinder requires one 3-way valve for single acting lift cylinder (not included)**
- **Caution: When choosing truck portion of hitch, low profile will affect level lift**
- **Warranty: 1 year, limited, from date of purchase - please check parts-installation manual for exact coverage**

Caution: Plow weight, mounting distance from axle, hitch type and weight, and other additional equipment mounted on the front of a truck will require heavier truck GAWR (Gross Axle Weight Ratings). Contact chassis manufacturer for exact GAWR requirements for your specific equipment.

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
MPFT36-60-11-EXP	1945	00064075	36" center height, 60" discharge heights, 11' length	\$10,019.48
MPFT36-60-12-EXP	2100	00064076	36" center height, 60" discharge heights, 12' length	\$9,373.20
Moldboard:		Standard	10 gauge, roll-formed A569 Steel	
3/16" Moldboard	70	3/16" Moldboard-2	3/16" roll-formed moldboard A569 Steel	\$620.60
Moldboard Trip:		Standard	Dual compression trip spring assemblies	
Reversing Cylinders:		Standard	Two 3" x 10" double acting	
4" Cylinders	20	4PR	Two 4" x 10" double acting	\$203.30
Manual Reverse	<200>	Manual Reverse (Deduct)	Manual Reverse in lieu of 3" x 10" cylinders - NO reverse cylinders manual pin reverse, Left, Right & Center Positions	-\$411.95
Cutting Edge:		Standard	5/8" x 8" C1080 top punched cutting edge with AASHTO bolt hole spacing	

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



MONROE EXPRESSWAY FULL TRIP REVERSIBLE PLOW

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Carbide CE (PRICED Per FT)	50/Ft	Carbide	¾" x 6" carbide cutting edge with cover blade AASHTO bolt hole pattern Note: Carbide cutting edge will make height of plow decrease 2" **NOTE - Price for Carbide Cutting Edge is per FOOT**	\$155.15
Rubber CE (PRICE per FT)	50/ft	RCE-i	1-1/2" x 10" - one piece rubber cutting edge with cover blade AASHTO hole pattern (Installed) **NOTE - Price for Rubber Cutting Edge is per FOOT**	\$84.53
Paint:		Standard	Plow to be shot blasted with moldboard powder coated orange and pushframe powder coated black	
Other		Acrylic Enamel-2	Acrylic enamel in color other than standard (not powder coated), moldboard only, not push frame	\$652.70
Custom Powder Coat Colors		Paint - Custom - B	Please call Factory for available colors	call factory
Shoes:		-	Note: Shoes do not come standard with plow and are shipped loose - installation of shoes on plow is available at an additional cost. See installation cost listed below on price sheet.	
Skid Shoes	170	00052867	Pair of 1.25" x 6" x 14" skid shoes 2 pc. cast shown with screw adjustable jack assemblies	\$1,525.82
Skid Shoes Installed	170	00052867i	Pair of 1.25" x 6" x 14" skid shoes 2 pc. Cast shown with screw adjustable jack assemblies (Installed)	\$1,558.99
Carbide Skid Shoes	180	00061207	Pair of 1" x 6" x 12" carbide skid shoes with carbide inserts and pair of screw adjustable jack assemblies	\$2,337.95
Carbide Skid Shoes Installed	180	00061207i	Pair of 1" x 6" x 12" carbide skid shoes with carbide inserts and pair of screw adjustable jack assemblies (Installed)	\$2,467.42
Mushroom Shoes Rigid	200	00012692	Pair of 2-1/4" x 11" diameter mushroom shoes with screw adjustable jack assemblies, rigid, non-oscillating	\$1,333.22
Mushroom Shoes Rigid Installed	200	00012692i	Pair of 2-1/4" x 11" diameter mushroom shoes with screw adjustable jack assemblies, rigid, non-oscillating (Installed)	\$1,357.83
Carbide Mushroom Shoes, Rigid	220	00061208	Pair of 1-1/8" x 10-1/4" diameter mushroom shoes with carbide inserts and screw jack assemblies, rigid, non-oscillating	\$2,199.92
Carbide Mushroom Shoes, Rigid Installed	220	00061208i	Pair of 1-1/8" x 10-1/4" diameter mushroom shoes with carbide inserts and screw adj. Jack assemblies, rigid, non-oscillating (Installed)	\$2,237.37
ML-Products Oscillating Mushroom Shoes	250	00061209	Pair of ML-Products oscillating mushroom shoes 3" x 10-3/4" diameter with screw adjustable jack assemblies 500 Brinell	\$3,010.98
ML-Products Oscillating Mushroom Shoes Installed	250	00061209i	Pair of ML - Products oscillating mushroom shoes 3" x 10-3/4" diameter with screw adjustable jack assemblies - Brinell 500 (Installed)	\$3,065.55
Caster Wheels	160	00057967	Pair of 3" x 8" steel wheels with screw adjustable jack assemblies	\$1,923.86
Caster Wheels Installed	160	00057967i	Pair of 3" x 8" steel wheels with screw adjustable jack assemblies (Installed)	\$1,973.08
Pneumatic Tires	220	00106637	Pair of 16" pneumatic rubber tires with required mount extensions & screw adjustable jack assemblies. (Rating 1500 pounds per pair)	\$2,042.63

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



MONROE EXPRESSWAY FULL TRIP REVERSIBLE PLOW

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Pneumatic Tires Installed	220	00106637i	Pair of 16" pneumatic rubber tires with required mount extensions & screw adjustable jack assemblies. (Rating 1500 pounds per pair) (Installed)	\$2,116.46
Pneumatic Foam Filled Tires		00106638	Pair of 16" pneumatic foam filled rubber tires with required cross-tube extensions installed & screw adjustable jack assemblies. (Rating 1500 pounds per pair)	\$2,189.22
Pneumatic Foam Filled Tires Installed		00106638i	Pair of 16" foam filled pneumatic rubber tires with required cross-tube extensions installed & screw adjustable jack assemblies. (Rating 1500 pounds per pair) (installed)	\$2,305.85
Snow Wheels		00149801	Pair of Sno-Wheels for plow with required mount. These are a swivel-type solid rubber 10.5" x 5.5" x 8" tire with screw-adjustable crank and shock adjuster-equipped. 2,000 lb load capacity per wheel; 6-bolt hub and Timken bearings.	\$4,623.63
Snow Wheels Installed		00149801i	Pair of Sno-Wheels for plow with required mount. These are a swivel-type solid rubber 10.5" x 5.5" x 8" tire with screw-adjustable crank and shock adjuster-equipped. 2,000 lb load capacity per wheel; 6-bolt hub and Timken bearings. (Installed)	\$4,656.96
Options:		-	Note: All options shipped loose unless otherwise noted. Options can be installed on plow for additional charge - please see installation charge listed below.	
Rubber Snow Deflector 11'	80	00012935	12" rubber snow deflector, full length	\$239.68
Rubber Snow Deflector 11' Installed	80	00012935i	12" rubber snow deflector, full length -(Installed)	\$381.99
Rubber Snow Deflector 12'	80	00012936	12" rubber snow deflector, full length	\$246.10
Rubber Snow Deflector 12' Installed	80	00012936i	12" rubber snow deflector, full length -(Installed)	\$414.09
Cast Moldboard Shoes F/8" CE installed	140	00061797i	Pair of cast iron moldboard shoes bolted over standard 8" cutting edge. (Installed)	\$560.68
Fabricated Moldboard Shoes Installed for 6" CE	60	00059115i	Pair of fabricated moldboard shoes - works with 6" cutting edge or center punched cutting edge (Installed)	\$306.02
Curb Guards:		-		
Wrap-Around Curb Guard	20	00039621i	Wrap-around curb guard (Installed) Designate Right or Left	\$98.44
Removable Screw Adjustable Parking Jack	30	00061212i	Removable Screw adjustable parking jack (Installed)	\$220.42
Flexible Plastic	5	05051432	Pair of 36" fluorescent orange flexible markers with brackets (Loose)	\$52.43
Cable Markers	5	05051181	Pair of 42" orange cable markers with brackets (loose)	\$52.43
Plow Portion Hitch:		-	Note: Plow portion hitches don't come standard with plow and are shipped loose. Installation of plow portion hitch is available at an additional charge - see hitch installation listed below on price sheet. All options shipped loose unless otherwise noted	

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



MONROE EXPRESSWAY FULL TRIP REVERSIBLE PLOW

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Monroe Quick Hitch - MC6000	175	00023450	Monroe plow portion quick hitch MC6000	\$994.03
Monroe Quick Hitch - MC6000 Installed	175	00023450i	Monroe plow portion quick hitch MC6000 (Installed)	\$1,119.22
Swivel Plate for Hitch w/ 21" Centers	100	00060837	Pin type swivel plate hitch available in 21" centers	\$491.13
Swivel Plate for Hitch w/ 21" Centers	100	00060837i	Pin type swivel plate hitch available in 21" centers (Installed)	\$625.95
Swivel Plate for Hitch w/ 30.5" Centers	100	00060822	Pin type swivel plate hitch available in 30.5" centers	\$518.95
Swivel Plate for Hitch w/ 30.5" Centers Installed	100	00060822i	Pin type swivel plate hitch available in 30.5" centers (Installed)	\$553.19
Swivel Plate for Hitch w/ 33.5" Centers	100	00060836	Pin type swivel plate hitch available in 33.5" centers	\$547.84
Swivel Plate for Hitch w/ 33.5" Centers Installed	100	00060836i	Pin type swivel plate hitch available in 33.5" centers (Installed)	\$604.55
Swivel Plate for Falls Style Hitch - 36.75" w /1.25" Bolt		00017643i	Bolt - On NOTE: USE WITH MONROE PLOWS ONLY	\$1,016.50
Tor-lock Installed	105	00039953i	Plow portion tor-lock / arrowhead hitch (welded on type)	\$1,030.41
Tor-lock Pivot	70	00061320	Oscillating plow portion tor-lock / arrowhead hitch (bolt on type)	\$1,006.87
Tor-lock Pivot Installed	70	00061320i	Oscillating plow portion tor-lock / arrowhead hitch (bolt on type) (Installed)	\$1,103.17
QCP-loop Installed	80	00023428i	Plow portion QCP loop hitch (welded on type) (Installed)	\$720.11
SP-Gled-loop	100	00023427	Oscillating Gled-loop plow portion	\$814.27
SP-Gled-loop Installed	100	00023427i	Oscillating Gled-loop plow portion (Installed)	\$878.47
Quick Link Swivel Plate	100	00039999	Quick link plow portion swivel plate hitch	\$570.31
Quick Link Swivel Plate Installed	100	00039999i	Quick link plow portion swivel plate hitch (Installed)	\$633.44
Husting Hitches:		-	Note: Husting Hitch information sheet must be completed at time of order. (Use Husting Hitch FORM #02 located in the Appendix at the end of this pricebook) Monroe level lift not included with Husting Hitch	
29"	175	00069488i	29" Husting Hitch (Installed) Standard	\$1,621.05
34"	195	00069489i	34" Husting Hitch (Installed) Standard	\$1,582.53
Husting Hitch w/ extension for hitches w/ 29" Centers	195	00069490i	Husting hitch with 8" extension and top cross bracing (installed)	\$1,885.34
Husting Hitch w/ extension for hitches w/ 34" Centers	215	00069491i	Husting hitch with 8" extension and top cross bracing (installed)	\$1,763.36

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE EXPRESSWAY FULL TRIP REVERSIBLE PLOW

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Oscillating Husting Hitch 29" Centers	195	00039066i	29" Oscillating Husting Hitch (Installed)	\$1,824.35
Oscillating Husting Hitch 34" Centers	215	00039077i	34" Oscillating Husting Hitch (Installed)	\$1,954.89
Oscillating Husting Hitch w / extension 29"	215	00069492i	Oscillating Style Husting hitch with 8" extension and top cross bracing (installed)	\$2,055.47
Oscillating Husting Hitch w / extension 34" Style Hitch	235	00069493i	Oscillating Style Husting hitch with 8" extension and top cross bracing (installed)	\$2,108.97
Roller Kit for Husting Hitch	55	00043300	Roller kit for Husting Hitch must be purchased with plow (Not Installed)	\$665.54

**For other options contact factory.
Prices and specifications subject to change without notice.
All pricing is F.O.B. factory Monroe, Wisconsin.
Prices effective Jan. 2018**

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE EXPRESSWAY FULL TRIP REVERSIBLE PLOW

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE EXPRESSWAY SLOTTED TRIP REVERSIBLE PLOW

MOLDBOARD IS _____" CENTER HEIGHT X _____" DISCHARGE HEIGHTS X _____' LENGTH

Standard Equipment: 10 gauge roll formed moldboard, six ½" x 4" tapered, one-piece flame cut ribs, 2" x 3" x 3/8" top angle, 4" x 6" x 1/2" bottom angle, horizontal moldboard angle bracing, slotted trip assemblies with four slide assemblies, two heavy duty trip spring assemblies, stabilizer arm with shear pins, 4" x 4" x 3/8" cross-tube support, 3-1/2" x 3-1/2" x 1/2" semi-circle, two 3" x 10" double acting reverse cylinders with cushion valve, moldboard and pushframe are to be 100% continuously welded, parts-installation manual.

Standard plow is powder coated with the moldboard orange and a black pushframe.

- **Plow push height is 14" (measured to the center of the A-Frame) with standard 8" cutting edge, one-piece, AASHTO hole pattern**
- **Power reverse angle of plow requires one 4-way valve to operate angle (not included)**
- **Manual reverse angle of plow requires no valve to operate angle**
- **Plow lift cylinder requires one 4-way valve for double-acting lift cylinder (not included)**
- **Plow lift cylinder requires one 3-way valve for single-acting lift cylinder (not included)**
- **Caution: When choosing truck portion of hitch, low profile will affect level lift**
- **Warranty: 1 year, limited, from date of purchase, please check parts-installation manual for exact coverage**
- **Standard with pair of bolt-on non-adjustable 11" mushroom shoes**

Caution: Plow weight, mounting distance from axle, hitch type and weight, and other additional equipment mounted on the front of a truck will require heavier truck GAWR (Gross Axle Weight Ratings). Contact chassis manufacturer for exact GAWR requirements for your specific equipment.

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
MPHS40-58-11	2400	00072574	40" center height, 58" discharge heights, 11' length	\$13,535.50
MPHS40-58-12	2600	00048641	40" center height, 58" discharge heights, 12' length	\$13,938.89
MPHS48-66-11	2500	00016681	48" center height, 66" discharge heights, 11' length	\$13,620.03
MPHS48-66-12	2750	00016518	48" center height, 66" discharge heights, 12' length	\$14,206.39
Moldboard:		Standard	10 gauge, roll-formed A569 steel	
3/16" Moldboard	70	3/16" Moldboard-3	3/16" roll-formed moldboard A569 steel	\$1,326.80
Moldboard Trip:		Standard	Slotted trip moldboard with four slide assemblies, two heavy duty trip spring assemblies with stabilizer arm and shear pins	
Pushframe:		Standard	14" plow push height	
Reversing Cylinders:		Standard	Two 3" x 10" double acting reverse cylinders	

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



MONROE EXPRESSWAY SLOTTED TRIP REVERSIBLE PLOW

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
4" Cylinders	20	4PR	Two 4" x 10" double acting	\$203.30
Manual Reverse	<200>	Manual Reverse (Deduct)	Manual Reverse in lieu of 3" x 10" cylinders - NO reverse cylinders manual pin reverse, Left, Right & Center Positions	-\$411.95
Shoes:		Standard	Pair of bolt non-adjustable 11" mushroom shoes	
Cutting Edge:		Standard	5/8" x 8" C1080 center punched cutting edge with AASHTO hole spacing	
Carbide CE (PRICED Per FT)	50/Ft	Carbide	3/4" x 6" carbide cutting edge with cover blade AASHTO bolt hole pattern Note: Carbide cutting edge will make height of plow decrease 2" ***NOTE - Price for Carbide Cutting Edge is per FOOT**	\$155.15
Rubber CE (PRICE per FT)	50/ft	RCE-i	1-1/2" x 10" - one piece rubber cutting edge with cover blade AASHTO hole pattern (Installed) **NOTE - Price for Rubber Cutting Edge is per FOOT**	\$84.53
Paint:		Standard	Plow to be shot blasted with moldboard powder coated orange and pushframe powder coated black	
Other		Acrylic Enamel-3	Acrylic enamel in color other than standard (not powder coated), moldboard only, not pushframe	\$684.80
Custom Powder Coat Colors		Paint - Custom	Please call Factory for available colors	call factory
Options:		-	Note: All options shipped loose unless otherwise noted. Options can be installed on plow for additional charge - please see installation charge listed below.	
Rubber Snow Deflector 11'	80	00012935	12" rubber snow deflector, full length	\$239.68
Rubber Snow Deflector 11' Installed	80	00012935i	12" rubber snow deflector, full length -(Installed)	\$381.99
Rubber Snow Deflector 12'		00012936	12" rubber snow deflector, full length	\$246.10
Rubber Snow Deflector 12' Installed	80	00012936i	12" rubber snow deflector, full length -(Installed)	\$414.09
Cast Moldboard Shoes Installed	140	00069269i	Pair of cast iron moldboard shoes (installed)	\$343.47
Removable Screw Adjustable Parking Jack	30	00061212i	Removable Screw adjustable parking jack (Installed)	\$220.42
Flexible Plastic	5	05051432	Pair of 36" fluorescent orange flexible markers with brackets (Loose)	\$52.43
Cable Markers	5	05051181	Pair of 42" orange cable markers with brackets (loose)	\$52.43
Plow Portion Hitch:		-	Note: Plow portion hitches do not come standard with plow and are shipped loose. Installation of plow portion hitch is available at an additional charge - see hitch installation listed below on price sheet.	
Monroe Quick Hitch - MC6000	175	00023450	Monroe plow portion quick hitch MC6000	\$994.03

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE EXPRESSWAY SLOTTED TRIP REVERSIBLE PLOW

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Monroe Quick Hitch - MC6000 Installed	175	00023450i	Monroe plow portion quick hitch MC6000 (Installed)	\$1,119.22
Swivel Plate for Hitch w/ 21" Centers	100	00060837	Pin type swivel plate hitch available in 21" centers	\$491.13
Swivel Plate for Hitch w/ 21" Centers	100	00060837i	Pin type swivel plate hitch available in 21" centers (Installed)	\$625.95
Swivel Plate for Hitch w/ 30.5" Centers	100	00060822	Pin type swivel plate hitch available in 30.5" centers	\$518.95
Swivel Plate for Hitch w/ 30.5" Centers Installed	100	00060822i	Pin type swivel plate hitch available in 30.5" centers (Installed)	\$553.19
Swivel Plate for Hitch w/ 33.5" Centers	100	00060836	Pin type swivel plate hitch available in 33.5" centers	\$547.84
Swivel Plate for Hitch w/ 33.5" Centers Installed	100	00060836i	Pin type swivel plate hitch available in 33.5" centers (Installed)	\$604.55
Swivel Plate for Falls Style Hitch 36.75" w/ 1.25" Bolt		00017643i	Bolt On - NOTE: USE WITH MONROE PLOWS ONLY	\$1,016.50
Tor-lock Installed	105	00039953i	Plow portion tor-lock / arrowhead hitch (welded on type)	\$1,030.41
Tor-lock Pivot	70	00061320	Oscillating plow portion tor-lock / arrowhead hitch (bolt on type)	\$1,006.87
Tor-lock Pivot Installed	70	00061320i	Oscillating plow portion tor-lock / arrowhead hitch (bolt on type) (Installed)	\$1,103.17
QCP-loop Installed	80	00023428i	Plow portion QCP loop hitch (welded on type) (Installed)	\$720.11
SP-Gled-loop	100	00023427	Oscillating Gled-loop plow portion	\$814.27
SP-Gled-loop Installed	100	00023427i	Oscillating Gled-loop plow portion (Installed)	\$878.47
Quick Link Swivel Plate	100	00039999	Quick link plow portion swivel plate hitch	\$570.31
Quick Link Swivel Plate Installed	100	00039999i	Quick link plow portion swivel plate hitch (Installed)	\$633.44

**For other options contact factory.
Prices and specifications subject to change without notice.
All pricing is F.O.B. factory Monroe, Wisconsin.
Prices effective Jan. 2018**

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE EXPRESSWAY SLOTTED TRIP REVERSIBLE PLOW

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



MONROE FIXED ANGLE FULL TRIP ONE - WAY PLOW

MOLDBOARD IS: _____ ” **INTAKE x** _____ ” **DISCHARGE X** _____ ’ **LENGTH**

Standard Equipment: 10 gauge roll formed moldboard, five ½” x 4” tapered, one piece, flame-cut ribs, 2” x 3” x 3/8” top angle, 4” x 4” x ¾” bottom angle, horizontal moldboard angle bracing, ¼” landslide plate, dual compression trip spring assemblies for full moldboard trip, 4” x 4” x 3/8” cross-tube support, 35 degree fixed angle moldboard with heavy-duty push frame and two chain lift. Moldboard and pushframe are to be 100% continuously welded, parts-installation manual.

Standard plow is powder coated with the moldboard orange and a black pushframe.

- **Plow has 14” push height (measured to the center of the A-Frame)with standard 8” cutting edge, one piece, AASHTO hole pattern**
- **Power reverse option requires one 4-way valve to operate angle (not included)**
- **Manual reverse option requires no valve to operate angle**
- **Plow lift cylinder requires one 4-way valve for double-acting lift cylinder (not included)**
- **Plow lift cylinder requires one 3-way valve for single-acting lift cylinder (not included)**
- **Warranty: 1 year, limited, from date of purchase, please check parts-installation manual for exact coverage**

Note: Plow part numbers are only valid for non-husting hitch types

Caution: Plow weight, mounting distance from axle, hitch type and weight, and other additional equipment mounted on the front of a truck will require heavier truck GAWR (Gross Axle Weight Ratings). Contact chassis manufacturer for exact GAWR requirements for your specific equipment.

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
MPFA30-47-10-CT	1280	00055074	30" intake height, 47" discharge height, 10' length	\$6,025.17
MPFA30-47-10-ISCT	1370	00061855	30" intake height, 47" discharge height, 10' length with integral shield	\$7,204.31
MPFA30-47-11-CT	1350	00042600	30" intake height, 47" discharge height, 11' length	\$5,990.93
MPFA30-47-11-ISCT	1440	00061856	30" intake height, 47" discharge height, 11' length with integral shield	\$6,650.05
MPFA39-52-10-CT	1450	02120110	39" intake height, 52" discharge height 10' length	\$6,923.97
MPFA39-52-10-ISCT	1540	00061807	39" intake height, 52" discharge height 10' length with integral shield	\$7,586.30
MPFA39-52-11-CT	1540	00042603	39" intake height, 52" discharge height 11' length	\$7,103.73
MPFA39-52-11-ISCT	1630	00061808	39" intake height, 52" discharge height 11' length with integral shield	\$6,959.28

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



MONROE FIXED ANGLE FULL TRIP ONE - WAY PLOW

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
MPFA39-52-12-CT	1640	00042604	39" intake height, 52" discharge height 12' length	\$7,366.95
MPFA39-52-12-ISCT	1730	00016291	39" intake height, 52" discharge height, 12' length with integral shield	\$7,115.50
MPFA30-60-10-ISCT	1620	MPFA30-60-10-ISCT	30" intake height, 60" discharge height, 10' length	\$7,029.90
MPFA30-60-11-ISCT	1710	00061819	30" intake height, 60" discharge height, 11' length with integral shield	\$7,081.26
MPFA30-60-12-ISCT	1990	00061820	30" intake height, 60" discharge height, 12' length with integral shield	\$7,449.34
Moldboard:		Standard	10 gauge, A569 roll formed mild steel moldboard	
3/16" Moldboard	70	3/16" Moldboard-4	3/16" A569 roll-formed moldboard mild steel moldboard	\$1,551.50
Moldboard Trip:		Standard	Dual compression trip spring assembly for full moldboard trip	
Canister Trip		BT	Enclosed trip spring assembly	\$1,551.50
Compression Trip Edge	500	TE	3 piece section trip edge with compression trip assembly will increase height by 3"	\$1,412.40
Torsion Trip Edge	400	TT	3 piece section trip edge with torsion trip assembly will increase height by 3"	call factory
Pushframe:		Standard	Fixed Angle	
Manual Reverse	200	MR	Manual reverse turntable (No Level Lift Assembly)	\$541.42
Dual 3" x 10" Cylinders for Power Reverse	250	PRT	Reversible turntable with two 3" x 10" double acting reverse cylinders for power reverse with one continuous chain with clevis (No Level Lift Assembly)	\$802.50
4" Cylinders	270	4PRT	Reversible turntable with two 4" x 10" double acting reverse cylinders for power reverse with one continuous chain with clevis (No Level Lift Assembly)	\$1,214.45
Cutting Edge:		Standard	5/8" x 8" C1080 top punched cutting edge with AASHTO bolt hole spacing	
Carbide CE (PRICED Per FT)	50/Ft	Carbide	3/4" x 6" carbide cutting edge with cover blade AASHTO bolt hole pattern Note: Carbide cutting edge will make height of plow decrease 2" **NOTE - Price for Carbide Cutting Edge is per FOOT**	\$155.15
Rubber CE (PRICE per FT)	50/ft	RCE-i	1-1/2" x 10" - one piece rubber cutting edge with cover blade AASHTO hole pattern (Installed) **NOTE - Price for Rubber Cutting Edge is per FOOT**	\$84.53
Paint:		Standard	Plow to be shot blasted with moldboard powder coated orange and pushframe powder coated black	
Other		Acrylic Enamel-1b	Acrylic enamel in color other than standard (not powder coat), moldboard only, not pushframe	\$652.70
Custom Powder Coat Colors		Paint - Custom - B	Please call Factory for available colors	call factory
Shoes:		-	Note: Shoes do not come standard with plow and are shipped loose - installation of shoes on plow is available at an additional cost. See installation cost listed below on price sheet.	

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE FIXED ANGLE FULL TRIP ONE - WAY PLOW

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Skid Shoes	170	00052867	Pair of 1.25" x 6" x 14" skid shoes 2 pc. cast shown with screw adjustable jack assemblies	\$1,525.82
Skid Shoes Installed	170	00052867i	Pair of 1.25" x 6" x 14" skid shoes 2 pc. Cast shown with screw adjustable jack assemblies (Installed)	\$1,558.99
Carbide Skid Shoes	180	00061207	Pair of 1" x 6" x 12" carbide skid shoes with carbide inserts and pair of screw adjustable jack assemblies	\$2,337.95
Carbide Skid Shoes Installed	180	00061207i	Pair of 1" x 6" x 12" carbide skid shoes with carbide inserts and pair of screw adjustable jack assemblies (Installed)	\$2,467.42
Mushroom Shoes Rigid	200	00012692	Pair of 2-1/4" x 11" diameter mushroom shoes with screw adjustable jack assemblies, rigid, non-oscillating	\$1,333.22
Mushroom Shoes Rigid Installed	200	00012692i	Pair of 2-1/4" x 11" diameter mushroom shoes with screw adjustable jack assemblies, rigid, non-oscillating (Installed)	\$1,357.83
Carbide Mushroom Shoes, Rigid	220	00061208	Pair of 1-1/8" x 10-1/4" diameter mushroom shoes with carbide inserts and screw adj. jack assemblies, rigid, non-oscillating	\$2,199.92
Carbide Mushroom Shoes, Rigid Installed	220	00061208i	Pair of 1-1/8" x 10-1/4" diameter mushroom shoes with carbide inserts and screw adj. Jack assemblies, rigid, non-oscillating (Installed)	\$2,237.37
ML-Products Oscillating Mushroom Shoes	250	00061209	Pair of ML - Products oscillating mushroom shoes 3" x 10-3/4" diameter with screw adjustable jack assemblies - Brinell 500	\$3,010.98
ML-Products Oscillating Mushroom Shoes Installed	250	00061209i	Pair of ML - Products oscillating mushroom shoes 3" x 10-3/4" diameter with screw adjustable jack assemblies - Brinell 500 (Installed)	\$3,065.55
Caster Wheels	160	00057967	Pair of 3" x 8" steel wheels with screw adjustable jack assemblies	\$1,923.86
Caster Wheels Installed	160	00057967i	Pair of 3" x 8" steel wheels with screw adjustable jack assemblies (Installed)	\$1,973.08
Pneumatic Tires	220	00106637	Pair of 16" pneumatic rubber tires with required mount extensions & screw adjustable jack assemblies. (Rating 1500 pounds per pair)	\$2,042.63
Pneumatic Tires Installed	220	00106637i	Pair of 16" pneumatic rubber tires with required mount extensions & screw adjustable jack assemblies. (Rating 1500 pounds per pair) (Installed)	\$2,116.46
Pneumatic Foam Filled Tires		00106638	Pair of 16" pneumatic foam filled rubber tires with required cross-tube extensions installed & screw adjustable jack assemblies. (Rating 1500 pounds per pair)	\$2,189.22
Pneumatic Foam Filled Tires Installed		00106638i	Pair of 16" foam filled pneumatic rubber tires with required cross-tube extensions installed & screw adjustable jack assemblies. (Rating 1500 pounds per pair) (installed)	\$2,305.85
Snow Wheels		00149801	Pair of Sno-Wheels for plow with required mount. These are a swivel-type solid rubber 10.5" x 5.5" x 8" tire with screw-adjustable crank and shock adjuster-equipped. 2,000 lb load capacity per wheel; 6-bolt hub and Timken bearings.	\$4,623.63
Snow Wheels Installed		00149801i	Pair of Sno-Wheels for plow with required mount. These are a swivel-type solid rubber 10.5" x 5.5" x 8" tire with screw-adjustable crank and shock adjuster-equipped. 2,000 lb load capacity per wheel; 6-bolt hub and Timken bearings. (Installed)	\$4,656.96

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE FIXED ANGLE FULL TRIP ONE - WAY PLOW

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Options:		-	Note: All options shipped loose unless otherwise noted. Options can be installed on plow for additional charge - please see installation charge listed below.	
Rubber Snow Deflector Installed	80	RSD	12" rubber snow deflector full length	\$317.79
Cast Moldboard Shoes F/8"CE installed	140	00061797i	Pair of cast iron moldboard shoes bolted over standard 8" cutting edge. (Installed)	\$560.68
Fabricated Moldboard Shoes Installed for 6" CE	60	00059115i	Pair of fabricated moldboard shoes - works with 6" cutting edge or center punched cutting edge (Installed)	\$306.02
Wrap-Around Curb Guard	20	00039621i	Wrap-around curb guard (Installed) Curb Side Only	\$98.44
Removable Screw Adjustable Parking Jack	30	00061212i	Removable Screw adjustable parking jack (Installed)	\$220.42
Flexible Plastic	5	05051432	Pair of 36" fluorescent orange flexible markers with brackets (Loose)	\$52.43
Cable Markers	5	05051181	Pair of 42" orange cable markers with brackets (loose)	\$52.43
Plow Portion Hitch:		-	Note: Plow portion hitches do not come standard with plow and are shipped loose. Installation of plow portion hitch is available at an additional charge - see hitch installation listed below on price sheet.	
Monroe Quick Hitch - MC6000	175	00023450	Monroe plow portion quick hitch MC6000	\$994.03
Monroe Quick Hitch - MC6000 Installed	175	00023450i	Monroe plow portion quick hitch MC6000 (Installed)	\$1,119.22
Swivel Plate for Hitch w/ 21" Centers	100	00060837	Pin type swivel plate hitch available in 21" centers	\$491.13
Swivel Plate for Hitch w/ 21" Centers	100	00060837i	Pin type swivel plate hitch available in 21" centers (Installed)	\$625.95
Swivel Plate for Hitch w/ 30.5" Centers	100	00060822	Pin type swivel plate hitch available in 30.5" centers	\$518.95
Swivel Plate for Hitch w/ 30.5" Centers Installed	100	00060822i	Pin type swivel plate hitch available in 30.5" centers (Installed)	\$553.19
Swivel Plate for Hitch w/ 33.5" Centers	100	00060836	Pin type swivel plate hitch available in 33.5" centers	\$547.84
Swivel Plate for Hitch w/ 33.5" Centers Installed	100	00060836i	Pin type swivel plate hitch available in 33.5" centers (Installed)	\$604.55
Swivel Plate for Falls Style Hitch 36.75" w/ 1.25" Bolt		00017643i	Bolt On - NOTE: USE WITH MONROE PLOWS ONLY	\$1,016.50
Tor-lock Installed	105	00039953i	Plow portion tor-lock / arrowhead hitch (welded on type)	\$1,030.41
Tor-lock Pivot	70	00061320	Oscillating plow portion tor-lock / arrowhead hitch (bolt on type)	\$1,006.87

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



MONROE FIXED ANGLE FULL TRIP ONE - WAY PLOW

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Tor-lock Pivot Installed	70	00061320i	Oscillating plow portion tor-lock / arrowhead hitch (bolt on type) (Installed)	\$1,103.17
QCP-loop Installed	80	00023428i	Plow portion QCP loop hitch (welded on type) (Installed)	\$720.11
SP-Gled-loop	100	00023427	Oscillating Gled-loop plow portion	\$814.27
SP-Gled-loop Installed	100	00023427i	Oscillating Gled-loop plow portion (Installed)	\$878.47
Quick Link Swivel Plate	100	00039999	Quick link plow portion swivel plate hitch	\$570.31
Quick Link Swivel Plate Installed	100	00039999i	Quick link plow portion swivel plate hitch (Installed)	\$633.44
Husting Hitches:	-	-	Note: Husting Hitch information sheet must be completed at time of order. (Use Husting Hitch FORM #02 located in the Appendix at the end of this pricebook) Monroe level lift not included with Husting Hitch	
29"	175	00069488i	29" Husting Hitch (Installed) Standard (Rev)	\$1,621.05
29"		00016788i	29" Husting Hitch (Installed) OWFA	\$2,258.77
34"	195	00069489i	34" Husting Hitch (Installed) Standard (Rev)	\$1,582.53
34"		00085343i	34" Husting Hitch (Installed) OWFA	\$1,912.09
29" Husting Hitch	195	00069490i	29" (Rev) Husting hitch with 8" extension & top	\$1,885.34
34" Husting Hitch with ext.	215	00069491i	34" (Rev) cross bracing w/ 8" ext. (installed)	\$1,763.36
		00049839i	34" Husting Hitch (Installed) OWFA	\$2,102.55
Oscillating Husting Hitch 29" Centers	195	00039066i	29" Oscillating Husting Hitch (Installed)	\$1,824.35
Oscillating Husting Hitch 34" Centers	215	00039077i	34" Oscillating Husting Hitch (Installed)	\$1,954.89
Oscillating Husting Hitch w / extension 29"	215	00069492i	Oscillating Style Husting hitch with 8" extension and top cross bracing (installed)	\$2,055.47
Oscillating Husting Hitch w / extension 34" Style Hitch	235	00069493i	Oscillating Style Husting hitch with 8" extension and top cross bracing (installed)	\$2,108.97
Roller Kit for Husting Hitch	55	00043300	Roller kit for Husting Hitch must be purchased with plow (Not Installed)	\$665.54

**For other options contact factory.
Prices and specifications subject to change without notice.
All pricing is F.O.B. factory Monroe, Wisconsin.
Prices effective Jan. 2018**

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE FIXED ANGLE FULL TRIP ONE - WAY PLOW

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE MP311 & 312 FULL TRIP ONE-WAY PLOWS

MOLDBOARD IS _____" INTAKE X _____" DISCHARGE X _____'LENGTH

Standard Equipment: 10 gauge roll formed moldboard; five ½" flame cut one-piece ribs; 2" x 3" x 3/8" top angle, 4" x 4" x 3/4" bottom angle, 3" x 3" x 1/2" horizontal moldboard bracing angles, 3/8" landslide plate; nose guard; dual heavy-duty compression trip spring assemblies for full moldboard trip; adjustable moldboard pitch with 9 positions from 9° to 35°; 5/8" x 8" top punched cutting edge; heavy-duty fixed angle tubular pushframe; moldboard and pushframe are 100% blade AASHTO hole pattern (Installed)

Moldboard is powder coated orange and the pushframe is powder coated black.

- **Plow push height is 14"**
- **Plow lift cylinder requires one 4-way valve blade AASHTO hole pattern (Installed)**
- **Plow lift cylinder requires one 3-way valve for single acting lift cylinder (not included)**
- **Warranty: 1-year, limited, from date of purchase, please check parts installation manual for exact coverage**

Caution: Plow weight, mounting distance from axle, hitch type and weight, and other additional equipment mounted on the front of a truck qill require heavier truck GAWR (Gross Axle Weight Ratings). Contact chassis manufacturer for exact GAWR requirements for your specific equipment.

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
MP311	1450	00012497	27-1/2" intake, 52" discharge, 11' cutting edge length	\$7,801.37
MP312	1785	00012618	27-1/2" intake, 60" discharge, 12' cutting edge	\$8,111.67
Moldboard:		Standard	10 gauge A569 roll formed mild steel moldboard	
3/16" Moldboard	70	3/16" Moldboard-4	3/16" A569 roll formed mild steel moldboard	\$1,551.50
Moldboard Trip:		Standard	Dual compression trip spring assembly for full moldboard trip	
Pushframe:		Standard	Fixed Angle	
Manual Reverse	200	MR	Manual reverse turntable	\$541.42
Dual 3" x 10" Cylinders for Power Reverse	250	PRT	Reversible turntable with two 3" x 10" double acting reverse cylinders for power reverse (no level lift assembly)	\$802.50
4" Cylinders	270	4PRT	Reversible turntable with two 4" x 10" double acting reverse cylinders for power reverse (no level lift assembly)	\$1,214.45

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



MONROE MP311 & 312 FULL TRIP ONE-WAY PLOWS

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Cutting Edge		Standard	5/8" x 8" C1080 top punched cutting edge with AASHTO bolt hole spacing	
Carbide CE (PRICED Per FT)	50/Ft	Carbide	¾" x 6" carbide cutting edge with cover blade AASHTO bolt hole pattern Note: Carbide cutting edge will make height of plow decrease 2" **NOTE - Price for Carbide Cutting Edge is per FOOT**	\$155.15
Rubber CE (PRICE per FT)	50/ft	RCE-i	1-1/2" x 10" - one piece rubber cutting edge with cover blade AASHTO hole pattern (Installed) **NOTE - Price for Rubber Cutting Edge is per FOOT**	\$84.53
Paint:		Standard	Plow to be shot blasted with moldboard powder coated orange and pushframe powder coated black	
Other		Acrylic Enamel-4	Acrylic enamel in color other than standard (not powder coat)	\$652.70
Custom Powder Coat Colors		Paint - Custom - B	Please call Factory for available colors	call factory
Shoes:		-	Note: Shoes do not come standard with plow and are shipped loose - installation of shoes on plow is available at an additional cost. See installation cost listed below on price sheet.	
Skid Shoes	170	00052867	Pair of 1" x 6" skid shown with screw adjustable jack assemblies	\$1,525.82
Skid Shoes		00052867i	Pair of 1.25"x6"x14" skid shoes 2 pc. Cast shown with screw adjustable jack assemblies	\$1,558.99
Carbide Skid Shoes	180	00061207	Pair of 1" x 6" x 12" carbide skid shoes with carbide inserts and pair of screw adjustable jack assemblies	\$2,337.95
Mushroom Shoes Rigid	200	00012692	Pair of 2-1/4" x 11" diameter mushroom shoes with screw adjustable jack assemblies, rigid, non-oscillating	\$1,333.22
Mushroom Shoes Rigid Installed	200	00012692i	Pair of 2-1/4" x 11" diameter mushroom shoes with screw adjustable jack assemblies, rigid, non-oscillating (Installed)	\$1,357.83
Carbide Mushroom Shoes, Rigid	220	00061208	Pair of 1-1/8" x 10-1/4" diameter mushroom shoes with carbide inserts and screw adj. jack assemblies, rigid, non-oscillating	\$2,199.92
Carbide Mushroom Shoes, Rigid Installed	220	00061208i	Pair of 1-1/8" x 10-1/4" diameter mushroom shoes with carbide inserts and screw adj. Jack assemblies, rigid, non-oscillating (Installed)	\$2,237.37
ML-Products Oscillating Mushroom Shoes	250	00061209	Pair of ML - Products oscillating mushroom shoes 3" x 10-3/4" diameter with screw adjustable jack assemblies - Brinell 500 blade AASHTO hole pattern (Installed)	\$3,010.98
ML-Products Oscillating Mushroom Shoes Installed	250	00061209i	Pair of ML - Products oscillating mushroom shoes 3" x 10-3/4" diameter with screw adjustable jack assemblies - Brinell 500 (Installed)	\$3,065.55
Snow Wheels		00149801	Pair of Sno-Wheels for plow with required mount. These are a swivel-type solid rubber 10.5" x 5.5" x 8" tire with screw-adjustable crank and shock adjuster-equipped. 2,000 lb load capacity per wheel; 6-bolt hub and Timken bearings.	\$4,623.63
Snow Wheels Installed		00149801i	Pair of Sno-Wheels for plow with required mount. These are a swivel-type solid rubber 10.5" x 5.5" x 8" tire with screw-adjustable crank and shock adjuster-equipped. 2,000 lb load capacity per wheel; 6-bolt hub and Timken bearings. (Installed)	\$4,656.96

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE MP311 & 312 FULL TRIP ONE-WAY PLOWS

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Options:		-	Note: All options shipped loose unless otherwise noted. Options can be installed on plow for additional charge - please see installation charge listed below.	
Rubber Snow	80	RSD	12" rubber snow deflector full length	\$317.79
Cast Moldboard Shoes Installed	140	00069269i	Pair of cast iron moldboard shoes (installed)	\$343.47
Fabricated Moldboard Shoes Installed for 6" CE	60	00059115i	Pair of fabricated moldboard shoes - works with 6" cutting edge or center punched cutting edge (Installed)	\$306.02
Curb Guards:		-		
Wrap-Around	20	00097938i	Wrap-around curb guard (Installed)	\$173.34
Removable Screw Adjustable Parking Jack	30	00061212i	Removable Screw adjustable parking jack (Installed)	\$220.42
Markers:		-		
Flexible Plastic	5	05051432	Pair of 36" fluorescent orange flexible markers with brackets (Loose)	\$52.43
Cable Markers	5	05051181	Pair of 42" orange cable markers with brackets (loose)	\$52.43
Plow Portion Hitch:		-	Note: Plow portion hitches do not come standard with plow and are shipped loose. Installation of plow portion hitch is available at an additional charge - see hitch installation listed below on price sheet	
Monroe Quick Hitch - MC6000	175	00023450	Monroe plow portion quick hitch MC6000	\$994.03
Monroe Quick Hitch - MC6000 Installed	175	00023450i	Monroe plow portion quick hitch MC6000 (Installed)	\$1,119.22
Swivel Plate for Hitch w/ 21" Centers	100	00060837	Pin type swivel plate hitch available in 21" centers	\$491.13
Swivel Plate for Hitch w/ 21" Centers	100	00060837i	Pin type swivel plate hitch available in 21" centers (Installed)	\$625.95
Swivel Plate for Hitch w/ 30.5" Centers	100	00060822	Pin type swivel plate hitch available in 30.5" centers	\$518.95
Swivel Plate for Hitch w/ 30.5" Centers Installed	100	00060822i	Pin type swivel plate hitch available in 30.5" centers (Installed)	\$553.19
Swivel Plate for Hitch w/ 33.5" Centers	100	00060836	Pin type swivel plate hitch available in 33.5" centers	\$547.84
Swivel Plate for Hitch w/ 33.5" Centers Installed	100	00060836i	Pin type swivel plate hitch available in 33.5" centers (Installed)	\$604.55
Swivel Plate for Falls Style Hitch 36.75" w/ 1.25" Bolt		00017643i	Bolt On - NOTE: USE WITH MONROE PLOWS ONLY	\$1,016.50
Tor-lock	75	00039927i	Plow portion tor-lock / arrowhead hitch (Installed)	\$378.78

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE MP311 & 312 FULL TRIP ONE-WAY PLOWS

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Tor-lock Pivot	70	00061320	Oscillating plow portion tor-lock / arrowhead hitch (bolt on type)	\$1,006.87
Tor-lock Pivot Installed	70	00061320i	Oscillating plow portion tor-lock / arrowhead hitch (bolt on type) (Installed)	\$1,103.17
QCP-loop Installed	80	00023428i	Plow portion QCP loop hitch (welded on type) (Installed)	\$720.11
SP-Gled-loop	100	00023427	Oscillating Gled-loop plow portion	\$814.27
SP-Gled-loop Installed	100	00023427i	Oscillating Gled-loop plow portion (Installed)	\$878.47
Quick Link Swivel	100	00039999	blade AASHTO hole pattern (Installed)	\$570.31
Quick Link Swivel Plate Installed	100	00039999i	Quick link plow portion swivel plate hitch (Installed)	\$633.44
Husting Hitches:	-		Note: Husting Hitch information sheet must be completed at time of order. (Use Husting Hitch FORM #02 located in the Appendix at the end of this pricebook) Monroe level lift not included with Husting Hitch	
29"	175	00016788i	29" Husting Hitch (Installed)	\$2,258.77
34"	195	00085343i	34" Husting Hitch (Installed)	\$1,912.09
Husting Hitch w/ extension for hitches w/ 29" Centers	195	00069490i	Husting hitch with 8" extension and top cross bracing (installed)	\$1,885.34
Husting Hitch w/ extension for hitches w/ 34" Centers	215	00069491i	Husting Hitch with 8" extension and top cross bracing (installed)	\$1,763.36
Oscillating Husting Hitch 29" Centers	195	00039066i	29" Oscillating Husting Hitch (Installed)	\$1,824.35
Oscillating Husting Hitch 34" Centers	215	00039077i	34" Oscillating Husting Hitch (Installed)	\$1,954.89
Oscillating Husting Hitch w / extension 29"	215	00069492i	Oscillating Style Husting hitch with 8" extension and top cross bracing (installed)	\$2,055.47
Oscillating Husting Hitch w / extension 34"	235	00069493i	Oscillating Style Husting hitch with 8" extension and top cross bracing (installed)	\$2,108.97
Style Hitch Roller Kit for Husting Hitch	55	00043300	Roller kit for Husting Hitch must be purchased with plow (Not Installed)	\$665.54
Husting Hitches:	-		Note: Husting Hitch information sheet must be completed at time of order. (Use Husting Hitch FORM #02 located in the Appendix at the end of this pricebook) Monroe level lift not included with Husting Hitch	
29"	175	00069488i	29" Husting Hitch (Installed) Standard	\$1,621.05
34"	195	00069489i	34" Husting Hitch (Installed) Standard	\$1,582.53
Husting Hitch w/ extension for hitches w/ 29" Centers	195	00069490i	Husting hitch with 8" extension and top cross bracing (installed)	\$1,885.34
Husting Hitch w/ extension for hitches w/ 34" Centers	215	00069491i	Husting hitch with 8" extension and top cross bracing (installed)	\$1,763.36

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE MP311 & 312 FULL TRIP ONE-WAY PLOWS

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Oscillating Husting Hitch 29" Centers	195	00039066i	29" Oscillating Husting Hitch (Installed)	\$1,824.35
Oscillating Husting Hitch 34" Centers	215	00039077i	34" Oscillating Husting Hitch (Installed)	\$1,954.89
Oscillating Husting Hitch w / extension 29"	215	00069492i	Oscillating Style Husting hitch with 8" extension and top cross bracing (installed)	\$2,055.47
Oscillating Husting Hitch w / extension 34" Style Hitch	235	00069493i	Oscillating Style Husting hitch with 8" extension and top cross bracing (installed)	\$2,108.97
Roller Kit for Husting Hitch	55	00043300	Roller kit for Husting Hitch must be purchased with plow (Not Installed)	\$665.54

**For other options contact factory.
Prices and specifications subject to change without notice.
All pricing is F.O.B. factory Monroe, Wisconsin.
Prices effective Jan. 2018**

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE MP311 & 312 FULL TRIP ONE-WAY PLOWS

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE ONE-WAY HIGH SPEED SLOTTED TRIP PLOW

MOLDBOARD IS _____" INTAKE X _____" DISCHARGE X _____' LENGTH

Standard Equipment: 10 gauge roll formed moldboard, seven 1/2" x 4" tapered, one piece flame cut ribs, 2" x 3" x 3/8" top angle, 4" x 6" x 1/2" bottom angle, horizontal moldboard bracing angles, 3/8" landslide plate, nose-guard, 3 heavy duty slotted trip assemblies, with two compression trip spring assemblies, 2-1/2" O.D. stabilizer arm with a mechanical stop for adjustment of the moldboard pitch, heavy duty fixed angle tubular pushframe, ratchet adjustable skid shoes, moldboard and pushframe to be 100% continuously welded, parts-installation manual.

Standard plow is powder coated with the moldboard orange and a black pushframe.

- * **Plow push height is 21". (Note: 14" push height is optional)**
- * **Plow lift cylinder requires one 4-way valve for double acting lift cylinder (not included)**
- * **Plow lift cylinder requires one 3-way valve for single acting lift cylinder (not included)**
- * **Warranty: 1 year, limited, from date of purchase - please check parts-installation manual for exact coverage**

Caution: Plow weight, mounting distance from axle, hitch type and weight, and other additional equipment mounted on the front of truck will require heavier truck GAWR (Gross Axle Weight Ratings).

Contact chassis manufacturer for exact GAWR requirements for your specific equipment.

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
MPHS26-54-11-ISST	2250	00057956	26" intake height, 54" discharge height, 11' length	\$11,043.47
MPHS26-56-12-ISST	2310	00057957	26" intake height, 56" discharge height, 12' length	\$11,193.27
MPHS35-64-11-ISST	2410	00057958	35" intake height, 64" discharge height, 11' length	\$11,340.93
MPHS35-66-12-ISST	2470	00057959	35" intake height, 66" discharge height, 12' length	\$11,574.19
MPHS45-72-11-ISST	2450	00057960	45" intake height, 72" discharge height, 11' length (Note: only available in Acrylic enamel paint)	\$12,145.57
MPHS45-72-12-ISST	2525	00057961	45" intake height, 72" discharge height, 12' length (Note: only available in Acrylic enamel paint)	\$12,327.47
20 Series:		-		
MPHS25-67-11-OWIS	2155	MPHS25-67-11-OWIS-1	25" intake height, 67" discharge height, 11' length, one-way Integral Shield	call factory

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



MONROE ONE-WAY HIGH SPEED SLOTTED TRIP PLOW

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
MPHS23-69-12-OWIS	2263	00057963	23" intake height, 69" discharge height, 12' length, one-way Integral Shield	\$11,295.99
30 Series:		-		
MPHS36-62-11-OWIS	2537	00057964	35" intake height, 62" discharge height, 11' length, one-way Integral Shield	\$11,449.00
MPHS36-63-12-OWIS	2625	00057965	35" intake height, 63" discharge height, 12' length, one-way Integral Shield	\$11,609.50
Moldboard:		Standard	10 gauge A569, roll-formed mild steel moldboard	
3/16" Moldboard	90	3/16" Moldboard-5	3/16" A569 roll-formed mild steel moldboard	\$1,583.60
Moldboard Trip:		Standard	Slotted trip moldboard with 3 slotted trip assemblies two compression trip spring assemblies, 2-1/2" O.D. stabilizer arm with a mechanical stop	
Pushframe:		Standard	21" push height, 37 degree fixed angle	
14" Push Height		14" push height	14" push height, 37 degree fixed angle	\$508.25
Shoes:		-		
Mushroom Shoes		00057971	Upcharge for pair of ratchet adjustable mushroom shoes in lieu of standard	\$841.02
Cutting Edge:		Standard	5/8" x 8" C1080 center punched cutting edge with AASHTO hole spacing	
Paint:		Standard	Plow to be shot blasted with moldboard powder coated orange and pushframe powder coated black	
Other		Acrylic Enamel-3	Acrylic enamel in color other than standard (not powder coated)	\$684.80
Custom Powder Coat Colors		Paint - Custom - C	Please call Factory for available colors	call factory
Options:		-	Note: All options shipped loose unless otherwise noted. Options can be installed on plow for additional charge - please see installation charge listed below.	
Rubber Snow Deflector	80	RSD-i-b	12" rubber snow deflector, full length - Installed	\$293.18
Cast Moldboard Shoes Installed	140	00069269i	Pair of cast iron moldboard shoes (installed)	\$343.47
Removable Screw Adjustable Parking Jack	30	00061212i	Removable Screw adjustable parking jack (Installed)	\$220.42
Markers:		-		
Flexible Plastic	5	05051432	Pair of 36" fluorescent orange flexible markers with brackets (Loose)	\$52.43
Cable Markers	5	05051181	Pair of 42" orange cable markers with brackets (loose)	\$52.43
Plow Portion Hitch:		-	Note: Plow portion hitches do not come standard with plow and are shipped loose. Installation of plow portion hitch is available at an additional charge - see hitch installation listed below on price sheet.	

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE ONE-WAY HIGH SPEED SLOTTED TRIP PLOW

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Monroe Quick Hitch - MC6000	175	00023450	Monroe plow portion quick hitch MC6000	\$994.03
Monroe Quick Hitch - MC6000 Installed	175	00023450i	Monroe plow portion quick hitch MC6000 (Installed)	\$1,119.22
Swivel Plate for Hitch w/ 21" Centers	100	00060837	Pin type swivel plate hitch available in 21" centers	\$491.13
Swivel Plate for Hitch w/ 21" Centers	100	00060837i	Pin type swivel plate hitch available in 21" centers (Installed)	\$625.95
Swivel Plate for Hitch w/ 30.5" Centers	100	00060822	Pin type swivel plate hitch available in 30.5" centers	\$518.95
Swivel Plate for Hitch w/ 30.5" Centers Installed	100	00060822i	Pin type swivel plate hitch available in 30.5" centers (Installed)	\$553.19
Swivel Plate for Hitch w/ 33.5" Centers	100	00060836	Pin type swivel plate hitch available in 33.5" centers	\$547.84
Swivel Plate for Hitch w/ 33.5" Centers Installed	100	00060836i	Pin type swivel plate hitch available in 33.5" centers (Installed)	\$604.55
Swivel Plate for Falls Style Hitch 36.75" w/ 1.25" Bolt		00017643i	Bolt On - NOTE: USE WITH MONROE PLOWS ONLY	\$1,016.50
Tor-lock	75	00039927i	Plow portion tor-lock / arrowhead hitch (Installed)	\$378.78
Tor-lock Pivot	70	00061320	Oscillating plow portion tor-lock / arrowhead hitch (bolt on type)	\$1,006.87
Tor-lock Pivot Installed	70	00061320i	Oscillating plow portion tor-lock / arrowhead hitch (bolt on type) (Installed)	\$1,103.17
QCP-loop Installed	80	00023428i	Plow portion QCP loop hitch (welded on type) (Installed)	\$720.11
SP-Gled-loop	100	00023427	Oscillating Gled-loop plow portion	\$814.27
SP-Gled-loop Installed	100	00023427i	Oscillating Gled-loop plow portion (Installed)	\$878.47
Quick Link Swivel Plate	100	00039999	Quick link plow portion swivel plate hitch	\$570.31
Quick Link Swivel Plate Installed	100	00039999i	Quick link plow portion swivel plate hitch (Installed)	\$633.44

**For other options contact factory.
Prices and specifications subject to change without notice.
All pricing is F.O.B. factory Monroe, Wisconsin.
Prices effective Jan. 2018**

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE ONE-WAY HIGH SPEED SLOTTED TRIP PLOW

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



TSUNAMI ONE-WAY HIGH SPEED DEEP SNOW COUNTRY PLOW

MOLDBOARD IS 31" INTAKE X 72" DISCHARGE X 11' LENGTH

Standard Equipment: 3/16" roll formed moldboard, seven 1/2" x 4" tapered, one piece flame-cut ribs, 2"x3"x3/8" top angle, 4"x4"x3/4" bottom angle, horizontal moldboard bracing angles, 38" landslide plate, nose-guard, 3 heavy-duty slotted trip assemblies, with two compression trip spring assemblies, 2 - 1/2" O.D. stabilizer arm with a mechanical stop for adjustment of the moldboard pitch, heavy duty fixed angle tubular pushframe, ratchet adjustable skid shoes moldboard and pushframe to be 100% continuously welded, parts-installation manual.

Standard plow is powder coated with the moldboard orange and a black pushframe

- **Plow push height is 21"**
- **Plow lift cylinder requires one 4-way valve for double-acting lift cylinder (not included)**
- **Plow lift cylinder requires one 3-way valve for single-acting lift cylinder (not included)**
- **Warranty: 1 year, limited, from date of purchase, please check parts-installation manual for exact coverage**

Caution: Plow weight, mounting distance from axle, hitch type and weight, and other additional equipment mounted on the front of a truck will require heavier truck GAWR(Gross Axle Weight Ratings). Contact **shassis manufacturer for exact GAWR requirements for your specific equipment.**

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
MPHS31-72-11	2250	00075578	31" intake height, 72" discharge height, 11' length	\$12,505.09
MPHS29-74-12		00091779	29" intake height, 74" discharge height, 12' length	\$13,078.61
Moldboard:		Standard	3/16" A569, roll-formed mild steel moldboard	
Moldboard Trip:		Standard	Slotted trip moldboard with 3 slotted trip assemblies two compression trip spring assemblies, 2-1/2" O.D. stabilizer arm with mechanical stop	
Pushframe:		Standard	21" push height, 37 degree fixed angle	
Shoes:		Standard	Pair of ratchet adjustable skid shoes (installed)	
Mushroom Shoe		00057971	Upcharge for pair of ratchet adjustable mushroom shoes in lieu of standard	\$841.02
Cutting Edge:		Standard	5/8" x 8" C1080 center punched cutting edge with AASHTO hole spacing	

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



TSUNAMI ONE-WAY HIGH SPEED DEEP SNOW COUNTRY PLOW

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Paint:		Standard	Plow to be shot blasted with moldboard painted acrylic enamel orange and pushframe acrylic enamel black	
Other			Acrylic enamel in color other than standard (not powder coated) **PAINT CODE REQUIRED AT TIME OF ORDER	call factory
Options:		-	Note: All options shipped loose unless otherwise noted. Options can be installed on plow for additional charge - please see installation charge listed below.	
Rubber Snow	80	RSD-i	12" rubber snow deflector, full length	\$347.75
Cast Moldboard Shoes Installed	140	00069269i	Pair of cast iron moldboard shoes (installed)	\$343.47
Removable Screw Adjustable Parking Jack	30	00061212i	Removable Screw adjustable parking jack (Installed)	\$220.42
Flexible Plastic	5	05051432	Pair of 36" fluorescent orange flexible markers with brackets (Loose)	\$52.43
Cable Markers	5	05051181	Pair of 42" orange cable markers with brackets (loose)	\$52.43
Plow Portion Hitch:		-	Note: Plow portion hitches do not come standard with plow and are shipped loose. Installation of plow portion hitch is available at an additional charge - see hitch installation listed below on price sheet	
Monroe Quick Hitch - MC6000	175	00023450	Monroe plow portion quick hitch MC6000	\$994.03
Monroe Quick Hitch - MC6000 Installed	175	00023450i	Monroe plow portion quick hitch MC6000 (Installed)	\$1,119.22
Swivel Plate for Hitch w/ 21" Centers	100	00060837	Pin type swivel plate hitch available in 21" centers	\$491.13
Swivel Plate for Hitch w/ 21" Centers	100	00060837i	Pin type swivel plate hitch available in 21" centers (Installed)	\$625.95
Swivel Plate for Hitch w/ 30.5" Centers	100	00060822	Pin type swivel plate hitch available in 30.5" centers	\$518.95
Swivel Plate for Hitch w/ 30.5" Centers Installed	100	00060822i	Pin type swivel plate hitch available in 30.5" centers (Installed)	\$553.19
Swivel Plate for Hitch w/ 33.5" Centers	100	00060836	Pin type swivel plate hitch available in 33.5" centers	\$547.84
Swivel Plate for Hitch w/ 33.5" Centers Installed	100	00060836i	Pin type swivel plate hitch available in 33.5" centers (Installed)	\$604.55
Swivel Plate for Falls Style Hitch 36.75" w/ 1.25" Bolt		00017643i	Bolt On - NOTE: USE WITH MONROE PLOWS ONLY	\$1,016.50
QCP-loop Installed	80	00023428i	Plow portion QCP loop hitch (welded on type) (Installed)	\$720.11
SP-Gled-loop	100	00023427	Oscillating Gled-loop plow portion	\$814.27
SP-Gled-loop Installed	100	00023427i	Oscillating Gled-loop plow portion (Installed)	\$878.47

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



TSUNAMI ONE-WAY HIGH SPEED DEEP SNOW COUNTRY PLOW

**For other options contact factory.
Prices and specifications subject to change without notice.
All pricing is F.O.B. factory Monroe, Wisconsin.
Prices effective Jan. 2018**

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



TSUNAMI ONE-WAY HIGH SPEED DEEP SNOW COUNTRY PLOW

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



MONROE TRUCK MOUNTED V-PLOW

MOLDBOARD TAIL HEIGHT IS 72" - NOSE HEIGHT IS 42" - 10' CLEARING PATH LENGTH

Standard Equipment: 3/16" brake formed moldboard, 5/8" x 8" cutting edge, one-piece flame cut ribs, 3/8" landslide plate, nose guard heavy-duty fixed pushframe, three adjustable skid shoes, moldboard and pushframe to be 100% continuously welded, enamel paint, parts-installation manual.

- Plow lift cylinder requires one 4-way valve for double acting lift cylinder (not included)
- Plow lift cylinder requires one 3-way valve for single acting lift cylinder (not included)
- Warranty: 1 year, limited, from date of purchase, please check parts-installation manual for exact coverage.
- Husting hitch is rigid mounted in plow assembly, all other hitches mounted on a parallelogram lift linkage assembly
- Truck hitch **MUST** be compatible with V-Plow

Caution: Plow weight, mounting distance from axle, hitch type and weight, and other additional equipment mounted on the front of a truck will require heavier truck GAWR (Gross Axle Weight Ratings). Contact chassis manufacturer for exact GAWR requirements for your specific equipment.

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
V-Plow-P		00078742	Truck mounted V-Plow with parallelogram linkage. Size 42"-72"-10"	\$14,099.39
V-Plow-H		00016805	Truck mounted V-Plow with 34" plow portion Husting hitch. (Note: 34" Husting plow hitch included in price.) Size 42"-72"-10"	\$11,550.65
Moldboard:		Standard	3/16" A569, brake-formed mild steel moldboard	
Moldboard Trip:		Standard	This is a rigid, non-trip plow	
Shoes:		Standard	Three pin adjustable skid shoes	
OPTION:		Mushroom	Three optional 11" screw adjustable	call factory
Cutting Edge:		Standard	5/8" x 8" C1080 top punched cutting edge with AASHTO bolt hole spacing	
Paint:		Standard	Plow to be sand blasted & painted - acrylic enamel orange	

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



MONROE TRUCK MOUNTED V-PLOW

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Other			Acrylic enamel in color other than standard (not powder coated) **PAINT CODE REQUIRED AT TIME OF ORDER**	call factory
Options:		-	Note: All options shipped loose unless otherwise noted. Options can be installed on plow for additional charge - please see installation charge listed below.	
Plow Portion Hitch:		-	Note: Plow portion hitches do not come standard with plow and are shipped loose. Installation of plow portion hitch is available at an additional charge - see hitch installation listed below. Note: Hitches below must be used with parallelogram plow.	
Monroe Quick Hitch	175	00080686	Monroe plow portion quick hitch MC6000 (with 2" pin)	\$1,546.15
Swivel Plate for Hitch w/ 21" Centers	100	00060837	Pin type swivel plate hitch available in 21" centers	\$491.13
Swivel Plate for Hitch w/ 21" Centers	100	00060837i	Pin type swivel plate hitch available in 21" centers (Installed)	\$625.95
Swivel Plate for Hitch w/ 30.5" Centers	100	00060822	Pin type swivel plate hitch available in 30.5" centers	\$518.95
Swivel Plate for Hitch w/ 30.5" Centers Installed	100	00060822i	Pin type swivel plate hitch available in 30.5" centers (Installed)	\$553.19
Swivel Plate for Hitch w/ 33.5" Centers	100	00060836	Pin type swivel plate hitch available in 33.5" centers	\$547.84
Swivel Plate for Hitch w/ 33.5" Centers Installed	100	00060836i	Pin type swivel plate hitch available in 33.5" centers (Installed)	\$604.55
Swivel Plate for Falls Style Hitch 36.75" w/ 1.25" Bolt		00017643i	Bolt On - NOTE: USE WITH MONROE PLOWS ONLY	\$1,016.50
QCP-loop Installed	80	00023428i	Plow portion QCP loop hitch (welded on type) (Installed)	\$720.11
SP-Gled-loop	100	00023427	Oscillating Gled-loop plow portion	\$814.27
SP-Gled-loop Installed	100	00023427i	Oscillating Gled-loop plow portion (Installed)	\$878.47
Quick Link Swivel Plate	100	00039999	Quick link plow portion swivel plate hitch	\$570.31
Quick Link Swivel Plate Installed	100	00039999i	Quick link plow portion swivel plate hitch (Installed)	\$633.44
Plow Portion AQC Hitch	175	00086428	Plow portion AQC hitch	\$2,681.42
Truck Portion AQC Hitch	300	00086420	Truck portion AQC hitch Note: Installer must supply check plates for mounting of hitch.	\$6,558.03

**For other options contact factory.
Prices and specifications subject to change without notice.
All pricing is F.O.B. factory Monroe, Wisconsin.
Prices effective Jan. 2018**

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE TRUCK MOUNTED V-PLOW

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



MONROE TRUCK PORTION SNOW PLOW HITCHES

- * **Warranty: 1 year, limited from date of purchase, check parts-installation manuals for exact coverage**
- * **NOTE: Truck hitch mounting heights are determined by the plow push height. Exact heights based on truck specs, push heights are based on final truck measurements, less deflection from weights, weight distribution etc.,. All truck front end work ie: additional springs, air bags, larger tires, etc., should be completed or taken into consideration before installation, plow hitch mounting height or plow push frame height.**
- * **NOTE: Truck front frame extensions are required for hitch installation**

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
MC7090	480	00054392	Monroe Quick Hitch non-tilt low profile with fold flat lift arm.	\$1,707.72
MC7092	460	00102712	Monroe Quick Hitch, tilt, low profile with fold flat lift arm.	\$1,885.34
Husting Hitch:		-		
HH29T-000906	265	00031113	29" Husting truck portion hitch	\$1,206.96
HH34T-002393	280	00031145	34" Husting truck portion hitch	\$1,267.95
HH34 Tapered	280	00012324	34" Tapered top truck portion Husting hitch for extra hood clearance	\$1,523.68
HHT29-Roller Pins	265	00116499	29" Husting Truck Portion Hitch with roller lock pins	\$1,507.31
HHT34 - Roller Pins	280	00156019	34" Husting Truck Portion Hitch with roller lock pins	\$1,491.02
29" Husting style with chain lift	280	00064668	29" Husting style with chain lift in lieu of rigid lift arm/ball Plow portion Husting Hitches - NOT INSTALLED	\$1,872.50

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE TRUCK PORTION SNOW PLOW HITCHES

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
HH29P-003336	175	00069488	29" plow portion Husting Hitch Kit	\$836.74
HH34P-001012	185	00069489	34" plow portion Husting Hitch Kit	\$882.75
Roller Kit for Husting Hitch	30	00043300	Roller kit for Husting Hitch (Not Installed)	\$665.54
Roller Pin		05022221	Pin with roller - QTY. 2 REQUIRED AND PRICED "EACH" (FOR RETROFIT ONLY)	\$86.97
Pin Type Hitches:	-		Heavy duty, high profile with lever release and tilt	
MC201	410	00010787	30.5"CC	\$3,901.22
MC202	410	00010816	33.5"CC	\$3,748.21
MC8000 Series	-		Universal pin hitch with tilt	
MC8003	500	00037476	21.0"CC	\$1,584.67
MC8002	480	00010747	30.5"CC	\$1,501.21
MC8001	480	00037497	33.5"CC	\$1,651.01
MC5000 Series	-		Universal low profile non-tilt hitch. NOTE: May not lift plow level w/ Monroe level lift. Cannot be used with PF91-QL1, QL1-FC, MC801 or MC9001 Conversion Kits	
MC5021	290	00038289	21.0"CC	\$1,267.95
MC5000	280	00038278	30.5"CC	\$1,126.71
MC5033	280	00038292	33.5"CC	\$1,347.13
MC5000-FFLA	305	00011210	Low Profile pin hitch with 30.5" pin centers and off-set flat-fold arm	
Flat Fold Lift Arm Pin Hitch		00100950	Flat fold lift arm pin hitch with 30.5" and 21" pin centers	
MTA8000-Q Series:	-		Torque arm hitch is designed so cylinder mount is offset for pump - hitch has Monroe Quick Hitch boots to accept a Monroe Plow Portion MC6000 Hitch. (May not work with Monroe level lift assembly)	
MTA8000-Q	560	00039044	Torque arm quick hitch	\$4,057.44
MC7802	470	02140401	Must Specify 21"CC, or 30.5"CC, or 33.5"CC	\$2,760.60
UBA Series:	-		Universal bumper to axle hitch, pin-type.	
UBA - Pin-Tilt	689	00049017	21"CC & 30.5"CC	\$4,255.39
UBA Quick Hitch/MTE	700	00091753	Tilt front and L-Hooks to axle	\$4,069.21
UBA Non-Tilt - Pin-21 Power Tilt Hitch	670	00012004	21" CC & low profile non-tilt L-Hooks	\$3,899.08
FALLS STYLES HITCHES		Standard		
46B		00036787	Truck Portion w/Side Plate - No Wing cut-outs	\$3,002.42
46B		00017990	Truck Portion w/Side Plates & Wing cut-outs	\$2,889.00

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE TRUCK PORTION SNOW PLOW HITCHES

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
26B		00031835	Truck Portion - No Side Plates	\$2,334.74
Plow Portion Falls Hitch for Monroe Plows:		Standard		
-		00107571	Falls Style Swivel Plate with 2" Bolt	\$1,198.40
-		00017643	Falls Style Swivel Plate with 1 1/4" Bolt	\$950.16
Option:		-		
Power Tilt Hitch	825	00016541	Power tilt hitch with 30.5" pin centers. Requires double acting cylinder to operate.	\$3,848.79
Power Tilt Hitch with wing cross tubes	850	00080500	Power tilt hitch (w/wing cross tubes Right Hand) with 30.5" pin centers. Requires double acting cylinder to operate.	\$3,838.09
Power Tilt Quick Hitch with wing cross tubes		00029185	Power tilt quick hitch (w/wing cross tubes Right Hand) w/quick hitch receiver boots. Requires double acting cylinder to operate.	\$4,248.97
Power Tilt Pin Hitch with wing cross tubes		00114227	30.5" Pin Power Tilt w/wing cross tubes Right Hand w/short lift arm	\$3,765.33
Power Tilt Pin Hitch W/Out wing tubes & With short lift arm		00040074	Without wing tubes and with short lift arm	
Other Available		-	Universal low profile non-tilt hitch	
Quick Attach Type Hitches		-	Note: May not lift plow level with Monroe level lift. Cannot be used with PF91-QL1, QL1-FC, MC801, or MC9001 Conversion kits	
MC2075 (QCP) pin/loop style	420	00012678	Bumper to frame truck portion hitch (QCP style) with integral pin/loop receiver and universal mounts. Plow requires loop - see plow section. May not work w/ Monroe level lift.	\$2,209.55
Gled Loop	420	00027471	Low Profile non-tilt hitch	\$1,726.98
QCP pin-loop style w/o universal mounts	410	00012215	Bumper to frame truck portion hitch (QCP style) with integral pin/loop receiver without the universal mounts. Plow requires loop - see plow section. May not work with Monroe level lift.	\$2,080.08
QCP/FFLA	450	00023329	Flat-fold lift arm hitch with integral QCP receiver	\$1,786.90
Quick Attach Type Hitches		-	Note: May not lift plow level with Monroe level lift. Cannot be used with PF91-QL1, QL1-FC, MC801, or MC9001 Conversion kits	
PF91-QL1	420	01141500	Quick link truck portion hitch "Quick Link Type" NOTE: To be used with QL1 plow portion	\$1,712.00
PF91-QL1/FFLA	440	00052633	Tilting Version of Quick link truck portion hitch "Quick Link type" FFLA NOTE: To be used with QL1 plow portion hitch only. May not work with Monroe level hitch. Must use a 3" x 10" double acting cylinder. (not included)	\$2,427.83
QL1-FC	90	00059247	Flink field conversion kit for 30.5" centers truck portion hitch conversion. Not recommended to use with low profile hitch.	\$980.12
Other Available		-		
Quick Attach Type add-on Hitch couplers		-		

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE TRUCK PORTION SNOW PLOW HITCHES

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
MC801	110	02140601	Pin type receiver, field conversion kit (for use with MC800 plow portion loop), must be mounted on truck portion hitch w/ 30.5"C:C. Not recommended to use with MC5000 hitch	\$1,125.64
Arrowhead-FFLA receiver	705	00118170	Low profile quick hitch with flat-fold lift arm and integral arrowhead receiver	\$2,519.85
MC9001	100	00029090	Tor-lock or arrowhead type field conversion kit for truck portion hitch NOTE: Must be used with plow portion MC9000 hitch. Must be mounted on truck portion hitch with 30.5" C:C. Not recommended to use with MC5000 hitch	\$890.24
Hitch Chassis Mountings:		-	Note: Some modifications may need to be made to install onto chassis	
MC 50	180	02140100	Thrust arm mounting kit	\$315.65
MC 50 EXT	195	00017689	Extended thrust arm mounting kit	\$371.29
SPU	185	01143000	1/2" universal side plates with mounting hardware (Includes 48" frame angle)	\$406.60
Universal Side Plates		00056436	1/2" Universal Side Plate Kit	\$407.03
Plow Hitch Spacer		00136050	For Truck w/34" Frame	\$53.43
SPU-E	230	01143100	1/2" Universal side plates for trucks with frame extensions with mounting hardware. (Includes 48" frame angle)	\$477.22
Solid Universal Lift Arm	90	00025294	Lift Arm, solid universal for most MTE hitches, must be welded on in lieu of standard lift arm.	\$605.62
Bumper Weldment - IH 7400	90	00091957-A	Bumper Weldment - IH 7400	\$299.60
Bumper Brackets - IH 7400	25	00091958	Bumper Brackets - IH 7400	\$29.96
Lift Cylinders:		-		
3" X 10" SA	30	05000017	3" X 10" single acting lift cylinder	\$404.46
3" X 10" SA for Husting Hitch	35	00020543	3" X 10" single acting lift cylinder for Husting hitch	\$503.97
3" X 10" DA	35	05002714	3" X 10" double acting lift cylinder	\$441.91
3" X 10" DA for Husting Hitch	40	00021057	3" X 10" double acting lift cylinder for Husting hitch	\$477.22
4" X 10" SA	82	05002615	4" X 10" single acting lift cylinder	\$670.89
4" X 10" SA for Husting Hitch	82	00020545	4" X 10" single acting lift cylinder for Husting hitch	\$958.72
4" X 10" DA	40	05002953	4" X 10" double acting lift cylinder	\$456.89
4" X 10" DA for Husting Hitch	40	00020546	4" X 10" double acting lift cylinder for Husting hitch	\$439.77
Monarch Power Unit for Reversible Plows	50	05041083	Monarch 3 way (3 way - 4 way) 12 volt electric power unit, NO hoses included (M683)	\$1,912.09
Monarch Power Unit Lift Only	50	05041081	Monarch 3 way (lift only) 12 volt electric power unit, NO hoses included (M503)	\$1,168.44

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE TRUCK PORTION SNOW PLOW HITCHES

**For other options contact factory.
Prices and specifications subject to change without notice.
All pricing is F.O.B. factory Monroe, Wisconsin.
Prices effective Jan. 2018**

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



MONROE TRUCK PORTION SNOW PLOW HITCHES

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



MID-MOUNT JUNIOR WING

Standard Equipment: 10 gauge wing moldboard with 27" intake height and 28" discharge height; 3/8" flame cut, one-piece ribs; front post w/dbl-acting heel cylinder, 1/2"x4"x6", cross-tube assembly w/mntg.plates; rear cross-tube; mounting hardware and a parts-installation manual. Note: For dual wings, use price of right hand complete and price of left hand wing complete. Add the two together.

- * **Note: Cylinder port relief is required on the heel cylinder 2,100 PSI raise port**
- * **Note: Qty. 2 double-acting control valves are required (Not Included)**
- * **Spring modification and/or air bag may be required to carry additional weight (Not Included)**
- * **Hoses are not furnished**
- * **Lock valve is recommended for heel (Not Included)**
- * **Warranty: 1 year, limited, from date of purchase, please check parts-installation manual for exact coverage**
- * **Caution: Wing weight, mounting location, and other additional equipment mounted on front of truck will require heavier truck GAWR(Gross Axle Weight Ratings) contact chassis manufacturer for exact GAWR requirements for your specific equipment**

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
MJW-6	960	00056781	6' moldboard, mid-mount junior patrol wing (Right Side)	\$6,955.00
MJW-7	995	00059601	7' moldboard, mid-mount junior patrol wing (Right Side)	\$6,995.66
MJW-8	1030	00059602	8' moldboard, mid-mount junior patrol wing (Right Side)	\$7,130.48
MJW-9		00059604	9' moldboard, mid mount junior patrol wing (Right Side)	\$7,452.55
Option:		MMPLGupcharge	Upcharge in lieu of Std. post with Para Glide wing post. OPTION added to any Junior Wing kit	\$1,361.04
Moldboard Trip:		Standard	Fixed moldboard with shear pin	
(RH) Mid Mount Para Glide Post		00135810	Right Hand Mid-Mount Para Glide Post - Post & Side Plates Only for Retro-Fit	\$3,392.97
(LH) Mid Mount Para Glide Post		00137875	Left hand Mid-Mount Para Glide Post - Post & Side Plates Only for Retro-Fit	\$3,713.97

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MID-MOUNT JUNIOR WING

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Full Trip Upcharge Right Hand	200	00120170	Full trip moldboard with single push arm - Compression spring type	\$2,311.20
Full Trip Upcharge Left Hand	200	00122520	Full trip moldboard with single push arm - Compression spring type	\$2,336.88
6', 7', and 8' Trip Cutting Edge	300	TE	One piece torsion spring trip cutting edge Note: Increases height 3" - Bolt on springs	\$1,412.40
9' Trip Cutting Edge	300	9 TE	Two piece torsion trip edge for 9' moldboard Note: Increases height 3" - Bolt on springs	\$1,776.20
Cutting Edge:		Standard	5/8" x 8" C1080 top punched cutting edge with AASHTO bolt hole spacing	
Carbide CE (PRICED Per FT)	50/Ft	Carbide	3/4" x 6" carbide cutting edge with cover blade AASHTO bolt hole pattern Note: Carbide cutting edge will make height of plow decrease 2" **NOTE - Price for Carbide Cutting Edge is per FOOT**	\$155.15
Paint:		Standard	Moldboard shall be powder coat orange with mounting hardware powder coat black	
Other		Acrylic Enamel-8	Paint in acrylic enamel in color other than standard (moldboard only, not powder coated)	\$256.80
Custom Powder Coat Colors		Paint - Custom - Wing	Please call Factory for available colors	call factory
Left Hand Mount		LH	Left side mount in lieu of standard of right side mount	\$524.30
3/4" bottom angle	20	3/4" bottom angle	3/4" bottom angle in lieu of 1/2" bottom angle	\$181.90
4" heel cylinder		05002952	4" heel cylinder for 6', 7', 8' in lieu of standard 3". (Note: 4" cylinder standard on 9' and all Truck Equipment wings)	\$645.21
Moldboard Shoe	60	00061796i	8" Cast iron moldboard shoe installed (Please specify one / toe or heel installation)	\$280.34
Curb Guard	20	00039621i	Wrap-around curb guard (Installed)	\$98.44
3" Cylinder		05002897	Heel cylinder to prevent rapid acceleration of wing heel. Note: Wing moldboard will be modified for cylinder (UPCHARGE	\$858.14
4" Cylinder		05003062	Heel cylinder to prevent rapid acceleration of wing heel. Note: Wing moldboard will be modified for cylinder (UPCHARGE	\$721.18
Lock Valve	10	05044040	Wing lock for heel cylinder or toe if Para-Glide Post	\$191.53
Lower push arm for rear mount wing		01130974	Lower push arm for rear mount wing in lieu of standard = 21" Longer	\$597.06

**For other options contact factory.
Prices and specifications subject to change without notice.
All pricing is F.O.B. factory Monroe, Wisconsin.
Prices effective Jan. 2018**

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MID-MOUNT JUNIOR WING

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MID-MOUNT EXTENDIBLE PATROL WING

Standard Equipment: 10 gauge non-trip moldboard, universal left or right hand mount, 3/8" tapered one-piece ribs, 3 double-acting cylinders for extension toe and heel, one single cross tube with mounting hardware, and parts-installation manual. Note: Cannot be used as dual MTD-right or left only.

- * **Note: Non-trip moldboard!**
- * **Two double-acting and one single -control valves are required to operate (Not Included)**
- * **Spring modification and/or air bag may be required to carry additional weight (Not Included)**
- * **Warranty: 1 year, limited, from date of purchase, please check parts-installation manual for exact coverage**
- * **Caution: Wing weight, mounting location, and other additional equipment mounted on front of truck will require heavier truck (GAWR (Gross Axle Weight Ratings) contact chassis manufacturer for exact GAWR requirements for your specific equipment**

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
8-MEW	1275	00056784	8' moldboard mid-mount extendible wing (Right Side)	\$7,609.84
Moldboard:		Standard	Moldboard is 10 gauge mild steel with 24" height	
Tapered RH	45	00064183	RH Extendible tapered 24" intake 35" discharge	\$8,560.00
Tapered LH	45	00064185	LH Extendible tapered 24" intake 35" discharge	\$8,643.46
Cutting Edge:		Standard	5/8" x 8" C1080 top punched cutting edge with AASHTO bolt hole spacing	
Carbide CE (PRICED Per FT)	50/Ft	Carbide	3/4" x 6" carbide cutting edge with cover blade AASHTO bolt hole pattern Note: Carbide cutting edge will make height of plow decrease 2" **NOTE - Price for Carbide Cutting Edge is per FOOT**	\$155.15
Paint:		Standard	Moldboard shall be powder coat orange with mounting hardware powder coat black	

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MID-MOUNT EXTENDIBLE PATROL WING

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Other		Paint - Custom - Wing	Paint in acrylic enamel in color other than standard (moldboard only, not powder coated)	call factory
Custom Powder Coat Colors		Acrylic Enamel-8	Please call Factory for available colors	\$256.80
Moldboard Shoe	60	00061796i	8" Cast iron moldboard shoe (installed-please specify one / toe or heel installation)	\$280.34
Curb Guard	20	00061798i	Wrap-around curb guard (Installed)	\$98.44
Spring Cushion Arm	30	00011910	Upcharge for Spring Cushion arm in lieu of standard pusharm	\$491.13
Stationary position		-	Stationary rear wing position in lieu of rear heel cylinder, with rear chain stabilizer, requires one less double acting valve section on truck. No charge, but specify on order	

**For other options contact factory.
Prices and specifications subject to change without notice.
All pricing is F.O.B. factory Monroe, Wisconsin.
Prices effective Jan. 2018**

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MID-MOUNT EXTENDIBLE PATROL WING

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



DOUBLE FUNCTION PATROL WING

Standard Equipment: 3/16" moldboard w/4"x4"x3/4" bottom angle, right side rear wing mount, front post assembly w\ 1/2"x4"x6" cross tube with cut out, mounting hardware, wing stop-pipe braces, heel cylinder & parts /install manual.

NOTE: For dual wings - call factory

- * **NOTE: Cylinder port relief required on the raise port of the heel cylinder 2100 PSI**
- * **Additional wing stop recommended (Not Furnished), install after wing installation**
- * **Lock valve for heel recommended (Not Furnished)**
- * **Downside relief (400 PSI) recommended for toe & heel cylinder (Not Furnished)**
- * **Additional bracing from the side plates to frame is required (Not Furnished)**
- * **Two-double acting control valves are required (Not Furnished)**
- * **Spring modification and/or air bag may be required to carry additional weight (Not Furnished)**
- * **Hoses are not furnished**
- * **When using hydraulic lower extendible push arm, one extra 4-way valve section required, (valve not furnished)**
- * **Caution: Wing weight, mounting location and other additional equipment mounted on front of a truck will require heavier truck GAWR(Gross Axle Weight Ratings) contact chassis manufacturer for exact GAWR requirements for your specific equipment**
- * **Warranty: 1 year, limited, from date of purchase, please check parts-installation manual for exact coverage**

NOTE: Pusharm Assembly or Kit & Side Plate Kit MUST be chosen and added to Total Price

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Standard Double Function Wing wing fixed Moldboard		-		
8DFWMB	1425	00056773	8' Moldboard- Double Function (RH)	\$8,378.10
9DFWMB	1475	00056774	9' Moldboard- Double Function (RH)	\$8,388.80
10DFWMB	1525	00056775	10' Moldboard- Double Function (RH)	\$8,442.30
11DFWMB	1675	00061547	11' Moldboard- Double Function (RH)	\$8,495.80
Option:		DFPLGupcharge	Upcharge in lieu of Std. post with Para Glide wing post. OPTION added to any Double Function kit	\$1,554.71
(RH) Para Glide Patrol Wing Post		00131890	Right Hand Para Glide Patrol Wing Post - RETROFIT Post & Side Plates Only	\$3,577.01

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



DOUBLE FUNCTION PATROL WING

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
(LH) Para Glide Patrol Wing Post		00134445	Left Hand Para Glide Patrol Wing Post - RETROFIT Post & Side Plates Only	\$3,962.21
Required to Choose 1 of the following pusharm Kits		-	(Dual Pusharm Kits required for 10' and 11') or call factory for assistance.	
Single		01130974	Standard Single Pusharm****	\$597.06
Single HD		00011715	Heavy Duty Single Pusharm	\$839.95
Single Hyd Ext.		00012677	Single Hydraulic Extendible Pusharm Assembly	\$2,036.21
Cylinder Pusharm Only		00119727	Extension Cylinder with Built in Accumulator Pusharm (Single)	\$3,962.21
Single Rear Lift Sq. Tube		00130545	Single Sq. Tube Hyd. Heel Lift W.Cyl.	\$2,796.96
Single Rear Lift & Ext.		00111663	Rear Lift Single Pusharm W/ Above Extension Cyl. Add Together	\$6,728.16
Dual		00061185	Standard Dual Pusharm Kit	\$1,296.84
Dual Hd		00061741	Heavy Duty Dual Pusharm Kit - Full Trip, Hyd. Lift	\$2,733.85
Dual - W/Hydraulic Rear Lift		00062598	Dual - W/Hydraulic Rear Lift	\$1,719.49
Dual HD - W/Hyd. Rear Lift		00066154	Dual HD - W/Hyd. Rear Lift	\$2,136.79
Double Function Torsion Trip Edge		-		
8DFWMB-TE		00061574	8' Moldboard- Double Funtion Trip Edge (RH)	\$12,468.71
9DFWMB-TE		00061575	9' Moldboard- Double Funtion Trip Edge (RH)	\$12,475.13
10DFWMB-TE		00061576	10' Moldboard- Double Funtion Trip Edge (RH)	\$12,149.85
11DFWMB_TE		00061577	11' Moldboard- Double Funtion Trip Edge (RH)	\$12,058.90
Required to Choose 1 of the following pusharm Kits		-	(Dual Pusharm Kits required for 10' and 11') or call factory for assistance.	
Single		01130974	Standard Single Pusharm****	\$597.06
Single HD		00011715	Heavy Duty Single Pusharm	\$839.95
Single Hyd Ext.		00012677	Single Hydraulic Extendible Pusharm Assembly	\$2,036.21
Cylinder Pusharm Only		00119727	Extension Cylinder with Built in Accumulator Pusharm (Single)	\$3,962.21
Single Rear Lift Sq. Tube		00130545	Single Sq. Tube Hyd. Heel Lift W.Cyl.	\$2,796.96
Single Rear Lift & Ext.		00111663	Rear Lift Single Pusharm W/ Above Extension Cyl. Add Together	\$6,728.16
Dual		00061185	Standard Dual Pusharm Kit	\$1,296.84
Dual Hd		00061741	Heavy Duty Dual Pusharm Kit - Full Trip, Hyd. Lift	\$2,733.85
Dual - W/Hydraulic Rear Lift		00062598	Dual- W/Hydraulic Rear Lift	\$1,719.49

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



DOUBLE FUNCTION PATROL WING

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Dual HD - WHyd. Rear Lift		00066154	Dual HD - WHyd. Rear Lift	\$2,136.79
Double Function Wing Fulltrip		-		
8DFWMB-FT		00061558	8' Moldboard- Double Funtion Full Trip (RH)	\$9,419.21
9DFWMB-FT		00061559	9' Moldboard- Double Funtion Full Trip (RH)	\$9,520.86
10DFWMB-FT		00061560	10' Moldboard- Double Funtion Full Trip (RH)	\$9,747.70
11DFWMB_FT		00061561	11' Moldboard- Double Funtion Full Trip (RH)	\$9,961.70
Required to Choose 1 of the following pusharm Kits		-		
Dual Fulltrip		00061740	Standard Dual Fulltrip Pusharm Kit****	\$1,794.39
Dual Hd		00061741	Heavy Duty Dual Fulltrip Pusharm Kit - Full Trip, Hyd. Lift	\$2,733.85
Side plate Kit choose if needed for mounting:		-		
Side Plate Kit		00085004	2 plates of 1/2" materials	\$220.42
Moldboard:		Standard	3/16" tapered, 29" at intake, 39" at discharge	
Straight Moldboard Domex boxed moldboard		BoxDomexMlbd	3/16" straight moldboard with 29" height 10 ga Domex Boxed Moldboard	\$759.70
Option:		MbxMTEeng	Mailbox Trim cut - Eng. Cut	\$556.40
Front Post 40" lift Upcharge		40Lift	Front Post 40" lift in lieu of 18" standard	\$1,391.00
Rear Mounted Wing		RWM		call factory
Cutting Edge:		Standard	5/8" x 8" C1080 top punched cutting edge with AASHTO bolt hole spacing	
Carbide CE (PRICED Per FT)	50/Ft	Carbide	¾" x 6" carbide cutting edge with cover blade AASHTO bolt hole pattern Note: Carbide cutting edge will make height of plow decrease 2" **NOTE - Price for Carbide Cutting Edge is per FOOT**	\$155.15
Paint:		Standard	Moldboard powder coat orange with mounting hardware powder coat black	
Other		Acrylic Enamel-14	Color in acrylic enamel other than standard (moldboard only, not powder coated)	\$449.40
Options:		-	Note: All options shipped loose unless otherwise noted. Options can be installed on plow for additional charge - please see installation charge listed below.	
Wing Lock for Heel Cylinders	10	05037176	Wing Lock (4 x 21.75) for heel cylinder to prevent wing drift. Lock kit varies with length of heel lift cylinder as noted (left).	\$391.62
		05038494	Wing Lock (3 x 15) for heel cylinder to prevent wing drift. Lock kit varies with length of heel lift cylinder as noted (left).	\$411.95

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



DOUBLE FUNCTION PATROL WING

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
		00017096	Wing Lock (4 x 14) for heel cylinder to prevent wing drift. Lock kit varies with length of heel lift cylinder as noted (left).	\$411.95
Power Slide Kit	45	00030357	Power slide kit for front post with 10" cylinder	\$700.85
Left Hand Mounted Wing		LH	Left side mounted wing in lieu of right side mount	\$524.30
Moldboard Shoe	60	00061796i	Cast iron moldboard shoe (installed please specify one toe or heel mount)	\$280.34
Curb Guard	20	00061798i	Wrap around heel curb guard (Installed)	\$98.44
Optional Lift		05002898	4" x 14" Optional heel lift cylinder for front lift wing (requires different lock kit)	\$689.08
Front Wing Height Indicator		00099010	Front Wing Height Indicator - (Trim Line Post) (Pair of Markers)	\$53.50
Marker Kit		00142285	Paraglide Post Marker Kit (Single Marker)	\$49.09
Decell cylinder		05003063	Nitrided decell heel cylinder in lieu of standard heel cylinder to prevent rapid acceleration of wing heel.	\$1,064.52

**For other options contact factory.
Prices and specifications subject to change without notice.
All pricing is F.O.B. factory Monroe, Wisconsin.
Prices effective Jan. 2018**

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



DOUBLE FUNCTION PATROL WING

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE HEAVY DUTY BENCHING WING

Standard Equipment: 3/16" moldboard, right rear wing mount, hydraulic front & rear slide wing posts, cable heel, cross channel, brace kit with double strength pipe and angle, parts-installation manual.

NOTE: For Dual Wings - Call Factory

- * **Note: Minimum of 18" behind-cab clearance required!**
- * **Side plates must be ordered separately (Not Included) Chassis information required**
- * **Two double-acting and one single-acting control valves required to operate (Not Included)**
- * **Spring modification and/or air bags may be required to carry additional weight (Not Included)**
- * **Down Side Relief (400 PSI) recommended for toe (Not Included)**
- * **Caution: Wing weight, mounting location, and other additional equipment mounted on front of truck will require heavier truck GAWR (Gross Axle Weight Ratings) contact chassis manufacturer for exact GAWR requirements for your specific equipment**
- * **Warranty: 1 year, limited, from date of purchase, please check parts-installation manual for exact coverage**

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Standard Double Function Wing wing fixed Moldboard		-		
9HDBW	3350	00056777	9' Moldboard- Heavy Duty Benching Wing (RH)	\$16,363.51
10HDBW	3420	00056778	10' Moldboard- Heavy Duty Benching Wing (RH)	\$16,356.02
11HDBW	3460	00056779	11' Moldboard- Heavy Duty Benching Wing (RH)	\$16,547.55
12HDBW	3520	00056780	12' Moldboard- Heavy Duty Benching Wing (RH)	\$17,253.75
Required to Choose 1 of the following pusharm Kits		-	(Dual Pusharm Kits required for 10' and 11') or call factory for assistance.	
Single		01130974	Standard Single Pusharm****	\$597.06
Single HD		00011715	Heavy Duty Single Pusharm	\$839.95

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE HEAVY DUTY BENCHING WING

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Single Hyd Ext.		00012677	Single Hydraulic Extendible Pusharm Assembly	\$2,036.21
Cylinder Pusharm Only		00119727	Extension Cylinder with Built in Accumulator Pusharm (Single)	\$3,962.21
Single Rear Lift & Ext.		00111663	Rear Lift Single Pusharm W/ Above Extension Cyl. Add Together	\$6,728.16
Dual		00061185	Standard Dual Pusharm Kit	\$1,296.84
Dual HD		00061741	Heavy Duty Dual Pusharm Kit - Full Trip, Hyd. Lift	\$2,733.85
Double Function Torsion Trip Edge		-		
9HDBW-TE		00061512	9' Moldboard- Heavy Duty Benching Wing Trip Edge(RH)	\$19,104.85
10HDBW-TE		00061513	10' Moldboard- Heavy Duty Benching Wing Trip Edge(RH)	\$19,226.83
11HDBW-TE		00061514	11' Moldboard- Heavy Duty Benching Wing Trip Edge(RH)	\$19,783.23
12HDBW-TE		00061515	12' Moldboard- Heavy Duty Benching Wing Trip Edge (RH)	\$20,182.34
Required to Choose 1 of the following pusharm Kits		-	(Dual Pusharm Kits required for 10' and 11') or call factory for assistance.	
Single		01130974	Standard Single Pusharm****	\$597.06
Single HD		00011715	Heavy Duty Single Pusharm	\$839.95
Single Hyd Ext.		00012677	Single Hydraulic Extendible Pusharm Assembly	\$2,036.21
Cylinder Pusharm Only		00119727	Extension Cylinder with Built in Accumulator Pusharm (Single)	\$3,962.21
Single Rear Lift & Ext.		00111663	Rear Lift Single Pusharm W/ Above Extension Cyl. Add Together	\$6,728.16
Dual		00061185	Standard Dual Pusharm Kit	\$1,296.84
Dual Hd		00061741	Heavy Duty Dual Pusharm Kit - Full Trip, Hyd. Lift	\$2,733.85
Double Function Wing Fulltrip		-		
9HDBW-FT		00061500	9' Moldboard- Heavy Duty Benching Wing Full Trip(RH)	\$17,332.93
10HDBW-FT		00061501	10' Moldboard- Heavy Duty Benching Wing Full Trip(RH)	\$17,325.44
11HDBW-FT		00061502	11' Moldboard- Heavy Duty Benching Wing Full Trip(RH)	\$17,516.97
12HDBW-FT		00061503	12' Moldboard- Heavy Duty Benching Wing Full Trip(RH)	\$18,223.17
Required to Choose 1 of the following pusharm Kits		-		
Dual Fulltrip		00066152	Standard Dual Fulltrip Pusharm Kit**** / Benching	\$1,626.40
Dual Hd		00066167	Heavy Duty Dual Fulltrip Pusharm Kit	\$2,600.10
Side plate Kit choose if needed for mounting:		-		
Moldboard:		Standard	3/16" tapered, 29" at intake, 39" at discharge	
Straight Moldboard		Standard	3/16" straight moldboard with 29" height	

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE HEAVY DUTY BENCHING WING

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Front Post Lift:		Standard	Direct lift front post	
SA Cable Lift		SA Cable Lift	Single Acting cable lift front post (delete one double acting section and add one single acting section) Ref. 00042293	\$342.40
DA Cable Lift		DA Cable	Double Acting cable lift front post	\$438.70
40" lift		-	40" all hydraulic lift in lieu of 60"	
Cutting Edge:		Standard	5/8" x 8" C1080 top punched cutting edge with AASHTO bolt hole spacing	
Carbide CE (PRICED Per FT)	50/Ft	Carbide	3/4" x 6" carbide cutting edge with cover blade AASHTO bolt hole pattern Note: Carbide cutting edge will make height of plow decrease 2" ***NOTE - Price for Carbide Cutting Edge is per FOOT**	\$155.15
Paint:		Standard	Moldboard powder coat orange with mounting hardware powder coat black	
Other		Acrylic Enamel-14	Paint color in acrylic enamel other than standard (not powder coated)	\$449.40
Rear Valve Cabinet	200	Rear Valve Cabinet	Rear valve cabinet and 40 gallon reservoir (Hydraulics not included - be specific when ordering)	call factory
Custom Side Plates	300	Custom Side Plates	Custom side plates (Chassis information will be required at time of order)	call factory
Left Side Mount		LH-BW	Left side mount in lieu of right side mount	\$952.30
Moldboard Shoe	60	00061796i	Cast iron moldboard shoe (installed-please specify one / toe or heel mount)	\$280.34
Curb Guard	20	00061798i	Wrap-around curb guard (installed)	\$98.44

**For other options contact factory.
Prices and specifications subject to change without notice.
All pricing is F.O.B. factory Monroe, Wisconsin.
Prices effective Jan. 2018**

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE HEAVY DUTY BENCHING WING

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE MODEL 4500 SERIES UNDERBODY SCRAPER

Standard Equipment: Moldboard is 1" thick x 20" in height 2½" O.D. hinge shaft, two heavy-duty shock abs replaceable trunnions, two 3½" x 10" actuating cylinders, cushion valve, 1" solid circle with 5" plated center two 4" x 12" reversing cylinders, three hinge anchor points, hydraulic pipe, 20.5" x 7" poly hold down blocks, mounting hardware, parts/installation manual. All cylinders have SOCATRI rods.

- * **Note: A Relief Valve is Required for the Scraper and can be supplied through customer's hydraulic system OR supplied by Monroe. Valve is optioned below.**
- * **Scrapers are shipped with circle and hold-down blocks installed.**
- * **Recommended for snow and ice removal and light grading.**
- * **24" Ground clearance required for entire unit.**
- * **Two 4-way hydraulic valve sections required, 1 for reversing and 1 for moldboard actuator**
- * **Warranty: 1 year, limited, from date of purchase. Check Parts-Installation manual for exact coverage.**
- * **Hanger Brackets are a Required Option.**

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
MS-4510	2050	00150976i	10' moldboard - 4500 Series underbody scraper	\$13,192.03
MS-4511	2100	00151880i	11' moldboard - 4500 Series underbody scraper	\$13,472.37
MS-4512	2150	00150975i	12' moldboard - 4500 Series underbody scraper	\$13,725.96
Circle:		Standard	1" solid mild steel circle	
Cutting Edge:		Standard	1/2" x 6" double beveled cutting edge with AASHTO hole spacing - 2 piece	
3/4" x 6" (Price per Foot Upcharge)		CE-3/4x6	3/4" x 6" DBC Add: per foot:	\$17.12
7/8" x 5" Carbide		Carbide 7/8x5	7/8x5 Carbide Add: Per foot	\$105.93
Hanger Brackets:		-	REQUIRED OPTION	
1" x 4" Bar Hangers		00153750	1" x 4" bar stock (Two Required)	\$202.23

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE MODEL 4500 SERIES UNDERBODY SCRAPER

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
3/4" X 22" X 26" Hangers		00156158	3/4" Hanger Brackets (TWO REQUIRED)(**PRICED EACH**)	\$278.20
3/4" Tapered Hangers		00150978	3/4" Tapered Brackets (TWO REQUIRED)(**PRICED EACH**)	\$317.79
Custom Powder Coat Colors		Paint - Custom	Please call Factory for available colors	call factory
Relief Valve:		Standard	No Relief Valve included	
Relief Valve		05037005	Relief Valve (Set @ 500 PSI)	\$119.84
Oscillating Hanger bracket Kit	150	00157758	Hanger brackets that allow scraper to oscillate. (Requires two 4-way valves with load check.) Installation Modifications may be required. Includes Cylinders 4x4 Part #05002791 (**PRICED PER PAIR**)	\$5,259.05
Extended Hanger Plate		00153747	Hanger plates for 4x4 or 6x6 chassis - 3/4" x 30" x 26 (**PRICED EACH**)	\$375.01
Paint:		Standard	Black Powder Coat	
Other		Acrylic Enamel-7SCR	Paint in acrylic enamel in color other than standard (no powder coated)	\$706.20
Options:		-	All options shipped loose unless otherwise noted.	
Wrap Around Curb Guard	25	00039621i	Wrap around curb guard (Installed)	\$98.44
Round Stock Curb Guard	25	01100100i	2" x 6" round stock curb guard (Installed)	\$112.35
15" x 1" Moldboard		15" x 1"	15" high x 1" thick moldboard in lieu of 20"	\$963.00
9-Bank Grease Line Extension		00086228l	Installed 9-Bank - No Trunions	call factory
15-Bank Grease Line Extension		00150977l	Installed 15-Bank - With Trunions	\$622.74

**For other options contact factory.
Prices and specifications subject to change without notice.
All pricing is F.O.B. factory Monroe, Wisconsin.
Prices effective Jan. 2018**

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE MODEL 4500 SERIES UNDERBODY SCRAPER

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE MODEL MS-44/35 HD UNDERBODY SCRAPER

Standard Equipment: 1" thick x 15" height moldboard with two 4" actuating cylinders, 1" solid circle, 5" center pin, one 4" power reverse cylinder, four shock absorber assemblies, 1-1/2" hinge shaft, 10" hanger board, anti-back over device, 20.5" x 7" hold-down blocks mounting hardware, and a parts-installation manual

- * **NOTE: Scrapers are shipped with circle installed**
- * **NOTE: Relief Valve is Required for the Scraper and can be supplied through customer's hydraulic system or supplied by Monroe. Valve is optioned below.**
- * **24" ground clearance required for entire unit**
- * **Recommended for snow & ice removal and light grading**
- * **Power reversing requires two 4-way valve sections (not included)**
- * **Manual reverse requires one 4-way valve section (not included)**
- * **Warranty: 1 year, limited, from date of purchase. Check parts-installation manual for exact coverage**

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
MS-443510 HD	1775	00092182i	10' moldboard - 44 series underbody scraper	\$14,161.45
MS-443511 HD	1875	00055533i	11' moldboard - 44 series underbody scraper	\$13,928.19
MS-443512 HD	1925	00093343i	12' moldboard - 44 series underbody scraper	\$14,645.09
Cutting Edge:		Standard	1/2" x 6" double beveled cutting edge with AASHTO hole spacing - 2 piece	
Relief Valve:		Standard	No Relief Valve included	
Relief Valve		05037005	Relief Valve (Set @ 500PSI)	\$119.84
Hanger Brackets		Standard	1" x 4" bar stock	
1" x 8" brackets	110	00060263	1" x 8" heavy duty bar stock (Two Required)	\$359.52
4" Ship & Car Channel	110	00060254	4" Ship and car channel (Two Required)	\$342.40

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



MONROE MODEL MS-44/35 HD UNDERBODY SCRAPER

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Oscillating Hanger bracket Kit	150	00056424	Hanger brackets that allow scraper to oscillate. (Requires two 4- way valves with load check.) Installation Modifications may be required. Includes Cylinders.	\$5,353.21
Paint:		Standard	Black Powder Coat	
Other		Acrylic Enamel-9	Paint in acrylic enamel in colors other than standard (not powder coated)	\$620.60

**For other options contact factory.
Prices and specifications subject to change without notice.
All pricing is F.O.B. factory Monroe, Wisconsin.
Prices effective Jan. 2018**

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE MODEL MS-44/35 HD UNDERBODY SCRAPER

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE MODEL MF-5 FIXED ANGLE UNDERBODY SCRAPER

Standard Equipment: Moldboard is 1" thickness X 20" height, one 3" X 11.5" actuating cylinder, fixed-angle moldboard, one shock absorber assembly, mounting hardware and parts-installation manual.

- * **NOTE: Scrapers are shipped unassembled**
- * **NOTE: A Relief Valve is required for the Scraper and can be supplied through customer's hydraulic system or supplied by Monroe. Valve is optioned below.**
- * **Recommended for snow removal only**
- * **24" ground clearance required for entire unit**
- * **One 4-way valve required to operate (not included)**
- * **Warranty: 1 year, limited, from date of purchase. Check parts-installation manual for exact coverage**

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
MF-510 w/1" Moldboard		00049824	10' moldboard - Mf-5 series underbody scraper - 1" Moldboard	\$6,516.30
MF-511 w/1" Moldboard		00045864	11' moldboard - MF-5 series underbody scraper - 1" Moldboard	\$6,743.14
MF-512 w/1" Moldboard		00049826	12' moldboard - MF-5 series underbody scraper - 1" Moldboard	\$6,999.94
Cutting Edge:		Standard	1/2" x 6" double beveled cutting edge with AASHTO hole spacing - 2 piece	
Paint:		Standard	Black Powder Coat	
Other		Acrylic Enamel-10	Paint in acrylic enamel in colors other than standard(not powder coated)	\$577.80
Assemble:		Standard	Scraper NOT assembled	
Options:		-	All options shipped loose unless otherwise noted.	

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



MONROE MODEL MF-5 FIXED ANGLE UNDERBODY SCRAPER

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Two Actuating cylinders	75	Two actuating cylinders	Two actuating cylinders with shock housing and longer hinge shaft	\$1,519.40
Wrap-Around Curb Guard	25	00039621i	Wrap-around curb guard (Installed) Designate Right or Left	\$98.44
Relief Valve:		Standard	No Relief Valve Included	
Relief Valve		05037005	Relief Valve (Set @ 500 PSI)	\$119.84

**For other options contact factory.
Prices and specifications subject to change without notice.
All pricing is F.O.B. factory Monroe, Wisconsin.
Prices effective Jan. 2018**

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE MODEL MF-5 FIXED ANGLE UNDERBODY SCRAPER

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE MODEL FMB FOLDING MOLDBOARD UNDERBODY SCRAPER

Standard Equipment: Two piece moldboard; upper deflector is ½" x 10"; lower deflector is ¾" x 9"; 1" x 10" hanger board; two 3" actuating cylinders; 1" solid circle, 5" center pin, two 4" power reverse cylinder, four heavy-duty long travel spring assemblies, and a parts-installation manual.

- * **NOTE: A Relief Valve is Required for the Scraper and can be supplied through customer's hydraulic system or supplied by Monroe. Valve is optioned below.**
- * **NOTE: Scrapers are shipped with circle installed**
- * **Recommended for snow & ice removal only**
- * **24" ground clearance required for entire unit**
- * **Power reversing requires two 4-way valve sections (not included)**
- * **Manual reverse requires one 4-way valve section (not included)**
- * **Warranty: 1 year, limited, from date of purchase. Check parts-installation manual for exact coverage**

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
FMB-3510	1800	00100676i	10' moldboard - FMB series underbody scraper	\$15,216.78
FMB-3511	1850	00164231i	11' moldboard - FMB series underbody scraper	\$15,921.81
FMB-3512	1900	00055839i	12' moldboard - FMB series underbody scraper	\$15,463.64
Cutting Edge:		Standard	1/2" x 6" double beveled cutting edge with AASHTO hole spacing - 2 piece	
Hanger Brackets:		Standard	1" x 4" bar stock	
1" x 8" brackets	110	00060263	1" x 8" heavy duty bar stock (Two Required)	\$359.52
4" Ship and Car Channel	110	00060254	4" Ship and car channel (Two Required)	\$342.40
Paint:		Standard	Black Powder Coat	

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE MODEL FMB FOLDING MOLDBOARD UNDERBODY SCRAPER

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Other		Acrylic Enamel-10	Paint in acrylic enamel in colors other than standard (not powder coated)	\$577.80
Relief Valve:		Standard	No Relief Valve included	
Relief Valve		05037005	Relief Valve (Set @500 PSI)	\$119.84
Options:		-	All options shipped loose unless otherwise noted.	
Wrap-Around Curb Guard	25	00039621i	Wrap-around curb guard (Installed) Designate Right or Left	\$98.44

**For other options contact factory.
Prices and specifications subject to change without notice.
All pricing is F.O.B. factory Monroe, Wisconsin.
Prices effective Jan. 2018**

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE MODEL FMB FOLDING MOLDBOARD UNDERBODY SCRAPER

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



ACCU-PLACE SPREADER

Standard Equipment: Vertically-oriented spinner assembly, 10 gauge, 304 stainless steel housing, UHMW replaceable chute extensions, 304 stainless steel impeller has four adjustable paddles manufactured from AR400, impeller drive motor has low speed / high torque "orbital-type" hydraulic wheel motor, spinner assembly mounted with approximately 6" ground clearance, spinner assembly shall lift 6" by actuating remote in-cab switch, 45 degree right and left rotation by actuating remote in cab switch, used in conjunction with under tailgate, replacement tailgate, v-box spreader, Duz Mor or RDS spreaders in lieu of conventional spinners. Also included is an in-line hydraulic flow meter for feedback of spinner speed.

- * **Warranty: 1 year, limited, from date of purchase, please check parts-installation manual for exact coverage**
- * **15 GPM Spinner Section**
- * **OPTIONAL: Closed-loop console with harness for ground speed control**
- * **Note: If using a conventional center discharge distribution unit, a cross conveyor must be utilized with the Accu-place spreader.**

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
APS		00081073	10 gauge, corrosion resistant stainless steel housing, vertically-oriented spinner assembly only, less mounts & deflector	\$10,375.79
APS-LT	275	00084164	Left hand spinner with truck frame mounting, less deflectors	\$11,513.20
APS-LRT	475	00084165	Left hand & right hand spinners with truck mounting, less deflector	\$22,196.08
APS-LS	275		Left hand spinner with skid mounting, less deflector (00017188)	call factory
APS-LRS	475		Left hand & right hand spinners with skid mounting, less deflectors (00084166)	call factory
APS-L-Receive	290	00103683	Left hand spinner, w/dual 2" receiver tube mounts. Incl.: Deflector kit	\$12,478.34
Spinner Assembly:	-		Mounted with approximately 6" ground clearance shall lift 6", actuate 45° to the right & left of center with hydraulic cylinder.	
Options:	-			

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



ACCU-PLACE SPREADER

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Deflector Kit		00014348	Rear Deflector Kit, F/Accu-place spinners. Incl.: Actuating cylinder. (shipped loose)	\$490.06
Controller:		-		

**For other options contact factory.
Prices and specifications subject to change without notice.
All pricing is F.O.B. factory Monroe, Wisconsin.
Prices effective Jan. 2018**

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



ACCU-PLACE SPREADER

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE 8' PICKUP V-BOX SPREADER

Standard Equipment: 8' hopper length; 50 ½" width; 32" height; 1.8 cu. yd. capacity with a 12 gauge hopper shell; 12 gauge formed & slotted longsills for drive and idler shaft removal; 1-1/4" drive & idler shafts; heavy-duty 4 bolt flange bearing; sloped sides; 14" drag chain with ¼" x ¾" crossbars, 6-1/2" on center; corner lift buckets; 20:1 gear box; 6 tooth cast iron sprockets and parts-installation manual.

- * **Note: On self-contained units a 10.5 HP engine and wireless remote control are standard**
- * **Note: Spinner direction is counter clockwise - as a standard**
- * **Caution: Do not exceed manufacturers weights. Watch truck gross vehicle or gross axle weight ratings when selling pick up V-boxes**
- * **Hydraulic drive units require a truck hydraulic system, control valve, hoses, and couplers (not included with the hydraulic drive system). The hydraulic requirements for an 8' V-box is 7 GPM minimum @ 1,000 RPM for a single motor. Motor is rated at a maximum of 15 GPM at 2,000 PSI**
- * **Engine driven units require a battery (not included)**
- * **Warranty: 1 year, limited, from date of purchase, check parts-installation manual for exact coverage**
- * **All spinner assemblies shipped loose**
- * **Engine driven units must have oil added before operation**
- * **An inverted V is required when ordering an electric drive or auger discharge Pick-up V-box**

Please Note: Spinner Assembly is a separate line item to order

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
8PV3250ES-10.5	880	00128366-A	8' mild steel, 10.5 HP engine, wireless remote throttle control (Capacity 1.8 Yards)	\$5,375.68
8PV3250SS-10.5	850	00128366-C	8' corrosion resistant stainless steel, 10.5 HP engine, wireless remote throttle control (Capacity 1.8 Yards)	\$6,650.05
8PV3250HMS	760	00129394-A	8' mild steel hydraulic drive (Capacity 1.8 Yards)	\$3,548.12
8PV3250H 304 Ausst.	720	00129394-C	8' corrosion resistant stainless steel, hydraulic drive (Capacity 1.8 Yards)	\$4,719.77
Options:	-			
11 HP Honda Engine		11 HP Honda	11 HP Honda engine in lieu of standard. *WITH HARD WIRED CONTROL ONLY* (Part # 00056268-B)	\$1,048.60
Spinner Selection:	-		STANDARD	
Std Bolt on Spinner Mild Steel		00057260-A	Standard short mild steel bolt on spinner assembly **Spinner will be needed to spread material**	\$660.19

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



MONROE 8' PICKUP V-BOX SPREADER

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Std Bolt on Spinner (Stainless Version)		00057260-G	Standard short corrosion resistant stainless steel bolt on spinner assembly **Spinner will be needed to spread material**	\$968.35
12" Extended Spinner Mild Steel	20	00057535-A	12" extended spinner assembly for dump/flat bed in mild steel **Spinner will be needed to spread material**	\$807.85
12" Extended Spinner (Stainless Version)	20	00057535-G	12" extended spinner assembly in corrosion resistant stainless steel for dump/flat **Spinner will be needed to spread material**	\$1,124.57
Dual Hydraulic Motor-Spinner Package		MSPV-191-H-CONVN	Dual hydraulic motors for hydraulic spreader, hyd. motor for conveyor assembly and a hyd. motor for spinner assembly (add to spinner / spreader price)	\$191.53
Polyurethane Disc		05050064	13" Poly spinner disc	\$58.85
Paint:		Standard	Mild steel orange powder coat:	
		-	corrosion resistant stainless steel bare (no paint):	
Other		Acrylic Enamel-6	Acrylic enamel in colors (not powder coat) other than standard for mild steel.	\$406.60
Options:		-	Note: All options shipped loose unless otherwise noted.	
¼" Top Screen	100	00057509	¼" rod top screens - mild steel (One piece)	\$461.17
3/8" Top Screen	160	00057593	Heavy duty 3/8" rod top screens - mild steel (One piece)	\$925.55
Turnbuckle Mounting Kit	10	00057595	Pick up truck mounting kit	\$77.04
Binder Mounting Kit	25	00012396	4 chains & binders mounting kit	\$240.75
Battery	30	05051144	425CCA battery	\$192.60
6" Box Extension	85	00057518-A	6" extension mild steel	\$347.75
6" Box Extension - (Stainless Version)	85	00057518-B	6" extension corrosion resistant stainless steel	\$577.80
Inverted V	20	00138090-A	Inverted "V" mild steel	\$84.53
Inverted V - (Stainless Version)	17	00138090-C	Inverted "V" corrosion resistant stainless steel	\$142.31
Stop Light	5	05041098	Center high mount stop light	\$73.83
Dual Control Valve	10		Dual flow control valve (only to be ordered with dual/hyd/motor) (Open center)	call factory
Tarp		05050457	Custom fitted 16 ounce Neoprene 8' Pick-up V-box tarp with no mounts	\$826.04
Other Options		-	Other options such as auger conveyor are available	

**For other options contact factory.
Prices and specifications subject to change without notice.
All pricing is F.O.B. factory Monroe, Wisconsin.
Prices effective Jan. 2018**

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE 8' PICKUP V-BOX SPREADER

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE MID-SIZE V-BOX SPREADER

Standard Equipment: 12 gauge hopper; 50 1/2" width; 10 gauge formed longsills slotted for drive and idler shaft removal, 1-1/4" drive & idler shafts; heavy-duty 4 bolt flange bearings; 45° sloped sides; 14" drag chain with 1/4" x 3/4" crossbars, 6-1/2" on center; a 4 corner lift system; 20:1 gear box; 6 tooth cast iron sprockets, inverted V, and parts-installation manual.

Mild steel v-box is powder coated orange - Stainless Steel not painted.

- * **Note: On self-contained units, a 10.5 HP engine and wireless throttle control are standard**
- * **Note: Spinner direction is counter clockwise - as a standard**
- * **Caution: Do not exceed manufacturer weights. Watch truck gross vehicle or gross axle weight ratings when selling pick up V-boxes**
- * **Engine driven units require a battery (not included)**
- * **Warranty: 1 year, limited, from date of purchase, check parts-installation manual for exact coverage**
- * **All spinner assemblies shipped loose**
- * **Included with below spreader price is an inverted V**
- * **Engine driven units must have oil added before operation**
- * **Hydraulic drive units require a truck hydraulic system, control valve, hoses, and couplers (not included with the hydraulic drive system). The hydraulic requirements for an 8' V-box is 7 GPM minimum @ 1,000 RPM for a single motor. Motor is rated at a maximum of 15 GPM at 2,000 PSI**

Please Note: Spinner Assembly is a separate line item to order

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
MD 8-3850ES	905	00056211-A	8' mild steel, 10.5 engine electric throttle, 96x50x38, Incl. inverted V (Capacity 2.5 Yards)	\$6,026.24
MD 8-3850ESSS	905	00056211-C	8' corrosion resistant stainless steel, 10.5 engine electric throttle, 96x50x38, Incl. inverted V (Capacity 2.5Yards)	\$7,078.05
MD 8-3850H	785	00056216-A	8' mild steel, single hydraulic motor drive, 96x50x38, Incl. inverted V (Capacity 2.5 Yards)	\$4,445.85
MD 8-3850H201SS	785	00056216-C	8' corrosion resistant stainless steel, single hydraulic motor drive 96x50x38, Incl. inverted V (Capacity 2.5 Yards)	\$5,661.37
MD 9-3850ES	925	00056212-A	9' mild steel, 10.5 engine electric throttle, 108x50x38, Incl. inverted V (Capacity 2.8 Yards)	\$6,266.99
MD 9-3850ESSS	925	00056212-C	9' corrosion resistant stainless steel, 10.5 engine, electric throttle, 108x50x44, Incl. inverted V (Capacity 2.8 Yards)	\$7,665.48
MD 9-3850H	805	00056217-A	9' mild steel, single hydraulic motor drive, 108x50x38, Incl. inverted V (Capacity 2.8 Yards)	\$4,762.57

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



MONROE MID-SIZE V-BOX SPREADER

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
MD 9-3850HSS	805	00056217-C	9' corrosion resistant stainless steel, single hydraulic motor drive, 108x50x38, Incl. inverted V (Capacity 2.8 Yards)	\$6,333.33
MD 9-4450ESSS	945	00056214-A	9' mild steel, 10.5 engine, electric throttle, 108x50x44, Incl. inverted V (Capacity 3.6 Yards)	\$6,147.15
MD 9-4450ESSS	945	00056214-C	9' corrosion resistant stainless steel, 10.5 engine, electric throttle, 108x50x44, Incl. inverted V (Capacity 3.6 Yards)	\$7,938.33
MD 9-4450H	825	00056219-A	9' mild steel, single hydraulic motor drive, 108x50x44, Incl. inverted V (Capacity 3.6 Yards)	\$4,800.02
MD 9-4450HSS	825	00056219-C	9' corrosion resistant stainless steel, single hydraulic motor drive, 108x50x44, Incl. inverted V (Capacity 3.6 Yards)	\$6,596.55
MD 10-3850ES	965	00056213-A	10' mild steel, 10.5 engine, electric throttle, 120x50x38, Incl. inverted V (Capacity 3.1 Yards)	\$6,173.90
MD 10-3850ESSS	965	00056213-C	10' corrosion resistant stainless steel, 10.5 engine, electric throttle, 120x50x38, Incl. inverted V (Capacity 3.1 Yards)	\$7,949.03
MD 10-3850H	845	00056218-A	10' mild steel, single hydraulic motor drive, 120x50x38, Incl. inverted V (Capacity 3.1 Yards)	\$4,669.48
MD 10-3850HSS	845	00056218-C	10' corrosion resistant stainless steel, single hydraulic motor drive, 120x50x38, Incl. inverted V (Capacity 3.1 Yards)	\$6,508.81
MD 10-4450ES	985	00056215-A	10' mild steel, 10.5 engine, electric throttle, 120x50x44, Incl. inverted V (Capacity 3.9Yards)	\$6,296.95
MD 10-4450ESSS	985	00056215-C	10' corrosion resistant stainless steel, 10.5 engine, electric throttle, 120x50x44, Incl. inverted V (Capacity 3.9 Yards)	\$8,202.62
MD 10-4450H	865	00056220-A	10' mild steel, hydraulic drive, 120x50x44, Incl. inverted V (Capacity 3.9 Yards)	\$4,974.43
MD 10-4450HSS	865	00056220-C	10' corrosion resistant stainless steel, hydraulic drive, 120x50x44 Incl. inverted V (Capacity 3.9 Yards)	\$6,883.31
Options:		-		
11 HP Honda Engine		11 HP Honda	11 HP Honda engine in lieu of standard. *WITH HARD WIRED CONTROL ONLY * (Part # 00056268-B)	\$1,048.60
Spinner Selection:		-	STANDARD	
Std Bolt on Spinner Mild Steel		00057260-A	Standard short mild steel bolt on spinner assembly **Spinner will be needed to spread material**	\$660.19
Std Bolt on Spinner (Stainless Version)		00057260-G	Standard short corrosion resistant stainless steel bolt on spinner assembly **Spinner will be needed to spread material**	\$968.35
12" Extended Spinner Mild Steel	20	00057535-A	12" extended spinner assembly for dump/flat bed in mild steel **Spinner will be needed to spread material**	\$807.85
12" Extended Spinner (Stainless Version)	20	00057535-G	12" extended spinner assembly in corrosion resistant stainless steel for dump/flat **Spinner will be needed to spread material**	\$1,124.57
Polyurethane Disc		05050064	13" Poly spinner disc	\$58.85
Dual Hydraulic Motor-Spinner Package		MSPV-191-H-CONVN	Dual hydraulic motors for hydraulic spreader, hyd. Motor for conveyor assembly and a hyd. Motor for spinner assembly (add to spinner / spreader price)	\$191.53
Paint:		Standard	Mild steel orange powder coat:	

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE MID-SIZE V-BOX SPREADER

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
		-	Corrosion resistant stainless steel bare (No paint):	
Other		Standard Paint code required at time of order	Acrylic enamel in colors (not powder coat) other than standard for mild steel.	\$1,284.00
¼" Top Screen 8'	75	00057509	¼" rod top screens - mild steel (One piece) for 8' box	\$461.17
3/8" Top Screen 8'	148	00057593	Heavy duty 3/8" rod top screens-mild steel (One piece) for 8' box	\$925.55
3/8" Top Screen 9'	165	00051098	HD 3/8" rod two piece top screen for 9' box	\$1,072.14
3/8" Top Screen 10'	180	00051097	HD 3/8" rod two piece top screen for 10' box	\$1,075.35
6" Box Extension - 8'	85	00057518-A	6" extension mild steel - 8' box. Adds an additional .6 cubic yards	\$347.75
6" Box Extension - 8' - (Stainless Version)	85	00057518-B	6" extension corrosion resistant stainless steel - 8' box/ Adds an additional .6 cubic yards	\$577.80
6" Box Extension - 9'	95	00038008-A	6" extension mild steel - 9' box. Adds an additional .7 cubic yards	\$461.17
6" Box Extension - 9' - (Stainless Version)	95	00038008-B	6" extension corrosion resistant stainless steel - 9' box/ Adds an additional .7 cubic yards	\$701.92
6" Box Extension - 10'	105	00012291-A	6" extension mild steel - 10' box. Adds an additional .8 cubic yards	\$493.27
6" Box Extension - 10' - (Stainless Version)	105	00012291-B	6" extension corrosion resistant stainless steel -10' box/ Adds an additional .8 cubic yards	\$759.70
Turnbuckle Mounting Kit-Heavy Duty	10	00057595	Pick up truck mounting kit	\$77.04
Binder mounting kit-Heavy Duty	25	00012396	4 chains & binders mounting kit	\$240.75
Battery	30	05051144	425CCA battery	\$192.60
Stop Light	5	05041098	Center high mount stop light	\$73.83
Dual Control Valve	10		Dual flow control valve (only to be ordered with dual/hyd/motor) (Open center)	call factory
Extended Leg kit-MS		00105838-A	MSPV mild steel self-loading leg kit, 1-Ton Installations.	\$1,591.09
Extended Leg kit - (Stainless Version)		00105838-B	MSPV Corrosion resistant Stainless steel self-loading kit, 1-Ton Installations.	\$2,288.73
		-	**Call Factory for quantity discounts on MSPV self-unloading leg kits	

**For other options contact factory.
Prices and specifications subject to change without notice.
All pricing is F.O.B. factory Monroe, Wisconsin.
Prices effective Jan. 2018**

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE MID-SIZE V-BOX SPREADER

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE 6" AUGER UNDER TAILGATE SPREADER

Standard Equipment: 7 gauge trough assembly with ¼" one-piece endplates full top and bottom openings, with an an easy one-man mount and dismount feature, and parts-installation manual.

- * **Warranty:** 1 year, limited, from date of purchase, please check parts-installation manual for exact coverage
- * **Hydraulic motors** are rated @ 15 GPM @ 2,000 PSI

Please Note: Spinner Assembly is a separate line item to order

****SEAL SAVER KIT IS STANDARD****

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
MS886-RF		00093842-A	88" width 6" Auger, Reverse Flighted (Chain Drive)	\$2,906.12
MS886-RF-DD		00093851-A	88" width 6" Auger, Reverse Flighted (Direct Drive)	\$2,811.96
MS886-RF-GB		00093854-A	88" width 6" Auger, Reverse Flighted (Gearbox Drive)	\$3,159.71
MS886-OW		00093856-A	88" width 6" Auger, One Way Flighted (Chain Drive)	\$2,912.54
MS886-OW-DD		00093862-A	88" width 6" Auger, One Way Flighted (Direct Drive)	\$2,816.24
MS886-OW-GB		00093865-A	88" width 6" Auger, One Way Flighted (Gearbox Drive)	\$3,153.29
MS886-CD		00092630-A	88" width 6" Auger, Center Discharge Flighted (Chain Drive)	\$2,931.80
MS886-CD-DD		00092632-A	88" width 6" Auger, Center Discharge Flighted (Direct Drive)	\$2,836.57
MS886-CD-GB		00092635-A	88" width 6" Auger, Center Discharge Flighted (Gearbox Drive)	\$3,184.32

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



MONROE 6" AUGER UNDER TAILGATE SPREADER

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Stainless Version Upcharge		Corrosion resistant Stainless steel	Bare stainless steel	call factory
Other		Acrylic Urethane Enamel Finish	Wet spray primed & acrylic urethane enamel finish in color other than standard (not powder coated) mild steel only	\$547.84
Spinner Assembly For MS886:		-		
Spinner w/poly disc - Left Hand		00026544-F	Mild Steel Frame and Components with Poly Disc (Left Hand)	\$712.62
Spinner w/poly disc - Left Hand (Stainless Version)		00026544-K	Corrosion Resistant Stainless Frame with Poly Disc. (Left Hand)	\$830.32
Spinner w/poly disc - Center Discharge		00026548-F	Mild Steel Frame and Components with Poly Disc (Center Discharge)	\$769.33
Spinner w/poly disc - Center Discharge (Stainless Version)		00026548-K	Corrosion Resistant Stainless Frame with Poly Disc. (Center Discharge)	\$885.96
Self-Leveling Spinner Assembly without parallel stabilizer rods LH		00022064-F	Self-leveling spinner assembly mounted off of the bottom trough w/poly disc	\$679.45
Self-Leveling Spinner Assembly without parallel stabilizer rods RH		00081047-D	Self-leveling spinner assembly mounted off of the bottom trough w/poly disc	\$746.86
Center Line Chute Assembly	20	00041923-A	Center line chute - berming chute Mild steel	\$425.86
		-		
MS966-RF		00097679-A	96" width 6" Auger, Reverse Flighted (Chain Drive)	\$2,784.14
MS966-RF-DD		00054844-A	96" width 6" Auger, Reverse Flighted (Direct Drive)	\$2,653.60
MS966-RF-GB		00054846-A	96" width 6" Auger, Reverse Flighted (Gearbox Drive)	\$3,013.12
MS966-OW		00054840-A	96" width 6" Auger, One Way Flighted (Chain Drive)	\$2,774.51
MS966-OW-DD		00054887-A	96" width 6" Auger, One Way Flighted (Direct Drive)	\$2,654.67
MS966-OW-GB		00054889-A	96" width 6" Auger, One Way Flighted (Gearbox Drive)	\$3,002.42
MS966-CD		00054847-A	96" width 6" Auger, Center Discharge Flighted (Chain Drive)	\$2,819.45
MS966-CD-DD		00093800-A	96" width 6" Auger, Center Discharge Flighted (Direct Drive)	\$2,716.73
MS966-CD-GB		00093802-A	96" width 6" Auger, Center Discharge Flighted (Gearbox Drive)	\$3,064.48
Spinner Assembly For MS966:		-		
Spinner w/poly disc - Left Hand		00026544-F	Mild Steel Frame and Components with Poly Disc (Left Hand)	\$712.62

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE 6" AUGER UNDER TAILGATE SPREADER

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Spinner w/poly disc - Left Hand (Stainless Version)		00026544-K	Corrosion Resistant Stainless Frame with Poly Disc. (Left Hand)	\$830.32
Spinner w/poly disc - Center Discharge		00026548-F	Mild Steel Frame and Components with Poly Disc (Center Discharge)	\$769.33
Spinner w/poly disc - Center Discharge (Stainless Version)		00026548-K	Corrosion Resistant Stainless Frame with Poly Disc. (Center Discharge)	\$885.96
Spinner w/poly disc - Right Hand		00026549-F	Mild Steel Frame and Components with Poly Disc (Right Hand)	\$755.42
Spinner w/poly disc - Right Hand (Stainless Version)		00026549-J	Corrosion Resistant Stainless Frame with Poly Disc. (Right Hand)	\$879.27
Self-Leveling Spinner Assembly w/o stabilizer rods LH		00022064-F	Self-Leveling Spinner Assembly without stabilizer rods in lieu of standard frame mount	\$679.45
Self-Leveling Spinner Assembly w/o stabilizer rods RH		00081047-D	Self-Leveling Spinner Assembly without stabilizer rods in lieu of standard frame mount	\$746.86
		-		
MS966-DD		00054853-A	96" width 6" Auger, Dual Discharge Flighted (Chain Drive)	\$2,914.68
MS966-DD-DD		00093806-A	96" width 6" Auger, Dual Discharge Flighted (Direct Drive)	\$2,749.90
MS966-DD-GB		00093808-A	96" width 6" Auger, Dual Discharge Flighted (Gearbox Drive)	\$3,082.67
Spinner Assembly For MS966-DD:		-		
Spinner w/poly disc - Left Hand		00026544-F	Mild Steel Frame and Components with Poly Disc (Left Hand)	\$712.62
Spinner w/poly disc - Left Hand (Stainless Version)		00026544-J	Corrosion Resistant Stainless Frame with Poly Disc. (Left Hand)	\$863.49
Spinner w/poly disc - Right Hand		00026549-F	Mild Steel Frame and Components with Poly Disc (Right Hand)	\$755.42
Spinner w/poly disc - Right Hand (Stainless Version)		00026549-J	Corrosion Resistant Stainless Frame with Poly Disc. (Right Hand)	\$879.27
Twin Spinner w/Poly Discs		00072732-D	Twin Spinner Kit with Mild Steel Components and Poly Disc.	\$1,531.17
Options:		-	Note: All options shipped loose unless otherwise noted!	
Spinner Deflectors:		-		
SG-1 LH	12	00031913-A	Outward and downward flow deflector - spinner guard - octagonal.	\$237.54
SG-1 RH	12	00031915-A	Outward and downward flow deflector - spinner guard - octagonal.	\$237.54
SG-2	3	00033672-A	Outward flow deflector adjustable spinner guard - half circular	\$93.09

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



MONROE 6" AUGER UNDER TAILGATE SPREADER

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Auger motor Speed Sensor - Installed		Sensor installed	Speed sensor installed in the Auger motor - Not spinner motor (White motor with Brad Harrison connectors and 100 pulses per revolution)	\$547.84
Hose Kits:		-	Hydraulic hose kits include: hydraulic hose, hose fittings, misc. hardware	
Short Hose Kits	15	05037180	Provides hose kit from rear of truck to spinner and auger motor (no couplers included)	\$220.42
Flow Control Valves:		-		
Closed Center	15	QDL-12-A07-B16-NR	Dual flow control valve for load sensing closed center system (hydraulics)	\$625.95
Open Center	15	QDB-12-A07-B16-NA	Dual flow control valve for open center style	\$436.56
Extended Side Plate Kit		00112445-A	Mild Steel	\$184.04
Extended Side Plate Kit		00112445-B	Stainless Steel	\$271.78
Hyd. Interlock Kit - (MS)		00148640-A	Hydraulic Interlock Kit - Mild Steel	\$212.86
Hyd. Interlock Kit - (304SS)		00148640-B	Hydraulic Interlock Kit - 304SS	\$215.42
Hyd. Interlock Kit - (201SS)		00148640-C	Hydraulic Interlock Kit - 201SS	\$213.02

**For other options contact factory.
Prices and specifications subject to change without notice.
All pricing is F.O.B. factory Monroe, Wisconsin.
Prices effective Jan. 2018**

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE 6" AUGER UNDER TAILGATE SPREADER

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE 9" AUGER ONE-WAY FLIGHTED UNDER TAILGATE SPREADER

Standard Equipment: 7 gauge trough assembly with 1/4" one-piece endplates, dual discharge 9" one-way auger, full top and bottom openings, with an an easy one-man mount and dismount feature, and parts-installation manual.

- * Warranty: 1 year, limited, from date of purchase, please check parts-installation manual for exact coverage
- * Hydraulic motors are rated @ 15 GPM @ 2,000 PSI

Please Note: Spinner Assembly is a separate line item to order

* SEAL SAVER KIT IS STANDARD*

Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.

ModelNum	Weight	Part #	Description	NJ Price
MS969-DD-DD		00093824-A	96" width 9" Auger, Dual Discharge One-Way Flighted (Direct Drive)	\$3,497.83
Spinner Assembly For MS969:		-		
Spinner w/poly disc - Left Hand		00026544-F	Mild Steel Frame and Components with Poly Disc (Left Hand)	\$712.62
Spinner w/poly disc - Left Hand (Stainless Version)		00026544-K	Corrosion Resistant Stainless Frame with Poly Disc. (Left Hand)	\$830.32
Spinner w/poly disc - Right Hand		00026549-F	Mild Steel Frame and Components with Poly Disc (Right Hand)	\$755.42
Spinner w/poly disc - Right Hand (Stainless Version)		00026549-J	Corrosion Resistant Stainless Frame with Poly Disc. (Right Hand)	\$879.27

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE 9" AUGER ONE-WAY FLIGHTED UNDER TAILGATE SPREADER

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Twin Spinner w/poly discs		00072732-D	Twin Spinner Kit with Mild Steel Components and Poly Disc.	\$1,531.17
Self-Leveling Spinner Assembly w/o stabilizer rods LH		00022064-F	Self-Leveling Spinner Assembly without stabilizer rods in lieu of standard frame mount	\$679.45
Self-Leveling Spinner Assembly w/o stabilizer rods RH		00081047-D	Self-Leveling Spinner Assembly without stabilizer rods in lieu of standard frame mount	\$746.86
Auger Drive:		Standard	Direct drive motor	
Center Line Chute	20	00041923-A	Center line chute - berming chute	\$425.86
Steel:		Standard	Mild Steel	
(Stainless Version) Upcharge		SS	Upcharge for 7ga Corrosion resistant stainless steel - Not Painted	call factory
Paint:		Standard	Powder Coated Orange on mild steel - No Paint on stainless steel	
Other		Acrylic Urethane Enamel Finish	Wet spray primed & acrylic urethane enamel finish in color other than standard (not powder coated) mild steel only	\$547.84
Options:		-	Note: All options shipped loose unless otherwise noted!	
Spinner Guards:		-		
SG-1 LH	12	00031913-A	Outward and downward flow deflector - spinner guard - octagonal.	\$237.54
SG-1 RH	12	00031915-A	Outward and downward flow deflector - spinner guard - octagonal.	\$237.54
		-		
SG-2	3	00033672-A	Outward flow deflector adjustable spinner guard - half circular	\$93.09
Hose Kits:		-	Hydraulic hose kits include: hydraulic hose, hose fittings, misc. hardware	
Short Hose Kits	15	05037180	Provides hose kit from rear of truck to the spinner and auger motor (no couplers included)	\$220.42
Flow Control Valves:		-		
Open Center	15	QDB-12-A07-B16-NA	Dual flow control valve for open center style	\$436.56
Closed Center	15	QDL-12-A07-B16-NR	Dual flow control valve for load sensing closed center system	\$625.95
Auger motor Speed Sensor - Installed		Sensor installed	Speed sensor installed in the Auger motor - Not spinner motor (White motor with Brad Harrison connectors and 100 pulses per revolution)	\$547.84
Extended Side Plate Kit		00112445-A	Mild Steel	\$184.04
Extended Side Plate Kit		00112445-B	Stainless Steel	\$271.78
Hyd. Interlock Kit - (201SS)		00148640-C	Hydraulic Interlock Kit - 201SS	\$213.02

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE 9" AUGER ONE-WAY FLIGHTED UNDER TAILGATE SPREADER

**For other options contact factory.
Prices and specifications subject to change without notice.
All pricing is F.O.B. factory Monroe, Wisconsin.
Prices effective Jan. 2018**

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



MONROE 9" AUGER ONE-WAY FLIGHTED UNDER TAILGATE SPREADER

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE UNDER TAILGATE ROLL SPREADER

Standard Equipment: 7 gauge trough assembly with 1/4" one-piece endplates, full top and bottom openings, 4-1/2" O.D. roller assembly. Roller has an adjustable steel wear plate on the front side and four independent spring loaded anti-flow gates on the back side. The spring loaded back gate can be adjusted from a dusting of material to applying material 3" deep. Included with the spreader is a parts-installation manual.

- * **Size of material through rollers should not exceed 3/4"**
- * **Warranty: 1 year, limited, from date of purchase, please check parts-installation manual for exact coverage**
- * **Hydraulic motors are rated @ 15 GPM @ 2,000 PSI**

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
MS88-RS	430	00016638-A	88" width roll spreader	\$3,305.23
MS96-RS	475	00016517-A	96" width roll spreader	\$3,267.78
Roller Drive:		Standard	# 60 roller chain	
Steel:		Standard	Mild steel	
(Stainless Version) Upcharge		SS	Upcharge for 7ga Corrosion resistant stainless steel - Not Painted	call factory
Paint:		Standard	Powder Coated Orange on mild steel - No Paint on Stainless Steel	
Other		Acrylic Urethane Enamel Finish	Wet spray primed & acrylic urethane enamel finish in color other than standard (not powder coated) mild steel only	\$547.84
Options:		-	Note: All options shipped loose unless otherwise noted!	
Gate Options:		-		

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



MONROE UNDER TAILGATE ROLL SPREADER

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Hydraulic Closure:		-		
Hydraulic Closure Kit for 88" Spreader	50	00068094-A	Hydraulic gate closure that automatically opens and closes feed gate with a rubber gate that seals the back gate	\$1,641.38
Hydraulic Closure Kit for 96" Spreader	50	00075521-A	Hydraulic gate closure that automatically opens and closes feed gate with a rubber gate that seals the back gate	\$1,807.23
Chipping Attachment:		-		
Chipping Attachment Kit for 96" Spreader	150	00037941-A	Chipping Attachment for 11' chip coverage Mild steel	\$2,854.76
Hose Kits:		-		
Short Hose Kit	10	05038582	Provides hose kit from rear of truck to the roll drive motor. Hydraulic hose kits include: hydraulic hose, hose fittings, misc. hardware	\$138.03

**For other options contact factory.
Prices and specifications subject to change without notice.
All pricing is F.O.B. factory Monroe, Wisconsin.
Prices effective Jan. 2018**

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE UNDER TAILGATE ROLL SPREADER

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE DUAL 4" AUGER TAILGATE SPREADER

Standard Equipment: 7 gauge trough assembly with 1/4" one-piece endplates, dual 4" augers, full top and bottom openings, with an an easy one-man mount and dismount feature, and parts-installation manual.

- * Warranty: 1 year, limited, from date of purchase, please check parts-installation manual for exact coverage
* Hydraulic motors are rated @ 15 GPM @ 2,000 PSI

Please Note: Spinner Assembly is a separate line item to order
SEAL SAVER KIT IS STANDARD

Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.

Table with 5 columns: ModelNum, Weight, Part #, Description, NJ Price. Rows include MS964-DA, Auger Drive, Steel, (Stainless Version) Upcharge, Paint, Other, and Spinner w/poly disc - Left Hand.

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE DUAL 4" AUGER TAILGATE SPREADER

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Spinner w/poly disc - Left Hand (Stainless Version)		00026544-K	Corrosion Resistant Stainless Frame with Poly Disc. (Left Hand)	\$830.32
Self-Leveling Spinner Assembly without stabilizer rods LH		00022064-F	Self-leveling spinner assembly mounted off of the bottom trough (Mild Steel)	\$679.45
Self-Leveling Spinner Assembly without stabilizer rods RH		00081047-D	Self-leveling spinner assembly mounted off of the bottom trough (Mild Steel)	\$746.86
Options:		-	Note: All options shipped loose unless otherwise noted!	
Spinner Guards:		-		
SG-1 LH	12	00031913-A	Outward and downward flow deflector - spinner guard - octagonal.	\$237.54
SG-1 RH	12	00031915-A	Outward and downward flow deflector - spinner guard - octagonal.	\$237.54
SG-2	3	00033672-A	Outward flow deflector adjustable spinner guard - half circular	\$93.09
Short Hose Kits	15	05037180	Provides hose kit from rear of truck to the spinner and auger motor	\$220.42
Flow Control Valves:		-		
Open Center	15	QDB-12-A07-B16-NA	Dual flow control valve for open center style	\$436.56
Closed Center	15	QDL-12-A07-B16-NR	Dual flow control valve for load sensing closed center system	\$625.95

**For other options contact factory.
Prices and specifications subject to change without notice.
All pricing is F.O.B. factory Monroe, Wisconsin.
Prices effective Jan. 2018**

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE DUAL 4" AUGER TAILGATE SPREADER

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE TWIN SPINNER 6" AUGER UNDER TAILGATE SPREADER

Standard Equipment: 7 gauge trough assembly with ¼" one-piece endplates, full top and bottom openings, 6" left and right reverse flighted auger discharging to two openings located about 12" from each end of auger trough to the twin spinner assemblies (sold separately), one-man mount and dismount feature, and a parts-installation manual.

- * **Warranty: 1 year, limited, from date of purchase, please check parts-installation manual for exact coverage**
- * **Hydraulic motors are rated @ 15 GPM @ 2,000 PSI**

Please Note: Spinner Assembly is a separate line item to order

****SEAL SAVER KIT IS STANDARD****

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
MS966-TS		00054881-A	96" width 6" Auger, Twin Discharge Flighted (Chain Drive)	\$2,841.92
MS966-TS-DD		00093811-A	96" width 6" Auger, Twin Discharge Flighted (Direct Drive)	\$2,729.57
MS966-TS-GB		00093814-A	96" width 6" Auger, Twin Discharge Flighted (Gearbox Drive)	\$3,088.02
(Stainless Version) Upcharge			Upcharge for Corrosion resistant stainless steel - Not Painted	call factory
Other		Acrylic code required at time of order	Enamel in color other than standard (not powder coated, mild steel only)	\$283.55
Twin Spinner w/poly discs		00072732-D	Twin Spinner Kit with Mild Steel Components and Poly Disc.	\$1,531.17
Self-Leveling Spinner Assemblies without stabilizer rods LH		00022064-F	Self-leveling spinner assemblies mounted off of the bottom trough (Mild Steel)	\$679.45

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



MONROE TWIN SPINNER 6" AUGER UNDER TAILGATE SPREADER

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Self-Leveling Spinner Assemblies without stabilizer rods RH		00081047-D	Self-leveling spinner assemblies mounted off of the bottom trough (Mild Steel)	\$746.86
Options:		-	Note: All options shipped loose unless otherwise noted!	
Spinner Guards:		-		
SG-1 LH	12	00031913-A	Outward and downward flow deflector - spinner guard - octagonal.	\$237.54
SG-1 RH	12	00031915-A	Outward and downward flow deflector - spinner guard - octagonal.	\$237.54
SG-2	3	00033672-A	Outward flow deflector adjustable spinner guard - half circular	\$93.09
Hose Kits:		-	Hydraulic hose kits include: hydraulic hose, hose fittings, misc. hardware	
Short Hose Kits	15	05037180	Provides hose kit from rear of truck to the spinner and auger motor (Requires two additional spinner hoses- not supplied)	\$220.42
Flow Control Valves:		-		
Open Center	15	QDB-12-A07-B16-NA	Dual flow control valve for open center style	\$436.56
Closed Center	15	QDL-12-A07-B16-NR	Dual flow control valve for load sensing closed center system	\$625.95

**For other options contact factory.
Prices and specifications subject to change without notice.
All pricing is F.O.B. factory Monroe, Wisconsin.
Prices effective Jan. 2018**

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE TWIN SPINNER 6" AUGER UNDER TAILGATE SPREADER

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE REPLACEMENT TAILGATE SPREADER For One-Ton / Super Duty

Standard Equipment: 7 gauge body with 1/4" endplates, 2" x 2" x 3/16" outside tube type frame, full width auger located above the dump-body floor auger to have 3/8" flighting with 4" pitch, agitator bar to have six 4" x 4" x 1/4" interrupters angularly welded, auger and agitator to be driven by #60 roller chain. Spreader is to include a parts-installation manual.

- * **Warranty: 1 year, limited, from date of purchase, please check parts-installation manual for exact coverage**
- * **Hydraulic motors are rated @ 15 GPM @ 2,000 PSI**
- * **Non-bottom opening**
- * **NOTE: FORM #06 at the end of this section must be used when ordering.**

Please Note: Spinner Assembly is a separate line item to order

****SEAL SAVER KIT IS STANDARD****

NOTE: Customer supplied "Build Sheet" must be completed and attached with order prior to production

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
RT2230-6-CD		00019631-A	From 22" Thru 30" high, 6.00" auger, Center Discharge, Chain Drive, Mild Steel	\$3,075.18
RT2230-6-RF		00019630-A	From 22" Thru 30" high, 6.00" auger, Reverse Flighting, Left Discharge, Chain Drive, Mild Steel	\$3,071.97
RT3142-6-CD		00095375-A	From 31" Thru 42" high, 6.00" auger, Center Discharge, Chain Drive, Mild Steel	\$3,210.00
RT3142-6-RF		00095374-A	From 31" Thru 42" high, 6.00" auger, Reverse Flighting, Left Discharge, Chain Drive, Mild Steel	\$3,212.14
MS796-CDTG	663	00041920-A	78-3/4" wide x 22-1/2" high, 6.00" auger, Center Discharge, Chain Drive, Mild Steel	\$2,709.24
MS796-RFTG		00017149-A	78-3/4" wide x 22-1/2" high, 6.00" auger, Reverse Flighting, Left Discharge, Chain Drive, Mild Steel	\$2,614.01
MS8923-6-CDTG		00091820-A	88-1/2" wide x 23-1/2" high, 6.00" auger, Center Discharge, Chain Drive, Mild Steel **Recommended for 1-ton Crysteel Dump Body**	\$2,839.78

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



MONROE REPLACEMENT TAILGATE SPREADER For One-Ton / Super Duty

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
MS8923-6-RFTG		00091821-A	88-1/2" wide x 23-1/2" high, 6.00" auger, Reverse Flighting, Left Discharge, Chain Drive, Mild Steel **Recommended for 1-ton Crysteel Dump Body**	\$2,877.23
Steel:		Standard	Mild steel	
(Stainless Version) Upcharge		SS	Upcharge for Corrosion resistant stainless steel - Not Painted	call factory
Paint:		Standard	Powder Coated Orange on mild steel - No Paint on Stainless Steel	
Other		Acrylic Enamel-12	Acrylic enamel in color other than standard (not powder coated, mild steel only)	\$278.20
Spinner:		-	Required to Choose a Spinner Assembly	
Spinner w/poly disc - Left Hand		00026544-F	Mild Steel Frame and Components with Poly Disc (Left Hand)	\$712.62
Spinner w/poly disc - Left Hand (Stainless Version)		00026544-K	Corrosion Resistant Stainless Frame with Poly Disc. (Left Hand)	\$830.32
Spinner w/poly disc - Center Discharge		00026548-F	Mild Steel Frame and Components with Poly Disc (Center Discharge)	\$769.33
Spinner w/poly disc - Center Discharge (Stainless Version)		00026548-K	Corrosion Resistant Stainless Frame with Poly Disc. (Center Discharge)	\$885.96
Self-Leveling Spinner Assembly without parallel stabilizer rods LH		00022064-F	Self-leveling spinner assembly mounted off of the bottom trough w/poly disc	\$679.45
Self-Leveling Spinner Assembly without parallel stabilizer rods LH (Stainless Version)		00022064-H	Self-leveling spinner assembly made with Corrosion Resistant Stainless mounted off of the bottom trough w/poly disc	\$753.28
Auger motor Speed Sensor - Installed		Sensor installed	Speed sensor installed in the Auger motor - Not spinner motor (White motor with Brad Harrison connectors and 100 pulses per revolution)	\$547.84
Options:		-	Note: All options shipped loose unless otherwise noted.	
Spinner Guards:		-		
Hose Kits:		-	Hydraulic hose kits include: hydraulic hose, hose fittings, misc. hardware	
Short Hose Kits	15	05037180	Provides hose kit from rear of truck to the spinner and auger motor (no couplers included)	\$220.42
Flow Control Valves:		-		
Open Center	15	QDB-12-A07-B16-NA	Dual flow control valve for open center style	\$436.56
Closed Center	15	QDL-12-A07-B16-NR	Dual flow control valve for load sensing closed center system	\$625.95
Other Options:		-		
Backing Plate	75	Backing Plate	3/16" mild steel back plate (bolt-on)	\$535.00

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE REPLACEMENT TAILGATE SPREADER For One-Ton / Super Duty

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Quick Drop Tailgate Mounting Kit		00098541		\$185.11

**For other options contact factory.
Prices and specifications subject to change without notice.
All pricing is F.O.B. factory Monroe, Wisconsin.
Prices effective Jan. 2018**

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE REPLACEMENT TAILGATE SPREADER For One-Ton / Super Duty

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE FULL REPLACEMENT TAILGATE SPREADER For 5 Yard and Larger Dump-Bodies

Standard Equipment: 3/16" body with 1/4" endplates, 3" x 3" x 1/4" outside tube type frame, full width auger located below the dump body floor, full bottom opening, below floor level auger to have 3/8" x 6" flighting with a 4" pitch, agitator bar shall have six 4" x 4" x 1/4" interrupters angularly welded, both auger and agitator are to be direct driven by low speed, high torque hydraulic motors, parts-installation manual.

- * **Warranty: 1 year, limited, from date of purchase, please check parts-installation manual for exact coverage**
- * **Hydraulic motors are rated @ 15 GPM @ 2,000 PSI**

Please Note: Spinner Assembly is a separate line item to order

****SEAL SAVER KIT IS STANDARD****

NOTE: Customer supplied "Build Sheet" must be completed and attached with order prior to production

NOTE: A completed RT/RTS Information Sheet is required at time of order.

****SEAL SAVER KIT IS STANDARD****

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
RTS2035-6-CD		00089201-A	From 20" Thru 35" high, 6.00" auger, Center Discharge, Direct Drive, No Panels, Mild Steel	\$4,519.68
RTS2035-6-RF		00086591-A	From 20" Thru 35" high, 6.00" auger, Reverse Flighting, Left Discharge, Direct Drive, No Panels, Mild Steel	\$4,385.93
RTS2035-6-OW		00089224-A	From 20" Thru 35" high, 6.00" auger, One-Way Flighting, Left Discharge, Direct Drive, No Panels, Mild Steel	\$4,595.65
RTS3645-6-CD		00017444-A	From 36" Thru 45" high, 6.00" auger, Center Discharge, Direct Drive, 3 Panels, Mild Steel	\$4,844.43
RTS3645-6-RF		00163668-A	From 36" Thru 45" high, 6.00" auger, Reverse Flighting, Left Discharge, Direct Drive, 3 Panels, Mild Steel	\$6,088.30
RTS3645-6-OW		00017441-A	From 36" Thru 45" high, 6.00" auger, One-Way Flighting, Left Discharge, Direct Drive, 3 Panels, Mild Steel	\$4,845.26
RTS4655-6-CD		00096725-A	From 46" Thru 55" high, 6.00" auger, Center Discharge, Direct Drive, 6 Panels, Mild Steel	\$5,129.58

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



MONROE FULL REPLACEMENT TAILGATE SPREADER For 5 Yard and Larger Dump-Bodies

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
RTS4655-6-RF		00096726-A	From 46" Thru 55" high, 6.00" auger, Reverse Flighting, Left Discharge, Direct Drive, 6 Panels, Mild Steel	\$4,995.83
RTS4655-6-OW		00096727-A	From 46" Thru 55" high, 6.00" auger, One-Way Flighting, Left Discharge, Direct Drive, 6 Panels, Mild Steel	\$5,173.45
RTS3645-9-DD		00019652-A	From 36" Thru 45" high, 9.00" auger, Center Discharge, Direct Drive, 3 Panels, Mild Steel	\$5,591.82
RTS3645-9-RF		00019661-A	From 36" Thru 45" high, 9.00" auger, Reverse Flighting, Left Discharge, Direct Drive, 3 Panels, Mild Steel	\$5,601.45
RTS4655-9-DD		00095342-A	From 46" Thru 55" high, 9.00" auger, Center Discharge, Direct Drive, 3 Panels, Mild Steel	\$5,792.98
RTS4655-9-RF		00095343-A	From 46" Thru 55" high, 9.00" auger, Reverse Flighting, Left Discharge, Direct Drive, 3 Panels, Mild Steel	\$5,897.84
Auger Flighting:		Standard	6" Reverse flight, opening is left of center for discharge	
Spreader Bracing:		Standard	35" height = boxed parameter / 36" - 45" height = 3 panel / 46" - 55" height = 6 panel	
6 Panel	75	6 Panel	6 panel in lieu of 3 panel	\$315.65
9 Panel	95	9 Panel	9 panel in lieu of 6 panel	\$315.65
Auger Drive:		Standard	Direct Drive motor	
No Agitator Bar	<75>	No Agitator Bar	No agitator bar	-\$160.50
Steel:		Standard	Mild Steel	
(Stainless Version) Upcharge		SS	Upcharge for Corrosion resistant stainless steel - Not Painted	call factory
Paint:		Standard	Powder Coated Orange on mild steel	
Other		Acrylic Enamel-6	Acrylic enamel in color other than standard (not powder coated, mild steel only)	\$406.60
Spinner:		-	Required to Choose a Spinner Assembly	
Spinner w/poly disc - Left Hand		00026544-F	Mild Steel Frame and Components with Poly Disc (Left Hand)	\$712.62
Spinner w/poly disc - Left Hand (Stainless Version)		00026544-K	Corrosion Resistant Stainless Frame with Poly Disc. (Left Hand)	\$830.32
Spinner w/poly disc - Center Discharge		00026548-F	Mild Steel Frame and Components with Poly Disc (Center Discharge)	\$769.33
Spinner w/poly disc - Center Discharge (Stainless Version)		00026548-K	Corrosion Resistant Stainless Frame with Poly Disc. (Center Discharge)	\$885.96
Self-Leveling Spinner Assembly without parallel stabilizer rods LH		00022064-F	Self-leveling spinner assembly mounted off of the bottom trough w/poly disc	\$679.45

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



MONROE FULL REPLACEMENT TAILGATE SPREADER For 5 Yard and Larger Dump-Bodies

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Self-Leveling Spinner Assembly without parallel stabilizer rods LH (Stainless Version)		00022064-H	Self-leveling spinner assembly made with Corrosion Resistant Stainless mounted off of the bottom trough w/poly disc	\$753.28
Auger motor Speed Sensor - Installed		Sensor installed	Speed sensor installed in the Auger motor - Not spinner motor (White motor with Brad Harrison connectors and 100 pulses per revolution)	\$547.84
Options:		-	Note: All options shipped loose unless otherwise noted!	
Spinner Guards:		-		
Hose Kits:		-	Hydraulic hose kits include: hydraulic hose, hose fittings, misc. hardware	
		-		
Short Hose Kits	15	05037180	Provides hose kit from rear of truck to the spinner and conveyor motor	\$220.42
Flow Control Valves:		-		
Open Center	15	QDB-12-A07-B16-NA	Dual flow control valve for open center style	\$436.56
Closed Center	15	QDL-12-A07-B16-NR	Dual flow control valve for load sensing closed center system	\$625.95
Other Options:		-		
Backing Plate	100	BackingPlate-RTS	3/16" mild steel cover plate (bolt-on)	\$599.20

**For other options contact factory.
Prices and specifications subject to change without notice.
All pricing is F.O.B. factory Monroe, Wisconsin.
Prices effective Jan. 2018**

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE FULL REPLACEMENT TAILGATE SPREADER For 5 Yard and Larger Dump-Bodies

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE REAR CROSS CONVEYOR

Standard Equipment: 3/16" mild steel trough with 1/4" one-piece endplate, two adjustable feed gates with rubber sealers. Conveyor is straight belt type with 3/8" thick belting that is temperature resistant to 350 degrees Fahrenheit. The adjustable rubber shields between conveyor belt and material hopper sides are 5/16" thick. All interior seams are to be continuously welded. The trough shall be powder coated orange.

- * Spreads a variety of materials that include: all types of aggregate and hot mix asphalt; shoulder maintenance, rut filling, patching asphalt, and ice control.
- * Warranty, 1 year, limited, from date of purchase, please check parts-installation manual for exact coverage
- * Hydraulic motors are rated @ 15 GPM @ 2,000 PSI

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
MS10312	1,065	00016899-A	12" Rear Belt Conveyor	\$8,212.25
MS10312 (Stainless Version)	1,065	00016899-B	12" Rear Belt Conveyor - made with Corrosion resistant Stainless steel	\$11,715.43
MS10318	1,185	00016898-A	18" Rear Belt Conveyor	\$8,385.59
MS10318 (Stainless Version)	1,185	00016898-B	18" Rear Belt Conveyor - made with Corrosion resistant Stainless steel	\$12,067.46
Steel:		Standard	3/16" Mild steel trough with 1/4" endplate	
Paint:		Standard Paint code required at time of order	Powder Coated Orange Acrylic enamel in color other than standard (not powder coated, mild steel only)	\$1,284.00
Options:		-	All options shipped loose unless otherwise noted!	
Spinner Assembly w/poly disc - Left Hand	50	00057841-A	Poly 18" diameter disc with formed fins for 12" model Mild Steel	\$743.65

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE REAR CROSS CONVEYOR

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Spinner Assembly w/poly disc - Left Hand (Stainless Version)	50	00057841-B	Poly 18" diameter disc with formed fins for 12" model Corrosion resistant Stainless steel	\$881.68
Spinner Assembly w/poly disc - Right Hand	50	00057840-A	Poly 18" diameter disc with formed fins for 12" model Mild Steel	\$753.28
Spinner Assembly w/poly disc - Right Hand (Stainless Version)	50	00057840-B	Poly 18" diameter disc with formed fins for 12" model Corrosion resistant Stainless steel	\$892.38
Spinner Assembly w/poly disc - Left Hand	50	00057877-A	Poly, 18" diameter disc with formed fins for 18" model Mild Steel	\$666.61
Spinner Assembly w/poly disc - Left Hand (Stainless Version)	50	00057877-B	Poly, 18" diameter disc with formed fins for 18" model Corrosion resistant Stainless steel	\$889.17
Spinner Assembly w/poly disc - Right Hand	50	00057845-A	Poly, 18" diameter disc with formed fins for 18" model Mild Steel	\$705.13
Spinner Assembly w/poly disc - Right Hand (Stainless Version)	50	00057845-B	Poly, 18" diameter disc with formed fins for 18" model Corrosion resistant Stainless steel	\$899.87
Berming Chute (12")	25	00057838-A	Berming Chute for 12" Model - Mild Steel	\$80.25
Berming Chute (12") (Stainless Version)	25	00057838-B	Berming Chute for 12" Model -Corrosion resistant Stainless steel	\$111.28
Berming Chute (18")	25	00057849-A	Berming Chute for 18" Model - Mild Steel	\$68.48
Berming Chute (18") (Stainless Version)	25	00057849-B	Berming Chute for 18" Model - Corrosion resistant Stainless steel	\$139.10
Extension Conveyor, 12" Model	450	00069614-A	4' Extension conveyor with belt, non-folding for 12" model - Mild Steel	\$3,832.74
Extension Conveyor, 18" Model	475	00089585-A	4' Extension conveyor with belt, non-folding for 18" model - Mild Steel	\$5,661.37
Lighting - Installed		00012929iA	Stop, Turn, Tail w/3 light cluster bar with 5-6' Lead (Installed)	\$814.27
Sand Bag Attachment 18"		00069600	Sand Bag Attachment - Mild Steel	\$279.27
Reversing on / off Valve		05050764I	Reversing on/off Valve (Includes hoses & fittings)	\$758.63
Hose Kits:		-	Hydraulic hose kits include: hydraulic hose, hose fittings, misc. hardware	
Custom Short Hose Kits for Cross Conveyor	15	05037180	Provides hose kit from rear of truck to the spinner and conveyor motor	\$220.42
Berm Master 18"	250	00095752	Manual slide Berm Master for MS10318	\$3,233.54
Berm Master 18"	300	00096227	Hyd. slide & lift Berm Master for MS10318	\$4,748.66

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE REAR CROSS CONVEYOR

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Controls/Harnesses		00096364	Controls & Harnesses for Hydraulic unit - Optional Berm Master Hydraulic Valve Kit, to be used with the hydraulically controlled berm master unit includes: (This price to be added to the above hyd. Unit.) Valves for cylinder operation (Up/down and right/left) of the Berm Master, Hose kit for Berm Master, Control & Harness kit for Berm Master operations (this can be installed for in-cab control)	\$4,149.46

**For other options contact factory.
Prices and specifications subject to change without notice.
All pricing is F.O.B. factory Monroe, Wisconsin.
Prices effective Jan. 2018**

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE REAR CROSS CONVEYOR

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



MONROE RDS (RADIUS DUMP SPREADER) SPREADER BODY

Standard Equipment: Includes 3/16" body; 1/4" replaceable floor with 3/16" removable chain shields; formed and boxed toprail, full length of body; 1/4" A36 14" deep longills with formed crossmembers; 34" wide conveyor with two 6:1 spur gearboxes. 8 tooth sprockets keyed to 2" drive and idler shafts; rectangular tailgate shall be double-acting and have a boxed perimeter; the spreader shall have a 108 light group assembly and stop, turn and tail lights. Also included is a body prop kit, a front telescopic hoist LESS HYDRAULICS and a parts-installation manual.

- * **Caution: Do not exceed truck gross vehicle weight or gross axle weight rating**
- * **Truck hydraulics required to operate (Not included)**
- * **Valves Required:**
 - One (1) Double Acting Valve for Hoist**
 - One (1) Proportional Valve for Conveyor**
 - One (1) Proportional Valve for Spinner**
 - One (1) Proportional Valve for Front-Cross Conveyor if Applicable**
- * **Hydraulic motors are rated @ 15 GPM @ 2,000 PSI**
- * **Warranty: 1 year, limited, from date of purchase, check parts-installation manual for exact coverage**

Please Note: Spinner Assembly is a separate line item to order
Fenders are a separate line item to order

BOX LENGTH	CAPACITY REAR DISCHARGE Floor to Top 44" Sides - 50" Rear Ht	CAPACITY FRONT DISCHARGE Floor to Top 44" Sides - 50" Rear Ht	CA REQUIRED See forms 2 & 3 for Requirements	HOIST CAPACITY 12" OVERHANG
10' RDS	7.19 Cu Yds	7.11 Cu Yds	84"	16 Ton Class 60
11' RDS	8.00 Cu Yds	7.92 Cu Yds	96"	16 Ton Class 60
12' RDS	8.81 Cu Yds	8.73 Cu Yds	96" or 102"	25 Ton Class 60
13' RDS	9.62 Cu Yds	9.53 Cu Yds	108"	25 Ton Class 80
14' RDS	10.43 Cu Yds	10.34 Cu Yds	114"	25 Ton Class 80
15' RDS	11.24 Cu Yds	11.15 Cu Yds	126"	25 Ton Class 110
16' RDS	12.05 Cu Yds	11.95 Cu Yds	138"	30 Ton Class 110

Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.

ModelNum	Weight	Part #	Description	NJ Price
RDS 120-96-56 - Rear Discharge Only	5240	00019215-A	10' length, 87" top inside width, 96" outside width, overall 56" side height - Spinner NOT included	\$26,218.21
RDS 120-96-56 - Front or Rear Discharge	5240	00019216-A	10' length, 87" top inside width, 96" outside width, overall 56" side height - Front Cross Conveyor Included - Spinner NOT included	\$31,552.16
RDS 132-96-56 - Rear Discharge Only	5764	00019449-A	11' length, 87" top inside width, 96" outside width, overall 56" side height - Spinner NOT included	\$28,521.92
RDS 132-96-56 - Front or Rear Discharge	5764	00019441-A	11' length, 87" top inside width, 96" outside width, overall 56" side height - Front Cross Conveyor Included - Spinner NOT included	\$32,637.14
RDS 144-96-56 - Rear Discharge Only	6288	00019248-A	12' length, 87" top inside width, 96" outside width, overall 56" side height - Spinner NOT included	\$29,328.70
RDS 144-96-56 - Front or Rear Discharge	6288	00019249-A	12' length, 87" top inside width, 96" outside width, overall 56" side height - Front Cross Conveyor Included - Spinner NOT included	\$33,410.75
RDS 156-96-56 - Rear Discharge Only	6812	00019270-A	13' length, 87" top inside width, 96" outside width, overall 56" side height - Spinner NOT included	\$29,634.72

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



MONROE RDS (RADIUS DUMP SPREADER) SPREADER BODY

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
RDS 156-96-56 - Front or Rear Discharge	6812	00019271-A	13' length, 87" top inside width, 96" outside width, overall 56" side height - Front Cross Conveyor Included - Spinner NOT included	\$34,915.17
RDS 168-96-56 - Rear Discharge Only	7336	00019295-A	14' length, 87" top inside width, 96" outside width, overall 56" side height - Spinner NOT included	\$31,318.90
RDS 168-96-56 - Front or Rear Discharge	7336	00019296-A	14' length, 87" top inside width, 96" outside width, overall 56" side height - Front Cross Conveyor Included - Spinner NOT included	\$35,988.38
RDS 180-96-56 - Rear Discharge Only	7860	00019421-A	15' length, 87" top inside width, 96" outside width, overall 56" side height - Spinner NOT included	\$32,913.20
RDS 180-96-56 - Front or Rear Discharge	7860	00019422-A	15' length, 87" top inside width, 96" outside width, overall 56" side height - Front Cross Conveyor Included - Spinner NOT included	\$37,217.81
RDS 192-96-56 - Rear Discharge Only	8384	00019455-A	16' length, 87" top inside width, 96" outside width, overall 56" side height - Spinner NOT included	\$35,962.70
RDS 192-96-56 - Front or Rear Discharge	8384	00019456-A	16' length, 87" top inside width, 96" outside width, overall 56" side height - Front Cross Conveyor Included - Spinner NOT included	\$40,123.93
Steel:		Standard	3/16" mild steel shell, ¼" bolt-in floor	
(Stainless Version) Upcharge		SS	Upcharge for Corrosion resistant stainless steel - Not Painted	call factory
Rear Spinners:		-	Choose Spinner & add to Price	
Stationary Tube		00053094-C	Stationary Tube mounted on rear spinner assembly - Mild Steel	\$1,812.58
Stationary Tube w/poly spinner disc		00053094-E	Stationary Tube mounted on rear spinner assembly - Mild Steel w/poly spinner disc	\$1,805.09
Tip-up mild steel chute spinner assembly		00050733-B	Mild steel tip-up spinner assembly with mild steel spinner disc and motor in lieu of standard	\$2,255.56
Tip-up mild steel chute spinner assembly w/poly spinner disc		00050733-H	Mild steel tip-up spinner assembly with poly steel spinner disc and motor in lieu of standard	\$2,248.07
Hand winch for tip-up spinner		00050708	Left hand winch; used on tip-up spinner only. 800 lbs. with brake	\$393.76
Front Spinners:		-		
Scraper Spinner		00067171-A	A front spinner assembly is available to sell with an underbody scraper that is height adjustable - right or left install	\$956.58
Standard Spinner (v-box style lower)		00141787-D	Bolt-on right or left install	\$1,308.24
Tip-up Front Berm Chute		00078973-A	Pin-on, tip-up, berming chute	\$211.86
Gravity Feed Front Chute Spinner Assy.		00136631-A	Gravity Feed Front Chute Spinner Assembly - MILD STEEL (outside of frame-mounted spinner)	\$2,299.38
Gravity Feed Front Chute Spinner Assy.		00136631-B	Gravity Feed Front Chute Spinner Assembly - STAINLESS STEEL (outside of frame-mounted spinner)	\$3,135.83
Spinner Assy, RDS, FR, Center		00109495-A	Spinner Assy, RDS, FR, Center Spinner - Mild Steel (spinner centered between frame)	\$3,416.81
Spinner Assy, RDS, FR, Center		00109495-C	Spinner Assy, RDS, FR, Center Spinner - Stainless Steel (spinner centered between frame)	\$4,034.76

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



MONROE RDS (RADIUS DUMP SPREADER) SPREADER BODY

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Cross Conveyor:		Standard	20" wide endless belt, reversible conveyor assembly	
Front cross conveyor (belt)	250	00085084-A	Front cross conveyor with two ply high- temp rubber belting (PRICE INCLUDED IN FRONT DISCHARGE BODIES)	\$5,123.16
Front cross (dual auger)		00081601-A	Front cross auger with dual 6" augers can be plumbed to unload both sides at the same time (longmembers 1.63 higher)	\$3,840.23
Hydraulic front cross conveyor gate		00084963-A	Hydraulic front cross conveyor gate in lieu of manual	\$771.47
Conveyor Chain:		Standard	½" x 1-1/2" bar flights, 4-1/2" centers, 26,000# tensile strength per strand pintle chain	
Every link pintle chain		Every link pintle chain	½" x 1-1/2" bar flights, 2-1/4" centers, 26,000# tensile strength per strand pintle chain ***NOTE: PRICED PER FOOT***	\$68.48
Belt-over-chain 4-1/2" on center		Belt over chain 4.5	High temp belt over pintle chain, 4-1/2" on center. Belt is installed with stainless steel bolts and washers in lieu of rivets. ***NOTE: PRICED PER FOOT	\$460.10
Conveyor Drive:		Standard	(2) 6:1 Spur Gear box drive - Standard dual gear boxes	
Tailgate:	Inc.	Standard	Full opening, hinged, manual close	
Air-close tailgate - Elect/Air	20	05002301i	Full opening, hinged, air-close with 3-1/2" X 6" cylinder kit	\$477.22
Paint:		Standard	Mild steel in prime black	
Other			Acrylic enamel in color other than standard (PAINT CODE REQUIRED AT TIME OF ORDER)	call factory
Options:		-		
Cabshield	300	Cabshield-2	½ cabshield in mild steel (shipped loose) (A completed cabshield FORM #04 located in the Appendix at the end of this pricebook must be filled out and turned in at time of order)	\$759.70
Install Cabshield		install-Cab-2	Install Cabshield	\$109.14
Fenders With Frame Brackets:		-	Chassis information required at time of order - Note: No extra charge for installation of body mounted fenders. SPECIAL NOTE: Use only Extended fenders for 120 Gallon Tanks. Use only Full Length body-mounted fenders for 270 Gallon Tanks.	
Fenders for Single Axle - Chassis Mt	390	00035064-A	Fenders for single axle chassis - Chassis mount in mild steel (shipped loose)	\$1,496.93
Fenders for Single Axle - Body Mt		00043760iA	Fenders for single axle chassis - Body mount in mild steel (Installed)	\$1,148.11
Fenders for Single Axle - Body Mt extended for tarp Inst.		00061631iA	Fenders for single axle body mount extended for tarp installation (Installed)	\$1,209.10
Fenders for Tandem Axle - Chassis Mt	666	00035065-A	Fenders for Tandem axle chassis - Chassis mount in mild steel (shipped loose)	\$2,335.81
Fenders for Tandem Axle - Body Mt		00043762iA	Fenders for Tandem axle chassis - Body mount in mild steel (installed)	\$1,730.19
Top Screens:		-		
10' Body	394	00031856i	Heavy duty top screens for 10' body (Installed)	\$3,575.94

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



MONROE RDS (RADIUS DUMP SPREADER) SPREADER BODY

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
11' Body	430	00073247i	Heavy duty top screens for 11' body (Installed)	\$4,183.70
12' Body	465	00073250i	Heavy duty top screens for 12' body (Installed)	\$4,329.22
13' Body	500	00016283i	Heavy duty top screens for 13' body (Installed)	\$4,685.53
14' Body	535	00073252i	Heavy duty top screens for 14' body (Installed)	\$4,848.17
15' Body	573	00073253i	Heavy duty top screens for 15' body (Installed)	\$4,939.12
16' Body	590	00073254i	Heavy duty top screens for 16' body (Installed)	\$5,357.49
Other Options:				
Chain oiler - installed	25	00044283i	5 gallon capacity chain oiler (gravity) Manual (Installed)	\$460.10
Chain oiler w/sight glass - installed	25	00017265i	5 gallon capacity chain oiler (gravity) Manual with sight glass (Installed)	\$526.44
Electric Chain Oiler - installed	29	00015203i	Chain oiler w/electric on/off, 5 Gal, (not wired) (Installed)	\$700.85
Ladder, Fold-up - installed	50	00035038IA	16" wide Fold-up steel ladder w/Bustin steps (Installed)	\$598.13
Bustin Step Kit		00091785	Bustin Step (Price Each)	\$92.02
Speed Sensors	1	Speed Sensors	Up charge to install speed sensor in one White brand conveyor drive motor w/Brad Harrison, connectors with 100 pulses per revolution	\$331.70
Floor Cover ¼" Steel		Floor Cover 1/4" Steel	¼" Steel cover Full Length of Conveyor (Installed) (PRICE IS PER FOOT)	\$90.95
Floor Cover Poly		Floor Cover Poly	3/8" UHMW - (12" and over spliced) (PRICE IS PER FOOT)	\$83.46
Sub-floor kits		Sub-FI kits	3/8" Poly sub-floor kit for customer installation under RDS body to prevent material from hitting drive train components (Installed) (PRICE PER FOOT)	\$98.44
Series Parallel Valve (main conveyor) Manual Control	80	05037220	Series parallel valve only, (shipped loose) Manual w / handle	\$377.71
Electric / Hydraulic		05043043	Electric \ Hydraulic - Serial parallel valve only	\$1,019.71
Patch Pan (Tip-up style)	125	00040793-A	Patch (shoveling) pan, shipped loose, mild steel	\$1,209.10
Patch Pan (Receiver tube style)		00016220-A	Patch (shoveling) pan, shipped loose, mild steel	\$802.50
Spill Guard - Installed	75	00082610iA	Pin-on Spreader Apron, MS (Installed)	\$675.17
Hinged Spill Guard - Installed	90	00091726iA	Hinged Spreader Apron MS (Installed)	\$916.99
Three Piece Pin-on Style Spill Guard, MS		00011268IA	Three Piece Pin-On Style Spill Guard, MS	\$945.88
RDS bearing grease extension kits:				
Front grease lines		00097530i	9-bank grease line kit for front only on air tailgate latch units (Installed)	\$579.94

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



MONROE RDS (RADIUS DUMP SPREADER) SPREADER BODY

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Rear grease lines only		00059379i	8-bank grease line kit for rear only on all units (Installed)	\$206.51
12" Side Extensions:		-		
10' RDS Body - Installed		00048504iA	12" Side extension kit for 10' RDS (Installed)	\$1,048.60
11' RDS Body - Installed		00047499iA	12" Side extension kit for 11' RDS (Installed)	\$1,095.68
12' RDS Body - Installed		00048402iA	12" Side extension kit for 12' RDS (Installed)	\$1,135.27
13' RDS Body - Installed		00045599iA	12" Side extension kit for 13' RDS (Installed)	\$1,174.86
14' RDS Body - Installed		00012515iA	12" Side extension kit for 14' RDS (Installed)	\$1,180.21
15' RDS Body - Installed		00048514iA	12" Side extension kit for 15' RDS (Installed)	\$1,216.59
16' RDS Body - Installed		00048519iA	12" Side extension kit for 16' RDS (Installed)	\$1,308.61
Light Kits:		-		
Standard (Non-LED)		05041257	Light Kit - Standard (Non - LED)	\$195.81
60 series strobes (shipped loose)		05041610	Two 60 series strobe lights with grommets and power supply (3 hole)	\$206.51
LED		05041680	LED strobes (PRICE PER PAIR)	\$103.50
LED light group in lieu of standard light kit (shipped loose)		00089546	60 series lights include: 2 red LED tail lights with grommets, 4 red LED marker lights with grommets, 1 red LED 3-light light bar, 2 white backup lights with grommets	\$380.92
3-hole rear panels for strobe light installation		3 - Hole rear panels strobe/inst.	Third hole added in rear panels in lieu of standard two hole-NO STROBE LIGHTS INCLUDED	\$117.70
Pipe Kits:		-		
FR/RR (Price per Foot)		Pipe-FR-RR	Steel Hydraulic lines mounted to hopper sides w/ poly blocks. Plumbed in front. Installer must plumb to rear. Must specify: front discharge, rear discharge, air trip, manual trip, or hydraulic front gate jack. Front discharge adds 2 lines to front. Hydraulic front gate adds 1 line to front.	\$67.41
RR Only (Price per Foot)		Pipe-RR	Steel Hydraulic lines mounted to hopper sides w/ poly blocks. Plumbed in front. Installer must plumb to rear. Must specify: front discharge, rear discharge, air trip, manual trip, or hydraulic front gate jack. Front discharge adds 2 lines to front. Hydraulic front gate adds 1 line to front.Rear discharge only has 1 line to front.	\$43.87
Air Scoop - Installed		00078983iA	Tailgate mounted rear air scoop (mild steel) (Installed)	\$979.05
Rear Cross Conveyors:		-		
MS9612		-		
9" Auger Cross Conveyor		00010514-B	Ausst. 3-Lid 9" Direct Drive (REQUIRES 00021048-B spinner to be added)	call factory

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



MONROE RDS (RADIUS DUMP SPREADER) SPREADER BODY

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
REQUIRED		00021048-B	SL Spinner - LH	call factory
High temp belt		00082636-A	High temp belt, reversible, self leveling with center spinner and side drop chutes	\$7,836.68
(Stainless Version) Upcharge		SS	Upcharge for above MS9612 spreaders in corrosion resistant stainless steel	call factory
MS10318 18" wide conveyor		00097562-A	18" wide, high temp belt, reversible	\$8,308.55
(Stainless Version) Upcharge		SS	Upcharge for above MS10318 spreader in corrosion resistant stainless steel	call factory
Spinner assemblies for 10318:		-		
18" left hand		00057877-A	Includes chute and 18" spinner disk.	\$666.61
18" right hand		00057845-A	Includes chute and 18" spinner disk.	\$705.13
18" berm chute		00057849-A	Right or left hand install	\$68.48

**For other options contact factory.
Prices and specifications subject to change without notice.
All pricing is F.O.B. factory Monroe, Wisconsin.
Prices effective Jan. 2018**

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE RDS (RADIUS DUMP SPREADER) SPREADER BODY

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



SALT SLURRY GENERATOR (SSG)

Both Units incorporate upper chute for attaching to either RDS body of V-Box Spreader body. Also included is the Roller Mill section with Rollers and drive motors and air close engagement cylinder, and the spinner assembly with a poly disc. Also included is the air pressure regulator to operate engagement of Roller Mill with switch to operate air valve.

The unit requires it to have a 15gpm section of Hydraulic flow to drive both Roller Motors along with a standard spinner section and Auger/Conveyor section. The units also require 30-90 gallons of liquid capacity per ton of dry material to achieve maximum efficiency. For example, a 6-Yard spreader would require 180-585 gallons of liquid to operate / achieve optimum performance.

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
RDS - Salt Slurry Generator	900	00112264	RDS - Salt Slurry Generator	\$12,636.70
V-Box Spreader Salt Slurry Generator	665	00014599	V-Box Spreader Salt Slurry Generator	\$12,636.70
Additional Items Available:		-		
Liquid Pump enclosure 11 GPM w/ Flow Meter		00120700	Liquid Pump enclosure 11 GPM w/ Flow Meter	call factory
276 Gallon RDS Insert Tank Kit	665	00128501	276 Gallon RDS Insert Tank Kit (Will eliminate 1.5 cubic yards of granular capacity)	\$4,571.04
432 Gallon RDS Insert Tank Kit	831	00126718	432 Gallon RDS Insert Tank Kit	\$5,451.65
588 Gallon RDS Insert Tank Kit	1073	00126719	588 Gallon RDS Insert Tank Kit	\$6,628.65

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



SALT SLURRY GENERATOR (SSG)

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
744 Gallon RDS Insert Tank Kit	1170	00126720	744 Gallon RDS Insert Tank Kit	\$7,355.18
900 Gallon RDS Insert Tank Kit	1398	00132375	900 Gallon RDS Insert Tank Kit (will eliminate 3.5 cubic yards of granular capacity)	\$9,188.09

**For other options contact factory.
Prices and specifications subject to change without notice.
All pricing is F.O.B. factory Monroe, Wisconsin.
Prices effective Jan. 2018**

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



SALT SLURRY GENERATOR (SSG)

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



MONROE RDS-METRO

Standard Equipment: Includes 12 gauge HSLA body; 10 gauge A569 replaceable floor; formed chain shields; ,boxed top rail full length of body; front of body is sloped to accommodate a head lift cylinder with partial doghouse; four point lift system incorporated into body design; Included with body is a pintle plate manufactured from ½” plate with a 3” channel iron bumper 5’ in length; body props; 24” wide body conveyor with ¼” x 1-1/2” bar flights on 4-1/2” centers; 50:1 worm gear box and a high torque / low speed hydraulic motor; 6 tooth cast iron sprockets, keyed to the 1-1/2” drive and idler shafts, drive shaft has heavy duty, dust sealed, self-aligning four bolt flange bearings; spinner assembly is manufactured from 10 gauge A569 steel with three overlapping spinner deflectors’ 18” Poly spinner disc with six replaceable fins; telescopic hoist, 108 light group kit and stop, turn and tail lights, **NO HYDRAULICS INCLUDED** and a parts-installation manual.

- **Caution: Do not exceed truck gross vehicle weight or gross axle weight rating**
- **Truck hydraulics required to operate (not included)**
- **Valves required: 3-way valve for hoist (not included)**
- **Warranty: 1-year, limited, from date of purchase, check parts-installation manual for exact coverage**
- **Proportional valve required for conveyor and a proportional valve required for the spinner (not included)**
- **Hydraulic motors are rated @ 15 GPM @ 2,000 PSI**

Box Length	GVW	Capacity	CA Required	Hoist Capacity
9’	17,500	2.5 cubic yards	60”	20 Ton
11’	19,000	3 cubic yards	84”	20 Ton

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
RDS-Metro – 9’	2400	00012850-A	9’ length, 96” total outside width, 24” side height	\$24,302.91
RDS-Metro 11’	2550	00012814-A	11’ length, 96” total outside width, 24” side height	\$25,356.86
Steel:	-	Standard	12 gauge HSLA steel shell, 10 gauge A569 steel floor	
(Stainless Version) Upcharge			Upcharge for Corrosion resistant stainless steel - Not Painted	call factory
Conveyor Chain		Standard	¼” x 1-1/2” bar flights, 4-1/2” centers, 21,000 # tensile strength per strand pintle chain	
Options:		-		
9’ Body Inverted-V	95	00012911-A	Inverted V for 9’ body in mild steel	\$469.73
11’ Body Inverted-V	100	00065442-A	Inverted V for 11’ body in mild steel	\$483.64
Toolbox for Body	60		One side toolbox, built into the body - location on front drivers side	call factory

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



MONROE RDS-METRO

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Options:	-	-	NOTE: SEE METRO CAB SHIELD DIMENSION SHEET	
12" Cabshield (shipped loose)	-	-	Must choose one of following cabshields	
55" x 12" x 96"		00059833-A	12" Cabshield option	\$482.57
60" x 12" x 96"		00059834-A	12" Cabshield	\$386.27
65" x 12" x 96"		00059868-A	12" Cabshield	\$311.37
70" x 12" x 96"		00112277-A	12" Cabshield	\$374.50
Asphalt patch pan	50	00012910-A	Rear mount asphalt patching pan	\$359.52
Paint:	-	Standard	Mild steel in powder coat black	
Other - Wet Spray Primed			Poly Urethane Enamel in color other than standard (PAINT CODE REQUIRED AT TIME OF ORDER)	call factory
Top Screens:	-	-		
9' Body	491	00012959-A	Heavy duty top screens for 9' body	\$2,911.47
11' Body	598	00066398-A	Heavy duty top screens for 11' body	\$3,560.96
Control Valves:	-	-		
Dual Flow Open Center	15		Dual flow control valve for fluid control for open center	call factory
Dual Flow Closed Center	10	QDL-12-A07-B16-NR	Dual flow control valve for sensing closed center	\$625.95
Chain oiler	20	00040728i-A	1 gallon capacity chain oiler (gravity) Manual (Installed)	\$195.45
Chain oiler		00040728i-B	Chain oiler kit, 2.5 gal, mv/msv (304)	\$211.38

**For other options contact factory.
Prices and specifications subject to change without notice.
All pricing is F.O.B. factory Monroe, Wisconsin.
Prices effective Jan. 2018**

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE RDS-METRO

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE DUZ-MOR SPREADER

Standard Equipment: Includes a 3/16" mild steel body; 1/4" mild steel bolt-in floor; 34" wide conveyor with 26,000 chains, 1/2" x 1-1/2" crossbars on the pintle chain, 4-1/2" on center, 3/16" bolt-on chain shields; 4-bolt bearings; dual 6:1 gear boxes with 2" drive & idler shafts; 24" x 14" adjustable feed gate; 3/16" mild steel diamond plate catwalks; body to be 100% welded; Federal 108 light group assembly; mounting kit and parts-installation manual.

- * **Caution: DO NOT EXCEED TRUCK GROSS VEHICLE WEIGHT OR GROSS AXLE WEIGHT**
- * **Rating truck hydraulics required to operate (not included)**
- * **Warranty: 1 year, limited, from date of purchase, please check parts-installation manual for exact coverage**
- * **Note: If pre-wet system is being utilized with spreader - you will need to use 120 gallon tanks for width purposes**
- * **Choice of Spinner is a Required Option***

CAPACITY OF DUZ MOR 10' - 16' SPREADERS			
<u>BOX LENGTH</u>	<u>STANDARD</u>	<u>6" EXTENSION</u>	<u>CA OR CT REQUIRED</u>
10' DUZ MOR	6.5 CU YDS	7.8 CU YDS	84" CA
11' DUZ MOR	7.2 CU YDS	8.7 CU YDS	96" CA
12' DUZ MOR	7.8 CU YDS	9.4 CU YDS	96 - 102" CT
13' DUZ MOR	8.5 CU YDS	10.2 CU YDS	108" CT
14' DUZ MOR	9.2 CU YDS	11.1 CU YDS	120" CT
15' DUZ MOR	9.9 CU YDS	11.9 CU YDS	132" CT
16' DUZ MOR	10.6 CU YDS	12.7 CU YDS	144" CT

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

<u>ModelNum</u>	<u>Weight</u>	<u>Part #</u>	<u>Description</u>	<u>NJ Price</u>
DM 108-86-48		00051082-A	9' DUZ MOR	\$21,672.85
DM 120-86-48	4950	00015233-A	10' DUZ MOR	\$21,394.65
DM 132-86-48	5100	00038945-A	11' DUZ MOR	\$22,085.87
DM 144-86-48	5250	00038929-A	12' DUZ MOR	\$21,424.61
DM 156-86-48	5400	00048347-A	13' DUZ MOR	\$23,705.85
DM 168-86-48	5550	00016955-A	14' DUZ MOR	\$23,973.35
DM 180-86-48	5700	00012352-A	15' DUZ MOR	\$26,915.85
DM 192-86-48	5850	00038978-A	16' DUZ MOR	\$27,342.78
Steel:		Standard	3/16" shell, 1/4" bolt-in floor	

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE DUZ-MOR SPREADER

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
(Stainless Version) Upcharge			Upcharge for Corrosion resistant stainless steel - Not Painted	call factory
		Standard	½" x 1-1/2" bar flights, 4-1/2" on center pintle chain	
Every Link Chain		Every link pintle chain	½" x 1-1/2" bar flights, 2-1/4" on center pintle chain(Per foot of body)	\$68.48
High-temp Belt		Belt over chain 4.5	High-temp belt over chain with wipers (with crossbars installed on 4.5" centers) (Per foot of body)	\$460.10
Tailgate:		Standard	Full opening, hinged, manual close	
Air-close	20	Air-close	Full opening, hinged, air-close with 3-1/2" cylinder kit	\$834.60
Spinner:		00059536-B	24" Steel spinner disc with formed flights Standard	\$3,039.87
Twin Spinner Assembly		00036133-C	Dual spinner assembly in lieu of standard single spinner assembly	\$2,972.46
Conveyor Speed Sensor - Installed		Sensor installed	Speed sensor installed in the Conveyor motor - Not spinner motor (White motor with Brad Harrison connectors and 100 pulses per revolution)	\$547.84
Paint:		Standard	Mild Steel - Powder coat Orange - No Paint on Stainless Steel	
Other			Acrylic Enamel in color other than standard - Paint code required at time of order.	call factory
Options:		-	Note: All options shipped loose unless otherwise noted.	
Inverted V:		-		
10' Body	135	00029540iA	Inverted V, for 10' mild steel (Installed)	\$928.76
11' Body	143	00029541iA	Inverted V, for 11' mild steel (Installed)	\$920.20
12' Body	150	00029542iA	Inverted V, for 12' mild steel (Installed)	\$1,118.15
13' Body	158	00029543iA	Inverted V, for 13' mild steel (Installed)	\$1,142.76
14' Body	165	00029544iA	Inverted V, for 14' mild steel (Installed)	\$1,061.44
15' Body	173	00029545iA	Inverted V, for 15' mild steel (Installed)	\$1,160.95
16' Body	180	00029546iA	Inverted V, for 16' mild steel (Installed)	\$1,223.01
Tool Boxes:		-	Easy cleanout feature	
10' Body	120	10' Tool Boxes	Side tool boxes for 10' body (Installed)	\$1,562.20
11' Body	130	11' Tool Boxes	Side tool boxes for 11' body (Installed)	\$1,583.60
12' Body	140	12' Tool Boxes	Side tool boxes for 12' body (Installed)	\$1,599.65
13' Body	150	13' Tool Boxes	Side tool boxes for 13' body (Installed)	\$1,626.40
14' Body	160	14' Tool Boxes	Side tool boxes for 14' body (Installed)	\$1,642.45
15' Body	170	15' Tool Boxes	Side tool boxes for 15' body (Installed)	\$1,669.20
16' Body	180	16' Tool Boxes	Side tool boxes for 16' body (Installed)	call factory
6" Extensions:		-		

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE DUZ-MOR SPREADER

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
10' Body	200	00051511iA	6" Bolt on extensions for 10' body (Installed)	\$899.87
11' Body	213	00051517iA	6" Bolt on extensions for 11' body (Installed)	\$868.84
12' Body	225	00051522iA	6" Bolt on extensions for 12' body (Installed)	\$926.62
13' Body	238	00051527iA	6" Bolt on extensions for 13' body (Installed)	\$1,001.52
14' Body	250	00051532iA	6" Bolt on extensions for 14' body (Installed)	\$987.61
15' Body	263	00051537iA	6" Bolt on extensions for 15' body (Installed)	\$1,013.29
16' Body	275	00051542iA	6" Bolt on extensions for 16' body (Installed)	\$1,079.63
Top Screens:		-		
10' Body	394	00072056i	Top screens for 10' body, 3/8" rods (Installed)	\$3,570.59
11' Body	429	00072057i	Top screens for 11' body, 3/8" rods (Installed)	\$4,134.48
12' Body	465	00072058i	Top screens for 12' body, 3/8" rods (Installed)	\$4,225.43
13' Body	500	00072059i	Top screens for 13' body, 3/8" rods (Installed)	\$4,381.65
14' Body	535	00072060i	Top screens for 14' body, 3/8" rods (Installed)	\$4,743.31
15' Body	570	00072061i	Top screens for 15' body, 3/8" rods (Installed)	\$4,696.23
16' Body	590	00072062i	Top screens for 16' body, 3/8" rods (Installed)	\$4,894.18
Cab-shields:		-		
½ Cab-shield (Shipped Loose)	300	Cabshield-2	24" - ½ Cab-shield - Shipped loose in primer - 10# GA (A completed cabshield FORM #04 located in the Appendix at the end of this pricebook must be filled out and turned in at time of order)	\$759.70
½ Cab-shield	300	CabshieldPainted	24" - ½ Cab-shield - Installed - Painted - 10# GA (A completed cabshield FORM #04 located in the Appendix at the end of this pricebook must be filled out and turned in at time of order)	\$868.84
Ladder:		-		
Universal Mount Ladder	50	00053239-A	Ladder for universal mount (rear mount) Mild Steel	\$416.23
Universal Mount Ladder (Stainless Version)	50	00053239-B	Ladder for universal mount (rear mount) corrosion resistant stainless steel	\$809.99
Ladder Swing Up	50	00032791iA	Ladder Swing-up - Mild Steel (Installed)	\$535.00
Install ladder		install ladder	Installation of ladder	\$144.45
Chain Oiler:		-		
Chain Oiler	25	00044283	5 gallon chain oiler	\$284.62
Chain oiler w/sight glass	25	00017265	5 gallon capacity chain oiler (gravity) Manual w/sight glass	\$370.22
Electric on/off for Chain Oiler	29	05043038	Electric on/off for 5 gallon Chain Oiler (not wired) (oiler not incl./shipped loose)	\$161.57

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



MONROE DUZ-MOR SPREADER

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Rear Main Conveyor Control:		-		
Rear Main Conveyor Control	7	00059568	Rear Main Conveyor Control, On/Off Switch Shipped loose	\$303.88
Dual Flow Control:		-		
Dual Flow Control	15	QDB-12-A07-B16-NR	Dual Flow Control Valve (open center)	\$668.75
Dual Flow Closed Center	10	QDL-12-A07-B16-NR	Dual Flow Control Valve for load sensing (closed center)	\$625.95
Series/Parallel:		-		
9' Body	75	00064236iA	Series/Parallel Valve with hose & tubes for a 9' body (Installed)	\$2,545.53
10' Body	75	00064237iA	Series/Parallel Valve with hose & tubes for a 10' body (Installed)	\$2,303.71
11' Body	75	00064238iA	Series/Parallel Valve with hose & tubes for a 11' body (Installed)	\$2,521.99
12' Body	75	00064239iA	Series/Parallel Valve with hose & tubes for a 12' body (Installed)	\$2,487.75
13' Body	75	00064240iA	Series/Parallel Valve with hose & tubes for a 13' body (Installed)	\$2,389.31
14' Body	75	00064241iA	Series/Parallel Valve with hose & tubes for a 14' body (Installed)	\$2,692.12
15' Body	75	00064242iA	Series/Parallel Valve with hose & tubes for a 15' body (Installed)	\$2,817.31
16' Body	75	00064243iA	Series/Parallel Valve with hose & tubes for a 16' body (Installed)	\$2,807.68
Reservoir:		-		
Rear Spinner Conveyor Pipe Kit		00091789iA	Two extra holes/pipes installed on spreader to accommodate either a MS10318 Cross Conveyor or MS9612 Rear Spinner (Installed)	\$600.27
3-Hole Light Boxes		00061355iA	Three hole light boxes in mild steel installed (Note: a completed dimension information sheet will be	\$248.24

**For other options contact factory.
Prices and specifications subject to change without notice.
All pricing is F.O.B. factory Monroe, Wisconsin.
Prices effective Jan. 2018**

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE DUZ-MOR SPREADER

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



Monroe DTS (Dump-Tip-Spread) Spreader Dump Body

Standard Equipment: The body shall be a 3/16" structurally engineered with a Hardox Floor, Front and Tailgate. The tailgate shall be 6 panel design and double acting. The boxed top rails are boxed and dirt shedding with an overcenter air release latch. The floor hinges and pins are stainless steel and removable with remote grease lines. The hoist is telescopic with nitrated rods. The conveyor is stainless steel and removable with a 25:1 drive gearbox. Adjustable spinner and berm chute.

- * **Caution: Do not exceed truck gross vehicle weight or gross axle weight rating**
- * **Truck hydraulics required to operate (Not included)**
- * **Valves Required:**
 - One (1) Single Acting Valve for Hoist
 - One (1) Proportional Valve for Conveyor
 - One (1) Proportional Valve for Spinner
 - One (1) Double Acting Valve for Tilt Floor
- * **Hydraulic motors are rated @ 15 GPM @ 2,000 PSI**
- * **Warranty: 1 year, limited, from date of purchase, check parts-installation manual for exact coverage**

Please Note: Spinner Assembly is a separate line item to order

SPECIAL NOTE: Any bodies ordered less cabshield, require Part #00151785-iA , iB or iC added to order. This is a weld-on Front Extension Weldment. **ADD TO BODY COST**

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
DTS-108		00167911-A	9' x 88"ID x 27" sides, TG 39" x5.5cu	\$39,202.13
DTS-120		00041396-A	10' x 88"ID x 27" sides, TG 39" x6.11cu	\$38,960.84
DTS-132		DTS-132-27 (cf)	11' x 88"ID x 27" sides, TG 39" x6.72cu	call factory
DTS-144		DTS-144-27 (cf)	12' x 88"ID x 27" sides, TG 39" x??cu	call factory
DTS-156-27		00167936-A		\$51,713.10
DTS-156		DTS-156-27	13' x 88"ID x 27" sides, TG 39" x11.47cu	\$48,384.33
DTS-168		00167939-B	14' x 88"ID x 39" sides, TG 39" x8.5cu	\$52,847.30
Options:		-		
Spinner		00041405	Spinner Assembly	\$1,682.04

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



Monroe DTS (Dump-Tip-Spread) Spreader Dump Body

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Cabshield		Cabshield-2	½ cabshield in mild steel (shipped loose) (A completed cabshield FORM #04 located in the Appendix at the end of this pricebook must be filled out and turned in at time of order)	\$759.70
Vertical Side Braces			Vertical Side Braces	call factory
Corrosion Resistant SS Upcharge			Corrosion Resistant Stainless Steel	call factory
Summer Chute			Summer Chute	call factory
Coal Chute Door		00133368-A	Coal Chute Door (1,2 or 3 as needed)	call factory
Coal Chute Door		00133368-B	Coal Chute Door (1,2, or 3 as needed)	call factory
Top Screens			Top Screens	call factory
Bolt on Rear Apron		00011958-A	Bolt on Rear Apron	call factory
Hydraulically actuated discharge Chute			Hydraulically actuated discharge Chute	call factory
Barn Door			Rear Tailgate lateral opening (Barn Door)	call factory

**For other options contact factory.
Prices and specifications subject to change without notice.
All pricing is F.O.B. factory Monroe, Wisconsin.
Prices effective Jan. 2018**

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



Monroe DTS (Dump-Tip-Spread) Spreader Dump Body

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



LIQUID DISPENSING SYSTEMS (LDS-333, LDS-455)

MONROE LDS-333 ELECTRIC TRUCK MOUNTED LIQUID DISPENSING SYSTEM (00016818)

Standard Equipment: Electric 12 VDC sealed 3 GPM pump/motor combination with integral pump shut-off switch all within sealed NEMA fiberglass enclosure . Two (2) 1 GPM brass spray nozzles, strainer and hoses for applying liquid. In-cab controller has on/off switch with variable rate control & harnessing for ease of installation, miscellaneous hardware and instruction manual.

MONROE LDS-455 HYDRAULIC TRUCK MOUNTED LIQUID DISPENSING SYSTEM (00016819-A)

Standard Equipment: Hydraulic positive displacement bronze gear pump, 7 GPM @ 50 PSI, proportional adjustable flow divider that provides the selected gallons-to-ton ratio all within sealed NEMA fiberglass enclosure. Two (2) 3 GPM brass spray nozzles, strainer and hoses for applying liquid. In-cab controller has illuminated on/off switch, low pressure indicator and harnessing for ease of installation, miscellaneous hardware and instruction manual.

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
LDS-333 SYSTEM	45	00016818	Liquid Dispensing System CONSISTS OF: (00017167 Plumbing kit, 3 GPM Electric) (00065207 Nozzle Kit, Electric, (2) (00065205) Control/Harness Kit. Low Level Tank Sensor - SOLD SEPARATELY.	\$1,116.01
LDS-455 SYSTEM	50	00016819-A	Liquid Dispensing System CONSISTS OF: (00017224 Plumbing kit, 7 GPM, Hydraulic) (00065209 Nozzle Kit, Hydraulic, (2) (00065202 Control/Harness Kit, LDS 455). Low Level Tank Sensor - SOLD SEPARATELY.	\$3,068.76
TANK KIT REQUIREMENTS:	-	-	(Chosen options must be added to above base-price)	
P/U V-BOX:	-	-		
(2) 15 Gal Tanks	55	00011720-A	Tank Kit 15 gal (Dual), MS HDW (Includes Cross Over Kit)	\$843.16
		00011720-B	Tank Kit 15 gal (Dual), Corrosion resistant Stainless steel HDW	\$860.28

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



LIQUID DISPENSING SYSTEMS (LDS-333, LDS-455)

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
V-BOXES:		-	NOTE: (Quantity x 2 and crossover required with multiple tanks)	
(1) 75 Gal Tank	125	00148669-A	Tank Kit 75 Gal., MS HDW	\$864.56
		00148669-B	Tank Kit 75 Gal., Corrosion resistant 304Stainless steel HDW	\$994.03
75 Gal. Tank		00148669-C	TANK KIT 75 GAL. 201SS	\$957.65
(1) 100 Gal Tank	150	00148673-A	Tank Kit 100 Gal., MS HDW	\$927.69
		00148673-B	Tank Kit 100 Gal., Corrosion resistant 304 Stainless steel HDW	\$1,082.84
100 Gal. Tank		00148673-C	Tank Kit 100 Gal., Corrosion resistant 201 Stainless steel HDW	\$1,033.62
TAILGATES:		-		
(1) 75 Gal Tank	150	00011699-A	Tank Kit 75 Gal., MS HDW Incl. Nozzle Mount	\$1,272.23
		00011699-B	Tank Kit 75 Gal., Corrosion resistant Stainless steel HDW Incl. Nozzle Mount	\$1,507.63
(1) 100 Gal Tank	175	00011701-A	Tank Kit 100 Gal., MS HDW Incl. Nozzle Mount	\$1,481.95
		00011701-B	Tank Kit 100 Gal., Corrosion resistant Stainless steel HDW Incl. Nozzle Mount	\$1,877.85
ENCLOSURE MOUNTING KITS:		-	(Recommended Requirement)	
P/U V-BOX:		-		
		00016173-A	Mounting Kit, Small Enclosure, MS HDW	\$118.77
		00016173-B	Mounting Kit, Small Enclosure, Corrosion resistant Stainless steel HDW	\$136.96
V-BOXES:		-		
		00017725-A	Mounting Kit, Enclosure, MS HDW	\$85.60
		00017725-B	Mounting Kit, Enclosure, Corrosion resistant Stainless steel HDW	\$174.41
TAILGATES:		-	(NONE REQUIRED)	
Options:		-		
Crossover		05050311	Cross-over Kit (use w/multi-tank system) (V-Boxes)	\$39.59
Props		00011947	Prop links (tailgates, 2 required per unit) PRICED EACH	\$43.87
Bulk-fill kit for MSPV 15 gal. tank		00016861	Bulk-fill kit for 15 gal MSPV tank	\$172.27
Bulk-fill kit for 75 & 100 gal. tanks		05050320	Bulk-fill kit for 75 & 100 gal tanks	\$108.07
Flusher kit for MSPV 15 gal. tank		00016860	Flusher kit for 15 gal MSPV tank	\$101.65
Flusher kit for 75 & 100 gal. tanks		05050319	Flusher kit for 75 & 100 gal tanks	\$75.97
Auto Liquid shut-off		05037656	Auto liquid shut-off pressure switch	\$128.40

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



LIQUID DISPENSING SYSTEMS (LDS-333, LDS-455)

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Low Level Electric Snesor Kit		00014607	Low Level Eletic Sensor Kit w/Switch light, wire and tank bushing	\$196.88
INSTALLATION OPTIONS: (Labor amount only)		-		
Complete Pre-Wet System Install		Complete Pre-Wet Sys. Inst. Elec/Hyd - Single	Single Tank Pre-Wet (Control/harness and hydraulics install not included)	\$909.50
Complete Pre-Wet System Install		Complete Pre-Wet Sys. Inst. Elec/Hyd - Dual	Dual Tank Pre-Wet (Control/harness and hydraulics install not included)	\$1,070.00

**For other options contact factory.
Prices and specifications subject to change without notice.
All pricing is F.O.B. factory Monroe, Wisconsin.
Prices effective Jan. 2018**

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



LIQUID DISPENSING SYSTEMS (LDS-333, LDS-455)

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



ELECTRIC PRE-WET (CLOSE LOOP) SYSTEMS

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Closed Loop Electric Base Kit with Plumbing Kit:		-		
		00017170	3 GPM electric pump with 12" x 10" x 5" enclosure and plumbing kit to be used in conjunction with a Gressen/Force America flow meter - DOES NOT INCLUDE CONTROLLER OR HARNESES	\$1,135.27
		00017171	3 GPM electric pump with 12" x 10" x 5" enclosure and plumbing kit to be used in conjunction w/ Dickey-John flow meter - DOES NOT INCLUDE CONTROLLER OR HARNESES	\$1,316.10
		00017169	3 GPM electric pump with 12" x 10" x 5" enclosure and plumbing kit to be used in conjunction w/ a Raven Flow Meter - DOES NOT INCLUDE CONTROLLER OR HARNESES	\$1,561.13
		00098192	3 GPM electric pump with 12" x 10" x 5" enclosure and plumbing kit to be used in conjunction w/ a Cirrus - DOES NOT INCLUDE CONTROLLER OR HARNESES	\$1,009.01

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



ELECTRIC PRE-WET (CLOSE LOOP) SYSTEMS

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Nozzle Kits Electric: (choose one)		-		
		00065206	Electric unit, 2 GPM, 2 nozzles	\$145.52
		00065207	Electric unit, 1 GPM, 2 nozzles,	\$145.52
		00065208	Electric unit, 1 GPM, 3 nozzles	\$157.29

**For other options contact factory.
Prices and specifications subject to change without notice.
All pricing is F.O.B. factory Monroe, Wisconsin.
Prices effective Jan. 2018**

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



ELECTRIC PRE-WET (CLOSE LOOP) SYSTEMS

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



HYDRAULIC PRE-WET (OPEN LOOP) SYSTEMS

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Open Loop Hydraulic Base Kit with Plumbing Kit	-			
		00015262	7 GPM hydraulic pump with 14" x 7" x 6.5" enclosure DOES NOT INCLUDE CONTROLLER, HARNESSSES OR VALVE	\$1,338.57
		00055801	4 GPM hydraulic pump with 14" x 7" x 6.5" enclosure DOES NOT INCLUDE CONTROLLER, HARNESSSES OR VALVE	\$1,265.81
Nozzle Kits Hydraulic: (choose one)	-			
		00065209	Hydraulic unit, 3 GPM, 2 nozzles	\$164.78
		00020034	Hydraulic unit, 2 GPM, 2 nozzles	\$160.50
		00065210	Hydraulic unit, 2 GPM, 3 nozzles	\$169.06

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



HYDRAULIC PRE-WET (OPEN LOOP) SYSTEMS

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
		00065211	Hydraulic unit, 2 GPM, 6 nozzles with diverter	\$652.70

**For other options contact factory.
Prices and specifications subject to change without notice.
All pricing is F.O.B. factory Monroe, Wisconsin.
Prices effective Jan. 2018**

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



HYDRAULIC PRE-WET (OPEN LOOP) SYSTEMS

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



HYDRAULIC PRE-WET (CLOSE LOOP) SYSTEMS

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Closed Loop Hydraulic Base Kit with Plumbing Kit and 5 GPM Hydraulic Valve:		-		
		00017221	4 GPM hydraulic pump with 18" x 16" x 8" enclosure and plumbing kit with a Gressen/Force America flow meter and special 5 GPM hydraulic valve. DOES NOT INCLUDE CONTROLLER OR HARNESES	\$2,848.34
		00017222	4 GPM hydraulic pump with 18" x 16" x 8" enclosure and plumbing kit with a Dickey-John flow meter & special 5 GPM hydraulic valve. DOES NOT INCLUDE CONTROLLER OR HARNESES -	\$3,008.84

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



HYDRAULIC PRE-WET (CLOSE LOOP) SYSTEMS

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
		00088470	4 GPM hydraulic pump with stainless steel mounting plate and plumbing kit with a Gressen/Force America flow meter & special 5 GPM hydraulic valve. DOES NOT INCLUDE CONTROLLER OR HARNESESSES. Kit to be used with 140-gallon tailgate mounted tank. TANK OR MOUNTING KIT NOT INCLUDED	\$2,475.98
		00088471	4 GPM hydraulic pump with stainless steel mounting plate and plumbing kit with a Dickey-John flow meter & special 5 GPM hydraulic valve. DOES NOT INCLUDE CONTROLLER OR HARNESESSES. Kit to be used with 140-gallon tailgate mounted tank. TANK OR MOUNTING KIT NOT INCLUDED -	\$2,645.04
4 GPM Hyd. Comp. Tech. FM w/Valve		00088459	4GPM Hyd. Comp. Tech. FM with Valve	\$3,198.23
		00098193	4 GPM hydraulic pump with 18"x16"x8" enclosure and plumbing kit with a Cirrus flow meter & special 5 GPM hydraulic valve. DOES NOT INCLUDE CONTROLLER OR HARNESESSES. TANK OR MOUNTING KIT NOT INCLUDED -	\$2,747.76
		00017228	7 GPM hydraulic pump with 18" x 16" x 8" enclosure & plumbing kit with a Gressen/Force America flow meter and special 5 GPM hydraulic valve. DOES NOT INCLUDE CONTROLLER OR HARNESESSES	\$2,911.47
		00017229	7 GPM hydraulic pump with 18" x 16" x 8" enclosure & plumbing kit with a Dickey-John flow meter & special 5 GPM hydraulic valve. DOES NOT INCLUDE CONTROLLER OR HARNESESSES	\$3,081.60
		00098194	7 GPM hydraulic pump with 18" x 16" x 8" enclosure & plumbing kit with a Cirrus flow meter & special 5 GPM hydraulic valve. DOES NOT INCLUDE CONTROLLER OR HARNESESSES -	\$2,820.52
		00088476	7 GPM hydraulic pump with stainless steel mounting plate and plumbing kit with a Gressen/Force America flow meter & special 5 GPM hydraulic valve. DOES NOT INCLUDE CONTROLLER OR HARNESESSES. Kit to be used with 140-gallon tailgate mounted tank. TANK OR MOUNTING KIT NOT INCLUDED	\$2,546.60
		00088477	7 GPM hydraulic pump with stainless steel mounting plate and plumbing kit with a Dickey- John flow meter & special 5 GPM hydraulic valve. DOES NOT INCLUDE CONTROLLER OR HARNESESSES. Kit to be used with 140-gallon tailgate mounted tank. TANK OR MOUNTING KIT NOT INCLUDED -	\$2,717.80
Closed Loop Hydraulic Base Kit with Plumbing Kit without 5 GPM Hydraulic Valve:		-		
		00017095	4 GPM hydraulic pump with 14" x 7" x 6.5" enclosure & plumbing kit with a Gressen/Force America flow meter, without hydraulic valve. DOES NOT INCLUDE CONTROLLER OR HARNESESSES	\$1,710.93
		00017223	4 GPM hydraulic pump with 14" x 7" x 6.5" enclosure & plumbing kit with a Dickey-John flow meter, without hydraulic valve. DOES NOT INCLUDE CONTROLLER OR HARNESESSES -	\$1,897.11
		00017047	4 GPM hydraulic pump with 18" x 16" x 8" enclosure & plumbing kit with a Raven flow meter, without hydraulic valve. DOES NOT INCLUDE CONTROLLER OR HARNESESSES	\$2,172.10

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



HYDRAULIC PRE-WET (CLOSE LOOP) SYSTEMS

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
		00098190	4 GPM hydraulic pump with 14" x 7" x 6.5" enclosure & plumbing kit with a Monroe Control flow meter, without hydraulic valve. DOES NOT INCLUDE CONTROLLER OR HARNESESSES -	\$1,850.03
		00088473	4 GPM hydraulic pump with stainless steel mounting plate & plumbing kit with a Gressen/Force America flow meter, without hydraulic valve. DOES NOT INCLUDE CONTROLLER OR HARNESESSES. Kit to be used with 140-gallon tailgate mounted tank. TANK OR MOUNTING KIT NOT INCLUDED -	\$1,536.52
		00088474	4 GPM hydraulic pump with tank enclosure & plumbing kit with a Dickey-John flow meter, without hydraulic valve. DOES NOT INCLUDE CONTROLLER OR HARNESESSES. Kit to be used with 140-gallon tailgate mounted tank. TANK OR MOUNTING KIT NOT INCLUDED	\$1,625.33
		00017231	7 GPM hydraulic pump with 14" x 7" x 6.5" enclosure & plumbing kit with a Gressen/Force America flow meter, without hydraulic valve. DOES NOT INCLUDE CONTROLLER OR HARNESESSES	\$1,790.11
		00017232	7 GPM hydraulic pump with 14" x 7" x 6.5" enclosure & plumbing kit with a Dickey-John flow meter, without hydraulic valve. DOES NOT INCLUDE CONTROLLER OR HARNESESSES	\$1,936.70
		00098191	7 GPM hydraulic pump with 14" x 7" x 6.5" enclosure & plumbing kit with a Cirus flow meter, without hydraulic valve. DOES NOT INCLUDE CONTROLLER OR HARNESESSES	\$1,709.86
		00088479	7 GPM hydraulic pump with stainless steel mounting plate & plumbing kit with a Gressen/Force America flow meter, without hydraulic valve. DOES NOT INCLUDE CONTROLLER OR HARNESESSES. Kit to be used with 140-gallon tailgate mounted tank. TANK OR MOUNTING KIT NOT INCLUDED	\$1,603.93
		00088480	7 GPM hydraulic pump with stainless steel mounting plate & plumbing kit with a Dickey - John flow meter, without hydraulic valve. DOES NOT INCLUDE CONTROLLER OR HARNESESSES. Kit to be used with 140-gal. tailgate mounted tank. TANK OR MOUNTING KIT NOT INCLUDED	\$1,740.89
Nozzle Kits Hydraulic: (choose one)		-		
		00065209	Hydraulic unit, 3 GPM, 2 nozzles	\$164.78
		00020034	Hydraulic unit, 2 GPM, 2 nozzles	\$160.50
		00065210	Hydraulic unit, 2 GPM, 3 nozzles	\$169.06
		00065211	Hydraulic unit, 2 GPM, 6 nozzles with diverter valve	\$652.70
		00020045-B	Hydraulic unit, 2 GPM, 2 nozzles, 140 gallon tailgate, 1 spinner	\$98.44
		00020046-A	Hydraulic unit, 2 GPM, 4 nozzles, 140 gallon tailgate, 2 spinners w/diverter valve	\$599.20
		00068135	Hydraulic unit, 2 GPM, 2 nozzles, 90 gallon chassis	\$104.86
		00016771	Hydraulic unit, 1 GPM, 2 nozzles, 90 gallon chassis	\$126.26
Spray Bar Kit- not installed		00091813	Spray Bar Kit for use inside a Tailgate Spreader (NOT INSTALLED)	\$226.84

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



HYDRAULIC PRE-WET (CLOSE LOOP) SYSTEMS

**For other options contact factory.
Prices and specifications subject to change without notice.
All pricing is F.O.B. factory Monroe, Wisconsin.
Prices effective Jan. 2018**

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



HYDRAULIC PRE-WET (CLOSE LOOP) SYSTEMS

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



PRE-WET TANK KIT SELECTION PAGES

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
TANK KIT SELECTION: (choose one)		-		
Pick-Up V-Box Mounting Tank Kits:		-	Will Not Fit between wheelwells of 1/2 to 1 ton pick-up models - must be used in flatbed applications	
		00011720-A	Tank Kit, 15 Gal (Dual) (P/U V-Box), MS HDW, 5" Cap	\$843.16
		00011720-B	Tank Kit, 15 Gal (Dual) (P/U V-Box), Corrosion resistant Stainless steel HDW, 5" Cap	\$860.28
Pick- Up V-Box Mounting Tank Kit for Flatbed or Dump Body (not P.U)		-		
		00068258-A	Tank Kit, 35 Gal (Dual) (P/U V-Box), MS HDW, 5" Cap	\$934.11

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



PRE-WET TANK KIT SELECTION PAGES

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
		00068258-B	Tank Kit, 35 Gal (Dual) (P/U V-Box), Corrosion resistant Stainless steel HDW, 5" Cap	\$997.24
V-Box Mounting 75 Gallon Tank Kits: (for 45° sloped body)		-		
		00148669-A	Tank kit, 75 Gal (V-Box), MS HDW, 5" Cap	\$864.56
		00148669-B	Tank kit, 75 Gal (V-Box), Corrosion resistant Stainless steel HDW, 5" Cap	\$994.03
V-Box Mounting 100 Gallon Tank Kits: (for 45° sloped body)		-		
		00148673-A	Tank Kit, 100 Gal (V-Box), MS HDW, 5" Cap	\$927.69
		00148673-B	Tank Kit, 100 Gal (V-Box), Corrosion resistant Stainless steel HDW, 5" Cap	\$1,082.84
		00148672-A	Tank kit, 100 Gal (V-Box), MS HDW, 2" Cap	\$923.41
		00148672-B	Tank kit, 100 Gal (V-Box), Corrosion resistant Stainless steel HDW, 2" Cap	\$1,103.17
V-Box Mounting 125 Gallon Tank Kits: (for 45° sloped body)		-		
		00148670-A	Tank kit, 125 Gal (V-Box), MS HDW w/Ext. Chan., 3" Cap	\$1,205.89
		00148670-B	Tank kit, 125 Gal (V-Box), Corrosion resistant Stainless steel HDW w/Ext. Chan., 3" Cap	\$1,445.57
V-Box Mounting 180 Gallon Tank Kits: (for 45° sloped body)		-		
		00149622-A	Tank Kit 180 Gallon (V-Box), MS HDW, 5" Cap	\$1,418.82
		00149622-B	Tank Kit 180 Gallon (V-Box) Corrosion Resistant Stainless Steel HDW, 5" Cap	\$1,652.08
Tank Kit - 800 Gal.		00109423-A	Tank Kit, 800 Gal. V-Box w/Sump	\$4,351.69
Tank Kit - 800 Gal.		00109423-C	Tank Kit, 800 Gal. Corrosion Resistant	\$5,375.68
Tailgate Mounting Tank Kits:		-		
		00065253-A	Tank kit, 140 Gal (Tailgate), MS HDW, 10" Cap	\$2,065.10
		00065253-B	Tank kit, 140 Gal (Tailgate), Corrosion resistant Stainless steel HDW, 10" Cap	\$2,499.52
		00011701-A	Tank kit, 100 Gal (Tailgate), MS HDW, 5" Cap, Incl: Nozzle Mount	\$1,481.95
		00011701-B	Tank kit, 100 Gal (Tailgate), Corrosion resistant Stainless steel HDW, 5" Cap, Incl: Nozzle Mount	\$1,877.85
		00011699-A	Tank kit, 75 Gal (Tailgate), MS HDW, 5" Cap, Incl: Nozzle Mount	\$1,272.23
		00011699-B	Tank kit, 75 Gal (Tailgate), Corrosion resistant Stainless steel HDW, 5" Cap, Incl: Nozzle Mount	\$1,507.63

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



PRE-WET TANK KIT SELECTION PAGES

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
		00031181-A	Tank kit, 35 Gal (Tailgate) MS HDW, 5" Cap, Incl: Nozzle Mount	\$916.99
		00031181-B	Tank kit, 35 Gal (Tailgate) Corrosion resistant Stainless steel HDW, 5" Cap, Incl: Nozzle Mount	\$1,122.43
RDS Mounting Tank Kits:		-		
		00012640-A	Tank kit, 75 Gal (RDS), MS HDW, 5" Cap	\$933.04
		00012640-B	Tank kit, 75 Gal (RDS), Corrosion resistant Stainless steel HDW, 5" Cap	\$1,012.22
RDS Mounting Tank Kit		00012641-A	Tank Kit, 100 Gal., RDS , 1 Tank 5" cap	\$950.16
RDS Mounting Tank Kit - Corrosion Resistant		00012641-C	Tank Kit, 100 Gal., RDS, 1 Tank 5" cap - Corrosion Resistant.	\$1,043.25
Special Note:		-	120 Gallon Tanks on bodies less than 12' require special provisions to install ladders and other options.	
		00016349-A	Tank kit, 100 Gal (RDS), MS HDW, 3" Cap	\$918.06
		00016349-B	Tank kit, 100 Gal (RDS), Corrosion resistant Stainless steel HDW, 3" Cap	\$1,117.08
		00012311-A	Tank kit, 120 Gal (RDS), MS HDW, 3" Cap	\$1,081.77
		00012311-B	Tank kit, 120 Gal (RDS), Corrosion resistant Stainless steel HDW, 3" Cap	\$1,247.62
		00135496-A	Tank Kit, 150 gallon, Poly, 1 Tank, FOR BODY MOUNTED FENDERS (MILD STEEL) - No Center Brace on RDS	\$1,109.59
		00135496-C	Tank Kit, 150 gallon, Poly, 1 Tank, FOR BODY MOUNTED FENDERS (CORROSION RESISTANT STAINLESS STEEL) - No Center Brace on RDS	\$1,220.87
		00135498-A	Tank Kit, 150 gallon, Poly, 1 Tank, FOR CHASSIS MOUNTED FENDERS (MILD STEEL) - No Center Brace on RDS	\$1,150.25
		00135498-C	Tank Kit, 150 gallon, Poly, 1 Tank, FOR CHASSIS MOUNTED FENDERS (CORROSION RESISTANT STAINLESS STEEL) - No Center Brace on RDS	\$1,271.16
Tank Kit - 270 Gal., Poly -		00100811-A	Tank Kit, 270 Gal., Poly, 1 Tank for Body Mounted Fender Only - No Center Brace. SPECIAL NOTE: 270 GALLON TANKS REQUIRE MINIMUM BODY LENGTH 13'. BODY CANNOT HAVE A CENTER BRACE. REQUIRES FULL LENGTH BODY-MOUNTED FENDERS.	\$1,426.31
Tank Kit - 270 Gal., Poly - Corrosion Resistant		00100811-C	Tank Kit, 270 Gal., Poly, 1 Tank for Body Mounted Fender Only - No Corner Brace - CORROSION RESISTANT	\$1,529.03
Duz-Mor Mounting Tank Kits:		-		
		00012311-A	Tank kit, 120 Gal (Duz-Mor), MS HDW, 3" Cap	\$1,081.77
		00012311-B	Tank kit, 120 Gal (Duz-Mor), Corrosion resistant Stainless steel HDW, 3" Cap	\$1,247.62

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



PRE-WET TANK KIT SELECTION PAGES

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Truck Mounting Tank Kits:		-		
		00083167-A	Tank kit, 120 Gal (Poly) (Truck-Behind Cab Style), MS HDW, 10" Cap	\$1,507.63
		00083167-B	Tank kit, 120 Gal (Poly) (Truck-Behind Cab Style), Corrosion resistant Stainless steel HDW, 10" Cap	\$1,636.03
		00031831-A	Tank kit, 240 Gal (Dual 120 Gal Tanks) (Poly) (Truck-Behind Cab Style), MS HDW 10" Cap - **MUST ADD P/N#00016201 CROSSOVER / BULK FILL TO DUAL TANK PRICING**	\$2,626.85
		00031831-B	Tank kit, 240 Gal (Dual 120 Gal Tanks) (Poly) (Truck-Behind Cab Style), Corrosion resistant Stainless steel HDW 10" Cap - **MUST ADD P/N#00016201 CROSSOVER / BULK FILL TO DUAL TANK PRICING**	\$3,024.89
		00012559-A	Tank kit, 100 Gal (Poly) (Truck-Saddle Style), MS HDW, 5" Cap	\$1,033.62
		00012559-B	Tank kit, 100 Gal (Poly) (Truck-Saddle Style), Corrosion resistant Stainless steel HDW, 5" Cap	\$1,162.02
		00016476-A	Tank kit, 50 Gal (Poly) (Truck-Saddle Style), MS HDW, 5" Cap	\$836.74
		00016476-B	Tank kit, 50 Gal (Poly) (Truck-Saddle Style), Corrosion resistant Stainless steel HDW, 5" Cap	\$923.41
		00071996-A	Tank kit, 30 Gal (Poly) (Truck-Saddle Style), MS HDW, 5" Cap	\$902.01
		00071996-B	Tank kit, 30 Gal (Poly) (Truck-Saddle Style), Corrosion resistant Stainless steel HDW, 5" Cap	\$988.68
Dump Body In-Bed Tank Kits		-		
526 Gallon		00100770	526 Gallon, Poly, 2 Tanks w/Mounting Kit	\$2,290.87
960 Gallon		00100769	960 Gallon, Poly, 2 Tanks w/Mounting Kit	\$2,977.81

**For other options contact factory.
Prices and specifications subject to change without notice.
All pricing is F.O.B. factory Monroe, Wisconsin.
Prices effective Jan. 2018**

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



PRE-WET TANK KIT SELECTION PAGES

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



PRE-WET ENCLOSURE MOUNTING SELECTION PAGES

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
ENCLOSURE MOUNTING KITS: (choose one)	-			
Enclosure Mounting Kits, P/U V-Box, 1 Ton (Flatbed, Dump Body):	-			
		00016173-A	Mtg. Kit, Small Enclosure, (P/U V-Box), MS HDW	\$118.77
		00016173-B	Mtg. Kit, Small Enclosure, (P/U V-Box), Corrosion resistant Stainless steel HDW	\$136.96
		00073165-A	Mtg. Kit, Large Enclosure, (P/U V-Box), MS HDW	\$165.85
		00073165-B	Mtg. Kit, Large Enclosure, (P/U V-Box), Corrosion resistant Stainless steel HDW	\$208.65

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



PRE-WET ENCLOSURE MOUNTING SELECTION PAGES

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Enclosure Mounting Kits, V-Box:		-		
		00017725-A	Mtg. Kit, Enclosure, (V-Box w/Flusher), MS HDW	\$85.60
		00017725-B	Mtg. Kit, Enclosure, (V-Box w/Flusher), Corrosion resistant Stainless steel HDW	\$174.41
Enclosure Mounting Kits, RDS		-		
		00012990-A	Mtg. kit, Enclosure, (RDS), MS HDW	\$68.48
		00012990-B	Mtg. Kit, Enclosure, (RDS), Corrosion resistant Stainless steel HDW	\$162.64
Enclosure Mounting Kits, Duz Mor		-		
		00016130-A	Mtg. Kit, Enclosure, (Duz Mor), MS HDW	\$128.40
		00016130-B	Mtg. Kit, Enclosure, (Duz Mor), Corrosion resistant Stainless steel HDW	\$146.59
Options:		-		
Cross-over Kits: (Required w/2 or more tank set up)		-		
		05050311	Cross-over Kit (use w/multi-tank system) (V-Boxes)	\$39.59
		00065250	Cross-over Kit (use w/multi-tank system) (all RDS)	\$52.43
		00016201	Cross-over & Bulk Fill Kit (Dual 120 Gal. Behind Cab Style System)	\$169.06
		00016670	Cross-over Kit (Used with multi-tank system requiring 1-1/2" Hose) (V-boxes)	\$56.71
Bulk Fill Kits:		-		
		05050320	Bulk Fill Kit (all systems except 140 Gal. TGT, 15 Gal. MSPV/35 Gal. 1 Ton 120 Gal. Behind Cab, Dual Tanks)	\$108.07
		00046779-A	Bulk Fill & Flusher Kit (140 Gal. Tailgate System)	\$249.31
		00016201	Cross-over & Bulk Fill Kit (Dual 120 Gal. Behind Cab Style System)	\$169.06
		00016861	Bulk Fill Kit (15 Gal. MSPV/35 Gal. 1 Ton, Dual Tanks)	\$172.27
Flusher Kits:		-		
		05050319	Flusher Kit (all systems except 140 gal. TGT, 15 Gal. MSPV/35 Gal. 1 Ton, Dual Tanks)	\$75.97
		00046779-B	Bulk Fill & Flusher Kit (140 Gal. Tailgate System)	\$238.61
		00016860	Flusher Kit (15 Gal. MSPV/35 Gal. 1 Ton, Dual Tanks)	\$101.65
Disconnect Kits:		-		
		00020043	Quick Disconnect Kit (All Systems, 1 Per Spinner)	\$34.24

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



PRE-WET ENCLOSURE MOUNTING SELECTION PAGES

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Tank Level Indicator Kits:		-		
Low Level Tank Indicator		00014607	Low Level Tank Indicator	\$196.88
Misc. Options:		-		
		05037656	Auto Liquid shut-off pressure switch (electric open loop units only)	\$128.40
		00011947	Tailgate Prop Link (2 required per unit) PRICED EACH	\$43.87
Installation Options: (Labor Amount Only)		-		
		Single Tank Kit	Install (1) tank on V-Box, RDS or Duz Mor	\$262.15
		Dual Tank Kit w/Cross-Over	Install (2) tanks w/cross-over on MSPV, 1 Ton, V-Box, RDS, or Duz Mor	\$438.70
		Bulk Fill Kit	(Requires single or dual tank install)	\$40.66
		Flusher Kit	(Requires single or dual tank install)	\$40.66
		CPWSIEH(S)	Single Tank (Control/harness and hydraulics install not included)	\$873.12
		CPWSIEH(D)	Dual Tank (Control/harness and hydraulics install not included)	\$1,032.55

**For other options contact factory.
Prices and specifications subject to change without notice.
All pricing is F.O.B. factory Monroe, Wisconsin.
Prices effective Jan. 2018**

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



PRE-WET ENCLOSURE MOUNTING SELECTION PAGES

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



GROUND BASED PUMPING SYSTEM

Standard Equipment: Centrifugal 200 GPM, Poly pump, close-coupled to 5.0 HP 230 volt AC single phase electric motor, 2.0" NPT suction port and 2.0" NPT pressure port, weather tight pump/motor enclosure, 10' suction hose, 15' discharge/agitation hose, eductor agitation, plumbing, stand pipe assembly with lockable rotary disconnect switch and electrical wiring within system.

NOTE:

- It is the distributor's responsibility to provide a level and properly constructed pad that is capable of supporting the contents of the storage tank. Concrete, black top or contained packed sand or pea gravel is to be provided by the distributor/end user.
- The distributor/end user is responsible to provide secondary containment if required by local ordinances
- Amperage draw for motors rated at 230 volts, 5 HP, single phase @ 28 amps
- The distributor/end user is responsible to provide adequate power to the storage pad site.
- The distributor/end user is to be responsible to make the connection to the supplied power source.

Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.

ModelNum	Weight	Part #	Description	NJ Price
GBPS		GBPS	Ground Based Pumping System	\$7,204.31
CONSISTS OF:		-	(00096056-A) Plumbing Kit 200 GPM 5 HP, single Phase 230 VAC Note: Must specify the voltage of power source and phase when ordering. **May mandate up-charge** (00096055) Agitation Kit, (00016896) Stand Pipe/Rotary Disconnect Assembly without light	
Options:		-	NOTE: OPTIONS PRICES TO BE ADDED TO ABOVE BASE PRICE	
Stand Pipe Assembly w/light		00016548	10' stand pipe/rotary disconnect with 3' x 3' concrete base and dusk to dawn light (in lieu of 00016896)	\$3,404.74
Agitation Kit		00096055	Agitation Kit	\$558.54
STORAGE TANKS:		-	Polyethylene, natural color, UV stabilized, 16" manhole with lid and vent, capable of handling liquids with a 1.5 specific gravity (Prices are F.O.B. Factory)	

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



GROUND BASED PUMPING SYSTEM

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
3000GST		05050480	3000 gallon storage tank	call factory
5000GST			5000 gallon storage tank	call factory
6500GST			6500 gallon storage tank	call factory
10000GST		05050631	10,000 Gallon storage tank	call factory
		-	OTHER STORAGE TANK SIZES AVAILABLE UPON REQUEST	
		-	OTHER PUMPING STATIONS AVAILABLE UPON REQUEST	
		-	***WILL NEED "SHIP TO ADDRESS" FOR TANKS TO REQUEST FREIGHT RATE***	

**For other options contact factory.
Prices and specifications subject to change without notice.
All pricing is F.O.B. factory Monroe, Wisconsin.
Prices effective Jan. 2018**

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



GROUND BASED PUMPING SYSTEM

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE ANTI-ICING (CLOSED LOOP) NON-TIERED PLUMBING SYSTEM PAGES

Standard Equipment: Closed loop ground speed Anti-icing system. 1300 gallon polyethylene leg style tank, 3-lane non-tiered plumbing. Heavy-duty centrifugal pump with hydraulic motor. Needs 12 GPM for proper operation. Works with load sensing or open center hydraulic systems. Major components are flange mounted for easy removal and repair. Heavy-duty glass filled polypropylene fittings, stainless steel spray bar(s) and brass nozzles for applying liquid. Capable of self loading from optional bulk tanks. Skid mounted for installation into a dump body. Parts-installation manual.

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Anti-Ice System		00016969-A	ANTI-ICE SYSTEM: 1300 gallon leg style tank kit with speed bump style molded in baffles and hold down hardware 67" wide x 8" tall formed 3/16" mild steel, powder coated black narrow skid assembly with load-lock bar to fit into large radius dump body (2) Two - 2" x 27' ratchet tie-down straps, Plumbing kit, 3-lane, 1 tier, RFM 100 flow meter, 32 GPM nozzle capacity 16 brass straight stream nozzles and 1" full port electric valves with stainless steel balls, Dual 1 1/2" schedule 10, 304 stainless steel wet booms with poly clup on nozzle bodies and poly directable side lane nozzles bodies	\$15,100.91
CONTROL SYSTEM PROVISIONS: (SHIPPED LOOSE)		-	Monroe Ice Control System Control/Harness Kit	
Micro - Trak Control		MICROTC	Stand Alone - Micro Trak - (controls liquid anti-ice function only) (Includes Speed Interface) *PART NUMBERS 05041938 and 05040472 INCLUDED*	\$2,240.58

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE ANTI-ICING (CLOSED LOOP) NON-TIERED PLUMBING SYSTEM PAGES

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Options:	-		NOTE: OPTION PRICES TO BE ADDED TO ABOVE BASE PRICE	
Tank Options:	-		In Lieu of 1300 Gallon Standard Tank	
		(00012974-A)	750 Gallon saddle style tank (no baffle) W/Mild Steel Saddle	call factory
		(00016881-A)	1000 Gallon saddle style tank (no baffle) W/Mild Steel Saddle	call factory
		(00048827-A)	1000 Gallon saddle style tank (with stainless baffle) W/Mild Steel Saddle	call factory
		(00048829-A)	1600 Gallon saddle style tank (with stainless baffle) W/Mild Steel Saddle	call factory
		(00048830-A)	1635 Gallon leg style tank (speed bump style baffles)	call factory
		(00047914-A)	1800 Gallon leg style (consists of dual 900 gallon)	call factory
AGITATION PROVISIONS:	-			
		00016594	Agitation kit with eductor nozzles	\$425.86
		05052400	Baffle ball assembly (requires approximately 1 ball per 8 gallons tank capacity) (price / each)	\$28.89
LEG KIT PROVISIONS:	-			
		00083799-A	Leg kit (self-actuating, to support an empty unit only) (Mild Steel)	\$1,967.73
FLOW CONTROL PROVISIONS (HYDRAULIC): (SHIPPED LOOSE)	-			
		00020014-A	Brand 15 GPM, PWM hydraulic valve kit NOTE: (can be used on open or closed center systems) (used when an electric section on main valve bank is not available)	\$689.08
PUMPING SYSTEM PROVISIONS:	-			
		Less single/lane sprayboom	Deduct for single lane spray boom in lieu of standard 3-lane	-\$513.60
ANTI-ICE SYSTEM:	-			

**For other options contact factory.
Prices and specifications subject to change without notice.
All pricing is F.O.B. factory Monroe, Wisconsin.
Prices effective Jan. 2018**

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE ANTI-ICING (CLOSED LOOP) NON-TIERED PLUMBING SYSTEM PAGES

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



MONROE SNOW BULLY

Standard Equipment: 3/16" thick moldboard, side / end plates are 4' x 4' x 3/8" thick plate, 12" x 25#/ft. primary reinforcement members, 6" x 10.5 ft. secondary reinforcement members, 1/2" thick flame cut, one-piece vertical ribs, 1" thick x 6" wide skid plates (high carbon steel), 1 1/2" (adjustable / reversible) rubber cutting edge, 100% continuous weld through-out. **Standard unit is Powder coated Yellow.**

- Adapts to nearly all general-purpose loader buckets.
- Blank Mount units also available, which permit installation of custom couplers
- Skid steer models feature universal mount.
- Adds versatility to your operation.
- Increases machine capacity many times over.
- Saves you time and money.
- Quick Changeability.
- Standard rubber cutting edge on the loader and the backhoe models is 1-1/2" x 10".
- Standard rubber cutting edge on the skid steer models is 1-1/2" x 8".

The "Snow Bully" will allow you to change operations in minutes. The "Snow Bully" can be used for scraping snow or stock piling. It can then be unhooked in minutes and the loader bucket used to load trucks

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Loader Model:		-	Bucket mount 50" Tall Bucket	
SB10	2200	00011254	10' – 4 WD Backhoe Machine Application	\$7,296.33
SB12	2400	00020000	12' – 1 Yard Loader Machine Application	\$7,943.68
SB14	2600	00020001	14' – 1.5 Yard Loader Machine Application	\$8,513.99
SB16	2800	00012999	16' – 2.5 Yard Loader Machine Application	\$8,685.19
SB18	3000	00011253	18' – 3.5 Yard Loader Machine Application	\$9,183.81
SB20	3200	00011252	20' – 4.5 Yard Loader Machine Application	\$9,569.01
SB30	3900	00016318	30' – 6 Yard Loader Machine Application	\$19,042.79
Loader Model:		-	Blank Mount 50" Tall Bucket	
SB5012		00091875	12' – 1 Yard Loader Machine Application	\$8,914.17

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE SNOW BULLY

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
SB5014		00097762	14' – 1.5 Yard Loader Machine Application	\$9,337.89
SB5016		00097764	16' – 2.5 Yard Loader Machine Application	\$10,462.46
SB5018		00015252	18' – 3.5 Yard Loader Machine Application	\$10,113.64
SB5020		00017206	20' – 4.5 Yard Loader Machine Application	\$10,985.69
SB5030		00054396	30' – 6 Yard Loader Machine Application	\$19,002.13
Loader Model:		-	Folding Unit	
SB5014 F		00084044	14' Folding unit - Requires folding kit below	\$15,130.87
SB5016 F		00084084	16' Folding unit - Requires folding kit below	\$15,922.67
SB5018 F		00084089	18' Folding unit - Requires folding kit below	\$16,444.83
SB5020 F		00084701	20' Folding unit - Requires folding kit below	\$16,770.11
SB5022 F		00084718	22' Folding unit - Requires folding kit below	\$17,839.04
SB5024 F		00084719	24' Folding unit - Requires folding kit below	\$17,608.99
Folding kit		-	Must chose one of the following kits with folding Bully	
Hydraulic kit		00081481		\$1,203.75
Manual kit		00081482		\$266.43
Backhoe Model:		-	Bucket Mount - 38" tall bucket	
SB/BH 10'	1350	00067940	10' – 9 Yard Backhoe Machine Application	\$5,379.96
SB/BH 12'	1450	00067966	12' – 11 Yard Backhoe Machine Application	\$5,696.68
SB/BH 14'	1600	00067967	14' – 13 Yard Backhoe Machine Application	\$5,673.14
Skid Steer Model:		-	38" Tall Bucket w/ Universal Skid Loader Mount	
SB/SS 8'	800	00067970	8' – 7 Yard Skid Steer Machine Application	\$5,022.58
SB/SS 10'	950	00068907	10' – 9 Yard Skid Steer Machine Application	\$4,737.96
SB/SS 12'	1100	00068913	12' – 11 Yard Skid Steer Machine Application	\$5,446.30
Options:		-	Note: All options shipped loose unless otherwise noted. Options can be installed on unit for additional charge – please see installation charge listed below.	
Paint:		-	Standard unit is Shot Blasted and painted Powder Coated Yellow	
Color Change		Color Change	Color Change (Acrylic Enamel)	\$1,498.00
Binder Kit		-		
Articulated Loader Ratchet Binder Kit		00068950	Binder kit includes: (2) 10' x 3/8" P-70 transport Chains, (2) 5/16" clevis, (2) 3/8" Forged hooks, (2) Heavy Duty ratchet binders	\$676.24
Backhoe / Tractor Ratchet Binder Kit		00068951	Binder kit includes: (2) 6' x 3/8" P-70 transport Chains, (2) 5/16" clevis, (2) 3/8" Forged hooks, (2) Heavy Duty ratchet binders	\$680.52
Couplers Options		-		

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



MONROE SNOW BULLY

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
416 Hook, Loose		05050483	JRB 416 compatible female ribs only, shipped loose. (05050483 as Pair)	\$544.63
416 Hooks installed (Pair Hooks)		00142299	JRB 416 female ribs, installed on the Monroe compatible LGP per QHTP tooling.	\$1,469.11
418 Hooks, Loose (Pair Hooks)		05050595	JRB 418 compatible female ribs only, shipped loose.	\$1,017.57
418 Hooks installed (Pair Hooks)		05050595i	JRB 418 compatible female ribs, installed on the Monroe LGP per QHTP tooling.	\$1,430.59
JDSS sockets, loose	400	00036963	Pair of scarifier toolbar sockets, right and left hand, with manual keeper pins, shipped loose.	\$1,405.98
JDSS sockets, installed	400	00036963i	Pair of scarifier toolbar sockets, right and left hand, with manual keeper pins, installed on plow swivel plate.	\$2,753.11
BQHF hooks loose (Pair Hooks)	85	05050614	Pair of Balderson style hooks (PL-20), loose, female receivers only.	\$1,264.74
BQHF hooks installed (Pair Hooks)	85	BQHF-i	Pair of Balderson style hooks (PL-20), installed per standard Monroe tooling (Part #05050614i)	\$2,129.30

**For other options contact factory.
Prices and specifications subject to change without notice.
All pricing is F.O.B. factory Monroe, Wisconsin.
Prices effective Jan. 2018**

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE SNOW BULLY

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



REVERSIBLE SNOW PLOW - MODEL 41R12

MOLDBOARD: _41_____” HEIGHT X ____12____ ’ LENGTH

Standard Equipment: 10 gauge roll formed moldboard, six ½” x 4” tapered, one piece flame cut ribs, 2” x 3” x 3/8” top moldboard angle, 4” x 4” x 3/4” boxed bottom moldboard angle, horizontal moldboard brace angles, dual compression trip spring assemblies, 4” x 4” x 3/8” cross-tube support, 3-1/2” x 3-1/2” x ½” semi-circle, 1” bearing surface for pins, two 4” x 10” double acting power reverse cylinders with cushion valve, built-in Monroe level lift assembly, moldboard and pushframe 100% continuously welded. **Standard plow is Powder Coat Yellow and a black pushframe.**

- Plow has 14” push height.
- Pushframe extended to ends of ribs.
- Six attachment points between moldboard and pushframe.
- Power reverse angle of plow requires one 4-way valve to operate angle (not included)
- Plow lift cylinder requires one 4-way valve for double acting lift cylinder (not included)
- Plow lift cylinder requires one 3-way valve for single acting lift cylinder (not included)
- Warranty: 1 year limited, from date of purchase, please check parts-installation manual for exact coverage

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
41R12	1775	00043109	Reversible plow, includes safety trip, extended pushframe	\$9,352.87
Cutting Edge:		Standard	5/8" x 8" C1080 top punched cutting edge with AASHTO bolt hole spacing	
Carbide CE (PRICED Per FT)	50/Ft	Carbide	¾" x 6" carbide cutting edge with cover blade AASHTO bolt hole pattern Note: Carbide cutting edge will make height of plow decrease 2" **NOTE - PRICE SHOWN FOR CARBIDE CUTTING EDGE IS PER FOOT!!**	\$155.15
Paint:		Standard	Plow to be shot blasted with moldboard Powder Coated Yellow and pushframe Powder Coated black	
Other		Paint code required at time of order 41R12	Acrylic enamel in color other than standard (not powder coat), moldboard only, not pushframe	\$545.70
Shoes:		-	Note: Shoes do not come standard with plow and are shipped loose - installation of shoes on plow is available at an additional cost. See installation cost listed below on price sheet.	

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



REVERSIBLE SNOW PLOW - MODEL 41R12

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Skid Shoes - Installed	170	00052867i	Pair of 1" x 6" skid shoes brinell hardness 120-140 with screw adjustable jack assemblies	\$1,558.99
Mushroom Shoes Rigid - Installed	200	00012692i	Pair of 2-1/4" x 11" diameter mushroom shoes with screw adjustable jack assemblies	\$1,357.83
Carbide Mushroom Shoes, Rigid	220	00061208	Pair of 1-1/8" x 10-1/4" diameter mushroom shoes with carbide inserts and screw adjustable jack assemblies	\$2,199.92
Carbide Mushroom Shoes, Rigid Installed	220	00061208i	Pair of 1-1/8" x 10-1/4" diameter mushroom shoes with carbide inserts and screw adj. Jack assemblies, rigid, non-oscillating (Installed)	\$2,237.37
Options:	-	-	Note: All options shipped loose unless otherwise noted. Options can be installed on plow for additional charge - please see installation charge listed below. Note: Optional equipment listed below must be ordered with plow for prices to be valid!	
Rubber Snow Deflector	80	00043105i	12" rubber snow deflector (Plow has holes punched in top angle to accommodate rubber snow deflector.) Installed	\$326.35
Curb Guards:	-	-		
Cast Iron 1/2" Moon	40	00061213i	Cast iron 1/2" moon curb guard - Price is for 1 which includes 1 curb guard - for both sides must order 2 sets (Installed)	\$189.39
Wrap-Around Curb Guard	20	00039621i	Wrap-around curb guard (Installed) Designate Right or Left	\$98.44
Markers:	-	-		
Flexible Plastic	5	05051432	Pair of 36" fluorescent orange flexible markers with brackets	\$52.43
Cable Markers	5	05051181	Pair of 42" orange cable markers with brackets	\$52.43
Hose Kit	25	00087913	Two hoses, couplers, cushion block, mounting brackets from loader to plow whip hose. Requires some modifications.	\$584.22
Cast Moldboard Shoes F/8"CE installed	140	00061797i	Pair of cast iron moldboard shoes bolted over standard 8" cutting edge. (Installed)	\$560.68
Removable Screw Adjustable Parking Jack	30	00061212i	Removable Screw adjustable parking jack (Installed)	\$220.42
26.5" Swivel Plate		00039749	Pin type swivel plate hitch 26.5" centers	\$664.47

**For other options contact factory.
Prices and specifications subject to change without notice.
All pricing is F.O.B. factory Monroe, Wisconsin.
Prices effective Jan. 2018**

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



REVERSIBLE SNOW PLOW - MODEL 41R12

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE AIRPORT RAMP PLOW - MODEL RD2062

MOLDBOARD: _____" HEIGHT X _____' LENGTH

Standard Equipment: Standard 3/16", brake-formed moldboard, 1/2", one-piece, solid flamecut, tapered ribs, 1/2" x 3" x 3" top angle on plows under 20', 1/2" x 4" x 4" top angle on plows over 20', moldboard is shot blasted and painted powder coat yellow with black pushframe, 1/4" x 3" x 4" upper horizontal support tube, 1/2" x 6" x 6" bottom angle on plows under 20', 1" x 6" x 6" bottom angle on plows over 20'. 1/2" gussets welded on approximately 12" centers. Standard parking jacks, 5/8" x 8" AASHTO top-punched steel cutting edge, 3/8" x 6" x 10" lower horizontal support tube. Four moldboard wear shoes installed.

- Quickly cleans snow and slush from crucial areas such as terminal buildings, T-hangers, gates and airport ramps.
- Designed to transport material over the ground.
- Build to endure the toughest snow conditions at airports and parking structures.
- **Engineered to accept various optional quick coupler receivers.**
- **Equipped with heavy duty, tapered removable end gates.**

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
RD2062 20' x 62"	3,900	00041907	20' bucket with minimum height of 62" and 3/16" thick. 1/2" one-piece vertical rib with top edge reinforced with a 3" x 3" x 1/2" angle.	\$19,546.76
RD2262 22' x 62"	4,500	00012573	22' bucket with minimum height of 62" and 3/16" thick. 1/2" one-piece vertical rib with top edge reinforced with a 3" x 3" x 1/2" angle.	\$22,604.82
Options:	-		Reversing Table with 1" thick swivel plate, 12° of oscillation, designed to accept various couplers, 56" w x 43-1/2" H rear oscillating plate, two 4"x21" double acting reversing cylinders with cushion valves,	
RRD2062 with reversing table		00075242	20' in length and 62" in height. Equipped with two 4" x 21" double acting reversing cylinders with cushion valve and screw type hydraulic quick couplers.	\$25,721.73
Moldboard:		Standard	3/16", brake-formed moldboard	
Cutting Edge:		Standard	5/8" x 8" C1080 top punched cutting edge with AASHTO bolt hole spacing	

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE AIRPORT RAMP PLOW - MODEL RD2062

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Carbide CE (PRICED Per FT)	50/Ft	Carbide	¾" x 6" carbide cutting edge with cover blade AASHTO bolt hole pattern Note: Carbide cutting edge will make height of plow decrease 2" **NOTE - Price for Carbide Cutting Edge is per FOOT**	\$155.15
Rubber Cutting Edges		RCE-I	1" x 10" (priced per foot)	\$84.53
Other lengths available, must specify		-	1.5"	
Plow Portion Hitch Options:		-	Note: Plow portion hitches do not come standard with plow. Call factory for options.	
JRB-416 hook, loose		05050483	JRB 416 compatible female ribs only, shipped loose. (05050486 as Pair)	\$544.63
JRB-416 hooks, Installed (Pair Hooks)		00142299	JRB 416 female ribs, installed on the Monroe compatible LGP per QHTP tooling.	\$1,469.11
JRB-418 hooks, loose (Pair Hooks)		05050595	JRB 418 compatible female ribs only, shipped loose.	\$1,017.57
JRB-418 hooks, Installed (Pair Hooks)		05050595i	JRB 418 compatible female ribs, installed on the Monroe LGP per QHTP tooling.	\$1,430.59
BQHF hooks loose (Pair Hooks)	85	05050614	Pair of Balderson Style hooks (PL-20) loose, female receivers only	\$1,264.74
BQHF hooks installed (Pair Hooks)	85	BQHF-i	Pair of Balderson Style hooks (PL-20) Installed per Monroe Standard Tooling	\$2,129.30
ACS, or AQC		-	ACS, Balderson or AQC coupler available upon request. More information may be required when ordering.	

**For other options contact factory.
Prices and specifications subject to change without notice.
All pricing is F.O.B. factory Monroe, Wisconsin.
Prices effective Jan. 2018**

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



MONROE AIRPORT RAMP PLOW - MODEL RD2062

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



HITCH-MODEL QHTP/QHTW HITCHES FOR CONSTRUCTION ATTACHMENTS

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
QHTP-416	900	00039985	Quick hitch front plow coupler-tower with pinned dead arm and cut-outs on back compatible to JRB #416 coupler - with 26.5" pin centers	\$4,228.64
QHTP-418	900	00017305	Quick hitch front plow coupler-tower with pinned dead arm and cut-outs on back compatible to JRB #418 coupler- with 26.5" pin centers	\$4,246.83
QHTP Blank	900	00012614	Quick hitch front plow coupler-tower with pinned dead arm and blank back for use with other brands/models of implement portion couplers (not supplied). - with 26.5" pin centers	\$4,114.15
QHTW-416 (with wing tubes)	1,100	00039940	Quick hitch front plow coupler-tower with pinned dead arm and cut-outs on back compatible to JRB #416 coupler for attaching a wing and plow to a loader. -with 26.5" pin centers	\$5,001.18
QHTW-418	1,100	00047563	Quick hitch front plow coupler-tower with pinned dead arm and cut-outs on back compatible to JRB #418 coupler for attaching a wing and plow to a loader. - with 26.5" pin centers	\$5,139.21

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



HITCH-MODEL QHTP/QHTW HITCHES FOR CONSTRUCTION ATTACHMENTS

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
QHTW Blank (with wing tubes)	1,100	00046881	Quick hitch front plow coupler-tower with pinned dead arm and blank back for use with other brands/models of implement portion couplers (not supplied) for attaching a wing and plow to a loader.	\$5,418.48
Plow Portion	-	-	Note: Plow portion hitches do not come standard with hitch, but are required for attaching a front plow. They are shipped loose.	
Swivel Plate for Hitch w/ 26.5" Centers	100	00039749	Pin type swivel plate hitch available in 26.5" centers	\$664.47
Hose Kit	-	-		
Hose Kit	25	00087913	Two hoses, couplers, cushion block, mounting brackets from loader to plow whip hose. Requires some modifications.	\$584.22

**For other options contact factory.
Prices and specifications subject to change without notice.
All pricing is F.O.B. factory Monroe, Wisconsin.
Prices effective Jan. 2018**

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



HITCH-MODEL QHTP/QHTW HITCHES FOR CONSTRUCTION ATTACHMENTS

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



MOTORGRADER AND WHEEL LOADER HITCHES-MODEL "SPAD" AND "MGP"
 PLOW ADAPTER HITCHES FOR CONSTRUCTION ATTACHMENT

Standard Equipment:

- For use with conventional one-way or reversible plows in a motorgrader snow removal application.
- SPAD fits current series John Deere motorgrader scarifier head.
- MGP-B fits B series head on motorgrader or loader.
- MGP-JRB fits loaders with JRB mounts. (Must specify 416 or 418)
- MGP Blank fits ACS or custom supplied hooks.
- Requires separate swivel plate to attach hitches to snowplow (optioned below)
- Lift chain/cable is connected to the hitch dead arms to raise plow with motorgrader lift group or scarifier, or loader arms
- Pin attachment plates are set at either 33.5" or 30.5" centers.
- Manual drop-in locking pins fit behind scarifier head.
- Call factory for other options that are not listed below! (Husting for Example)

**Note: Optional equipment listed below must be ordered with product for prices to be valid
 All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
	800	00042218	SPAD hitch with 33.5" center to center	\$3,414.37
SPAD 30.5"	800	00091640	SPAD hitch with 30.5" center to center	\$3,304.16
MGP-B	800	00019104	Plow hitch with Balderson Style hooks	\$2,944.64
MGP- JRB 416	1050	00094909	Plow hitch with 416 hooks	\$3,327.70
MGP- ST Stationary Front Motorgrader Hitch	1350	00012707	Stationary front plow hitch for Motorgrader (includes cylinder and swivel plate) (00060822 & 05002762)	\$6,617.95
Plow Portion	-	-	Note: Plow portion hitches do not come standard with hitch, but are required for attaching a front plow. They are shipped loose.	
Swivel Plate for Hitch w/ 33.5" Centers	100	00060836	33.5" center to center swivel plate connects most brands of snowplows to SPAD hitch.	\$547.84

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MOTORGRADER AND WHEEL LOADER HITCHES-MODEL "SPAD" AND "MGP"
PLOW ADAPTER HITCHES FOR CONSTRUCTION ATTACHMENT

For other options contact factory.
Prices and specifications subject to change without notice.
All pricing is F.O.B. factory Monroe, Wisconsin.
Prices effective Jan. 2018

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



MOTORGRADER AND WHEEL LOADER HITCHES-MODEL "SPAD" AND "MGP"
PLOW ADAPTER HITCHES FOR CONSTRUCTION ATTACHMENT

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE HEAVY DUTY LOADER/GRADER PLOW

MOLDBOARD: 41" HEIGHT X _____' LENGTH

Standard Equipment: ¼" Moldboard, eight, ½" thick vertical moldboard ribs, ¾" x 4" x 6" bottom angle (boxed for additional reinforcement), ½" x 4" x 6" top angle, 18" x 42.7# pushframe channel, reinforced with ½" plate, Two 4" x 21" double-acting reversing cylinders with cushion valve, 1" thick swivel plate with oscillation, designed to accept various couplers, 56"W x 43-1/2" H rear oscillating plate, heavy-duty enclosed trip spring assemblies, 2" A-frame stress-proof pivot pin, standard plow is painted Powder Coat yellow with black pushframe.

- Designed specifically to withstand rugged use with end loaders and motor graders.
- Excellent for hard pack, ice removal, snow stacking and light back filling.
- All components described herein will carry a minimum one-year warranty.

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
LGP-12	5,500	00080547	12' heavy-duty reversible Plow. Plow portion hitch not included	\$21,221.31
LGP-14	6,000	00099085	14' heavy-duty reversible plow. Plow portion hitch not included	\$23,224.35
		-	NOTE: Due to axle durability concerns, Deere does not approve the use of 14' HD plow on motorgraders! For more info contact Deere Dubuque with questions or concerns!	
Cutting Edge:		Standard	5/8" x 8" C1080 top punched cutting edge with AASHTO bolt hole spacing	
Carbide CE (PRICED Per FT)	50/Ft	Carbide	¾" x 6" carbide cutting edge with cover blade AASHTO bolt hole pattern Note: Carbide cutting edge will make height of plow decrease 2" **NOTE - Price for Carbide Cutting Edge is per FOOT**	\$155.15
Paint:		Standard	Plow to be shot blasted with moldboard Powder Coat Yellow and pushframe Powder Coated Black	

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE HEAVY DUTY LOADER/GRADER PLOW

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Other		Acrylic Enamel-11	Acrylic enamel in color other than standard (not powder coat), moldboard only, not pushframe	\$577.80
Shoes:		-	Note: Shoes do not come standard with plow and are shipped loose – installation of shoes on plow is available at an additional cost. See installation cost listed below on price sheet	
Mushroom Shoes - Installed	200	00012692i	Pair of 2-1/4" x 11" diameter mushroom shoes with screw adjustable jack assemblies	\$1,357.83
Carbide Mushroom Shoes - Installed	220	00061208i	Pair of 1-1/8" x 10-1/4" diameter mushroom shoes with carbide inserts and screw adjustable jack assemblies	\$2,237.37
Oscillating Mushroom Shoes	250	00061209	Pair of ML – Products oscillating mushroom shoes 3" x 10-3/4" diameter with screw adjustable jack assemblies.	\$3,010.98
Options:		-	Note: All options shipped loose unless otherwise noted. Options can be installed on plow for additional charge – please see installation charge listed below.	
Cast Moldboard Shoes Installed	140	00061797i	Pair of cast iron moldboard shoes (installed)	\$560.68
Curb Guards:		-		
Wrap-Around	20	00039621i	Wrap-around curb guard (Installed) Designate Right or Left	\$98.44
Markers:		-		
Flexible Plastic	5	05051432	Pair of 36" fluorescent orange flexible markers with brackets (Loose)	\$52.43
Cable Markers	5	05051181	Pair of 42" orange cable markers with brackets (loose)	\$52.43
Plow Portion Hitch:		Note: Plow portion hitches do not come standard with plow. Call factory for options.		call factory
Options:		-		
416 Hook, Loose		05050483	JRB 416 compatible female ribs only, shipped loose. (05050483 as Pair)	\$544.63
416 Hooks installed (Pair Hooks)		00142299	JRB 416 female ribs, installed on the Monroe compatible LGP per QHTP tooling.	\$1,469.11
418 Hooks, Loose (Pair Hooks)		05050595	JRB 418 compatible female ribs only, shipped loose.	\$1,017.57
418 Hooks installed (Pair Hooks)		05050595i	JRB 418 compatible female ribs, installed on the Monroe LGP per QHTP tooling.	\$1,430.59
JDSS sockets, loose	400	00036963	Pair of scarifier toolbar sockets, right and left hand, with manual keeper pins, shipped loose.	\$1,405.98
JDSS sockets, installed	400	00036963i	Pair of scarifier toolbar sockets, right and left hand, with manual keeper pins, installed on plow swivel plate.	\$2,753.11
BQHF hooks loose (Pair Hooks)	85	05050614	Pair of Balderson style hooks (PL-20), loose, female receivers only.	\$1,264.74
BQHF hooks installed (Pair Hooks)	85	BQHF-i	Pair of Balderson style hooks (PL-20), installed per standard Monroe tooling	\$2,129.30

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



MONROE HEAVY DUTY LOADER/GRADER PLOW

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	NJ Price
Installation Labor		installation	Installation charge to weld plow portion ACS, AQC, JDSS or BQHF couplers listed above onto the plow swivel plate per supplied dimensions	\$1,128.85

**For other options contact factory.
Prices and specifications subject to change without notice.
All pricing is F.O.B. factory Monroe, Wisconsin.
Prices effective Jan. 2018**

Effective date Jan. 2018

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



MONROE HEAVY DUTY LOADER/GRADER PLOW

Effective date Jan. 2018

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors



Monroe DTS (Dump-Tip-Spread) Spreader Dump Body (Stainless Steel)

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	List Price
DTS-108, 304		00135347-B	9' x 88"ID x 27" sides, TG 39" x5.5cu stainless	\$61,675
DTS-120, 304		00041396-B	10' x 88"ID x 27" sides, TG 39" x6.11cu stainless	\$67,777
DTS-132, 304		DTS-132-27 (cf)	11' x 88"ID x 27" sides, TG 39" x6.72cu stainless	\$71,568
DTS-144, 304		DTS-144-27 (cf)	12' x 88"ID x 27" sides, TG 39" x??cu stainless	\$75,686
DTS-156-27, 304		00145781-B		\$80,801
DTS-156, 304		DTS-156-27	13' x 88"ID x 27" sides, TG 39" x11.47cu stainless	\$80,801
DTS-168, 304		00129633-B	14' x 88"ID x 39" sides, TG 39" x8.5cu stainless	\$85,574
OPTIONS:				
Coal Chute Door		00133368-B	Coal Chute Door (1,2, or 3 as needed) stainless	\$1,518



Monroe RDS (Radial Dump Spreader) Spreader Dump Body (Stainless Steel)

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Weight	Part #	Description	List Price
RDS-120-96-56,RR,SS		00019215-B	10' length, 87" top inside width, 96" out width	\$43,784
RDS-132-96-56,RR,SS		00019449-B	11' length, 87" top inside width, 96" out width	\$47,632
RDS-144-96-56,RR,SS		00019248-B	12' length, 87" top inside width, 96" out width	\$48,979
RDS-156-96-56,RR,SS		00019270-B	13' length, 87" top inside width, 96" out width	\$49,490
RDS-168-96-56,RR,SS		00019295-B	14' length, 87" top inside width, 96" out width	\$52,303
RDS-180-96-56,RR,SS		00019421-B	15' length, 87" top inside width, 96" out width	\$54,965
RDS-192-96-56,RR,SS		00019455-B	16' length, 87" top inside width, 96" out width	\$60,058

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



Monroe FFDS (Flat Floor Dump Spreader) Spreader Dump Body

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Description	List Price
FFDS-120-86-34	10' length, 86" inside width, 96" out width	\$26,219
FFDS-132-86-34	11' length, 86" inside width, 96" out width	\$28,520
FFDS-144-86-34	12' length, 86" inside width, 96" out width	\$29,329
FFDS-156-86-34	13' length, 86" inside width, 96" out width	\$30,634
FFDS-168-86-46	14' length, 86" inside width, 96" out width	\$31,319
FFDS-180-86-46	15' length, 86" inside width, 96" out width	\$32,913
FFDS-192-86-46	16' length, 86" inside width, 96" out width	\$35,961
OPTIONS:		
CABSHIELD-MS	CABSHIELD-MS 1/2 MILD STEEL CABSHIELD	\$910



Monroe FFDS (Flat Floor Dump Spreader) Spreader Dump Body (Stainless Steel)

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Description	List Price
FFDS-120-86-34,SS	10' length, 86" inside width, 96" out width	\$44,573
FFDS-132-86-34,SS	11' length, 86" inside width, 96" out width	\$48,484
FFDS-144-86-34,SS	12' length, 86" inside width, 96" out width	\$49,859
FFDS-156-86-34,SS	13' length, 86" inside width, 96" out width	\$52,078
FFDS-168-86-46,SS	14' length, 86" inside width, 96" out width	\$53,243
FFDS-180-86-46,SS	15' length, 86" inside width, 96" out width	\$55,952
FFDS-192-86-46,SS	16' length, 86" inside width, 96" out width	\$61,133
OPTIONS:		
CABSHIELD-SST	CABSHIELD-SST 1/2 STAINLESS STEEL CABSHIELD	\$1,547

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



Monroe MCV V-Box Salt Spreaders (Stainless Steel)

**Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.**

ModelNum	Description	List Price
MCV-120-84-50,304,10/7,50:1 2.0DR	Vbox 10' length, 84" width, 50" height, 304 stainless	\$18,159
MCV-120-84-56,304,10/7,50:1 2.0DR	Vbox 10' length, 84" width, 56" height, 304 stainless	\$18,415
MCV-120-84-62,304,10/7,50:1 2.0DR	Vbox 10' length, 84" width, 62" height, 304 stainless	\$18,525
MCV-132-84-50,304,10/7,50:1 2.0DR	Vbox 11' length, 84" width, 50" height, 304 stainless	\$19,756
MCV-132-84-56,304,10/7,50:1 2.0DR	V-box 11' length, 84" width, 56" height, 304 stainless	\$20,081
MCV-132-84-62,304,10/7,50:1 2.0DR	Vbox 11' length, 84" width, 62" height, 304 stainless	\$20,381
MCV-144-84-50,304,10/7,50:1 2.0DR	Vbox 12' length, 84" width, 50" height, 304 stainless	\$21,045
MCV-144-84-56,304,10/7,50:1 2.0DR	Vbox 12' length, 84" width, 56" height, 304 stainless	\$21,298
MCV-144-84-62,304,10/7,50:1 2.0DR	Vbox 12' length, 84" width, 62" height, 304 stainless	\$21,599
MCV-156-84-50,304,10/7,50:1 2.0DR	Vbox 13' length, 84" width, 50" height, 304 stainless	\$22,160
MCV-156-84-56,304,10/7,50:1 2.0DR	Vbox 13' length, 84" width, 56" height, 304 stainless	\$22,541
MCV-156-84-62,304,10/7,50:1 2.0DR	Vbox 13' length, 84" width, 62" height, 304 stainless	\$22,681
MCV-168-84-50,304,10/7,50:1 2.0DR	Vbox 14' length, 84" width, 50" height, 304 stainless	\$23,190
MCV-168-84-56,304,10/7,50:1 2.0DR	Vbox 14' length, 84" width, 56" height, 304 stainless	\$23,454
MCV-168-84-62,304,10/7,50:1 2.0DR	Vbox 14' length, 84" width, 62" height, 304 stainless	\$23,665
MCV-180-84-50,304,10/7,50:1 2.0DR	Vbox 15' length, 84" width, 50" height, 304 stainless	\$23,805
MCV-180-84-56,304,10/7,50:1 2.0DR	Vbox 15' length, 84" width, 56" height, 304 stainless	\$23,998
MCV-180-84-62,304,10/7,50:1 2.0DR	Vbox 15' length, 84" width, 62" height, 304 stainless	\$24,150
MCV-192-84-50,304,10/7,50:1 2.0DR	Vbox 16' length, 84" width, 50" height, 304 stainless	\$26,486
MCV-192-84-56,304,10/7,50:1 2.0DR	Vbox 16' length, 84" width, 56" height, 304 stainless	\$26,963
MCV-192-84-62,304,10/7,50:1 2.0DR	Vbox 16' length, 84" width, 62" height, 304 stainless	\$27,101
MCV-204-84-50,304,10/7,50:1 2.0DR	Vbox 17' length, 84" width, 50" height, 304 stainless	\$27,388
MCV-204-84-56,304,10/7,50:1 2.0DR	Vbox 17' length, 84" width, 56" height, 304 stainless	\$27,591
MCV-204-84-62,304,10/7,50:1 2.0DR	Vbox 17' length, 84" width, 62" height, 304 stainless	\$27,801
MCV-216-84-50,304,10/7,50:1 2.0DR	Vbox 18' length, 84" width, 50" height, 304 stainless	\$27,999
MCV-216-84-56,304,10/7,50:1 2.0DR	Vbox 18' length, 84" width, 56" height, 304 stainless	\$28,208
MCV-216-84-62,304,10/7,50:1 2.0DR	Vbox 18' length, 84" width, 62" height, 304 stainless	\$28,504
MCV-224-84-50,304,10/7,50:1 2.0DR	Vbox 19' length, 84" width, 50" height, 304 stainless	\$28,668
MCV-224-84-56,304,10/7,50:1 2.0DR	Vbox 19' length, 84" width, 56" height, 304 stainless	\$28,904
MCV-224-84-62,304,10/7,50:1 2.0DR	Vbox 19' length, 84" width, 62" height, 304 stainless	\$29,100
MCV-232-84-50,304,10/7,50:1 2.0DR	Vbox 20' length, 84" width, 50" height, 304 stainless	\$30,258
MCV-232-84-56,304,10/7,50:1 2.0DR	Vbox 20' length, 84" width, 56" height, 304 stainless	\$30,569
MCV-232-84-62,304,10/7,50:1 2.0DR	Vbox 20' length, 84" width, 62" height, 304 stainless	\$20,888
MCV-240-84-50,304,10/7,50:1 2.0DR	Vbox 21' length, 84" width, 50" height, 304 stainless	\$31,152
MCV-240-84-56,304,10/7,50:1 2.0DR	Vbox 21' length, 84" width, 56" height, 304 stainless	\$31,789
MCV-240-84-62,304,10/7,50:1 2.0DR	Vbox 21' length, 84" width, 62" height, 304 stainless	\$32,004
MCV-252-84-50,304,10/7,50:1 2.0DR	Vbox 22' length, 84" width, 50" height, 304 stainless	\$32,405

MCV-252-84-56,304,10/7,50:1 2.0DR	Vbox 22' length, 84" width, 56" height, 304 stainless	\$32,588
MCV-252-84-62,304,10/7,50:1 2.0DR	Vbox 22' length, 84" width, 62" height, 304 stainless	\$32,999
OPTIONS:		
CHAIN BAR EVERY LINK	3/8" x 1 1/2" bar flite with 2 1/4" on center pintle chain	\$188
HIGH TEMP	Belt over chain - NOTE: ** PRICED PER FOOT	\$491
25:1 GEAR BOX	25:1 Worm Gear Box Drive	\$288
6:1 Gear Box	6:1 Spur Gear Box Drive thru 14'	\$291
00012816-A	SPINNER ASSY,MV/MSV,STD,MS,10G MSDISC,HYD,TIP-UP	\$1,539
00012816-B	SPINNER ASSY,MV/MSV,STD,304 10GA,304DISC,HYD,TIP-UP	\$2,617
00012815-A	SPINNER ASSY,MV/MSV,STD,MS,10G MSDISC,HYD,BOLT-ON	\$1,305
00012815-B	SPINNER ASSY,MV/MSV,STD,304 10GA,304DISC,HYD,BOLT	\$2,219
00019330-A	EXT KIT,SPINNER,MV/MSV,12.0 MS,10GA,TIP-UP	\$288
00019330-B	EXT KIT,SPINNER,MV/MSV,12.0 304,10GA,TIP-UP	\$491
00050710I	WINCH KIT,800#,RH,W/BRAKE & LIFT LOOP,	\$688
00050711I	WINCH KIT,800#,LH,W/BRAKE & LIFT LOOP,	\$688
00166815i	WINCH KIT, 1200#, RH W/BREAK. HEAVY DUTY, MCV	\$1,050
INVERTED-V-MILD STEEL	INVERTED V FOR MCV V-BOX IN MILD STEEL. (INSTALLED)	\$588
INVERTED-V-STAINLESS	INVERTED V FOR MCV V-BOX STAINLESS STEEL. (INSTALLED)	\$999
00012828IA	LIGHT KIT,MV/MSV,SLIP IN,MS	\$405
00088775IA	LED - Slip in Light Group	\$373
00056063IA	LIGHT BAR,30.0,MS,MARKER	\$98
05041088	LIGHT,SPOT,RUBBER HOUSING PAR 36,ADJUSTABLE BRKT	\$50
05041085I	LAMP KIT,AMBER,(2)7"ALTERNATIN PREWIRED W/8'	\$216
05041763I	LED - 7" Flashing	\$578
00011881IA	LIGHT BAR,72,STOP/TURN/TAIL MV/MSV,MS	\$105
00012831I	LIGHT KIT,MV/MSV,S/T/T	\$408
00088776I	LED - Stop/Turn/Tail	\$508
00012836I	LIGHT KIT,MV/MSV,JCT BOX ASSY 7-POLE CONNECTOR	\$252
05037131	VALVE,DUAL FLOW CTRL,LS,7&15 GPM FLOW LOAD-SENSE	\$585
00040728I	CHAIN OILER KIT,MV/MSV,1.50GAL FRONT OR REAR MOUNT	\$219
00014212I	CHAIN OILER KIT,1.5GAL,ELEC	\$437
LADDER-MS	LADDER KIT FOR V-BOX IN MILD STEEL.	\$588
LADDER-SST	LADDER KIT FOR V-BOX IN STAINLESS STEEL.	\$941
RSA-INSTALLED	REAR SLACK ADJUSTER KIT INSTALLED ON V-BOX	\$350
GREASE-INSTALLED	BEARING GREASE EXT KIT- INSTALLED ON V-BOX	\$175
Cabshield-1	1/2 Cabshield (loose) (specify size) (bolt-on)	\$1,023
Install Cabshield	Install Cabshield	\$50
00012819	MTG KIT,MV/MSV,STD,SLIP-IN (SHIPPED LOOSE)	\$362
00037682	CHAIN BINDER KIT,2 BINDERS W/ CHAINS	\$250
00012389-A	LATCH KIT,TGT,V-BOX,1.25 DIA MS	\$150
00022402-A	MTG KIT,MV/MSV,CHASSIS,8'-11', 33.625/35.250	\$400
00024600-A	MTG KIT,MV/MSV,CHASSIS,12'-14' 33.625/35.250	\$400
00105781-A	MTG KIT,MV/MSV,CHASSIS,15'-17' 33.625/35.250	\$400
00063492-A	MTG KIT,MV/MSV,RATCHET STRAP 3.0,MS V-BOX,MS DB	\$528
PIPE KIT- INSTALLED	PIPE KIT,CHASSIS MT,V-BOX, INSTALLED 3-PIPE	\$1,900
SENSOR INSTALLED	Speed Sensor installed	\$650
LEG KIT MILD	LEG KIT,MCV,SELF LOADING MILD STEEL INSTALLED	\$2,800

LEG KIT STAINLESS	LEG KIT,MCV,SELF LOADING STAINLESS STEEL INSTALLED	\$4,760
CATWALK-MS	CATWALK KIT,MCV,9-22', INSTALLED MILD STEEL	\$1,899
CATWALK-304	CATWALK KIT,MCV,9-22', INSTALLED STAINLESS STEEL	\$3,229
00055828IB	LIGHT KIT,MV/MSV,304,LED,TOVAR	\$1,755

****Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors****



Monroe Under Tailgate Salt Spreaders (Stainless Steel)

Note: Optional equipment listed below must be ordered with product for prices to be valid
All options shipped loose unless otherwise noted.

ModelNum	Description	List Price
00163071-B	SPREADER,UT,304,966-RF- SST	\$4,733
00164723-B	SPREADER,UT,304,966-RF, SPEED SNSR- SST	\$4,983
00163073-B	SPREADER,UT,304,966-OW/DD- SST	\$4,733
00164726-B	SPREADER,UT,304,966-OW/DD SPEED SENSOR- SST	\$4,983
00164703-B	SPREADER,UT,304,966-CD- SST	\$5,033
00164729-B	SPREADER,UT,304,966-CD SPEED SENSOR- SST	\$5,203
00160870-B	SPREADER,UT,304,966-RF-DD- SST	\$5,188
00164721-B	SPREADER,UT,304,966-RF-DD SPEED SENSOR- SST	\$5,388
00163040-B	SPREADER,UT,304,966-OW/DD-DD- SST	\$5,188
00164724-B	SPREADER,UT,304,966-OW/DD-DD SPEED SENSOR- SST	\$5,388
00164701-B	SPREADER,UT,304,966-CD-DD- SST	\$5,288
00164727-B	SPREADER,UT,304,966-CD-DD SPEED SENSOR- SST	\$5,488
00163072-B	SPREADER,UT,304,966-RF-GB- SST	\$5,298
00164722-B	SPREADER,UT,304,966-RF-GB SPEED SENSOR SST	\$5,498
00163074-B	SPREADER,UT,304,966-OW/DD-GB SST	\$5,298
00164725-B	SPREADER,UT,304,966-OW/DD-GB SPEED SENSOR SST	\$5,498
00164702-B	SPREADER,UT,304,966-CD-GB- SST	\$5,298
00164728-B	SPREADER,UT,304,966-CD-GB SPEED SENSOR SST	\$5,498
00026544-F	SPINNER ASSY,TGT, LH,MS, POLY DISC	\$711
00026544-J	SPINNER ASSY,TGT, LH,SST, POLY DISC	\$1,209
00022064-J	SPINNER ASSY,TG,LH,MS,POLY DISC-SL	\$1,209
00022064-F	SPINNER ASSY,TG,LH,SST,POLY DISC-SL	\$711
00163076-A	SPREADER,UT,MS969-OW-DD,MS,	\$3,988
00163076-B	SPREADER,UT,304,969-OW-DD,SSP,	\$6,779
00041923-A	CHUTE KIT,CENTERLINE,UT,MS	\$588

Monroe Truck Equipment reserves the right to cancel or correct orders arising from pricing or publication errors