

**BOBCAT COMPANY PRICE PAGES
 NA LOADERS – COMPACT TRACK**



Please note the following when using Bobcat Price Pages:

- All prices are shown in U.S. dollars.
- Check BobcatNET Pricing Homepage for current Canadian exchange rate.
- To ensure having the correct Part Number for a Dealer Installed Accessory, obtain the loader model and serial number and check with Dealer Parts Department.
- For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.
- Prices and specifications are subject to change without notice.

THE FOLLOWING UPDATES HAVE BEEN MADE TO THIS DOCUMENT:

Date	Description of Change
1/1/2020	New year pricing
6/10/2019	Microsoft Word format converted to Excel

**Certain Specification(s) are based on engineering calculations and are not actual measurements. Specification(s) are provided for comparison purposes only and are subject to change without notice. Specification(s) for your individual Bobcat equipment will vary based on normal variations in design, manufacturing, operating conditions, and other factors.*

T450 (Tier 4)
Bobcat Compact Track Loader



Standard Equipment

- | | |
|--|---|
| <p>61 HP Turbo Tier 4 Diesel Engine
 Auxiliary Hydraulics: Variable Flow
 Backup Alarm
 Bob-Tach
 Bobcat Interlock Control System (BICS TM)
 Controls: Bobcat Standard
 Engine/Hydraulic Systems Shutdown
 Glow Plugs (Automatically Activated)
 Horn
 Instrumentation: Engine Temperature & Fuel Guages,
 - Hourmeter, RPM, and Warning Lights
 Lift Arm Support
 Lift Path: Radius</p> | <p>Lights, Front & Rear
 Operator Cab
 - Includes: Adjustable Suspension Seat, Top & Rear Windows, Parking Break, Seat Bar & Seat Belt
 - Roll Over Protective Structure (ROPS) meets SAE-J1040 & ISO 3471
 - Falling Object Protective Structure (FOPS) meets SAE-J1043 & ISO 3449, Level I;
 (Level II is available through Bobcat Parts)
 Parking Brake – Spring Applied, Pressure Released
 Soil Mounted Carriage with 3 Rollers
 Spark Arrestor Exhaust System
 Tracks: Rubber, 11.8" Wide</p> |
|--|---|

Quick Specs

	<u>T450</u>
Rated Operating Capacity - 35% of Tipping Load.....	1,400 lbs.
Rated Operating Capacity - 50% of Tipping Load.....	2,000 lbs.
Tipping Load.....	4,000 lbs.
Engine Model.....	2.4L Bobcat Engine
Engine Fuel.....	Diesel
Engine Cooling.....	Liquid
Horsepower.....	61
Hydraulic Pump Capacity-Standard Flow.....	16.7 GPM
Travel Speed.....	7.3 MPH
Travel Speed - 2 Speed.....	7.3/11.0 MPH
Operating Weight.....	6,148 lbs.
Shipping Weight.....	5,555 lbs.
Cab Height.....	77.8"
Width (w/out Attachment).....	55.0"
Length (w/out Attachment).....	98.4"
Ground Contact Length.....	50.2"
Reach at Maximum Height.....	23.5"
Height to Hinge Pin.....	109.5"

T450 (Tier 4)
Bobcat Compact Track Loader

Part Number	Description	SLP in US \$
-------------	-------------	--------------

M0207	T450 Compact Track Loader (Equipped with a T4 Engine).....	\$48,190
-------	--	----------

Part Number	Description	SLP in US \$
-------------	-------------	--------------

M__-P01-A81	A81 Option Package..... Includes: Two Speed, Enclosed Cab with AC/Heat, Cab Accessories Package*, Power Bob-Tach, Sound Reduction, Deluxe Instrument Panel with Keyless Start, Attachment Control Kit, 3-Point Seat Belt	\$8,519
-------------	---	---------

Part Number	Description	SLP in US \$
-------------	-------------	--------------

M__-P01-O71	O71 Option Package..... Includes: Cab Accessories Package*, Power Bob-Tach, Deluxe Instrument Panel with Keyless Start, Attachment Control Kit *Cab Accessories Package: Deluxe Headliner with Dome Light, Cab Accessory Harness, Power Port, Lower Interior Panels with Storage Compartments and Cup Holder.	\$2,333
-------------	---	---------

Part Number	Description	SLP in US \$
-------------	-------------	--------------

Controls

M_-R01-C04	Selectable Joystick Contol (SJC)..... Features include: Selectable patterns (ISO or H-Pattern), Auto Idle, Horsepower Management, Speed Management, Drive Response, Drift Compensation and Foot Pedal for Engine Speed Control. *The Cab Accessories Package is required via Individual Factory Option if option ordered without package. Management, Drive Response, Drift Compensation and Foot Pedal for Engine Speed Control. The Cab Accessories Package which is included in all Cab Packages is required. If a Cab Package is not ordered the Bobcat ordering systems will automatically add the Cab Accessories Package to the order for...	\$795 \$495
------------	--	--

Must order O71 Package when ordered with Two Speed.

Other Options

M_-R04-C02	Cab Accessories Package..... Deluxe Headliner with Dome Light, Cab Accessory Harness, Power Port, Lower Interior Panels with Storage Compartments and Cup Holder. Required for Reversing Fan, Hydraulic Bucket Positioning, Automatic Ride Control, and SJC, Radio, Air Ride Heated Seat, Power Bob-Tach	\$594
------------	---	-------

Must order SJC when ordered with O71 Package. Not allowed with base machine.

T450 (Tier 4)**Bobcat Compact Track Loader****Part Dealer Installed Accessories - Ordered From Parts**
Number Description

Part numbers for kits in this section are current as of May 2015 and pertain to current loader models as of that date. To ensure having the correct Part Number for a Dealer Installed Accessory, obtain the loader model and serial number and check with Dealer Parts Department.

For the most current Dealer Installed Accessories pricing, refer to BobQuote or Dealer Parts Department.

Cab Accessories – Enclosures, Doors, Windows

7128393	Cab Enclosure Door Kit.....	\$ _____
	Includes Front Door with Sensor Switch and Wiper/Washer. Must also order Side Windows Kit to completely enclose cab. Est. Install time: 3.5 hrs.	
7186723	Fops Window Kit.....	\$ _____
	Est. Install time: 10 min.	
7174127	Forestry Door Kit.....	\$ _____
	Est. Install time: 2 hrs.	
7182335	Sliding Side Lexan Windows Kit.....	\$ _____
	Includes 2 Sliding Side Lexan Windows. Est. Install time: 1 hr.	
7128342	Sliding Side Windows Kit.....	\$ _____
	Includes 2 Sliding Side Windows. Must also order Cab Enclosure Door Kit to completely enclose cab. Est. Install time: 1 hr.	
7128395	Special Applications Polycarbonate Door Kit.....	\$ _____
	Provides added operator protection during some attachment applications. Includes ½" thick polycarbonate front door. Must order a Side Windows Kit, Cab Seals Kit and Special Applications Rear Window to completely enclose cab. Est. Install time: 3 hrs.	
7214673	Special Applications Polycarbonate Rear Window Kit.....	\$ _____
	Provides added operator protection during some attachment applications. Includes ½" thick polycarbonate rear window. Must order a Side Windows Kit, Cab Seals Kit and Special Applications Front Door to completely enclose cab. Est. Install time: 0.5 hr.	

Cab Accessories – Heat and Air Conditioning

7244628	Air Conditioning Kit.....	\$ _____
	Loader must be equipped with Cab Enclosure with Heater. Est. Install time: __ hrs.	
7128484	Heater Kit.....	\$ _____
	Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Must also order heater plumbing kit. Est. Install time: 5 hrs. to install heater and plumbing kit	
7244626	Heater Plumbing Kit.....	\$ _____
	Est. Install time: 5 hrs. to install heater and plumbing kit	

Cab Accessories – Other

_____	Cab Accessory Harness & Lower Interior Panels Kit.....	\$ _____
	See Dealer Parts Department for the correct kit part number. This kit is needed for Base Cabs Only when field installing any of the following accessories; cab enclosure with heat or air conditioning, four-way flasher / turn signal kit, hydraulic bucket positioning, power Bob-Tach kit, rear wiper kit, rotating beacon kit, strobe light kit or radio. Includes Cab Accessory Harness and Lower Interior Panels. Need to order Deluxe Headliner Kit or Deluxe Heater/Air Conditioning Headliner Kit & Cup Holder Kit to finish interior. Est. Install time: 5 hrs.	
7167395	Cup Holder Kit.....	\$ _____
	Lower Interior Panels are required, see Cab Accessory Harness & Lower Interior Panels kit for details. Includes side and front cup holder. Est. Install time: 1 hr.	
7227849	Cab Seals Kit.....	\$ _____
	Includes bottom of cab and foot pod area seals. Needed to completely enclose the cab. Est. Install time: 2.5 hrs.	

T450 (Tier 4)
Bobcat Compact Track Loader

Part Number Dealer Installed Accessories - Ordered From Parts Description

Cab Accessories – Other (continued)

7170782	Deluxe Cab Gas Spring Kit.....	\$ _____
	3rd gas spring for enclosed cab. Est. Install time: 1 hr.	
7156253	Deluxe Headliner Kit.....	\$ _____
	Includes headliner with light and rear corner cab trim. Est. Install time: 1 hr.	
7174171	Deluxe Heater / Air Conditioning Headliner Kit.....	\$ _____
	Includes Headliner with interior light, air conditioning/heater vents and rear corner cab trim. Needed to upgrade non-AC/Heater cab to include AC/Heat. Est. Install time: 1 hr.	
7196560	Forestry Wiper Kit.....	\$ _____
	Loader must be equipped with Forestry Door; Reference P/N 7174127 Forestry Door or 7230523 Forestry Applications Kit for detail. Est. Install time: 1 hr.	
7238900	HEPA Filter Kit.....	\$ _____
	Est. Install time: 0.5 hrs.	
7240148	Intermittent Wiper Kit.....	\$ _____
	Includes intermittent wiper switch, cover, harness and tie straps. Kit allows operator to adjust the speed of the wiper to match the operating conditions. Est. Install time: 1 hr.	
7234899	Rear Window External Removal Kit.....	\$ _____
	Recommended for use with Loader Radio Remote Control kit. Est. Install time: 1 hr.	
7225133	Rear Wiper Kit.....	\$ _____
	Deluxe Headliner, Cab Accessory Harness, Lower Interior Panels and Front Door with Wiper are required. Wiper is activated by a switch on the rear wiper motor. Est. Install time: 4 hrs.	
7172897	Reseal Plugs Kit.....	\$ _____
	Includes plugs to seal cab and frame after the removal of the following: FOPS Kit, Single Point Lift Kit, Four Point Lift Kit, and Backhoe Attachment. Est. Install time: 1 hr.	
7172903	White Decal Kit (Cab Top).....	\$ _____
	Applied to cab top to maintain a cooler temperature inside the operator’s cab. Est. Install time: 0.5 hr.	

Counterweight Kits

7129250	Counterweight Kit, 200 lbs.....	\$ _____
	Includes (4) 50 pound weights that bolt to rear uprights of loader. See operator’s manual for ROC increase. Not compatible with the Quick-Tach Water Kit or Rear Stabilizers. Est. Install time: 1 hr.	

Electrical Accessories

_____	Attachment Control Kit.....	\$ _____
	For complete listing of Attachment Control Kits, P/N's and Descriptions - Refer to Attachments Section of Price Pages	
7169103	Cab Accessory Adapter Harness.....	\$ _____
	For Loaders without Cab Accessory Harness. Needed for Strobe, Beacon and Four-Way Flasher. Est. Install time: 0.5 hr.	
7128338	Four-Way Flasher / Turn Signal Kit.....	\$ _____
	Est. Install time: 1 hr.	
7129299	Rotating Beacon Kit.....	\$ _____
	Est. Install time: 1 hr.	
7129301	Strobe Light Kit, Amber.....	\$ _____
	Est. Install time: 1 hr.	

T450 (Tier 4)
Bobcat Compact Track Loader

**Part Number Dealer Installed Accessories - Ordered From Parts
 Description**

Engine Accessories

7237289 Engine Block Heater Kit..... \$ _____
 Est. Install time: 0.25

Hydraulic Accessories

7254136 Hydraulic Bucket Positioning Kit..... \$ _____
 Bucket Positioning helps the operator keep the same tilt position of the load during lifting. Cab
 Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details.
 Includes on/off switch. Est. Install time: __ hrs.

7249869 Rear Auxiliary Hydraulic Kit..... \$ _____
 Provides a flow of 8.5 GPM. Est. Install time: 10 hrs.

Instrumentation

7213928 Deluxe Instrument Panel with Keyless Start..... \$ _____
 Includes keyless start, feature lockouts, help screens, clock, job clock, system diagnostic capability
 and more. Est. Install time: 1 hr.

7213929 Keyless Start Panel Kit..... \$ _____
 Allows operator to start the loader by entering a reprogrammable number code.
 Est. Install time: 1 hr.

Lift Kits

7241506 Four-Point Lift Kit..... \$ _____
 Cannot be used on loaders equipped with Backhoe Mounting Kit. Est. Install time: __ hrs.

7244677 Single Point Lift Kit..... \$ _____
 Est. Install time: __ hrs.

Loader Guard Kits

7251551 Cross Member Tube Line Shield Kit..... \$ _____
 7129293 FOPS Kit..... \$ _____

Additional shield assembly for cab top. Meets ISO 3449, Level II Requirements.
 Est. Install time: 1.5 hrs.

7244920 Muffler Guard Kit..... \$ _____
 Est. Install time: 0.25 hrs.

7239159 Rear Work Lights Guard Kit..... \$ _____
 Est. Install time: 0.5 hrs.

7174129 Front Work Lights Guard Kit..... \$ _____
 Est. Install time: 0.5 hr.

7248293 Tilt Cylinder Shield Kit..... \$ _____
 Est. Install time: 0.5 hrs.

Power Bob-Tach Kits

7254137 Power Bob-Tach Kit and Plumbing Kit..... \$ _____
 Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for
 details. Must also order Power Bob-Tach Plumbing Kit.
 Est. Install time: __ hrs to install Power Bob-Tach Kit and Plumbing Kit.

T450 (Tier 4)
Bobcat Compact Track Loader

Part Number Dealer Installed Accessories - Ordered From Parts Description

Radio

6988435 Radio Kit..... \$ _____
 Includes weatherproof AM/FM/NOAA Weather Band Radio, Radio Mounting Bracket, Speakers, Antenna, and Installation Hardware. Works with MP3 or other portable music player. Est. Install time: 3 hrs.

6676108 Radio Headphones..... \$ _____

Remote Control Kits

7185234 Loader Radio Remote Control Kit..... \$ _____
 Allows an operator to start/stop the engine, operate the drive system and control the lift, tilt and auxiliary hydraulic functions remotely using a Radio Transmitter. The operator must maintain visual contact with the loader and the loader's path of travel. Available for loaders equipped with Selectable Joystick Controls (SJC) or All Wheel Steer Loaders. Requires version 57 software or newer. Est. Install time: 0.5 hr.

6986516 Loader Radio Remote Operator Training Kit..... \$ _____

Reversing Fan Kits

7304960 Reversing Fan Kit..... \$ _____
 Temporarily reverses cooling fan direction to blow dust and small debris from the radiator and rear screens. Includes three operating modes: Automatic, Momentary and OFF. Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Est. Install Time: 3 hrs.

Ride Control Kits

7246068 Ride Control Kit..... \$ _____
 Provides a smoother ride by cushioning the lift arms when traveling over rough terrain. Est. Install time: __ hrs.

Seats & Seat Belts

6703640 Seat Belt Kit, 3" (Standard Seat)..... \$ _____
 For use with Standard Seat only. Includes 3" lap belt. Est. Install time: 0.5 hr.

7129303 Seat Belt Kit-3"..... \$ _____
 For use with Suspension Seat only. Includes 3" retractable lap belt. Est. Install time: 0.5 hr.

7128405 Seat Belt Kit, 3-Point..... \$ _____
 For use with Suspension Seat only. Includes 2" shoulder belt and 2" lap belt. Est. Install time: 0.5 hr.

7169480 Seat Belt Kit-3", 3-Point. \$ _____
 For use with Suspension Seat only. Includes 2" shoulder belt and 3" lap belt. Est. Install time: 0.5 hr.

7128524 Suspension Seat \$ _____
 Vinyl material. Must also order a seat belt kit unless previously equipped with suspension seat. Est. Install time: 1 hr.

7183366 Suspension Seat, Air Ride..... \$ _____
 Vinyl material. Must also order a seat belt kit unless previously equipped with suspension seat. Est. Install time: 1 hr.

T450 (Tier 4)
Bobcat Compact Track Loader

Part Number Dealer Installed Accessories - Ordered From Parts Description

Sound Reduction Kits

7254141	Sound Reduction Kit..... Includes insulating materials and a hydraulic muffler to reduce sound levels at the operator's ear and for bystanders. Est. Install time: 2 hrs.	\$ _____
7252091	Deluxe Sound Kit for Standard or ACS Controls..... Includes foot pod insulating materials to reduce sound levels at the operator's ear. Est. Install time: 1 hr.	\$ _____
7252092	Deluxe Sound Kit for SJC Controls..... Includes foot pod insulating materials to reduce sound levels at the operator's ear. Est. Install time: 1 hr.	\$ _____

Training Kits

6901726	Bobcat Loader Operator Training Kit.....	\$ _____
6900641	Bobcat Loader Service Training Kit.....	\$ _____
6904762	Bobcat Operator Safety DVD..... Includes all of the 10-minute operator safety videos in both English and Spanish.	\$ _____

Other Accessories

7129307	Fire Extinguisher Kit..... Est. Install time: 0.5 hr.	\$ _____
7257869	Loader Weighlog Scale Kit..... Measures hydraulic pressure at a specific position during the lifting cycle for either static or dynamic weighing. The weighlog kit is not a certified scale. Please see Bobcat Parts Sales & Merchandising Manual for additional details. Est. Install time: 4 hrs.	\$ _____
7023550	Locking Fuel Cap..... Includes a Black Locking Fuel Cap that is keyed the same as the loader. Key is Not included. Additional locking fuel cap options are available through parts.	\$ _____
7128403	Tailgate Lock Kit..... Est. Install time: 0.5 hr.	\$ _____

T550/T590/T595 (Tier 4)
Bobcat Compact Track Loader



Standard Equipment

66 HP Turbo Tier 4 Diesel Engine (T550/T590)
 74 HP Turbo Tier 4 Diesel Engine (T595)
 Auxiliary Hydraulics: Variable Flow
 Backup Alarm
 Bob-Tach
 Bobcat Interlock Control System (BICS TM)
 Controls: Bobcat Standard
 Cylinder Cushioning - Lift, Tilt
 Engine/Hydraulic Systems Shutdown
 Glow Plugs (Automatically Activated)
 Horn
 Instrumentation: Engine Temperature & Fuel Guages,
 Hourmeter, RPM, and Warning Lights
 Lift Arm Support

Lift Path: Radius (T550), Vertical (T590/T595)
 Lights, Front & Rear
 Operator Cab
 - Includes: Adjustable Suspension Seat, Top & Rear
 Windows, Parking Break, Seat Bar & Seat Belt
 - Roll Over Protective Structure (ROPS) meets
 SAE-J1040 & ISO 3471
 - Falling Object Protective Structure (FOPS)
 meets SAE-J1043 & ISO 3449, Level I;
 (Level II is available through Bobcat Parts)
 Parking Brake – Spring Applied, Pressure Released (SAPR)
 Soil Mounted Carriage with 4 Rollers
 Spark Arrestor Exhaust System
 Tracks: Rubber, 12.6" Wide

Quick Specs

	<u>T550</u>	<u>T590</u>	<u>T595</u>
Rated Operating Capacity - 35% of Tipping Load.....	1,995 lbs.	2,100 lbs.	2,200 lbs.
with Roller Suspension Carriage.....	1,895 lbs.	1,950 lbs.	2,050 lbs.
Rated Operating Capacity - 50% of Tipping Load.....	2,850 lbs.	3,000 lbs.	3,142 lbs.
Tipping Load.....	5,700 lbs.	6,000 lbs.	6,285 lbs.
Engine Model.....	2.4L Bobcat	2.4L Bobcat	2.4L Bobcat
Engine Fuel.....	Engine	Engine	Engine
Engine Cooling.....	Diesel	Diesel	Diesel
Horsepower.....	Liquid	Liquid	Liquid
Hydraulic Pump Capacity-Standard Flow.....	66	66	74
Hydraulic Pump Capacity-High Flow (Optional).....	17.1 GPM	17.1 GPM	17.1 GPM
Travel Speed.....	26.7 GPM	26.7 GPM	26.7 GPM
Travel Speed - 2 Speed.....	7.1 MPH	7.1 MPH	7.1 MPH
Operating Weight.....	7.1/10.4 MPH	7.1/10.4 MPH	7.1/10.4 MPH
with Roller Suspension Carriage.....	7,557 lbs.	7,822 lbs.	8,055 lbs.
Shipping Weight.....	7,758 lbs.	8,007 lbs.	-
Cab Height.....	6,746 lbs.	7,026 lbs.	7,226 lbs.
Width (w/out Attachment).....	77.8"	77.8"	77.8"
Length (w/out Attachment).....	67.0"	67.0"	67.0"
Ground Contact Length.....	104.6"	104.6"	104.6"
Reach at Maximum Height.....	54.1"	54.1"	54.1"
Height to Hinge Pin.....	19.3"	34.9"	34.9"
	114.5"	119.0"	119.0"

*T595 is equipped with 200 lb. frame mounted counterweights

T550/T590/T595 (Tier 4)
Bobcat Compact Track Loader

Part Number	Description	SLP In US \$
Compact Track Loader		
M0255	T550 Compact Track Loader (Equipped with Tier 4 Engine).....	\$52,855
M0263	T590 Compact Track Loader (Equipped with Tier 4 Engine).....	\$56,097
M0249	T595 Compact Track Loader (Equipped with Tier 4 Engine).....	\$56,625

Part Number	Description	SLP In US \$
Machine Configuration		

CAN BE SELECTED WITH PACKAGES OR WITH INDIVIDUAL OPTIONS

Tracks/Undercarriage

M_-R09-C02	16" C-Pattern Rubber Track..... Compatible with Solid Mounted or Roller Suspension Carriages. Loader width is 70.1"	\$1,566
M_-R09-C05	12.6" Multi Bar Track..... Compatible with Solid Mounted or Roller Suspension Carriages. Loader width is 67.0"	\$1,566
M_-R21-C13	Roller Suspension Carriage..... Includes Solid Mounted Undercarriage and 3 Rollers with Leaf Spring style suspension. Compatible with 12.6" tracks (Loader width 70.0") or 16" tracks (Loader width is 70.1"). Roller suspension carriage is not available with single speed or Performance Package P13	\$1,697

Controls

M_-R01-C04	Selectable Joystick Control (SJC)..... Features include: Selectable patterns (ISO or H-Pattern), Auto Idle, Horsepower Management, Speed Management, Drive Response, Drift Compensation and Foot Pedal for Engine Speed Control. *The Cab Accessories Package is required via Individual Factory Option if option ordered without package.	\$795
------------	--	-------

Part Number	Description	SLP In US \$
Comfort Cab Packages		

MUST SELECT ONE COMFORT AND ONE PERFORMANCE PACKAGE OR SELECT INDIVIDUAL OPTIONS

M_-P07-C10	C10 Comfort Package..... Includes: Open Cab, Cab Accessories Package, Standard Panel, Adjustable Suspension Seat	\$495
M_-P07-C23	C23 Comfort Package..... Includes: Enclosed Cab with AC/Heat, Sound Reduction, Cab Accessories Package, Standard Panel, Adjustable Suspension Seat	\$4,752
M_-P07-C27	C27 Comfort Package..... Includes: Enclosed Cab with AC/Heat, Sound Reduction, Cab Accessories Package, Standard Panel, Radio, Heated Cloth Suspension Seat	\$5,725
M_-P07-C37	C37 Comfort Package..... Includes: Enclosed Cab with AC/Heat, Sound Reduction, Cab Accessories Package, Deluxe Instrument Panel with Keyless Start, Radio, Heated Cloth Air Ride Suspension Seat	\$6,435

T550/T590/T595 (Tier 4)

Bobcat Compact Track Loader

Part Number	Description	Performance Cab Packages	SLP In US \$
-------------	-------------	--------------------------	--------------

MUST SELECT ONE COMFORT AND ONE PERFORMANCE PACKAGE OR SELECT INDIVIDUAL OPTIONS

Standard Flow Packages

M_-P06-P13	P13 Performance Package..... Includes: Power Bob-Tach, Hydraulic Bucket Positioning	\$1,418
M_-P06-P23	P23 Performance Package..... Includes: Power Bob-Tach, 2-Speed, Hydraulic Bucket Positioning	\$3,608
M_-P06-P29	P29 Performance Package..... Includes: Power Bob-Tach, 7-Pin Attachment Control Kit, 2-Speed, Hydraulic Bucket Positioning, Automatic Ride Control, Reversing Fan	\$5,210

High Flow Packages

M_-P06-P67	P67 Performance Package..... Includes: Power Bob-Tach, 7-Pin Attachment Control Kit, High Flow, 2-Speed, Hydraulic Bucket Positioning	\$5,728
M_-P06-P69	P69 Performance Package..... Includes: Power Bob-Tach, 7-Pin Attachment Control Kit, High Flow, 2-Speed, Hydraulic Bucket Positioning, Automatic Ride Control, Reversing Fan	\$7,085

Part Number	Description	Individual Factory Options	SLP in US \$
-------------	-------------	----------------------------	--------------

CANNOT BE ADDED TO ANY ORDER WITH COMFORT AND PERFORMANCE PACKAGE SELECTION

NOTE: Individual Options SLP includes a 20% premium when compared to ordering the option in a package

NOTE: Several individual options may require additional equipment, see details below. If the option requires additional equipment the Bobcat ordering systems will automatically add the required equipment to the order.

Individual Cab Options

M_-R25-C04	Enclosed Cab with AC/Heat..... Deluxe cab with heat and air conditioning	\$4,535
M_-R70-C02	Sound Reduction..... Reduces operator and by-stander noise levels	\$574
M_-R08-C03	Deluxe Instrument Panel with Keyless Start..... Monitors key loader functions, communicates alerts and provides additional attachment information to track usage.	\$852
M_-R26-C02	Radio..... Includes weatherproof AM/FM/NOAA Weather Band Radio, Speakers, and Antenna. Works with MP3 or other portable music player	\$598
M_-R80-C02	Cab Accessories Package..... Deluxe Headliner with Dome Light, Cab Accessory Harness, Power Port, Lower Interior Panels with Storage Compartments and Cup Holder. Required for Reversing Fan, Hydraulic Bucket Positioning, Automatic Ride Control, and SJC, Radio, Air Ride Heated Seat, Power Bob-Tach	\$594
M_-R05-C12	Cloth Heated Air Ride Suspension Seat..... Includes Heat on/off switch on the back of the seat.	\$570

T550/T590/T595 (Tier 4)
Bobcat Compact Track Loader

Individual Performance Options

M_-R06-C03	Power Bob-Tach..... Connect and disconnect non-hydraulic attachments from inside the cab. The Cab Accessories Package is required. See NOTE above.	\$1,032
M_-R28-C02	7-Pin Attachment Control Kit..... Required for High Flow Hydraulics.	\$294
M_-R03-C03	High Flow Hydraulics..... Provides 26.7 GPM and 3500 PSI for attachment operation. The 7-pin attachment control kit is required.	\$2,695
M_-R04-C02	2-Speed..... Includes 2-Speed motors and 3-Point Seat Belt Low Travel Speed 7.1 MPH, High Travel Speed 10.4 MPH	\$2,628
M_-R11-C02	Hydraulic Bucket Positioning..... Bucket Positioning helps the operator keep the same tilt of the load during lifting. Includes On/Off switch. The Cab Accessories Package is required. See NOTE above.	\$670
M_-R33-C02	Automatic Ride Control..... Automatically activates by detecting increased hydraulic lift arm pressure when the loader is carrying material. Includes on/off switch. The Cab Accessories Package is required. See NOTE above.	\$889
M_-R32-C02	Reversing Fan..... Temporarily reverses the cooling fan direction to blow dust and small debris from the radiator and rear screens. Includes three operating modes: Automatic, Momentary, & OFF. The Cab Accessories Package is required. See NOTE above.	\$739

T550/T590/T595 (Tier 4)
Bobcat Compact Track Loader

Part Number Description Dealer Installed Accessories - Ordered From Parts

Part numbers for kits in this section are current as of October 2016 and pertain to current loader models as of that date. To ensure having the correct Part Number for a Dealer Installed Accessory, obtain the loader model and serial number and check with Dealer Parts Department. For the most current Dealer Installed Accessories pricing, refer to BobQuote or Dealer Parts Department.

Cab Accessories - Enclosures, Doors, Windows

7128393	Cab Enclosure Door Kit.....	\$ _____
	Includes Front Door with Sensor Switch and Wiper/Washer. Must also order Side Windows Kit to completely enclose cab. Est. Install time: 3.5 hrs.	
7186723	Fops Window Kit.....	\$ _____
	Est. Install time: 10 min.	
7174127	Forestry Door Kit.....	\$ _____
	Est. Install time: 2 hrs.	
7182335	Sliding Side Lexan Windows Kit.....	\$ _____
	Includes 2 Sliding Side Lexan Windows. Est. Install time: 1 hr.	
7128395	Special Applications Polycarbonate Door Kit.....	\$ _____
	Provides added operator protection during some attachment applications. Includes ½" thick polycarbonate front door. Must order a Side Windows Kit, Cab Seals Kit and Special Applications Rear Window to completely enclose cab. Est. Install time: 3 hrs.	
7214673	Special Applications Polycarbonate Rear Window Kit.....	\$ _____
	Provides added operator protection during some attachment applications. Includes ½" thick polycarbonate rear window. Must order a Side Windows Kit, Cab Seals Kit and Special Applications Front Door to completely enclose cab. Est. Install time: 0.5 hr.	

Cab Accessories - Heat and Air Conditioning

7236389	Air Conditioning Kit.....	\$ _____
	Loader must be equipped with Cab Enclosure with Heater. Est. Install time: 8 hrs.	
7128484	Heater Kit.....	\$ _____
	Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for	
7236388	Heater Plumbing Kit.....	\$ _____
	Est. Install time: 5 hrs. to install heater and plumbing kit.	
7200657	Lower Air Duct Kit.....	\$ _____
	Includes two air ducts to direct air flow towards the foot well and lower cab door area. Loader must be equipped with Cab Enclosure and Heater or Air Conditioning. Est. Install time: 1 hr.	

Cab Accessories - Other

_____	Cab Accessory Harness & Lower Interior Panels.....	\$ _____
	See Dealer Parts Department for the correct kit part number. This kit is needed for Base Cabs Only when field installing any of the following accessories; cab enclosure with heat or air conditioning, four-way flasher / turn signal kit, hydraulic bucket positioning, power Bob-Tach kit, rear wiper kit, rotating beacon kit, strobe light kit or radio. Includes Cab Accessory Harness and Lower Interior Panels. Need to order Deluxe Headliner Kit or Deluxe Heater/Air Conditioning, Headliner Kit & Cup Holder Kit to finish interior. Reference dealer parts department for the correct kit part number. Est. Install time: 5.0 hrs.	
7167395	Cup Holder Kit.....	\$ _____
	Lower Interior Panels are required, see Cab Accessory Harness & Lower Interior Panels kit for details. Includes side and front cup holder. Est. Install time: 1 hr.	
7227849	Cab Seals Kit.....	\$ _____
	Includes bottom of cab and foot pod area seals. Needed to completely enclose the cab. Est. Install time: 2.5 hrs.	
7170782	Deluxe Cab Gas Spring Kit.....	\$ _____
	3rd gas spring for enclosed cab. Est. Install time: 1 hr.	

T550/T590/T595 (Tier 4)
Bobcat Compact Track Loader

Part Number	Description	Dealer Installed Accessories - Order From Parts	SLP In US \$
-------------	-------------	---	--------------

Cab Accessories - Other (Continued)

7156253	Deluxe Headliner Kit.....	\$ _____	
	Includes headliner with light and rear corner cab trim. Est. Install time: 1 hr.		
7174171	Deluxe Heater / Air Conditioning Headliner Kit.....	\$ _____	
	Includes Headliner with interior light, air conditioning/heater vents and rear corner cab trim. Needed to upgrade non-AC/Heater cab to include AC/Heat. Est. Install time: 1 hr.		
7196560	Forestry Wiper Kit.....	\$ _____	
	Loader must be equipped with Forestry Door; Reference P/N 7174127 Forestry Door or 7230523 Forestry Applications Kit for detail. Est. Install time: 1 hr.		
7238900	HEPA Filter Kit.....	\$ _____	
	Est. Install time: 0.5 hrs.		
7240148	Intermittent Wiper Kit.....	\$ _____	
	Includes intermittent wiper switch, cover, harness and tie straps. Kit allows operator to adjust the speed of the wiper to match the operating conditions. Est. Install time: 1 hr.		
6725946	Rear Window External Removal Kit.....	\$ _____	
	Recommended for use with Loader Radio Remote Control kit. Est. Install time: 1 hr.		
7225133	Rear Wiper Kit.....	\$ _____	
	Deluxe Headliner, Cab Accessory Harness, Lower Interior Panels and Front Door with Wiper are required. Wiper is activated by a switch on the rear wiper motor. Est. Install time: 4 hrs.		
7172897	Reseal Plugs Kit.....	\$ _____	
	Includes plugs to seal cab and frame after the removal of the following: FOPS Kit, Single Point Lift Kit, Four Point Lift Kit, and Backhoe Attachment. Est. Install time: 1 hr.		
7172903	White Decal Kit (Cab Top).....	\$ _____	
	Applied to cab top to maintain a cooler temperature inside the operator's cab. Est. Install time: 0.5 hr.		

Counterweight Kits

7129250	Counterweight Kit, 200 lbs (T550/T590).....	\$ _____	
	Includes (4) 50 pound weights that bolt to rear uprights of loader. See operator's manual for ROC increase. Not compatible with the Quick-Tach Water Kit or Rear Stabilizers. Est. Install time: 1 hr.		

Electrical Accessories

	Attachment Control Kit.....	\$ _____	
	For complete listing of Attachment Control Kits, P/N's and Descriptions – Refer to Attachments Section of the Price Pages.		
7169103	Cab Accessory Adapter Harness.....	\$ _____	
	For Loaders without Cab Accessory Harness. Needed for Strobe, Beacon and Four-Way Flasher. Est. Install time: 0.5 hr.		
7129299	Rotating Beacon Kit.....	\$ _____	
	Est. Install time: 1 hr.		
7129301	Strobe Light Kit, Amber.....	\$ _____	
	Est. Install time: 1 hr.		
7256348	Side Light Kit.....	\$ _____	
	Includes two LED side lights Est. Install time: 0.5 hr.		

Engine Accessories

7239665	Engine Block Heater Kit.....	\$ _____	
	Est. Install time: 0.25 hr.		

T550/T590/T595 (Tier 4)
Bobcat Compact Track Loader

Part Number	Description	Dealer Installed Accessories - Order From Parts	SLP In US \$
-------------	-------------	---	--------------

Hydraulic Accessories

7129447	Hydraulic Bucket Positioning Kit (T550).....	\$ _____	
	Bucket Positioning helps the operator keep the same tilt position of the load during lifting. Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Includes on/off switch. Est. Install time: 3 hrs.		
7128442	Hydraulic Bucket Positioning Kit (T590/T595).....	\$ _____	
	Bucket Positioning helps the operator keep the same tilt position of the load during lifting. Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details.		
7208031	Lift Cylinder Cushion Piston (T590/T595).....	\$ _____	
	Softens the contact between the lift arms and mainframe reducing noise. Must also order Piston Nut p/n 6810539.		
7229294	Rear Auxiliary Hydraulic Kit.....	\$ _____	
	Provides a flow of 8.5 GPM. Est. Install time: 10 hrs.		

Instrumentation

7213928	Deluxe Instrument Panel with Keyless Start.....	\$ _____	
	Includes keyless start, feature lockouts, help screens, clock, job clock, system diagnostic capability and more. Est. Install time: 1 hr.		
7213929	Keyless Start Panel Kit.....	\$ _____	
	Allows operator to start the loader by entering a reprogrammable number code. Est. Install time: 1 hr.		

Lift Kits

7161980	Four-Point Lift Kit (T550).....	\$ _____	
	Cannot be used on loaders equipped with Backhoe Mounting Kit or Bob-Dock Mounting System. Est. Install time: 2 hrs.		
7161979	Four-Point Lift Kit (T590/T595).....	\$ _____	
	Cannot be used on loaders equipped with Backhoe Mounting Kit or Bob-Dock Mounting System. Est. Install time: 2 hrs.		
7193579	Single Point Lift Kit.....	\$ _____	
	Est. Install time: 3 hrs.		

Loader Guard Kits

7246231	Engine Compartment Seal Kit (T550).....	\$ _____	
	Kit includes cab/mainframe seal, tailgate seal, mainframe slot covers and lift cylinder boots. Not compatible with Rear Auxiliary Hydraulics or Rear Stabilizers. Est. Install time: 1 hr.		
7233421	Engine Compartment Seal Kit (T590/T595).....	\$ _____	
	Kit includes cab/mainframe seal, tailgate seal, mainframe slot covers and lift cylinder boots. Not compatible with Rear Auxiliary Hydraulics or Rear Stabilizers. Est. Install time: 1 hr.		
7129293	FOPS Kit.....	\$ _____	
	Additional shield assembly for cab top. Meets ISO 3449, Level II Requirements. Est. Install time: 1.5 hrs.		
7174128	Rear Work Lights Guard Kit.....	\$ _____	
	Est. Install time: 0.5 hr.		
7174129	Front Work Lights Guard Kit.....	\$ _____	
	Est. Install time: 0.5 hr.		
7250844	Coupler Guard Kit.....	\$ _____	
	Must also order Installation Instructions p/n 6987492. Est. Install time: 5 min.		

T550/T590/T595 (Tier 4)
Bobcat Compact Track Loader

Part Number	Description	Dealer Installed Accessories - Order From Parts	SLP In US \$
-------------	-------------	---	--------------

Loader Guard Kits (continued)

7244920	Muffler Guard Kit.....		\$ _____
	Est. Install time: 0.25 hrs.		
7249240	Power Bob-Tach Guard Kit.....		\$ _____
	Est. Install time: 0.25 hr.		
7203665	Rear Bumper Kit.....		\$ _____
	Includes bolt-on Rubber Bumper and mounting hardware. Helps protect the rear of the loader from damage due to scraping or contact with objects in tight places. Est. Install time: 1 hr.		
7222173	Tilt Cylinder Shield Kit.....		\$ _____
	Est. Install time: 0.5 hr.		

Power Bob-Tach Kits

7310208	Power Bob-Tach Kit.....		\$ _____
	Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Must also order Power Bob-Tach Plumbing Kit. Est. Install time: 4 hrs. to install Power Bob-Tach Kit and Plumbing Kit.		
7310205	Power Bob-Tach Plumbing Kit (T550).....		\$ _____
	Est. Install time: 4 hrs. to install Power Bob-Tach Kit and Plumbing Kit.		
7310206	Power Bob-Tach Plumbing Kit (T590/T595).....		\$ _____
	Est. Install time: 4 hrs. to install Power Bob-Tach Kit and Plumbing Kit.		

Radio

6988435	Radio Kit.....		\$ _____
	Includes weatherproof AM/FM/NOAA Weather Band Radio, Radio Mounting Bracket, Speakers, Antenna, and Installation Hardware. Works with MP3 or other portable music player. Est. Install time: 3 hrs.		
6676108	Radio Headphones.....		\$ _____

Rear Camera Kit

7329670	Rear Camera Kit.....		\$ _____
	Includes camera, display and required parts for complete installation Est. Install time: 4 hrs.		

Remote Control Kits

7185234	Loader Radio Remote Control Kit.....		\$ _____
	Allows an operator to start/stop the engine, operate the drive system and control the lift, tilt and auxiliary hydraulic functions remotely using a Radio Transmitter. The operator must maintain visual contact with the loader and the loader's path of travel. Available for loaders equipped with Selectable Joystick Controls (SJC) or All Wheel Steer Loaders. Requires version 57 software or newer. Est. Install time: 0.5 hr.		
6986516	Loader Radio Remote Operator Training Kit.....		\$ _____

Reversing Fan Kits

7302979	Reversing Fan Kit.....		\$ _____
	Temporarily reverses cooling fan direction to blow dust and small debris from the radiator and rear screens. Includes three operating modes: Automatic, Momentary and OFF. Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Est. Install Time: 3 hrs.		

T550/T590/T595 (Tier 4)

Bobcat Compact Track Loader

Part Number	Description	SLP In US \$
<u>Ride Control Kits</u>		
7244604	Ride Control Kit - Manual..... Provides a smoother ride by cushioning the lift arms when traveling over rough terrain. Est. Install time: 1.5 hrs.	\$ _____
7306287	Ride Control Kit - Auto..... Provides a smoother ride by cushioning the lift arms when traveling over rough terrain. Includes on/off switch inside the cab. Est. Install time: 1.5 hrs.	\$ _____
<u>Seats & Seat Belts</u>		
7129303	Seat Belt Kit-3"..... For use with Suspension Seat only. Includes 3" retractable lap belt. Est. Install time: 0.5 hr.	\$ _____
7128405	Seat Belt Kit, 3-Point..... For use with Suspension Seat only. Includes 2" shoulder belt and 2" lap belt. Est. Install time: 0.5 hr.	\$ _____
7169480	Seat Belt Kit-3", 3-Point. For use with Suspension Seat only. Includes 2" shoulder belt and 3" lap belt. Est. Install time: 0.5 hr.	\$ _____
7183366	Suspension Seat, Air Ride..... Vinyl material. Must also order a seat belt kit unless previously equipped with suspension seat. Est. Install time: 1 hr.	\$ _____
7312807	Cloth Heated Air Ride Seat..... Includes Heat on/off switch on the back of the seat. The seat is not compatible with M-Series loaders and select M2-Series loaders. See Dealer Parts Department for the correct M2-Series loader serial number breaks.	\$ _____
<u>Sound Reduction Kits</u>		
7207379	Sound Reduction Kit..... Includes insulating materials and hydraulic muffler to reduce sound levels at the operator's ear and for bystanders. Est. Install time: 2 hrs.	\$ _____
7207382	Deluxe Sound Kit for Standard or ACS Controls..... Includes foot pod insulating materials to reduce sound levels at the operator's ear. Est. Install time: 1 hr.	\$ _____
7207383	Deluxe Sound Kit for SJC Controls..... Includes foot pod insulating materials to reduce sound levels at the operator's ear. Est. Install time: 1 hr.	\$ _____
<u>Track Accessories</u>		
7159546	Winter Track Kit..... Improves traction on ice and snow. Must order quantity of two tracks for complete installation. Est. Install time: 1.5 hrs. to remove and install tracks	\$ _____
<u>Training Kits</u>		
6901726	Bobcat Loader Operator Training Kit.....	\$ _____
6900641	Bobcat Loader Service Training Kit.....	\$ _____
6904762	Bobcat Operator Safety DVD..... Includes all of the 10-minute operator safety videos in both English and Spanish.	\$ _____

T550/T590/T595 (Tier 4)
Bobcat Compact Track Loader

Part Number	Description	Dealer Installed Accessories - Order From Parts	SLP In US \$
-------------	-------------	---	--------------

Other Accessories

7243539	Air Deflector Kit.....		\$ _____
	Est. Install time: 0.5 hr.		
7129307	Fire Extinguisher Kit.....		\$ _____
	Est. Install time: 0.5 hr.		
7232264	HP Aspiration Kit.....		\$ _____
	Est. Install time: 0.5 hr.		
7257869	Loader Weighlog Scale Kit.....		\$ _____
	Measures hydraulic pressure at a specific position during the lifting cycle for either static or dynamic weighing. The weighlog kit is not a certified scale. Please see Bobcat Parts Sales & Merchandising Manual for additional details. Est. Install time: 4 hrs.		
7023550	Locking Fuel Cap.....		\$ _____
	Includes a Black Locking Fuel Cap that is keyed the same as the loader. Key is Not included. Additional locking fuel cap options are available through parts.		
7128403	Tailgate Lock Kit.....		\$ _____
	Est. Install time: 0.5 hr.		

T740 (Tier 4)
Bobcat Compact Track Loader



Standard Equipment

- | | |
|---|---|
| <p>74 HP Turbo Tier 4 Diesel Engine
 Air Intake Heater (Automatically Activated)
 Auxiliary Hydraulics: Variable Flow
 Backup Alarm
 Bob-Tach
 Bobcat Interlock Control System (BICS TM)
 Controls: Bobcat Standard Controls with Power Assist
 Cylinder Cushioning - Lift, Tilt
 Engine/Hydraulic Systems Shutdown
 Horn
 Instrumentation: Engine Temperature & Fuel Guages,
 Hourmeter, RPM, and Warning Lights
 Lift Arm Support</p> | <p>Lift Path: Vertical
 Lights, Front & Rear
 Operator Cab
 - Includes: Adjustable Suspension Seat, Top & Rear
 Windows, Parking Break, Seat Bar & Seat Belt
 - Roll Over Protective Structure (ROPS) meets
 SAE-J1040 & ISO 3471
 - Falling Object Protective Structure (FOPS)
 meets SAE-J1043 & ISO 3449, Level I;
 (Level II is available through Bobcat Parts)
 Parking Brake – Spring Applied, Pressure Released (SAPR)
 Soil Mounted Carriage with 5 Rollers
 Tracks: Rubber, 17.7" Wide</p> |
|---|---|

Quick Specs

	<u>T740</u>
Rated Operating Capacity - 35% of Tipping Load.....	3,200 lbs.
- with Roller Suspension Carriage.....	3,100 lbs.
Rated Operating Capacity - 50% of Tipping Load.....	4,571 lbs.
Tipping Load.....	9,143 lbs.
Engine Model.....	3.4L Bobcat Engine
Engine Fuel.....	Diesel
Engine Cooling.....	Liquid
Horsepower.....	74
Hydraulic Pump Capacity-Standard Flow.....	23.0 GPM
Hydraulic Pump Capacity-High Flow (Optional).....	30.5 GPM
Travel Speed.....	6.0 MPH
Travel Speed - 2 Speed.....	6.0/8.3 MPH
Operating Weight.....	10,263 lbs.
- with Roller Suspension Carriage.....	10,417 lbs.
Shipping Weight.....	9,347 lbs.
Cab Height.....	81.3"
Width (w/out Attachment).....	78.0"
Length (w/out Attachment).....	114.3"
Ground Contact Length.....	63.7"
Reach at Maximum Height.....	33.6"
Height to Hinge Pin.....	132.0"

T740 (Tier 4)
Bobcat Compact Track Loader

Part Number	Description	SLP In US \$
-------------	-------------	--------------

M0277	T740 Compact Track Loader (Equipped with Tier 4 Engine).....	\$69,555
-------	--	----------

Part Number	Description	SLP In US \$
-------------	-------------	--------------

CAN BE SELECTED WITH PACKAGES OR WITH INDIVIDUAL OPTIONS

Tracks/Undercarriage

M_-R09-C05	17.7" Multi Bar Track..... Compatible with Solid Mounted or Roller Suspension Carriages. Loader width is 78.0"	\$1,690
M_-R21-C13	Roller Suspension Carriage..... Includes Solid Mounted Undercarriage and 4 Rollers with Leaf Spring style suspension. Compatible with 12.6" tracks (Loader width 73.4") or 17.7" tracks (Loader width is 78.0"). Roller suspension carriage is not available with single speed or Performance Package P13	\$1,785

Controls

M_-R01-C04	Selectable Joystick Control (SJC)..... Features include: Selectable patterns (ISO or H-Pattern), Auto Idle, Horsepower Management, Speed Management, Drive Response, Drift Compensation and Foot Pedal for Engine Speed Control. *The Cab Accessories Package is required via Individual Factory Option if option ordered without	\$945
------------	---	-------

Part Number	Description	SLP In US \$
-------------	-------------	--------------

MUST SELECT ONE COMFORT AND ONE PERFORMANCE PACKAGE OR SELECT INDIVIDUAL OPTIONS

M_-P07-C10	C10 Comfort Package..... Includes: Open Cab, Cab Accessories Package, Standard Panel, Adjustable Suspension Seat	\$495
M_-P07-C23	C23 Comfort Package..... Includes: Enclosed Cab with AC/Heat, Sound Reduction, Cab Accessories Package, Standard Panel, Adjustable Suspension Seat	\$4,752
M_-P07-C27	C27 Comfort Package..... Includes: Enclosed Cab with AC/Heat, Sound Reduction, Cab Accessories Package, Standard Panel, Radio, Heated Cloth Suspension Seat	\$5,725
M_-P07-C37	C37 Comfort Package..... Includes: Enclosed Cab with AC/Heat, Sound Reduction, Cab Accessories Package, Deluxe Instrument Panel with Keyless Start, Radio, Heated Cloth Air Ride Suspension Seat	\$6,435

T740 (Tier 4)**Bobcat Compact Track Loader**

Part Number	Description	Performance Cab Packages	SLP In US \$
--------------------	--------------------	---------------------------------	---------------------

MUST SELECT ONE COMFORT AND ONE PERFORMANCE PACKAGE OR SELECT INDIVIDUAL OPTIONS

Standard Flow Packages

M_-P06-P13	P13 Performance Package.....	\$1,418
	Includes: Power Bob-Tach, Hydraulic Bucket Positioning	
M_-P06-P23	P23 Performance Package.....	\$3,608
	Includes: Power Bob-Tach, 2-Speed, Hydraulic Bucket Positioning	
M_-P06-P29	P29 Performance Package.....	\$5,210
	Includes: Power Bob-Tach, 7-Pin Attachment Control Kit, 2-Speed, Hydraulic Bucket Positioning, Automatic Ride Control, Reversing Fan	
M_-P06-P39	P39 Performance Package.....	\$6,417
	Includes: Bob-Dock Ready, Power Bob-Tach, Attachment Control Kit, 2-Speed, Hydraulic Bucket Positioning, Automatic Ride Control, Reversing Fan	

High Flow Packages

M_-P06-P67	P67 Performance Package.....	\$6,099
	Includes: Power Bob-Tach, 7-Pin Attachment Control Kit, High Flow, 2-Speed, Hydraulic Bucket Positioning	
M_-P06-P69	P69 Performance Package.....	\$7,456
	Includes: Power Bob-Tach, 7-Pin Attachment Control Kit, High Flow, 2-Speed, Hydraulic Bucket Positioning, Automatic Ride Control, Reversing Fan	
M_-P06-P79	P79 Performance Package.....	\$8,663
	Includes: Bob-Dock Ready, Power Bob-Tach, Attachment Control Kit, High Flow, 2-Speed, Hydraulic Bucket Positioning, Automatic Ride Control, Reversing Fan	

Part Number	Description	Individual Factory Options	SLP in US \$
--------------------	--------------------	-----------------------------------	---------------------

CANNOT BE ADDED TO ANY ORDER WITH COMFORT AND PERFORMANCE PACKAGE SELECTION

NOTE: Individual Options SLP includes a 20% premium when compared to ordering the option in a package

NOTE: Several individual options may require additional equipment, see details below. If the option requires additional equipment the Bobcat ordering systems will automatically add the required equipment to the order.

Individual Cab Options

M_-R25-C04	Enclosed Cab with AC/Heat.....	\$4,535
	Deluxe cab with heat and air conditioning	
M_-R70-C02	Sound Reduction.....	\$574
	Reduces operator and by-stander noise levels	
M_-R08-C03	Deluxe Instrument Panel with Keyless Start.....	\$852
	Monitors key loader functions, communicates alerts and provides additional attachment information to track usage.	
M_-R26-C02	Radio.....	\$598
	Includes weatherproof AM/FM/NOAA Weather Band Radio, Speakers, and Antenna. Works with MP3 or other portable music player	
M_-R05-C12	Cloth Heated Air Ride Suspension Seat.....	\$570
	Includes Heat on/off switch on the back of the seat.	

T740 (Tier 4)
Bobcat Compact Track Loader

Individual Performance Options

M_-R06-C03	Power Bob-Tach..... Connect and disconnect non-hydraulic attachments from inside the cab. The Cab Accessories Package is required. See NOTE above.	\$1,032
M_-R06-C09	Bob-Dock Ready..... Includes Power Bob-Tach, Bob-Dock interface plate, Tee and capped auxiliary hydraulic line within loader lift arm. Connect and disconnect hydraulic attachments from inside the cab.	\$2,480
M_-R28-C02	7-Pin Attachment Control Kit..... Required for High Flow Hydraulics.	\$294
M_-R03-C03	High Flow Hydraulics..... Provides 26.7 GPM and 3500 PSI for attachment operation. The 7-pin attachment control kit is required.	\$2,695
M_-R04-C02	2-Speed..... Includes 2-Speed motors and 3-Point Seat Belt Low Travel Speed 7.1 MPH, High Travel Speed 10.4 MPH	\$2,628
M_-R11-C02	Hydraulic Bucket Positioning..... Bucket Positioning helps the operator keep the same tilt of the load during lifting. Includes On/Off switch. The Cab Accessories Package is required. See NOTE above.	\$670
M_-R33-C02	Automatic Ride Control..... Automatically activates by detecting increased hydraulic lift arm pressure when the loader is carrying material. Includes on/off switch. The Cab Accessories Package is required. See NOTE	\$889
M_-R32-C02	Reversing Fan..... Temporarily reverses the cooling fan direction to blow dust and small debris from the radiator and rear screens. Includes three operating modes: Automatic, Momentary, & OFF. The Cab Accessories Package is required. See NOTE above.	\$739

Part Number	Dealer Installed Accessories	SLP In US \$
--------------------	-------------------------------------	---------------------

Bob-Dock Attachment Mounting System - Whole Goods Accessories

7346768	Bob-Dock Adapter Plate..... The adapter plate connects to your hydraulic attachment and has a locked hydraulic connection integrated within. The adapter can stay with the attachment permanently, or it can be removed and installed on another attachment. The adapter plate attaches to most hydraulic attachments to allow the Bob-Dock system to seamlessly connect and disconnect from hydraulic attachments.	\$1,132
---------	--	---------

Note: Customers may require more than one Bob-Dock Adapter Plate

Bob-Dock Attachment Mounting System - Aftermarket Parts Accessories

7348816	7xx's Bob-Dock Completion Kit..... Completion kit contains all the hose and the coupler block to complete a Bob-Dock Ready machine.	\$ _____
---------	--	----------

Note: Is required for full functionality of Bob-Dock attachment mounting system

T770 (Tier 4)
Bobcat Compact Track Loader



Standard Equipment

- | | |
|--|--|
| <p>92 HP Turbo Tier 4 Diesel Engine
 Air Intake Heater (Automatically Activated)
 Auxiliary Hydraulics: Variable Flow
 Backup Alarm
 Bob-Tach
 Bobcat Interlock Control System (BICS TM)
 Controls: Bobcat Standard Controls
 Cylinder Cushioning - Lift, Tilt
 Engine/Hydraulic Systems Shutdown
 Horn
 Instrumentation: Engine Temperature & Fuel Guages
 Hourmeter, RPM, and Warning Lights
 Lift Arm Support</p> | <p>Lift Path: Vertical
 Lights, Front & Rear
 Operator Cab
 - Includes: Adjustable Suspension Seat, Top & Rear
 Windows, Parking Break, Seat Bar & Seat Belt
 - Roll Over Protective Structure (ROPS) meets
 SAE-J1040 & ISO 3471
 - Falling Object Protective Structure (FOPS)
 meets SAE-J1043 & ISO 3449, Level I;
 (Level II is available through Bobcat Parts)
 Parking Brake – Spring Applied, Pressure Released (SAPR)
 Soild Mounted Carriage with 5 Rollers
 Tracks: Rubber, 17.7" Wide</p> |
|--|--|

Quick Specs

	<u>T770</u>
Rated Operating Capacity - 35% of Tipping Load.....	3,475 lbs.
- with Roller Suspension Carriage.....	3,325 lbs.
Rated Operating Capacity - 50% of Tipping Load.....	4,960 lbs.
Tipping Load.....	9,929 lbs.
Engine Model.....	3.4L Bobcat Engine
Engine Fuel.....	Diesel
Engine Cooling.....	Liquid
Horsepower.....	92
Hydraulic Pump Capacity-Standard Flow.....	23.0 GPM
Hydraulic Pump Capacity-High Flow (Optional).....	36.6 GPM
Travel Speed.....	6.0 MPH
Travel Speed - 2 Speed.....	6.0/9.3 MPH
Operating Weight.....	10,465 lbs.
- with Roller Suspension Carriage.....	10,573 lbs.
Shipping Weight.....	9,534 lbs.
Cab Height.....	81.3"
Width (w/out Attachment).....	78.0"
Length (w/out Attachment).....	114.3"
Ground Contact Length.....	63.7"
Reach at Maximum Height.....	33.6"
Height to Hinge Pin.....	132.0"

T770 (Tier 4)
Bobcat Compact Track Loader

Part Number	Description	SLP In US \$
--------------------	--------------------	---------------------

M0285	T770 Compact Track Loader (Equipped with Tier 4 Engine).....	\$73,467
-------	--	----------

Part Number	Description	SLP In US \$
--------------------	--------------------	---------------------

CAN BE SELECTED WITH PACKAGES OR WITH INDIVIDUAL OPTIONS

Tracks/Undercarriage

M_-R09-C05	17.7" Multi Bar Track..... Compatible with Solid Mounted or Roller Suspension Carriages. Loader width is 78.0"	\$1,690
M_-R21-C13	Roller Suspension Carriage..... Includes Solid Mounted Undercarriage and 4 Rollers with Leaf Spring style suspension. Compatible with 12.6" tracks (Loader width 73.4") or 17.7" tracks (Loader width is 78.0"). Roller suspension carriage is not available with single speed or Performance Package P13	\$1,785

Controls

M_-R01-C04	Selectable Joystick Control (SJC)..... Features include: Selectable patterns (ISO or H-Pattern), Auto Idle, Horsepower Management, Speed Management, Drive Response, Drift Compensation and Foot Pedal for Engine Speed Control. *The Cab Accessories Package is required via Individual Factory Option if option ordered without	\$945
------------	---	-------

Part Number	Description	SLP In US \$
--------------------	--------------------	---------------------

MUST SELECT ONE COMFORT AND ONE PERFORMANCE PACKAGE OR SELECT INDIVIDUAL OPTIONS

M_-P07-C10	C10 Comfort Package..... Includes: Open Cab, Cab Accessories Package, Standard Panel, Adjustable Suspension Seat	\$495
M_-P07-C23	C23 Comfort Package..... Includes: Enclosed Cab with AC/Heat, Sound Reduction, Cab Accessories Package, Standard Panel, Adjustable Suspension Seat	\$4,752
M_-P07-C27	C27 Comfort Package..... Includes: Enclosed Cab with AC/Heat, Sound Reduction, Cab Accessories Package, Standard Panel, Radio, Heated Cloth Suspension Seat	\$5,725
M_-P07-C37	C37 Comfort Package..... Includes: Enclosed Cab with AC/Heat, Sound Reduction, Cab Accessories Package, Deluxe Instrument Panel with Keyless Start, Radio, Heated Cloth Air Ride Suspension Seat	\$6,435

T770 (Tier 4)**Bobcat Compact Track Loader**

Part Number	Description	SLP In US \$
-------------	-------------	--------------

MUST SELECT ONE COMFORT AND ONE PERFORMANCE PACKAGE OR SELECT INDIVIDUAL OPTIONS

Standard Flow Packages

M_-P06-P13	P13 Performance Package..... Includes: Power Bob-Tach, Hydraulic Bucket Positioning	\$1,418
M_-P06-P23	P23 Performance Package..... Includes: Power Bob-Tach, 2-Speed, Hydraulic Bucket Positioning	\$3,608
M_-P06-P29	P29 Performance Package..... Includes: Power Bob-Tach, 7-Pin Attachment Control Kit, 2-Speed, Hydraulic Bucket Positioning, Automatic Ride Control, Reversing Fan	\$5,210
M_-P06-P39	P39 Performance Package..... Includes: Bob-Dock Ready, Power Bob-Tach, Attachment Control Kit, 2-Speed, Hydraulic Bucket Positioning, Automatic Ride Control, Reversing Fan	\$6,417

High Flow Packages

M_-P06-P67	P67 Performance Package..... Includes: Power Bob-Tach, 7-Pin Attachment Control Kit, High Flow, 2-Speed, Hydraulic Bucket Positioning	\$6,099
M_-P06-P69	P69 Performance Package..... Includes: Power Bob-Tach, 7-Pin Attachment Control Kit, High Flow, 2-Speed, Hydraulic Bucket Positioning, Automatic Ride Control, Reversing Fan	\$7,456
M_-P06-P79	P79 Performance Package..... Includes: Bob-Dock Ready, Power Bob-Tach, Attachment Control Kit, High Flow, 2-Speed, Hydraulic Bucket Positioning, Automatic Ride Control, Reversing Fan	\$8,663

Part Number	Description	SLP in US \$
-------------	-------------	--------------

CANNOT BE ADDED TO ANY ORDER WITH COMFORT AND PERFORMANCE PACKAGE SELECTION

NOTE: Individual Options SLP includes a 20% premium when compared to ordering the option in a package

NOTE: Several individual options may require additional equipment, see details below. If the option requires additional equipment the Bobcat ordering systems will automatically add the required equipment to the order.

Individual Cab Options

M_-R25-C04	Enclosed Cab with AC/Heat..... Deluxe cab with heat and air conditioning	\$4,535
M_-R70-C02	Sound Reduction..... Reduces operator and by-stander noise levels	\$574
M_-R08-C03	Deluxe Instrument Panel with Keyless Start..... Monitors key loader functions, communicates alerts and provides additional attachment information to track usage.	\$852
M_-R26-C02	Radio..... Includes weatherproof AM/FM/NOAA Weather Band Radio, Speakers, and Antenna. Works with MP3 or other portable music player	\$598
M_-R80-C02	Cab Accessories Package..... Deluxe Headliner with Dome Light, Cab Accessory Harness, Power Port, Lower Interior Panels with Storage Compartments and Cup Holder. Required for Reversing Fan, Hydraulic Bucket Positioning, Automatic Ride Control, and SJC, Radio, Air Ride Heated Seat, Power Bob-Tach	\$594
M_-R05-C12	Cloth Heated Air Ride Suspension Seat..... Includes Heat on/off switch on the back of the seat.	\$570

T770 (Tier 4)
Bobcat Compact Track Loader

Individual Performance Options

M_-R06-C03	Power Bob-Tach..... Connect and disconnect non-hydraulic attachments from inside the cab. The Cab Accessories Package is required. See NOTE above.	\$1,032
M_-R06-C09	Bob-Dock Ready..... Includes Power Bob-Tach, Bob-Dock interface plate, Tee and capped auxiliary hydraulic line within loader lift arm. Connect and disconnect hydraulic attachments from inside the cab.	\$2,480
M_-R28-C02	7-Pin Attachment Control Kit..... Required for High Flow Hydraulics.	\$294
M_-R03-C03	High Flow Hydraulics..... Provides 26.7 GPM and 3500 PSI for attachment operation. The 7-pin attachment control kit is required.	\$2,695
M_-R04-C02	2-Speed..... Includes 2-Speed motors and 3-Point Seat Belt Low Travel Speed 7.1 MPH, High Travel Speed 10.4 MPH	\$2,628
M_-R11-C02	Hydraulic Bucket Positioning..... Bucket Positioning helps the operator keep the same tilt of the load during lifting. Includes On/Off switch. The Cab Accessories Package is required. See NOTE above.	\$670
M_-R33-C02	Automatic Ride Control..... Automatically activates by detecting increased hydraulic lift arm pressure when the loader is carrying material. Includes on/off switch. The Cab Accessories Package is required. See NOTE	\$889
M_-R32-C02	Reversing Fan..... Temporarily reverses the cooling fan direction to blow dust and small debris from the radiator and rear screens. Includes three operating modes: Automatic, Momentary, & OFF. The Cab Accessories Package is required. See NOTE above.	\$739

Part Number	Dealer Installed Accessories	SLP In US \$
--------------------	-------------------------------------	---------------------

Bob-Dock Attachment Mounting System - Whole Goods Accessories

7346768	Bob-Dock Adapter Plate..... The adapter plate connects to your hydraulic attachment and has a locked hydraulic connection integrated within. The adapter can stay with the attachment permanently, or it can be removed and installed on another attachment. The adapter plate attaches to most hydraulic attachments to allow the Bob-Dock system to seamlessly connect and disconnect from hydraulic attachments.	\$1,132
---------	--	---------

Note: Customers may require more than one Bob-Dock Adapter Plate

Bob-Dock Attachment Mounting System - Aftermarket Parts Accessories

7348816	7xx's Bob-Dock Completion Kit..... Completion kit contains all the hose and the coupler block to complete a Bob-Dock Ready machine.	\$ _____
---------	--	----------

Note: Is required for full functionality of Bob-Dock attachment mounting system

Cab Accessories

7257723	Forestry Applications Kit..... Kit is required to operate Forestry Cutter and provides operator and machine protection. For kit contents, see Forestry Cutter in Attachments Section. Not compatible with Rear Auxiliary Hydraulics. Must also order Engine Compartment Seal Kit, order from parts. Est. Install time: 6.5 hrs. Note: Forestry Wiper Kit (P/N 7196560) is available for the Forestry Applications Kit, order from	\$ _____
---------	--	----------

Note: Forestry Wiper Kit (P/N 7196560) is available for the Forestry Applications Kit, order from parts.

T870 (Tier 4)
Bobcat Compact Track Loader



Standard Equipment

- | | |
|---|---|
| <p>100 HP Turbo Tier 4 Diesel Engine
 2-Speed Travel
 Air Intake Heater (Automatically Activated)
 Auxiliary Hydraulics: Variable Flow
 Backup Alarm
 Bob-Tach
 Bobcat Interlock Control System (BICS TM)
 Controls: Bobcat Standard Controls with Power Assist
 Cylinder Cushioning - Lift, Tilt
 Enclosed Cab with Air Conditioning & Heat
 Engine/Hydraulic Systems Shutdown
 Horn
 Instrumentation: Engine Temperature & Fuel Guages,
 Hourmeter, RPM, and Warning Lights
 Lift Arm Support</p> | <p>Lift Path: Vertical
 Lights, Front & Rear
 Operator Cab
 - Includes: Adjustable Suspension Seat, Top & Rear
 Windows, Parking Break, Seat Bar & Seat Belt
 - Roll Over Protective Structure (ROPS) meets
 SAE-J1040 & ISO 3471
 - Falling Object Protective Structure (FOPS)
 meets SAE-J1043 & ISO 3449, Level I;
 (Level II is available through Bobcat Parts)
 Parking Brake – Spring Applied, Pressure Released (SAPR)
 5 Link Torsion Suspension with 5 Rollers
 Hydraulic Track Tensioning
 Tracks: Rubber, 17.7" Wide</p> |
|---|---|

Quick Specs

	<u>T870</u>
Rated Operating Capacity - 35% of Tipping Load.....	3,650 lbs.
Rated Operating Capacity - 50% of Tipping Load.....	5,200 lbs.
Tipping Load.....	10,430 lbs.
Engine Model.....	3.4L Bobcat Engine
Engine Fuel.....	Diesel
Engine Cooling.....	Liquid
Horsepower.....	100
Hydraulic Pump Capacity-Standard Flow.....	23.0 GPM
Hydraulic Pump Capacity-High Flow (Optional).....	36.6 GPM
Travel Speed - Low.....	6.0 MPH
Travel Speed - High.....	9.3 MPH
Operating Weight.....	12,925 lbs.
Shipping Weight.....	11,749 lbs.
Cab Height.....	83.6"
Width (w/out Attachment).....	82.8"
Length (w/out Attachment).....	119.3"
Ground Contact Length.....	70.2"
Reach at Maximum Height.....	36.5"
Height to Hinge Pin.....	144.0"

T870 (Tier 4)
Bobcat Compact Track Loader

Part Number	Description	Compact Track Loader	SLP In US \$
-------------	-------------	----------------------	--------------

M0293	T870 Compact Track Loader (Equipped with Tier 4 Engine).....		\$91,407
-------	--	--	----------

Part Number	Description	Machine Configuration	SLP In US \$
-------------	-------------	-----------------------	--------------

CAN BE SELECTED WITH PACKAGES OR WITH INDIVIDUAL OPTIONS

Controls

M_-R01-C04	Selectable Joystick Control (SJC)..... Features include: Selectable patterns (ISO or H-Pattern), Auto Idle, Horsepower Management, Speed Management, Drive Response, Drift Compensation and Foot Pedal for Engine Speed Control. *The Cab Accessories Package is required via Individual Factory Option if option ordered without		\$945
------------	---	--	-------

Part Number	Description	Comfort Cab Packages	SLP In US \$
-------------	-------------	----------------------	--------------

MUST SELECT ONE COMFORT AND ONE PERFORMANCE PACKAGE OR SELECT INDIVIDUAL OPTIONS

M_-P07-C37	C37 Comfort Package..... Includes: Enclosed Cab with AC/Heat, Sound Reduction, Cab Accessories Package, Deluxe Instrument Panel with Keyless Start, Radio, Heated Cloth Air Ride Suspension Seat		\$2,656
------------	---	--	---------

Part Number	Description	Performance Cab Packages	SLP In US \$
-------------	-------------	--------------------------	--------------

MUST SELECT ONE COMFORT AND ONE PERFORMANCE PACKAGE OR SELECT INDIVIDUAL OPTIONS

Standard Flow Packages

M_-P06-P29	P29 Performance Package..... Includes: Power Bob-Tach, 7-Pin Attachment Control Kit, 2-Speed, Hydraulic Bucket Positioning, Automatic Ride Control, Reversing Fan		\$2,160
------------	--	--	---------

High Flow Packages

M_-P06-P67	P67 Performance Package..... Includes: Power Bob-Tach, 7-Pin Attachment Control Kit, High Flow, 2-Speed, Hydraulic Bucket Positioning		\$3,049
------------	--	--	---------

M_-P06-P69	P69 Performance Package..... Includes: Power Bob-Tach, 7-Pin Attachment Control Kit, High Flow, 2-Speed, Hydraulic Bucket Positioning, Automatic Ride Control, Reversing Fan		\$4,406
------------	---	--	---------

T870 (Tier 4)**Bobcat Compact Track Loader**

Part Number	Description	Individual Factory Options	SLP in US \$
--------------------	--------------------	-----------------------------------	---------------------

CANNOT BE ADDED TO ANY ORDER WITH COMFORT AND PERFORMANCE PACKAGE SELECTION

NOTE: Individual Options SLP includes a 20% premium when compared to ordering the option in a package

NOTE: Several individual options may require additional equipment, see details below. If the option requires additional equipment the Bobcat ordering systems will automatically add the required equipment to the order.

Individual Cab Options

M_-R70-C02	Sound Reduction..... Reduces operator and by-stander noise levels		\$574
M_-R08-C03	Deluxe Instrument Panel with Keyless Start..... Monitors key loader functions, communicates alerts and provides additional attachment information to track usage.		\$852
M_-R26-C02	Radio..... Includes weatherproof AM/FM/NOAA Weather Band Radio, Speakers, and Antenna. Works with MP3 or other portable music player		\$598
M_-R05-C12	Cloth Heated Air Ride Suspension Seat..... Includes Heat on/off switch on the back of the seat.		\$570

Individual Performance Options

M_-R28-C02	7-Pin Attachment Control Kit..... Required for High Flow Hydraulics.		\$294
M_-R03-C03	High Flow Hydraulics..... Provides 26.7 GPM and 3500 PSI for attachment operation. The 7-pin attachment control kit is required.		\$2,695
M_-R11-C02	Hydraulic Bucket Positioning..... Bucket Positioning helps the operator keep the same tilt of the load during lifting. Includes On/Off switch. The Cab Accessories Package is require. See NOTE above.		\$670
M_-R33-C02	Automatic Ride Control..... Automatically activates by detecting increased hydraulic lift arm pressure when the loader is carrying material. Includes on/off switch. The Cab Accessories Package is require. See NOTE		\$889
M_-R32-C02	Reversing Fan..... Temporarily reverses the cooling fan direction to blow dust and small debris from the radiator and rear screens. Includes three operating modes: Automatic, Momentary, & OFF. The Cab Accessoreis Package is required. See NOTE above.		\$739

Part Number	Description	Dealer Installed Accessories - Order From Sales	SLP In US \$
--------------------	--------------------	--	---------------------

Cab Accessories

7257723	Forestry Applications Kit..... Kit is required to operate Forestry Cutter and provides operator and machine protection. For kit contents, see Forestry Cutter in Attachments Section. Not compatible with Rear Auxiliary Hydraulics. Must also order Engine Compartment Seal Kit, order from parts. Est. Install time: 6.5 hrs. Note: Forestry Wiper Kit (P/N 7196560) is available for the Forestry Applications Kit, order from		\$ _____
---------	--	--	----------

NOTE: Forestry Wiper Kit (P/N 7196560) is available for the Forestry Applications Kit, order from parts.

T870 (Tier 4)**Bobcat Compact Track Loader****Part Dealer Installed Accessories - Ordered From Parts**
Number Description

Part numbers for kits in this section are current as of May 2015 and pertain to current loader models as of that date. To ensure having the correct Part Number for a Dealer Installed Accessory, obtain the loader model and serial number and check with Dealer Parts Department.

For the most current Dealer Installed Accessories pricing, refer to BobQuote or Dealer Parts Department.

Cab Accessories – Enclosures, Doors, Windows

7128393	Cab Enclosure Door Kit.....	\$ _____
	Includes Front Door with Sensor Switch and Wiper/Washer. Must also order Side Windows Kit to completely enclose cab. Est. Install time: 3.5 hrs.	
7186723	Fops Window Kit.....	\$ _____
	Est. Install time: 10 min.	
7174127	Forestry Door Kit.....	\$ _____
	Est. Install time: 2 hrs.	
7182335	Sliding Side Lexan Windows Kit.....	\$ _____
	Includes 2 Sliding Side Lexan Windows. Est. Install time: 1 hr.	
7128342	Sliding Side Windows Kit.....	\$ _____
	Includes 2 Sliding Side Windows. Must also order Cab Enclosure Door Kit to completely enclose cab. Est. Install time: 1 hr.	
7128395	Special Applications Polycarbonate Door Kit.....	\$ _____
	Provides added operator protection during some attachment applications. Includes ½" thick polycarbonate front door. Must order a Side Windows Kit, Cab Seals Kit and Special Applications Rear Window to completely enclose cab. Est. Install time: 3 hrs.	
7214673	Special Applications Polycarbonate Rear Window Kit.....	\$ _____
	Provides added operator protection during some attachment applications. Includes ½" thick polycarbonate rear window. Must order a Side Windows Kit, Cab Seals Kit and Special Applications Front Door to completely enclose cab. Est. Install time: 0.5 hr.	

Cab Accessories – Heat and Air Conditioning

7238378	Air Conditioning Kit (T630/T650).....	\$ _____
	Loader must be equipped with Cab Enclosure with Heater. Est. Install time: 8.0 hrs.	
7252056	Air Conditioning Kit (T740/T750/T770).....	\$ _____
	Loader must be equipped with Cab Enclosure with Heater. Est. Install time: 8.0 hrs.	
7252060	Air Conditioning Kit (T870).....	\$ _____
	Loader must be equipped with Cab Enclosure with Heater. Est. Install time: 8.0 hrs.	
7128484	Heater Kit.....	\$ _____
	Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Must also order heater plumbing kit. Est. Install time: 5 hrs. to install heater and plumbing kit	
7238377	Heater Plumbing Kit (T630/T650).....	\$ _____
	Est. Install time: 5.0 hrs. to install heater and plumbing kit	
7256971	Heater Plumbing Kit (T740).....	\$ _____
	Est. Install time: 5.0 hrs. to install heater and plumbing kit	
7252058	Heater Plumbing Kit (T770).....	\$ _____
	Est. Install time: 5.0 hrs. to install heater and plumbing kit	
7252062	Heater Plumbing Kit (T870).....	\$ _____
	Est. Install time: 5.0 hrs. to install heater and plumbing kit	
7200657	Lower Air Duct Kit.....	\$ _____
	Includes two air ducts to direct air flow towards the foot well and lower cab door area. Loader must be equipped with Cab Enclosure and Heater or Air Conditioning. Est. Install time: 1 hr.	

T870 (Tier 4)
Bobcat Compact Track Loader

Cab Accessories – Other

_____	Cab Accessory Harness & Lower Interior Panels Kit..... \$ _____ See Dealer Parts Department for the correct kit part number. This kit is needed for Base Cabs Only when field installing any of the following accessories; cab enclosure with heat or air conditioning, four-way flasher / turn signal kit, hydraulic bucket positioning, power Bob-Tach kit, rear wiper kit, rotating beacon kit, strobe light kit or radio. Includes Cab Accessory Harness and Lower Interior Panels. Need to order Deluxe Headliner Kit or Deluxe Heater/Air Conditioning Headliner Kit & Cup Holder Kit to finish interior. Est. Install time: 5 hrs.	
7167395	Cup Holder Kit..... \$ _____ Lower Interior Panels are required, see Cab Accessory Harness & Lower Interior Panels kit for details. Includes side and front cup holder. Est. Install time: 1 hr.	
7174903	Cab Seals Kit (T630/T650/T740/T770)..... \$ _____ Includes bottom of cab and foot pod area seals. Needed to completely enclose the cab. Est. Install time: 2.5 hrs.	
7192140	Cab Seals Kit (T870)..... \$ _____ Includes bottom of cab and foot pod area seals. Needed to completely enclose the cab. Est. Install time: 2.5 hrs.	
7170782	Deluxe Cab Gas Spring Kit..... \$ _____ 3rd gas spring for enclosed cab. Est. Install time: 1 hr.	
7156253	Deluxe Headliner Kit..... \$ _____ Includes headliner with light and rear corner cab trim. Est. Install time: 1 hr.	
7174171	Deluxe Heater / Air Conditioning Headliner Kit..... \$ _____ Includes Headliner with interior light, air conditioning/heater vents and rear corner cab trim. Needed to upgrade non-AC/Heater cab to include AC/Heat. Est. Install time: 1 hr.	
7196560	Forestry Wiper Kit..... \$ _____ Loader must be equipped with Forestry Door; Reference P/N 7174127 Forestry Door or 7230523 Forestry Applications Kit for detail. Est. Install time: 1 hr.	
7238900	HEPA Filter Kit..... \$ _____ Est. Install time: 0.5 hrs.	
7240148	Intermittent Wiper Kit..... \$ _____ Includes intermittent wiper switch, cover, harness and tie straps. Kit allows operator to adjust the speed of the wiper to match the operating conditions. Est. Install time: 1 hr.	
6725946	Rear Window External Removal Kit..... \$ _____ Recommended for use with Loader Radio Remote Control kit. Est. Install time: 1 hr.	
7225133	Rear Wiper Kit..... \$ _____ Deluxe Headliner, Cab Accessory Harness, Lower Interior Panels and Front Door with Wiper are required. Wiper is activated by a switch on the rear wiper motor. Est. Install time: 4 hrs.	
7172897	Reseal Plugs Kit..... \$ _____ Includes plugs to seal cab and frame after the removal of the following: FOPS Kit, Single Point Lift Kit, Four Point Lift Kit, and Backhoe Attachment. Est. Install time: 1 hr.	
7172903	White Decal Kit (Cab Top)..... \$ _____ Applied to cab top to maintain a cooler temperature inside the operator's cab. Est. Install time: 0.5 hr.	

T870 (Tier 4)
Bobcat Compact Track Loader

Counterweight Kits

- 7129250 Counterweight Kit, 200 lbs..... \$ _____
 Includes (4) 50 pound weights that bolt to rear uprights of loader. See operator’s manual for ROC increase. Not compatible with the Quick-Tach Water Kit or Rear Stabilizers.
 Est. Install time: 1 hr.
- 7129251 Counterweight Kit, 300 lbs..... \$ _____
 Includes (6) 50 pound weights that bolt to rear uprights of loader. See operator’s manual for ROC increase. Not compatible with the Quick-Tach Water Kit or Rear Stabilizers.
 Est. Install time: 1 hr.
- 7129252 Counterweight Kit, 400 lbs (T740/T770/T870)..... \$ _____
 Includes (8) 50 pound weights that bolt to rear uprights of loader. See operator’s manual for ROC increase. Not compatible with the Quick-Tach Water Kit or Rear Stabilizers.
 Est. Install time: 1 hr.

Electrical Accessories

- _____ Attachment Control Kit..... \$ _____
 For complete listing of Attachment Control Kits, P/N's and Descriptions - Refer to Attachments Section of Price Pages
- 7169103 Cab Accessory Adapter Harness..... \$ _____
 For Loaders without Cab Accessory Harness. Needed for Strobe, Beacon and Four-Way Flasher.
 Est. Install time: 0.5 hr.
- 7128338 Four-Way Flasher / Turn Signal Kit..... \$ _____
 Est. Install time: 1 hr.
- 7129299 Rotating Beacon Kit..... \$ _____
 Est. Install time: 1 hr.
- 7129301 Strobe Light Kit, Amber..... \$ _____
 Est. Install time: 1 hr.
- 7256348 Side Light Kit..... \$ _____
 Includes two LED side lights Est. Install time: 0.5 hr.

Engine Accessories

- _____ Air Cleaner Pre-Cleaner (T630/T650)..... \$ _____
 Order the following from parts: Hose (iT4: 7157923, T4: 7234601), Hose Clamp (iT4: 5HM42, T4 5HM53), and Instructions (iT4: 7149931, T4 6990831). Est. Install time: 1 hr.
- 7239665 Engine Block Heater Kit..... \$ _____
 Est. Install time: 0.25 hr.
- 7265891 SCR Inhibit Switch Kit (T770/T870)..... \$ _____
 Allows operator to perform a parked regeneration if too much soot is allowed to accumulate in the DPF. Est. Install time: 0.25 hr.

Hydraulic Accessories

- 7129447 Hydraulic Bucket Positioning (T630) \$ _____
 Bucket Positioning helps the operator keep the same tilt position of the load during lifting. Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details.
 Includes on/off switch. Est. Install time: 3 hrs.
- 7129447 Hydraulic Bucket Positioning (T650) \$ _____
 Bucket Positioning helps the operator keep the same tilt position of the load during lifting. Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details.
 Includes on/off switch. Est. Install time: 3 hrs.
- 7188811 Hydraulic Bucket Positioning Kit (T740/T770/T870)..... \$ _____
 Bucket Positioning helps the operator keep the same tilt position of the load during lifting. Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details.
 Includes on/off switch. Est. Install time: 3 hrs.

T870 (Tier 4)**Bobcat Compact Track Loader****Part Number Dealer Installed Accessories - Ordered From Parts Description****Hydraulic Accessories (continued)**

7207408	Lift Cylinder Cushion Piston (T650/T740/T770).....	\$ _____
	Softens the contact between the lift arms and mainframe reducing noise. Must also order Piston Nut p/n 6810540.	
7231414	Rear Auxiliary Hydraulic Kit (T630).....	\$ _____
	Provides a flow of 8.5 GPM. Est. Install time: 10 hrs.	
7231436	Rear Auxiliary Hydraulic Kit (T650).....	\$ _____
	Provides a flow of 8.5 GPM. Est. Install time: 10 hrs.	
7220912	Rear Auxiliary Hydraulic Kit (T740).....	\$ _____
	Provides a flow of 8.5 GPM. Est. Install time: 10 hrs.	
7268436	Rear Auxiliary Hydraulic Kit (T770).....	\$ _____
	Provides a flow of 8.5 GPM. Est. Install time: 10 hrs.	
7340125	Rear Auxiliary Hydraulic Kit (T870 Torsion).....	\$ _____
	Provides a flow of 8.5 GPM. Est. Install time: 10 hrs.	

Instrumentation

7213928	Deluxe Instrument Panel with Keyless Start.....	\$ _____
	Includes keyless start, feature lockouts, help screens, clock, job clock, system diagnostic capability and more. Est. Install time: 1 hr.	
7213929	Keyless Start Panel Kit.....	\$ _____
	Allows operator to start the loader by entering a reprogrammable number code. Est. Install time: 1 hr.	

Lift Kits

7128411	Four-Point Lift Kit (T630).....	\$ _____
	Cannot be used on loaders equipped with Backhoe Mounting Kit or Bob-Dock Mounting System. Est. Install time: 2 hrs.	
7368670	Four-Point Lift Kit - Bob-Dock System (T630).....	\$ _____
	Cannot be used on loaders equipped with Backhoe Mounting Kit. Est. Install time: 2 hrs.	
7156605	Four-Point Lift Kit (T740/T770).....	\$ _____
	Cannot be used on loaders equipped with Backhoe Mounting Kit or Bob-Dock Mounting System. Est. Install time: 2 hrs.	
7368070	Four-Point Lift Kit - Bob-Dock System (T650/T740/T770).....	\$ _____
	Cannot be used on loaders equipped with Backhoe Mounting Kit. Est. Install time: 2 hrs.	
7150698	Four-Point Lift Kit (T870).....	\$ _____
	Cannot be used on loaders equipped with Backhoe Mounting Kit. Est. Install time: 2 hrs.	
7226713	Single Point Lift Kit (T630/T650/T740/T770).....	\$ _____
	Est. Install time: 3 hrs.	
7128432	Single Point Lift Kit (T870).....	\$ _____
	Est. Install time: 3 hrs.	

Loader Guard Kits

7206200	Engine Compartment Seal Kit (T630).....	\$ _____
	Kit includes cab/mainframe seal, tailgate seal, mainframe slot covers and lift cylinder boots. Not compatible with Rear Auxiliary Hydraulics or Rear Stabilizers. Est. Install time: 1.5 hrs.	
7209981	Engine Compartment Seal Kit (T630).....	\$ _____
	Kit includes cab/mainframe seal, tailgate seal, mainframe slot covers and lift cylinder boots. Not compatible with Rear Auxiliary Hydraulics or Rear Stabilizers. Est. Install time: 1.5 hrs.	

T870 (Tier 4)
Bobcat Compact Track Loader

Part Number Dealer Installed Accessories - Ordered From Parts Description

Loader Guard Kits (continued)

7190789	Engine Compartment Seal Kit (T740/T770).....	\$ _____
	Required when using M-series 700 Platform machines with forestry cutters. Kit includes cab/mainframe seal, tailgate seal, mainframe slot covers and lift cylinder boots. Not compatible with Rear Auxiliary Hydraulics or Rear Stabilizers. Est. Install time: 2 hrs.	
7179952	Engine Compartment Seal Kit (T870).....	\$ _____
	Required when using M-series 800 Platform machines with forestry cutters. Kit includes cab/mainframe seal, tailgate seal, mainframe slot covers and lift cylinder boots. Not compatible with Rear Auxiliary Hydraulics or Rear Stabilizers. Est. Install time: 2 hrs.	
7129293	FOPS Kit.....	\$ _____
	Additional shield assembly for cab top. Meets ISO 3449, Level II Requirements. Est. Install time: 1.5 hrs.	
7244920	Muffler Guard Kit.....	\$ _____
	Est. Install time: 0.25 hrs.	
7249240	Power Bob-Tach Guard Kit.....	\$ _____
	Est. Install time: 0.25 hr.	
7174128	Rear Work Lights Guard Kit (T630/T650/T740).....	\$ _____
	Est. Install time: 0.5 hrs.	
7257724	Rear Work Lights Guard Kit (T770/T870).....	\$ _____
	Est. Install time: 0.5 hr.	
7174129	Front Work Lights Guard Kit.....	\$ _____
	Est. Install time: 0.5 hr.	
7250844	Coupler Guard Kit.....	\$ _____
	Must also order Installation Instructions p/n 6987492. Est. Install time: 5 min.	
7203665	Rear Bumper Kit.....	\$ _____
	Includes bolt-on Rubber Bumper and mounting hardware. Helps protect the rear of the loader from damage due to scraping or contact with objects in tight places. Est. Install time: 1 hr.	
7187059	Tilt Cylinder Shield Kit (T630/T650/T740/T770).....	\$ _____
	Est. Install time: 0.5 hr.	
7187241	Tilt Cylinder Shield Kit (T870).....	\$ _____
	Est. Install time: 0.5 hr.	

Power Bob-Tach Kits

7310665	Power Bob-Tach Kit.....	\$ _____
	Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Must also order Power Bob-Tach Plumbing Kit. Est. Install time: 4 hrs. to install Power Bob-Tach Kit and Plumbing Kit.	
_____	Power Bob-Tach Kit (T870).....	\$ _____
	Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Must also order Power Bob-Tach Plumbing Kit. Est. Install time: 4 hrs. to install Power Bob-Tach Kit and Plumbing Kit.	
7310061	Power Bob-Tach Plumbing Kit (T630).....	\$ _____
	Est. Install time: 4 hrs. to install Power Bob-Tach Kit and Plumbing Kit.	
7310663	Power Bob-Tach Plumbing Kit (T650).....	\$ _____
	Est. Install time: 4 hrs. to install Power Bob-Tach Kit and Plumbing Kit.	
7310805	Power Bob-Tach Plumbing Kit (T740/T770).....	\$ _____
	Est. Install time: 4 hrs. to install Power Bob-Tach Kit and Plumbing Kit.	
_____	Power Bob-Tach Plumbing Kit (T870).....	\$ _____
	Est. Install time: 4 hrs. to install Power Bob-Tach Kit and Plumbing Kit.	

T870 (Tier 4)
Bobcat Compact Track Loader

Part Number Dealer Installed Accessories - Ordered From Parts Description

Bob-Dock Attachment Mounting System Kits

7359554	T630 Bob-Dock Completion Kit.....	\$ _____
	Completion kit contains all the hose and the coupler block to complete a Bob-Dock Ready machine.	
7359553	T650 Bob-Dock Completion Kit.....	\$ _____
	Completion kit contains all the hose and the coupler block to complete a Bob-Dock Ready machine.	
7348816	7xx's Bob-Dock Completion Kit.....	\$ _____
	Completion kit contains all the hose and the coupler block to complete a Bob-Dock Ready machine.	
7363740	Bob-Dock Shield Kit.....	\$ _____
	Kit includes steel shield for rear of valve block on Bob-Tach, rubber guard that cable ties onto Bob-Dock hoses that are routed closest to the ground. Est. Install time: 0.5 hr.	

Radio

6988435	Radio Kit.....	\$ _____
	Includes weatherproof AM/FM/NOAA Weather Band Radio, Radio Mounting Bracket, Speakers, Antenna, and Installation Hardware. Works with MP3 or other portable music player. Est. Install time: 3 hrs.	
6676108	Radio Headphones.....	\$ _____

Rear Camera Kit

7329670	Rear Camera Kit.....	\$ _____
	Includes camera, display and required parts for complete installation Est. Install time: 4 hrs.	

Remote Control Kits

7185234	Loader Radio Remote Control Kit.....	\$ _____
	Allows an operator to start/stop the engine, operate the drive system and control the lift, tilt and auxiliary hydraulic functions remotely using a Radio Transmitter. The operator must maintain visual contact with the loader and the loader's path of travel. Available for loaders equipped with Selectable Joystick Controls (SJC) or All Wheel Steer Loaders. Requires version 57 software or newer. Est. Install time: 0.5 hr.	
6986516	Loader Radio Remote Operator Training Kit.....	\$ _____

Reversing Fan Kits

7307657	Reversing Fan Kit (T630/T650).....	\$ _____
	Temporarily reverses cooling fan direction to blow dust and small debris from the radiator and rear screens. Includes three operating modes: Automatic, Momentary and OFF. Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Est. Install Time: 3 hrs.	
7307658	Reversing Fan Kit (T740/T770).....	\$ _____
	Temporarily reverses cooling fan direction to blow dust and small debris from the radiator and rear screens. Includes three operating modes: Automatic, Momentary and OFF. Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Est. Install Time: 3 hrs.	
7307659	Reversing Fan Kit (T870).....	\$ _____
	Temporarily reverses cooling fan direction to blow dust and small debris from the radiator and rear screens. Includes three operating modes: Automatic, Momentary and OFF. Cab Accessory Harness is required, see Cab Accessory Harness & Lower Interior Panels kit for details. Est. Install Time: 3 hrs.	

T870 (Tier 4)
Bobcat Compact Track Loader

**Part Number Dealer Installed Accessories - Ordered From Parts
 Description**

Ride Control Kits

7300378	Ride Control Kit (T630/T650) - Manual.....	\$ _____
	Provides a smoother ride by cushioning the lift arms when traveling over rough terrain. Est. Install time: 1.5 hrs.	
7306398	Ride Control Kit (T630) - Auto.....	\$ _____
	Provides a smoother ride by cushioning the lift arms when traveling over rough terrain. Includes on/off switch inside of cab. Est. Install time: 4 hrs.	
7306400	Ride Control Kit (T650) - Auto.....	\$ _____
	Provides a smoother ride by cushioning the lift arms when traveling over rough terrain. Includes on/off switch inside of cab. Est. Install time: 4 hrs.	
7300393	Ride Control Kit (T740/T770/T870) - Manual.....	\$ _____
	Provides a smoother ride by cushioning the lift arms when traveling over rough terrain. Est. Install time: 1.5 hrs.	
7306402	Ride Control Kit (T740/T770) - Auto.....	\$ _____
	Provides a smoother ride by cushioning the lift arms when traveling over rough terrain. Includes on/off switch inside of cab. Est. Install time: 1.5 hrs.	
7306404	Ride Control Kit (T870) - Auto.....	\$ _____
	Provides a smoother ride by cushioning the lift arms when traveling over rough terrain. Includes on/off switch inside of cab. Est. Install time: 1.5 hrs.	

Seats & Seat Belts

7129303	Seat Belt Kit-3".....	\$ _____
	For use with Suspension Seat only. Includes 3" retractable lap belt. Est. Install time: 0.5 hr.	
7128405	Seat Belt Kit, 3-Point.....	\$ _____
	For use with Suspension Seat only. Includes 2" shoulder belt and 2" lap belt. Est. Install time: 0.5 hr.	
7169480	Seat Belt Kit-3", 3-Point.	\$ _____
	For use with Suspension Seat only. Includes 2" shoulder belt and 3" lap belt. Est. Install time: 0.5 hr.	
7183366	Suspension Seat, Air Ride.....	\$ _____
	Vinyl material. Must also order a seat belt kit unless previously equipped with suspension seat. Est. Install time: 1 hr.	
7312807	Cloth Heated Air Ride Seat.....	\$ _____
	Includes Heat on/off switch on the back of the seat. The seat is not compatible with M-Series loaders and select M2-Series loaders. See Dealer Parts Department for the correct M2-Series loader serial number breaks.	

T870 (Tier 4)
Bobcat Compact Track Loader

Part Number Dealer Installed Accessories - Ordered From Parts Description

Sound Reduction Kits

7213438	Sound Reduction Kit (T630/T650).....	\$ _____
	Includes insulating materials and hydraulic muffler to reduce sound levels at the operator’s ear and for bystanders. Est. Install time: 2 hrs.	
7178038	Sound Reduction Kit (T870).....	\$ _____
	Includes insulating materials and hydraulic muffler to reduce sound levels at the operator’s ear and for bystanders. Est. Install time: 2 hrs.	
7192149	Deluxe Sound Kit for ACS Controls (T630/T650/T770).....	\$ _____
	Includes foot pod insulating materials to reduce sound levels at the operator’s ear. Est. Install time: 1 hr.	
7198364	Deluxe Sound Kit for Standard Controls with Power Assist (T870).....	\$ _____
	Includes foot pod insulating materials to reduce sound levels at the operator’s ear. Est. Install time: 1 hr.	
7192150	Deluxe Sound Kit for SJC Controls.....	\$ _____
	Includes foot pod insulating materials to reduce sound levels at the operator’s ear. Est. Install time: 1 hr.	

Training Kits

6901726	Bobcat Loader Operator Training Kit.....	\$ _____
6900641	Bobcat Loader Service Training Kit.....	\$ _____
6904762	Bobcat Operator Safety DVD.....	\$ _____
	Includes all of the 10-minute operator safety videos in both English and Spanish.	

Other Accessories

7256406	Air Deflector Kit (T630).....	\$ _____
	Est. Install time: 0.5 hr.	
7257437	Air Deflector Kit (T740/T770).....	\$ _____
	Est. Install time: 0.5 hr.	
7129307	Fire Extinguisher Kit.....	\$ _____
	Est. Install time: 0.5 hr.	
7232264	HP Aspiration Kit.....	\$ _____
	Est. Install time: 0.5 hr.	
7257869	Loader Weighlog Scale Kit.....	\$ _____
	Measures hydraulic pressure at a specific position during the lifting cycle for either static or dynamic weighing. The weighlog kit is not a certified scale. Please see Bobcat Parts Sales & Merchandising Manual for additional details. Est. Install time: 4 hrs.	
7023550	Locking Fuel Cap.....	\$ _____
	Includes a Black Locking Fuel Cap that is keyed the same as the loader. Key is Not included. Additional locking fuel cap options are available through parts.	
7128403	Tailgate Lock Kit.....	\$ _____
	Est. Install time: 0.5 hr.	

Discontinued Models

The following M-Series models have been discontinued and are no longer available: T630 & T650

T630/T650 (Tier 4)
Bobcat Compact Track Loader



Standard Equipment

74 HP Turbo Tier 4 Diesel Engine
 Auxiliary Hydraulics: Variable Flow
 Backup Alarm
 Bob-Tach
 Bobcat Interlock Control System (BICS TM)
 Controls: Bobcat Standard
 Cylinder Cushioning - Lift, Tilt
 Engine/Hydraulic Systems Shutdown
 Glow Plugs (Automatically Activated)
 Horn
 Instrumentation: Engine Temperature & Fuel Gauges,
 Hourmeter, RPM, and Warning Lights
 Lift Arm Support
 Lift Path: Radius (T630), Vertical (T650)

Lights, Front & Rear
 Operator Cab
 - Includes: Adjustable Suspension Seat, Top & Rear Windows, Parking Break, Seat Bar & Seat Belt
 - Roll Over Protective Structure (ROPS) meets SAE-J1040 & ISO 3471
 - Falling Object Protective Structure (FOPS) meets SAE-J1043 & ISO 3449, Level I; (Level II is available through Bobcat Parts)
 Parking Brake – Spring Applied, Pressure Released (SAPR)
 Soil Mounted Carriage with 4 Rollers
 Spark Arrestor Exhaust System
 Tracks: Rubber, 12.6" Wide

Quick Specs

	<u>T630</u>	<u>T650</u>
Rated Operating Capacity - 35% of Tipping Load.....	2,100 lbs.	2,570 lbs.
- with Roller Suspension Carriage.....	2,000 lbs.	2,470 lbs.
Rated Operating Capacity - 50% of Tipping Load.....	3,000 lbs.	3,670 lbs.
Tipping Load.....	6,000 lbs.	7,343 lbs.
Engine Model.....	2.4L Bobcat Engine	2.4L Bobcat Engine
Engine Fuel.....	Diesel	Diesel
Engine Cooling.....	Liquid	Liquid
Horsepower.....	74	74
Hydraulic Pump Capacity-Standard Flow.....	23.0 GPM	23.0 GPM
Hydraulic Pump Capacity-High Flow (Optional).....	30.5 GPM	30.5 GPM
Travel Speed.....	6.0 MPH	6.0 MPH
Travel Speed - 2 Speed.....	6.0/8.7 MPH	6.0/8.7 MPH
Operating Weight.....	8,555 lbs.	9,133 lbs.
- with Roller Suspension Carriage.....	8,748 lbs.	9,339 lbs.
Shipping Weight.....	7,632 lbs.	8,190 lbs.
Cab Height.....	81.3"	81.3"
Width (w/out Attachment).....	72.9"	72.9"
Width with Wide Track Option (w/out Attachment).....	78.0"	78.0"
Length (w/out Attachment).....	108.4"	108.4"
Ground Contact Length.....	58.5"	58.5"
Reach at Maximum Height.....	24.1"	34.2"
Height to Hinge Pin.....	121.0"	124.0"

T630/T650 (Tier 4)
Bobcat Compact Track Loader

Part Number	Description	SLP In US \$
-------------	-------------	--------------

M0267	T630 Compact Track Loader (Equipped with Tier 4 Engine).....	\$59,704
M0271	T650 Compact Track Loader (Equipped with Tier 4 Engine).....	\$61,993

Part Number	Description	SLP In US \$
-------------	-------------	--------------

CAN BE SELECTED WITH PACKAGES OR WITH INDIVIDUAL OPTIONS

Tracks/Undercarriage

M_-R09-C02	17.7" C-Pattern Rubber Track..... Compatible with Solid Mounted or Roller Suspension Carriages. Loader width is 78.0"	\$1,628
M_-R09-C05	17.7" Multi Bar Track..... Compatible with Solid Mounted or Roller Suspension Carriages. Loader width is 78.0"	\$1,628
M_-R21-C13	Roller Suspension Carriage..... Includes Solid Mounted Undercarriage and 4 Rollers with Leaf Spring style suspension. Compatible with 12.6" tracks (Loader width 73.4") or 17.7" tracks (Loader width is 78.0"). Roller suspension carriage is not available with single speed or Performance Package P13	\$1,785

Controls

M_-R01-C04	Selectable Joystick Control (SJC)..... Features include: Selectable patterns (ISO or H-Pattern), Auto Idle, Horsepower Management, Speed Management, Drive Response, Drift Compensation and Foot Pedal for Engine Speed Control. *The Cab Accessories Package is required via Individual Factory Option if option ordered without package.	\$945
------------	--	-------

Part Number	Description	SLP In US \$
-------------	-------------	--------------

MUST SELECT ONE COMFORT AND ONE PERFORMANCE PACKAGE OR SELECT INDIVIDUAL OPTIONS

M_-P07-C10	C10 Comfort Package..... Includes: Open Cab, Cab Accessories Package, Standard Panel, Adjustable Suspension Seat	\$495
M_-P07-C23	C23 Comfort Package..... Includes: Enclosed Cab with AC/Heat, Sound Reduction, Cab Accessories Package, Standard Panel, Adjustable Suspension Seat	\$4,752
M_-P07-C27	C27 Comfort Package..... Includes: Enclosed Cab with AC/Heat, Sound Reduction, Cab Accessories Package, Standard Panel, Radio, Heated Cloth Suspension Seat	\$5,725
M_-P07-C37	C37 Comfort Package..... Includes: Enclosed Cab with AC/Heat, Sound Reduction, Cab Accessories Package, Deluxe Instrument Panel with Keyless Start, Radio, Heated Cloth Air Ride Suspension Seat	\$6,435

T630/T650 (Tier 4)
Bobcat Compact Track Loader

Part Number	Description	SLP In US \$
--------------------	--------------------	---------------------

MUST SELECT ONE COMFORT AND ONE PERFORMANCE PACKAGE OR SELECT INDIVIDUAL OPTIONS

Standard Flow Packages

M_-P06-P13	P13 Performance Package..... Includes: Power Bob-Tach, Hydraulic Bucket Positioning	\$1,418
M_-P06-P23	P23 Performance Package..... Includes: Power Bob-Tach, 2-Speed, Hydraulic Bucket Positioning	\$3,608
M_-P06-P29	P29 Performance Package..... Includes: Power Bob-Tach, 7-Pin Attachment Control Kit, 2-Speed, Hydraulic Bucket Positioning, Automatic Ride Control, Reversing Fan	\$5,210
M_-P06-P39	P39 Performance Package..... Includes: Bob-Dock Ready, Power Bob-Tach, Attachment Control Kit, 2-Speed, Hydraulic Bucket Positioning, Automatic Ride Control, Reversing Fan	\$6,417

High Flow Packages

M_-P06-P67	P67 Performance Package..... Includes: Power Bob-Tach, 7-Pin Attachment Control Kit, High Flow, 2-Speed, Hydraulic Bucket Positioning	\$6,099
M_-P06-P69	P69 Performance Package..... Includes: Power Bob-Tach, 7-Pin Attachment Control Kit, High Flow, 2-Speed, Hydraulic Bucket Positioning, Automatic Ride Control, Reversing Fan	\$7,456
M_-P06-P79	P79 Performance Package..... Includes: Bob-Dock Ready, Power Bob-Tach, Attachment Control Kit, High Flow, 2-Speed, Hydraulic Bucket Positioning, Automatic Ride Control, Reversing Fan	\$8,663

Part Number	Description	SLP in US \$
--------------------	--------------------	---------------------

CANNOT BE ADDED TO ANY ORDER WITH COMFORT AND PERFORMANCE PACKAGE SELECTION

NOTE: Individual Options SLP includes a 20% premium when compared to ordering the option in a package

NOTE: Several individual options may require additional equipment, see details below. If the option requires additional equipment the Bobcat ordering systems will automatically add the required equipment to the order.

Individual Cab Options

M_-R25-C04	Enclosed Cab with AC/Heat..... Deluxe cab with heat and air conditioning	\$4,535
M_-R70-C02	Sound Reduction..... Reduces operator and by-stander noise levels	\$574
M_-R08-C03	Deluxe Instrument Panel with Keyless Start..... Monitors key loader functions, communicates alerts and provides additional attachment information to track usage.	\$852
M_-R26-C02	Radio..... Includes weatherproof AM/FM/NOAA Weather Band Radio, Speakers, and Antenna. Works with MP3 or other portable music player	\$598
M_-R80-C02	Cab Accessories Package..... Deluxe Headliner with Dome Light, Cab Accessory Harness, Power Port, Lower Interior Panels with Storage Compartments and Cup Holder. Required for Reversing Fan, Hydraulic Bucket Positioning, Automatic Ride Control, and SJC, Radio, Air Ride Heated Seat, Power Bob-Tach	\$594
M_-R05-C12	Cloth Heated Air Ride Suspension Seat..... Includes Heat on/off switch on the back of the seat.	\$570

T630/T650 (Tier 4)
Bobcat Compact Track Loader

Individual Performance Options

M_-R06-C03	Power Bob-Tach..... Connect and disconnect non-hydraulic attachments from inside the cab. The Cab Accessories Package is required. See NOTE above.	\$1,032
M_-R06-C09	Bob-Dock Ready..... Includes Power Bob-Tach, Bob-Dock interface plate, Tee and capped auxiliary hydraulic line within loader lift arm. Connect and disconnect hydraulic attachments from inside the cab.	\$2,480
M_-R28-C02	7-Pin Attachment Control Kit..... Required for High Flow Hydraulics.	\$294
M_-R03-C03	High Flow Hydraulics..... Provides 26.7 GPM and 3500 PSI for attachment operation. The 7-pin attachment control kit is required.	\$2,695
M_-R04-C02	2-Speed..... Includes 2-Speed motors and 3-Point Seat Belt Low Travel Speed 7.1 MPH, High Travel Speed 10.4 MPH	\$2,628
M_-R11-C02	Hydraulic Bucket Positioning..... Bucket Positioning helps the operator keep the same tilt of the load during lifting. Includes On/Off switch. The Cab Accessories Package is required. See NOTE above.	\$670
M_-R33-C02	Automatic Ride Control..... Automatically activates by detecting increased hydraulic lift arm pressure when the loader is carrying material. Includes on/off switch. The Cab Accessories Package is required. See NOTE	\$889
M_-R32-C02	Reversing Fan..... Temporarily reverses the cooling fan direction to blow dust and small debris from the radiator and rear screens. Includes three operating modes: Automatic, Momentary, & OFF. The Cab Accessories Package is required. See NOTE above.	\$739

Part Number	Dealer Installed Accessories	SLP In US \$
--------------------	-------------------------------------	---------------------

Bob-Dock Attachment Mounting System - Whole Goods Accessories

7346768	Bob-Dock Adapter Plate..... The adapter plate connects to your hydraulic attachment and has a locked hydraulic connection integrated within. The adapter can stay with the attachment permanently, or it can be removed and installed on another attachment. The adapter plate attaches to most hydraulic attachments to allow the Bob-Dock system to seamlessly connect and disconnect from hydraulic attachments.	\$1,132
---------	--	---------

Note: Customers may require more than one Bob-Dock Adapter Plate

Bob-Dock Attachment Mounting System - Aftermarket Parts Accessories

7359554	T630 Bob-Dock Completion Kit..... Completion kit contains all the hose and the coupler block to complete a Bob-Dock Ready machine.	\$ _____
7359553	T650 Bob-Dock Completion Kit..... Completion kit contains all the hose and the coupler block to complete a Bob-Dock Ready machine.	\$ _____

Note: Is required for full functionality of Bob-Dock attachment mounting system