

## BOBCAT COMPANY PRICE PAGES

### NA Loaders - Compact Track



**Please note the following when using Bobcat Price Pages:**

- All prices are shown in U.S. dollars.
- Check BobcatNET Pricing Homepage for current Canadian exchange rate.
- To ensure having the correct Part Number for a Dealer Installed Accessory, obtain the loader model and serial number and check with Dealer Parts Department.
- For current Dealer Installed Accessories pricing, reference BobQuote or Dealer Parts Department.
- Prices and specifications are subject to change without notice.

**THE FOLLOWING UPDATES HAVE BEEN MADE TO THIS DOCUMENT:**

Date	Description of Change
6/1/2020	Releasing T62, part number corrections, inclusion of Features on Demand
2/17/2020	Clear sides cab released
12/12/2019	PN 7360960 (Reversing Fan Kit) typo updated to 7360690
12/9/2019	Pricing updated for Performance Packages 68 & 69
7/25/2019	Preliminary file set-up

*\*Certain Specification(s) are based on engineering calculations and are not actual measurements. Specification(s) are provided for comparison purposes only and are subject to change without notice. Specification(s) for your individual Bobcat equipment will vary based on normal variations in design, manufacturing, operating conditions, and other factors.*

## Bobcat Compact Track Loader



### Standard Equipment

68.0 HP Tier 4 V2 Bobcat Engine	Lift Path: Radius
Auxiliary Hydraulics: Variable Flow	Lights, Front & Rear LED
Backup Alarm	Operator Cab
Bob-Tach	- Includes: Adjustable Vinyl Suspension Seat, Top & Rear Windows, Parking Brake, Seat Bar & Seat Belt
Bobcat Interlock Control System (BICS TM)	- Roll Over Protective Structure (ROPS) meets SAE-J1040 & ISO 3471
Controls: Bobcat Standard	- Falling Object Protective Structure (FOPS) meets SAE-J1043 & ISO 3449, Level I; (Level II is available through Bobcat Parts)
Cylinder Cushioning - Lift, Tilt	Parking Brake: Spring Applied, Pressure Released (SAPR)
Engine/Hydraulic Performance De-rate Protection	Solid Mounted Carriage with 4 Rollers
Glow Plugs (Automatically Activated)	Tracks: Rubber, 12.6" Wide
Horn	Warranty: 2 years, or 2000 hours whichever occurs first
Instrumentation: 5" Display Panel (Rear Camera Ready)	Machine IQ Telematics
- Engine Temperature & Fuel Gauges, Hourmeter, RPM, Warning Indicators & other vitals	
Lift Arm Support	

### Quick Specs

	<b><u>T62</u></b>
Rated Operating Capacity - 35% of Tipping Load.....	2,150 lbs.
- with Torsion Suspension.....	2,050 lbs.
Rated Operating Capacity - 50% of Tipping Load.....	3,072 lbs.
Tipping Load.....	6,143 lbs.
Engine Model.....	2.4L V2
Engine Fuel/Cooling.....	Diesel/Liquid
Horsepower.....	68
Hydraulic Pump Capacity-Standard Flow.....	17.6 GPM
Hydraulic Pump Capacity-High Flow (Optional).....	26.9 GPM
Travel Speed.....	7.2 MPH
Travel Speed - Two Speed.....	10.2 MPH
Operating Weight.....	8,612 lbs.
- with Torsion Suspension.....	9,070 lbs.
Shipping Weight.....	8,060 lbs.
Cab Height.....	80.5"
Width (w/out Attachment).....	67.0"
- with Torsion Suspension.....	72.4"
Width with Wide Track Option (w/out Attachment).....	70.2"
- with Torsion Suspension.....	73.4"
Length (w/out Attachment).....	107"
Ground Contact Length.....	54.3"
Reach at Maximum Height.....	22.9"
Height to Hinge Pin.....	114.5"

\*All travel speeds are preliminary.

**Bobcat Compact Track Loader**

Part Number	Description	Compact Track Loader	SLP In US \$
-------------	-------------	----------------------	--------------

M0355	T62 Compact Track Loader .....		\$54,016
-------	--------------------------------	--	----------

Part Number	Description	Machine Configuration	SLP In US \$
-------------	-------------	-----------------------	--------------

CAN BE SELECTED WITH PACKAGES OR WITH INDIVIDUAL OPTIONS

Tracks/Undercarriage

M_-R09-C02	15.7" C-Pattern Tracks..... Compatible with Solid Mounted or Torsion Suspension Carriages. Loader width is 70.2".		\$1,597
M_-R09-C05	12.6" Multi Bar Track..... Compatible with Solid Mounted or Torsion Suspension Carriages. Loader width is 67.0".		\$612
M_-R21-C13	5-Link Torsion Suspension Undercarriage..... Compatible with 12.6" Tracks (Loader Width 72.4") or 15.7" Tracks (Loader Width 73.3") *Two-Speed Travel is required and Will be Automatically Added.		\$2,397

Controls

M_-R01-C04	Selectable Joystick Control (SJC)..... Features include: Selectable patterns (ISO or H-Pattern), Auto Idle, Horsepower Management, Speed Management, Drive Response, Drift Compensation and Foot Pedal for Engine Speed Control.		\$811
------------	---	--	-------

Part Number	Description	Comfort Packages	SLP In US \$
-------------	-------------	------------------	--------------

MUST SELECT ONE COMFORT AND ONE PERFORMANCE PACKAGE OR SELECT INDIVIDUAL OPTIONS

M_-P07-C40	C40 Comfort Package..... Includes: Open Cab, Radio Ready, Deluxe Headliner, and Adjustable Vinyl Suspension Seat.		\$726
M_-P07-C52	C52 Comfort Package..... Includes: Enclosed Cab with HVAC, Sound Reduction, Radio Ready, HVAC Headliner, and Adjustable Vinyl Suspension Seat.		\$5,157
M_-P07-C68	C68 Comfort Package..... Includes: Enclosed Cab with HVAC, Sound Reduction, Touch Display with Radio & Bluetooth, Heated Cloth Air Ride Suspension Seat, Premium LED Lights, and Rear Camera.		\$7,480
M_-P07-C77	C77 Comfort Package..... Includes: Clear Side Enclosed Cab with HVAC, Sound Reduction, Radio Ready, and Heated Cloth Air Ride Suspension Seat.		\$6,818
M_-P07-C88	C88 Comfort Package..... Includes: Clear Side Enclosed Cab with Auto HVAC, Sound Reduction, Touch Display with Radio & Bluetooth, Heated Cloth Air Ride Suspension Seat, Premium LED Lights, and Rear Camera.		\$9,118

## Bobcat Compact Track Loader

Part Number	Description	Performance Packages	SLP In US \$
-------------	-------------	----------------------	--------------

**MUST SELECT ONE COMFORT AND ONE PERFORMANCE PACKAGE OR SELECT INDIVIDUAL OPTIONS**

### Standard Flow Packages

M_-P06-P17	P17 Performance Package..... Includes: Power Bob-Tach, 7-Pin Attachment Control, and Dual Direction Bucket Positioning.	\$2,128
M_-P06-P27	P27 Performance Package..... Includes: Power Bob-Tach, 7-Pin Attachment Control, Two-Speed Travel, and Dual Direction Bucket Positioning.	\$4,361
M_-P06-P29	P29 Performance Package..... Includes: Power Bob-Tach, Attachment Control, Two-Speed, Dual Direction Bucket Positioning, Automatic Ride Control, and Reversing Fan.	\$5,745

### High Flow Packages

M_-P06-P67	P67 Performance Package..... Includes: Power Bob-Tach, 7-Pin Attachment Control, Two-Speed Travel, High Flow, and Dual Direction Bucket Positioning.	\$6,274
M_-P06-P69	P69 Performance Package..... Includes: Power Bob-Tach, 7-Pin Attachment Control, High Flow, Two-Speed, Dual Direction Bucket Positioning, Automatic Ride Control, and Reversing Fan.	\$7,658

Part Number	Description	Individual Factory Options	SLP in US \$
-------------	-------------	----------------------------	--------------

CANNOT BE ADDED TO ANY ORDER WITH COMFORT AND PERFORMANCE PACKAGE SELECTION

*NOTE: Individual Options SLP includes a 20% premium when compared to ordering the option in a package*

NOTE: Several individual options may require additional equipment, see details below. If the option requires additional equipment the Bobcat ordering systems will automatically add the required equipment to the order.

### Individual Cab Options

M_-R02-C03	Enclosed Cab with HVAC..... Enclosed Cab with Side Screens, Door, Heat and Air Conditioning.	\$4,626
M_-R02-C04	Clear Side Enclosed Cab with Auto HVAC..... Clear Side Enclosed Cab with Heavy Duty Polycarbonate Side Windows, Auto Heat, and Air Conditioning. *Touch Display is Required and Will be Automatically Added.	\$6,591
M_-R02-C05	Clear Side Enclosed Cab with HVAC..... Clear Side Enclosed Cab with Heavy Duty Polycarbonate Side Windows, Heat and Air Conditioning.	\$6,036
M_-R05-C11	Heated Air Ride Suspension Seat - Cloth ..... Includes: Heat On/Off Switch on the Back of the Seat	\$581
M_-R05-C12	Heated Air Ride Suspension Seat - Cloth 3 Point Belt..... Includes: Heat On/Off Switch on the Back of the Seat	\$581
M_-R07-C02	Sound Reduction for Manual Controls..... Reduces Operator and By-Stander Noise Levels. Available for Enclosed Cabs with Manual Controls Only.	\$585
M_-R07-C03	Sound Reduction for SJC Controls..... Reduces Operator and By-Stander Noise Levels. Available on Enclosed Cabs with SJC Controls Only.	\$585
M_-R08-C02	Radio Ready..... Includes: Speakers and Antenna Order Radio Head Unit Kit (Radio & Cradle) 7384580 from Parts.	\$180

### Bobcat Compact Track Loader

Part Number	Description	Individual Factory Options	SLP in US \$
<b><u>Individual Cab Options cont.</u></b>			
M_-R08-C03	Touch Display.....	7" Touch Screen Display with Integrated AM/FM Weatherband Radio, Bluetooth, USB Charging and Hands Free calling. Includes Speakers and Antenna. Monitors Key Loader Functions, Communicates Alerts and Provides Additional Attachment Information to Track Usage. *Requires Deluxe Headliner on a Non-Enclosed Cab.	\$1,806
M_-R27-C02	Deluxe Headliner.....	Standard Headliner with Dome Light and Location for Hands Free Microphone. *Required for Touch Display on Non-Enclosed Cabs.	\$86
M_-R52-C03	Rear Camera.....	Compatible with Standard Display OR Touch Display.	\$450
M_-R55-C02	Premium LED Lights.....	Front LED Lights with Extended Corner View Lighting.	\$268
<b><u>Individual Performance Options</u></b>			
M_-R03-C03	High-Flow Hydraulics.....	Provides 30.5 GPM and 3500 PSI for Attachment Operation. When Adding High-Flow Hydraulics the 7-Pin Attachment Control will Automatically be Added.	\$2,295
M_-R04-C02	Two-Speed Travel .....	Includes Two-Speed Travel Motors and 3-Point Seat Belt Low Travel Speed 7.2 MPH, High Travel Speed 10.2 MPH	\$2,681
M_-R06-C03	Power Bob-Tach.....	Connect and Disconnect Non-Hydraulic Attachments from Inside the Cab.	\$1,053
M_-R11-C02	Dual Direction Bucket Positioning.....	Bucket Positioning Helps the Operator Keep the Same Tilt of the Load During Lifting (Up) and Retracting (Down). Includes On/Off Switch. This Option is Only Available with the Power Bob-Tach Option.	\$1,201
M_-R28-C02	7-Pin Attachment Control.....	Electrical Connection for Selected Attachments. *Required for High Flow Hydraulics.	\$300
M_-R32-C02	Reversing Fan.....	Temporarily Reverses the Cooling Fan Direction to Blow Dust and Small Debris from the Radiator and Rear Screens. Includes Three. Operating Modes: Automatic, Momentary, and OFF.	\$754
M_-R33-C02	Automatic Ride Control.....	Automatically Activates by Detecting Increased Hydraulic Lift Arm Pressure when the Loader is Carrying Material. Includes On/Off Switch.	\$907

### Bobcat Compact Track Loader



#### Standard Equipment

- |   |  |
|---|--|
| 68.0 HP Tier 4 V2 Bobcat Engine (T64)   | Lift Path: Vertical  |
| 74.0 HP Tier 4 V2 Bobcat Engine (T66)   | Lights, Front & Rear LED   |
| Auxiliary Hydraulics: Variable Flow   | Operator Cab   |
| Backup Alarm  | - Includes: Adjustable Vinyl Suspension Seat, Top & Rear Windows, Parking Brake, Seat Bar & Seat Belt                          |
| Bob-Tach  | - Roll Over Protective Structure (ROPS) meets SAE-J1040 & ISO 3471   |
| Bobcat Interlock Control System (BICS)  | - Falling Object Protective Structure (FOPS) meets SAE-J1043 & ISO 3449, Level I; (Level II is available through Bobcat Parts) |
| Controls: Bobcat Standard   | Parking Brake: Spring Applied, Pressure Released (SAPR)  |
| Cylinder Cushioning - Lift, Tilt  | Solid Mounted Carriage with 4 Rollers  |
| Engine/Hydraulic Performance De-rate Protection                                       | Tracks: Rubber, 12.6" Wide   |
| Glow Plugs (Automatically Activated)  | Warranty: 2 years, or 2000 hours whichever occurs first  |
| Horn  | Machine IQ Telematics  |
| Instrumentation: 5" Display Panel (Rear Camera Ready)                                 |  |
| - Engine Temperature & Fuel Gauges, Hourmeter, RPM, Warning Indicators & other vitals |  |
| Lift Arm Support  |  |

#### Quick Specs

	<b><u>T64</u></b>	<b><u>T66</u></b>
Rated Operating Capacity - 35% of Tipping Load.....	2,300 lbs.	2,450 lbs.
- with Torsion Suspension.....	2,200 lbs.	2,350 lbs.
Rated Operating Capacity - 50% of Tipping Load.....	3,286 lbs.	3,500 lbs.
Tipping Load.....	6,571 lbs.	7,000 lbs.
Engine Model.....	2.4L V2	2.4L V2
Engine Fuel/Cooling.....	Diesel/Liquid	Diesel/Liquid
Horsepower.....	68	74
Hydraulic Pump Capacity-Standard Flow.....	17.6 GPM	17.6 GPM
Hydraulic Pump Capacity-High Flow (Optional).....	26.9 GPM	26.9 GPM
Travel Speed.....	7.2 MPH	7.2 MPH
Travel Speed - Two Speed.....	10.2 MPH	10.2 MPH
Operating Weight.....	8,727 lbs.	8,927 lbs.
- with Torsion Suspension.....	9,348 lbs.	9,548 lbs.
Shipping Weight.....	8,035 lbs.	8,235 lbs.
Cab Height.....	80.5"	80.5"
Width (w/out Attachment).....	67.0"	67.0"
- with Torsion Suspension.....	72.4	72.4
Width with Wide Track Option (w/out Attachment).....	70.2"	70.2"
- with Torsion Suspension.....	73.4	73.4
Length (w/out Attachment).....	107.0"	107.0"
Ground Contact Length.....	54.3"	54.3"
Reach at Maximum Height.....	36.7"	36.7"
Height to Hinge Pin.....	120.0"	120.0"

### Bobcat Compact Track Loader

Part Number	Description	Compact Track Loader	SLP In US \$
M0363	T64 Compact Track Loader.....		\$58,398
M0349	T66 Compact Track Loader.....		\$59,608

Part Number	Description	Machine Configuration	SLP In US \$
-------------	-------------	-----------------------	--------------

CAN BE SELECTED WITH PACKAGES OR WITH INDIVIDUAL OPTIONS

Tracks/Undercarriage

M_-R09-C02	15.7" C-Pattern Tracks..... Compatible with Solid Mounted or Torsion Suspension Carriages. Loader width is 70.2".		\$1,597
M_-R09-C05	12.6" Multi Bar Track..... Compatible with Solid Mounted or Torsion Suspension Carriages. Loader width is 67.0".		\$612
M_-R21-C13	5-Link Torsion Suspension Undercarriage..... Compatible with 12.6" Tracks (Loader Width 72.4") or 15.7" Tracks (Loader Width 73.3") *Two-Speed Travel is required and Will be Automatically Added.		\$2,397

Controls

M_-R01-C04	Selectable Joystick Control (SJC)..... Features include: Selectable patterns (ISO or H-Pattern), Auto Idle, Horsepower Management, Speed Management, Drive Response, Drift Compensation and Foot Pedal for Engine Speed Control.		\$811
------------	---	--	-------

Part Number	Description	Comfort Packages	SLP In US \$
-------------	-------------	------------------	--------------

MUST SELECT ONE COMFORT AND ONE PERFORMANCE PACKAGE OR SELECT INDIVIDUAL OPTIONS

M_-P07-C40	C40 Comfort Package..... Includes: Open Cab, Radio Ready, Deluxe Headliner, and Adjustable Vinyl Suspension Seat.		\$726
M_-P07-C52	C52 Comfort Package..... Includes: Enclosed Cab with HVAC, Sound Reduction, Radio Ready, HVAC Headliner, and Adjustable Vinyl Suspension Seat.		\$5,157
M_-P07-C68	C68 Comfort Package..... Includes: Enclosed Cab with HVAC, Sound Reduction, Touch Display with Radio & Bluetooth, Heated Cloth Air Ride Suspension Seat, Premium LED Lights, and Rear Camera.		\$7,480
M_-P07-C77	C77 Comfort Package..... Includes: Clear Side Enclosed Cab with HVAC, Sound Reduction, Radio Ready, and Heated Cloth Air Ride Suspension Seat.		\$6,818
M_-P07-C88	C88 Comfort Package..... Includes: Clear Side Enclosed Cab with Auto HVAC, Sound Reduction, Touch Display with Radio & Bluetooth, Heated Cloth Air Ride Suspension Seat, Premium LED Lights, and Rear Camera.		\$9,118

### Bobcat Compact Track Loader

Part Number	Description	Performance Packages	SLP In US \$
-------------	-------------	----------------------	--------------

**MUST SELECT ONE COMFORT AND ONE PERFORMANCE PACKAGE OR SELECT INDIVIDUAL OPTIONS**

**Standard Flow Packages**

M_-P06-P17	P17 Performance Package.....		\$2,128
	Includes: Power Bob-Tach, 7-Pin Attachment Control, and Dual Direction Bucket Positioning.		
M_-P06-P27	P27 Performance Package.....		\$4,361
	Includes: Power Bob-Tach, 7-Pin Attachment Control, Two-Speed Travel, and Dual Direction Bucket Positioning.		
M_-P06-P29	P29 Performance Package.....		\$5,745
	Includes: Power Bob-Tach, Attachment Control, Two-Speed, Dual Direction Bucket Positioning, Automatic Ride Control, and Reversing Fan.		

**High Flow Packages**

M_-P06-P67	P67 Performance Package.....		\$6,274
	Includes: Power Bob-Tach, 7-Pin Attachment Control, Two-Speed Travel, High Flow, and Dual Direction Bucket Positioning.		
M_-P06-P69	P69 Performance Package.....		\$7,658
	Includes: Power Bob-Tach, 7-Pin Attachment Control, High Flow, Two-Speed, Dual Direction Bucket Positioning, Automatic Ride Control, and Reversing Fan.		

Part Number	Description	Individual Factory Options	SLP in US \$
-------------	-------------	----------------------------	--------------

**CANNOT BE ADDED TO ANY ORDER WITH COMFORT AND PERFORMANCE PACKAGE SELECTION**

*NOTE: Individual Options SLP includes a 20% premium when compared to ordering the option in a package*

NOTE: Several individual options may require additional equipment, see details below. If the option requires additional equipment the Bobcat ordering systems will automatically add the required equipment to the order.

**Individual Cab Options**

M_-R02-C03	Enclosed Cab with HVAC.....		\$4,626
	Enclosed Cab with Side Screens, Door, Heat and Air Conditioning.		
M_-R02-C04	Clear Side Enclosed Cab with Auto HVAC.....		\$6,591
	Clear Side Enclosed Cab with Heavy Duty Polycarbonate Side Windows, Auto Heat, and Air Conditioning. *Touch Display is Required and Will be Automatically Added.		
M_-R02-C05	Clear Side Enclosed Cab with HVAC.....		\$6,036
	Clear Side Enclosed Cab with Heavy Duty Polycarbonate Side Windows, Heat and Air Conditioning.		
M_-R05-C11	Heated Air Ride Suspension Seat - Cloth .....		\$581
	Includes: Heat On/Off Switch on the Back of the Seat		
M_-R05-C12	Heated Air Ride Suspension Seat - Cloth 3 Point Belt.....		\$581
	Includes: Heat On/Off Switch on the Back of the Seat		
M_-R07-C02	Sound Reduction for Manual Controls.....		\$585
	Reduces Operator and By-Stander Noise Levels. Available for Enclosed Cabs with Manual Controls Only.		
M_-R07-C03	Sound Reduction for SJC Controls.....		\$585
	Reduces Operator and By-Stander Noise Levels. Available on Enclosed Cabs with SJC Controls Only.		
M_-R08-C02	Radio Ready.....		\$180
	Includes: Speakers and Antenna Order Radio Head Unit Kit (Radio & Cradle) 7384580 from Parts.		



### Bobcat Compact Track Loader

Part Number	Description	Individual Factory Options	SLP in US \$
<b><i>Individual Cab Options cont.</i></b>			
M_-R08-C03	Touch Display.....	7" Touch Screen Display with Integrated AM/FM Weatherband Radio, Bluetooth, USB Charging and Hands Free calling. Includes Speakers and Antenna. Monitors Key Loader Functions, Communicates Alerts and Provides Additional Attachment Information to Track Usage. *Requires Deluxe Headliner on a Non-Enclosed Cab.	\$1,806
M_-R27-C02	Deluxe Headliner.....	Standard Headliner with Dome Light and Location for Hands Free Microphone. *Required for Touch Display on Non-Enclosed Cabs.	\$86
M_-R52-C03	Rear Camera.....	Compatible with Standard Display OR Touch Display.	\$450
M_-R55-C02	Premium LED Lights.....	Front LED Lights with Extended Corner View Lighting.	\$268
<b><i>Individual Performance Options</i></b>			
M_-R03-C03	High-Flow Hydraulics.....	Provides 30.5 GPM and 3500 PSI for Attachment Operation. When Adding High-Flow Hydraulics the 7-Pin Attachment Control will Automatically be Added.	\$2,295
M_-R04-C02	Two-Speed Travel .....	Includes Two-Speed Travel Motors and 3-Point Seat Belt Low Travel Speed 7.2 MPH, High Travel Speed 10.2 MPH	\$2,681
M_-R06-C03	Power Bob-Tach.....	Connect and Disconnect Non-Hydraulic Attachments from Inside the Cab.	\$1,053
M_-R11-C02	Dual Direction Bucket Positioning.....	Bucket Positioning Helps the Operator Keep the Same Tilt of the Load During Lifting (Up) and Retracting (Down). Includes On/Off Switch. This Option is Only Available with the Power Bob-Tach Option.	\$1,201
M_-R28-C02	7-Pin Attachment Control.....	Electrical Connection for Selected Attachments. *Required for High Flow Hydraulics.	\$300
M_-R32-C02	Reversing Fan.....	Temporarily Reverses the Cooling Fan Direction to Blow Dust and Small Debris from the Radiator and Rear Screens. Includes Three. Operating Modes: Automatic, Momentary, and OFF.	\$754
M_-R33-C02	Automatic Ride Control.....	Automatically Activates by Detecting Increased Hydraulic Lift Arm Pressure when the Loader is Carrying Material. Includes On/Off Switch.	\$907

**Dealer Installed Accessories**

**(T62, T64, T66)**

Part Number	Description	SLP In US \$
-------------	-------------	--------------

**Cab Accessories – Enclosures, Doors, Windows**

7376903	Special Applications Polycarbonate Rear Window Kit..... Provides Added Operator Protection During Some Attachment Applications. Includes ½" Thick Polycarbonate Rear Window. Must Order a Side Windows Kit and Special Applications Front Door to Completely Enclose Cab. Est. Install Time: 0.5 hr.	\$ _____
7376904	Special Applications Polycarbonate Door & Rear Window..... Combines Kits 7376911 and 7376903. Est. Install Time 3.5 hrs.	\$ _____
7376906	Front Door Kit..... Includes: Window Wiper and Washer. Requires Option Panel.	\$ _____
7376907	FOPS Window Kit..... Added Polycarbonate Window and Plugs to FOPS Level II Structure. Est. Install Time: 10 min.	\$ _____
7376909	Polycarbonate Fixed Side Window Kit..... Kit to Convert Clear Side Cab Fixed Windows from Glass to Polycarbonate. Est. Install Time: 1 hr.	\$ _____
7376911	Special Applications Polycarbonate Door Kit..... Provides Added Operator Protection During Some Attachment Applications. Includes ½" Thick Polycarbonate Front Door. Must Order a Side Windows Kit and Special Applications Rear Window to Completely Enclose Cab. Est. Install Time: 3 hrs.	\$ _____
7376916	Sliding Side Windows Kit..... Includes Two Sliding Side Windows. Est. Install Time: 1 hr.	\$ _____

**Cab Accessories – Heat and Air Conditioning**

7389297	Heater Kit..... Converts base machine to heat only. Est. Install time: 5.0 hr.	\$ _____
7389016	Heating and Air Conditioning Kit (HVAC)..... Converts base machine to HVAC unit. Est. Install time: 3.0 hr.	\$ _____
7389298	Air Conditioning Kit..... Converts a heat only cab to HVAC. Install time 2.0 hr.	\$ _____

**Cab Accessories – Other**

7409986	Deluxe Cab Gas Spring Kit..... Higher Force Gas Spring Kit to Replace Standard Force Gas Spring Included on Base Cabs. Est. Install Time: 1 hr.	\$ _____
7350308	Floor Plate Kit..... “T” Floor Plate Kit Elevates Foot Pod Area. Est. Install Time: 0.5 hr.	\$ _____
7376915	Rear Window External Removal Kit..... Kit to be Able to Remove the Rear Window from Outside the Machine. Recommended for Use with Loader Radio Remote Control Kit. Est. Install Time: 1 hr.	\$ _____
7365198	Rear Wiper Kit..... Wiper is Activated by a Switch on the Rear Wiper Motor. Est. Install Time: 4 hrs.	\$ _____
7376910	Reseal Plugs Kit..... Includes Plugs to Seal Cab and Frame After the Removal of the Following: FOPS Kit, Single Point Lift Kit, Four Point Lift Kit, and Backhoe Attachment. Est. Install time: 1 hr.	\$ _____

**Counterweight Kits**

7407734	Counterweight Kit, 200 lbs..... Includes (4) 50 Pound Weights that Bolt to Rear Uprights of Loader. See Operator’s Manual for ROC Increase. Not Compatible with the Quick-Tach Water Kit or Rear Stabilizers. Est. Install Time: 1 hr.	\$ _____
---------	---	----------

**Dealer Installed Accessories**

**(T62, T64, T66)**

Part Number	Description	SLP In US \$
-------------	-------------	--------------

**Electrical Accessories**

7375340	Four Way Flasher / Turn Signal Kit..... Est. Install time: 1 hr.	\$ _____
7375338	Rotating Beacon Kit..... Est. Install time: 1 hr.	\$ _____
7340100	Strobe Light Kit, Amber..... Est. Install time: 1 hr.	\$ _____
7387670	Side Light Kit..... Adds Side Lights to cab. Install time 1.5 hr.	\$ _____
7387669	Premium LED Lights Kit ..... Replaces Standard LED Lights with extended corner view lighting. Est. Install time 1.0 hr.	\$ _____
7338240	Options Panel..... Keypad Panel Needed for Enclosed Cabs, Power Bob-Tach, Dual Direction Bucket Positioning, Return to Position, Automatic Ride Control, and Reversing Fan.	\$ _____
7395667	Options Controller Kit..... Needed for Power Bob-Tach, Dual Direction Bucket Positioning, and Automatic Ride Control.	\$ _____

**Engine Accessories**

7372533	Engine Block Heater Kit..... Est. Install time: 1.0 hr	\$ _____
---------	---	----------

**Instrumentation**

7384647	Keyed Ignition Kit..... Kit Contains Alternative Instrument Panel Cover, Keyed Ignition, Key, Switch and Harness. Est Install Time: 0.5 hrs.	\$ _____
---------	---	----------

**Loader Guard Kits**

7360711	Rear Work Lights Guard Kit..... Est. Install time: 0.5 hr.	\$ _____
7356719	Front Work Lights Guard Kit..... Est. Install time: 0.5 hr.	\$ _____
7355791	Rear Bumper Kit..... Includes bolt-on Rubber Bumper and mounting hardware. Helps protect the rear of the loader from damage due to scraping or contact with objects in tight places. Est. Install time: 1 hr.	\$ _____
7348481	Tailgate Guard Kit..... Provides Additional Protection to Tailgate with 1/4" Steel Plating. Est. Install Time: 2 hr.	\$ _____
7376907	FOPS Window Kit..... Added Polycarbonate Window and Plugs to FOPS Level II Structure. Est. Install Time: 10 min.	\$ _____

**Power Bob-Tach Kits**

7388378	Power Bob-Tach Kit (T64 & T66)..... Options Panel (7338240) & Controller (7395667) are required unless previously installed. Est. Install time: 2.0 hrs.	\$ _____
---------	---	----------

**Radio**

7384579	Radio Kit Full Install..... For Models not Radio Ready. Kit Includes Weatherproof AM/FM/NOAA Weather Band Radio, Radio Mounting Bracket, Speakers, Antenna, and Installation Hardware. Est. Install Time: 3 hrs.	\$ _____
7384580	Radio Completion Kit..... For Radio Ready Models. Kit Includes Weatherproof AM/FM/NOAA Weather Band Radio and Mount / Cradle. Est. Install Time: 0.5 hrs	\$ _____

**Dealer Installed Accessories  
(T62, T64, T66)**

Part Number	Description	SLP In US \$
-------------	-------------	--------------

**Rear Camera Kit**

7384581	Rear Camera..... Compatible with Standard Panel OR Touch Display. Includes Camera and Harness. Est. Install Time: 0.5 hrs.	\$ _____
---------	---	----------

**Reversing Fan Kits**

7360690	Reversing Fan Kit..... Temporarily Reverses Cooling Fan Direction to Blow Dust and Small Debris From the Radiator and Rear Screens. Includes Three Operating Modes: Automatic, Momentary, and OFF. *Requires Option Panel 7338240 if not Already Installed. Est. Install Time: 3 hrs.	\$ _____
---------	---	----------

**Automatic Ride Control Kits**

7388376	Automatic Ride Control Kit..... Provides a Smoother Ride by Cushioning the Lift Arms when Traveling Over Rough Terrain. *Options Panel (7338240) and Controller (7395667) Required. Est. Install Time: 1.5 hrs.	\$ _____
---------	---	----------

**Seats & Seat Belts**

7376257	Seat Belt Kit, 2", 3-Point..... For use with Suspension Seat only. Includes 2" Shoulder Belt and 2" Lap Belt. Est. Install Time: 0.5 hr.	\$ _____
7376258	Seat Belt Kit-3", 2-Point..... For use with Suspension Seat and Single Speed Only. Includes 3" Retractable Lap Belt. Est. Install Time: 0.5 hr.	\$ _____
7376259	Seat Belt Kit-3", 3-Point..... For use with Suspension Seat Only. Includes 2" Shoulder Belt and 3" Lap Belt. Est. Install Time: 0.5 hr.	\$ _____
7376274	Suspension Seat ..... Vinyl Material. Must Also Order a Seat Belt Kit Unless Previously Equipped with Suspension Seat. Est. Install Time: 1 hr.	\$ _____
7376275	Suspension Seat, Air Ride..... Vinyl Material. Must Also Order a Seat Belt Kit Unless Previously Equipped with Suspension Seat. Est. Install Time: 1 hr.	\$ _____

**Sound Reduction Kits**

7369523	Sound Reduction Kit - Manual Controls..... Includes Insulating Materials and a Hydraulic Muffler to Reduce Sound Levels at the Operator's Ear and for Bystanders. Use on Manual Control Units Only. Est. Install time: 2 hrs.	\$ _____
7369524	Sound Reduction Kit - SJC Controls..... Includes Insulating Materials and a Hydraulic Muffler to Reduce Sound Levels at the Operator's Ear and for Bystanders. Use on SJC Control Units Only. Est. Install time: 2 hrs.	\$ _____
7371678	Hydraulic Muffler Kit ..... Reduces Hydraulic Resonance and Noise. Est. Install time: 1 hr.	\$ _____

**Dealer Installed Accessories**

**(T62, T64, T66)**

Part Number	Description	SLP In US \$
<u><i>Training Kits</i></u>		
7249275	Bobcat Loader Operator Training Kit.....	\$ _____
6900641	Bobcat Loader Service Training Kit.....	\$ _____
6904762	Bobcat Operator Safety DVD..... Includes All of the 10 Minute Operator Safety Videos in Both English and Spanish.	\$ _____
7394360	Manual Reference Translation Kits T62..... Adds Bobcat Engine Manual Reference Assemblies into Translation Kits	\$ _____
7394361	Manual Reference Translation Kits T64..... Adds Bobcat Engine Manual Reference Assemblies into Translation Kits	\$ _____
7394362	Manual Reference Translation Kits T66..... Adds Bobcat Engine Manual Reference Assemblies into Translation Kits	\$ _____
<u><i>Other Accessories</i></u>		
7360019	Fire Extinguisher Kit..... Est. Install Time: 0.5 hr.	\$ _____

## Bobcat Compact Track Loader



### Standard Equipment

74.0 HP Tier 4 V2 Bobcat Engine	Lift Path: Vertical
Auxiliary Hydraulics: Variable Flow	Lights, Front & Rear LED
Backup Alarm	Operator Cab
Bob-Tach	- Includes: Adjustable Vinyl Suspension Seat, Top & Rear Windows, Parking Brake, Seat Bar & Seat Belt
Bobcat Interlock Control System (BICS TM)	- Roll Over Protective Structure (ROPS) meets SAE-J1040 & ISO 3471
Controls: Selectable Joystic Controls	- Falling Object Protective Structure (FOPS) meets SAE-J1043 & ISO 3449, Level I; (Level II is available through Bobcat Parts)
Cylinder Cushioning - Lift, Tilt	Parking Brake: Spring Applied, Pressure Released (SAPR)
Engine/Hydraulic Performance De-rate Protection	Solid Mounted Carriage with 4 Rollers
Glow Plugs (Automatically Activated)	Tracks: Rubber, 12.6" Wide
Horn	Warranty: 2 years, or 2000 hours whichever occurs first
Instrumentation: Keyless Start with	Machine IQ Telematics
- 5" Display Panel (Rear Camera Ready) with Engine Temperature & Fuel Gauges, Hourmeter, RPM, Warning Indicators & other vitals	
Lift Arm Support	

### Quick Specs

	<b>T76</b>
Rated Operating Capacity - 35% of Tipping Load.....	2,900 lbs.
- with Torsion Suspension.....	2,800 lbs
Rated Operating Capacity - 50% of Tipping Load.....	4,143 lbs.
Tipping Load.....	8,285 lbs.
Engine Model.....	2.4L V2
Engine Fuel/Cooling.....	Diesel/Liquid
Horsepower.....	74
Hydraulic Pump Capacity-Standard Flow.....	23.3 GPM
Hydraulic Pump Capacity-High Flow (Optional).....	30.3 GPM
Travel Speed.....	6.8 MPH
Travel Speed - Two Speed.....	9.2 MPH
Operating Weight.....	10,250 lbs.
- with Torsion Suspension.....	10,620 lbs.
Shipping Weight.....	9,460 lbs.
Cab Height.....	81.8"
Width (w/out Attachment).....	72.9"
- with Torsion Suspension.....	74.3"
Width with Wide Track Option (w/out Attachment).....	78.0"
- with Torsion Suspension.....	78.0"
Length (w/out Attachment).....	113.9"
Ground Contact Length.....	60.1"
Reach at Maximum Height.....	37.4"
Height to Hinge Pin.....	128.3"

### Bobcat Compact Track Loader

Part Number	Description	Compact Track Loader	SLP In US \$
-------------	-------------	----------------------	--------------

M0371	T76 Compact Track Loader .....		\$67,366
-------	--------------------------------	--	----------

Part Number	Description	Machine Configuration	SLP In US \$
-------------	-------------	-----------------------	--------------

CAN BE SELECTED WITH PACKAGES OR WITH INDIVIDUAL OPTIONS

Tracks/Undercarriage

M_-R09-C02	17.7" C-Pattern Tracks..... Compatible with Solid Mounted or Torsion Suspension Carriages. Loader width is 78".		\$1,661
M_-R09-C05	17.7" Multi Bar Track..... Compatible with Solid Mounted or Torsion Suspension Carriages. Loader width is 78".		\$714
M_-R21-C13	5-Link Torsion Suspension Undercarriage..... Compatible with 12.6" Tracks (Loader Width 72.4") or 15.7" Tracks (Loader Width 73.3") *Two-Speed Travel is Required and Will be Automatically Added.		\$2,482

Part Number	Description	Comfort Packages	SLP In US \$
-------------	-------------	------------------	--------------

MUST SELECT ONE COMFORT AND ONE PERFORMANCE PACKAGE OR SELECT INDIVIDUAL OPTIONS

M_-P07-C40	C40 Comfort Package..... Includes: Open Cab, Radio Ready, Deluxe Headliner, and Adjustable Vinyl Suspension Seat.		\$726
M_-P07-C52	C52 Comfort Package..... Includes: Enclosed Cab with HVAC, Sound Reduction, Radio Ready, HVAC Headliner, and Adjustable Vinyl Suspension Seat.		\$5,157
M_-P07-C68	C68 Comfort Package..... Includes: Enclosed Cab with HVAC, Sound Reduction, Touch Display with Radio & Bluetooth, Heated Cloth Air Ride Suspension Seat, Premium LED Lights, and Rear Camera.		\$7,480
M_-P07-C77	C77 Comfort Package..... Includes: Clear Side Enclosed Cab with HVAC, Sound Reduction, Radio Ready, and Heated Cloth Air Ride Suspension Seat.		\$6,818
M_-P07-C88	C88 Comfort Package..... Includes: Clear Side Enclosed Cab with Auto HVAC, Sound Reduction, Touch Display with Radio & Bluetooth, Heated Cloth Air Ride Suspension Seat, Premium LED Lights, and Rear Camera.		\$9,118

Part Number	Description	Performance Packages	SLP In US \$
-------------	-------------	----------------------	--------------

MUST SELECT ONE COMFORT AND ONE PERFORMANCE PACKAGE OR SELECT INDIVIDUAL OPTIONS

Standard Flow Packages

M_-P06-P17	P17 Performance Package..... Includes: Power Bob-Tach, 7-Pin Attachment Control, and Dual Direction Bucket Positioning.		\$2,128
M_-P06-P27	P27 Performance Package..... Includes: Power Bob-Tach, 7-Pin Attachment Control, Two-Speed Travel, and Dual Direction Bucket Positioning.		\$4,361
M_-P06-P29	P29 Performance Package..... Includes: Power Bob-Tach, Attachment Control, Two-Speed, Dual Direction Bucket Positioning, Automatic Ride Control, and Reversing Fan.		\$5,745

### Bobcat Compact Track Loader

Part Number	Description	Performance Packages	SLP In US \$
-------------	-------------	----------------------	--------------

**MUST SELECT ONE COMFORT AND ONE PERFORMANCE PACKAGE OR SELECT INDIVIDUAL OPTIONS**

**High Flow Packages**

M_-P06-P67	P67 Performance Package.....		\$6,652
	Includes: Power Bob-Tach, 7-Pin Attachment Control, Two-Speed Travel, High Flow, and Dual Direction Bucket Positioning.		
M_-P06-P69	P69 Performance Package.....		\$8,036
	Includes: Power Bob-Tach, 7-Pin Attachment Control, High Flow, Two-Speed, Dual Direction Bucket Positioning, Automatic Ride Control, and Reversing Fan.		
M_-P06-P95	Features On Demand.....		\$3,941
	Includes: Power Bob-Tach, 7-Pin Attachment Control as Standard. Features that can be Enabled: Two-Speed, Dual Direction Bucket Positioning, Automatic Ride Control, Reversing Fan, and High Flow.		

Part Number	Description	Individual Factory Options	SLP in US \$
-------------	-------------	----------------------------	--------------

**CANNOT BE ADDED TO ANY ORDER WITH COMFORT AND PERFORMANCE PACKAGE SELECTION**

*NOTE: Individual Options SLP includes a 20% premium when compared to ordering the option in a package*

NOTE: Several individual options may require additional equipment, see details below. If the option requires additional equipment the Bobcat ordering systems will automatically add the required equipment to the order.

**Individual Cab Options**

M_-R02-C03	Enclosed Cab with HVAC.....		\$4,626
	Enclosed Cab with Side Screens, Door, Heat and Air Conditioning.		
M_-R02-C04	Clear Side Enclosed Cab with Auto HVAC.....		\$6,591
	Clear Side Enclosed Cab with Heavy Duty Polycarbonate Side Windows, Auto Heat, and Air Conditioning. *Touch Display is Required and Will be Automatically Added.		
M_-R02-C05	Clear Side Enclosed Cab with HVAC.....		\$6,036
	Clear Side Enclosed Cab with Heavy Duty Polycarbonate Side Windows, Heat and Air Conditioning.		
M_-R05-C11	Heated Air Ride Suspension Seat - Cloth .....		\$581
	Includes: Heat On/Off Switch on the Back of the Seat		
M_-R05-C12	Heated Air Ride Suspension Seat - Cloth 3 Point Belt.....		\$581
	Includes: Heat On/Off Switch on the Back of the Seat		
M_-R07-C03	Sound Reduction for SJC Controls.....		\$585
	Reduces Operator and By-Stander Noise Levels. Available on Enclosed Cabs with SJC Controls Only.		
M_-R08-C02	Radio Ready.....		\$180
	Includes: Speakers and Antenna Order Radio Head Unit Kit (Radio & Cradle) 7384580 from Parts.		
M_-R08-C03	Touch Display.....		\$1,806
	7" Touch Screen Display with Integrated AM/FM Weatherband Radio, Bluetooth, USB Charging and Hands Free calling. Includes Speakers and Antenna. Monitors Key Loader Functions, Communicates Alerts and Provides Additional Attachment Information to Track Usage. *Requires Deluxe Headliner on a Non-Enclosed Cab.		
M_-R27-C02	Deluxe Headliner.....		\$86
	Standard Headliner with Dome Light and Location for Hands Free Microphone. *Required for Touch Display on Non-Enclosed Cabs.		



### Bobcat Compact Track Loader

Part Number	Description	Individual Factory Options	SLP in US \$
<b><u>Individual Cab Options cont.</u></b>			
M_-R52-C03	Rear Camera.....	Compatible with Standard Display OR Touch Display.	\$450
M_-R55-C02	Premium LED Lights.....	Front LED Lights with Extended Corner View Lighting.	\$268
<b><u>Individual Performance Options</u></b>			
M_-R03-C03	High-Flow Hydraulics.....	Provides 30.5 GPM and 3500 PSI for Attachment Operation. When Adding High-Flow Hydraulics the 7-Pin Attachment Control will Automatically be Added.	\$2,749
M_-R04-C02	Two-Speed Travel .....	Includes Two-Speed Travel Motors and 3-Point Seat Belt Low Travel Speed 7.2 MPH, High Travel Speed 10.2 MPH	\$2,681
M_-R06-C03	Power Bob-Tach.....	Connect and Disconnect Non-Hydraulic Attachments from Inside the Cab.	\$1,053
M_-R11-C02	Dual Direction Bucket Positioning.....	Bucket Positioning Helps the Operator Keep the Same Tilt of the Load During Lifting (Up) and Retracting (Down). Includes On/Off Switch. This Option is Only Available with the Power Bob-Tach Option.	\$1,001
M_-R28-C02	7-Pin Attachment Control.....	Electrical Connection for Selected Attachments. *Required for High Flow Hydraulics.	\$300
M_-R32-C02	Reversing Fan.....	Temporarily Reverses the Cooling Fan Direction to Blow Dust and Small Debris from the Radiator and Rear Screens. Includes Three. Operating Modes: Automatic, Momentary, and OFF.	\$754
M_-R33-C02	Automatic Ride Control.....	Automatically Activates by Detecting Increased Hydraulic Lift Arm Pressure when the Loader is Carrying Material. Includes On/Off Switch.	\$907

(T76)

Part Number	Description	Order & Enable via App - Features On Demand	SLP In US \$
-------------	-------------	---	--------------

**MUST HAVE FEATURES ON DEMAND PERFORMANCE PACKAGE**

*NOTE: 1-5 Options, No Time Increase With Additional Options in Same Transaction  
Order and enable via app, available on iOS and Android*

9986490	Automatic Ride Control Enable.....		\$569
	Est. Install Time: 0.25 hr		
9986489	Dual Direction Bucket Positioning Enable.....		\$625
	Est. Install Time: 0.25 hr		
9986487	High Flow Hydraulics Enable.....		\$1,685
	Est. Install Time: 0.25 hr		
9986491	Reversing Fan Enable.....		\$475
	Est. Install Time: 0.25 hr		
9986488	Two Speed Travel Enable.....		\$1,676
	Est. Install Time: 0.25 hr		

Part Number	Description	Dealer Installed Accessories - Order From Parts	SLP In US \$
-------------	-------------	---	--------------

**Cab Accessories – Enclosures, Doors, Windows**

7376903	Special Applications Polycarbonate Rear Window Kit.....		\$ _____
	Provides Added Operator Protection During Some Attachment Applications. Includes ½" Thick Polycarbonate Rear Window. Must Order a Side Windows Kit and Special Applications Front Door to Completely Enclose Cab. Est. Install Time: 0.5 hr.		
7376904	Special Applications Polycarbonate Door & Rear Window.....		\$ _____
	Combines Kits 7376911 and 7376903. Est. Install Time 3.5 hrs.		
7376906	Front Door Kit.....		\$ _____
	Includes: Window Wiper and Washer. Requires Option Panel.		
7376907	FOPS Window Kit.....		\$ _____
	Added Polycarbonate Window and Plugs to FOPS Level II Structure. Est. Install Time: 10 min.		
7376909	Polycarbonate Fixed Side Window Kit.....		\$ _____
	Kit to Convert Clear Side Cab Fixed Windows from Glass to Polycarbonate. Est. Install Time: 1 hr.		
7376911	Special Applications Polycarbonate Door Kit.....		\$ _____
	Provides Added Operator Protection During Some Attachment Applications. Includes ½" Thick Polycarbonate Front Door. Must Order a Side Windows Kit and Special Applications Rear Window to Completely Enclose Cab. Est. Install Time: 3 hrs.		
7376916	Sliding Side Windows Kit.....		\$ _____
	Includes Two Sliding Side Windows. Est. Install Time: 1 hr.		

**Cab Accessories – Heat and Air Conditioning**

7386247	Heater Kit.....		\$ _____
	Converts base machine to heat only. Est. Install time: 5.0 hr.		
7386248	Heating and Air Conditioning Kit (HVAC).....		\$ _____
	Converts base machine to HVAC unit. Est. Install time: 3.0 hr.		
7386250	Air Conditioning Kit.....		\$ _____
	Converts a heat only cab to HVAC. Install time 2.0 hr.		

**Dealer Installed Accessories  
(T76)**

Part Number	Description	SLP In US \$
-------------	-------------	--------------

**Cab Accessories – Other**

7350308	Floor Plate Kit..... “T” Floor Plate Kit Elevates Foot Pod Area. Est. Install Time: 0.5 hr.	\$ _____
7365198	Rear Wiper Kit..... Wiper is Activated by a Switch on the Rear Wiper Motor. Est. Install Time: 4 hrs.	\$ _____
7376910	Reseal Plugs Kit..... Includes Plugs to Seal Cab and Frame After the Removal of the Following: FOPS Kit, Single Point Lift Kit, Four Point Lift Kit, and Backhoe Attachment. Est. Install time: 1 hr.	\$ _____
7376914	Deluxe Cab Gas Spring Kit..... Higher Force Gas Spring Kit to Replace Standard Force Gas Spring Included on Base Cabs. Est. Install Time: 1 hr.	\$ _____
7376915	Rear Window External Removal Kit..... Kit to be Able to Remove the Rear Window from Outside the Machine. Recommended for Use with Loader Radio Remote Control Kit. Est. Install Time: 1 hr.	\$ _____

**Counterweight Kits**

7407734	Counterweight Kit, 200 lbs..... Includes (4) 50 Pound Weights that Bolt to Rear Uprights of Loader. See Operator’s Manual for ROC Increase. Not Compatible with the Quick-Tach Water Kit or Rear Stabilizers. Est. Install Time: 1 hr.	\$ _____
7407736	Counterweight Kit, 300 lbs..... Includes (6) 50 Pound Weights that Bolt to Rear Uprights of Loader. See Operator’s Manual for ROC Increase. Not Compatible with the Quick-Tach Water Kit or Rear Stabilizers. Est. Install Time: 1 hr.	\$ _____

**Electrical Accessories**

7340100	Strobe Light Kit, Amber..... Est. Install time: 1 hr.	\$ _____
7375338	Rotating Beacon Kit..... Est. Install time: 1 hr.	\$ _____
7375340	Four Way Flasher / Turn Signal Kit..... Est. Install time: 1 hr.	\$ _____
7387669	Premium LED Lights Kit ..... Replaces Standard LED Lights with extended corner view lighting. Est. Install time 1.0 hr.	\$ _____
7387670	Side Light Kit..... Adds Side Lights to cab. Install time 1.5 hr.	\$ _____
7338240	Options Panel..... Keypad Panel Needed for Enclosed Cabs, Power Bob-Tach, Dual Direction Bucket Positioning, Return to Position, Automatic Ride Control, and Reversing Fan.	\$ _____
7395667	Options Controller Kit..... Needed for Power Bob-Tach, Dual Direction Bucket Positioning, and Automatic Ride Control.	\$ _____

**Engine Accessories**

7372533	Engine Block Heater Kit..... Est. Install time: 1.0 hr	\$ _____
---------	---	----------

**Hydraulic Accessories**

7307980	Rear Auxiliary Hydraulic Kit..... Provides a Flow of 8.5 GPM. Est. Install Time: 10 hrs.	\$ _____
---------	---	----------

**Dealer Installed Accessories  
(T76)**

Part Number	Description	SLP In US \$
-------------	-------------	--------------

**Instrumentation**

7384647 Keyed Ignition Kit..... \$ \_\_\_\_\_  
 Kit Contains Alternative Instrument Panel Cover, Keyed Ignition, Key, Switch and Harness. Est Install Time: 0.5 hrs.

**Lift Kits**

7317266 Four Point Lift Kit..... \$ \_\_\_\_\_  
 Est. Install time: 2 hrs.

7320038 Single Point Lift Kit..... \$ \_\_\_\_\_  
 Est. Install time: 3 hrs.

**Loader Guard Kits**

7348481 Tailgate Guard Kit..... \$ \_\_\_\_\_  
 Provides Additional Protection to Tailgate with 1/4" Steel Plating. Est. Install Time: 2 hr.

7355791 Rear Bumper Kit..... \$ \_\_\_\_\_  
 Includes bolt-on Rubber Bumper and mounting hardware. Helps protect the rear of the loader from damage due to scraping or contact with objects in tight places. Est. Install time: 1 hr.

7356719 Front Work Lights Guard Kit..... \$ \_\_\_\_\_  
 Est. Install time: 0.5 hr.

7360711 Rear Work Lights Guard Kit..... \$ \_\_\_\_\_  
 Est. Install time: 0.5 hr.

7376907 FOPS Window Kit..... \$ \_\_\_\_\_  
 Added Polycarbonate Window and Plugs to FOPS Level II Structure. Est. Install Time: 10 min.

**Power Bob-Tach Kits**

7360584 Power Bob-Tach Kit (T76)..... \$ \_\_\_\_\_  
 Options Panel (7338240) & Controller (7395667) are Required Unless Previously Installed. Est. Install Time: 2.0 hrs.

**Radio**

7384579 Radio Kit Full Install..... \$ \_\_\_\_\_  
 For Models not Radio Ready. Kit Includes Weatherproof AM/FM/NOAA Weather Band Radio, Radio Mounting Bracket, Speakers, Antenna, and Installation Hardware. Est. Install Time: 3 hrs.

7384580 Radio Completion Kit..... \$ \_\_\_\_\_  
 For Radio Ready Models. Kit Includes Weatherproof AM/FM/NOAA Weather Band Radio and Mount / Cradle. Est. Install Time: 0.5 hrs

**Rear Camera Kit**

7384581 Rear Camera..... \$ \_\_\_\_\_  
 Compatible with Standard Panel OR Touch Display. Includes Camera and Harness. Est. Install Time: 0.5 hrs.

**Reversing Fan Kits**

7360690 Reversing Fan Kit..... \$ \_\_\_\_\_  
 Temporarily Reverses Cooling Fan Direction to Blow Dust and Small Debris From the Radiator and Rear Screens. Includes Three Operating Modes: Automatic, Momentary, and OFF.  
 \*Requires Option Panel 7338240 if not Already Installed. Est. Install Time: 3 hrs.

**Automatic Ride Control Kits**

7360582 Automatic Ride Control Kit..... \$ \_\_\_\_\_  
 Provides a Smoother Ride by Cushioning the Lift Arms when Traveling Over Rough Terrain.  
 \*Options Panel (7338240) and Controller (7395667) Required. Est. Install Time: 1.5 hrs.

**(T76)**

Part Number	Description	SLP In US \$
-------------	-------------	--------------

**Seats & Seat Belts**

7376257	Seat Belt Kit, 2", 3-Point..... For use with Suspension Seat only. Includes 2" Shoulder Belt and 2" Lap Belt. Est. Install Time: 0.5 hr.	\$ _____
7376258	Seat Belt Kit-3", 2-Point..... For use with Suspension Seat and Single Speed Only. Includes 3" Retractable Lap Belt. Est. Install Time: 0.5 hr.	\$ _____
7376259	Seat Belt Kit-3", 3-Point..... For use with Suspension Seat Only. Includes 2" Shoulder Belt and 3" Lap Belt. Est. Install Time: 0.5 hr.	\$ _____
7376274	Suspension Seat ..... Vinyl Material. Must Also Order a Seat Belt Kit Unless Previously Equipped with Suspension Seat. Est. Install Time: 1 hr.	\$ _____
7376275	Suspension Seat, Air Ride..... Vinyl Material. Must Also Order a Seat Belt Kit Unless Previously Equipped with Suspension Seat. Est. Install Time: 1 hr.	\$ _____

**Sound Reduction Kits**

7369524	Sound Reduction Kit - SJC Controls..... Includes Insulating Materials and a Hydraulic Muffler to Reduce Sound Levels at the Operator's Ear and for Bystanders. Use on SJC Control Units Only. Est. Install time: 2 hrs.	\$ _____
7371678	Hydraulic Muffler Kit ..... Reduces Hydraulic Resonance and Noise. Est. Install time: 1 hr.	\$ _____

**Training Kits**

6900641	Bobcat Loader Service Training Kit.....	\$ _____
7249275	Bobcat Loader Operator Training Kit.....	\$ _____
6904762	Bobcat Operator Safety DVD..... Includes All of the 10 Minute Operator Safety Videos in Both English and Spanish.	\$ _____
7379177	Manual Reference Translation Kits T76..... Adds Bobcat Engine Manual Reference Assemblies into Translation Kits	\$ _____

**Other Accessories**

7360019	Fire Extinguisher Kit..... Est. Install Time: 0.5 hr.	\$ _____
---------	--	----------