



October 14, 2019

PRODUCT AND PRICING BULLETIN

NEW HOLLAND BRAND PRODUCTS, U.S. NO. 19-57A

NEW HOLLAND AG DEALERS WITH MRT AGREEMENT

SUBJECT: T5 SERIES: REVISED PRICE & DATA PAGES

The agricultural industry is constantly evolving to meet the world’s shifting needs. Here at New Holland, we’re focused on matching pace with those changes to help you get the job done. Together, we can make our customers’ jobs easier and raise industry standards along the way.



We are pleased to announce the *NEW* T5 Dynamic Command and T5 Auto Command series designed for farmers who place a greater emphasis on versatility & efficiency, comfort, connectivity & precision and productivity in a utility all-purpose tractor.

In addition to expanding the T5 Series of tractors, we have also revised the product offering to include Fast Pick Packages. These packages have been designed to provide you and your customer with just what they need in common configurations that make it easy for you and your customer to get exactly what is needed. Please review these price and data pages to understand the contents of each of the below packages:

- T5 Dual Command - Deluxe Cab Fast Pick
- T5 Dual Command - Deluxe Cab HiVis Fast Pick
- T5 Dual Command - Cab Less Loader Fast Pick
- T5 Dual Command - Deluxe ROPS Fast Pick
- T5 Dual Command - West Coast Less Loader Fast Pick
- T5 Electro Command - Standard Fast Pick
- T5 Electro Command - Deluxe Fast Pick
- T5 Dynamic Command - Standard Fast Pick
- T5 Dynamic Command - Premium Fast Pick
- T5 Auto Command - Deluxe Fast Pick
- T5 Auto Command - Premium Fast Pick

Non-Fast Pick Packages orders can still be placed, but will be at a premium price compared to the fast pick packages as each package will have a discount applied that will maintain the Model Year 2020 pricing that is effective October 1, 2019.

This bulletin and the price pages may be accessed via the Dealer Portal if you have the MRT agreement with New Holland. Log on to the Dealer Portal. With the "Wholegoods" button displayed, click on "Pricing," click on "Tractors," and then click on "T5 Series." The latest published items will appear at the top of the list. Please replace your current P&D pages with those attached to this bulletin.

Christine Chleboun
Director, Commercial Marketing
New Holland, North America

Dan Valen
Director, Product Marketing
New Holland, North America

Attachment

CNH Industrial America LLC
500 Diller Avenue, P.O. Box 1895
New Holland, PA 17557-0903
Telephone: (717) 355-1121
www.newholland.com/na



Index – T5 Series Tractor

<u>EQUIPMENT DESCRIPTION</u>	<u>LATEST REVISION</u>	<u>PAGE NUMBER</u>
T5 Dual Command - Deluxe Cab Fast Pick	01/01/2020	2
T5 Dual Command - Deluxe Cab HiVis Fast Pick	01/01/2020	7
T5 Dual Command - Cab Less Loader Fast Pick	01/01/2020	12
T5 Dual Command - Deluxe ROPS Fast Pick	01/01/2020	16
T5 Dual Command - West Coast Less Loader Fast Pick	01/01/2020	22
T5 Dual Command - Less Fast Pick	01/01/2020	26
T5 Electro Command - Standard Fast Pick	01/01/2020	34
T5 Electro Command - Deluxe Fast Pick	01/01/2020	38
T5 Electro Command - Less Fast Pick	01/01/2020	42
T5 Dynamic Command - Standard Fast Pick	01/01/2020	50
T5 Dynamic Command - Premium Fast Pick	01/01/2020	56
T5 Dynamic Command - Less Fast Pick	01/01/2020	62
T5 Auto Command - Deluxe Fast Pick	01/01/2020	70
T5 Auto Command - Premium Fast Pick	01/01/2020	77
T5 Auto Command – Blue Power	01/01/2020	85
T5 Auto Command - Less Fast Pick	01/01/2020	93



**T5 DUAL COMMAND - DELUXE CAB FAST PICK
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- CommandArc™ ergonomically places most frequently used controls to operator's right
- High visibility panel provides a better view of loader when at full height
- Ten repositionable vents for heating and air conditioning
- Full-size instructor seat
- Electro Hydraulic shuttle lever
- 24x24 Dual Command™ transmission
- Power clutch to allow for gear changes without the use of the foot clutch
- 3.4L, 4-cylinder, 16 valve F5G engines with common rail fuel injection system
- Tier 4B EPA emissions compliant with Selective Catalytic Reduction (SCR) & Cooled Exhaust Gas Recirculation (CEGR)
- Factory Installed Loader available

T5.90 DC

86 Gross Engine hp
73 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

T5.100 DC

99 Gross Engine hp
85 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

T5.110 DC

107 Gross Engine hp
93 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

T5.120 DC

117 Gross Engine hp
100 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

ALL MODELS:

- Tier 4B Emissions Compliant:
(SCR + CEGR)
- Electronic Injection Bosch High-pressure Common Rail System
 - Electric Engine Shutoff
 - Constant Engine RPM
 - Hand and Foot Throttle Controls
 - Grid Heater Starting Aid
 - Dual Element Air Filter
 - Vertical Exhaust
 - 30.3 gal Fuel Tank with Guard
 - 2.8 gal AdBLUE DEF Tank
 - Front Axle Support with access for Front Pump
 - Parking brake

TRANSMISSION:

- LH side steering column mounted
- Power Shuttle
- 24 Forward X 24 Reverse Speeds
- (4) Synchronized Gears with a HiLo in each Gear
- Power clutch button on Gear lever to allow for gear changes without the use of the foot clutch
- (3) Non-synchronized Ranges
- Forward Reverse Synchronized Shuttle
- 25 mph (40 kph)
- Speed varies with tire selection

STEERING/BRAKES:

- Hydrostatic Power Steering
- Brakes-
 - Wet disk brakes
 - Hydraulically assisted

AXLES:

- FRONT
- Heavy Duty 4WD
- Electrohydraulic FWD Engagement
- Adjustable Tread Width



**T5 DUAL COMMAND - DELUXE CAB FAST PICK
US PRICE LIST**

Standard Equipment

REAR

Heavy Duty Flange Type
Adjustable Tread Width

HYDRAULIC SYSTEM:

Open Center System
Dual Gear Pumps with Cooler
Implement Pump: 16.9 gpm (63.8 L)
Steering Pump: 9.7 gpm (37.0 L)
Total Flow: 26.6 gpm (100.8 L)
(2) Open Center Remote Valves with detent

REAR DIFFERENTIAL LOCK:

Electronically Engaged

PTO:

Fully Independent
Hydraulic Engagement
Flip-up PTO Shaft Guard
540/1000 rpm
Wet Clutch

3-POINT LIFT SYSTEM:

Right hand console mounted control
Cab - Electronic Draft Control with Fender mounted controls
5,620 Pounds Lift Capacity
Category II Ends
Telescopic Stabilizers
Flexible Lower Link Ends

ELECTRICAL:

(1) 800 cca Heavy-Duty Battery
120 amp Alternator
7-pin Outlet for trailer/implement lighting and signals
3-pin Power Outlet (30 amp)
Single Pin (8 amp) Accessory Power outlet
CAB - 2 - 12V power sockets
ROPS - 1 - 12V power socket

LIGHTING:

CAB

Front: (2) Halogen Headlights and (2) cab mounted worklights
Rear: (2) cab mounted worklights
Turn Signals/Flashers/Rear Lights

INSTRUMENTATION:

Analog Instrumentation with warning lights for air cleaner service, alternator, oil pressure, fuel sediment/water sensor, PTO engagement, head light high beam, low fuel and parking brake, advanced instrument cluster, digital speed readout, gauges for fuel level, engine temperature, tachometer and hour meter

OPERATOR PROTECTIVE STRUCTURE:

CAB MODELS

ROPS protected, flat deck platform with heat and air conditioning, tinted windshield, retractable sun screen, front and rear wiper / washer, instructor seat, two doors with locks, one internal & two external mirrors, openable side windows, hinged rear window (opens completely)
Steering Wheel - tilt & telescope
Seat - Cloth covered air suspension seat with 10 degrees swivel, operator's presence sensor, retractable seat belt and arm rests
Suspended pedals
Radio, speakers, and antenna

MISCELLANEOUS:

Pivoting Engine Hood
SMV Emblem
Toolbox



**T5 DUAL COMMAND - DELUXE CAB FAST PICK
US PRICE LIST**

Standard Equipment

WARRANTY:

New Holland Standard Warranty Applies

LOADER:

665TL/720LU NON SELF-LEVELING

Maximum Lift Height @ pivot pin: 134"

Dump Clearance: 101.4"

Digging Depth: 7"

Lift Capacity

Max Height @ 800mm: 2,632 LBS

59" high @ 800mm: 3,638 LBS

Breakout Force @ 800mm: 4,455 LBS

Reach @ Max Lift Height: 43"

Reach @ Ground Level: 91"

Bucket Rollback Angle: 44 degrees

Bucket Dump Angle: 60 degrees

Skid Steer or Euro style Loader

bucket attach



**T5 DUAL COMMAND - DELUXE CAB FAST PICK
 US PRICE LIST**

Models

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
T5.90 DC	Cab	8,157 LB	9065904P54	\$84,493.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,162.00			
18.4R34 R1W (8365404)	\$3,833.00			
T5.100 DC	Cab	8,157 LB	9067823P34	\$86,953.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,162.00			
18.4R34 R1W (8365404)	\$3,833.00			
T5.110 DC	Cab	8,157 LB	9069928P56	\$89,652.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,162.00			
18.4R34 R1W (8365404)	\$3,833.00			
T5.120 DC	Cab	10,031 LB	9071824P74	\$92,083.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,162.00			
18.4R34 R1W (8365404)	\$3,833.00			



**T5 DUAL COMMAND - DELUXE CAB FAST PICK
 US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

X0591XX	Deluxe Cab Fast Pick Deluxe Cab Fast Pick Includes: 744588: Deluxe Cab 759176: Hand Brake 8239404: 14.9R24 R1W 8365404: 18.4R34 R1W 338125: 2Mid-Mount w/Mec Joystick 336740: HD Non Self Leveling Ldr +SSQA 336750: 84" Bucket 390832: EDC HPL 390832 334994: STD+30+HRN+ACS+MON 330470: 4 x 110 lb Rear Wheel Weights		9004655P04	\$5,968.00
---------	---	--	------------	------------

MISCELLANEOUS

FENDERS REAR

SD_T8740 FRONT FENDERS

744674	Dynamic Fenders		9000558P48	\$716.00
--------	-----------------	--	------------	----------

OPERATOR'S MANUALS

SD_T9840 COUNTRY CONFIGURATION

334256	Canada (FR) Config ROPS French operator manual			No Charge
334257	USA Spanish Configuration Spanish operator manual			No Charge



**T5 DUAL COMMAND - DELUXE CAB HIVIS FAST
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- CommandArc™ ergonomically places most frequently used controls to operator's right
- High visibility panel provides a better view of loader when at full height
- Ten repositionable vents for heating and air conditioning
- Full-size instructor seat
- Electro Hydraulic shuttle lever
- 24x24 Dual Command™ transmission
- Power clutch to allow for gear changes without the use of the foot clutch
- 3.4L, 4-cylinder, 16 valve F5G engines with common rail fuel injection system
- Tier 4B EPA emissions compliant with Selective Catalytic Reduction (SCR) & Cooled Exhaust Gas Recirculation (CEGR)
- Factory Installed Loader available

T5.90 DC

86 Gross Engine hp
73 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

T5.100 DC

99 Gross Engine hp
85 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

T5.110 DC

107 Gross Engine hp
93 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

T5.120 DC

117 Gross Engine hp
100 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

ALL MODELS:

- Tier 4B Emissions Compliant:
(SCR + CEGR)
- Electronic Injection Bosch High-pressure Common Rail System
 - Electric Engine Shutoff
 - Constant Engine RPM
 - Hand and Foot Throttle Controls
 - Grid Heater Starting Aid
 - Dual Element Air Filter
 - Vertical Exhaust
 - 30.3 gal Fuel Tank with Guard
 - 2.8 gal AdBLUE DEF Tank
 - Front Axle Support with access for Front Pump
 - Parking brake

TRANSMISSION:

- LH side steering column mounted
- Power Shuttle
- 24 Forward X 24 Reverse Speeds
- (4) Synchronized Gears with a HiLo in each Gear
- Power clutch button on Gear lever to allow for gear changes without the use of the foot clutch
- (3) Non-synchronized Ranges
- Forward Reverse Synchronized Shuttle
- 25 mph (40 kph)
- Speed varies with tire selection

STEERING/BRAKES:

- Hydrostatic Power Steering
- Brakes-
 - Wet disk brakes
 - Hydraulically assisted

AXLES:

- FRONT
- Heavy Duty 4WD
- Electrohydraulic FWD Engagement
- Adjustable Tread Width



**T5 DUAL COMMAND - DELUXE CAB HIVIS FAST
US PRICE LIST**

Standard Equipment

REAR

Heavy Duty Flange Type
Adjustable Tread Width

HYDRAULIC SYSTEM:

Open Center System
Dual Gear Pumps with Cooler
Implement Pump: 16.9 gpm (63.8 L)
Steering Pump: 9.7 gpm (37.0 L)
Total Flow: 26.6 gpm (100.8 L)
(2) Open Center Remote Valves with detent

REAR DIFFERENTIAL LOCK:

Electronically Engaged

PTO:

Fully Independent
Hydraulic Engagement
Flip-up PTO Shaft Guard
540/1000 rpm
Wet Clutch

3-POINT LIFT SYSTEM:

Right hand console mounted control
Cab - Electronic Draft Control with Fender mounted controls
5,620 Pounds Lift Capacity
Category II Ends
Telescopic Stabilizers
Flexible Lower Link Ends

ELECTRICAL:

(1) 800 cca Heavy-Duty Battery
120 amp Alternator
7-pin Outlet for trailer/implement lighting and signals
3-pin Power Outlet (30 amp)
Single Pin (8 amp) Accessory Power outlet
CAB - 2 - 12V power sockets
ROPS - 1 - 12V power socket

LIGHTING:

CAB

Front: (2) Halogen Headlights and (2) cab mounted worklights
Rear: (2) cab mounted worklights
Turn Signals/Flashers/Rear Lights

INSTRUMENTATION:

Analog Instrumentation with warning lights for air cleaner service, alternator, oil pressure, fuel sediment/water sensor, PTO engagement, head light high beam, low fuel and parking brake, advanced instrument cluster, digital speed readout, gauges for fuel level, engine temperature, tachometer and hour meter

OPERATOR PROTECTIVE STRUCTURE:

CAB MODELS

ROPS protected, flat deck platform with heat and air conditioning, tinted windshield, retractable sun screen, front and rear wiper / washer, instructor seat, two doors with locks, one internal & two external mirrors, openable side windows, hinged rear window (opens completely)
Steering Wheel - tilt & telescope
Seat - Cloth covered air suspension seat with 10 degrees swivel, operator's presence sensor, retractable seat belt and arm rests
Suspended pedals
Radio, speakers, and antenna

MISCELLANEOUS:

Pivoting Engine Hood
SMV Emblem
Toolbox



**T5 DUAL COMMAND - DELUXE CAB HIVIS FAST
US PRICE LIST**

Standard Equipment

WARRANTY:

New Holland Standard Warranty Applies

LOADER:

665TL/720LU NON SELF-LEVELING

Maximum Lift Height @ pivot pin: 134"

Dump Clearance: 101.4"

Digging Depth: 7"

Lift Capacity

Max Height @ 800mm: 2,632 LBS

59" high @ 800mm: 3,638 LBS

Breakout Force @ 800mm: 4,455 LBS

Reach @ Max Lift Height: 43"

Reach @ Ground Level: 91"

Bucket Rollback Angle: 44 degrees

Bucket Dump Angle: 60 degrees

Skid Steer or Euro style Loader

bucket attach



**T5 DUAL COMMAND - DELUXE CAB H1V1S FAST
 US PRICE LIST**

Models

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
T5.90 DC	Cab	8,157 LB	9065904P54	\$84,493.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,162.00			
18.4R34 R1W (8365404)	\$3,833.00			
T5.100 DC	Cab	8,157 LB	9067823P34	\$86,953.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,162.00			
18.4R34 R1W (8365404)	\$3,833.00			
T5.110 DC	Cab	8,157 LB	9069928P56	\$89,652.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,162.00			
18.4R34 R1W (8365404)	\$3,833.00			
T5.120 DC	Cab	10,031 LB	9071824P74	\$92,083.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,162.00			
18.4R34 R1W (8365404)	\$3,833.00			



**T5 DUAL COMMAND - DELUXE CAB HIVIS FAST
 US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

X0593XX	Deluxe Cab HiVis Fast Pick Deluxe Cab HiVis Fast Pick Includes: 334183: Deluxe Cab w/HiVis Panel 759176: Hand Brake 8239404: 14.9R24 R1W 8365404: 18.4R34 R1W 338125: 2Mid-Mount w/Mec Joystick 336740: HD Non Self Leveling Ldr +SSQA 336750: 84" Bucket 390832: EDC HPL 390832 334994: STD+30+HRN+ACS+MON 330470: 4 x 110 lb Rear Wheel Weights		9005089P50	\$6,525.00
---------	---	--	------------	------------

MISCELLANEOUS

FENDERS REAR

SD_T8740 FRONT FENDERS

744674	Dynamic Fenders		9000558P48	\$716.00
--------	-----------------	--	------------	----------

OPERATOR'S MANUALS

SD_T9840 COUNTRY CONFIGURATION

334256	Canada (FR) Config ROPS French operator manual			No Charge
334257	USA Spanish Configuration Spanish operator manual			No Charge



**T5 DUAL COMMAND - CAB LESS LOADER FAST
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- CommandArc™ ergonomically places most frequently used controls to operator's right
- High visibility panel provides a better view of loader when at full height
- Ten repositionable vents for heating and air conditioning
- Full-size instructor seat
- Electro Hydraulic shuttle lever
- 24x24 Dual Command™ transmission
- Power clutch to allow for gear changes without the use of the foot clutch
- 3.4L, 4-cylinder, 16 valve F5G engines with common rail fuel injection system
- Tier 4B EPA emissions compliant with Selective Catalytic Reduction (SCR) & Cooled Exhaust Gas Recirculation (CEGR)
- Factory Installed Loader available

T5.90 DC

86 Gross Engine hp
73 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

T5.100 DC

99 Gross Engine hp
85 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

T5.110 DC

107 Gross Engine hp
93 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

T5.120 DC

117 Gross Engine hp
100 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

ALL MODELS:

- Tier 4B Emissions Compliant:
(SCR + CEGR)
- Electronic Injection Bosch
High-pressure Common Rail System
- Electric Engine Shutoff
- Constant Engine RPM
- Hand and Foot Throttle Controls
- Grid Heater Starting Aid
- Dual Element Air Filter
- Vertical Exhaust
- 30.3 gal Fuel Tank with Guard
- 2.8 gal AdBLUE DEF Tank
- Front Axle Support with access for
Front Pump
- Parking brake

TRANSMISSION:

- LH side steering column mounted
- Power Shuttle
- 24 Forward X 24 Reverse Speeds
(4) Synchronized Gears with a
HiLo in each Gear
- Power clutch button on Gear lever
to allow for gear changes without
the use of the foot clutch
- (3) Non-synchronized Ranges
- Forward Reverse Synchronized Shuttle
- 25 mph (40 kph)
- Speed varies with tire selection

STEERING/BRAKES:

- Hydrostatic Power Steering
- Brakes-
Wet disk brakes
Hydraulically assisted

AXLES:

- FRONT
- Heavy Duty 4WD
- Electrohydraulic FWD Engagement
- Adjustable Tread Width



**T5 DUAL COMMAND - CAB LESS LOADER FAST
US PRICE LIST**

Standard Equipment

REAR

Heavy Duty Flange Type
Adjustable Tread Width

HYDRAULIC SYSTEM:

Open Center System
Dual Gear Pumps with Cooler
Implement Pump: 16.9 gpm (63.8 L)
Steering Pump: 9.7 gpm (37.0 L)
Total Flow: 26.6 gpm (100.8 L)
(2) Open Center Remote Valves with detent

REAR DIFFERENTIAL LOCK:

Electronically Engaged

PTO:

Fully Independent
Hydraulic Engagement
Flip-up PTO Shaft Guard
540/1000 rpm
Wet Clutch

3-POINT LIFT SYSTEM:

Right hand console mounted control
Cab - Electronic Draft Control with Fender mounted controls
5,620 Pounds Lift Capacity
Category II Ends
Telescopic Stabilizers
Flexible Lower Link Ends

ELECTRICAL:

(1) 800 cca Heavy-Duty Battery
120 amp Alternator
7-pin Outlet for trailer/implement lighting and signals
3-pin Power Outlet (30 amp)
Single Pin (8 amp) Accessory Power outlet
CAB - 2 - 12V power sockets
ROPS - 1 - 12V power socket

LIGHTING:

CAB

Front: (2) Halogen Headlights and (2) cab mounted worklights
Rear: (2) cab mounted worklights
Turn Signals/Flashers/Rear Lights

INSTRUMENTATION:

Analog Instrumentation with warning lights for air cleaner service, alternator, oil pressure, fuel sediment/water sensor, PTO engagement, head light high beam, low fuel and parking brake, advanced instrument cluster, digital speed readout, gauges for fuel level, engine temperature, tachometer and hour meter

OPERATOR PROTECTIVE STRUCTURE:

CAB MODELS

ROPS protected, flat deck platform with heat and air conditioning, tinted windshield, retractable sun screen, front and rear wiper / washer, instructor seat, two doors with locks, one internal & two external mirrors, openable side windows, hinged rear window (opens completely)
Steering Wheel - tilt & telescope
Seat - Cloth covered air suspension seat with 10 degrees swivel, operator's presence sensor, retractable seat belt and arm rests
Suspended pedals
Radio, speakers, and antenna

MISCELLANEOUS:

Pivoting Engine Hood
SMV Emblem
Toolbox

WARRANTY:

New Holland Standard Warranty Applies



**T5 DUAL COMMAND - CAB LESS LOADER FAST
 US PRICE LIST**

Models

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
T5.90 DC	Cab	8,157 LB	9065904P54	\$84,493.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,162.00			
18.4R34 R1W (8365404)	\$3,833.00			
T5.100 DC	Cab	8,157 LB	9067823P34	\$86,953.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,162.00			
18.4R34 R1W (8365404)	\$3,833.00			
T5.110 DC	Cab	8,157 LB	9069928P56	\$89,652.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,162.00			
18.4R34 R1W (8365404)	\$3,833.00			
T5.120 DC	Cab	10,031 LB	9071824P74	\$92,083.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,162.00			
18.4R34 R1W (8365404)	\$3,833.00			



**T5 DUAL COMMAND - CAB LESS LOADER FAST
 US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

X0594XX	Cab Less Loader Cab Less Loader Fast Pick Includes: 744588: Deluxe Cab 759176: Hand Brake 390124: Less Mid-Mount 743593: Less Front Loader 335215: 8 WEIGHTS 40 KG - CA		(902467P92)	(\$3,164.00)
---------	--	--	-------------	--------------

MISCELLANEOUS

FENDERS REAR

SD_T8740 FRONT FENDERS

744674	Dynamic Fenders		9000558P48	\$716.00
--------	-----------------	--	------------	----------

OPERATOR'S MANUALS

SD_T9840 COUNTRY CONFIGURATION

334256	Canada (FR) Config ROPS French operator manual			No Charge
334257	USA Spanish Configuration Spanish operator manual			No Charge



**T5 DUAL COMMAND - DELUXE ROPS FAST PICK
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- CommandArc™ ergonomically places most frequently used controls to operator's right
- High visibility panel provides a better view of loader when at full height
- Ten repositionable vents for heating and air conditioning
- Full-size instructor seat
- Electro Hydraulic shuttle lever
- 24x24 Dual Command™ transmission
- Power clutch to allow for gear changes without the use of the foot clutch
- 3.4L, 4-cylinder, 16 valve F5G engines with common rail fuel injection system
- Tier 4B EPA emissions compliant with Selective Catalytic Reduction (SCR) & Cooled Exhaust Gas Recirculation (CEGR)
- Factory Installed Loader available

T5.90 DC

86 Gross Engine hp
73 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

T5.100 DC

99 Gross Engine hp
85 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

T5.110 DC

107 Gross Engine hp
93 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

T5.120 DC

117 Gross Engine hp
100 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

ALL MODELS:

- Tier 4B Emissions Compliant:
(SCR + CEGR)
- Electronic Injection Bosch High-pressure Common Rail System
 - Electric Engine Shutoff
 - Constant Engine RPM
 - Hand and Foot Throttle Controls
 - Grid Heater Starting Aid
 - Dual Element Air Filter
 - Vertical Exhaust
 - 30.3 gal Fuel Tank with Guard
 - 2.8 gal AdBLUE DEF Tank
 - Front Axle Support with access for Front Pump
 - Parking brake

TRANSMISSION:

- LH side steering column mounted
- Power Shuttle
- 24 Forward X 24 Reverse Speeds
- (4) Synchronized Gears with a HiLo in each Gear
- Power clutch button on Gear lever to allow for gear changes without the use of the foot clutch
- (3) Non-synchronized Ranges
- Forward Reverse Synchronized Shuttle
- 25 mph (40 kph)
- Speed varies with tire selection

STEERING/BRAKES:

- Hydrostatic Power Steering
- Brakes-
 - Wet disk brakes
 - Hydraulically assisted

AXLES:

- FRONT
- Heavy Duty 4WD
- Electrohydraulic FWD Engagement
- Adjustable Tread Width



**T5 DUAL COMMAND - DELUXE ROPS FAST PICK
US PRICE LIST**

Standard Equipment

REAR

Heavy Duty Flange Type
Adjustable Tread Width

HYDRAULIC SYSTEM:

Open Center System
Dual Gear Pumps with Cooler
 Implement Pump: 16.9 gpm (63.8 L)
 Steering Pump: 9.7 gpm (37.0 L)
 Total Flow: 26.6 gpm (100.8 L)
(2) Open Center Remote Valves with
 detent

REAR DIFFERENTIAL LOCK:

Electronically Engaged

PTO:

Fully Independent
Hydraulic Engagement
Flip-up PTO Shaft Guard
540/1000 rpm
Wet Clutch

3-POINT LIFT SYSTEM:

Right hand console mounted control
ROPS - Mechanical Draft Control with
 Lift-O-Matic Plus
5,620 Pounds Lift Capacity
Category II Ends
Telescopic Stabilizers
Flexible Lower Link Ends

ELECTRICAL:

(1) 800 cca Heavy-Duty Battery
120 amp Alternator
7-pin Outlet for trailer/implement lighting
 and signals
3-pin Power Outlet (30 amp)
Single Pin (8 amp) Accessory Power
outlet
ROPS - 1 - 12V power socket

LIGHTING:

ROPS

Front: (2) Halogen Headlights

Rear: (1) Worklight

Turn Signals/Flashers/Rear Lights

INSTRUMENTATION:

Analog Instrumentation with warning
lights for air cleaner service,
alternator, oil pressure, fuel
sediment/water sensor, PTO
engagement, head light high beam,
low fuel and parking brake,
advanced instrument cluster,
digital speed readout, gauges
for fuel level, engine temperature,
tachometer and hour meter

OPERATOR PROTECTIVE STRUCTURE:**ROPS MODELS**

2-Post Foldable ROPS with ISO-
mounted flat deck platform
Steering Wheel - adjustable tilt
Seat - Vinyl covered with mechanical
suspension, operator's presence
sensor, retractable seat belts and
arm rests
Suspended pedals
Locking brake pedals

MISCELLANEOUS:

Pivoting Engine Hood
SMV Emblem
Toolbox

WARRANTY:

New Holland Standard Warranty Applies

LOADER:

665TL/720LU NON SELF-LEVELING
Maximum Lift Height @ pivot pin: 134"
Dump Clearance: 101.4"
Digging Depth: 7"
Lift Capacity
 Max Height @ 800mm: 2,632 LBS
 59" high @ 800mm: 3,638 LBS



**T5 DUAL COMMAND - DELUXE ROPS FAST PICK
US PRICE LIST**

Standard Equipment

Breakout Force @ 800mm: 4,455 LBS
Reach @ Max Lift Height: 43"
Reach @ Ground Level: 91"
Bucket Rollback Angle: 44 degrees
Bucket Dump Angle: 60 degrees
Skid Steer or Euro style Loader
bucket attach

665TL/725LU SELF-LEVELING

Maximum Lift Height @ pivot pin: 135"
Dump Clearance: 102.2"
Digging Depth: 6.4"
Lift Capacity
 Max Height @ 800mm: 3,428 LBS
 59" high @ 800mm: 5,549 LBS
Breakout Force @ 800mm: 5,661 LBS
Reach @ Max Lift Height: 43"
Reach @ Ground Level: 93
Bucket Rollback Angle: 40 degrees
Bucket Dump Angle: 60 degrees
Skid Steer or Euro style Loader
bucket attach



**T5 DUAL COMMAND - DELUXE ROPS FAST PICK
 US PRICE LIST**

Models

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
T5.90 DC	Rops	8,157 LB	9055970P46	\$71,757.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,162.00			
18.4R34 R1W (8365404)	\$3,833.00			
T5.100 DC	Rops	8,157 LB	9057889P26	\$74,217.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,162.00			
18.4R34 R1W (8365404)	\$3,833.00			
T5.110 DC	Rops	8,157 LB	9059994P48	\$76,916.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,162.00			
18.4R34 R1W (8365404)	\$3,833.00			
T5.120 DC	Rops	8,157 LB	9061890P66	\$79,347.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,162.00			
18.4R34 R1W (8365404)	\$3,833.00			



**T5 DUAL COMMAND - DELUXE ROPS FAST PICK
 US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

X0589XX	Deluxe ROPS Fast Pick Deluxe ROPS Fast Pick Includes: 334190: Deluxe Platform w/FOPS 759176: Hand Brake 8239404: 14.9R24 R1W 8365404: 18.4R34 R1W 338125: 2Mid-Mount w/Mec Joystick 336740: HD Non Self Leveling Ldr +SSQA 336750: 84" Bucket 743595: Lift-O-Matic Plus 330470: 4 x 110 lb Rear Wheel Weights		9005889P78	\$7,551.00
---------	--	--	------------	------------

HITCH

REAR 3 POINT HITCH

SD_T8130 3 POINT HITCH CONTROL

332035	Mech 3 Pt Hitch Ground Control		9000203P58	\$261.00
--------	--------------------------------	--	------------	----------

MISCELLANEOUS

FENDERS FRONT

SD_T8700 FENDERS

744599	Rear Fenders w/Extensions		9000129P48	\$166.00
--------	---------------------------	--	------------	----------

FENDERS REAR

SD_T8740 FRONT FENDERS

744674	Dynamic Fenders		9000558P48	\$716.00
--------	-----------------	--	------------	----------



**T5 DUAL COMMAND - DELUXE ROPS FAST PICK
US PRICE LIST**

OPERATOR'S MANUALS

SD_T9840 COUNTRY CONFIGURATION

	334256	Canada (FR) Config ROPS French operator manual			No Charge
	334257	USA Spanish Configuration Spanish operator manual			No Charge



**T5 DUAL COMMAND - WEST COAST LESS LOADER
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- CommandArc™ ergonomically places most frequently used controls to operator's right
- High visibility panel provides a better view of loader when at full height
- Ten repositionable vents for heating and air conditioning
- Full-size instructor seat
- Electro Hydraulic shuttle lever
- 24x24 Dual Command™ transmission
- Power clutch to allow for gear changes without the use of the foot clutch
- 3.4L, 4-cylinder, 16 valve F5G engines with common rail fuel injection system
- Tier 4B EPA emissions compliant with Selective Catalytic Reduction (SCR) & Cooled Exhaust Gas Recirculation (CEGR)
- Factory Installed Loader available

T5.90 DC

86 Gross Engine hp
73 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

T5.100 DC

99 Gross Engine hp
85 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

T5.110 DC

107 Gross Engine hp
93 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

T5.120 DC

117 Gross Engine hp
100 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

ALL MODELS:

- Tier 4B Emissions Compliant:
(SCR + CEGR)
- Electronic Injection Bosch High-pressure Common Rail System
- Electric Engine Shutoff
- Constant Engine RPM
- Hand and Foot Throttle Controls
- Grid Heater Starting Aid
- Dual Element Air Filter
- Vertical Exhaust
- 30.3 gal Fuel Tank with Guard
- 2.8 gal AdBLUE DEF Tank
- Front Axle Support with access for Front Pump
- Parking brake

TRANSMISSION:

- LH side steering column mounted
- Power Shuttle
- 24 Forward X 24 Reverse Speeds
- (4) Synchronized Gears with a HiLo in each Gear
- Power clutch button on Gear lever to allow for gear changes without the use of the foot clutch
- (3) Non-synchronized Ranges
- Forward Reverse Synchronized Shuttle
- 25 mph (40 kph)
- Speed varies with tire selection

STEERING/BRAKES:

- Hydrostatic Power Steering
- Brakes-
Wet disk brakes
Hydraulically assisted

AXLES:

- FRONT
- Heavy Duty 4WD
- Electrohydraulic FWD Engagement
- Adjustable Tread Width



**T5 DUAL COMMAND - WEST COAST LESS LOADER
US PRICE LIST**

Standard Equipment

REAR

Heavy Duty Flange Type
Adjustable Tread Width

HYDRAULIC SYSTEM:

Open Center System
Dual Gear Pumps with Cooler
Implement Pump: 16.9 gpm (63.8 L)
Steering Pump: 9.7 gpm (37.0 L)
Total Flow: 26.6 gpm (100.8 L)
(2) Open Center Remote Valves with detent

REAR DIFFERENTIAL LOCK:

Electronically Engaged

PTO:

Fully Independent
Hydraulic Engagement
Flip-up PTO Shaft Guard
540/1000 rpm
Wet Clutch

3-POINT LIFT SYSTEM:

Right hand console mounted control
ROPS - Mechanical Draft Control with Lift-O-Matic Plus
5,620 Pounds Lift Capacity
Category II Ends
Telescopic Stabilizers
Flexible Lower Link Ends

ELECTRICAL:

(1) 800 cca Heavy-Duty Battery
120 amp Alternator
7-pin Outlet for trailer/implement lighting and signals
3-pin Power Outlet (30 amp)
Single Pin (8 amp) Accessory Power outlet

ROPS - 1 - 12V power socket

LIGHTING:

ROPS
Front: (2) Halogen Headlights
Rear: (1) Worklight
Turn Signals/Flashers/Rear Lights

INSTRUMENTATION:

Analog Instrumentation with warning lights for air cleaner service, alternator, oil pressure, fuel sediment/water sensor, PTO engagement, head light high beam, low fuel and parking brake, advanced instrument cluster, digital speed readout, gauges for fuel level, engine temperature, tachometer and hour meter

OPERATOR PROTECTIVE STRUCTURE:

ROPS MODELS
2-Post Foldable ROPS with ISO-mounted flat deck platform
Steering Wheel - adjustable tilt
Seat - Vinyl covered with mechanical suspension, operator's presence sensor, retractable seat belts and arm rests
Suspended pedals
Locking brake pedals

MISCELLANEOUS:

Pivoting Engine Hood
SMV Emblem
Toolbox

WARRANTY:

New Holland Standard Warranty Applies



**T5 DUAL COMMAND - WEST COAST LESS LOADER
 US PRICE LIST**

Models

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
T5.90 DC	Rops	8,157 LB	9055970P46	\$71,757.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,162.00			
18.4R34 R1W (8365404)	\$3,833.00			
T5.100 DC	Rops	8,157 LB	9057889P26	\$74,217.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,162.00			
18.4R34 R1W (8365404)	\$3,833.00			
T5.110 DC	Rops	8,157 LB	9059994P48	\$76,916.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,162.00			
18.4R34 R1W (8365404)	\$3,833.00			
T5.120 DC	Rops	8,157 LB	9061890P66	\$79,347.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,162.00			
18.4R34 R1W (8365404)	\$3,833.00			



**T5 DUAL COMMAND - WEST COAST LESS LOADER
 US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

	X0596XX	West Coast Less Loader West Coast Less Loader Fast Pick Includes: 392315: Platform w/Foldable ROPS 759176: Hand Brake 8290904: 12.5/80-18 10PR R4 8391904: 19.5L-24 10 PR R4 390124: Less Mid-Mount 743593: Less Front Loader XT8140X: Less Bucket 332035: Mech 3 Pt Hitch Ground Control 335215: 8 WEIGHTS 40 KG - CA		9001148P16	\$1,472.00
--	---------	--	--	------------	------------

HITCH

REAR 3 POINT HITCH

SD_T8200 HITCH

	758931	MDC HPL+LOM+2AUX 2 auxiliary lift rams for ROPS 8,000 lbs lift capacity		9000835P38	\$1,071.00
--	--------	---	--	------------	------------

OPERATOR'S MANUALS

SD_T9840 COUNTRY CONFIGURATION

	334256	Canada (FR) Config ROPS French operator manual			No Charge
	334257	USA Spanish Configuration Spanish operator manual			No Charge



**T5 DUAL COMMAND - LESS FAST PICK
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- CommandArc™ ergonomically places most frequently used controls to operator's right
- High visibility panel provides a better view of loader when at full height
- Ten repositionable vents for heating and air conditioning
- Full-size instructor seat
- Electro Hydraulic shuttle lever
- 24x24 Dual Command™ transmission
- Power clutch to allow for gear changes without the use of the foot clutch
- 3.4L, 4-cylinder, 16 valve F5G engines with common rail fuel injection system
- Tier 4B EPA emissions compliant with Selective Catalytic Reduction (SCR) & Cooled Exhaust Gas Recirculation (CEGR)
- Factory Installed Loader available

T5.90 DC

86 Gross Engine hp
73 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

T5.100 DC

99 Gross Engine hp
85 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

T5.110 DC

107 Gross Engine hp
93 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

T5.120 DC

117 Gross Engine hp
100 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207 cu in (3.4 L) Displacement

ALL MODELS:

- Tier 4B Emissions Compliant:
(SCR + CEGR)
- Electronic Injection Bosch High-pressure Common Rail System
 - Electric Engine Shutoff
 - Constant Engine RPM
 - Hand and Foot Throttle Controls
 - Grid Heater Starting Aid
 - Dual Element Air Filter
 - Vertical Exhaust
 - 30.3 gal Fuel Tank with Guard
 - 2.8 gal AdBLUE DEF Tank
 - Front Axle Support with access for Front Pump
 - Parking brake

TRANSMISSION:

- LH side steering column mounted
- Power Shuttle
- 24 Forward X 24 Reverse Speeds
- (4) Synchronized Gears with a HiLo in each Gear
- Power clutch button on Gear lever to allow for gear changes without the use of the foot clutch
- (3) Non-synchronized Ranges
- Forward Reverse Synchronized Shuttle
- 25 mph (40 kph)
- Speed varies with tire selection

STEERING/BRAKES:

- Hydrostatic Power Steering
- Brakes-
 - Wet disk brakes
 - Hydraulically assisted

AXLES:

- FRONT
- Heavy Duty 4WD
- Electrohydraulic FWD Engagement
- Adjustable Tread Width



**T5 DUAL COMMAND - LESS FAST PICK
US PRICE LIST**

Standard Equipment

REAR

Heavy Duty Flange Type
Adjustable Tread Width

HYDRAULIC SYSTEM:

Open Center System
Dual Gear Pumps with Cooler
Implement Pump: 16.9 gpm (63.8 L)
Steering Pump: 9.7 gpm (37.0 L)
Total Flow: 26.6 gpm (100.8 L)
(2) Open Center Remote Valves with detent

REAR DIFFERENTIAL LOCK:

Electronically Engaged

PTO:

Fully Independent
Hydraulic Engagement
Flip-up PTO Shaft Guard
540/1000 rpm
Wet Clutch

3-POINT LIFT SYSTEM:

Right hand console mounted control
Cab - Electronic Draft Control with Fender mounted controls
ROPS - Mechanical Draft Control with Lift-O-Matic Plus
5,620 Pounds Lift Capacity
Category II Ends
Telescopic Stabilizers
Flexible Lower Link Ends

ELECTRICAL:

(1) 800 cca Heavy-Duty Battery
120 amp Alternator
7-pin Outlet for trailer/implement lighting and signals
3-pin Power Outlet (30 amp)
Single Pin (8 amp) Accessory Power outlet
CAB - 2 - 12V power sockets
ROPS - 1 - 12V power socket

LIGHTING:

CAB

Front: (2) Halogen Headlights and
(2) cab mounted worklights

Rear: (2) cab mounted worklights
Turn Signals/Flashers/Rear Lights

ROPS

Front: (2) Halogen Headlights
Rear: (1) Worklight
Turn Signals/Flashers/Rear Lights

INSTRUMENTATION:

Analog Instrumentation with warning lights for air cleaner service, alternator, oil pressure, fuel sediment/water sensor, PTO engagement, head light high beam, low fuel and parking brake, advanced instrument cluster, digital speed readout, gauges for fuel level, engine temperature, tachometer and hour meter

OPERATOR PROTECTIVE STRUCTURE:

CAB MODELS

ROPS protected, flat deck platform with heat and air conditioning, tinted windshield, retractable sun screen, front and rear wiper / washer, instructor seat, two doors with locks, one internal & two external mirrors, openable side windows, hinged rear window (opens completely)

Steering Wheel - tilt & telescope
Seat - Cloth covered air suspension seat with 10 degrees swivel, operator's presence sensor, retractable seat belt and arm rests
Suspended pedals
Radio, speakers, and antenna



**T5 DUAL COMMAND - LESS FAST PICK
US PRICE LIST**

Standard Equipment

ROPS MODELS

2-Post Foldable ROPS with ISO-mounted flat deck platform
Steering Wheel - adjustable tilt
Seat - Vinyl covered with mechanical suspension, operator's presence sensor, retractable seat belts and arm rests
Suspended pedals
Locking brake pedals

MISCELLANEOUS:

Pivoting Engine Hood
SMV Emblem
Toolbox

WARRANTY:

New Holland Standard Warranty Applies

LOADER:

665TL/720LU NON SELF-LEVELING

Maximum Lift Height @ pivot pin: 134"
Dump Clearance: 101.4"
Digging Depth: 7"
Lift Capacity
Max Height @ 800mm: 2,632 LBS
59" high @ 800mm: 3,638 LBS
Breakout Force @ 800mm: 4,455 LBS
Reach @ Max Lift Height: 43"
Reach @ Ground Level: 91"
Bucket Rollback Angle: 44 degrees
Bucket Dump Angle: 60 degrees
Skid Steer or Euro style Loader
bucket attach

665TL/725LU SELF-LEVELING

Maximum Lift Height @ pivot pin: 135"
Dump Clearance: 102.2"
Digging Depth: 6.4"
Lift Capacity
Max Height @ 800mm: 3,428 LBS
59" high @ 800mm: 5,549 LBS
Breakout Force @ 800mm: 5,661 LBS
Reach @ Max Lift Height: 43"
Reach @ Ground Level: 93
Bucket Rollback Angle: 40 degrees
Bucket Dump Angle: 60 degrees
Skid Steer or Euro style Loader
bucket attach



**T5 DUAL COMMAND - LESS FAST PICK
 US PRICE LIST**

Models

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
T5.90 DC	Cab	8,157 LB	9065904P54	\$84,493.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,162.00			
18.4R34 R1W (8365404)	\$3,833.00			
T5.90 DC	Rops	8,157 LB	9055970P46	\$71,757.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,162.00			
18.4R34 R1W (8365404)	\$3,833.00			
T5.100 DC	Cab	8,157 LB	9067823P34	\$86,953.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,162.00			
18.4R34 R1W (8365404)	\$3,833.00			
T5.100 DC	Rops	8,157 LB	9057889P26	\$74,217.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,162.00			
18.4R34 R1W (8365404)	\$3,833.00			
T5.110 DC	Cab	8,157 LB	9069928P56	\$89,652.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,162.00			
18.4R34 R1W (8365404)	\$3,833.00			
T5.110 DC	Rops	8,157 LB	9059994P48	\$76,916.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,162.00			
18.4R34 R1W (8365404)	\$3,833.00			
T5.120 DC	Cab	10,031 LB	9071824P74	\$92,083.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,162.00			
18.4R34 R1W (8365404)	\$3,833.00			
T5.120 DC	Rops	8,157 LB	9061890P66	\$79,347.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,162.00			
18.4R34 R1W (8365404)	\$3,833.00			



**T5 DUAL COMMAND - LESS FAST PICK
 US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

	X99801X LESS PACKAGING			No Charge
--	------------------------	--	--	-----------

OPERATOR PLATFORM

SD_T9200 OPERATOR STRUCTURE #1

ROPS				
	392315 Platform w/Foldable ROPS Includes tilt column			No Charge
	334190 Deluxe Platform w/FOPS Includes tilt column, FOPS canopy, noise reduction kit and 12V power outlet		9001295P58	\$1,661.00
Cab				
	744588 Deluxe Cab Includes instructor seat, rear wiper and washer, radio & internal mirror			No Charge
	334183 Deluxe Cab w/HiVis Panel Includes high visibility panel, instructor seat, rear wiper and washer, radio & internal mirror		9000434P46	\$557.00

POWER TRAIN

TRANSMISSION

SD_T2820 PARK LOCK

	743551 Parking Lock		9000041P34	\$53.00
	759176 Hand Brake Hand operated parking brake lever Standard Equipment			No Charge

TIRES

FRONT

SD_T4940 FRONT WHEELS AND TIRES

Ag Front Tires				
	8232404 11.2R24 R1W		9000938P34	\$1,203.00



**T5 DUAL COMMAND - LESS FAST PICK
 US PRICE LIST**

	8235404	12.4R24 R1W		9001120P08	\$1,436.00
	8236404	13.6R24 R1W		9001370P46	\$1,757.00
	8239404	14.9R24 R1W		9001686P36	\$2,162.00
		if BRAND is New Holland Ag		9001686P36	\$2,162.00
Specialty Front Tires					
	8290904	12.5/80-18 10PR R4		9001339P26	\$1,717.00
	8873402	360/80R20 TRI 2 HD Municipal tread		9001525P68	\$1,956.00
	8247404	11.2R28 R1W		9001157P52	\$1,484.00

REAR

SD_T4950 REAR WHEELS AND TIRES

Ag Rear Tires					
	8357404	18.4R30 R1W 4WD Front Tire - 12.4R24 (8235404)		9002714P40	\$3,480.00
	8302804	16.9R34 R1W Front Tire - 13.6R24 (8236404)		9001953P90	\$2,505.00
	8365404	if BRAND is New Holland Ag 4WD Front Tire - 14.9R24 (8239404)		9002989P74	\$3,833.00
		18.4R34 R1W		9002989P74	\$3,833.00
Specialty Rear Tires					
	8391904	19.5L-24 10 PR R4 4WD Front Tire - 12.5/80-18 (8290904)		9002073P24	\$2,658.00
	8906401	440/80 R30 Municipal tread 4WD Front Tire - 360/80R20 (8873402)		9002842P32	\$3,644.00
	8372404	13.6R38 R1W 8372404 4WD Front Tire - 11.2R28 (8247404)		9001823P64	\$2,338.00

HYDRAULICS

MID-MOUNT

SD_T8280 MID-MOUNT VALVES

	338125	2Mid-Mount w/Mec Joystick 2 function mid-mount valve and joystick		9001157P52	\$1,484.00
	336780	2Mid-Mount w/Mec Joystick +Div 2 function mid-mount valve and joystick with 3rd function diverter Requires a Loader Bucket with Grapple NOT AVAILABLE as Factory Installed		9001737P06	\$2,227.00



**T5 DUAL COMMAND - LESS FAST PICK
 US PRICE LIST**

LOADER

LOADER

SD_T8110 LOADER BRACKETS

	336740	HD Non Self Leveling Ldr +SSQA 665TL Non Self Leveling with Skid Steer Style Attachment		9005479P50	\$7,025.00
	336742	HD Non Self Leveling Ldr +Euro 665TL Non Self Leveling with Euro Style Attachment		9005479P50	\$7,025.00
	336744	HD Self Leveling Ldr +SSQA 665TL Mechanical Self Leveling with Skid Steer Style Attachment		9006347P64	\$8,138.00
	336746	HD Self Leveling Ldr +Euro 665TL Mechanical Self Leveling with Euro Style Attachment		9006347P64	\$8,138.00

SD_T8140 BUCKET

	336750	84" Bucket		9000734P76	\$942.00
--	--------	------------	--	------------	----------

HITCH

REAR 3 POINT HITCH

SD_T8200 HITCH

	390832	EDC HPL 390832			No Charge
	758931	MDC HPL+LOM+2AUX 2 auxiliary lift rams for ROPS 8,000 lbs lift capacity		9000835P38	\$1,071.00
	758932	EDC HPL + 2 AUX 2 auxiliary lift rams for Cab 8,000 lbs lift capacity		9000835P38	\$1,071.00

CAB OR ROPS PLATFORM

OTHER

SD_T6730 PIN CONNECTOR

	334994	STD+30+HRN+ACS+MON Monitor mounting bracket, 30Ah socket & 2-12V power outlets Cab ONLY		9000060P84	\$78.00
--	--------	---	--	------------	---------

WEIGHTS

FRONT

SD_T2150 FRONT BALLAST

	333215	Front Carrier +6 88 lb Weights Total weight - 661 lbs (300 kg)		9000638P82	\$819.00
--	--------	--	--	------------	----------



**T5 DUAL COMMAND - LESS FAST PICK
 US PRICE LIST**

	335215	8 WEIGHTS 40 KG - CA Total weight - 837 lbs (380 kg)		9000808P08	\$1,036.00
--	--------	--	--	------------	------------

REAR

SD_T4961 REAR BALLAST

	330470	4 x 110 lb Rear Wheel Weights Total weight - 440 lbs (200 kg) NOT compatible with 24" rear tires option		9000498P42	\$639.00
--	--------	---	--	------------	----------

MISCELLANEOUS

FENDERS FRONT

SD_T8700 FENDERS

	744599	Rear Fenders w/Extensions		9000129P48	\$166.00
--	--------	---------------------------	--	------------	----------

FENDERS REAR

SD_T8740 FRONT FENDERS

	744674	Dynamic Fenders		9000558P48	\$716.00
--	--------	-----------------	--	------------	----------

OPERATOR'S MANUALS

SD_T9840 COUNTRY CONFIGURATION

	334256	Canada (FR) Config ROPS French operator manual			No Charge
	334257	USA Spanish Configuration Spanish operator manual			No Charge



**T5 ELECTRO COMMAND - STANDARD FASTPICK
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS (some features are optional equipment):

- 16 x 16 Electro Command semi-powershift transmission
- Auto PTO manages PTO engagement in relation to the rear hitch position
- Engine Speed Management (constant engine RPM) - 2 settings
- Terralock™ automatic traction system
- CommandArc™ ergonomics
- 200 degree windshield wiper
- Standard high visibility panel (opening)
- (10) repositionable AC/heater vents
- Full-size instructor seat
- Hydraulic shuttle lever -finger control
- 3.4L, 4-cylinder, F5G engines with 4 valves per cylinder common rail fuel injection systems
- 8,084 lb. 3-point lift capacity
- Tier 4B/final emissions compliant ECOBlue Compact HI-eSCR (Selective Catalytic Reduction) after-treatment with low rate Cooled Exhaust Gas Recirculation (CEGR); no diesel particulate filter, no regeneration req.

MODELS:

T5.110

- 107 gross engine HP
- 93 PTO HP @ 2300 rpm
- 4-cyl. turbocharged and intercooled
- 207 cu. in. (3.4 L) displacement
- 4 valves per cylinder

T5.120

- 117 gross engine HP
- 100 PTO HP @ 2300 rpm
- 4-cyl. turbocharged and intercooled
- 207 cu. in. (3.4 L) displacement
- 4 Valves per cylinder

ENGINE:

- Tier 4B emissions: Compact HI-eSCR SCR with low rate CEGR
- Electronic injection Bosch high-pressure common rail system
- Engine Speed Management
- Electric engine shutoff
- Grid heater starting Aid
- Engine block heater
- Dual element air filter
- Vertical exhaust
- 43.6 gallon (165 L) fuel tank with guard
- 3.2 gallon (12 L) DEF (diesel exhaust fluid) tank

TRANSMISSION:

- 16 x 16 semi-powershift
- 8 push button powershift speeds
- Control buttons on gear shift lever and on CommandArc™
- Electrohydraulic shuttle
- 25-mph (40-kph) road speed
- 16th gear (32nd w/creeper) is an economy gear that operates the engine at a lower RPM to save fuel
- Multi-disk cerametallic clutch
- Transmission heater

STEERING/BRAKES:

- Hydrostatic power steering
- Hydraulic wet brakes (equalizing and self-adjusting)
- Park brake

FRONT AXLE:

- Class 1.5 w/Auto 4WD management
- Electrohydraulic FWD engagement

-REAR AXLE:

- Heavy-duty flange
- Dog clutch differential lock
- Auto differential lock management
- Electrohydraulic rear differential lock



**T5 ELECTRO COMMAND - STANDARD FASTPICK
US PRICE LIST**

Standard Equipment

HYDRAULIC SYSTEM:

- Fixed displacement pumps
- Tandem gear pumps
- Maximum flow at rated engine speed:
 - Implement pump: 21.1 gpm (80 l/m)
 - Steering pump: 11.4 gpm (43 l/m)
- (2) closed center rear remote valves configurable detent w/ quick release couplers
- 2 function mechanical mid mount valve and joystick
- Complete loader ready

PTO:

- Fully independent
- Flip-up PTO shaft guard
- 540/1000 rpm interchangeable shaft
- Electrohydraulic engagement
- Multi-plate clutch
- Fender-mounted EDC / PTO switches

3-POINT LIFT SYSTEM:

- Right hand console-mounted mouse
- Electronic Draft Control (EDC)
- Fast raise/lower control
- 8,084 lb. lift cap (OECD, 90% psi at 24" rear of lower link balls)
- Category II flexible lower link ends
- Telescopic stabilizers

INSTRUMENTATION:

- Analog/digital instrument panel with:
 - Integrated warning lights
 - Analog fuel, temp., and temp. gauges
 - Digital hour meter, direction display, ground speed, and PTO speed

ELECTRICAL:

- (1) 12-volt, 800 CCA battery
- 120-amp alternator
- 7-pin outlet for implement lighting
- 3-pin connector (TYCO CPC)
- Single pin (8-amp) power outlet
- Detusch diagnostic port

LIGHTING:

- (2) Halogen front hood headlights
- (2) Front and (2) rear cab work lights
- Turn signals, flashers, and brake lights

OPERATOR'S STATION:

- Flat deck platform and integral ROPS
- Heater and air conditioner
- "A" pillar exhaust
- (2) tinted doors with locks
- Partially opening tinted side windows
- Hinged tinted rear window
- Rear cab access plug for imp. wires
- Front and rear wipers and washers
- Tilt and telescoping steering wheel
- Fixed external mirrors
- Radio and speakers
- Deluxe air suspension seat with operator's presence and seat belt
- Instructor's seat with seat belt
- HiVis panel (overhead window-opens)

MISCELLANEOUS:

- One-piece hood with gas strut
- Swinging drawbar
- SMV emblem
- Toolbox
- 6 rear wheel weights

WARRANTY:

New Holland standard warranty applies



**T5 ELECTRO COMMAND - STANDARD FASTPICK
 US PRICE LIST**

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
T5.110 ELEC COM T4B	8,157 LB	9079854P06	\$102,377.00
Includes the following Equipment			
14.9R24 A8 HD Rim (8242301)	\$2,161.00		
460/85(18.4)R34 A8 FI,MI,C (8365401)	\$3,834.00		
T5.120 ELEC COM T4B	8,157 LB	9081452P28	\$104,426.00
Includes the following Equipment			
14.9R24 A8 HD Rim (8242301)	\$2,161.00		
460/85(18.4)R34 A8 FI,MI,C (8365401)	\$3,834.00		

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

X0474XX	NAR NH PCK C STD Standard Fastpick Package includes: 330849 2 Mechanical Rear Remotes 392428 2 Fixed Wide Angle Mirrors 390430 16 x 16 SPS 40 KPH 758820 2 Slice Mech CC MMV 332850 Deluxe Fabric Seat w/Air Suspension 339434 Deluxe Cab with HiVis Panel and A/C 330308 HD MFD Axle w/ Hydraulic Diff Lock 758980 Complete Loader Ready 744982 Engine Block and Transmission Heaters 330471 6 Rear Wheel Weights 8242301 14.9R24 R1W Front Tires 8365401 18.4R34 R1W Rear Tires		9001722P24	\$2,208.00
---------	---	--	------------	------------

PTO

REAR PTO

SD_T8010 PTO

331729	540/540E/1000 RPM		9000622P44	\$798.00
--------	-------------------	--	------------	----------



**T5 ELECTRO COMMAND - STANDARD FASTPICK
 US PRICE LIST**

CAB OR ROPS PLATFORM

MONITOR MOUNTING

SD_T7612 BRACKET MONITOR

	338761	Monitor Mounting Bracket		9000108P42	\$139.00
--	--------	--------------------------	--	------------	----------

ELECTRICAL/CONNECTORS

BATTERY

SD_T7420 BATTERY

	334774	Batt. 140 AH W/B.IS. Battery Isolator		9000302P64	\$388.00
--	--------	---	--	------------	----------

LIGHTS

ROTARY BEACON

SD_T9146 ROTARY BEACON

	759160	ROTARY BEACON 759160		9000086P58	\$111.00
	335916	2 Beacons RH and LH Side Left and right side safety beacons		9000171P60	\$220.00

MANUALS

OPERATORS

SD_T9840 COUNTRY CONFIGURATION

	335148	USA Spanish Config Spanish Operator Manual			No Charge
	335151	Canada (FR) Config French Operator Manual			No Charge

MISCELLANEOUS

FENDERS FRONT

SD_T8740 FRONT FENDERS

	758330	Dynamic Front Fenders 480mm 18.9 inch (480 mm) dynamic front fenders		9000579P54	\$743.00
--	--------	--	--	------------	----------



**T5 ELECTRO COMMAND - DELUXE FASTPICK
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS (some features are optional equipment):

- 16 x 16 Electro Command semi-powershift transmission with Auto Shift feature
- Auto PTO manages PTO engagement in relation to the rear hitch position
- Engine Speed Management (constant engine RPM) - 2 settings
- Terralock™ automatic traction system
- CommandArc™ ergonomics
- 200 degree windshield wiper
- Standard high visibility panel (opening)
- (10) repositionable AC/heater vents
- Full-size instructor seat
- Hydraulic shuttle lever -finger control
- 3.4L, 4-cylinder, F5G engines with 4 valves per cylinder common rail fuel injection systems
- 8,084 lb. 3-point lift capacity
- Tier 4B/final emissions compliant ECOBlue Compact HI-eSCR (Selective Catalytic Reduction) after-treatment with low rate Cooled Exhaust Gas Recirculation (CEGR); no diesel particulate filter, no regeneration req.

MODELS:

T5.110

- 107 gross engine HP
- 93 PTO HP @ 2300 rpm
- 4-cyl. turbocharged and intercooled
- 207 cu. in. (3.4 L) displacement
- 4 valves per cylinder

T5.120

- 117 gross engine HP
- 100 PTO HP @ 2300 rpm
- 4-cyl. turbocharged and intercooled
- 207 cu. in. (3.4 L) displacement
- 4 Valves per cylinder

ENGINE:

- Tier 4B emissions: Compact HI-eSCR SCR with low rate CEGR
- Electronic injection Bosch high-pressure common rail system
- Engine Speed Management
- Electric engine shutoff
- Grid heater starting Aid
- Engine block heater
- Dual element air filter
- Vertical exhaust
- 43.6 gallon (165 L) fuel tank with guard
- 3.2 gallon (12 L) DEF (diesel exhaust fluid) tank

TRANSMISSION:

- 16 x 16 semi-powershift with Auto Shift
- 8 push button powershift speeds
- Control buttons on gear shift lever and on CommandArc™
- Electrohydraulic shuttle
- 25-mph (40-kph) road speed
- 16th gear (32nd w/creeper) is an economy gear that operates the engine at a lower RPM to save fuel
- Multi-disk cerametallic clutch
- Transmission heater

STEERING/BRAKES:

- Hydrostatic power steering
- Hydraulic wet brakes (equalizing and self-adjusting)
- Park brake

FRONT AXLE:

- Class 1.5 w/Auto 4WD management
- Electrohydraulic FWD and differential lock engagement

-REAR AXLE:

- Heavy-duty flange
- Dog clutch differential lock
- Auto differential lock management
- Electrohydraulic rear differential lock



**T5 ELECTRO COMMAND - DELUXE FASTPICK
US PRICE LIST**

Standard Equipment

HYDRAULIC SYSTEM:

- Fixed displacement pumps
- Tandem gear pumps
- Maximum flow at rated engine speed:
 - Implement pump: 21.1 gpm (80 l/m)
 - Steering pump: 11.4 gpm (43 l/m)
- (3) closed center rear remote valves configurable detent w/ quick release couplers
- 2 function mid mount valve with electronic arm-rest mounted joystick
- Complete loader ready

PTO:

- Fully independent
- Flip-up PTO shaft guard
- 540/1000 rpm interchangeable shaft
- Electrohydraulic engagement
- Multi-plate clutch
- Fender-mounted EDC / PTO switches

3-POINT LIFT SYSTEM:

- Right hand console-mounted mouse
- Electronic Draft Control (EDC)
- Fast raise/lower control
- 8,084 lb. lift cap (OECD, 90% psi at 24" rear of lower link balls)
- Category II flexible lower link ends
- Telescopic stabilizers

INSTRUMENTATION:

- Analog/digital instrument panel with:
 - Integrated warning lights
 - Analog fuel, temp., and temp. gauges
 - Digital hour meter, direction display, ground speed, and PTO speed

ELECTRICAL:

- (1) 12-volt, 800 CCA battery
- 120-amp alternator
- 7-pin outlet for implement lighting
- 3-pin connector (TYCO CPC)
- Single pin (8-amp) power outlet
- Detusch diagnostic port

LIGHTING:

- (2) Halogen front hood headlights
- (2) Front and (2) rear cab work lights
- Turn signals, flashers, and brake lights

OPERATOR'S STATION:

- Flat deck platform and integral ROPS
- Cab suspension
- Heater and air conditioner
- "A" pillar exhaust
- (2) tinted doors with locks
- Partially opening tinted side windows
- Hinged tinted rear window
- Rear cab access plug for imp. wires
- Front and rear wipers and washers
- Tilt and telescoping steering wheel
- Telescopic external mirrors
- Monitor mounting bracket
- Radio and speakers
- Premium air suspension seat with operator's presence and seat belt
- Instructor's seat with seat belt
- HiVis panel (overhead window-opens)

MISCELLANEOUS:

- One-piece hood with gas strut
- Swinging drawbar
- SMV emblem
- Toolbox
- 6 rear wheel weights

WARRANTY:

New Holland standard warranty applies



**T5 ELECTRO COMMAND - DELUXE FASTPICK
 US PRICE LIST**

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
T5.110 ELEC COM T4B	8,157 LB	9079854P06	\$102,377.00
Includes the following Equipment			
14.9R24 A8 HD Rim (8242301)	\$2,161.00		
460/85(18.4)R34 A8 FI,MI,C (8365401)	\$3,834.00		
T5.120 ELEC COM T4B	8,157 LB	9081452P28	\$104,426.00
Includes the following Equipment			
14.9R24 A8 HD Rim (8242301)	\$2,161.00		
460/85(18.4)R34 A8 FI,MI,C (8365401)	\$3,834.00		

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

X0473XX	NAR NH PCK B DELUXE Deluxe Fastpick Package Includes: 331844 3 Mechanical Rear Remotes 341852 2 External Telescopic Wide Angle Mirrors 330471 6 Rear Wheel Weights 744982 Engine Block and Transmission Heaters 334775 40 KPH W/Autofunction 330308 HD MFD Axle w/ Hydraulic Diff Lock 338761 Monitor Mounting Bracket 758980 Complete Loader Ready 758821 2 MMV CC w/EH Joystick 758312 Premium Air Seat 336730 Cab Suspension with HiVis panel & A/C 8242301 14.9R24 R1W Front Tires 8365401 18.4R34 R1W Rear Tires		9005431P92	\$6,964.00
---------	--	--	------------	------------

PTO

REAR PTO

SD_T8010 PTO

331729	540/540E/1000 RPM		9000622P44	\$798.00
--------	-------------------	--	------------	----------



**T5 ELECTRO COMMAND - DELUXE FASTPICK
 US PRICE LIST**

ELECTRICAL/CONNECTORS

BATTERY

SD_T7420 BATTERY

	334774	Batt. 140 AH W/B.IS. Battery Isolator		9000302P64	\$388.00
--	--------	---	--	------------	----------

LIGHTS

ROTARY BEACON

SD_T9146 ROTARY BEACON

	759160	ROTARY BEACON 759160		9000086P58	\$111.00
	335916	2 Beacons RH and LH Side Left and right side safety beacons		9000171P60	\$220.00

MANUALS

OPERATORS

SD_T9840 COUNTRY CONFIGURATION

	335148	USA Spanish Config Spanish Operator Manual			No Charge
	335151	Canada (FR) Config French Operator Manual			No Charge

MISCELLANEOUS

FENDERS FRONT

SD_T8740 FRONT FENDERS

	758330	Dynamic Front Fenders 480mm 18.9 inch (480 mm) dynamic front fenders		9000579P54	\$743.00
--	--------	--	--	------------	----------



**T5 ELECTRO COMMAND - LESS FASTPICK
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS (some features are optional equipment):

- 16 x 16 Electro Command semi-powershift transmission now with optional Auto Shift feature
- Comfort Ride™ cab suspension for a smoother ride - Optional
- Auto PTO manages PTO engagement in relation to the rear hitch position
- Engine Speed Management (constant engine RPM) - 2 settings
- Terralock™ automatic traction system
- Terraglide™ opt. front axle suspension
- Opt TerraGlide™ class 1.5 HD front axle
- CommandArc™ ergonomics
- Optional LED work lights
- 200 degree windshield wiper
- Standard high visibility panel (opening)
- (10) repositionable AC/heater vents
- Full-size instructor seat
- Electrohydraulic armrest-mntd joystick
- Hydraulic shuttle lever -finger control
- 8,084 lb. 3-point lift capacity
- Tier 4B/final emissions compliant ECOBlue Compact HI-eSCR (Selective Catalytic Reduction) after-treatment with low rate Cooled Exhaust Gas Recirculation (CEGR); no diesel particulate filter, no regeneration req.

MODELS:

T5.110

- 107 gross engine HP
- 93 PTO HP @ 2300 rpm
- 4-cyl. turbocharged and intercooled
- 207 cu. in. (3.4 L) displacement
- 4 valves per cylinder

T5.120

- 117 gross engine HP
- 100 PTO HP @ 2300 rpm
- 4-cyl. turbocharged and intercooled
- 207 cu. in. (3.4 L) displacement
- 4 Valves per cylinder

KEY COMMON FEATURES & OPTIONS:

- 16X16 Electro Command transmission with optional Auto Shift feature
- Optional Suspended cab w/HiVis panel
- Heavy-duty class 1.5 front axle with optional hydraulic differential lock
- Opt. premium air suspension seat with armrests, backrest, and heated cushion
- Full-size, deluxe radio with Bluetooth™
- Telescopic rearview mirror option
- (3) closed center rear remotes option
- Electrohydraulic mid-mount valve and armrest-mounted elec. joystick option
- Auto PTO option
- Engine block heater option

ENGINE:

- Tier 4B emissions: Compact HI-eSCR SCR with low rate CEGR
- Electronic injection Bosch high-pressure common rail system
- Engine Speed Management
- Electric engine shutoff
- Grid heater starting Aid
- Dual element air filter
- Vertical exhaust
- 43.6 gallon (165 L) fuel tank with guard
- 3.2 gallon (12 L) DEF (diesel exhaust fluid) tank

TRANSMISSION:

- 16 x 16 semi-powershift
- 8 push button powershift speeds
- Control buttons on gear shift lever and on CommandArc™
- Electrohydraulic shuttle
- 25-mph (40-kph) road speed
- 16th gear (32nd w/creeper) is an economy gear that operates the engine at a lower RPM to save fuel
- Multi-disk cerametallic clutch



**T5 ELECTRO COMMAND - LESS FASTPICK
US PRICE LIST**

Standard Equipment

STEERING/BRAKES:

- Hydrostatic power steering
- Hydraulic wet brakes (equalizing and self-adjusting)
- Park brake

FRONT AXLE:

- Class 1.5 w/Auto 4WD management
- Limited slip differential
- Opt. electrohydraulic FWD engagement
- Opt. suspended front axle

-REAR AXLE:

- Heavy-duty flange
- Dog clutch differential lock
- Auto differential lock management
- Electrohydraulic rear differential lock

HYDRAULIC SYSTEM:

- Fixed displacement pumps
- Tandem gear pumps
- Maximum flow at rated engine speed:
 - Implement pump: 21.1 gpm (80 l/m)
 - Steering pump: 11.4 gpm (43 l/m)
- (2) closed center rear remote valves configurable detent w/ quick release couplers

PTO:

- Fully independent
- Flip-up PTO shaft guard
- 540/1000 rpm interchangeable shaft
- Electrohydraulic engagement
- Multi-plate clutch
- Fender-mounted EDC / PTO switches

3-POINT LIFT SYSTEM:

- Right hand console-mounted mouse
- Electronic Draft Control (EDC)
- Fast raise/lower control
- 8,084 lb. lift cap (OECD, 90% psi at 24" rear of lower link balls)
- Category II flexible lower link ends
- Telescopic stabilizers

INSTRUMENTATION:

- Analog/digital instrument panel with:
 - Integrated warning lights
 - Analog fuel, temp., and temp. gauges
 - Digital hour meter, direction display, ground speed, and PTO speed

ELECTRICAL:

- (1) 12-volt, 800 CCA battery
- 120-amp alternator
- 7-pin outlet for implement lighting
- 3-pin connector (TYCO CPC)
- Single pin (8-amp) power outlet
- Detusch diagnostic port

LIGHTING:

- (2) Halogen front hood headlights
- (2) Front and (2) rear cab work lights
- Turn signals, flashers, and brake lights

OPERATOR'S STATION:

- Flat deck platform and integral ROPS
- Heater and air conditioner
- "A" pillar exhaust
- (2) tinted doors with locks
- Partially opening tinted side windows
- Hinged tinted rear window
- Rear cab access plug for imp. wires
- Front and rear wipers and washers
- Tilt and telescoping steering wheel
- Fixed external mirrors
- Radio and speakers
- Deluxe air suspension seat with operator's presence and seat belt
- Instructor's seat with seat belt
- HiVis panel (overhead window-opens)

MISCELLANEOUS:

- One-piece hood with gas strut
- Swinging drawbar
- SMV emblem
- Toolbox

WARRANTY:

New Holland standard warranty applies



**T5 ELECTRO COMMAND - LESS FASTPICK
 US PRICE LIST**

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
T5.110 ELEC COM T4B	8,157 LB	9079854P06	\$102,377.00
Includes the following Equipment			
14.9R24 A8 HD Rim (8242301)	\$2,161.00		
460/85(18.4)R34 A8 FI,MI,C (8365401)	\$3,834.00		
T5.120 ELEC COM T4B	8,157 LB	9081452P28	\$104,426.00
Includes the following Equipment			
14.9R24 A8 HD Rim (8242301)	\$2,161.00		
460/85(18.4)R34 A8 FI,MI,C (8365401)	\$3,834.00		

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

X0475XX	LESS PACKAGING			No Charge
---------	----------------	--	--	-----------

OPERATOR PLATFORM

SD_T9200 OPERATOR STRUCTURE #1

336730	Susp HiVis A/C Cab Suspension		9001123P20	\$1,440.00
--------	---	--	------------	------------

POWER TRAIN

TRANSMISSION

SD_T2810 TRANSMISSION

390430	16x16 SPS 40KPH			No Charge
334775	40KPH W/Autofunction Auto Shift		9000566P28	\$726.00
334114	16x16 40KPH W/Creep Creeper		9000617P76	\$792.00
334779	40KPH W/AutoF+Creep Auto Shift + Creeper		9001184P04	\$1,518.00



**T5 ELECTRO COMMAND - LESS FASTPICK
 US PRICE LIST**

AXLES

SD_T4010 FRONT AXLE

	337707	Suspended Front Axle Less Brks		9003258P84	\$4,178.00
--	--------	--------------------------------	--	------------	------------

TIRES

BRAND CHOICE

SD_T4900 TIRE CATEGORY CHOICE

	330438	No tire brand preference			No Charge
	330447	Alliance		9000346P32	\$444.00
	330439	Continental		9000346P32	\$444.00
	330418	Trelleborg		9000346P32	\$444.00
	330444	Nokian		9000606P06	\$777.00
	330442	Michelin		9000864P24	\$1,108.00

FRONT

SD_T4940 FRONT WHEELS AND TIRES

Ag Front Tires					
	8235401	12.4R24 A8 R1W, Adjustable Rim, Match w/ 8357401 rear tire/wheel		9001119P30	\$1,435.00
	8242301	14.9R24 A8 HD Rim R1W, adjustable rim Match with 8365401 rear tire/wheel		9001685P58	\$2,161.00
	8201801	9.5R28 R1W, Adjustable Rim, Match w/ 8369501 rear tire/wheel		9001379P82	\$1,769.00

REAR

SD_T4950 REAR WHEELS AND TIRES

Ag Rear Tires					
	8357401	18.4R30 R1W Matching front tire/whl is 8235401, 12.4R24 (320/85R24) R1W, adjustable rim Not compatible with narrow rear fenders option code: 331870		9002714P40	\$3,480.00



**T5 ELECTRO COMMAND - LESS FASTPICK
 US PRICE LIST**

	8365401	460/85(18.4)R34 A8 FI,MI,CO,TR Matching front tire/whl is 8242301, 14.9R24 (380/85R24) R1W, adjustable rim Not compatible with narrow rear fenders option code: 331870		9002990P52	\$3,834.00
Specialty Rear Tires					
	8369501	12.4R38) W11 x 38 Matching front tire/wheel is 9.5R28 Not compatible with front fender options 758329 and 758330 Row Crop with adjustable rim Required when selecting narrow rear fender option 331870		9001598P22	\$2,049.00

HYDRAULICS

REAR REMOTES

SD_T8270 REAR REMOTES

	330849	2 MRRV (2C) Fixed Pump,EDC 2 closed center mechanical hydraulic remote valves both with configurable detent			No Charge
	331844	3 MRRV (1NC+2C)Fixed Pump,EDC 3 mechanical rear hydraulic remote valves, 2 with configurable detents and 1 with non-configurable detent		9001166P88	\$1,496.00

MID-MOUNT

SD_T8280 MID-MOUNT VALVES

	758820	2 Slice Mech CC MMV 2 function mid mount valve with mechanical joystick		9001123P20	\$1,440.00
	758821	2 MMV CC w/EH Joystk 2 function mid mount valve with armrest mounted electronic joystick		9001555P32	\$1,994.00



**T5 ELECTRO COMMAND - LESS FASTPICK
 US PRICE LIST**

LOADER

LOADER BRACKETS

SD_T8110 LOADER BRACKETS

		758980	Loader Ready. Complete loader ready Includes: - Complete TPS mounting brackets - Hose kit from mid mount valve to vertical brackets - Multi-coupler base Requires a mid mount valve selection		9003577P08	\$4,586.00
--	--	--------	---	--	------------	------------

ENGINE

AIR INTAKE

SD_T1910 AIR CLEANER

		330200	Air Filter w/Dust Ejector Engine air cleaner with dust ejector		9000094P38	\$121.00
--	--	--------	--	--	------------	----------

SD_T1931 COLD WEATHER STARTI

		744982	Block Heater_120V		9000125P58	\$161.00
--	--	--------	-------------------	--	------------	----------

PTO

REAR PTO

SD_T8010 PTO

		331729	540/540E/1000 RPM		9000622P44	\$798.00
--	--	--------	-------------------	--	------------	----------

CAB OR ROPS PLATFORM

MONITOR MOUNTING

SD_T7612 BRACKET MONITOR

		338761	Monitor Mounting Bracket		9000108P42	\$139.00
--	--	--------	--------------------------	--	------------	----------

OTHER

SD_T9360 RR MIRRORS

		341852	2 External Wide Angle Mirrors 2 Telescopic Rear Wide Angle Mirrors With Mechanical Adjustment		9000312P78	\$401.00
--	--	--------	---	--	------------	----------



**T5 ELECTRO COMMAND - LESS FASTPICK
 US PRICE LIST**

ELECTRICAL/CONNECTORS

BATTERY

SD_T7420 BATTERY

	334774	Batt. 140 AH W/B.IS. Battery Isolator		9000302P64	\$388.00
--	--------	---	--	------------	----------

LIGHTS

ROTARY BEACON

SD_T9146 ROTARY BEACON

	759160	ROTARY BEACON 759160		9000086P58	\$111.00
	335916	2 Beacons RH and LH Side Left and right side safety beacons		9000171P60	\$220.00

WEIGHTS

FRONT

SD_T2150 FRONT BALLAST

	331759	10 Weights Qty. 10, 88 lb. (40 Kg) weights totaling 882 lb. (400 Kg) Requires a front axle support with weight carrier (335156 or 758385)		9000907P92	\$1,164.00
--	--------	---	--	------------	------------

SD_T8100 FRONT THREE POINT HITCH

	335156	L/FHPL L/FPTO-STD Standard front axle support with weight carrier. Not compatible with suspended front axle.		9000280P02	\$359.00
	758385	L/FHPL L/FPTO-MULTI Suspended axle front axle support with weight carrier Not compatible with non suspended front axle.			No Charge

REAR

SD_T4961 REAR BALLAST

	330471	6 Rear Wheel Weights 6, 110 lb. (50 kg.) rear disc weights totaling 661 lb. (300Kg)		9000760P50	\$975.00
--	--------	---	--	------------	----------



**T5 ELECTRO COMMAND - LESS FASTPICK
US PRICE LIST**

MISCELLANEOUS

FENDERS FRONT

SD_T8740 FRONT FENDERS

	758330	Dynamic Front Fenders 480mm 18.9 inch (480 mm) dynamic front fenders		9000579P54	\$743.00
--	--------	--	--	------------	----------

REVERSE ALARM

SD_T9249 REVERSE ALARM

	332692	Reverse Alarm w/Work Light		9000191P10	\$245.00
--	--------	----------------------------	--	------------	----------



**T5 DYNAMIC COMMAND - STANDARD FAST PICK
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- Fuel efficient high torque 4.5L, 4-cylinder
- FPT engines with 4 valves per cylinder and common rail fuel injection systems
- Tier 4B EPA emissions compliant with SCR only ECOBlue™ HI-eSCR Tier4B emissions system
- Underhood compact aftertreatment
- 24X24 Dynamic Command™ 8-Step Semi-Powershift transmission
- Best in class cab in terms of space and comfort (same cab as the T6 and T7 Series)
- Standard LED work lighting
- High level of Automating features (E-Hydr 4WD, PTO, e-controlled remotes)
- Closed Center Load Sensing "high efficiency" pumps, up to 108 l/m
- Easy attach remote outlets
- New bold styling (hood, cab roof, lighting)
- Long Stable 98" wheel base for all Models
- Gross Vehicle Weight up to 18,700 lbs.

MODELS

T5.130 Dynamic Command
Rated PTO HP - 102
Rated Engine HP - 120
Maximum Engine HP - 130
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 47 Gallon (180L)
DEF Tank: 5 Gallon (19L)

T5.140 Dynamic Command
Rated PTO HP - 111
ENGINE Rated Engine HP - 130
Maximum Engine HP - 140
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 47 Gallon (180L)
DEF Tank: 5 Gallon (19L)

ENGINE

- Tier 4B Emissions Compliant
ECOBlue™ HI-eSCR Tier4B system
Engine with Turbocharger and
Air-to-Air Intercooler
4 Valves Per Cylinder
Bosch Common Rail Fuel Injection
Pump (electronic)
Grid Heater Starting Aid
Cold weather pack block and
transmission heater
Dual Element Air Filter with Pre-Cleaner
(spin tube intakes)
A-Pillar Exhaust with Integral Muffler
Viscous Fan (5 blade)
Hand Throttle

TRANSMISSION

- 24x24 Dynamic Command Semi Powershift Transmission
- Clutchless Range Change between Ranges A/B, B/C.
- 25-MPH (40-KPH) (varies by tire size)

CAB

- -High Roof w/ Opening Visibility Panel and Sunshade
-Cab suspension
- Flat Deck Platform with Integrated ROPS
- Standard Air Conditioner and Heater with 4-Speed Pressurizer and dual zone air conditioning
- Two doors with Locks
- Two-speed Intermittent Front
- Wiper/Washer
- Rear Intermittent Wiper/Washer
- Hinged Rear Window
- Tinted Glass with Sunshade
- Tilt and Telescoping Steering Wheel
- IntelliView™ IV disp. mtd. on arm rest
- Deluxe Air Suspension Seat with Automatic Adjustment, Operator



**T5 DYNAMIC COMMAND - STANDARD FAST PICK
 US PRICE LIST**

Standard Equipment

Presence Switch and Lap Belt

- Instructor Seat
- Deluxe radio
- Digital clock
- Integral ROPS
- Interior dome light
- (2) External courtesy lights
- (2) External telescopic remote
- Adjustable mirrors
- Horn
- Std steering wheel & floor mat
- ISOBUS II connector

STEERING & BRAKES

-
- Hydrostatic power steering
 - Hydraulic wet disc brakes (self-equalizing/self-adjusting)
 - Parking brake (automotive style)

FRONT AXLE

-
- Front FWD (TerraLock™)
 - Class 1.75 heavy-duty FWD axle
 - 55-degree turning angle
 - Dual steering cylinders
 - 11-degree axle oscillation
 - Electrohydraulic FWD engagement
 - TerraLock™ Auto FWD/Diff-Lock
 - Driveshaft shield

REAR AXLE

-
- Heavy-duty flange axle
 - Wet plate differential lock
 - Electrohydraulic-engaged dif. lock

ELECTRICAL

-
- (1) 12-volt 1300 CCA battery
 - 120-amp alternator
 - Geared starter motor (4.2 kW)
 - 7-pin outlet for implement lighting
 - 3-pin 40-amp implement socket
 - ISO/JD (30 amp) socket

- 15 amp screw-type +/- terminals
- Single pin (8 amp) accessory outlet
- Cigarette lighter
- (2) single-pin outlets for beacon on roof
- Battery boost terminals
- ISOBUS Class 2

LIGHTS

-
- (4) Halogen front hood headlights
 - (2) LED front hood signature lights
 - (8) LED cab mounted work lights
 - (4) LED high front & rear
 - (4) LED mid-mount front & rear
 - (2) taillights
 - Front & Rear Flashing Cab Safety Lights
 - Time Delayed, Self-Cancelling Turn Indicators with Audiable Warning Rotary beacon

PTO

-
- Independent 540/540E/1000 RPM PTO with reversible shaft and flip-up shield
 - Multi-plate wet clutch design
 - Electrohydraulic-engagement with soft start/auto feathering
 - Hydraulic piston PTO brake w/override

HYDRAULIC SYSTEM

-
- Closed-center load-sensing pump
 - Flow at 1,900 RPM: 28.5 gpm (108 l/m)
 - (2) electro-hydraulic rear remote valves controlled in SideWinder II™ console (fully programmable)
 - Oil collection bottles
 - Hydraulic tapping port (Power Beyond)
 - Independent pump for CVT and operating circuits
 - 3 function electronic mid mount valve and joystick



**T5 DYNAMIC COMMAND - STANDARD FAST PICK
US PRICE LIST**

Standard Equipment

3-POINT LIFT SYSTEM

-
- Electronic Draft Control (EDC)
- Lower link sensing
- Fast raise/lower control
- Dynamic Ride Control™
- Category II flex link ends
- Telescopic stabilizers
- 10228 lb. Lift Capacity with Dual 80mm
- External Rams

MISCELLANEOUS

-
- Complete loader ready: vertical and horizontal brackets and hoses from valve to vertical bracket
- Rear wheel weights
- Flip-up engine hood
- Swinging drawbar
- SMV emblem
- Toolbox

WARRANTY

New Holland standard warranty applies



**T5 DYNAMIC COMMAND - STANDARD FAST PICK
 US PRICE LIST**

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
T5.130 DCT		9089110P32	\$114,244.00
T5.140 DCT		9091840P32	\$117,744.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

	X0474XX	NAR NH PCK C STD Standard Fast Pick Package Includes: 759768: BASE COLOUR HI ROOF 758479: Suspended_Cab 758402: Grid_Heater + 110V Pack 758980: Loader Ready 743690: 3 Electronic MMV 759137: 2X150KG + 2X250KG Wheel Weight 759166: BASIC AUTO FEATURE 759155: BASIC ARMRST MTD DOG 759777: ROTARY BEACON 759777 758357: 8 LED High Power Hi-Roof		9007225P14	\$9,263.00
--	---------	--	--	------------	------------

TIRES

BRAND CHOICE

SD_T4900 TIRE CATEGORY CHOICE

	330418	Trelleborg		9000436P80	\$560.00
	330438	No tire brand preference			No Charge
	330447	Alliance		9000436P80	\$560.00
	330439	Continental		9000436P80	\$560.00
	330446	Firestone		9000436P80	\$560.00
	330442	Michelin		9000436P80	\$560.00
	330444	Nokian		9000436P80	\$560.00



**T5 DYNAMIC COMMAND - STANDARD FAST PICK
 US PRICE LIST**

FRONT WHEELS & TIRES

SD_T4940 FRONT WHEELS AND TIRES

Ag Front Tires					
	8235401	12.4R24 A8 R1W RADIAL ISO 4WD ADJUSTABLE RIM Match w/ 8357401 rear tire/wheel		9001119P30	\$1,435.00
	8242301	14.9R24 A8 HD Rim R1W RADIAL ISO 4WD ADJUSTABLE RIM Match with 8365401 rear tire/wheel		9001684P80	\$2,160.00
	8299801	Non-Return Ship Wheels - 4WD		9000074P10	\$95.00
	8880401	360/80R24 GRSLND, Adj. Rim		9001524P90	\$1,955.00
	8247401	11.2R28 A8 R1W RADIAL ISO 4WD ADJUSTABLE RIM Matches with 8372401 Rear tires 13.6R38 (340/85R38) MAVT		9001158P30	\$1,485.00

REAR WHEELS & TIRES

SD_T4950 REAR WHEELS AND TIRES

	8357401	18.4R30 R1W		9002714P40	\$3,480.00
	8365401	460/85(18.4)R34 A8 FI,MI,CO,TR		9002991P30	\$3,835.00
	8372401	13.6R38 A8		9001824P42	\$2,339.00
	8399801	Non-Returnable Shipping Wheel		9000452P40	\$580.00
	8916401	440/80R34 GRSLND, Adj. Rim		9002538P90	\$3,255.00

CAB OPTION

SD_T9360 RR MIRRORS

	759154	2 Tele/Heat/Rem Adj Mirror		9000050P70	\$65.00
--	--------	----------------------------	--	------------	---------

SEATS

SD_T8500 SEAT

	758670	Deluxe Air and Belt		9000585P00	\$750.00
	758486	MAXIMO EVO Semi Active Suspension, Heated, Vented, Belt, Alacantara/Leather, Up/Down Headrest (Maximo Evo)		9002988P96	\$3,832.00

MONITOR BRACKETS

SD_T9223 RH WINDOW BAR MOUNT

	758153	Monitor Mounting Bracket.		9000117P00	\$150.00
	758154	RH Window Bar Display Ready.		9000191P10	\$245.00



**T5 DYNAMIC COMMAND - STANDARD FAST PICK
 US PRICE LIST**

	758621	10" Color Touch Screen Display		9004543P50	\$5,825.00
--	--------	--------------------------------	--	------------	------------

MISCELLANEOUS

FENDERS FRONT

SD_T8740 FRONT FENDERS

	758330	Dynamic Front Fenders 480mm		9000577P20	\$740.00
--	--------	-----------------------------	--	------------	----------

OPERATOR'S MANUALS

SD_T9802 OPERATORS MANUAL

	758535	Spanish NAR			No Charge
	759101	French NAR			No Charge



**T5 DYNAMIC COMMAND - PREMIUM FAST PICK
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- Fuel efficient high torque 4.5L, 4-cylinder
- FPT engines with 4 valves per cylinder and common rail fuel injection systems
- Tier 4B EPA emissions compliant with SCR only ECOBlue™ HI-eSCR Tier4B emissions system
- Underhood compact aftertreatment
- 24X24 Dynamic Command™ 8-Step Semi-Powershift transmission
- Best in class cab in terms of space and comfort (same cab as the T6 and T7 Series)
- Standard LED work lighting
- High level of Automating features (E-Hydr 4WD, PTO, e-controlled remotes)
- Closed Center Load Sensing "high efficiency" pumps, up to 108 l/m
- Easy attach remote outlets
- New bold styling (hood, cab roof, lighting)
- Long Stable 98" wheel base for all Models
- Gross Vehicle Weight up to 18,700 lbs.

MODELS

T5.130 Dynamic Command
 Rated PTO HP - 102
 Rated Engine HP - 120
 Maximum Engine HP - 130
 Rated Speed - 2200 RPM
 274 cu. in. (4.5L) - 4 Cylinder
 Fuel Tank: 47 Gallon (180L)
 DEF Tank: 5 Gallon (19L)

T5.140 Dynamic Command
 Rated PTO HP - 111
 ENGINE Rated Engine HP - 130
 Maximum Engine HP - 140
 Rated Speed - 2200 RPM
 274 cu. in. (4.5L) - 4 Cylinder
 Fuel Tank: 47 Gallon (180L)
 DEF Tank: 5 Gallon (19L)

ENGINE

-
- Tier 4B Emissions Compliant
 - ECOBlue™ HI-eSCR Tier4B system
 - Engine with Turbocharger and Air-to-Air Intercooler
 - 4 Valves Per Cylinder
 - Bosch Common Rail Fuel Injection Pump (electronic)
 - Grid Heater Starting Aid
 - Cold weather pack block and transmission heater
 - Dual Element Air Filter with Pre-Cleaner (spin tube intakes)
 - A-Pillar Exhaust with Integral Muffler
 - Viscous Fan (5 blade)
 - Hand Throttle

TRANSMISSION

- 24x24 Dynamic Command Semi Powershift Transmission
- Clutchless Range Change between Ranges A/B, B/C.
- 25-MPH (40-KPH) (varies by tire size)

CAB

-
- Low Roof w/ Opening Visibility Panel and Sunshade
 - Cab suspension
 - Flat Deck Platform with Integrated ROPS
 - Standard Air Conditioner and Heater with 4-Speed Pressurizer and dual zone air conditioning
 - Two doors with Locks
 - Two-speed Intermittent Front Wiper/Washer
 - Rear Intermittent Wiper/Washer
 - Hinged Rear Window
 - Tinted Glass with Sunshade
 - Tilt and Telescoping Steering Wheel
 - IntelliView™ IV disp. mtd. on arm rest
 - Deluxe Air Suspension Seat with Automatic Adjustment, Operator



**T5 DYNAMIC COMMAND - PREMIUM FAST PICK
 US PRICE LIST**

Standard Equipment

Presence Switch and Lap Belt

- Instructor Seat
- Deluxe radio
- Digital clock
- Integral ROPS
- Interior dome light
- (2) External courtesy lights
- (2) External telescopic remote
- Adjustable mirrors
- Horn
- Std steering wheel & floor mat
- ISOBUS II connector

STEERING & BRAKES

-
- Hydrostatic power steering
 - Hydraulic wet disc brakes (self-equalizing/self-adjusting)
 - Parking brake (automotive style)

FRONT AXLE

-
- Front FWD (TerraLock™)
 - Class 1.75 heavy-duty FWD axle
 - 55-degree turning angle
 - Dual steering cylinders
 - 11-degree axle oscillation
 - Electrohydraulic FWD engagement
 - TerraLock™ Auto FWD/Diff-Lock
 - Driveshaft shield

REAR AXLE

-
- Heavy-duty flange axle
 - Wet plate differential lock
 - Electrohydraulic-engaged dif. lock

ELECTRICAL

-
- (1) 12-volt 1300 CCA battery
 - 120-amp alternator
 - Geared starter motor (4.2 kW)
 - 7-pin outlet for implement lighting
 - 3-pin 40-amp implement socket
 - ISO/JD (30 amp) socket

- 15 amp screw-type +/- terminals
- Single pin (8 amp) accessory outlet
- Cigarette lighter
- (2) single-pin outlets for beacon on roof
- Battery boost terminals
- ISOBUS Class 2

LIGHTS

-
- (4) Halogen front hood headlights
 - (2) LED front hood signature lights
 - (8) LED cab mounted work lights
 - (4) LED high front & rear
 - (4) LED mid-mount front & rear
 - (2) taillights
 - Front & Rear Flashing Cab Safety Lights
 - Time Delayed, Self-Cancelling Turn Indicators with Audiable Warning Rotary beacon

PTO

-
- Independent 540/540E/1000 RPM PTO with reversible shaft and flip-up shield
 - Multi-plate wet clutch design
 - Electrohydraulic-engagement with soft start/auto feathering
 - Hydraulic piston PTO brake w/override

HYDRAULIC SYSTEM

-
- Closed-center load-sensing pump
 - Flow at 1,900 RPM: 28.5 gpm (108 l/m)
 - (2) electro-hydraulic rear remote valves controlled in SideWinder II™ console (fully programmable)
 - Oil collection bottles
 - Hydraulic tapping port (Power Beyond)
 - Independent pump for CVT and operating circuits
 - 3 function electronic mid mount valve and joystick



**T5 DYNAMIC COMMAND - PREMIUM FAST PICK
US PRICE LIST**

Standard Equipment

3-POINT LIFT SYSTEM

Electronic Draft Control (EDC)

Lower link sensing

Fast raise/lower control

Dynamic Ride Control™

Category II flex link ends

Telescopic stabilizers

10228 lb. Lift Capacity with Dual 80mm

External Rams

Complete loader ready: vertical and
horizontal brackets and hoses from
valve to vertical bracket

Rear wheel weights

Flip-up engine hood

Swinging drawbar

SMV emblem

Toolbox

WARRANTY

New Holland standard warranty applies

MISCELLANEOUS



**T5 DYNAMIC COMMAND - PREMIUM FAST PICK
 US PRICE LIST**

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
T5.130 DCT		9089110P32	\$114,244.00
T5.140 DCT		9091840P32	\$117,744.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

	X0472XX	NAR NH PCK A PREMIUM Premium Fast Pick Package Includes: 762040: LOW ROOF HIVIS PAN 758479: Suspended_Cab 758402: Grid_Heater + 110V Pack 759666: 1.75 W/EH DIFF LOCK 758980: Loader Ready 743690: 3 Electronic MMV 759137: 2X150KG + 2X250KG Wheel Weight 758631: ADV TRANS AUTO FEAT 759756: LARGE T.S. DISPLAY 759777: ROTARY BEACON 759777 758482: Air Conditioning W/ATC		9014213P94	\$18,223.00
--	---------	--	--	------------	-------------

TIRES

BRAND CHOICE

SD_T4900 TIRE CATEGORY CHOICE

	330418	Trelleborg		9000436P80	\$560.00
	330438	No tire brand preference			No Charge
	330447	Alliance		9000436P80	\$560.00
	330439	Continental		9000436P80	\$560.00
	330446	Firestone		9000436P80	\$560.00
	330442	Michelin		9000436P80	\$560.00
	330444	Nokian		9000436P80	\$560.00



**T5 DYNAMIC COMMAND - PREMIUM FAST PICK
 US PRICE LIST**

FRONT WHEELS & TIRES

SD_T4940 FRONT WHEELS AND TIRES

	8235401	12.4R24 A8 R1W RADIAL ISO 4WD ADJUSTABLE RIM Match w/ 8357401 rear tire/wheel		9001119P30	\$1,435.00
	8242301	14.9R24 A8 HD Rim R1W RADIAL ISO 4WD ADJUSTABLE RIM Match with 8365401 rear tire/wheel		9001684P80	\$2,160.00
	8299801	Non-Return Ship Wheels - 4WD		9000074P10	\$95.00
	8880401	360/80R24 GRSLND, Adj. Rim		9001524P90	\$1,955.00
	8247401	11.2R28 A8 R1W RADIAL ISO 4WD ADJUSTABLE RIM Matches with 8372401 Rear tires 13.6R38 (340/85R38) MAVT		9001158P30	\$1,485.00

REAR WHEELS & TIRES

SD_T4950 REAR WHEELS AND TIRES

	8365401	460/85(18.4)R34 A8 FI,MI,CO,TR		9002991P30	\$3,835.00
	8372401	13.6R38 A8		9001824P42	\$2,339.00
	8399801	Non-Returnable Shipping Wheel		9000452P40	\$580.00
	8916401	440/80R34 GRSLND, Adj. Rim		9002538P90	\$3,255.00

CAB OPTION

SD_T9360 RR MIRRORS

	759154	2 Tele/Heat/Rem Adj Mirror		9000050P70	\$65.00
--	--------	----------------------------	--	------------	---------

LIGHTS

SD_T9130 WORK LAMPS

	762051	12 LED W/LGTS HI PWR		9001220P70	\$1,565.00
--	--------	----------------------	--	------------	------------

MONITOR BRACKETS

SD_T9223 RH WINDOW BAR MOUNT

	758153	Monitor Mounting Bracket.		9000117P00	\$150.00
	758154	RH Window Bar Display Ready.		9000191P10	\$245.00
	758621	10" Color Touch Screen Display		9004543P50	\$5,825.00



**T5 DYNAMIC COMMAND - PREMIUM FAST PICK
US PRICE LIST**

OPERATOR'S MANUALS

SD_T9802 OPERATORS MANUAL

		758535	Spanish NAR			No Charge
		759101	French NAR			No Charge



**T5 DYNAMIC COMMAND - LESS FAST PICK
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- Fuel efficient high torque 4.5L, 4-cylinder
- FPT engines with 4 valves per cylinder and common rail fuel injection systems
- Tier 4B EPA emissions compliant with SCR only ECOBlue™ HI-eSCR Tier4B emissions system
- Underhood compact aftertreatment
- 24x24 Dynamic Command™ 8-Step Semi-Powershift transmission
- Best in class cab in terms of space and comfort (same cab as the T6 and T7 Series)
- Standard LED work lighting
- High level of Automating features (E-Hydr 4WD, PTO, e-controlled remotes)
- Closed Center Load Sensing "high efficiency" pumps, up to 108 l/m
- Easy attach remote outlets
- New bold styling (hood, cab roof, lighting)
- Long Stable 98" wheel base for all Models
- Gross Vehicle Weight up to 18,700 lbs.

MODELS

T5.130 Dynamic Command
Rated PTO HP - 102
Rated Engine HP - 120
Maximum Engine HP - 130
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 47 Gallon (180L)
DEF Tank: 5 Gallon (19L)

T5.140 Dynamic Command
Rated PTO HP - 111
ENGINE Rated Engine HP - 130
Maximum Engine HP - 140
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 47 Gallon (180L)
DEF Tank: 5 Gallon (19L)

ENGINE

- Tier 4B Emissions Compliant
ECOBlue™ HI-eSCR Tier4B system
Engine with Turbocharger and
Air-to-Air Intercooler
4 Valves Per Cylinder
Bosch Common Rail Fuel Injection
Pump (electronic)
Grid Heater Starting Aid
Dual Element Air Filter with Pre-Cleaner
(spin tube intakes)
A-Pillar Exhaust with Integral Muffler
Viscous Fan (5 blade)
Hand Throttle

TRANSMISSION

- 24x24 Dynamic Command Semi Powershift Transmission
- Clutchless Range Change between Ranges A/B, B/C.
- 25-MPH (40-KPH) (varies by tire size)

CAB

- -High Roof w/ Opening Visibility Panel and Sunshade
- Flat Deck Platform with Integrated ROPS
 - Standard Air Conditioner and Heater with 4-Speed Pressurizer and dual zone air conditioning
 - Two doors with Locks
 - Two-speed Intermittent Front Wiper/Washer
 - Rear Intermittent Wiper/Washer
 - Hinged Rear Window
 - Tinted Glass with Sunshade
 - Tilt and Telescoping Steering Wheel
 - IntelliView™ IV disp. mtd. on arm rest
 - Deluxe Air Suspension Seat with Automatic Adjustment, Operator Presence Switch and Lap Belt
 - Instructor Seat
 - Deluxe radio



**T5 DYNAMIC COMMAND - LESS FAST PICK
US PRICE LIST**

Standard Equipment

- Digital clock
- Integral ROPS
- Interior dome light
- (2) External courtesy lights
- (2) External telescopic remote
- Adjustable mirrors
- Horn
- Std steering wheel & floor mat
- ISOBUS II connector

STEERING & BRAKES

- Hydrostatic power steering
- Hydraulic wet disc brakes (self-equalizing/self-adjusting)
- Parking brake (automotive style)

FRONT AXLE

- Front FWD (TerraLock™)
- Class 1.75 heavy-duty FWD axle
- 55-degree turning angle
- Dual steering cylinders
- 11-degree axle oscillation
- Electrohydraulic FWD engagement
- TerraLock™ Auto FWD/Diff-Lock
- Driveshaft shield

REAR AXLE

- Heavy-duty flange axle
- Wet plate differential lock
- Electrohydraulic-engaged dif. lock

ELECTRICAL

- (1) 12-volt 1300 CCA battery
- 120-amp alternator
- Geared starter motor (4.2 kW)
- 7-pin outlet for implement lighting
- 3-pin 40-amp implement socket
- ISO/JD (30 amp) socket
- 15 amp screw-type +/- terminals
- Single pin (8 amp) accessory outlet
- Cigarette lighter

- (2) single-pin outlets for beacon on roof
- Battery boost terminals
- ISOBUS Class 2

LIGHTS

- (4) Halogen front hood headlights
- (2) LED front hood signature lights
- (8) LED cab mounted work lights
- (4) LED high front & rear
- (4) LED mid-mount front & rear
- (2) taillights
- Front & Rear Flashing Cab Safety Lights
- Time Delayed, Self-Cancelling Turn Indicators with Audiable Warning

PTO

- Independent 540/540E/1000 RPM PTO with reversible shaft and flip-up shield
- Multi-plate wet clutch design
- Electrohydraulic-engagement with soft start/auto feathering
- Hydraulic piston PTO brake w/override

HYDRAULIC SYSTEM

- Closed-center load-sensing pump
- Flow at 1,900 RPM: 28.5 gpm (108 l/m)
- (2) electro-hydraulic rear remote valves controlled in SideWinder II™ console (fully programmable)
- Oil collection bottles
- Hydraulic tapping port (Power Beyond)
- Independent pump for CVT and operating circuits

3-POINT LIFT SYSTEM

- Electronic Draft Control (EDC)
- Lower link sensing
- Fast raise/lower control
- Dynamic Ride Control™



**T5 DYNAMIC COMMAND - LESS FAST PICK
US PRICE LIST**

Standard Equipment

Category II flex link ends
Telescopic stabilizers
10228 lb. Lift Capacity with Dual 80mm
External Rams

MISCELLANEOUS

Flip-up engine hood
Swinging drawbar
SMV emblem
Toolbox

WARRANTY

New Holland standard warranty applies



**T5 DYNAMIC COMMAND - LESS FAST PICK
 US PRICE LIST**

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
T5.130 DCT		9089110P32	\$114,244.00
T5.140 DCT		9091840P32	\$117,744.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

X0475XX	LESS PACKAGING			No Charge
---------	----------------	--	--	-----------

CAB CONFIGURATION

CAB ROOF/COLOR

SD_T9850 SPECIAL COLORS/PANELS

762040	LOW ROOF HIVIS PAN. Low roof with a new visiblity panel		9000585P00	\$750.00
--------	--	--	------------	----------

FIXED OR SUSPENDED

SD_T9200 OPERATOR STRUCTURE #1

758479	Suspended_Cab		9001376P70	\$1,765.00
--------	---------------	--	------------	------------

ENGINE

COLD WEATHER AIDS

SD_T1938 WEATHER PACK

758402	Grid_Heater + 110V Pack Grid heater and cold weather pack Includes engine block heater and transmission heater		9000315P90	\$405.00
--------	--	--	------------	----------



**T5 DYNAMIC COMMAND - LESS FAST PICK
 US PRICE LIST**

TRANSMISSION

SD_T2800 SPEED

	759112	40K ECO - DCT+CREEPE		9001950P00	\$2,500.00
--	--------	----------------------	--	------------	------------

SD_T2816 AUTO FEATURES

	758631	ADV TRANS AUTO FEAT		9001294P80	\$1,660.00
--	--------	---------------------	--	------------	------------

FRONT AXLE

SD_T4010 FRONT AXLE

	759670	S.AXL L/BRK W/SNSR		9002956P20	\$3,790.00
--	--------	--------------------	--	------------	------------

TIRES

BRAND CHOICE

SD_T4900 TIRE CATEGORY CHOICE

	330418	Trelleborg		9000436P80	\$560.00
	330438	No tire brand preference			No Charge
	330447	Alliance		9000436P80	\$560.00
	330439	Continental		9000436P80	\$560.00
	330446	Firestone		9000436P80	\$560.00
	330442	Michelin		9000436P80	\$560.00
	330444	Nokian		9000436P80	\$560.00

FRONT WHEELS & TIRES

SD_T4940 FRONT WHEELS AND TIRES

	8235401	12.4R24 A8 R1W RADIAL ISO 4WD ADJUSTABLE RIM Match w/ 8357401 rear tire/wheel		9001119P30	\$1,435.00
	8242301	14.9R24 A8 HD Rim R1W RADIAL ISO 4WD ADJUSTABLE RIM Match with 8365401 rear tire/wheel		9001684P80	\$2,160.00
	8299801	Non-Return Ship Wheels - 4WD		9000074P10	\$95.00
	8880401	360/80R24 GRSLND, Adj. Rim		9001524P90	\$1,955.00
	8247401	11.2R28 A8 R1W RADIAL ISO 4WD ADJUSTABLE RIM Matches with 8372401 Rear tires 13.6R38 (340/85R38) MAVT		9001158P30	\$1,485.00



**T5 DYNAMIC COMMAND - LESS FAST PICK
 US PRICE LIST**

REAR WHEELS & TIRES

SD_T4950 REAR WHEELS AND TIRES

	8357401	18.4R30 R1W		9002714P40	\$3,480.00
	8365401	460/85(18.4)R34 A8 FI,MI,CO,TR		9002991P30	\$3,835.00
	8372401	13.6R38 A8		9001824P42	\$2,339.00
	8399801	Non-Returnable Shipping Wheel		9000452P40	\$580.00
	8916401	440/80R34 GRSLND, Adj. Rim		9002538P90	\$3,255.00

HYDRAULICS

COMPLETE LOADER READY

SD_T8110 LOADER BRACKETS

	758980	Loader Ready.		9003576P30	\$4,585.00
--	--------	---------------	--	------------	------------

MID MOUNT VALVES

SD_T7780 JOYSTICK

	759396	EHSTICK ADV +/- PROP		9001950P00	\$2,500.00
--	--------	----------------------	--	------------	------------

SD_T7790 MID-MOUNT VALVES

	743689	2 Electronic MMV		9001950P00	\$2,500.00
	743690	3 Electronic MMV		9002987P40	\$3,830.00

WEIGHTS

FRONT

SD_T2150 FRONT BALLAST

	759769	10 FRONT WEIGHTS Qty. 10, 88 lb. (40 Kg) weights totaling 882 lb. (400 Kg)		9000904P80	\$1,160.00
--	--------	---	--	------------	------------

REAR WHEEL WEIGHTS

SD_T4960 WHEEL WEIGHTS

	759137	2X150KG + 2X250KG Wheel Weight		9001219P14	\$1,563.00
--	--------	--------------------------------	--	------------	------------

CAB OPTION

SD_T9360 RR MIRRORS

	759154	2 Tele/Heat/Rem Adj Mirror		9000050P70	\$65.00
--	--------	----------------------------	--	------------	---------



**T5 DYNAMIC COMMAND - LESS FAST PICK
 US PRICE LIST**

SEATS

SD_T8500 SEAT

	758670	Deluxe Air and Belt		9000585P00	\$750.00
	758485	Deluxe Seat Air Susp Heated Super Deluxe Seat with Low Frequency Suspension (+DDS) Belt and Swivel Headrest Heated Leather/Alacantara		9001524P90	\$1,955.00
	758486	MAXIMO EVO Semi Active Suspension, Heated, Vented, Belt, Alacantara/Leather, Up/Down Headrest (Maximo Evo)		9002988P96	\$3,832.00

LIGHTS

SD_T9130 WORK LAMPS

	762051	12 LED W/LGTS HI PWR		9001220P70	\$1,565.00
--	--------	----------------------	--	------------	------------

SD_T9146 ROTARY BEACON

	758491	Twin Beacon		9000651P30	\$835.00
	759777	ROTARY BEACON 759777		9000323P70	\$415.00

MONITOR BRACKETS

SD_T9223 RH WINDOW BAR MOUNT

	758153	Monitor Mounting Bracket.		9000117P00	\$150.00
	758154	RH Window Bar Display Ready.		9000191P10	\$245.00
	758621	10" Color Touch Screen Display		9004543P50	\$5,825.00

SD_T9230 CLIMATE CONTROL

	758482	Air Conditioning W/ATC		9000565P50	\$725.00
--	--------	------------------------	--	------------	----------

ISO BUS CONNECTOR

SD_T7642 ISO BUS

	758632	ISO CL2+9PIN IN CAB			No Charge
--	--------	---------------------	--	--	-----------

AUTO GUIDANCE

AUTO GUIDANCE READY

SD_T6300 STEERING OR AUTOGUIDANCE READY

	759185	Autoguidance Ready		9004148P82	\$5,319.00
--	--------	--------------------	--	------------	------------

SD_T7616 AUTOGUIDANCE NAV/CO

	762158	AUTOGUID. - Lv.1		9011508P90	\$14,755.00
--	--------	------------------	--	------------	-------------



**T5 DYNAMIC COMMAND - LESS FAST PICK
 US PRICE LIST**

	762159	AUTOGUID. - Lv.2		9013650P00	\$17,500.00
--	--------	------------------	--	------------	-------------

MISCELLANEOUS

FENDERS FRONT

SD_T8740 FRONT FENDERS

	758330	Dynamic Front Fenders 480mm		9000577P20	\$740.00
--	--------	-----------------------------	--	------------	----------

RADAR

SD_T7580 RADAR

	758501	Radar NAR		9000638P04	\$818.00
--	--------	-----------	--	------------	----------

OPERATOR'S MANUALS

SD_T9802 OPERATORS MANUAL

	758535	Spanish NAR			No Charge
	759101	French NAR			No Charge



**T5 AUTO COMMAND - DELUXE FASTPICK
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- Fuel efficient high torque 4.5L, 4-cylinder
- FPT engines with 4 valves per cylinder and common rail fuel injection systems
- Tier 4B EPA emissions compliant with SCR only ECOBlue™ HI-eSCR Tier4B emissions system
- Underhood compact aftertreatment
- Auto Command™ CVT high efficiency Transmission
- Best in class cab in terms of space and comfort (same cab as the T6 and T7 Series)
- Standard LED work lighting
- High level of Automating features (E-Hydr 4WD, PTO, e-controlled remotes)
- Closed Center Load Sensing "high efficiency" pumps, up to 108 l/m
- Easy attach remote outlets
- New bold styling (hood, cab roof, lighting)
- Long Stable 98" wheel base for all Models
- Gross Vehicle Weight up to 18,700 lbs.

MODELS

T5.130 Auto Command
 Rated PTO HP - 102
 Rated Engine HP - 120
 Maximum Engine HP - 130
 Rated Speed - 2200 RPM
 274 cu. in. (4.5L) - 4 Cylinder
 Fuel Tank: 47 Gallon (180L)
 DEF Tank: 5 Gallon (19L)

T5.140 Auto Command
 Rated PTO HP - 111
 ENGINE Rated Engine HP - 130
 Maximum Engine HP - 140
 Rated Speed - 2200 RPM
 274 cu. in. (4.5L) - 4 Cylinder
 Fuel Tank: 47 Gallon (180L)
 DEF Tank: 5 Gallon (19L)

ENGINE

-
- Tier 4B Emissions Compliant
- ECOBlue™ HI-eSCR Tier4B system
- Engine with Turbocharger and
- Air-to-Air Intercooler
- 4 Valves Per Cylinder
- Bosch Common Rail Fuel Injection
- Pump (electronic)
- Grid Heater Starting Aid
- Dual Element Air Filter with Pre-Cleaner (spin tube intakes)
- A-Pillar Exhaust with Integral Muffler
- Viscous Fan (5 blade)
- Hand Throttle

TRANSMISSION

-
- Auto Command™ CVT with
- column-mounted power shuttle
- Command Grip™ multi-function controller
- Infinite speed from 0 to 25 MPH
- 3 target speed selections
- Infinite target speed thumb wheel
- Right foot "go pedal"
- 25-MPH (40-KPH) (varies by tire size)

CAB

-
- Low Roof w/ Opening Visibility Panel and Sunshade
- Flat Deck Platform with Integrated ROPS
- Standard Air Conditioner and Heater with 4-Speed Pressurizer and dual zone air conditioning
- Two doors with Locks
- Two-speed Intermittent Front
- Wiper/Washer
- Rear Intermittent Wiper/Washer
- Hinged Rear Window
- Tinted Glass with Sunshade
- Tilt and Telescoping Steering Wheel
- IntelliView™ IV disp. mtd. on arm rest



**T5 AUTO COMMAND - DELUXE FASTPICK
US PRICE LIST**

Standard Equipment

- Deluxe Air Suspension Seat with Automatic Adjustment, Operator Presence Switch and Lap Belt
- Instructor Seat
- Deluxe radio
- Digital clock
- Integral ROPS
- Interior dome light
- (2) External courtesy lights
- (2) External telescopic remote
- Adjustable mirrors
- Horn
- Std steering wheel & floor mat
- ISOBUS II connector

STEERING & BRAKES

- Hydrostatic power steering
- Hydraulic wet disc brakes (self-equalizing/self-adjusting)
- Parking brake (automotive style)

FRONT AXLE

- Front FWD (TerraLock™)
- Class 1.75 heavy-duty FWD axle
- 55-degree turning angle
- Dual steering cylinders
- 11-degree axle oscillation
- Electrohydraulic FWD engagement
- TerraLock™ Auto FWD/Diff-Lock
- Driveshaft shield

REAR AXLE

- Heavy-duty flange axle
- Wet plate differential lock
- Electrohydraulic-engaged dif. lock

ELECTRICAL

- (1) 12-volt 1300 CCA battery
- 120-amp alternator
- Geared starter motor (4.2 kW)
- 7-pin outlet for implement lighting
- 3-pin 40-amp implement socket
- ISO/JD (30 amp) socket
- 15 amp screw-type +/- terminals
- Single pin (8 amp) accessory outlet
- Cigarette lighter
- (2) single-pin outlets for beacon on roof
- Battery boost terminals
- ISOBUS Class 2

LIGHTS

- (4) Halogen front hood headlights
- (2) LED front hood signature lights
- (12) LED cab mounted work lights
 - (8) LED high front & rear
 - (4) LED mid-mount front & rear
- (2) taillights
- Front & Rear Flashing Cab Safety Lights
- Time Delayed, Self-Cancelling Turn Indicators with Audiable Warning

PTO

- Independent 540/540E/1000 RPM PTO with reversible shaft and flip-up shield
- Multi-plate wet clutch design
- Electrohydraulic-engagement with soft start/auto feathering
- Hydraulic piston PTO brake w/override

HYDRAULIC SYSTEM

- Closed-center load-sensing pump
- Flow at 1,900 RPM: 28.5 gpm (108 l/m)
- (2) electro-hydraulic rear remote valves controlled in SideWinder II™ console (fully programmable)



**T5 AUTO COMMAND - DELUXE FASTPICK
US PRICE LIST**

Standard Equipment

Oil collection bottles
Hydraulic tapping port (Power Beyond)
Independent pump for CVT and
operating circuits

3-POINT LIFT SYSTEM

Electronic Draft Control (EDC)
Lower link sensing
Fast raise/lower control
Dynamic Ride Control™
Category II flex link ends
Telescopic stabilizers
10228 lb. Lift Capacity with Dual 80mm
External Rams

MISCELLANEOUS

Flip-up engine hood
Swinging drawbar
SMV emblem
Toolbox

WARRANTY

New Holland standard warranty applies



**T5 AUTO COMMAND - DELUXE FASTPICK
 US PRICE LIST**

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
T5.130 AUTOCOMMAND	6,800 LB	9113264P58	\$145,211.00
Includes the following Equipment			
14.9R24 A8 HD Rim (8242301)	\$2,160.00		
460/85(18.4)R34 A8 FI,MI,C (8365401)	\$3,835.00		
T5.140 AUTOCOMMAND	6,800 LB	9115994P58	\$148,711.00
Includes the following Equipment			
14.9R24 A8 HD Rim (8242301)	\$2,160.00		
460/85(18.4)R34 A8 FI,MI,C (8365401)	\$3,835.00		

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

X0473XX	NAR NH PCK B DELUXE Deluxe Fastpick Package Includes: 759154: 2 Tele/Heat/Rem Adj Mirror 758485: Deluxe Seat Air Susp Heated 758594: 12 LED High Power Hi-Roof 758491: Twin Beacon 758153: Moniot Mounting Bracket.		(901895P40)	(\$2,430.00)
---------	--	--	-------------	--------------

ENGINE

COLD WEATHER AIDS

SD_T1938 WEATHER PACK

758402	Grid_Heater + 110V Pack Grid heater and cold weather pack Includes engine block heater and transmission heater		9000315P90	\$405.00
--------	--	--	------------	----------



**T5 AUTO COMMAND - DELUXE FASTPICK
 US PRICE LIST**

TIRES

BRAND CHOICE

SD_T4900 TIRE CATEGORY CHOICE

	330418	Trelleborg		9000436P80	\$560.00
	330438	No tire brand preference			No Charge
	330442	Michelin		9000436P80	\$560.00
	330444	Nokian		9000436P80	\$560.00

FRONT WHEELS & TIRES

SD_T4940 FRONT WHEELS AND TIRES

Ag Front Tires					
	8235401	12.4R24 A8 R1W RADIAL ISO 4WD ADJUSTABLE RIM Match w/ 8357401 rear tire/wheel		9001119P30	\$1,435.00
	8242301	14.9R24 A8 HD Rim R1W RADIAL ISO 4WD ADJUSTABLE RIM Match with 8365401 rear tire/wheel		9001684P80	\$2,160.00
	8247401	11.2R28 A8 R1W RADIAL ISO 4WD ADJUSTABLE RIM Matches with 8372401 Rear tires 13.6R38 (340/85R38) MAVT		9001158P30	\$1,485.00
MUNICIPALTY - ADJUSTABLE RIMS					
	8880401	360/80R24 GRSLND, Adj. Rim Match with 8916401 rear tire/wheel Municipal tire with adjustable rim		9001524P90	\$1,955.00
Shipping wheels					
	8299801	Non-Return Ship Wheels - 4WD		9000074P10	\$95.00

REAR WHEELS & TIRES

SD_T4950 REAR WHEELS AND TIRES

Ag Rear Tires					
	8372401	13.6R38 A8 R1W RADIAL ISO 4WD ADJUSTABLE RIM Matches with 8247401 Fronts 11.2R28 (280/85R28) MAVT		9001824P42	\$2,339.00
	8357401	18.4R30 R1W R1W RADIAL ISO 4WD ADJUSTABLE RIM Match w/ 8235401 front tire/wheel Not compatible with narrow rear fenders option code: 331870		9002714P40	\$3,480.00



**T5 AUTO COMMAND - DELUXE FASTPICK
 US PRICE LIST**

	8365401	460/85(18.4)R34 A8 FI,MI,CO,TR R1W RADIAL ISO 4WD ADJUSTABLE RIM Matches with 8242301 14.9R24 (380/85R24) MAVT		9002991P30	\$3,835.00
MUNICIPALTY - ADJUSTABLE RIMS					
	8916401	440/80R34 GRSLND, Adj. Rim Matches with 888041, 360/80R24 TRI 2 MAVT Front Tires		9002538P90	\$3,255.00
Shipping wheels					
	8399801	Non-Returnable Shipping Wheel		9000452P40	\$580.00

HYDRAULICS

REAR REMOTES

SD_T8270 REAR REMOTES

	759365	3 MECH RR (3NC) 3 MECH REAR REMOTES (3NC)		9000698P10	\$895.00
	743685	4 Mech Rear Remotes (2NC+2C) 4 mechanical rear remote valves, two with configurable detents		9001560P00	\$2,000.00

COMPLETE LOADER READY

SD_T8110 LOADER BRACKETS

	758980	Loader Ready.			No Charge
--	--------	---------------	--	--	-----------

JOYSTICK CONTROL

SD_T7780 JOYSTICK

	758069	Joystick with Rocker Switch			No Charge
--	--------	-----------------------------	--	--	-----------

MID MOUNT VALVES

SD_T7790 MID-MOUNT VALVES

	743689	2 Electronic MMV			No Charge
	743690	3 Electronic MMV		9001037P40	\$1,330.00

WEIGHTS

REAR WHEEL WEIGHTS

SD_T4960 WHEEL WEIGHTS

	759137	2X150KG + 2X250KG Wheel Weight		9001219P14	\$1,563.00
--	--------	--------------------------------	--	------------	------------



**T5 AUTO COMMAND - DELUXE FASTPICK
 US PRICE LIST**

AUTO GUIDANCE

AUTO GUIDANCE READY

SD_T6300 STEERING OR AUTOGUIDANCE READY

	759185	Autoguidance Ready		9004148P82	\$5,319.00
--	--------	--------------------	--	------------	------------

SD_T7616 AUTOGUIDANCE NAV/CO

	762158	AUTOGUID. - Lv.1		9011508P90	\$14,755.00
	762159	AUTOGUID. - Lv.2		9013650P00	\$17,500.00

TELEMATICS

SD_T7625 TELEMATICS

	759394	Basic Telematics Offering includes: Mounting Kit, Modem, 1 Year suscription to PLM Connect Essential		9000557P70	\$715.00
--	--------	---	--	------------	----------

MISCELLANEOUS

FENDERS FRONT

SD_T8740 FRONT FENDERS

	758330	Dynamic Front Fenders 480mm		9000577P20	\$740.00
--	--------	-----------------------------	--	------------	----------

FENDERS REAR

SD_T8700 FENDERS

	743777	Standard fenders with extensn			No Charge
	759767	NARROW FNDRS L/EXT.			No Charge

OPERATOR'S MANUALS

SD_T9802 OPERATORS MANUAL

	758535	Spanish NAR			No Charge
	759101	French NAR			No Charge



**T5 AUTO COMMAND - PREMIUM FASTPICK
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- Fuel efficient high torque 4.5L, 4-cylinder
- FPT engines with 4 valves per cylinder and common rail fuel injection systems
- Tier 4B EPA emissions compliant with SCR only ECOBlue™ HI-eSCR Tier4B emissions system
- Underhood compact aftertreatment
- Auto Command™ CVT high efficiency Transmission
- Best in class cab in terms of space and comfort (same cab as the T6 and T7 Series)
- Standard LED work lighting
- High level of Automating features (E-Hydr 4WD, PTO, e-controlled remotes)
- Closed Center Load Sensing "high efficiency" pumps, up to 108 l/m
- Easy attach remote outlets
- New bold styling (hood, cab roof, lighting)
- Long Stable 98" wheel base for all Models
- Gross Vehicle Weight up to 18,700 lbs.

MODELS

T5.130 Auto Command
 Rated PTO HP - 102
 Rated Engine HP - 120
 Maximum Engine HP - 130
 Rated Speed - 2200 RPM
 274 cu. in. (4.5L) - 4 Cylinder
 Fuel Tank: 47 Gallon (180L)
 DEF Tank: 5 Gallon (19L)

T5.140 Auto Command
 Rated PTO HP - 111
 ENGINE Rated Engine HP - 130
 Maximum Engine HP - 140
 Rated Speed - 2200 RPM
 274 cu. in. (4.5L) - 4 Cylinder
 Fuel Tank: 47 Gallon (180L)
 DEF Tank: 5 Gallon (19L)

ENGINE

-
- Tier 4B Emissions Compliant
- ECOBlue™ HI-eSCR Tier4B system
- Engine with Turbocharger and
- Air-to-Air Intercooler
- 4 Valves Per Cylinder
- Bosch Common Rail Fuel Injection
- Pump (electronic)
- Grid Heater Starting Aid
- Dual Element Air Filter with Pre-Cleaner (spin tube intakes)
- A-Pillar Exhaust with Integral Muffler
- Viscous Fan (5 blade)
- Hand Throttle

TRANSMISSION

-
- Auto Command™ CVT with
- column-mounted power shuttle
- Command Grip™ multi-function controller
- Infinite speed from 0 to 25 MPH
- 3 target speed selections
- Infinite target speed thumb wheel
- Right foot "go pedal"
- 25-MPH (40-KPH) (varies by tire size)

CAB

-
- Low Roof w/ Opening Visibility Panel and Sunshade
- Flat Deck Platform with Integrated ROPS
- Standard Air Conditioner and Heater with 4-Speed Pressurizer and dual zone air conditioning
- Two doors with Locks
- Two-speed Intermittent Front
- Wiper/Washer
- Rear Intermittent Wiper/Washer
- Hinged Rear Window
- Tinted Glass with Sunshade
- Tilt and Telescoping Steering Wheel
- IntelliView™ IV disp. mtd. on arm rest



**T5 AUTO COMMAND - PREMIUM FASTPICK
US PRICE LIST**

Standard Equipment

- Deluxe Air Suspension Seat with Automatic Adjustment, Operator Presence Switch and Lap Belt
- Instructor Seat
- Deluxe radio
- Digital clock
- Integral ROPS
- Interior dome light
- (2) External courtesy lights
- (2) External telescopic remote
- Adjustable mirrors
- Horn
- Std steering wheel & floor mat
- ISOBUS II connector

STEERING & BRAKES

- Hydrostatic power steering
- Hydraulic wet disc brakes (self-equalizing/self-adjusting)
- Parking brake (automotive style)

FRONT AXLE

- Front FWD (TerraLock™)
- Class 1.75 heavy-duty FWD axle
- 55-degree turning angle
- Dual steering cylinders
- 11-degree axle oscillation
- Electrohydraulic FWD engagement
- TerraLock™ Auto FWD/Diff-Lock
- Driveshaft shield

REAR AXLE

- Heavy-duty flange axle
- Wet plate differential lock
- Electrohydraulic-engaged dif. lock

ELECTRICAL

- (1) 12-volt 1300 CCA battery
- 120-amp alternator
- Geared starter motor (4.2 kW)
- 7-pin outlet for implement lighting
- 3-pin 40-amp implement socket
- ISO/JD (30 amp) socket
- 15 amp screw-type +/- terminals
- Single pin (8 amp) accessory outlet
- Cigarette lighter
- (2) single-pin outlets for beacon on roof
- Battery boost terminals
- ISOBUS Class 2

LIGHTS

- (4) Halogen front hood headlights
- (2) LED front hood signature lights
- (12) LED cab mounted work lights
 - (8) LED high front & rear
 - (4) LED mid-mount front & rear
- (2) taillights
- Front & Rear Flashing Cab Safety Lights
- Time Delayed, Self-Cancelling Turn Indicators with Audiable Warning

PTO

- Independent 540/540E/1000 RPM PTO with reversible shaft and flip-up shield
- Multi-plate wet clutch design
- Electrohydraulic-engagement with soft start/auto feathering
- Hydraulic piston PTO brake w/override

HYDRAULIC SYSTEM

- Closed-center load-sensing pump
- Flow at 1,900 RPM: 28.5 gpm (108 l/m)
- (2) electro-hydraulic rear remote valves controlled in SideWinder II™ console (fully programmable)



**T5 AUTO COMMAND - PREMIUM FASTPICK
US PRICE LIST**

Standard Equipment

Oil collection bottles
Hydraulic tapping port (Power Beyond)
Independent pump for CVT and
operating circuits

3-POINT LIFT SYSTEM

Electronic Draft Control (EDC)
Lower link sensing
Fast raise/lower control
Dynamic Ride Control™
Category II flex link ends
Telescopic stabilizers
10228 lb. Lift Capacity with Dual 80mm
External Rams

MISCELLANEOUS

Flip-up engine hood
Swinging drawbar
SMV emblem
Toolbox

WARRANTY

New Holland standard warranty applies



**T5 AUTO COMMAND - PREMIUM FASTPICK
 US PRICE LIST**

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
T5.130 AUTOCOMMAND	6,800 LB	9113264P58	\$145,211.00
Includes the following Equipment			
14.9R24 A8 HD Rim (8242301)	\$2,160.00		
460/85(18.4)R34 A8 FI,MI,C (8365401)	\$3,835.00		
T5.140 AUTOCOMMAND	6,800 LB	9115994P58	\$148,711.00
Includes the following Equipment			
14.9R24 A8 HD Rim (8242301)	\$2,160.00		
460/85(18.4)R34 A8 FI,MI,C (8365401)	\$3,835.00		

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

X0472XX	NAR NH PCK A PREMIUM Premium Fastpick Package Includes: 743680: Fender EDC/PTO/Rem Valv Control 758671: Deluxe Air and Heated Cushion 758596: 16 LED High Power Hi-Roof 759675: WET DIFF & 4WD CLTCH		(901641P90)	(\$2,105.00)
---------	--	--	-------------	--------------

ENGINE

COLD WEATHER AIDS

SD_T1938 WEATHER PACK

758402	Grid_Heater + 110V Pack Grid heater and cold weather pack Includes engine block heater and transmission heater		9000315P90	\$405.00
--------	--	--	------------	----------



**T5 AUTO COMMAND - PREMIUM FASTPICK
 US PRICE LIST**

FRONT AXLE

SD_T4010 FRONT AXLE

	759669	SUSP. AXLE L/BRKS		9002956P20	\$3,790.00
--	--------	-------------------	--	------------	------------

TIRES

BRAND CHOICE

SD_T4900 TIRE CATEGORY CHOICE

	330418	Trelleborg		9000436P80	\$560.00
	330438	No tire brand preference			No Charge
	330442	Michelin		9000436P80	\$560.00
	330444	Nokian		9000436P80	\$560.00

FRONT WHEELS & TIRES

SD_T4940 FRONT WHEELS AND TIRES

Ag Front Tires

	8235401	12.4R24 A8 R1W RADIAL ISO 4WD ADJUSTABLE RIM Match w/ 8357401 rear tire/wheel		9001119P30	\$1,435.00
	8242301	14.9R24 A8 HD Rim R1W RADIAL ISO 4WD ADJUSTABLE RIM Match with 8365401 rear tire/wheel		9001684P80	\$2,160.00
	8247401	11.2R28 A8 R1W RADIAL ISO 4WD ADJUSTABLE RIM Matches with 8372401 Rear tires 13.6R38 (340/85R38) MAVT		9001158P30	\$1,485.00

MUNICIPALTY - ADJUSTABLE RIMS

	8880401	360/80R24 GRSLND, Adj. Rim Match with 8916401 rear tire/wheel Municipal tire with adjustable rim		9001524P90	\$1,955.00
--	---------	--	--	------------	------------

Shipping wheels

	8299801	Non-Return Ship Wheels - 4WD		9000074P10	\$95.00
--	---------	------------------------------	--	------------	---------

REAR WHEELS & TIRES

SD_T4950 REAR WHEELS AND TIRES

Ag Rear Tires

	8372401	13.6R38 A8 R1W RADIAL ISO 4WD ADJUSTABLE RIM Matches with 8247401 Fronts 11.2R28 (280/85R28) MAVT		9001824P42	\$2,339.00
--	---------	---	--	------------	------------



**T5 AUTO COMMAND - PREMIUM FASTPICK
 US PRICE LIST**

	8357401	18.4R30 R1W R1W RADIAL ISO 4WD ADJUSTABLE RIM Match w/ 8235401 front tire/wheel Not compatible with narrow rear fenders option code: 331870		9002714P40	\$3,480.00
	8365401	460/85(18.4)R34 A8 FI,MI,CO,TR R1W RADIAL ISO 4WD ADJUSTABLE RIM Matches with 8242301 14.9R24 (380/85R24) MAVT		9002991P30	\$3,835.00
MUNICIPALTY - ADJUSTABLE RIMS					
	8916401	440/80R34 GRSLND, Adj. Rim Matches with 888041, 360/80R24 TRI 2 MAVT Front Tires		9002538P90	\$3,255.00
Shipping wheels					
	8399801	Non-Returnable Shipping Wheel		9000452P40	\$580.00

HYDRAULICS

REAR REMOTES

SD_T8270 REAR REMOTES

	759690	2 RR MV + 1 EH.RR.V. 2 RR MV (CONFIG. DETENT) + 1 ELECTRO HYD. REAR REMOTE VALVES		9001326P00	\$1,700.00
	759691	2 RR MV + 2 EH.RR.V. 2 RR MV (CONFIG. DETENT) + 2 ELECTRO HYD. REAR REMOTE VALVES		9002031P90	\$2,605.00

COMPLETE LOADER READY

SD_T8110 LOADER BRACKETS

	744711	L/Loader Ready w/MMV		(903576P30)	(\$4,585.00)
	758980	Loader Ready.			No Charge

JOYSTICK CONTROL

SD_T7780 JOYSTICK

	758069	Joystick with Rocker Switch			No Charge
--	--------	-----------------------------	--	--	-----------

MID MOUNT VALVES

SD_T7790 MID-MOUNT VALVES

	743689	2 Electronic MMV			No Charge
	743690	3 Electronic MMV		9001037P40	\$1,330.00



**T5 AUTO COMMAND - PREMIUM FASTPICK
 US PRICE LIST**

WEIGHTS

REAR WHEEL WEIGHTS

SD_T4960 WHEEL WEIGHTS

	759137	2X150KG + 2X250KG Wheel Weight		9001219P14	\$1,563.00
--	--------	--------------------------------	--	------------	------------

CAB OPTION

SD_T4820 HEADLAND SYSTEM

	758592	Adv. Headland Ctrl Config EHR		9000756P60	\$970.00
--	--------	-------------------------------	--	------------	----------

AUTO GUIDANCE

AUTO GUIDANCE READY

SD_T6300 STEERING OR AUTOGUIDANCE READY

	759185	Autoguidance Ready		9004148P82	\$5,319.00
--	--------	--------------------	--	------------	------------

SD_T7616 AUTOGUIDANCE NAV/CO

	762158	AUTOGUID. - Lv.1		9011508P90	\$14,755.00
	762159	AUTOGUID. - Lv.2		9013650P00	\$17,500.00

TELEMATICS

SD_T7625 TELEMATICS

	759394	Basic Telematics Offering includes: Mounting Kit, Modem, 1 Year suscription to PLM Connect Essential		9000557P70	\$715.00
--	--------	---	--	------------	----------

MISCELLANEOUS

FENDERS FRONT

SD_T8740 FRONT FENDERS

	758330	Dynamic Front Fenders 480mm		9000577P20	\$740.00
--	--------	-----------------------------	--	------------	----------

FENDERS REAR

SD_T8700 FENDERS

	743777	Standard fenders with extensn			No Charge
--	--------	-------------------------------	--	--	-----------



**T5 AUTO COMMAND - PREMIUM FASTPICK
US PRICE LIST**

OPERATOR'S MANUALS

SD_T9802 OPERATORS MANUAL

	758535	Spanish NAR			No Charge
	759101	French NAR			No Charge



**T5 AUTO COMMAND - BLUE POWER
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- Fuel efficient high torque 4.5L, 4-cylinder
- FPT engines with 4 valves per cylinder and common rail fuel injection systems
- Tier 4B EPA emissions compliant with SCR only ECOBlue™ HI-eSCR Tier4B emissions system
- Underhood compact aftertreatment
- Auto Command™ CVT high efficiency Transmission
- Best in class cab in terms of space and comfort (same cab as the T6 and T7 Series)
- Standard LED work lighting
- High level of Automating features (E-Hydr 4WD, PTO, e-controlled remotes)
- Closed Center Load Sensing "high efficiency" pumps, up to 108 l/m
- Easy attach remote outlets
- New bold styling (hood, cab roof, lighting)
- Long Stable 98" wheel base for all Models
- Gross Vehicle Weight up to 18,700 lbs.

MODELS

T5.130 Auto Command
 Rated PTO HP - 102
 Rated Engine HP - 120
 Maximum Engine HP - 130
 Rated Speed - 2200 RPM
 274 cu. in. (4.5L) - 4 Cylinder
 Fuel Tank: 47 Gallon (180L)
 DEF Tank: 5 Gallon (19L)

T5.140 Auto Command
 Rated PTO HP - 111
 ENGINE Rated Engine HP - 130
 Maximum Engine HP - 140
 Rated Speed - 2200 RPM
 274 cu. in. (4.5L) - 4 Cylinder
 Fuel Tank: 47 Gallon (180L)
 DEF Tank: 5 Gallon (19L)

ENGINE

-
- Tier 4B Emissions Compliant
- ECOBlue™ HI-eSCR Tier4B system
- Engine with Turbocharger and
- Air-to-Air Intercooler
- 4 Valves Per Cylinder
- Bosch Common Rail Fuel Injection
- Pump (electronic)
- Grid Heater Starting Aid
- Dual Element Air Filter with Pre-Cleaner (spin tube intakes)
- A-Pillar Exhaust with Integral Muffler
- Viscous Fan (5 blade)
- Hand Throttle

TRANSMISSION

-
- Auto Command™ CVT with
- column-mounted power shuttle
- Command Grip™ multi-function controller
- Infinite speed from 0 to 25 MPH
- 3 target speed selections
- Infinite target speed thumb wheel
- Right foot "go pedal"
- 25-MPH (40-KPH) (varies by tire size)

CAB

-
- Low Roof w/ Opening Visibility
- Panel and Sunshade
- Flat Deck Platform with
- Integrated ROPS
- Standard Air Conditioner and
- Heater with 4-Speed Pressurizer and
- dual zone air conditioning
- Two doors with Locks
- Two-speed Intermittent Front
- Wiper/Washer
- Rear Intermittent Wiper/Washer
- Hinged Rear Window
- Tinted Glass with Sunshade
- Tilt and Telescoping Steering Wheel
- IntelliView™ IV disp. mtd. on arm rest



**T5 AUTO COMMAND - BLUE POWER
 US PRICE LIST**

Standard Equipment

- Deluxe Air Suspension Seat with Automatic Adjustment, Operator Presence Switch and Lap Belt
- Instructor Seat
- Deluxe radio
- Digital clock
- Integral ROPS
- Interior dome light
- (2) External courtesy lights
- (2) External telescopic remote
- Adjustable mirrors
- Horn
- Std steering wheel & floor mat
- ISOBUS II connector

STEERING & BRAKES

-
- Hydrostatic power steering
 - Hydraulic wet disc brakes (self-equalizing/self-adjusting)
 - Parking brake (automotive style)

FRONT AXLE

-
- Front FWD (TerraLock™)
 - Class 1.75 heavy-duty FWD axle
 - 55-degree turning angle
 - Dual steering cylinders
 - 11-degree axle oscillation
 - Electrohydraulic FWD engagement
 - TerraLock™ Auto FWD/Diff-Lock
 - Driveshaft shield

REAR AXLE

-
- Heavy-duty flange axle
 - Wet plate differential lock
 - Electrohydraulic-engaged dif. lock

ELECTRICAL

-
- (1) 12-volt 1300 CCA battery
 - 120-amp alternator
 - Geared starter motor (4.2 kW)
 - 7-pin outlet for implement lighting
 - 3-pin 40-amp implement socket
 - ISO/JD (30 amp) socket
 - 15 amp screw-type +/- terminals
 - Single pin (8 amp) accessory outlet
 - Cigarette lighter
 - (2) single-pin outlets for beacon on roof
 - Battery boost terminals
 - ISOBUS Class 2

LIGHTS

-
- (4) Halogen front hood headlights
 - (2) LED front hood signature lights
 - (12) LED cab mounted work lights
 - (8) LED high front & rear
 - (4) LED mid-mount front & rear
 - (2) taillights
 - Front & Rear Flashing Cab Safety Lights
 - Time Delayed, Self-Cancelling Turn Indicators with Audiable Warning

PTO

-
- Independent 540/540E/1000 RPM PTO with reversible shaft and flip-up shield
 - Multi-plate wet clutch design
 - Electrohydraulic-engagement with soft start/auto feathering
 - Hydraulic piston PTO brake w/override

HYDRAULIC SYSTEM

Closed-center load-sensing pump
 Flow at 1,900 RPM: 28.5 gpm (108 l/m)
 (2) electro-hydraulic rear remote valves controlled in SideWinder II™ console (fully programmable)



**T5 AUTO COMMAND - BLUE POWER
US PRICE LIST**

Standard Equipment

Oil collection bottles
Hydraulic tapping port (Power Beyond)
Independent pump for CVT and
operating circuits

3-POINT LIFT SYSTEM

Electronic Draft Control (EDC)
Lower link sensing
Fast raise/lower control
Dynamic Ride Control™
Category II flex link ends
Telescopic stabilizers
10228 lb. Lift Capacity with Dual 80mm
External Rams

MISCELLANEOUS

Flip-up engine hood
Swinging drawbar
SMV emblem
Toolbox

WARRANTY

New Holland standard warranty applies



**T5 AUTO COMMAND - BLUE POWER
 US PRICE LIST**

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
T5.140 AUTOCOMMAND	6,800 LB	9115994P58	\$148,711.00
Includes the following Equipment			
14.9R24 A8 HD Rim (8242301)	\$2,160.00		
460/85(18.4)R34 A8 FI,MI,C (8365401)	\$3,835.00		

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------



**T5 AUTO COMMAND - BLUE POWER
 US PRICE LIST**

CAB CONFIGURATION

CAB ROOF/COLOR

SD_T9850 SPECIAL COLORS/PANELS

	758320	BLUE POW. SPEC. ED. Blue Power Option includes: -#Distinct metallic midnight blue paint -#Chrome colored grill -#Silver wheel rims -#Eye Catching 3D leaf and New Holland Logo -#Blue Power Seat -#Silver light surround on cab work lights -#An extensive list of standard equipment including: 758483: Leather Steering Wheel +Carpet LEATHER STEERING WHEEL+CARPET 759384: SDLX HTD ALCANT Blue Power SDLX SEAT LOW FREQ SUSP/SWIVEL HEADREST/HEATED/LEATHER-ALCANTARA BLUE POWER 758596: 16 LED High Power Hi-Roof 16 LED HIGH POWER HIGH ROOF 758491: Twin Beacon 759154: 2 Tele/Heat/Rem Adj Mirror 2 TELE/HEATED/REM ADUST MIRRORS (SHATTER PROOF - LARGE HEAD - SPOTTER 759663: 200 AMP ALTERNATOR 759663 758504: Self-Cancel + Audible Turn SELF CANCEL.+AUDI. WARN. TURN INDICATORS		9007410P00	\$9,500.00
--	--------	---	--	------------	------------

ENGINE

COLD WEATHER AIDS

SD_T1938 WEATHER PACK

	758402	Grid_Heater + 110V Pack Grid heater and cold weather pack Includes engine block heater and transmission heater		9000315P90	\$405.00
--	--------	--	--	------------	----------



**T5 AUTO COMMAND - BLUE POWER
 US PRICE LIST**

FRONT AXLE

SD_T4010 FRONT AXLE

	759669	SUSP. AXLE L/BRKS		9002956P20	\$3,790.00
--	--------	-------------------	--	------------	------------

TIRES

BRAND CHOICE

SD_T4900 TIRE CATEGORY CHOICE

	330442	Michelin		9000436P80	\$560.00
--	--------	----------	--	------------	----------

HYDRAULICS

REAR REMOTES

SD_T8270 REAR REMOTES

	759365	3 MECH RR (3NC) 3 MECH REAR REMOTES (3NC)		9000698P10	\$895.00
	743685	4 Mech Rear Remotes (2NC+2C) 4 mechanical rear remote valves, two with configurable detents		9001560P00	\$2,000.00
	759690	2 RR MV + 1 EH.RR.V. 2 RR MV (CONFIG. DETENT) + 1 ELECTRO HYD. REAR REMOTE VALVES		9001326P00	\$1,700.00
	759691	2 RR MV + 2 EH.RR.V. 2 RR MV (CONFIG. DETENT) + 2 ELECTRO HYD. REAR REMOTE VALVES		9002031P90	\$2,605.00

COMPLETE LOADER READY

SD_T8110 LOADER BRACKETS

	744711	L/Loader Ready w/MMV		(903576P30)	(\$4,585.00)
--	--------	----------------------	--	-------------	--------------

JOYSTICK CONTROL

SD_T7780 JOYSTICK

	759694	L/JOYSTICK W/EDC POD 759694		(901595P10)	(\$2,045.00)
--	--------	-----------------------------	--	-------------	--------------

MID MOUNT VALVES

SD_T7790 MID-MOUNT VALVES

	759695	L/MID-MOUNT VALVES 759695		(901950P00)	(\$2,500.00)
	743689	2 Electronic MMV			No Charge
	743690	3 Electronic MMV		9001037P40	\$1,330.00



**T5 AUTO COMMAND - BLUE POWER
 US PRICE LIST**

PTO

REAR PTO

SD_T8710 FENDERS PTO CONTROL

	743680	Fender EDC/PTO/Rem Valv Contrl		9000226P20	\$290.00
--	--------	--------------------------------	--	------------	----------

WEIGHTS

FRONT

SD_T2150 FRONT BALLAST

	759769	10 FRONT WEIGHTS Qty. 10, 88 lb. (40 Kg) weights totaling 882 lb. (400 Kg)		9000904P80	\$1,160.00
--	--------	---	--	------------	------------

REAR WHEEL WEIGHTS

SD_T4960 WHEEL WEIGHTS

	759137	2X150KG + 2X250KG Wheel Weight		9001219P14	\$1,563.00
--	--------	--------------------------------	--	------------	------------

CAB OPTION

SD_T4820 HEADLAND SYSTEM

	758592	Adv. Headland Ctrl Config EHR		9000756P60	\$970.00
--	--------	-------------------------------	--	------------	----------

MONITOR BRACKETS

SD_T9223 RH WINDOW BAR MOUNT

	758153	Monitor Mounting Bracket.		9000117P00	\$150.00
--	--------	---------------------------	--	------------	----------

AUTO GUIDANCE

AUTO GUIDANCE READY

SD_T7616 AUTOGUIDANCE NAV/CO

	762158	AUTOGUID. - Lv.1		9011508P90	\$14,755.00
	762159	AUTOGUID. - Lv.2		9013650P00	\$17,500.00



**T5 AUTO COMMAND - BLUE POWER
 US PRICE LIST**

TELEMATICS

SD_T7625 TELEMATICS

	759394	Basic Telematics Offering includes: Mounting Kit, Modem, 1 Year susbcription to PLM Connect Essential		9000557P70	\$715.00
--	--------	--	--	------------	----------

MISCELLANEOUS

FENDERS FRONT

SD_T8740 FRONT FENDERS

	758330	Dynamic Front Fenders 480mm		9000577P20	\$740.00
--	--------	-----------------------------	--	------------	----------

OPERATOR'S MANUALS

SD_T9802 OPERATORS MANUAL

	758535	Spanish NAR			No Charge
	759101	French NAR			No Charge



**T5 AUTO COMMAND - LESS FASTPICK
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- Fuel efficient high torque 4.5L, 4-cylinder
- FPT engines with 4 valves per cylinder and common rail fuel injection systems
- Tier 4B EPA emissions compliant with SCR only ECOBlue™ HI-eSCR Tier4B emissions system
- Underhood compact aftertreatment
- Auto Command™ CVT high efficiency Transmission
- Best in class cab in terms of space and comfort (same cab as the T6 and T7 Series)
- Standard LED work lighting
- High level of Automating features (E-Hydr 4WD, PTO, e-controlled remotes)
- Closed Center Load Sensing "high efficiency" pumps, up to 108 l/m
- Easy attach remote outlets
- New bold styling (hood, cab roof, lighting)
- Long Stable 98" wheel base for all Models
- Gross Vehicle Weight up to 18,700 lbs.

MODELS

T5.130 Auto Command
 Rated PTO HP - 102
 Rated Engine HP - 120
 Maximum Engine HP - 130
 Rated Speed - 2200 RPM
 274 cu. in. (4.5L) - 4 Cylinder
 Fuel Tank: 47 Gallon (180L)
 DEF Tank: 5 Gallon (19L)

T5.140 Auto Command
 Rated PTO HP - 111
 ENGINE Rated Engine HP - 130
 Maximum Engine HP - 140
 Rated Speed - 2200 RPM
 274 cu. in. (4.5L) - 4 Cylinder
 Fuel Tank: 47 Gallon (180L)
 DEF Tank: 5 Gallon (19L)

ENGINE

-
- Tier 4B Emissions Compliant
- ECOBlue™ HI-eSCR Tier4B system
- Engine with Turbocharger and Air-to-Air Intercooler
- 4 Valves Per Cylinder
- Bosch Common Rail Fuel Injection Pump (electronic)
- Grid Heater Starting Aid
- Dual Element Air Filter with Pre-Cleaner (spin tube intakes)
- A-Pillar Exhaust with Integral Muffler
- Viscous Fan (5 blade)
- Hand Throttle

TRANSMISSION

-
- Auto Command™ CVT with column-mounted power shuttle
- Command Grip™ multi-function controller
- Infinite speed from 0 to 25 MPH
- 3 target speed selections
- Infinite target speed thumb wheel
- Right foot "go pedal"
- 25-MPH (40-KPH) (varies by tire size)

CAB

-
- Low Roof w/ Opening Visibility Panel and Sunshade
- Flat Deck Platform with Integrated ROPS
- Standard Air Conditioner and Heater with 4-Speed Pressurizer and dual zone air conditioning
- Two doors with Locks
- Two-speed Intermittent Front Wiper/Washer
- Rear Intermittent Wiper/Washer
- Hinged Rear Window
- Tinted Glass with Sunshade
- Tilt and Telescoping Steering Wheel
- IntelliView™ IV disp. mtd. on arm rest



**T5 AUTO COMMAND - LESS FASTPICK
US PRICE LIST**

Standard Equipment

- Deluxe Air Suspension Seat with Automatic Adjustment, Operator Presence Switch and Lap Belt
- Instructor Seat
- Deluxe radio
- Digital clock
- Integral ROPS
- Interior dome light
- (2) External courtesy lights
- (2) External telescopic remote
- Adjustable mirrors
- Horn
- Std steering wheel & floor mat
- ISOBUS II connector

STEERING & BRAKES

- Hydrostatic power steering
- Hydraulic wet disc brakes (self-equalizing/self-adjusting)
- Parking brake (automotive style)

FRONT AXLE

- Front FWD (TerraLock™)
- Class 1.75 heavy-duty FWD axle
- 55-degree turning angle
- Dual steering cylinders
- 11-degree axle oscillation
- Electrohydraulic FWD engagement
- TerraLock™ Auto FWD/Diff-Lock
- Driveshaft shield

REAR AXLE

- Heavy-duty flange axle
- Wet plate differential lock
- Electrohydraulic-engaged dif. lock

ELECTRICAL

- (1) 12-volt 1300 CCA battery
- 120-amp alternator
- Geared starter motor (4.2 kW)
- 7-pin outlet for implement lighting
- 3-pin 40-amp implement socket
- ISO/JD (30 amp) socket
- 15 amp screw-type +/- terminals
- Single pin (8 amp) accessory outlet
- Cigarette lighter
- (2) single-pin outlets for beacon on roof
- Battery boost terminals
- ISOBUS Class 2

LIGHTS

- (4) Halogen front hood headlights
- (2) LED front hood signature lights
- (12) LED cab mounted work lights
 - (8) LED high front & rear
 - (4) LED mid-mount front & rear
- (2) taillights
- Front & Rear Flashing Cab Safety Lights
- Time Delayed, Self-Cancelling Turn Indicators with Audiable Warning

PTO

- Independent 540/540E/1000 RPM PTO with reversible shaft and flip-up shield
- Multi-plate wet clutch design
- Electrohydraulic-engagement with soft start/auto feathering
- Hydraulic piston PTO brake w/override

HYDRAULIC SYSTEM

- Closed-center load-sensing pump
- Flow at 1,900 RPM: 28.5 gpm (108 l/m)
- (2) electro-hydraulic rear remote valves controlled in SideWinder II™ console (fully programmable)



**T5 AUTO COMMAND - LESS FASTPICK
US PRICE LIST**

Standard Equipment

Oil collection bottles
Hydraulic tapping port (Power Beyond)
Independent pump for CVT and
operating circuits

3-POINT LIFT SYSTEM

Electronic Draft Control (EDC)
Lower link sensing
Fast raise/lower control
Dynamic Ride Control™
Category II flex link ends
Telescopic stabilizers
10228 lb. Lift Capacity with Dual 80mm
External Rams

MISCELLANEOUS

Flip-up engine hood
Swinging drawbar
SMV emblem
Toolbox

WARRANTY

New Holland standard warranty applies



**T5 AUTO COMMAND - LESS FASTPICK
 US PRICE LIST**

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
T5.130 AUTOCOMMAND	6,800 LB	9113264P58	\$145,211.00
Includes the following Equipment			
14.9R24 A8 HD Rim (8242301)	\$2,160.00		
460/85(18.4)R34 A8 FI,MI,C (8365401)	\$3,835.00		
T5.140 AUTOCOMMAND	6,800 LB	9115994P58	\$148,711.00
Includes the following Equipment			
14.9R24 A8 HD Rim (8242301)	\$2,160.00		
460/85(18.4)R34 A8 FI,MI,C (8365401)	\$3,835.00		

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

X0475XX	LESS PACKAGING			No Charge
---------	----------------	--	--	-----------

ENGINE

COLD WEATHER AIDS

SD_T1938 WEATHER PACK

758402	Grid_Heater + 110V Pack Grid heater and cold weather pack Includes engine block heater and transmission heater		9000315P90	\$405.00
--------	--	--	------------	----------

FRONT AXLE

SD_T4010 FRONT AXLE

759669	SUSP. AXLE L/BRKS		9002956P20	\$3,790.00
--------	-------------------	--	------------	------------



**T5 AUTO COMMAND - LESS FASTPICK
 US PRICE LIST**

TIRES

BRAND CHOICE

SD_T4900 TIRE CATEGORY CHOICE

	330418	Trelleborg		9000436P80	\$560.00
	330438	No tire brand preference			No Charge
	330442	Michelin		9000436P80	\$560.00
	330444	Nokian		9000436P80	\$560.00

FRONT WHEELS & TIRES

SD_T4940 FRONT WHEELS AND TIRES

Ag Front Tires					
	8235401	12.4R24 A8 R1W RADIAL ISO 4WD ADJUSTABLE RIM Match w/ 8357401 rear tire/wheel		9001119P30	\$1,435.00
	8242301	14.9R24 A8 HD Rim R1W RADIAL ISO 4WD ADJUSTABLE RIM Match with 8365401 rear tire/wheel		9001684P80	\$2,160.00
	8247401	11.2R28 A8 R1W RADIAL ISO 4WD ADJUSTABLE RIM Matches with 8372401 Rear tires 13.6R38 (340/85R38) MAVT		9001158P30	\$1,485.00
MUNICIPALTY - ADJUSTABLE RIMS					
	8880401	360/80R24 GRSLND, Adj. Rim Match with 8916401 rear tire/wheel Municipal tire with adjustable rim		9001524P90	\$1,955.00
Shipping wheels					
	8299801	Non-Return Ship Wheels - 4WD		9000074P10	\$95.00

REAR WHEELS & TIRES

SD_T4950 REAR WHEELS AND TIRES

Ag Rear Tires					
	8372401	13.6R38 A8 R1W RADIAL ISO 4WD ADJUSTABLE RIM Matches with 8247401 Fronts 11.2R28 (280/85R28) MAVT		9001824P42	\$2,339.00
	8357401	18.4R30 R1W R1W RADIAL ISO 4WD ADJUSTABLE RIM Match w/ 8235401 front tire/wheel Not compatible with narrow rear fenders option code: 331870		9002714P40	\$3,480.00



**T5 AUTO COMMAND - LESS FASTPICK
 US PRICE LIST**

	8365401	460/85(18.4)R34 A8 FI,MI,CO,TR R1W RADIAL ISO 4WD ADJUSTABLE RIM Matches with 8242301 14.9R24 (380/85R24) MAVT		9002991P30	\$3,835.00
MUNICIPALTY - ADJUSTABLE RIMS					
	8916401	440/80R34 GRSLND, Adj. Rim Matches with 888041, 360/80R24 TRI 2 MAVT Front Tires		9002538P90	\$3,255.00
Shipping wheels					
	8399801	Non-Returnable Shipping Wheel		9000452P40	\$580.00

HYDRAULICS

REAR REMOTES

SD_T8270 REAR REMOTES

	759365	3 MECH RR (3NC) 3 MECH REAR REMOTES (3NC)		9000698P10	\$895.00
	743685	4 Mech Rear Remotes (2NC+2C) 4 mechanical rear remote valves, two with configurable detents		9001560P00	\$2,000.00
	759690	2 RR MV + 1 EH.RR.V. 2 RR MV (CONFIG. DETENT) + 1 ELECTRO HYD. REAR REMOTE VALVES		9001326P00	\$1,700.00
	759691	2 RR MV + 2 EH.RR.V. 2 RR MV (CONFIG. DETENT) + 2 ELECTRO HYD. REAR REMOTE VALVES		9002031P90	\$2,605.00

COMPLETE LOADER READY

SD_T8110 LOADER BRACKETS

	744711	L/Loader Ready w/MMV		(903576P30)	(\$4,585.00)
	758980	Loader Ready.			No Charge

JOYSTICK CONTROL

SD_T7780 JOYSTICK

	758069	Joystick with Rocker Switch			No Charge
	759694	L/JOYSTICK W/EDC POD 759694		(901595P10)	(\$2,045.00)

MID MOUNT VALVES

SD_T7790 MID-MOUNT VALVES

	759695	L/MID-MOUNT VALVES 759695		(901950P00)	(\$2,500.00)
	743689	2 Electronic MMV			No Charge
	743690	3 Electronic MMV		9001037P40	\$1,330.00



**T5 AUTO COMMAND - LESS FASTPICK
 US PRICE LIST**

PTO

REAR PTO

SD_T8710 FENDERS PTO CONTROL

	743680	Fender EDC/PTO/Rem Valv Contrl		9000226P20	\$290.00
--	--------	--------------------------------	--	------------	----------

WEIGHTS

FRONT

SD_T2150 FRONT BALLAST

	759769	10 FRONT WEIGHTS Qty. 10, 88 lb. (40 Kg) weights totaling 882 lb. (400 Kg)		9000904P80	\$1,160.00
--	--------	---	--	------------	------------

REAR WHEEL WEIGHTS

SD_T4960 WHEEL WEIGHTS

	759137	2X150KG + 2X250KG Wheel Weight		9001219P14	\$1,563.00
--	--------	--------------------------------	--	------------	------------

CAB OPTION

SD_T4820 HEADLAND SYSTEM

	758592	Adv. Headland Ctrl Cnfg EHR		9000756P60	\$970.00
--	--------	-----------------------------	--	------------	----------

SD_T9360 RR MIRRORS

	759153	2 Telescopic Mirrors 759153			No Charge
	759154	2 Tele/Heat/Rem Adj Mirror		9000050P70	\$65.00

SEATS

SD_T8500 SEAT

	758485	Deluxe Seat Air Susp Heated		9001524P90	\$1,955.00
	758671	Deluxe Air and Heated Cushion		9000331P50	\$425.00
	759735	DLX AIR SUSP. + BELT			No Charge

LIGHTS

SD_T9130 WORK LAMPS

	758594	12 LED High Power Hi-Roof		9001220P70	\$1,565.00
	758596	16 LED High Power Hi-Roof		9002441P40	\$3,130.00

SD_T9146 ROTARY BEACON

	758491	Twin Beacon		9000651P30	\$835.00
--	--------	-------------	--	------------	----------



**T5 AUTO COMMAND - LESS FASTPICK
 US PRICE LIST**

MONITOR BRACKETS

SD_T9223 RH WINDOW BAR MOUNT					
	758153	Monitor Mounting Bracket.		9000117P00	\$150.00
SD_T9230 CLIMATE CONTROL					
	759728	AIR CONDITIONING 759728		(900565P50)	(\$725.00)

AUTO GUIDANCE

AUTO GUIDANCE READY

SD_T6300 STEERING OR AUTOGUIDANCE READY					
	759185	Autoguidance Ready		9004148P82	\$5,319.00
SD_T7616 AUTOGUIDANCE NAV/CO					
	762158	AUTOGUID. - Lv.1		9011508P90	\$14,755.00
	762159	AUTOGUID. - Lv.2		9013650P00	\$17,500.00

TELEMATICS

SD_T7625 TELEMATICS					
	759394	Basic Telematics Offering includes: Mounting Kit, Modem, 1 Year susbcription to PLM Connect Essential		9000557P70	\$715.00

MISCELLANEOUS

FENDERS FRONT

SD_T8740 FRONT FENDERS					
	758330	Dynamic Front Fenders 480mm		9000577P20	\$740.00

FENDERS REAR

SD_T8700 FENDERS					
	743777	Standard fenders with extensn			No Charge
	759767	NARROW FNDRS L/EXT.			No Charge

RADAR

SD_T7580 RADAR					
	758501	Radar NAR		9000638P04	\$818.00



**T5 AUTO COMMAND - LESS FASTPICK
US PRICE LIST**

OPERATOR'S MANUALS

SD_T9802 OPERATORS MANUAL

	758535	Spanish NAR			No Charge
	759101	French NAR			No Charge