



October 14, 2019

PRODUCT AND PRICING BULLETIN

NEW HOLLAND BRAND PRODUCTS, U.S. NO. 19-58A

NEW HOLLAND AG DEALERS WITH MRT AGREEMENT

SUBJECT: T6 SERIES: REVISED PRICE & DATA PAGES

The agricultural industry is constantly evolving to meet the world's shifting needs. Here at New Holland, we're focused on matching pace with those changes to help you get the job done. Together, we can make our customers jobs easier and raise industry standards along the way.



We have revised the T6 Series product offering to include additional Fast Pick Packages. These packages have been designed to provide you and your customer with just what they need in common configurations that make it easy for you and your customer to get exactly what is needed in a mid-range utility tractor. Please review these price and data pages to understand the contents of each of the below packages:

- T6 Electro Command – Standard FastPick
- T6 Electro Command – Less FastPick
- T6 Series Dynamic Command – Deluxe FastPick
- T6 Series Dynamic Command – Premium FastPick
- T6 Series Dynamic Command – Less FastPick
- T6 Series Dynamic Command – Blue Power Edition
- T6 Series Auto Command – Premium FastPick
- T6 Series Auto Command – Less FastPick
- T6 Series Auto Command – Blue Power Edition

Non-Fast Pick Packages can still be placed and will maintain the Model Year 2020 pricing that is effective October 1, 2019.

This bulletin and the price pages may be accessed via the Dealer Portal if you have the MRT agreement with New Holland. Log on to the Dealer Portal. With the "Wholegoods" button displayed, click on "Pricing," click on "Tractors," and then click on "T6 Series." The latest published items will appear at the top of the list. Please replace your current P&D pages with those attached to this bulletin.

Christine Chleboun
Director, Commercial Marketing
New Holland, North America

Dan Valen
Director, Product Marketing
New Holland, North America

Attachment

CNH Industrial America LLC
500 Diller Avenue, P.O. Box 1895
New Holland, PA 17557-0903
Telephone: (717) 355-1121
www.newholland.com/na



Index – T6 Series Tractor

| <u>EQUIPMENT DESCRIPTION</u> | <u>LATEST REVISION</u> | <u>PAGE NUMBER</u> |
|---|-------------------------------|---------------------------|
| T6 Series Electro Command – Standard 100 FastPick | 01/01/2020 | 2 |
| T6 Series Electro Command – Standard 200 FastPick | 01/01/2020 | 10 |
| T6 Series Electro Command – Less FastPick | 01/01/2020 | 19 |
| T6 Series Dynamic Command – Deluxe 100 FastPick | 01/01/2020 | 31 |
| T6 Series Dynamic Command – Deluxe 200 FastPick | 01/01/2020 | 39 |
| T6 Series Dynamic Command – Premium FastPick | 01/01/2020 | 50 |
| T6 Series Dynamic Command – Less FastPick | 01/01/2020 | 60 |
| T6 Series Dynamic Command – Blue Power Edition | 01/01/2020 | 76 |
| T6 Series Auto Command – Deluxe FastPick | 01/01/2020 | 91 |
| T6 Series Auto Command – Premium FastPick | 01/01/2020 | 98 |
| T6 Series Auto Command – Less FastPick | 01/01/2020 | 107 |
| T6 Series Auto Command – Blue Power Edition | 01/01/2020 | 120 |
| T6 Tire Chart | 01/01/2020 | 132 |
| Special Paint Color Information | 01/01/2020 | 133 |
| Service Parts Supplied Dealer Installed Accessories | 01/01/2020 | 134 |



**T6 ELECTRO COMMAND-STANDARD 100 FASTPICK
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- Fuel efficient high torque 4.5L, 4-cylinder with power boost
- FPT engines with 4 valves per cylinder and common rail fuel injection systems
- Tier 4B EPA emissions compliant with SCR only ECOBlue™ HI-eSCR Tier4B emissions system
- Electro Command™ Semi-powershift with AutoShift feature
- Standard LED work lighting
- Easy attach remote outlets
- Long Stable 104" wheel base

ENGINE

T6.145

Rated PTO HP - 95
 Rated Engine HP - 116
 Engine Power Management (EPM)
 Maximum Engine HP w/ EPM - 145
 Rated Speed - 2200 RPM
 274 cu. in. (4.5L) - 4 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

T6.155

Rated PTO HP - 105
 Rated Engine HP - 125
 Engine Power Management (EPM)
 Maximum Engine HP w/ EPM - 155
 Rated Speed - 2200 RPM
 274 cu. in. (4.5L) - 4 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

T6.165

Rated PTO HP - 110
 Rated Engine HP - 135
 Engine Power Management (EPM)
 Maximum Engine HP w/ EPM - 169
 Rated Speed - 2200 RPM
 274 cu. in. (4.5L) - 4 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

T6.175

Rated PTO HP - 120
 Rated Engine HP - 145
 Engine Power Management (EPM)
 Maximum Engine HP w/ EPM - 175
 Rated Speed - 2200 RPM
 274 cu. in. (4.5L) - 4 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

T6.180

Rated PTO HP - 125
 Rated Engine HP - 145
 Engine Power Management (EPM)
 Maximum Engine HP w/ EPM - 175
 Rated Speed - 2200 RPM
 411 cu. in. (6.7L) - 6 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

COMMON ENGINE FEATURES

- Tier 4B Emissions Compliant ECOBlue™ HI-eSCR Tier4B system
- Engine with Turbocharger and Air-to-Air Intercooler
- 4 Valves Per Cylinder
- Bosch Common Rail Fuel Injection Pump (electronic)
- Power Management and Constant RPM
- Power Boost in PTO & Transport Modes
- Grid Heater Starting Aid
- Engine Block Heater
- Dual Element Air Filter with Pre-Cleaner (spin tube intakes)
- A-Pillar Exhaust with Integral Muffler
- Viscous Fan (5 blade)
- Foot and Hand Throttle



**T6 ELECTRO COMMAND-STANDARD 100 FASTPICK
 US PRICE LIST**

Standard Equipment

TRANSMISSION

 16x16 Electro Command™ Semi-
 powershift with AutoShift feature
 Clutchless Range Change Between
 Ranges A/B and C/D
 Steering Column Mounted Left-hand
 Power Shuttle
 Multi-plate Wet Clutch Design
 Transmission Heater

ROAD SPEEDS

 Std 4WD - 25 mph/40 kph

STEERING & BRAKES

 Hydrostatic Power Steering
 Hydraulic Wet Disc Brakes
 (self-equalizing/self-adjusting)
 Parking Brake (automotive style)

REAR AXLE

 Heavy Duty Flange
 Wet Plate Differential Lock
 Electrohydraulic Engaged Rear Diff Lock

FRONT AXLE

 STD Front FWD (limited slip)
 Class 3 Heavy Duty FWD Axle
 55 Degree Turning Angle -4WD
 Dual Steering Cylinders
 8 Degree Axle Oscillation(adjustable)
 Adjustable Tread Width from
 61.4 in. to 88.8 in. (varies by tire size)
 Electrohydraulic FWD Engagement
 Limited Slip Differential
 Drive Shaft Shield

PTO

 Independent 540/1000 rpm PTO
 with Reversible Shaft
 Multi-Plate Wet Clutch Design
 Electrohydraulic Engagement
 with Soft Start/Auto Feathering
 Hydraulic Piston PTO Brake with Manual
 Override (coast-down feature)
 Flip-up PTO Shaft Guard
 Rear Fender Mounted PTO Controls

HYDRAULIC SYSTEM

 CCLS: Closed-Center-Load-Sensing
 /pressure and flow compensated System
 Variable Displacement Piston Pump
 Maximum Flow at Rated Engine Speed
 29.9 gpm (113 l/m) Implement Pump
 12.4 gpm (47 l/m) Steering Pump
 (2) Lever Controlled, Configurable,
 Mechanical Remote Valves with Quick
 Couplers, Flow Control & Anti-leak-down
 Oil Collection Bottles
 Hydraulic Tapping Port (power beyond)
 Low Pressure Return Quick Coupler

3-POINT LIFT SYSTEM

 Electronic Draft Control (EDC)
 Lower Link Sensing
 Fast Raise/Lower Control in Cab
 Rear Fender Mounted 3-PT Raise/Lower
 Switches
 Dynamic Ride Control™
 Category II Flex Link Ends
 Telescoping Stabilizers
 9,214 lb. Lift Capacity (OECD)
 with Dual 80mm External Rams

DRAWBAR

 Independent Swinging Drawbar



**T6 ELECTRO COMMAND-STANDARD 100 FASTPICK
US PRICE LIST**

Standard Equipment

ELECTRICAL

-
- (1) 12-volt 1300 cca Battery
- 120 amp Alternator
- Geared Starter Motor (4.2 kW)
- 7-pin Outlet for Trailer/Implement Lighting
- 3-pin, 40 amp Implement Socket
- ISO/JD (30 amp) Socket
- 15 amp Screw-type Positive/Negative Terminals
- Single Pin (8 amp) Accessory Outlet
- Cigar Lighter
- (2) Roof Mounted Single Pin Outlets
- Battery Boost Terminals

LIGHTS

-
- (4) Halogen front hood headlights
- (2) LED front hood signature lights
- (8) LED cab mounted work lights
 - (4) LED high front & rear cab
 - (4) LED mid-mount front & rear
- (2) taillights
- Front & Rear Flashing Cab Safety Lights

INSTRUMENTATION

-
- Analog/Digital Instrument Cluster with LCD Display

CAB

-
- Low Roof w/Fixed Visibility Panel and Sunshade
- Flat Deck Platform
- Air Conditioner and Heater with 4-speed Pressurizer
- Two Doors with Locks
- Two-speed Intermittent Front Wiper/Washer
- Rear Intermittent Wiper/Washer
- Monitor Mounting Bracket
- Hinged Rear Window
- Tinted Glass with Sunshade
- Tilt and Telescoping Steering Wheel
- Air Suspension Seat with Operator Presence Switch and Lap Belt
- Instructor Seat
- Deluxe Radio with Bluetooth
- Digital Clock
- Integral ROPS
- Interior Dome Light
- (2) External Courtesy Lights
- (2) Telescopic External Mirrors
- Horn

MISCELLANEOUS

-
- Pivoting Engine Hood
- SMV Emblem
- Toolbox

WARRANTY

-
- New Holland Standard Warranty Applies



**T6 ELECTRO COMMAND-STANDARD 100 FASTPICK
 US PRICE LIST**

Models

| COMMERCIAL MODEL | Weight | Factory Data | List Price |
|--------------------------------------|---------------|---------------------|-------------------|
| T6.145 ELEC COM T4B | 15,245 LB | 9089889P03 | \$116,739.00 |
| Includes the following Equipment | | | |
| 380/85(14.9)R28 A8 (8241401) | \$2,686.00 | | |
| 460/85(18.4)R38 R1W-MIFITR (8328401) | \$5,592.00 | | |
| T6.155 ELEC COM T4B | 15,245 LB | 9095928P91 | \$124,583.00 |
| Includes the following Equipment | | | |
| 380/85(14.9)R28 A8 (8241401) | \$2,686.00 | | |
| 460/85(18.4)R38 R1W-MIFITR (8328401) | \$5,592.00 | | |
| T6.165 ELEC COM T4B | 15,245 LB | 9098556P15 | \$127,995.00 |
| Includes the following Equipment | | | |
| 380/85(14.9)R28 A8 (8241401) | \$2,686.00 | | |
| 460/85(18.4)R38 R1W-MIFITR (8328401) | \$5,592.00 | | |
| T6.175 ELEC COM T4B | 15,245 LB | 9103719P77 | \$134,701.00 |
| Includes the following Equipment | | | |
| 380/85(14.9)R28 A8 (8241401) | \$2,686.00 | | |
| 460/85(18.4)R38 R1W-MIFITR (8328401) | \$5,592.00 | | |
| T6.180 ELEC COM T4B | 15,245 LB | 9108008P67 | \$140,271.00 |
| Includes the following Equipment | | | |
| 380/85(14.9)R28 A8 (8241401) | \$2,686.00 | | |
| 460/85(18.4)R38 R1W-MIFITR (8328401) | \$5,592.00 | | |



**T6 ELECTRO COMMAND-STANDARD 100 FASTPICK
 US PRICE LIST**

Factory Supplied Options

| Order Code | Description | Weight | Factory Data | List Price |
|------------|-------------|--------|--------------|------------|
|------------|-------------|--------|--------------|------------|

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

| | | | | |
|---------|---|--|------------|------------|
| X0474XX | NAR NH PCK C STD Standard Fastpick Package Includes: 758402: Grid_Heater + 110V Pack 758413: 40KPH_16X16_w/Autoshift 758441: 113L/Min. CCLS Pump 759153: 2 Telescopic Mirrors 759153 758497: Bracket for Equipment Monitor | | 9002534P07 | \$3,291.00 |
|---------|---|--|------------|------------|

CAB CONFIGURATION

FIXED OR SUSPENDED

SD_T9200 OPERATOR STRUCTURE #1

| | | | | |
|--------|---|--|------------|------------|
| 758479 | Suspended_Cab Cab suspension reduces shock loads to the tractor by up to 25% utilizing two adjustable shocks to increase comfort to the operator. | | 9001360P59 | \$1,767.00 |
|--------|---|--|------------|------------|

TIRES

FRONT WHEELS & TIRES

SD_T4940 FRONT WHEELS AND TIRES

| Class 3 FWD Axle | | | | |
|------------------|--|--|------------|------------|
| 8240402 | 380/85(14.9)R24 A8 Requires 460/85(18.4)R34 R1W | | 9001824P13 | \$2,369.00 |
| 8241401 | 380/85(14.9)R28 A8 Requires 460/85(18.4R38) R1W | | 9002068P22 | \$2,686.00 |
| 8258404 | 380/85(14.9)R30R1W MI,F,T,C,A Requires 18.4R42 R1W | | 9002503P27 | \$3,251.00 |



**T6 ELECTRO COMMAND-STANDARD 100 FASTPICK
 US PRICE LIST**

REAR WHEELS & TIRES

SD_T4950 REAR WHEELS AND TIRES

| Flange and Bar - Steel | | | | | |
|------------------------|---------|--|--|------------|------------|
| | 8365401 | 460/85(18.4)R34 A8 FI,MI,CO,TR Matching Front Tire - 14.9R24 R1W - 8240402 (Class 3 Axle) | | 9003210P90 | \$4,170.00 |
| | 8328401 | 460/85(18.4)R38 R1W-MIFITR Matching Front Tire - 14.9R28 R1W - 8241401 (Class 3 Axle) - 8241901 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims | | 9004305P84 | \$5,592.00 |
| | 8388404 | 460/85(18.4)R42R1W MI,F,T,C,A Matching Front Tire - 14.9R30 R1W - 8258404 (Class 3 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims | | 9004672P36 | \$6,068.00 |

HYDRAULICS

REAR REMOTE VALVES

SD_T8270 REAR REMOTES

| Mechanical Rear Remotes | | | | | |
|-------------------------|--------|--|--|------------|------------|
| | 743741 | 3 Mech Rear Remote Valves (2C) 2 Configurable, 1 Non-Configurable Rear Remotes | | 9000689P15 | \$895.00 |
| | 743685 | 4 Mech Rear Remotes (2NC+2C) 2 Configurable, 2 Non-Configurable Rear Remotes | | 9001636P25 | \$2,125.00 |

COMPLETE LOADER READY

SD_T8110 LOADER BRACKETS

| Mechanical Mid Mount | | | | | |
|----------------------|--------|---|--|------------|------------|
| | 758344 | Loader Ready + 2Mech MMV +Joy Complete Loader Ready: Includes 2 slice mechanical mid-mount valve (MMM), horizontal and vertical two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the mulit-coupler and joystick. Incompatible with electro-hydraulic rear remotes & electronic joystick. Includes predisposition for Complete Loader Ready (758622) Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price & Data Pages. | | 9005782P70 | \$7,510.00 |



**T6 ELECTRO COMMAND-STANDARD 100 FASTPICK
 US PRICE LIST**

| | | | | | |
|--|--------|--|--|------------|------------|
| | 758351 | Loader Ready + 3Mech MMV+Joy Complete Loader Ready: Includes 3 slice mechanical mid-mount valve (MMM), horizontal and vertical two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the multi-coupler and joystick. Incompatible with electro-hydraulic rear remotes & electronic joystick. Includes predisposition for Complete Loader Ready (758622) Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price & Data Pages. | | 9007151P76 | \$9,288.00 |
|--|--------|--|--|------------|------------|

WEIGHTS

FRONT WEIGHTS

SD_T2150 FRONT BALLAST

| | | | | | |
|--|--------|--|--|------------|------------|
| | 758562 | Weight Carrier w/Hook Weight carrier with tow hook - 199 lbs (90.4 kg) | | 9000200P97 | \$261.00 |
| | 758518 | Weight Pack A w/Hook Pack "A" includes weight rack - 199.3 lbs., (6) 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 703 lbs. (319 kg) | | 9000869P33 | \$1,129.00 |
| | 758519 | Weight Pack B w/Hook Pack "B" includes: weight rack - (1) 199 lbs., (10) 99 lbs. weights, plus the tow hook - 15 lbs., total weight is 1,207 lbs. (547 kg) | | 9001353P66 | \$1,758.00 |
| | 758520 | Weight Pack C w/Hook Pack "C" includes: (1) weight rack - 199 lbs., (18) 99 lbs. weights, plus the tow hook - 15 lbs., total weight is 2000 lbs. (907 kg) Not compatible with two wheel drive (2WD) option Not compatible with loader ready packages: 758344, 758351, 758353, 758354, 758351 | | 9002206P05 | \$2,865.00 |

REAR WHEEL WEIGHTS

SD_T4960 WHEEL WEIGHTS

| | | | | | |
|--|--------|--|--|------------|------------|
| | 758564 | 6X65KG Wheel Weight Includes (6) 143 lbs. weights totalling 860 lbs. | | 9000922P46 | \$1,198.00 |
|--|--------|--|--|------------|------------|



**T6 ELECTRO COMMAND-STANDARD 100 FASTPICK
 US PRICE LIST**

| | | | |
|--------|--|------------|------------|
| 759137 | 2X150KG + 2X250KG Wheel Weight Rear Wheel WeightsRear Wheel Weights Includes 2 X 150 plus 2 X 250 KG Weights Four weights totaling 800 KG or 1,764 lbs. Incompatible with shipping wheels Requires Bar Axle & Fixed Rims | 9001203P51 | \$1,563.00 |
| 759821 | 2X150KG + 4X250KG Wheel Weight Rear Wheel Weights 2 X 150 KG and 4 X 250 KG. Total of 6 rear weights for 1,300 KG or 2,866 lbs. 3 weights (650 KG) on each side Incompatible with shipping wheels Requires Bar Axle & Fixed Rims | 9002065P91 | \$2,683.00 |

CAB OPTION

LIGHTS

SD_T9146 ROTARY BEACON

| | | | |
|--------|--|------------|----------|
| 758489 | Rotary Beacon Lefthand Side Single rotary beacon mounted on rear left side of tractor for increased safety and visibility | 9000321P86 | \$418.00 |
| 758491 | Twin Beacon Rotary beacons mounted on rear of the cab on both left and right side of tractor for maximum safety and visibility | 9000643P72 | \$836.00 |

OPERATOR'S MANUALS

SD_T9802 OPERATORS MANUAL

| | | | |
|--------|-------------|--|-----------|
| 758535 | Spanish NAR | | No Charge |
| 759101 | French NAR | | No Charge |



**T6 ELECTRO COMMAND-STANDARD 200 FASTPICK
 US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- Fuel efficient high torque 4.5L, 4-cylinder with power boost
 FPT engines with 4 valves per cylinder and common rail fuel injection systems
- Tier 4B EPA emissions compliant with SCR only ECOBlue™ HI-eSCR Tier4B emissions system
- Electro Command™ Semi-powershift with AutoShift feature
- Standard LED work lighting
- Easy attach remote outlets
- Long Stable 104" wheel base

ENGINE

T6.145
 Rated PTO HP - 95
 Rated Engine HP - 116
 Engine Power Management (EPM)
 Maximum Engine HP w/ EPM - 145
 Rated Speed - 2200 RPM
 274 cu. in. (4.5L) - 4 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

T6.155
 Rated PTO HP - 105
 Rated Engine HP - 125
 Engine Power Management (EPM)
 Maximum Engine HP w/ EPM - 155
 Rated Speed - 2200 RPM
 274 cu. in. (4.5L) - 4 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

T6.165
 Rated PTO HP - 110
 Rated Engine HP - 135
 Engine Power Management (EPM)
 Maximum Engine HP w/ EPM - 169
 Rated Speed - 2200 RPM
 274 cu. in. (4.5L) - 4 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

T6.175
 Rated PTO HP - 120
 Rated Engine HP - 145
 Engine Power Management (EPM)
 Maximum Engine HP w/ EPM - 175
 Rated Speed - 2200 RPM
 274 cu. in. (4.5L) - 4 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

T6.180
 Rated PTO HP - 125
 Rated Engine HP - 145
 Engine Power Management (EPM)
 Maximum Engine HP w/ EPM - 175
 Rated Speed - 2200 RPM
 411 cu. in. (6.7L) - 6 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

COMMON ENGINE FEATURES

- Tier 4B Emissions Compliant ECOBlue™ HI-eSCR Tier4B system
- Engine with Turbocharger and Air-to-Air Intercooler
- 4 Valves Per Cylinder
- Bosch Common Rail Fuel Injection Pump (electronic)
- Power Management and Constant RPM
- Power Boost in PTO & Transport Modes
- Grid Heater Starting Aid
- Engine Block Heater
- Dual Element Air Filter with Pre-Cleaner (spin tube intakes)
- A-Pillar Exhaust with Integral Muffler
- Viscous Fan (5 blade)
- Foot and Hand Throttle



**T6 ELECTRO COMMAND-STANDARD 200 FASTPICK
US PRICE LIST**

Standard Equipment

TRANSMISSION

16x16 Electro Command™ Semi-
powershift with AutoShift feature
Clutchless Range Change Between
Ranges A/B and C/D
Steering Column Mounted Left-hand
Power Shuttle
Multi-plate Wet Clutch Design
Transmission Heater

ROAD SPEEDS

Std 4WD - 25 mph/40 kph

STEERING & BRAKES

Hydrostatic Power Steering
Hydraulic Wet Disc Brakes
(self-equalizing/self-adjusting)
Parking Brake (automotive style)

REAR AXLE

Heavy Duty Flange
Wet Plate Differential Lock
Electrohydraulic Engaged Rear Diff Lock

FRONT AXLE

STD Front FWD (limited slip)
Class 3 Heavy Duty FWD Axle
55 Degree Turning Angle -4WD
Dual Steering Cylinders
8 Degree Axle Oscillation(adjustable)
Adjustable Tread Width from
61.4 in. to 88.8 in. (varies by tire size)
Electrohydraulic FWD Engagement
Limited Slip Differential
Drive Shaft Shield

PTO

Independent 540/1000 rpm PTO
with Reversible Shaft
Multi-Plate Wet Clutch Design
Electrohydraulic Engagement
with Soft Start/Auto Feathering
Hydraulic Piston PTO Brake with Manual
Override (coast-down feature)
Flip-up PTO Shaft Guard
Rear Fender Mounted PTO Controls

HYDRAULIC SYSTEM

CCLS: Closed-Center-Load-Sensing
/pressure and flow compensated System
Variable Displacement Piston Pump
Maximum Flow at Rated Engine Speed
29.9 gpm (113 l/m) Implement Pump
12.4 gpm (47 l/m) Steering Pump
(2) Lever Controlled, Configurable,
Mechanical Remote Valves with Quick
Couplers, Flow Control & Anti-leak-down
Oil Collection Bottles
Hydraulic Tapping Port (power beyond)
Low Pressure Return Quick Coupler

3-POINT LIFT SYSTEM

Electronic Draft Control (EDC)
Lower Link Sensing
Fast Raise/Lower Control in Cab
Rear Fender Mounted 3-PT Raise/Lower
Switches
Dynamic Ride Control™
Category II Flex Link Ends
Telescoping Stabilizers
9,214 lb. Lift Capacity (OECD)
with Dual 80mm External Rams

DRAWBAR

Independent Swinging Drawbar



**T6 ELECTRO COMMAND-STANDARD 200 FASTPICK
 US PRICE LIST**

Standard Equipment

ELECTRICAL

-
- (1) 12-volt 1300 cca Battery
 - 120 amp Alternator
 - Geared Starter Motor (4.2 kW)
 - 7-pin Outlet for Trailer/Implement Lighting
 - 3-pin, 40 amp Implement Socket
 - ISO/JD (30 amp) Socket
 - 15 amp Screw-type Positive/Negative Terminals
 - Single Pin (8 amp) Accessory Outlet
 - Cigar Lighter
 - (2) Roof Mounted Single Pin Outlets
 - Battery Boost Terminals

LIGHTS

-
- (4) Halogen front hood headlights
 - (2) LED front hood signature lights
 - (8) LED cab mounted work lights
 - (4) LED high front & rear cab
 - (4) LED mid-mount front & rear
 - (2) taillights
 - Front & Rear Flashing Cab Safety Lights

INSTRUMENTATION

-
- Analog/Digital Instrument Cluster with LCD Display

CAB

-
- Low Roof w/Fixed Visibility Panel and Sunshade
 - Flat Deck Platform
 - Air Conditioner and Heater with 4-speed Pressurizer
 - Two Doors with Locks
 - Two-speed Intermittent Front Wiper/Washer
 - Rear Intermittent Wiper/Washer
 - Monitor Mounting Bracket
 - Hinged Rear Window
 - Tinted Glass with Sunshade
 - Tilt and Telescoping Steering Wheel
 - Air Suspension Seat with Operator Presence Switch and Lap Belt
 - Instructor Seat
 - Deluxe Radio with Bluetooth
 - Digital Clock
 - Integral ROPS
 - Interior Dome Light
 - (2) External Courtesy Lights
 - (2) Telescopic External Mirrors
 - Horn

MISCELLANEOUS

-
- Pivoting Engine Hood
 - SMV Emblem
 - Toolbox

WARRANTY

-
- New Holland Standard Warranty Applies



**T6 ELECTRO COMMAND-STANDARD 200 FASTPICK
 US PRICE LIST**

Models

| COMMERCIAL MODEL | Weight | Factory Data | List Price |
|--------------------------------------|---------------|---------------------|-------------------|
| T6.145 ELEC COM T4B | 15,245 LB | 9089889P03 | \$116,739.00 |
| Includes the following Equipment | | | |
| 380/85(14.9)R28 A8 (8241401) | \$2,686.00 | | |
| 460/85(18.4)R38 R1W-MIFITR (8328401) | \$5,592.00 | | |
| T6.155 ELEC COM T4B | 15,245 LB | 9095928P91 | \$124,583.00 |
| Includes the following Equipment | | | |
| 380/85(14.9)R28 A8 (8241401) | \$2,686.00 | | |
| 460/85(18.4)R38 R1W-MIFITR (8328401) | \$5,592.00 | | |
| T6.165 ELEC COM T4B | 15,245 LB | 9098556P15 | \$127,995.00 |
| Includes the following Equipment | | | |
| 380/85(14.9)R28 A8 (8241401) | \$2,686.00 | | |
| 460/85(18.4)R38 R1W-MIFITR (8328401) | \$5,592.00 | | |
| T6.175 ELEC COM T4B | 15,245 LB | 9103719P77 | \$134,701.00 |
| Includes the following Equipment | | | |
| 380/85(14.9)R28 A8 (8241401) | \$2,686.00 | | |
| 460/85(18.4)R38 R1W-MIFITR (8328401) | \$5,592.00 | | |
| T6.180 ELEC COM T4B | 15,245 LB | 9108008P67 | \$140,271.00 |
| Includes the following Equipment | | | |
| 380/85(14.9)R28 A8 (8241401) | \$2,686.00 | | |
| 460/85(18.4)R38 R1W-MIFITR (8328401) | \$5,592.00 | | |



**T6 ELECTRO COMMAND-STANDARD 200 FASTPICK
 US PRICE LIST**

Factory Supplied Options

| Order Code | Description | Weight | Factory Data | List Price |
|------------|-------------|--------|--------------|------------|
|------------|-------------|--------|--------------|------------|

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

| | | | | |
|---------|---|--|------------|-------------|
| X0474XX | NAR NH PCK C STD Standard Fastpick Package Includes: 758402: Grid_Heater + 110V Pack 758413: 40KPH_16X16_w/Autoshift 758441: 113L/Min. CCLS Pump 759153: 2 Telescopic Mirrors 759153 758497: Bracket for Equipment Monitor | | 9002534P07 | \$3,291.00 |
| X0582XX | NAR NH PCK C STD 200 Standard 200 Fast Pick Includes: 758479: Suspended_Cab 758402: Grid_Heater + 110V Pack 758413: 40KPH_16X16_w/Autoshift 758420: Class 3 Hydraulic Lock 758432: HD Bar Steel Multi-Diff 758441: 113L/Min. CCLS Pump 759153: 2 Telescopic Mirrors 759153 758497: Bracket for Equipment Monitor 758432: HD Bar Steel Multi-Diff 758354: Loader Ready + 3 EH MMV + Joy 390444: Tow Hook-Only 758564: 6X65KG Wheel Weight 758594: 12 LED High Power Hi-Roof 758489: Rotary Beacon Lefthand Side 758409: HD Battery W/Isolator 176AH | | 9017897P11 | \$23,243.00 |

CAB CONFIGURATION

FIXED OR SUSPENDED

SD_T9200 OPERATOR STRUCTURE #1

| | | | | |
|--------|---|--|--|-----------|
| 758479 | Suspended_Cab Cab suspension reduces shock loads to the tractor by up to 25% utilizing two adjustable shocks to increase confort to the operator. | | | No Charge |
|--------|---|--|--|-----------|



**T6 ELECTRO COMMAND-STANDARD 200 FASTPICK
 US PRICE LIST**

TIRES

FRONT WHEELS & TIRES

SD_T4940 FRONT WHEELS AND TIRES

| Class 3 FWD Axle | | | | | |
|------------------|---------|--|--|------------|------------|
| | 8240402 | 380/85(14.9)R24 A8 Requires 460/85(18.4)R34 R1W | | 9001824P13 | \$2,369.00 |
| | 8241401 | 380/85(14.9)R28 A8 Requires 460/85(18.4R38) R1W | | 9002068P22 | \$2,686.00 |
| | 8258404 | 380/85(14.9)R30R1W MI,F,T,C,A Requires 18.4R42 R1W | | 9002503P27 | \$3,251.00 |

REAR WHEELS & TIRES

SD_T4950 REAR WHEELS AND TIRES

| Flange and Bar - Steel | | | | | |
|------------------------|---------|--|--|------------|------------|
| | 8365401 | 460/85(18.4)R34 A8 FI,MI,CO,TR Matching Front Tire - 14.9R24 R1W - 8240402 (Class 3 Axle) | | 9003210P90 | \$4,170.00 |
| | 8328401 | 460/85(18.4)R38 R1W-MIFITR Matching Front Tire - 14.9R28 R1W - 8241401 (Class 3 Axle) - 8241901 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims | | 9004305P84 | \$5,592.00 |
| | 8388404 | 460/85(18.4)R42R1W MI,F,T,C,A Matching Front Tire - 14.9R30 R1W - 8258404 (Class 3 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims | | 9004672P36 | \$6,068.00 |

HYDRAULICS

REAR REMOTE VALVES

SD_T8270 REAR REMOTES

| Mechanical Rear Remotes | | | | | |
|-------------------------|--------|--|--|------------|-----------|
| | 743741 | 3 Mech Rear Remote Valves (2C) 2 Configurable, 1 Non-Configurable Rear Remotes | | 9000689P15 | \$895.00 |
| | 743685 | 4 Mech Rear Remotes (2NC+2C) 2 Configurable, 2 Non-Configurable Rear Remotes | | | No Charge |



**T6 ELECTRO COMMAND-STANDARD 200 FASTPICK
 US PRICE LIST**

COMPLETE LOADER READY

SD_T8110 LOADER BRACKETS

| Mechanical Mid Mount | | | | | |
|----------------------|--------|---|--|------------|------------|
| | 758344 | Loader Ready + 2Mech MMV +Joy Complete Loader Ready: Includes 2 slice mechanical mid-mount valve (MMM), horizontal and vertical two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the multi-coupler and joystick. Incompatible with electro-hydraulic rear remotes & electronic joystick. Includes predisposition for Complete Loader Ready (758622) Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price & Data Pages. | | 9005782P70 | \$7,510.00 |
| | 758351 | Loader Ready + 3Mech MMV+Joy Complete Loader Ready: Includes 3 slice mechanical mid-mount valve (MMM), horizontal and vertical two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the multi-coupler and joystick. Incompatible with electro-hydraulic rear remotes & electronic joystick. Includes predisposition for Complete Loader Ready (758622) Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price & Data Pages. | | 9007151P76 | \$9,288.00 |

WEIGHTS

FRONT WEIGHTS

SD_T2150 FRONT BALLAST

| | | | | | |
|--|--------|--|--|------------|------------|
| | 758562 | Weight Carrier w/Hook Weight carrier with tow hook - 199 lbs (90.4 kg) | | 9000200P97 | \$261.00 |
| | 758518 | Weight Pack A w/Hook Pack "A" includes weight rack - 199.3 lbs., (6) 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 703 lbs. (319 kg) | | 9000869P33 | \$1,129.00 |
| | 758519 | Weight Pack B w/Hook Pack "B" includes: weight rack - (1) 199 lbs., (10) 99 lbs. weights, plus the tow hook - 15 lbs., total weight is 1,207 lbs. (547 kg) | | 9001353P66 | \$1,758.00 |



**T6 ELECTRO COMMAND-STANDARD 200 FASTPICK
 US PRICE LIST**

| | | | | | |
|--|--------|---|--|------------|------------|
| | 758520 | Weight Pack C w/Hook Pack "C" includes: (1) weight rack - 199 lbs., (18) 99 lbs. weights, plus the tow hook - 15 lbs., total weight is 2000 lbs. (907 kg) Not compatible with two wheel drive (2WD) option Not compatible with loader ready packages: 758344, 758351, 758353, 758354, 758351 | | 9002206P05 | \$2,865.00 |
|--|--------|---|--|------------|------------|

REAR WHEEL WEIGHTS

SD_T4960 WHEEL WEIGHTS

| | | | | | |
|--|--------|--|--|------------|------------|
| | 758564 | 6X65KG Wheel Weight Includes (6) 143 lbs. weights totalling 860 lbs. | | | No Charge |
| | 759137 | 2X150KG + 2X250KG Wheel Weight Rear Wheel WeightsRear Wheel Weights Includes 2 X 150 plus 2 X 250 KG Weights Four weights totaling 800 KG or 1,764 lbs. Incompatible with shipping wheels Requires Bar Axle & Fixed Rims | | 9001203P51 | \$1,563.00 |
| | 759821 | 2X150KG + 4X250KG Wheel Weight Rear Wheel Weights 2 X 150 KG and 4 X 250 KG. Total of 6 rear weights for 1,300 KG or 2,866 lbs. 3 weights (650 KG) on each side Incompatible with shipping wheels Requires Bar Axle & Fixed Rims | | 9002065P91 | \$2,683.00 |

CAB OPTION

LIGHTS

SD_T9146 ROTARY BEACON

| | | | | | |
|--|--------|--|--|------------|----------|
| | 758489 | Rotary Beacon Lefthand Side Single rotary beacon mounted on rear left side of tractor for increased safety and visibility | | 9000321P86 | \$418.00 |
| | 758491 | Twin Beacon Rotary beacons mounted on rear of the cab on both left and right side of tractor for maximum safety and visibility | | 9000643P72 | \$836.00 |



**T6 ELECTRO COMMAND-STANDARD 200 FASTPICK
US PRICE LIST**

OPERATOR'S MANUALS

SD_T9802 OPERATORS MANUAL

| | | | | | |
|--|--------|-------------|--|--|-----------|
| | 758535 | Spanish NAR | | | No Charge |
| | 759101 | French NAR | | | No Charge |



**T6 ELECTRO COMMAND-LESS FASTPICK
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- Fuel efficient high torque 4.5L, 4-cylinder with power boost
FPT engines with 4 valves per cylinder and common rail fuel injection systems
- Tier 4B EPA emissions compliant with SCR only ECOBlue™ HI-eSCR Tier4B emissions system
- Electro Command™ Semi-powershift
- Standard LED work lighting
- Easy attach remote outlets
- Long Stable 104" wheel base

ENGINE

T6.145

Rated PTO HP - 95
 Rated Engine HP - 116
 Engine Power Management (EPM)
 Maximum Engine HP w/ EPM - 145
 Rated Speed - 2200 RPM
 274 cu. in. (4.5L) - 4 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

T6.155

Rated PTO HP - 105
 Rated Engine HP - 125
 Engine Power Management (EPM)
 Maximum Engine HP w/ EPM - 155
 Rated Speed - 2200 RPM
 274 cu. in. (4.5L) - 4 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

T6.165

Rated PTO HP - 110
 Rated Engine HP - 135
 Engine Power Management (EPM)
 Maximum Engine HP w/ EPM - 169
 Rated Speed - 2200 RPM
 274 cu. in. (4.5L) - 4 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

T6.175

Rated PTO HP - 120
 Rated Engine HP - 145
 Engine Power Management (EPM)
 Maximum Engine HP w/ EPM - 175
 Rated Speed - 2200 RPM
 274 cu. in. (4.5L) - 4 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

T6.180

Rated PTO HP - 125
 Rated Engine HP - 145
 Engine Power Management (EPM)
 Maximum Engine HP w/ EPM - 175
 Rated Speed - 2200 RPM
 411 cu. in. (6.7L) - 6 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

COMMON ENGINE FEATURES

- Tier 4B Emissions Compliant ECOBlue™ HI-eSCR Tier4B system
- Engine with Turbocharger and Air-to-Air Intercooler
- 4 Valves Per Cylinder
- Bosch Common Rail Fuel Injection Pump (electronic)
- Power Management and Constant RPM
- Power Boost in PTO & Transport Modes
- Grid Heater Starting Aid
- Dual Element Air Filter with Pre-Cleaner (spin tube intakes)
- A-Pillar Exhaust with Integral Muffler
- Viscous Fan (5 blade)
- Foot and Hand Throttle



**T6 ELECTRO COMMAND-LESS FASTPICK
 US PRICE LIST**

Standard Equipment

TRANSMISSION

 16x16 Electro Command™ Semi-
 powershift w/opt. AutoShift feature
 Clutchless Range Change Between
 Ranges A/B and C/D
 Steering Column Mounted Left-hand
 Power Shuttle
 Multi-plate Wet Clutch Design

ROAD SPEEDS

 Std 4WD - 25 mph/40 kph

STEERING & BRAKES

 Hydrostatic Power Steering
 Hydraulic Wet Disc Brakes
 (self-equalizing/self-adjusting)
 Parking Brake (automotive style)

REAR AXLE

 Heavy Duty Flange
 Wet Plate Differential Lock
 Electrohydraulic Engaged Rear Diff Lock

FRONT AXLE

 STD Front FWD (limited slip)
 Class 3 Heavy Duty FWD Axle
 55 Degree Turning Angle -4WD
 Dual Steering Cylinders
 8 Degree Axle Oscillation(adjustable)
 Adjustable Tread Width from
 61.4 in. to 88.8 in. (varies by tire size)
 Electrohydraulic FWD Engagement
 Limited Slip Differential
 Drive Shaft Shield

PTO

 Independent 540/1000 rpm PTO
 with Reversible Shaft
 Multi-Plate Wet Clutch Design
 Electrohydraulic Engagement
 with Soft Start/Auto Feathering
 Hydraulic Piston PTO Brake with Manual
 Override (coast-down feature)
 Flip-up PTO Shaft Guard
 Rear Fender Mounted PTO Controls

HYDRAULIC SYSTEM

 Fixed Displacement Gear Pumps
 with closed center remote valves
 Maximum Flow at Rated Engine Speed
 21.1 gpm (80 l/m) Implement Pump
 12.4 gpm (47 l/m) Steering Pump
 (2) Lever Controlled, Configurable,
 Mechanical Remote Valves with Quick
 Couplers, Flow Control & Anti-leak-down
 Oil Collection Bottles
 Hydraulic Tapping Port (power beyond)
 Low Pressure Return Quick Coupler

3-POINT LIFT SYSTEM

 Electronic Draft Control (EDC)
 Lower Link Sensing
 Fast Raise/Lower Control in Cab
 Rear Fender Mounted 3-PT Raise/Lower
 Switches
 Dynamic Ride Control™
 Category II Flex Link Ends
 Telescoping Stabilizers
 9,214 lb. Lift Capacity (OECD)
 with Dual 80mm External Rams

DRAWBAR

 Independent Swinging Drawbar



**T6 ELECTRO COMMAND-LESS FASTPICK
 US PRICE LIST**

Standard Equipment

ELECTRICAL

-
- (1) 12-volt 1300 cca Battery
 - 120 amp Alternator
 - Gearred Starter Motor (4.2 kW)
 - 7-pin Outlet for Trailer/Implement Lighting
 - 3-pin, 40 amp Implement Socket
 - ISO/JD (30 amp) Socket
 - 15 amp Screw-type Positive/Negative Terminals
 - Single Pin (8 amp) Accessory Outlet
 - Cigar Lighter
 - (2) Roof Mounted Single Pin Outlets
 - Battery Boost Terminals

LIGHTS

-
- (4) Halogen front hood headlights
 - (2) LED front hood signature lights
 - (8) LED cab mounted work lights
 - (4) LED high front & rear cab
 - (4) LED mid-mount front & rear
 - (2) taillights

Front & Rear Flashing Cab Safety Lights

INSTRUMENTATION

Analog/Digital Instrument Cluster with LCD Display

CAB

-
- Low Roof w/Fixed Visibility Panel and Sunshade
 - Flat Deck Platform
 - Air Conditioner and Heater with 4-speed Pressurizer
 - Two Doors with Locks
 - Two-speed Intermittent Front Wiper/Washer
 - Rear Intermittent Wiper/Washer
 - Hinged Rear Window
 - Tinted Glass with Sunshade
 - Tilt and Telescoping Steering Wheel
 - Air Suspension Seat with Operator Presence Switch and Lap Belt
 - Instructor Seat
 - Deluxe Radio with Bluetooth
 - Digital Clock
 - Integral ROPS
 - Interior Dome Light
 - (2) External Courtesy Lights
 - (2) Fixed External Mirrors
 - Horn

MISCELLANEOUS

-
- Pivoting Engine Hood
 - SMV Emblem
 - Toolbox

WARRANTY

New Holland Standard Warranty Applies



**T6 ELECTRO COMMAND-LESS FASTPICK
 US PRICE LIST**

Models

| COMMERCIAL MODEL | Weight | Factory Data | List Price |
|--------------------------------------|---------------|---------------------|-------------------|
| T6.145 ELEC COM T4B | 15,245 LB | 9089889P03 | \$116,739.00 |
| Includes the following Equipment | | | |
| 380/85(14.9)R28 A8 (8241401) | \$2,686.00 | | |
| 460/85(18.4)R38 R1W-MIFITR (8328401) | \$5,592.00 | | |
| T6.155 ELEC COM T4B | 15,245 LB | 9095928P91 | \$124,583.00 |
| Includes the following Equipment | | | |
| 380/85(14.9)R28 A8 (8241401) | \$2,686.00 | | |
| 460/85(18.4)R38 R1W-MIFITR (8328401) | \$5,592.00 | | |
| T6.165 ELEC COM T4B | 15,245 LB | 9098556P15 | \$127,995.00 |
| Includes the following Equipment | | | |
| 380/85(14.9)R28 A8 (8241401) | \$2,686.00 | | |
| 460/85(18.4)R38 R1W-MIFITR (8328401) | \$5,592.00 | | |
| T6.175 ELEC COM T4B | 15,245 LB | 9103719P77 | \$134,701.00 |
| Includes the following Equipment | | | |
| 380/85(14.9)R28 A8 (8241401) | \$2,686.00 | | |
| 460/85(18.4)R38 R1W-MIFITR (8328401) | \$5,592.00 | | |
| T6.180 ELEC COM T4B | 15,245 LB | 9108008P67 | \$140,271.00 |
| Includes the following Equipment | | | |
| 380/85(14.9)R28 A8 (8241401) | \$2,686.00 | | |
| 460/85(18.4)R38 R1W-MIFITR (8328401) | \$5,592.00 | | |



**T6 ELECTRO COMMAND-LESS FASTPICK
 US PRICE LIST**

Factory Supplied Options

| Order Code | Description | Weight | Factory Data | List Price |
|------------|-------------|--------|--------------|------------|
|------------|-------------|--------|--------------|------------|

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

| | | | | |
|--|------------------------|--|--|-----------|
| | X0475XX LESS PACKAGING | | | No Charge |
|--|------------------------|--|--|-----------|

CAB CONFIGURATION

CAB ROOF/COLOR

SD_T9850 SPECIAL COLORS/PANELS

| | | | | |
|--|--|--|------------|------------|
| | 392209 Base Color ISO High Roof with High Visibility Panel | | 9001173P48 | \$1,524.00 |
|--|--|--|------------|------------|

FIXED OR SUSPENDED

SD_T9200 OPERATOR STRUCTURE #1

| | | | | |
|--|--|--|------------|------------|
| | 758479 Suspended_Cab Cab suspension reduces shock loads to the tractor by up to 25% utilizing two adjustable shocks to increase comfort to the operator. | | 9001360P59 | \$1,767.00 |
|--|--|--|------------|------------|

ENGINE

ALTERNATOR SELECTION

SD_T1040 CHARGING SYSTEMS

| | | | | |
|--|---------------------------|--|------------|----------|
| | 758557 150 AMP_Alternator | | 9000119P35 | \$155.00 |
| | 758558 200 AMP_Alternator | | 9000184P80 | \$240.00 |

COLD WEATHER AIDS

SD_T1938 WEATHER PACK

| | | | | |
|--|---|--|------------|----------|
| | 758402 Grid_Heater + 110V Pack Grid heater and cold weather pack Includes engine block heater and transmission heater | | 9000311P85 | \$405.00 |
|--|---|--|------------|----------|



**T6 ELECTRO COMMAND-LESS FASTPICK
 US PRICE LIST**

FUEL TANK GUARD

SD_T1400 FUEL TANK

| | | | | | |
|--|--------|--|--|------------|----------|
| | 759130 | Large Fuel Tank+Guard Standard fuel tank plus auxiliary tank - 58.6 gal (222 L) Incompatible with 34" rear wheels | | 9000180P95 | \$235.00 |
|--|--------|--|--|------------|----------|

TRANSMISSION

SD_T2800 SPEED

| | | | | | |
|-----------|--------|--|--|-------------|--------------|
| 2WD Units | | | | | |
| | 759375 | 30KPH 16X16 L/Autoshift 16x16 Electro Command semi-powershift for 2WD axle | | (901134P98) | (\$1,474.00) |
| | 759377 | 30KPH 16X16 W/Autoshift 16x16 Electro Command semi-powershift with AutoShift feature for 2WD axle | | (900524P37) | (\$681.00) |
| | 759379 | 30KPH 16X16 Autoshift+Creeper 16x16 Electro Command semi-powershift with AutoShift and creeper for 2WD axle | | 9001402P17 | \$1,821.00 |
| FWD Units | | | | | |
| | 758413 | 40KPH_16X16_w/Autoshift 16x16 Electro Command semi-powershift with AutoShift feature | | 9000611P38 | \$794.00 |
| | 758414 | 40KPH_32X32_Autoshift+Creeper 32x32 Electro Command semi-powershift with AutoShift and creeper | | 9002537P15 | \$3,295.00 |
| | 743764 | 40 KPH (17x16) ECO 17x16 Electro Command "Economy" Semipowershift with AutoShift | | 9001694P00 | \$2,200.00 |

FRONT AXLE

SD_T4010 FRONT AXLE

| | | | | | |
|---------------------------|--------|---|--|-------------|--------------|
| 2WD Heavy Duty Axle | | | | | |
| | 759381 | 2WD Heavy Duty Axle | | (907072P45) | (\$9,185.00) |
| Class 3 Standard FWD Axle | | | | | |
| | 758420 | Class 3 Hydraulic Lock With TerraLock traction management system with multi-plate differential | | 9000256P41 | \$333.00 |



**T6 ELECTRO COMMAND-LESS FASTPICK
 US PRICE LIST**

| | | | | | |
|-----------------------------|--------|---|--|------------|------------|
| Class 4 Standard FWD Axle | | | | | |
| | 758425 | Class 4 Hydraulic Lock -With TerraLock traction management system with multi-plate differential -Incompatible with 34" rear wheels | | 9000970P20 | \$1,260.00 |
| Class 4 SuperSteer FWD Axle | | | | | |
| | 758429 | Class 4 SuperSteer L/Water SuperSteer front axle with TerraLock traction management system. Includes multi-plate differential lock. Incompatible with Autoguidance | | 9003622P85 | \$4,705.00 |

REAR AXLE

SD_T3200 REAR AXLE

| | | | | | |
|--|--------|---|--|------------|------------|
| | 758432 | HD Bar Steel Multi-Diff Heavy duty 98" bar axle for steel wheels | | 9001146P53 | \$1,489.00 |
|--|--------|---|--|------------|------------|

TIRES

BRAND CHOICE

SD_T4900 TIRE CATEGORY CHOICE

| | | | | | |
|--|--------|--------------------------|--|------------|-----------|
| | 330438 | No tire brand preference | | | No Charge |
| | 330446 | Firestone | | 9000431P20 | \$560.00 |
| | 330439 | Continental | | 9000431P20 | \$560.00 |
| | 330442 | Michelin | | 9000431P20 | \$560.00 |

FRONT WHEELS & TIRES

SD_T4940 FRONT WHEELS AND TIRES

| | | | | | |
|---------------------|---------|--|--|------------|------------|
| Class 3 FWD Axle | | | | | |
| | 8299905 | Front Shipping Wheels-4WD Requires rear shipping wheels | | 9001131P13 | \$1,469.00 |
| | 8240402 | 380/85(14.9)R24 A8 Requires 460/85(18.4)R34 R1W | | 9001824P13 | \$2,369.00 |
| | 8241401 | 380/85(14.9)R28 A8 Requires 460/85(18.4R38) R1W | | 9002068P22 | \$2,686.00 |
| | 8258404 | 380/85(14.9)R30R1W MI,F,T,C,A Requires 18.4R42 R1W | | 9002503P27 | \$3,251.00 |
| 2WD Heavy Duty Axle | | | | | |
| | 8138401 | 11.00-16 10PR F2 GY | | 9000703P78 | \$914.00 |
| Class 4 FWD Axle | | | | | |
| | 8241901 | 380/85(14.9)R28R1W HD-MIFITRCO | | 9002068P22 | \$2,686.00 |
| | 8299906 | Front Shipping Wheels Scrap, no return refund | | 9001131P13 | \$1,469.00 |



**T6 ELECTRO COMMAND-LESS FASTPICK
 US PRICE LIST**

REAR WHEELS & TIRES

SD_T4950 REAR WHEELS AND TIRES

| Flange and Bar - Steel | | | | | |
|------------------------|---------|--|--|------------|------------|
| | 8365401 | 460/85(18.4)R34 A8 FI,MI,CO,TR Matching Front Tire - 14.9R24 R1W - 8240402 (Class 3 Axle) | | 9003210P90 | \$4,170.00 |
| | 8328401 | 460/85(18.4)R38 R1W-MIFITR Matching Front Tire - 14.9R28 R1W - 8241401 (Class 3 Axle) - 8241901 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims | | 9004305P84 | \$5,592.00 |
| | 8388404 | 460/85(18.4)R42R1W MI,F,T,C,A Matching Front Tire - 14.9R30 R1W - 8258404 (Class 3 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims | | 9004672P36 | \$6,068.00 |
| Shipping Wheels | | | | | |
| | 8399906 | Rear Shipping Wheels Matching Front Shipping Wheels - 8299905 (Class 3 Axle) - 8299906 (Class 4 Axle) | | 9001532P30 | \$1,990.00 |

HYDRAULICS

HYDRAULIC PUMP

SD_T8230 HYD PUMP

| | | | | | |
|--|--------|---------------------|--|------------|------------|
| | 758441 | 113L/Min. CCLS Pump | | 9001275P12 | \$1,656.00 |
|--|--------|---------------------|--|------------|------------|

REAR REMOTE VALVES

SD_T8270 REAR REMOTES

| Mechanical Rear Remotes | | | | | |
|-------------------------|--------|--|--|------------|------------|
| | 743741 | 3 Mech Rear Remote Valves (2C) 2 Configurable, 1 Non-Configurable Rear Remotes | | 9000689P15 | \$895.00 |
| | 743685 | 4 Mech Rear Remotes (2NC+2C) 2 Configurable, 2 Non-Configurable Rear Remotes | | 9001636P25 | \$2,125.00 |



**T6 ELECTRO COMMAND-LESS FASTPICK
 US PRICE LIST**

COMPLETE LOADER READY

SD_T8110 LOADER BRACKETS

| Mechanical Mid Mount | | | | | |
|-----------------------------|--------|--|--|------------|-------------|
| | 758344 | Loader Ready + 2Mech MMV +Joy Complete Loader Ready: Includes 2 slice mechanical mid-mount valve (MMMV), horizontal and vertical two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the multi-coupler and joystick. Incompatible with electro-hydraulic rear remotes & electronic joystick. Includes predisposition for Complete Loader Ready (758622) Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price & Data Pages. | | 9005782P70 | \$7,510.00 |
| | 758351 | Loader Ready + 3Mech MMV+Joy Complete Loader Ready: Includes 3 slice mechanical mid-mount valve (MMMV), horizontal and vertical two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the multi-coupler and joystick. Incompatible with electro-hydraulic rear remotes & electronic joystick. Includes predisposition for Complete Loader Ready (758622) Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price & Data Pages. | | 9007151P76 | \$9,288.00 |
| Electro-Hydraulic Mid Mount | | | | | |
| | 758354 | Loader Ready + 3 EH MMV + Joy Complete Loader Ready: Includes 3 slice electronic mid-mount valve (EMMV), horizontal and vertical two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the hydraulic multi-coupler and joystick. Includes predisposition for Complete Loader Ready (758622) Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price & Data Pages. | | 9008363P74 | \$10,862.00 |



**T6 ELECTRO COMMAND-LESS FASTPICK
 US PRICE LIST**

WEIGHTS

FRONT WEIGHTS

SD_T2150 FRONT BALLAST

| | | | |
|--------|--|------------|------------|
| 758562 | Weight Carrier w/Hook Weight carrier with tow hook - 199 lbs (90.4 kg) | 9000200P97 | \$261.00 |
| 758518 | Weight Pack A w/Hook Pack "A" includes weight rack - 199.3 lbs., (6) 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 703 lbs. (319 kg) | 9000869P33 | \$1,129.00 |
| 758519 | Weight Pack B w/Hook Pack "B" includes: weight rack - (1) 199 lbs., (10) 99 lbs. weights, plus the tow hook - 15 lbs., total weight is 1,207 lbs. (547 kg) | 9001353P66 | \$1,758.00 |
| 758520 | Weight Pack C w/Hook Pack "C" includes: (1) weight rack - 199 lbs., (18) 99 lbs. weights, plus the tow hook - 15 lbs., total weight is 2000 lbs. (907 kg) Not compatible with two wheel drive (2WD) option Not compatible with loader ready packages: 758344, 758351, 758353, 758354, 758351 | 9002206P05 | \$2,865.00 |

REAR WHEEL WEIGHTS

SD_T4960 WHEEL WEIGHTS

| | | | |
|--------|--|------------|------------|
| 758564 | 6X65KG Wheel Weight Includes (6) 143 lbs. weights totalling 860 lbs. | 9000922P46 | \$1,198.00 |
| 759137 | 2X150KG + 2X250KG Wheel Weight Rear Wheel WeightsRear Wheel Weights Includes 2 X 150 plus 2 X 250 KG Weights Four weights totaling 800 KG or 1,764 lbs. Incompatible with shipping wheels Requires Bar Axle & Fixed Rims | 9001203P51 | \$1,563.00 |
| 759821 | 2X150KG + 4X250KG Wheel Weight Rear Wheel Weights 2 X 150 KG and 4 X 250 KG. Total of 6 rear weights for 1,300 KG or 2,866 lbs. 3 weights (650 KG) on each side Incompatible with shipping wheels Requires Bar Axle & Fixed Rims | 9002065P91 | \$2,683.00 |



**T6 ELECTRO COMMAND-LESS FASTPICK
 US PRICE LIST**

CAB OPTION

SD_T9360 RR MIRRORS

| | | | | | |
|--|--------|--|--|------------|----------|
| | 759153 | 2 Telescopic Mirrors 759153 | | 9000213P29 | \$277.00 |
| | 759154 | 2 Tele/Heat/Rem Adj Mirror (2) External Mirrors (Electric-adjust, Telescopic and Heated) Requires: - 743729, 713816, or 743730 (High Roof Cab) | | 9000264P88 | \$344.00 |

CLIMATE CONTROL

SD_T9291 REAR WINDOW SUNSHADE

| | | | | | |
|--|--------|-----------------------|--|------------|----------|
| | 758580 | Sunshade, Rear Window | | 9000158P62 | \$206.00 |
|--|--------|-----------------------|--|------------|----------|

SEATS

SD_T8500 SEAT

| | | | | | |
|--|--------|---|--|------------|------------|
| | 758485 | Deluxe Seat Air Susp Heated Super Deluxe Seat with Low Frequency Suspension (+DDS) Belt and Swivel Headrest Heated Leather/Alacantara | | 9001505P35 | \$1,955.00 |
|--|--------|---|--|------------|------------|

STORAGE

SD_T9010 REAR CAB STORAGE BO

| | | | | | |
|--|--------|--|--|------------|----------|
| | 758570 | Lefthand Rear Cab Storage Box Incompatible with Autoguidance | | 9000172P48 | \$224.00 |
|--|--------|--|--|------------|----------|

LIGHTS

SD_T9130 WORK LAMPS

| | | | | | |
|--|--------|--|--|------------|------------|
| | 758594 | 12 LED High Power Hi-Roof 12 total LED cab mounted work lights: 8 high roof mounted; 4 front, 4 rear 4 mid-cab mounted; 2 front, 2 rear Total work light package emits 23,400 lumens | | 9001207P36 | \$1,568.00 |
| | 758596 | 16 LED High Power Hi-Roof A total of 16 Cab mounted LED work lights: 12 high cab-mounted; 6 front, 6 rear 4 mid-cab mounted; 2 front, 2 rear 16 LED work lights emitting 31,200 lumens | | 9002414P72 | \$3,136.00 |



**T6 ELECTRO COMMAND-LESS FASTPICK
 US PRICE LIST**

SD_T9146 ROTARY BEACON

| | | | | | | |
|--|--|--------|--|--|------------|----------|
| | | 758489 | Rotary Beacon Lefthand Side Single rotary beacon mounted on rear left side of tractor for increased safety and visibility | | 9000321P86 | \$418.00 |
| | | 758491 | Twin Beacon Rotary beacons mounted on rear of the cab on both left and right side of tractor for maximum safety and visibility | | 9000643P72 | \$836.00 |

RADIO

SD_T7612 BRACKET MONITOR

| | | | | | | |
|--|--|--------|--|--|------------|----------|
| | | 758497 | Bracket for Equipment Monitor Monitor mounting bracket | | 9000122P43 | \$159.00 |
|--|--|--------|--|--|------------|----------|

MISCELLANEOUS

FENDERS FRONT

SD_T8740 FRONT FENDERS

| | | | | | | |
|--|--|--------|--|--|------------|----------|
| | | 758505 | Front Fender 420mm Dynamic Dynamic front fenders 16.5 inches wide (420 mm) | | 9000605P22 | \$786.00 |
|--|--|--------|--|--|------------|----------|

OTHER

SD_T7420 BATTERY

| | | | | | | |
|--|--|--------|--|--|------------|----------|
| | | 758409 | HD Battery W/Isolator 176AH Heavy duty battery with isolator | | 9000337P26 | \$438.00 |
| | | 759140 | Hvy Dty Bty Mech ISO | | 9000337P26 | \$438.00 |

OPERATOR'S MANUALS

SD_T9802 OPERATORS MANUAL

| | | | | | | |
|--|--|--------|-------------|--|--|-----------|
| | | 758535 | Spanish NAR | | | No Charge |
| | | 759101 | French NAR | | | No Charge |



**T6 DYNAMIC COMMAND - DELUXE FASTPICK
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- Fuel efficient high torque 4.5L, 4-cylinder with power boost
FPT engines with 4 valves per cylinder and common rail fuel injection systems
- Tier 4B EPA emissions compliant with SCR only ECOBlue™ HI-eSCR Tier4B emissions system
- 23X23 Dynamic Command™ Powershift with AutoShift feature
- Standard LED work lighting
- Easy attach remote outlets
- New bold styling (hood, cab roof, lighting)
- Long Stable 104" wheel base for all 4WD models
- 15' 1" (181") turning radius (Std FWD disengaged, no brake, no fenders)

ENGINE

T6.145
 Rated PTO HP - 95
 Rated Engine HP - 116
 Engine Power Management (EPM)
 Maximum Engine HP w/ EPM - 145
 Rated Speed - 2200 RPM
 274 cu. in. (4.5L) - 4 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

T6.155
 Rated PTO HP - 105
 Rated Engine HP - 125
 Engine Power Management (EPM)
 Maximum Engine HP w/ EPM - 155
 Rated Speed - 2200 RPM
 274 cu. in. (4.5L) - 4 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

T6.165
 Rated PTO HP - 110
 Rated Engine HP - 135

Engine Power Management (EPM)
 Maximum Engine HP w/ EPM - 169
 Rated Speed - 2200 RPM
 274 cu. in. (4.5L) - 4 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

T6.175
 Rated PTO HP - 120
 Rated Engine HP - 145
 Engine Power Management (EPM)
 Maximum Engine HP w/ EPM - 175
 Rated Speed - 2200 RPM
 274 cu. in. (4.5L) - 4 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

T6.180
 Rated PTO HP - 125
 Rated Engine HP - 145
 Engine Power Management (EPM)
 Maximum Engine HP w/ EPM - 175
 Rated Speed - 2200 RPM
 411 cu. in. (6.7L) - 6 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

COMMON ENGINE FEATURES

- Tier 4B Emissions Compliant ECOBlue™ HI-eSCR Tier4B system
- Engine with Turbocharger and Air-to-Air Intercooler
- 4 Valves Per Cylinder
- Bosch Common Rail Fuel Injection Pump (electronic)
- Power Management and Constant RPM
- Power Boost in PTO & Transport Modes
- Grid Heater Starting Aid
- Dual Element Air Filter with Pre-Cleaner (spin tube intakes)
- A-Pillar Exhaust with Integral Muffler
- Viscous Fan (5 blade)
- Foot and Hand Throttle



**T6 DYNAMIC COMMAND - DELUXE FASTPICK
 US PRICE LIST**

Standard Equipment

TRANSMISSION

 23 X 23 Dynamic Command™
 Powershift
 Clutchless Range Change between
 Ranges A/B, B/C
 Steering Column Mounted Left-hand
 Power Shuttle
 Multi-plate Wet Clutch Design
 Basic Auto Features include: Smart
 Range Shift, Memory Shuttle,
 Smooth Shift, Pedal Kick Down, Auto
 Functions and Brake-To-Clutch

ROAD SPEEDS

 Std 4WD - 25 mph/40 kph
 Optional 4WD - 31 mph/50KPH
 (speeds varies by tire size)

STEERING & BRAKES

 Hydrostatic Power Steering
 Hydraulic Wet Disc Brakes
 (self-equalizing/self-adjusting)
 Parking Brake (automotive style)

REAR AXLE

 Heavy Duty Flange
 Wet Plate Differential Lock
 Electrohydraulic Engaged Rear Diff Lock

FRONT AXLE

 Front FWD (TerraLock™)
 Class 4 FWD Axle
 55 Degree Turning Angle
 Dual Steering Cylinders
 8 Degree Axle Oscillation
 Adjustable Tread Width from
 61.4 in. to 88.8 in. (varies by tire size)
 Electrohydraulic FWD Engagement
 TerraLock™ Auto FWD/Diff-Lock
 Drive Shaft Shield

PTO

 Independent 540/1000 rpm PTO
 with Reversible Shaft
 Multi-Plate Wet Clutch Design
 Electrohydraulic Engagement with
 Soft Start/Auto Feathering
 Hydraulic Piston PTO Brake with Manual
 Override (coast-down feature)
 Flip-up PTO Shaft Guard
 Auto PTO Management System
 Rear Fender Mounted PTO Controls

HYDRAULIC SYSTEM

 CCLS: Closed-Center-Load-Sensing
 System
 Variable Displacement Piston Pump
 Maximum Flow at Rated Engine Speed
 29.9 gpm (113 l/m) Implement Pump
 12.4 gpm (47 l/m) Steering Pump
 (2) Lever Controlled, Configurable,
 Mechanical Remote Valves with Quick
 Couplers, Flow Control & Anti-leak-down
 Oil Collection Bottles
 Hydraulic Tapping Port (power beyond)
 Low Pressure Return Quick Coupler

3-POINT LIFT SYSTEM

 Electronic Draft Control (EDC)
 Lower Link Sensing
 Fast Raise/Lower Control in Cab
 Rear Fender Mounted 3-PT Raise/Lower
 Switches
 Dynamic Ride Control™
 Category II Flex Link Ends
 Telescoping Stabilizers
 11,650 lb. Lift Capacity (OECD)
 with Dual 90mm External Rams

DRAWBAR

 Independent Swinging Drawbar



**T6 DYNAMIC COMMAND - DELUXE FASTPICK
US PRICE LIST**

Standard Equipment

ELECTRICAL

-
- (1) 12-volt 1300 cca Battery
- 120 amp Alternator
- Geared Starter Motor (4.2 kW)
- 7-pin Outlet for Trailer/Implement Lighting
- 3-pin, 40 amp Implement Socket
- ISO/JD (30 amp) Socket
- 15 amp Screw-type Positive/Negative Terminals
- Single Pin (8 amp) Accessory Outlet
- Cigar Lighter
- (2) Roof Mounted Single Pin Outlets for beacon

LIGHTS

-
- (4) Halogen front hood headlights
- (2) LED front hood signature lights
- (12) LED cab mounted work lights
- (8) LED high front & rear
- (4) LED mid-mount front & rear
- (2) taillights
- Front & Rear Flashing Cab Safety Lights
- Time Delayed, Self-Cancelling Turn Indicators with Audiable Warning

INSTRUMENTATION

-
- Analog/Digital Instrument Cluster with LCD Display, Enhanced Key Pad and Performance Monitor

CAB

-
- High Roof w/ Opening Visibility Panel and Sunshade
- Flat Deck Platform with Integrated ROPS
- Automatic Temperature Control with Air Conditioner and Heater with 4-Speed Pressurizer
- Two doors with Locks
- Two-speed Intermittent Front Wiper/Washer
- Rear Intermittent Wiper/Washer
- Hinged Rear Window
- Tinted Glass with Sunshade
- Tilt and Telescoping Steering Wheel

- Deluxe Air Suspension Seat with Automatic Adjustment, Operator Presence Switch and Lap Belt
- Instructor Seat
- Deluxe Radio with BlueTooth, High Performance Speakers & Antenna
- Digital Clock
- Interior Dome Light
- (2) External Courtesy Lights
- (2) Electronically Adjustment Telescoping, Heated External Mirrors
- Horn

MISCELLANEOUS

-
- Pivoting Engine Hood
- SMV Emblem
- Toolbox

WARRANTY

-
- New Holland Standard Warranty Applies



**T6 DYNAMIC COMMAND - DELUXE FASTPICK
 US PRICE LIST**

Models

| COMMERCIAL MODEL | Weight | Factory Data | List Price |
|--------------------------------------|-----------|--------------|--------------|
| T6.145 DCT | 15,245 LB | 9099855P91 | \$129,683.00 |
| Includes the following Equipment | | | |
| 380/85(14.9)R28R1W HD-MIFI (8241901) | | \$2,686.00 | |
| 460/85(18.4)R38 R1W-MIFITR (8328401) | | \$5,592.00 | |
| T6.155 DCT | 15,245 LB | 9105895P79 | \$137,527.00 |
| Includes the following Equipment | | | |
| 380/85(14.9)R28R1W HD-MIFI (8241901) | | \$2,686.00 | |
| 460/85(18.4)R38 R1W-MIFITR (8328401) | | \$5,592.00 | |
| T6.165 DCT | 15,245 LB | 9108522P26 | \$140,938.00 |
| Includes the following Equipment | | | |
| 380/85(14.9)R28R1W HD-MIFI (8241901) | | \$2,686.00 | |
| 460/85(18.4)R38 R1W-MIFITR (8328401) | | \$5,592.00 | |
| T6.175 DCT | 19,268 LB | 9113685P88 | \$147,644.00 |
| Includes the following Equipment | | | |
| 380/85(14.9)R28R1W HD-MIFI (8241901) | | \$2,686.00 | |
| 460/85(18.4)R38 R1W-MIFITR (8328401) | | \$5,592.00 | |
| T6.180 DCT | 15,245 LB | 9117974P78 | \$153,214.00 |
| Includes the following Equipment | | | |
| 380/85(14.9)R28R1W HD-MIFI (8241901) | | \$2,686.00 | |
| 460/85(18.4)R38 R1W-MIFITR (8328401) | | \$5,592.00 | |



**T6 DYNAMIC COMMAND - DELUXE FASTPICK
 US PRICE LIST**

Factory Supplied Options

| Order Code | Description | Weight | Factory Data | List Price |
|------------|-------------|--------|--------------|------------|
|------------|-------------|--------|--------------|------------|

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

| | | | | | |
|--|---------|---|--|------------|----------|
| | X0473XX | NAR NH PCK B DELUXE Deluxe Fastpick Package Includes: 759109 Class 4 HD Std Axle 758153 Monitor Mounting Bracket 758632 ISO CL2+9PIN IN CAB | | 9000311P08 | \$404.00 |
|--|---------|---|--|------------|----------|

ENGINE

COLD WEATHER AIDS

SD_T1938 WEATHER PACK

| | | | | | |
|--|--------|--|--|------------|----------|
| | 758402 | Grid_Heater + 110V Pack Improves starting in cold weather conditions. Option includes grid heater and 110V electrical plug in of engine block heater and transmission heater | | 9000311P85 | \$405.00 |
|--|--------|--|--|------------|----------|

TIRES

FRONT WHEELS & TIRES

SD_T4940 FRONT WHEELS AND TIRES

| Class 4 FWD Axle | | | | | |
|------------------|---------|--|--|------------|------------|
| | 8241901 | 380/85(14.9)R28R1W HD-MIFITRCO Requires: 460(18.4)R38 R1W | | 9002068P22 | \$2,686.00 |
| | 8258704 | 380/85(14.9)R30 R1W MI-FI-CM Requires 18.4R42 R1W or 14.9R46 R1W | | 9002483P25 | \$3,225.00 |
| | 8801604 | 320/85R34 R1W Brands - MI Requires 320/90R50 R1W | | 9002633P40 | \$3,420.00 |



**T6 DYNAMIC COMMAND - DELUXE FASTPICK
 US PRICE LIST**

REAR WHEELS & TIRES

SD_T4950 REAR WHEELS AND TIRES

| Flange Axle | | | | | |
|------------------------|---------|---|--|------------|------------|
| | 8328401 | 460/85(18.4)R38 R1W-MIFITR Matching Front Tire - 14.9R28 R1W - 8241901 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims | | 9004305P84 | \$5,592.00 |
| | 8384406 | 460/85(18.4)R42 R1W - MI Matching Front Tire - 14.9R30 (380/85R30) - 8258704 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims | | 9005839P68 | \$7,584.00 |
| Flange and Bar - Steel | | | | | |
| | 8963504 | 320/90R50 R1W MI Matching Front Tire - 320/85R34 R1W - 8801604 (Class 4 Axle) Adjustable Rims | | 9004784P78 | \$6,214.00 |

HYDRAULICS

REAR REMOTES

SD_T8270 REAR REMOTES

| Mechanical Rear Remotes | | | | | |
|-------------------------|--------|---|--|------------|------------|
| | 743685 | 4 Mech Rear Remotes (2NC+2C) 4 mechanical rear remotes, 2 configurable detents and flow control | | 9000945P56 | \$1,228.00 |

COMPLETE LOADER READY

SD_T8110 LOADER BRACKETS

| Electro-Hydraulic Mid Mount | | | | | |
|-----------------------------|--------|---|--|------------|------------|
| | 759470 | NA LDR RDY+2MMV+ADV Complete Loader Ready: Includes 2 slice electronic mid-mount valve (EMMV), horizontal and vertical two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the mulit-coupler and joystick. Includes predisposition for Complete Loader Ready (758622) Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price & Data Pages | | 9007544P46 | \$9,798.00 |



**T6 DYNAMIC COMMAND - DELUXE FASTPICK
 US PRICE LIST**

| | | | | | |
|--|--------|--|--|------------|-------------|
| | 759471 | NA LDR RDY+3MMV+ADV Complete Loader Ready: Includes 3 slice electronic mid-mount valve (EMMV), horizontal and vertical two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the multi-coupler and joystick. Includes predisposition for Complete Loader Ready (758622) Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price & Data Pages. | | 9008705P62 | \$11,306.00 |
|--|--------|--|--|------------|-------------|

WEIGHTS

FRONT WEIGHTS

SD_T2150 FRONT BALLAST

| | | | | | |
|--|--------|---|--|------------|------------|
| | 758562 | Weight Carrier w/Hook Weight carrier with tow hook - 199.3 lbs (90.4 kg) | | 9000200P97 | \$261.00 |
| | 758518 | Weight Pack A w/Hook Pack "A" includes weight rack - 199.3 lbs., (6) 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 703 lbs. (319 kg) Not compatible with front 3-PT hitch: 743699 and 743700 | | 9000869P33 | \$1,129.00 |
| | 758519 | Weight Pack B w/Hook Pack "B" includes: weight rack - 199.3 lbs., 10 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 1207 lbs. (547 kg) Not compatible with front 3-PT hitch: 743699 and 743700 | | 9001353P66 | \$1,758.00 |
| | 758520 | Weight Pack C w/Hook Pack "C" includes: weight rack - 199.3 lbs., 18 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 2000 lbs. (907 kg) Not compatible with front 3-PT hitch: 743699 and 743700 Not compatible with loader ready packages: 758344, 758351, 758353, 758354, 758351 | | 9002206P05 | \$2,865.00 |

REAR WHEEL WEIGHTS

SD_T4960 WHEEL WEIGHTS

| | | | | | |
|--|--------|--|--|------------|------------|
| | 758564 | 6X65KG Wheel Weight Includes (6) 143 lbs. weights totalling 860 lbs. | | 9000922P46 | \$1,198.00 |
|--|--------|--|--|------------|------------|



**T6 DYNAMIC COMMAND - DELUXE FASTPICK
 US PRICE LIST**

CAB OPTION

LIGHTS

SD_T9146 ROTARY BEACON

| | | | | | |
|--|--------|--|--|------------|----------|
| | 758489 | Rotary Beacon Lefthand Side Single rotary beacon mounted on rear left side of tractor for increased safety and visibility | | 9000321P86 | \$418.00 |
| | 758491 | Twin Beacon Rotary beacons mounted on rear of the cab on both left and right side of tractor for maximum safety and visibility | | 9000643P72 | \$836.00 |

MISCELLANEOUS

OTHER

SD_T7420 BATTERY

| | | | | | |
|--|--------|---|--|------------|----------|
| | 758409 | HD Battery W/Isolator 176AH Heavy duty battery with electronic isolator switch on right hand rear c-pillar in cab. In-cab switch disconnects battery to prevent battery drainage. | | 9000337P26 | \$438.00 |
|--|--------|---|--|------------|----------|

OPERATOR'S MANUALS

SD_T9802 OPERATORS MANUAL

| | | | | | |
|--|--------|-------------|--|--|-----------|
| | 758534 | English USA | | | No Charge |
| | 758535 | Spanish NAR | | | No Charge |
| | 759101 | French NAR | | | No Charge |



**T6 DYNAMIC COMMAND - DELUXE 200 FASTPICK
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- Fuel efficient high torque 4.5L, 4-cylinder with power boost
FPT engines with 4 valves per cylinder and common rail fuel injection systems
- Tier 4B EPA emissions compliant with SCR only ECOBlue™ HI-eSCR Tier4B emissions system
- 23X23 Dynamic Command™ Powershift with AutoShift feature
- Standard LED work lighting
- Easy attach remote outlets
- New bold styling (hood, cab roof, lighting)
- Long Stable 104" wheel base for all 4WD models
- 15' 1" (181") turning radius (Std FWD disengaged, no brake, no fenders)

ENGINE

T6.145
 Rated PTO HP - 95
 Rated Engine HP - 116
 Engine Power Management (EPM)
 Maximum Engine HP w/ EPM - 145
 Rated Speed - 2200 RPM
 274 cu. in. (4.5L) - 4 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

T6.155
 Rated PTO HP - 105
 Rated Engine HP - 125
 Engine Power Management (EPM)
 Maximum Engine HP w/ EPM - 155
 Rated Speed - 2200 RPM
 274 cu. in. (4.5L) - 4 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

T6.165
 Rated PTO HP - 110
 Rated Engine HP - 135

Engine Power Management (EPM)
 Maximum Engine HP w/ EPM - 169
 Rated Speed - 2200 RPM
 274 cu. in. (4.5L) - 4 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

T6.175
 Rated PTO HP - 120
 Rated Engine HP - 145
 Engine Power Management (EPM)
 Maximum Engine HP w/ EPM - 175
 Rated Speed - 2200 RPM
 274 cu. in. (4.5L) - 4 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

T6.180
 Rated PTO HP - 125
 Rated Engine HP - 145
 Engine Power Management (EPM)
 Maximum Engine HP w/ EPM - 175
 Rated Speed - 2200 RPM
 411 cu. in. (6.7L) - 6 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

COMMON ENGINE FEATURES

- Tier 4B Emissions Compliant ECOBlue™ HI-eSCR Tier4B system
- Engine with Turbocharger and Air-to-Air Intercooler
- 4 Valves Per Cylinder
- Bosch Common Rail Fuel Injection Pump (electronic)
- Power Management and Constant RPM
- Power Boost in PTO & Transport Modes
- Grid Heater Starting Aid
- Dual Element Air Filter with Pre-Cleaner (spin tube intakes)
- A-Pillar Exhaust with Integral Muffler
- Viscous Fan (5 blade)
- Foot and Hand Throttle



**T6 DYNAMIC COMMAND - DELUXE 200 FASTPICK
 US PRICE LIST**

Standard Equipment

TRANSMISSION

 23 X 23 Dynamic Command™
 Powershift
 Clutchless Range Change between
 Ranges A/B, B/C
 Steering Column Mounted Left-hand
 Power Shuttle
 Multi-plate Wet Clutch Design
 Basic Auto Features include: Smart
 Range Shift, Memory Shuttle,
 Smooth Shift, Pedal Kick Down, Auto
 Functions and Brake-To-Clutch

ROAD SPEEDS

 Std 4WD - 25 mph/40 kph
 Optional 4WD - 31 mph/50KPH
 (speeds varies by tire size)

STEERING & BRAKES

 Hydrostatic Power Steering
 Hydraulic Wet Disc Brakes
 (self-equalizing/self-adjusting)
 Parking Brake (automotive style)

REAR AXLE

 Heavy Duty Flange
 Wet Plate Differential Lock
 Electrohydraulic Engaged Rear Diff Lock

FRONT AXLE

 Front FWD (TerraLock™)
 Class 4 FWD Axle
 55 Degree Turning Angle
 Dual Steering Cylinders
 8 Degree Axle Oscillation
 Adjustable Tread Width from
 61.4 in. to 88.8 in. (varies by tire size)
 Electrohydraulic FWD Engagement
 TerraLock™ Auto FWD/Diff-Lock
 Drive Shaft Shield

PTO

 Independent 540/1000 rpm PTO
 with Reversible Shaft
 Multi-Plate Wet Clutch Design
 Electrohydraulic Engagement with
 Soft Start/Auto Feathering
 Hydraulic Piston PTO Brake with Manual
 Override (coast-down feature)
 Flip-up PTO Shaft Guard
 Auto PTO Management System
 Rear Fender Mounted PTO Controls

HYDRAULIC SYSTEM

 CCLS: Closed-Center-Load-Sensing
 System
 Variable Displacement Piston Pump
 Maximum Flow at Rated Engine Speed
 29.9 gpm (113 l/m) Implement Pump
 12.4 gpm (47 l/m) Steering Pump
 (2) Lever Controlled, Configurable,
 Mechanical Remote Valves with Quick
 Couplers, Flow Control & Anti-leak-down
 Oil Collection Bottles
 Hydraulic Tapping Port (power beyond)
 Low Pressure Return Quick Coupler

3-POINT LIFT SYSTEM

 Electronic Draft Control (EDC)
 Lower Link Sensing
 Fast Raise/Lower Control in Cab
 Rear Fender Mounted 3-PT Raise/Lower
 Switches
 Dynamic Ride Control™
 Category II Flex Link Ends
 Telescoping Stabilizers
 11,650 lb. Lift Capacity (OECD)
 with Dual 90mm External Rams

DRAWBAR

 Independent Swinging Drawbar



**T6 DYNAMIC COMMAND - DELUXE 200 FASTPICK
US PRICE LIST**

Standard Equipment

ELECTRICAL

-
- (1) 12-volt 1300 cca Battery
- 120 amp Alternator
- Geared Starter Motor (4.2 kW)
- 7-pin Outlet for Trailer/Implement Lighting
- 3-pin, 40 amp Implement Socket
- ISO/JD (30 amp) Socket
- 15 amp Screw-type Positive/Negative Terminals
- Single Pin (8 amp) Accessory Outlet
- Cigar Lighter
- (2) Roof Mounted Single Pin Outlets for beacon

LIGHTS

-
- (4) Halogen front hood headlights
- (2) LED front hood signature lights
- (12) LED cab mounted work lights
- (8) LED high front & rear
- (4) LED mid-mount front & rear
- (2) taillights
- Front & Rear Flashing Cab Safety Lights
- Time Delayed, Self-Cancelling Turn Indicators with Audiable Warning

INSTRUMENTATION

-
- Analog/Digital Instrument Cluster with LCD Display, Enhanced Key Pad and Performance Monitor

CAB

-
- High Roof w/ Opening Visibility Panel and Sunshade
- Flat Deck Platform with Integrated ROPS
- Automatic Temperature Control with Air Conditioner and Heater with 4-Speed Pressurizer
- Two doors with Locks
- Two-speed Intermittent Front Wiper/Washer
- Rear Intermittent Wiper/Washer
- Hinged Rear Window
- Tinted Glass with Sunshade
- Tilt and Telescoping Steering Wheel

- Deluxe Air Suspension Seat with Automatic Adjustment, Operator Presence Switch and Lap Belt
- Instructor Seat
- Deluxe Radio with BlueTooth, High Performance Speakers & Antenna
- Digital Clock
- Interior Dome Light
- (2) External Courtesy Lights
- (2) Electronically Adjustment Telescoping, Heated External Mirrors
- Horn

MISCELLANEOUS

-
- Pivoting Engine Hood
- SMV Emblem
- Toolbox

WARRANTY

-
- New Holland Standard Warranty Applies



**T6 DYNAMIC COMMAND - DELUXE 200 FASTPICK
 US PRICE LIST**

Models

| COMMERCIAL MODEL | Weight | Factory Data | List Price |
|--------------------------------------|-----------|--------------|--------------|
| T6.145 DCT | 15,245 LB | 9099855P91 | \$129,683.00 |
| Includes the following Equipment | | | |
| 380/85(14.9)R28R1W HD-MIFI (8241901) | | \$2,686.00 | |
| 460/85(18.4)R38 R1W-MIFITR (8328401) | | \$5,592.00 | |
| T6.155 DCT | 15,245 LB | 9105895P79 | \$137,527.00 |
| Includes the following Equipment | | | |
| 380/85(14.9)R28R1W HD-MIFI (8241901) | | \$2,686.00 | |
| 460/85(18.4)R38 R1W-MIFITR (8328401) | | \$5,592.00 | |
| T6.165 DCT | 15,245 LB | 9108522P26 | \$140,938.00 |
| Includes the following Equipment | | | |
| 380/85(14.9)R28R1W HD-MIFI (8241901) | | \$2,686.00 | |
| 460/85(18.4)R38 R1W-MIFITR (8328401) | | \$5,592.00 | |
| T6.175 DCT | 19,268 LB | 9113685P88 | \$147,644.00 |
| Includes the following Equipment | | | |
| 380/85(14.9)R28R1W HD-MIFI (8241901) | | \$2,686.00 | |
| 460/85(18.4)R38 R1W-MIFITR (8328401) | | \$5,592.00 | |
| T6.180 DCT | 15,245 LB | 9117974P78 | \$153,214.00 |
| Includes the following Equipment | | | |
| 380/85(14.9)R28R1W HD-MIFI (8241901) | | \$2,686.00 | |
| 460/85(18.4)R38 R1W-MIFITR (8328401) | | \$5,592.00 | |



**T6 DYNAMIC COMMAND - DELUXE 200 FASTPICK
 US PRICE LIST**

Factory Supplied Options

| Order Code | Description | Weight | Factory Data | List Price |
|------------|-------------|--------|--------------|------------|
|------------|-------------|--------|--------------|------------|

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

| | | | | | |
|--|---------|---|--|------------|-------------|
| | X0581XX | NAR NH PCK B DLX 200 Delxue 200 Package Includes: 758479: Suspended_Cab 758557: 150 AMP_Alternator 759110: 40 KPH DCT 759109: Class 4 HD Std Axle 759471: NA LDR RDY+3MMV+ADV 759137: 2X150KG + 2X250KG Wheel Weight 758432: HD Bar Steel Multi-Diff | | 9012730P41 | \$16,533.00 |
|--|---------|---|--|------------|-------------|

ENGINE

COLD WEATHER AIDS

SD_T1938 WEATHER PACK

| | | | | | |
|--|--------|--|--|------------|----------|
| | 758402 | Grid_Heater + 110V Pack Improves starting in cold weather conditions. Option includes grid heater and 110V electrical plug in of engine block heater and transmission heater | | 9000311P85 | \$405.00 |
|--|--------|--|--|------------|----------|

TIRES

BRAND CHOICE

SD_T4900 TIRE CATEGORY CHOICE

| | | | | | |
|--|--------|-------------|--|------------|----------|
| | 330447 | Alliance | | 9000431P20 | \$560.00 |
| | 330439 | Continental | | 9000431P20 | \$560.00 |
| | 330446 | Firestone | | 9000431P20 | \$560.00 |
| | 330442 | Michelin | | 9000431P20 | \$560.00 |
| | 330418 | Trelleborg | | 9000431P20 | \$560.00 |



**T6 DYNAMIC COMMAND - DELUXE 200 FASTPICK
US PRICE LIST**

FRONT WHEELS & TIRES

SD_T4940 FRONT WHEELS AND TIRES

| Class 4 FWD Axle | | | | | |
|------------------|---------|--|--|------------|------------|
| | 8241901 | 380/85(14.9)R28R1W HD-MIFITRCO Requires: 460(18.4)R38 R1W | | 9002068P22 | \$2,686.00 |
| | 8255904 | 420/85(16.9)R28 R1W MI-FI Requires 20.8R38 R1W or 18.4R42 R1W | | 9002640P33 | \$3,429.00 |
| | 8258704 | 380/85(14.9)R30 R1W MI-FI-CM Requires 18.4R42 R1W or 14.9R46 R1W | | 9002483P25 | \$3,225.00 |
| | 8801604 | 320/85R34 R1W Brands - MI Requires 320/90R50 R1W | | 9002633P40 | \$3,420.00 |
| | 8825501 | 480/65R28 R1W MI-CM Requires 600/65 R38 | | 9002346P96 | \$3,048.00 |

REAR WHEELS & TIRES

SD_T4950 REAR WHEELS AND TIRES

| Flange Axle | | | | | |
|------------------------|---------|--|--|------------|------------|
| | 8328401 | 460/85(18.4)R38 R1W-MIFITRCO Matching Front Tire - 14.9R28 R1W - 8241901 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims | | 9004305P84 | \$5,592.00 |
| | 8380404 | 520/85 (20.8) R38 R1W MI, TR Matching front tire is 8255404 420/85(16.9) R28 R1W MI-FI-TR | | 9005957P49 | \$7,737.00 |
| Flange and Bar - Steel | | | | | |
| | 8370404 | 380/90(14.9)R46R1WAdj Rim-C,MI Matching Front Tire - 14.9R30 R1W - 8258404 (Class 3 Axle) - 8258704 (Class 4 Axle) Adjustable Rims | | 9004600P75 | \$5,975.00 |
| | 8388404 | 460/85(18.4)R42R1W MI,F,T,C,A Matching Front Tire - 14.9R30 R1W - 8258704 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims | | 9004672P36 | \$6,068.00 |
| | 8963504 | 320/90R50 R1W MI Matching Front Tire - 320/85R34 R1W - 8801604 (Class 4 Axle) Adjustable Rims | | 9004784P78 | \$6,214.00 |



**T6 DYNAMIC COMMAND - DELUXE 200 FASTPICK
 US PRICE LIST**

| | | | | | |
|--|---------|---|--|------------|------------|
| | 8949401 | 600/65R38 R1W Fixd-FI,MI,CO,TR Matching Front Tire - 480/65R28 R1W - 8825501 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Requires: - 743707 (Full Cover Rear Fenders) Fixed Rims | | 9006063P75 | \$7,875.00 |
|--|---------|---|--|------------|------------|

HYDRAULICS

REAR REMOTES

SD_T8270 REAR REMOTES

| | | | | | |
|--------------------------------|--------|---|--|------------|------------|
| Mechanical Rear Remotes | | | | | |
| | 743685 | 4 Mech Rear Remotes (2NC+2C) 4 mechanical rear remotes, 2 configurable detents and flow control | | 9000945P56 | \$1,228.00 |
| Electro-Hydraulic Rear Remotes | | | | | |
| | 743686 | 3 Elect Hyd. Rear Remote Valve 3 electronic rear remotes | | 9001874P18 | \$2,434.00 |
| | 743733 | 4 Elect Hyd. Rear Remote Valve 4 electronic rear remotes | | 9002822P05 | \$3,665.00 |

REAR PTO

SD_T8710 FENDERS PTO CONTROL

| | | | | | |
|--|--------|---|--|------------|----------|
| | 743680 | Fender EDC/PTO/Rem Valv Contrl Rear Fender Mounted (Right/Left) 3-PT, PTO & 3rd Rear Remote Control Switches. Requires: - 743686 or 743733 (3 or 4 EH Rear Remotes) - 330345 (Advanced Processor) | | 9000223P30 | \$290.00 |
|--|--------|---|--|------------|----------|

WEIGHTS

FRONT WEIGHTS

SD_T2150 FRONT BALLAST

| | | | | | |
|--|--------|--|--|------------|------------|
| | 758562 | Weight Carrier w/Hook Weight carrier with tow hook - 199.3 lbs (90.4 kg) | | 9000200P97 | \$261.00 |
| | 758518 | Weight Pack A w/Hook Pack "A" includes weight rack - 199.3 lbs., (6) 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 703 lbs. (319 kg) Not compatible with front 3-PT hitch: 743699 and 743700 | | 9000869P33 | \$1,129.00 |



**T6 DYNAMIC COMMAND - DELUXE 200 FASTPICK
 US PRICE LIST**

| | | | | | |
|--|--------|---|--|------------|------------|
| | 758519 | Weight Pack B w/Hook Pack "B" includes: weight rack - 199.3 lbs., 10 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 1207 lbs. (547 kg) Not compatible with front 3-PT hitch: 743699 and 743700 | | 9001353P66 | \$1,758.00 |
| | 758520 | Weight Pack C w/Hook Pack "C" includes: weight rack - 199.3 lbs., 18 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 2000 lbs. (907 kg) Not compatible with front 3-PT hitch: 743699 and 743700 Not compatible with loader ready packages: 758344, 758351, 758353, 758354, 758351 | | 9002206P05 | \$2,865.00 |

CAB OPTION

SD_T9360 RR MIRRORS

| | | | | | |
|--|--------|--|--|------------|---------|
| | 759154 | 2 Tele/Heat/Rem Adj Mirror (2) External Mirrors (Electric-adjust, Telescopic and Heated) Requires: - 743729, 713816, or 743730 (High Roof Cab) | | 9000050P82 | \$66.00 |
|--|--------|--|--|------------|---------|

CLIMATE CONTROL

SD_T9291 REAR WINDOW SUNSHADE

| | | | | | |
|--|--------|--|--|------------|----------|
| | 758580 | Sunshade, Rear Window Perforated sun screen used to reduce sun shine on operator | | 9000158P62 | \$206.00 |
|--|--------|--|--|------------|----------|

SEATS

SD_T8500 SEAT

| | | | | | |
|--|--------|---|--|------------|------------|
| | 758485 | Deluxe Seat Air Susp Heated Super Deluxe Seat with Low Frequency Suspension (+DDS) Belt and Swivel Headrest Heated Leather/Alacantara | | 9001505P35 | \$1,955.00 |
| | 758486 | MAXIMO EVO Semi Active Suspension, Heated, Vented, Belt, Alacantara/Leather, Up/Down Headrest (Maximo Evo) | | 9002950P64 | \$3,832.00 |



**T6 DYNAMIC COMMAND - DELUXE 200 FASTPICK
 US PRICE LIST**

STORAGE

SD_T9010 REAR CAB STORAGE BO

| | | | | | | |
|--|--|--------|---|--|------------|----------|
| | | 758570 | Lefthand Rear Cab Storage Box Large LH storage box Located in the back left hand corner, behind instructor seat area Incompatible with Autoguidance | | 9000172P48 | \$224.00 |
|--|--|--------|---|--|------------|----------|

LIGHTS

SD_T9146 ROTARY BEACON

| | | | | | | |
|--|--|--------|--|--|------------|----------|
| | | 758489 | Rotary Beacon Lefthand Side Single rotary beacon mounted on rear left side of tractor for increased safety and visibility | | 9000321P86 | \$418.00 |
| | | 758491 | Twin Beacon Rotary beacons mounted on rear of the cab on both left and right side of tractor for maximum safety and visibility | | 9000643P72 | \$836.00 |

MONITOR BRACKETS

SD_T9223 RH WINDOW BAR MOUNT

| | | | | | | |
|--|--|--------|---|--|------------|------------|
| | | 758153 | Monitor Mounting Bracket. Includes Bar mounted in righthand side of cab without Monitor | | 9000115P50 | \$150.00 |
| | | 758154 | RH Window Bar Display Ready. Includes Bar mounted in right hand side of cab with Intelliview ready harness and window mount without Monitor | | 9000187P88 | \$244.00 |
| | | 758621 | 10" Color Touch Screen Display Monitor mounting bracket with IntelliView IV | | 9004485P25 | \$5,825.00 |

SD_T9228 RH ARMREST MOUNT

| | | | | | | |
|--|--|--------|---|--|------------|------------|
| | | 758548 | 10" Color Touch Screen Display 10.4 inch, wide screen Intelliview touchscreen monitor attached to SideWinder II armrest | | 9004499P88 | \$5,844.00 |
|--|--|--------|---|--|------------|------------|

ISO BUS CONNECTOR

SD_T7642 ISO BUS

| | | | | | | |
|--|--|--------|--------------------|--|------------|----------|
| | | 758710 | ISO CL3+9PIN+SPEED | | 9000301P84 | \$392.00 |
|--|--|--------|--------------------|--|------------|----------|



**T6 DYNAMIC COMMAND - DELUXE 200 FASTPICK
 US PRICE LIST**

AUTO GUIDANCE

AUTO GUIDANCE READY

SD_T6300 STEERING OR AUTOGUIDANCE READY

| | | | | | |
|--|--------|--|--|------------|------------|
| | 759186 | Variable Ratio Steer CUSTOMSTEER™ OPTION feature allows operators to turn fully from lock to lock with as little as one rotation of the steering wheel with precision control. You can choose a steering ratio preference from 1:1 to 1:4 for quicker maneuvering at the headland, reversing with trailers, or during repetitive loader work. | | 9002223P76 | \$2,888.00 |
| | 759185 | Autoguidance Ready Autoguidance Ready with steering sensor, electronic steering valve, steering manifold, hoses, wiring harness, receiver mounting bracket, cabling, & hardware Incompatible with SuperSteer front axle | | 9004095P63 | \$5,319.00 |

MISCELLANEOUS

FENDERS FRONT

SD_T8740 FRONT FENDERS

| | | | | | |
|--|--------|----------------------------|--|------------|----------|
| | 758505 | Front Fender 420mm Dynamic | | 9000605P22 | \$786.00 |
|--|--------|----------------------------|--|------------|----------|

FENDERS REAR

SD_T8700 FENDERS

| | | | | | |
|--|--------|---|--|------------|----------|
| | 743707 | Full Cover Full Cover Rear Fender (92.1 in. / 2,340 mm) | | 9000558P25 | \$725.00 |
|--|--------|---|--|------------|----------|

RADAR

SD_T7580 RADAR

| | | | | | |
|--|--------|-----------|--|------------|----------|
| | 758501 | Radar NAR | | 9000629P86 | \$818.00 |
|--|--------|-----------|--|------------|----------|



**T6 DYNAMIC COMMAND - DELUXE 200 FASTPICK
 US PRICE LIST**

OTHER

SD_T7420 BATTERY

| | | | | | |
|--|--------|---|--|------------|----------|
| | 758409 | HD Battery W/Isolator 176AH Heavy duty battery with electronic isolator switch on right hand rear c-pillar in cab. In-cab switch disconnects battery to prevent battery drainage. | | 9000337P26 | \$438.00 |
|--|--------|---|--|------------|----------|

OPERATOR'S MANUALS

SD_T9802 OPERATORS MANUAL

| | | | | | |
|--|--------|-------------|--|--|-----------|
| | 758534 | English USA | | | No Charge |
| | 758535 | Spanish NAR | | | No Charge |
| | 759101 | French NAR | | | No Charge |



**T6 DYNAMIC COMMAND - PREMIUM FASTPICK
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- Fuel efficient high torque 4.5L, 4-cylinder with power boost
FPT engines with 4 valves per cylinder and common rail fuel injection systems
- Tier 4B EPA emissions compliant with SCR only ECOBlue™ HI-eSCR Tier4B emissions system
- 23X23 Dynamic Command™ Powershift with AutoShift feature
- Standard LED work lighting
- Easy attach remote outlets
- New bold styling (hood, cab roof, lighting)
- Long Stable 104" wheel base for all 4WD models
- 15' 1" (181") turning radius (Std FWD disengaged, no brake, no fenders)

ENGINE

T6.145
 Rated PTO HP - 95
 Rated Engine HP - 116
 Engine Power Management (EPM)
 Maximum Engine HP w/ EPM - 145
 Rated Speed - 2200 RPM
 274 cu. in. (4.5L) - 4 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

T6.155
 Rated PTO HP - 105
 Rated Engine HP - 125
 Engine Power Management (EPM)
 Maximum Engine HP w/ EPM - 155
 Rated Speed - 2200 RPM
 274 cu. in. (4.5L) - 4 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

T6.165
 Rated PTO HP - 110
 Rated Engine HP - 135

Engine Power Management (EPM)
 Maximum Engine HP w/ EPM - 169
 Rated Speed - 2200 RPM
 274 cu. in. (4.5L) - 4 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

T6.175
 Rated PTO HP - 120
 Rated Engine HP - 145
 Engine Power Management (EPM)
 Maximum Engine HP w/ EPM - 175
 Rated Speed - 2200 RPM
 274 cu. in. (4.5L) - 4 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

T6.180
 Rated PTO HP - 125
 Rated Engine HP - 145
 Engine Power Management (EPM)
 Maximum Engine HP w/ EPM - 175
 Rated Speed - 2200 RPM
 411 cu. in. (6.7L) - 6 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

COMMON ENGINE FEATURES

- Tier 4B Emissions Compliant ECOBlue™ HI-eSCR Tier4B system
- Engine with Turbocharger and Air-to-Air Intercooler
- 4 Valves Per Cylinder
- Bosch Common Rail Fuel Injection Pump (electronic)
- Power Management and Constant RPM
- Power Boost in PTO & Transport Modes
- Grid Heater Starting Aid
- Dual Element Air Filter with Pre-Cleaner (spin tube intakes)
- A-Pillar Exhaust with Integral Muffler
- Viscous Fan (5 blade)
- Foot and Hand Throttle



**T6 DYNAMIC COMMAND - PREMIUM FASTPICK
 US PRICE LIST**

Standard Equipment

TRANSMISSION

 23 X 23 Dynamic Command™
 Powershift
 Clutchless Range Change between
 Ranges A/B, B/C
 Steering Column Mounted Left-hand
 Power Shuttle
 Multi-plate Wet Clutch Design
 Advanced Transmission features
 including Ground Speed Management II

ROAD SPEEDS

 Std 4WD - 25 mph/40 kph
 Optional 4WD - 31 mph/50KPH
 (speeds varies by tire size)

STEERING & BRAKES

 Hydrostatic Power Steering
 Hydraulic Wet Disc Brakes
 (self-equalizing/self-adjusting)
 Parking Brake (automotive style)

REAR AXLE

 Heavy Duty Flange
 Wet Plate Differential Lock
 Electrohydraulic Engaged Rear Diff Lock

FRONT AXLE

 Front FWD (TerraLock™)
 Class 4 FWD Axle
 55 Degree Turning Angle
 Dual Steering Cylinders
 8 Degree Axle Oscillation
 Adjustable Tread Width from
 61.4 in. to 88.8 in. (varies by tire size)
 Electrohydraulic FWD Engagement
 TerraLock™ Auto FWD/Diff-Lock
 Drive Shaft Shield

PTO

 Independent 540/1000 rpm PTO
 with Reversible Shaft
 Multi-Plate Wet Clutch Design
 Electrohydraulic Engagement with
 Soft Start/Auto Feathering
 Hydraulic Piston PTO Brake with Manual
 Override (coast-down feature)
 Flip-up PTO Shaft Guard
 Auto PTO Management System
 Rear Fender Mounted PTO Controls

HYDRAULIC SYSTEM

 CCLS: Closed-Center-Load-Sensing
 System
 Variable Displacement Piston Pump
 Maximum Flow at Rated Engine Speed
 29.9 gpm (113 l/m) Implement Pump
 12.4 gpm (47 l/m) Steering Pump
 (2) Lever Controlled, Configurable,
 Mechanical Remote Valves with Quick
 Couplers, Flow Control & Anti-leak-down
 Oil Collection Bottles
 Hydraulic Tapping Port (power beyond)
 Low Pressure Return Quick Coupler

3-POINT LIFT SYSTEM

 Electronic Draft Control (EDC)
 Lower Link Sensing
 Fast Raise/Lower Control in Cab
 Rear Fender Mounted 3-PT Raise/Lower
 Switches
 Dynamic Ride Control™
 Category II Flex Link Ends
 Telescoping Stabilizers
 11,650 lb. Lift Capacity (OECD)
 with Dual 90mm External Rams

DRAWBAR

 Independent Swinging Drawbar



**T6 DYNAMIC COMMAND - PREMIUM FASTPICK
US PRICE LIST**

Standard Equipment

ELECTRICAL

-
- (1) 12-volt 1300 cca Battery
- 120 amp Alternator
- Geared Starter Motor (4.2 kW)
- 7-pin Outlet for Trailer/Implement Lighting
- 3-pin, 40 amp Implement Socket
- ISO/JD (30 amp) Socket
- 15 amp Screw-type Positive/Negative Terminals
- ISO BUS Class 3 Basic
- Single Pin (8 amp) Accessory Outlet
- Cigar Lighter
- (2) Roof Mounted Single Pin Outlets for beacon

LIGHTS

-
- (4) Halogen front hood headlights
- (2) LED front hood signature lights
- (12) LED cab mounted work lights
 - (8) LED high front & rear
 - (4) LED mid-mount front & rear
- (2) taillights

- Front & Rear Flashing Cab Safety Lights
- Time Delayed, Self-Cancelling Turn Indicators with Audiable Warning

INSTRUMENTATION

-
- Analog/Digital Instrument Cluster with LCD Display, Enhanced Key Pad and Performance Monitor

CAB

-
- High Roof w/ Opening Visibility Panel and Sunshade
- Flat Deck Platform with Integrated ROPS
- Automatic Temperature Control with Air Conditioner and Heater with 4-Speed Pressurizer
- Two doors with Locks
- Two-speed Intermittent Front Wiper/Washer
- Rear Intermittent Wiper/Washer
- Hinged Rear Window
- Tinted Glass with Sunshade
- Tilt and Telescoping Steering Wheel

- Deluxe Air Suspension Seat with Automatic Adjustment, Operator Presence Switch and Lap Belt
- Instructor Seat
- Deluxe Radio with BlueTooth, High Performance Speakers & Antenna
- Digital Clock
- Interior Dome Light
- (2) External Courtesy Lights
- (2) Electronically Adjustment Telescoping, Heated External Mirrors
- Horn

MISCELLANEOUS

-
- Pivoting Engine Hood
- SMV Emblem
- Toolbox

WARRANTY

-
- New Holland Standard Warranty Applies



**T6 DYNAMIC COMMAND - PREMIUM FASTPICK
 US PRICE LIST**

Models

| COMMERCIAL MODEL | Weight | Factory Data | List Price |
|--------------------------------------|-----------|--------------|--------------|
| T6.145 DCT | 15,245 LB | 9099855P91 | \$129,683.00 |
| Includes the following Equipment | | | |
| 380/85(14.9)R28R1W HD-MIFI (8241901) | | \$2,686.00 | |
| 460/85(18.4)R38 R1W-MIFITR (8328401) | | \$5,592.00 | |
| T6.155 DCT | 15,245 LB | 9105895P79 | \$137,527.00 |
| Includes the following Equipment | | | |
| 380/85(14.9)R28R1W HD-MIFI (8241901) | | \$2,686.00 | |
| 460/85(18.4)R38 R1W-MIFITR (8328401) | | \$5,592.00 | |
| T6.165 DCT | 15,245 LB | 9108522P26 | \$140,938.00 |
| Includes the following Equipment | | | |
| 380/85(14.9)R28R1W HD-MIFI (8241901) | | \$2,686.00 | |
| 460/85(18.4)R38 R1W-MIFITR (8328401) | | \$5,592.00 | |
| T6.175 DCT | 19,268 LB | 9113685P88 | \$147,644.00 |
| Includes the following Equipment | | | |
| 380/85(14.9)R28R1W HD-MIFI (8241901) | | \$2,686.00 | |
| 460/85(18.4)R38 R1W-MIFITR (8328401) | | \$5,592.00 | |
| T6.180 DCT | 15,245 LB | 9117974P78 | \$153,214.00 |
| Includes the following Equipment | | | |
| 380/85(14.9)R28R1W HD-MIFI (8241901) | | \$2,686.00 | |
| 460/85(18.4)R38 R1W-MIFITR (8328401) | | \$5,592.00 | |



**T6 DYNAMIC COMMAND - PREMIUM FASTPICK
 US PRICE LIST**

Factory Supplied Options

| Order Code | Description | Weight | Factory Data | List Price |
|------------|-------------|--------|--------------|------------|
|------------|-------------|--------|--------------|------------|

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

| | | | | |
|---------|--|--|------------|-------------|
| X0472XX | NAR NH PCK A PREMIUM Premium Fastpick Package Includes: 758557: 150 AMP_Alternator 758479: Suspended_Cab 759128: Std Fuel Tank+Guard 743680: Fender EDC/PTO/Rem Valv Contrl 758631: ADV TRANS AUTO FEAT 758432: HD Bar Steel Multi-Diff 758548: 10" Color Touch Screen Display 758485: Deluxe Seat Air Susp Heated 758409: HD Battery W/Isolator 176AH 759154: 2 Remote Adjustable Telescopic & Heated Mirrors 758154: Display Ready Monitor Mounting Bracket | | 9012402P39 | \$16,107.00 |
|---------|--|--|------------|-------------|

ENGINE

COLD WEATHER AIDS

SD_T1938 WEATHER PACK

| | | | | |
|--------|---|--|------------|----------|
| 758402 | Grid_Heater + 110V Pack Improves starting in cold weather conditions. Option includes grid heater and 110V electrical plug in of engine block heater and transmission heater | | 9000311P85 | \$405.00 |
|--------|---|--|------------|----------|

TRANSMISSION

SD_T2800 SPEED

| | | | | |
|--------|--|--|--|-----------|
| 759110 | 40 KPH DCT Dynamic Command Transmission: 23 Speed Transmission with up to 8 powershifts per range for three ranges that does not require mechanical range lever or a need to clutch between ranges. 23 gear limited @ 2000 engine rpm both forward and reverse | | | No Charge |
|--------|--|--|--|-----------|



**T6 DYNAMIC COMMAND - PREMIUM FASTPICK
 US PRICE LIST**

| | | | | | |
|--|--------|--|--|------------|------------|
| | 759111 | 40 KPH ECO - DCT Dynamic Command Transmission: 24 Speed Transmission with Economy 24th gear 24 gear limited @ 1650 engine rpm , 23 gear limited @ 2000 engine rpm both forward and reverse | | 9001410P64 | \$1,832.00 |
| | 759113 | 50 KPH - DCT Dynamic Command Transmission: 24 Speed Transmission with 50 KPH 24th gear providing top transport speed of 31 MPH | | 9001410P64 | \$1,832.00 |

FRONT AXLE

SD_T4010 FRONT AXLE

| | | | | | |
|-----------------------------|--------|---|--|------------|------------|
| Class 4 FWD Axle | | | | | |
| | 759109 | Class 4 HD Std Axle | | 9000194P81 | \$253.00 |
| Class 4 SuperSteer FWD Axle | | | | | |
| | 758429 | Class 4 SuperSteer L/Water SuperSteer front axle with TerraLock traction management system. Includes mulit-plate differential lock. Incompatible with Autoguidance | | 9002652P65 | \$3,445.00 |
| Class 4 Suspended FWD Axle | | | | | |
| | 758428 | Class 4 Susp + Brake Hyd Lock With TerraGlide suspended axle with TerraLock traction management system. Includes multi-plate differential and front brakes. Incompatible with 34" rear wheels | | 9004884P11 | \$6,343.00 |

TIRES

BRAND CHOICE

SD_T4900 TIRE CATEGORY CHOICE

| | | | | | |
|--|--------|--------------------------|--|------------|-----------|
| | 330438 | No tire brand preference | | | No Charge |
| | 330447 | Alliance | | 9000431P20 | \$560.00 |
| | 330439 | Continental | | 9000431P20 | \$560.00 |
| | 330446 | Firestone | | 9000431P20 | \$560.00 |
| | 330442 | Michelin | | 9000431P20 | \$560.00 |
| | 330418 | Trelleborg | | 9000431P20 | \$560.00 |



**T6 DYNAMIC COMMAND - PREMIUM FASTPICK
 US PRICE LIST**

FRONT WHEELS & TIRES

SD_T4940 FRONT WHEELS AND TIRES

| Class 4 FWD Axle | | | | | |
|------------------|---------|--|--|------------|------------|
| | 8241901 | 380/85(14.9)R28R1W HD-MIFITRCO Requires: 460(18.4)R38 R1W | | 9002068P22 | \$2,686.00 |
| | 8258704 | 380/85(14.9)R30 R1W MI-FI-CM Requires 18.4R42 R1W or 14.9R46 R1W | | 9002483P25 | \$3,225.00 |
| | 8801604 | 320/85R34 R1W Brands - MI Requires 320/90R50 R1W | | 9002633P40 | \$3,420.00 |

REAR WHEELS & TIRES

SD_T4950 REAR WHEELS AND TIRES

| Flange Axle | | | | | |
|------------------------|---------|---|--|------------|------------|
| | 8328401 | 460/85(18.4)R38 R1W-MIFITRCO Matching Front Tire - 14.9R28 R1W - 8241901 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims | | 9004305P84 | \$5,592.00 |
| | 8380404 | 520/85 (20.8) R38 R1W MI, TR Matching front tire is 8255404 420/85(16.9) R28 R1W MI-FI-TR | | 9005957P49 | \$7,737.00 |
| Flange and Bar - Steel | | | | | |
| | 8388404 | 460/85(18.4)R42R1W MI,F,T,C,A Matching Front Tire - 14.9R30 R1W - 8258704 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims | | 9004672P36 | \$6,068.00 |
| | 8963504 | 320/90R50 R1W MI Matching Front Tire - 320/85R34 R1W - 8801604 (Class 4 Axle) Adjustable Rims | | 9004784P78 | \$6,214.00 |
| | 8949401 | 600/65R38 R1W Fixd-FI,MI,CO,TR Matching Front Tire - 480/65R28 R1W - 8825501 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Requires: - 743707 (Full Cover Rear Fenders) Fixed Rims | | 9006063P75 | \$7,875.00 |



**T6 DYNAMIC COMMAND - PREMIUM FASTPICK
 US PRICE LIST**

HYDRAULICS

REAR REMOTES

SD_T8270 REAR REMOTES

| Electro-Hydraulic Rear Remotes | | | | | |
|--------------------------------|--------|--|--|------------|------------|
| | 743733 | 4 Elect Hyd. Rear Remote Valve 4 electronic rear remotes | | 9000947P87 | \$1,231.00 |

COMPLETE LOADER READY

SD_T8110 LOADER BRACKETS

| Electro-Hydraulic Mid Mount | | | | | |
|-----------------------------|--------|--|--|------------|-------------|
| | 759470 | NA LDR RDY+2MMV+ADV Complete Loader Ready: Includes 2 slice electronic mid-mount valve (EMMV), horizontal and vertical two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the mulit-coupler and joystick. Includes predisposition for Complete Loader Ready (758622) Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price & Data Pages | | 9007544P46 | \$9,798.00 |
| | 759471 | NA LDR RDY+3MMV+ADV Complete Loader Ready: Includes 3 slice electronic mid-mount valve (EMMV), horizontal and vertical two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the multi-coupler and joystick. Includes predisposition for Complete Loader Ready (758622) Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price & Data Pages. | | 9008705P62 | \$11,306.00 |

WEIGHTS

FRONT WEIGHTS

SD_T2150 FRONT BALLAST

| | | | | | |
|--|--------|--|--|------------|----------|
| | 758562 | Weight Carrier w/Hook Weight carrier with tow hook - 199.3 lbs (90.4 kg) | | 9000200P97 | \$261.00 |
|--|--------|--|--|------------|----------|



**T6 DYNAMIC COMMAND - PREMIUM FASTPICK
US PRICE LIST**

| | | | |
|--------|---|------------|------------|
| 758518 | Weight Pack A w/Hook Pack "A" includes weight rack - 199.3 lbs., (6) 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 703 lbs. (319 kg) Not compatible with front 3-PT hitch: 743699 and 743700 | 9000869P33 | \$1,129.00 |
| 758519 | Weight Pack B w/Hook Pack "B" includes: weight rack - 199.3 lbs., 10 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 1207 lbs. (547 kg) Not compatible with front 3-PT hitch: 743699 and 743700 | 9001353P66 | \$1,758.00 |
| 758520 | Weight Pack C w/Hook Pack "C" includes: weight rack - 199.3 lbs., 18 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 2000 lbs. (907 kg) Not compatible with front 3-PT hitch: 743699 and 743700 Not compatible with loader ready packages: 758344, 758351, 758353, 758354, 758351 | 9002206P05 | \$2,865.00 |

REAR WHEEL WEIGHTS

SD_T4960 WHEEL WEIGHTS

| | | | |
|--------|--|------------|------------|
| 758564 | 6X65KG Wheel Weight Includes (6) 143 lbs. weights totalling 860 lbs. | 9000922P46 | \$1,198.00 |
| 759137 | 2X150KG + 2X250KG Wheel Weight Rear Wheel Weights Includes 2 X 150 plus 2 X 250 KG Weights Four weights totaling 800 KG or 1,764 lbs. Incompatible with shipping wheels Requires Bar Axle & Fixed Rims | 9001203P51 | \$1,563.00 |
| 759821 | 2X150KG + 4X250KG Wheel Weight Rear Wheel Weights 2 X 150 KG and 4 X 250 KG. Total of 6 rear weights for 1,300 KG or 2,866 lbs. 3 weights (650 KG) on each side Incompatible with shipping wheels Requires Bar Axle & Fixed Rims | 9002065P91 | \$2,683.00 |

CAB OPTION

CLIMATE CONTROL

SD_T9291 REAR WINDOW SUNSHADE

| | | | |
|--------|--|------------|----------|
| 758580 | Sunshade, Rear Window Perforated sun screen used to reduce sun shine on operator | 9000158P62 | \$206.00 |
|--------|--|------------|----------|



**T6 DYNAMIC COMMAND - PREMIUM FASTPICK
 US PRICE LIST**

STORAGE

SD_T9010 REAR CAB STORAGE BO

| | | | | | | |
|--|--|--------|---|--|------------|----------|
| | | 758570 | Lefthand Rear Cab Storage Box Large LH storage box Located in the back left hand corner, behind instructor seat area Incompatible with Autoguidance | | 9000172P48 | \$224.00 |
|--|--|--------|---|--|------------|----------|

LIGHTS

SD_T9130 WORK LAMPS

| | | | | | | |
|--|--|--------|--|--|------------|------------|
| | | 758596 | 16 LED High Power Hi-Roof Work Lamp Package includes: 16 Cab mounted LED work lights 12 high cab-mounted; 6 front, 6 rear 4 mid-cab mounted; 2 front, 2 rear 16 LED work lights emitting 31,200 lumens | | 9001207P36 | \$1,568.00 |
|--|--|--------|--|--|------------|------------|

SD_T9146 ROTARY BEACON

| | | | | | | |
|--|--|--------|--|--|------------|----------|
| | | 758489 | Rotary Beacon Lefthand Side Single rotary beacon mounted on rear left side of tractor for increased safety and visibility | | 9000321P86 | \$418.00 |
| | | 758491 | Twin Beacon Rotary beacons mounted on rear of the cab on both left and right side of tractor for maximum safety and visibility | | 9000643P72 | \$836.00 |

MONITOR BRACKETS

SD_T9223 RH WINDOW BAR MOUNT

| | | | | | | |
|--|--|--------|---|--|------------|----------|
| | | 758153 | Monitor Mounting Bracket. Includes Bar mounted in righthand side of cab without Monitor | | 9000115P50 | \$150.00 |
| | | 758154 | RH Window Bar Display Ready. Includes Bar mounted in right hand side of cab with Intelliview ready harness and window mount without Monitor | | 9000187P88 | \$244.00 |

OPERATOR'S MANUALS

SD_T9802 OPERATORS MANUAL

| | | | | | | |
|--|--|--------|-------------|--|--|-----------|
| | | 758534 | English USA | | | No Charge |
| | | 758535 | Spanish NAR | | | No Charge |
| | | 759101 | French NAR | | | No Charge |



**T6 DYNAMIC COMMAND - LESS FASTPICK
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- Fuel efficient high torque 4.5L, 4-cylinder with power boost
FPT engines with 4 valves per cylinder and common rail fuel injection systems
- Tier 4B EPA emissions compliant with SCR only ECOBlue™ HI-eSCR Tier4B emissions system
- 23X23 Dynamic Command™ Powershift with AutoShift feature
- Standard LED work lighting
- Easy attach remote outlets
- New bold styling (hood, cab roof, lighting)
- Long Stable 104" wheel base for all 4WD models
- 15' 1" (181") turning radius (Std FWD disengaged, no brake, no fenders)

ENGINE

T6.145
 Rated PTO HP - 95
 Rated Engine HP - 116
 Engine Power Management (EPM)
 Maximum Engine HP w/ EPM - 145
 Rated Speed - 2200 RPM
 274 cu. in. (4.5L) - 4 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

T6.155
 Rated PTO HP - 105
 Rated Engine HP - 125
 Engine Power Management (EPM)
 Maximum Engine HP w/ EPM - 155
 Rated Speed - 2200 RPM
 274 cu. in. (4.5L) - 4 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

T6.165
 Rated PTO HP - 110
 Rated Engine HP - 135

Engine Power Management (EPM)
 Maximum Engine HP w/ EPM - 169
 Rated Speed - 2200 RPM
 274 cu. in. (4.5L) - 4 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

T6.175
 Rated PTO HP - 120
 Rated Engine HP - 145
 Engine Power Management (EPM)
 Maximum Engine HP w/ EPM - 175
 Rated Speed - 2200 RPM
 274 cu. in. (4.5L) - 4 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

T6.180
 Rated PTO HP - 125
 Rated Engine HP - 145
 Engine Power Management (EPM)
 Maximum Engine HP w/ EPM - 175
 Rated Speed - 2200 RPM
 411 cu. in. (6.7L) - 6 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

COMMON ENGINE FEATURES

- Tier 4B Emissions Compliant ECOBlue™ HI-eSCR Tier4B system
- Engine with Turbocharger and Air-to-Air Intercooler
- 4 Valves Per Cylinder
- Bosch Common Rail Fuel Injection Pump (electronic)
- Power Management and Constant RPM
- Power Boost in PTO & Transport Modes
- Grid Heater Starting Aid
- Dual Element Air Filter with Pre-Cleaner (spin tube intakes)
- A-Pillar Exhaust with Integral Muffler
- Viscous Fan (5 blade)
- Foot and Hand Throttle



**T6 DYNAMIC COMMAND - LESS FASTPICK
 US PRICE LIST**

Standard Equipment

TRANSMISSION

 23 X 23 Dynamic Command™
 Powershift
 Clutchless Range Change between
 Ranges A/B, B/C
 Steering Column Mounted Left-hand
 Power Shuttle
 Multi-plate Wet Clutch Design

ROAD SPEEDS

 Std 4WD - 25 mph/40 kph
 Optional 4WD - 31 mph/50KPH
 (speeds varies by tire size)

STEERING & BRAKES

 Hydrostatic Power Steering
 Hydraulic Wet Disc Brakes
 (self-equalizing/self-adjusting)
 Parking Brake (automotive style)

REAR AXLE

 Heavy Duty Flange
 Wet Plate Differential Lock
 Electrohydraulic Engaged Rear Diff Lock

FRONT AXLE

 SELECTION MUST BE MADE WHEN
 ORDERING. ENTRY LEVEL OPTION IS:
 Front FWD (TerraLock™)
 Class 4 Heavy Duty FWD Axle
 55 Degree Turning Angle
 Dual Steering Cylinders
 8 Degree Axle Oscillation
 Adjustable Tread Width from
 61.4 in. to 88.8 in. (varies by tire size)
 Electrohydraulic FWD Engagement
 TerraLock™ Auto FWD/Diff-Lock
 Drive Shaft Shield

PTO

 Independent 540/1000 rpm PTO
 with Reversible Shaft
 Multi-Plate Wet Clutch Design
 Electrohydraulic Engagement with
 Soft Start/Auto Feathering
 Hydraulic Piston PTO Brake with Manual
 Override (coast-down feature)
 Flip-up PTO Shaft Guard
 Auto PTO Management System
 Rear Fender Mounted PTO Controls

HYDRAULIC SYSTEM

 CCLS: Closed-Center-Load-Sensing
 System
 Variable Displacement Piston Pump
 Maximum Flow at Rated Engine Speed
 29.9 gpm (113 l/m) Implement Pump
 12.4 gpm (47 l/m) Steering Pump
 (2) Lever Controlled, Configurable,
 Mechanical Remote Valves with Quick
 Couplers, Flow Control & Anti-leak-down
 Oil Collection Bottles
 Hydraulic Tapping Port (power beyond)
 Low Pressure Return Quick Coupler

3-POINT LIFT SYSTEM

 Electronic Draft Control (EDC)
 Lower Link Sensing
 Fast Raise/Lower Control in Cab
 Rear Fender Mounted 3-PT Raise/Lower
 Switches
 Dynamic Ride Control™
 Category II Flex Link Ends
 Telescoping Stabilizers
 11,650 lb. Lift Capacity (OECD)
 with Dual 90mm External Rams

DRAWBAR

 Independent Swinging Drawbar



**T6 DYNAMIC COMMAND - LESS FASTPICK
US PRICE LIST**

Standard Equipment

CUSTOM HEADLAND

MANAGEMENT SYSTEM

-
- Allows Programming of the Following
 - Transmission Upshift/Downshift
 - Fast Raise/Lower of the 3-PT Hitch
 - Engine rpm Increase/Decrease via Throttle
 - Engine rpm Increase/Decrease via Constant RPM
 - Optional Electro-Hydraulic Remotes

ELECTRICAL

-
- (1) 12-volt 1300 cca Battery
- ALTERNATOR SELECTION MUST BE MADE. ENTRY LEVEL OPTION IS: 120 amp Alternator
- Geared Starter Motor (4.2 kW)
- 7-pin Outlet for Trailer/Implement Lighting
- 3-pin, 40 amp Implement Socket
- ISO/JD (30 amp) Socket
- 15 amp Screw-type Positive/Negative Terminals
- ISO BUS Class 3 Basic
- Single Pin (8 amp) Accessory Outlet
- Cigar Lighter
- (2) Roof Mounted Single Pin Outlets for beacon
- Battery Boost Terminals

LIGHTS

-
- WORK LIGHT SELECTION MUST BE MADE. STANDARD EQUIPMENT IS:
 - (4) Halogen front hood headlights
 - (2) LED front hood signature lights
 - (12) LED cab mounted work lights
 - (8) LED high front & rear
 - (4) LED mid-mount front & rear
 - (2) taillights
- Front & Rear Flashing Cab Safety Lights
- Time Delayed, Self-Cancelling Turn Indicators with Audiable Warning

INSTRUMENTATION

-
- Analog/Digital Instrument Cluster with LCD Display, Enhanced Key Pad and Performance Monitor
- CAB
-
- High Roof w/ Opening Visibility Panel and Sunshade
- Flat Deck Platform with Integrated ROPS
- Automatic Temperature Control with Air Conditioner and Heater with 4-Speed Pressurizer
- Two doors with Locks
- Two-speed Intermittent Front Wiper/Washer
- Rear Intermittent Wiper/Washer
- Hinged Rear Window
- Tinted Glass with Sunshade
- Tilt and Telescoping Steering Wheel
- Deluxe Air Suspension Seat with Automatic Adjustment, Operator Presence Switch and Lap Belt
- Instructor Seat
- Deluxe Radio with BlueTooth, High Performance Speakers & Antenna
- Digital Clock
- Interior Dome Light
- (2) External Courtesy Lights
- (2) Electronically Adjustment Telescoping, Heated External Mirrors
- Horn

MISCELLANEOUS

-
- Pivoting Engine Hood
- SMV Emblem
- Toolbox

WARRANTY

New Holland Standard Warranty Applies



**T6 DYNAMIC COMMAND - LESS FASTPICK
 US PRICE LIST**

Models

| COMMERCIAL MODEL | Weight | Factory Data | List Price |
|--------------------------------------|-----------|--------------|--------------|
| T6.145 DCT | 15,245 LB | 9099855P91 | \$129,683.00 |
| Includes the following Equipment | | | |
| 380/85(14.9)R28R1W HD-MIFI (8241901) | | \$2,686.00 | |
| 460/85(18.4)R38 R1W-MIFITR (8328401) | | \$5,592.00 | |
| T6.155 DCT | 15,245 LB | 9105895P79 | \$137,527.00 |
| Includes the following Equipment | | | |
| 380/85(14.9)R28R1W HD-MIFI (8241901) | | \$2,686.00 | |
| 460/85(18.4)R38 R1W-MIFITR (8328401) | | \$5,592.00 | |
| T6.165 DCT | 15,245 LB | 9108522P26 | \$140,938.00 |
| Includes the following Equipment | | | |
| 380/85(14.9)R28R1W HD-MIFI (8241901) | | \$2,686.00 | |
| 460/85(18.4)R38 R1W-MIFITR (8328401) | | \$5,592.00 | |
| T6.175 DCT | 19,268 LB | 9113685P88 | \$147,644.00 |
| Includes the following Equipment | | | |
| 380/85(14.9)R28R1W HD-MIFI (8241901) | | \$2,686.00 | |
| 460/85(18.4)R38 R1W-MIFITR (8328401) | | \$5,592.00 | |
| T6.180 DCT | 15,245 LB | 9117974P78 | \$153,214.00 |
| Includes the following Equipment | | | |
| 380/85(14.9)R28R1W HD-MIFI (8241901) | | \$2,686.00 | |
| 460/85(18.4)R38 R1W-MIFITR (8328401) | | \$5,592.00 | |



**T6 DYNAMIC COMMAND - LESS FASTPICK
 US PRICE LIST**

Factory Supplied Options

| Order Code | Description | Weight | Factory Data | List Price |
|------------|-------------|--------|--------------|------------|
|------------|-------------|--------|--------------|------------|

CAB CONFIGURATION

FIXED OR SUSPENDED

SD_T9200 OPERATOR STRUCTURE #1

| | | | | | |
|--|--|--------|---|------------|------------|
| | | 391610 | Cab w/Fixed Front Screen Standard Cab - Does not include cab suspension. | | No Charge |
| | | 758479 | Suspended_Cab Suspended Cab includes two adjustable rear shocks Cab suspension reduces shock loads to the tractor by up to 25% utilitizing two adjustable shocks to increase confort to the operator. | 9001360P59 | \$1,767.00 |
| | | 758480 | Suspended Cab w/Heated Screens Includes 758479 Cab Suspension plus defrost elements on front and rear windows Requires 200 Amp alternator | 9001750P98 | \$2,274.00 |

ENGINE

ALTERNATOR SELECTION

SD_T1040 CHARGING SYSTEMS

| | | | | | |
|--|--|--------|--|------------|-----------|
| | | 391192 | 120 AMP_Alternator | | No Charge |
| | | 758557 | 150 AMP_Alternator | 9000119P35 | \$155.00 |
| | | 758558 | 200 AMP_Alternator Required for units equipped wth 758480 Suspended Cab w/Heated Screens | 9000184P80 | \$240.00 |

COLD WEATHER AIDS

SD_T1938 WEATHER PACK

| | | | | | |
|--|--|--------|--|------------|----------|
| | | 758402 | Grid_Heater + 110V Pack Improves starting in cold weather conditions. Option includes grid heater and 110V electrical plug in of engine block heater and transmission heater | 9000311P85 | \$405.00 |
|--|--|--------|--|------------|----------|



**T6 DYNAMIC COMMAND - LESS FASTPICK
 US PRICE LIST**

FUEL TANK GUARD

SD_T1400 FUEL TANK

| | | | | | |
|--|--------|---|--|------------|-----------|
| | 759128 | Std Fuel Tank+Guard Standard fuel tank with guards Compatible with 34" Rear Wheels 55 Gallon / 210 Liter Capacity | | | No Charge |
| | 759130 | Large Fuel Tank+Guard Large fuel tank with guards Not compatible with 34" Rear Wheels 59 Gallon / 222 Liters Capacity | | 9000180P95 | \$235.00 |

TRANSMISSION

SD_T2800 SPEED

| | | | | | |
|-------------------------------|--------|--|--|------------|------------|
| | 759110 | 40 KPH DCT Dynamic Command Transmission: 23 Speed Transmission with up to 8 powershifts per range for three ranges that does not require mechanical range lever or a need to clutch between ranges. 23 gear limited @ 2000 engine rpm both forward and reverse | | | No Charge |
| | 759111 | 40 KPH ECO - DCT Dynamic Command Transmission: 24 Speed Transmission with Economy 24th gear 24 gear limited @ 1650 engine rpm , 23 gear limited @ 2000 engine rpm both forward and reverse | | 9001410P64 | \$1,832.00 |
| | 759113 | 50 KPH - DCT Dynamic Command Transmission: 24 Speed Transmission with 50 KPH 24th gear providing top transport speed of 31 MPH | | 9001410P64 | \$1,832.00 |
| Creepers Transmissions | | | | | |
| | 759131 | 40KPH DCT + CREEPER Creepers Transmisison - provides 722 Feet per Hour (220 meters per hour) | | 9001925P77 | \$2,501.00 |
| | 759112 | 40K ECO - DCT+CREEPE Creepers Transmisison - provides 722 Feet per Hour (220 meters per hour) | | 9003336P41 | \$4,333.00 |



**T6 DYNAMIC COMMAND - LESS FASTPICK
 US PRICE LIST**

| | | | | | |
|--|--------|---|--|------------|------------|
| | 759134 | 50KPH DCT + CREEPER Creeper Transmisison - provides 722 Feet per Hour (220 meters per hour) Requires 113l Hyd Pump (758441) which is base equipment | | 9003336P41 | \$4,333.00 |
|--|--------|---|--|------------|------------|

SD_T2816 AUTO FEATURES

| | | | | | |
|--|--------|--|--|------------|------------|
| | 759166 | BASIC AUTO FEATURE Basic Auto Features include: Smart Range Shift, Memory Shuttle, Smooth Shift, Pedal Kick Down, Auto Functions and Brake-To-Clutch | | | No Charge |
| | 758631 | ADV TRANS AUTO FEAT Ground Speed Management: Allows an operator to select a target ground speed. | | 9001285P13 | \$1,669.00 |

FRONT AXLE

SD_T4010 FRONT AXLE

| | | | | | |
|------------------------------------|--------|---|--|------------|------------|
| Class 4 FWD Axle | | | | | |
| | 758425 | Class 4 Hydraulic Lock With TerraLock traction management system with multi-plate differential Incompatible with 34" rear wheels | | | No Charge |
| | 759109 | Class 4 HD Std Axle | | 9000194P81 | \$253.00 |
| Class 4 SuperSteer FWD Axle | | | | | |
| | 758429 | Class 4 SuperSteer L/Water SuperSteer front axle with TerraLock traction management system. Includes mulit-plate differential lock. Incompatible with Autoguidance | | 9002652P65 | \$3,445.00 |
| Class 4 Suspended FWD Axle | | | | | |
| | 758428 | Class 4 Susp + Brake Hyd Lock With TerraGlide suspended axle with TerraLock traction management system. Includes multi-plate differential and front brakes. Incompatible with 34" rear wheels | | 9004884P11 | \$6,343.00 |



**T6 DYNAMIC COMMAND - LESS FASTPICK
 US PRICE LIST**

REAR AXLE

SD_T3200 REAR AXLE

| | | | | | |
|--|--------|--|--|------------|------------|
| | 758430 | HD Flange Multi-Diff Heavy duty flange axle - 10.8" (275 mm) | | | No Charge |
| | 758432 | HD Bar Steel Multi-Diff Heavy duty 98" bar axle for steel wheels | | 9001146P53 | \$1,489.00 |
| | 758434 | HD Bar Cast Multi-Differential Heavy duty 98" bar axle for cast wheels | | 9001146P53 | \$1,489.00 |

TIRES

BRAND CHOICE

SD_T4900 TIRE CATEGORY CHOICE

| | | | | | |
|--|--------|--------------------------|--|------------|-----------|
| | 330438 | No tire brand preference | | | No Charge |
| | 330447 | Alliance | | 9000431P20 | \$560.00 |
| | 330439 | Continental | | 9000431P20 | \$560.00 |
| | 330446 | Firestone | | 9000431P20 | \$560.00 |
| | 330442 | Michelin | | 9000431P20 | \$560.00 |
| | 330418 | Trelleborg | | 9000431P20 | \$560.00 |

FRONT WHEELS & TIRES

SD_T4940 FRONT WHEELS AND TIRES

| | | | | | |
|------------------|---------|--|--|------------|------------|
| Shipping Wheels | | | | | |
| | 8299906 | Front Shipping Wheels Requires rear shipping wheels | | 9001131P13 | \$1,469.00 |
| Class 4 FWD Axle | | | | | |
| | 8241901 | 380/85(14.9)R28R1W HD-MIFITRCO Requires: 460(18.4)R38 R1W | | 9002068P22 | \$2,686.00 |
| | 8255904 | 420/85(16.9)R28 R1W MI-FI Requires 20.8R38 R1W or 18.4R42 R1W | | 9002640P33 | \$3,429.00 |
| | 8258704 | 380/85(14.9)R30 R1W MI-FI-CM Requires 18.4R42 R1W or 14.9R46 R1W | | 9002483P25 | \$3,225.00 |
| | 8801604 | 320/85R34 R1W Brands - MI Requires 320/90R50 R1W | | 9002633P40 | \$3,420.00 |
| | 8825501 | 480/65R28 R1W MI-CM Requires 600/65 R38 | | 9002346P96 | \$3,048.00 |



**T6 DYNAMIC COMMAND - LESS FASTPICK
 US PRICE LIST**

REAR WHEELS & TIRES

SD_T4950 REAR WHEELS AND TIRES

| Shipping Wheels | | | | |
|------------------------|---|--|------------|------------|
| 8399906 | Rear Shipping Wheels Matching Front Shipping Wheels - 8299906 (Class 4 Axle) | | 9001532P30 | \$1,990.00 |
| Flange Axle | | | | |
| 8328401 | 460/85(18.4)R38 R1W-MIFITR Matching Front Tire - 14.9R28 R1W - 8241901 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims | | 9004305P84 | \$5,592.00 |
| 8384406 | 460/85(18.4)R42 R1W - MI Matching Front Tire - 14.9R30 (380/85R30) - 8258704 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims | | 9005839P68 | \$7,584.00 |
| 8380404 | 520/85 (20.8) R38 R1W MI, TR Matching front tire is 8255404 420/85(16.9) R28 R1W MI-FI-TR | | 9005957P49 | \$7,737.00 |
| Flange and Bar - Steel | | | | |
| 8388404 | 460/85(18.4)R42R1W MI,F,T,C,A Matching Front Tire - 14.9R30 R1W - 8258704 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims | | 9004672P36 | \$6,068.00 |
| 8963504 | 320/90R50 R1W MI Matching Front Tire - 320/85R34 R1W - 8801604 (Class 4 Axle) Adjustable Rims | | 9004784P78 | \$6,214.00 |
| 8949401 | 600/65R38 R1W Fixd-FI,MI,CO,TR Matching Front Tire - 480/65R28 R1W - 8825501 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Requires: - 743707 (Full Cover Rear Fenders) Fixed Rims | | 9006063P75 | \$7,875.00 |



**T6 DYNAMIC COMMAND - LESS FASTPICK
 US PRICE LIST**

HYDRAULICS

REAR REMOTES

SD_T8270 REAR REMOTES

| Mechanical Rear Remotes | | | | | |
|--------------------------------|--------|---|--|------------|------------|
| | 743741 | 3 Mech Rear Remote Valves (2C) 3 mechanical rear remotes, 2 configurable detents and flow control | | | No Charge |
| | 743685 | 4 Mech Rear Remotes (2NC+2C) 4 mechanical rear remotes, 2 configurable detents and flow control | | 9000945P56 | \$1,228.00 |
| Electro-Hydraulic Rear Remotes | | | | | |
| | 743686 | 3 Elect Hyd. Rear Remote Valve 3 electronic rear remotes | | 9001874P18 | \$2,434.00 |
| | 743733 | 4 Elect Hyd. Rear Remote Valve 4 electronic rear remotes | | 9002822P05 | \$3,665.00 |

COMPLETE LOADER READY

SD_T8110 LOADER BRACKETS

| | 758478 | Engine Side Rails | | 9000749P21 | \$973.00 |
|-----------------------------|--------|--|--|------------|-------------|
| Electro-Hydraulic Mid Mount | | | | | |
| | 759470 | NA LDR RDY+2MMV+ADV Complete Loader Ready: Includes 2 slice electronic mid-mount valve (EMMV), horizontal and vertical two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the multi-coupler and joystick. Includes predisposition for Complete Loader Ready (758622) Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price & Data Pages | | 9007544P46 | \$9,798.00 |
| | 759471 | NA LDR RDY+3MMV+ADV Complete Loader Ready: Includes 3 slice electronic mid-mount valve (EMMV), horizontal and vertical two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the multi-coupler and joystick. Includes predisposition for Complete Loader Ready (758622) Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price & Data Pages. | | 9008705P62 | \$11,306.00 |



**T6 DYNAMIC COMMAND - LESS FASTPICK
 US PRICE LIST**

REAR PTO

SD_T8710 FENDERS PTO CONTROL

| | | | | | |
|--|--------|---|--|------------|----------|
| | 743680 | Fender EDC/PTO/Rem Valv Contrl Rear Fender Mounted (Right/Left) 3-PT, PTO & 3rd Rear Remote Control Switches. Requires: - 743686 or 743733 (3 or 4 EH Rear Remotes) - 330345 (Advanced Processor) | | 9000223P30 | \$290.00 |
|--|--------|---|--|------------|----------|

3-POINT HITCH

FRONT 3 POINT HITCH

SD_T8100 FRONT THREE POINT HITCH

| | | | | | |
|--|--------|--|--|------------|-------------|
| | 390811 | Less Front Linkage | | | No Charge |
| | 759144 | Integrated FHPL 759144 Front Hitch for units with Standard or Suspended Front Axles Requires hoses (758473, 758474, 758475, 758544 or 758582) Incompatible with front weights Includes integrated tow hook | | 9005988P29 | \$7,777.00 |
| | 759147 | Int FHPL+FPTO Front Hitch and PTO for units with standard or suspended Front Axle (ratio matches rear PTO) Requires Advanced Processor (758498), hoses (758473, 758474,758475, 758544 or 758582) Incompatible with front weights Includes integrated tow hook 1,000 RPM 6 spline counter clockwise rotation (looking at the PTO) Engine RPM's at 1895 Maximum power transmission: 87 HP @ 86 deg. F ambient/ 107 HP @ 32 deg F Ambient | | 9012759P67 | \$16,571.00 |

SD_T8300 HOSES FOR FHPL

| | | | | | |
|---------------------------|--------|--|--|--|-----------|
| | 390926 | Less Tubes for FHPL | | | No Charge |
| Hoses less Front Couplers | | | | | |
| | 758473 | Tubes FHPL Connect Mech RR Front hitch hoses to connect front hitch to mechanical rear remotes | | | No Charge |
| | 758474 | Hose pkg for frt hitch w/ ERV Front hitch hoses to connect front hitch to electro-hydraulic rear remotes | | | No Charge |
| | 758475 | Hose pkg for frt hitch w/ MMV Front hitch hoses to connect front hitch to mid mount valve Incompatible with loader ready | | | No Charge |



**T6 DYNAMIC COMMAND - LESS FASTPICK
 US PRICE LIST**

| Hoses with Front Couplers | | | | | | |
|---------------------------|--|--------|--|--|------------|----------|
| | | 758582 | Tubes + Coupler Mech Rear Rem. Front couplers and hoses for front hitch to connect to mechanical rear remotes. Requires 4 rear remotes Incompatible with mid mount valve | | 9000148P61 | \$193.00 |
| | | 758544 | Hse pkg frt hit w/MMV/frt coup Front couplers and hoses for front hitch to connect to mid mount valve Incompatible with loader ready | | 9000148P61 | \$193.00 |

WEIGHTS

FRONT WEIGHTS

| SD_T2150 FRONT BALLAST | | | | | | |
|------------------------|--|--------|---|--|------------|------------|
| | | 758562 | Weight Carrier w/Hook Weight carrier with tow hook - 199.3 lbs (90.4 kg) | | 9000200P97 | \$261.00 |
| | | 758518 | Weight Pack A w/Hook Pack "A" includes weight rack - 199.3 lbs., (6) 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 703 lbs. (319 kg) Not compatible with front 3-PT hitch: 743699 and 743700 | | 9000869P33 | \$1,129.00 |
| | | 758519 | Weight Pack B w/Hook Pack "B" includes: weight rack - 199.3 lbs., 10 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 1207 lbs. (547 kg) Not compatible with front 3-PT hitch: 743699 and 743700 | | 9001353P66 | \$1,758.00 |
| | | 758520 | Weight Pack C w/Hook Pack "C" includes: weight rack - 199.3 lbs., 18 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 2000 lbs. (907 kg) Not compatible with front 3-PT hitch: 743699 and 743700 Not compatible with loader ready packages: 758344, 758351, 758353, 758354, 758351 | | 9002206P05 | \$2,865.00 |

REAR WHEEL WEIGHTS

| SD_T4960 WHEEL WEIGHTS | | | | | | |
|------------------------|--|--------|--|--|------------|------------|
| | | 758564 | 6X65KG Wheel Weight Includes (6) 143 lbs. weights totalling 860 lbs. | | 9000922P46 | \$1,198.00 |



**T6 DYNAMIC COMMAND - LESS FASTPICK
 US PRICE LIST**

| | | | |
|--------|--|------------|------------|
| 759137 | 2X150KG + 2X250KG Wheel Weight Rear Wheel Weights Includes 2 X 150 plus 2 X 250 KG Weights Four weights totaling 800 KG or 1,764 lbs. Incompatible with shipping wheels Requires Bar Axle & Fixed Rims | 9001203P51 | \$1,563.00 |
| 759821 | 2X150KG + 4X250KG Wheel Weight Rear Wheel Weights 2 X 150 KG and 4 X 250 KG. Total of 6 rear weights for 1,300 KG or 2,866 lbs. 3 weights (650 KG) on each side Incompatible with shipping wheels Requires Bar Axle & Fixed Rims | 9002065P91 | \$2,683.00 |

CAB OPTION

SD_T9360 RR MIRRORS

| | | | |
|--------|--|------------|---------|
| 759154 | 2 Tele/Heat/Rem Adj Mirror (2) External Mirrors (Electric-adjust, Telescopic and Heated) Requires: - 743729, 713816, or 743730 (High Roof Cab) | 9000050P82 | \$66.00 |
|--------|--|------------|---------|

CLIMATE CONTROL

SD_T9291 REAR WINDOW SUNSHADE

| | | | |
|--------|--|------------|----------|
| 758580 | Sunshade, Rear Window Perforated sun screen used to reduce sun shine on operator | 9000158P62 | \$206.00 |
|--------|--|------------|----------|

SEATS

SD_T8500 SEAT

| | | | |
|--------|---|------------|------------|
| 758485 | Deluxe Seat Air Susp Heated Super Deluxe Seat with Low Frequency Suspension (+DDS) Belt and Swivel Headrest Heated Leather/Alacantara | 9001505P35 | \$1,955.00 |
| 758486 | MAXIMO EVO Semi Active Suspension, Heated, Vented, Belt, Alacantara/Leather, Up/Down Headrest (Maximo Evo) | 9002950P64 | \$3,832.00 |



**T6 DYNAMIC COMMAND - LESS FASTPICK
 US PRICE LIST**

STORAGE

SD_T9010 REAR CAB STORAGE BO

| | | | | | | |
|--|--|--------|---|--|------------|----------|
| | | 758570 | Lefthand Rear Cab Storage Box Large LH storage box Located in the back left hand corner, behind instructor seat area Incompatible with Autoguidance | | 9000172P48 | \$224.00 |
|--|--|--------|---|--|------------|----------|

LIGHTS

SD_T9130 WORK LAMPS

| | | | | | | |
|--|--|--------|--|--|------------|------------|
| | | 758596 | 16 LED High Power Hi-Roof Work Lamp Package includes: 16 Cab mounted LED work lights 12 high cab-mounted; 6 front, 6 rear 4 mid-cab mounted; 2 front, 2 rear 16 LED work lights emitting 31,200 lumens | | 9001207P36 | \$1,568.00 |
|--|--|--------|--|--|------------|------------|

SD_T9146 ROTARY BEACON

| | | | | | | |
|--|--|--------|--|--|------------|----------|
| | | 758489 | Rotary Beacon Lefthand Side Single rotary beacon mounted on rear left side of tractor for increased safety and visibility | | 9000321P86 | \$418.00 |
| | | 758491 | Twin Beacon Rotary beacons mounted on rear of the cab on both left and right side of tractor for maximum safety and visibility | | 9000643P72 | \$836.00 |

MONITOR BRACKETS

SD_T9223 RH WINDOW BAR MOUNT

| | | | | | | |
|--|--|--------|---|--|------------|------------|
| | | 390665 | Fixings for Mounted Monitor No Bar or Monitor | | | No Charge |
| | | 758153 | Monitor Mounting Bracket. Includes Bar mounted in righthand side of cab without Monitor | | 9000115P50 | \$150.00 |
| | | 758154 | RH Window Bar Display Ready. Includes Bar mounted in right hand side of cab with Intelliview ready harness and window mount without Monitor | | 9000187P88 | \$244.00 |
| | | 758621 | 10" Color Touch Screen Display Monitor mounting bracket with IntelliView IV | | 9004485P25 | \$5,825.00 |

SD_T9228 RH ARMREST MOUNT

| | | | | | | |
|--|--|--------|---|--|--|-----------|
| | | 759155 | BASIC ARMREST MTD DOG Basic display of gears mounted on the armrest | | | No Charge |
|--|--|--------|---|--|--|-----------|



**T6 DYNAMIC COMMAND - LESS FASTPICK
 US PRICE LIST**

| | | | | | |
|--|--------|---|--|------------|------------|
| | 758548 | 10" Color Touch Screen Display 10.4 inch, wide screen Intelliview touchscreen monitor attached to SideWinder II armrest | | 9004499P88 | \$5,844.00 |
|--|--------|---|--|------------|------------|

ISO BUS CONNECTOR

SD_T7642 ISO BUS

| | | | | | |
|--|--------|--------------------|--|------------|----------|
| | 758710 | ISO CL3+9PIN+SPEED | | 9000301P84 | \$392.00 |
|--|--------|--------------------|--|------------|----------|

AUTO GUIDANCE

AUTO GUIDANCE READY

SD_T6300 STEERING OR AUTOGUIDANCE READY

| | | | | | |
|--|--------|---|--|------------|------------|
| | 759186 | Variable Ratio Steer CUSTOMSTEER™ OPTION feature allows operators to turn fully from lock to lock with as little as one rotation of the steering wheel with precision control. You can choose a steering ratio preference from 1:1 to 1:4 for quicker maneuvering at the headland, reversing with trailers, or during repetitive loader work. | | 9002223P76 | \$2,888.00 |
| | 759185 | Autoguidance Ready Autoguidance Ready with steering sensor, electronic steering valve, steering manifold, hoses, wiring harness, receiver mounting bracket, cabling, & hardware Incompatible with SuperSteer front axle | | 9004095P63 | \$5,319.00 |

SD_T7630 AUTOGUIDANCE

| | | | | | |
|--|--------|---|--|------------|-------------|
| | 758803 | Full AG Nav GPS L1 Autoguidance Complete Includes Nav II controller and NH 372 receiver Requires Autoguidance ready, monitor mounting bracket with IntelliView IV monitor 758590 Activated to WAAS level accuracy (Level 1) | | 9011362P12 | \$14,756.00 |
| | 758804 | Full AG Nav GPS L2 Autoguidance - Complete Pack Autoguidance Complete Includes Nav II controller and NH 372 receiver Requires Autoguidance ready, monitor mounting bracket with IntelliView IV monitor 758590 Activated to OmniSTAR HP/G2/XP & CenterPoint RTX level accuracy (Level 2) | | 9013476P54 | \$17,502.00 |



**T6 DYNAMIC COMMAND - LESS FASTPICK
 US PRICE LIST**

| | | | | | |
|--|--------|---|--|------------|-------------|
| | 758871 | Autoguidance Lvl 3 RTK Modem Autoguidance Complete Includes Nav II controller, NH 372 receiver Requires Autoguidance ready, monitor mounting bracket with IntelliView IV monitor 758590 Activated to RTK level accuracy (Level 3) Requires either a RTK radio or modem not included | | 9015590P19 | \$20,247.00 |
|--|--------|---|--|------------|-------------|

MISCELLANEOUS

FENDERS FRONT

SD_T8740 FRONT FENDERS

| | | | | | |
|--|--------|----------------------------|--|------------|----------|
| | 758505 | Front Fender 420mm Dynamic | | 9000605P22 | \$786.00 |
|--|--------|----------------------------|--|------------|----------|

FENDERS REAR

SD_T8700 FENDERS

| | | | | | |
|--|--------|---|--|------------|----------|
| | 743707 | Full Cover Full Cover Rear Fender (92.1 in. / 2,340 mm) | | 9000558P25 | \$725.00 |
|--|--------|---|--|------------|----------|

RADAR

SD_T7580 RADAR

| | | | | | |
|--|--------|-----------|--|------------|----------|
| | 758501 | Radar NAR | | 9000629P86 | \$818.00 |
|--|--------|-----------|--|------------|----------|

OTHER

SD_T7420 BATTERY

| | | | | | |
|--|--------|---|--|------------|----------|
| | 758409 | HD Battery W/Isolator 176AH Heavy duty battery with electronic isolator switch on right hand rear c-pillar in cab. In-cab switch disconnects battery to prevent battery drainage. | | 9000337P26 | \$438.00 |
|--|--------|---|--|------------|----------|

OPERATOR'S MANUALS

SD_T9802 OPERATORS MANUAL

| | | | | | |
|--|--------|-------------|--|--|-----------|
| | 758534 | English USA | | | No Charge |
| | 758535 | Spanish NAR | | | No Charge |
| | 759101 | French NAR | | | No Charge |



**T6 DYNAMIC COMMAND - BLUE POWER EDITION
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- Fuel efficient high torque 4.5L, 4-cylinder with power boost
FPT engines with 4 valves per cylinder and common rail fuel injection systems
- Tier 4B EPA emissions compliant with SCR only ECOBlue™ HI-eSCR Tier4B emissions system
- 23X23 Dynamic Command™ Powershift with AutoShift feature
- Standard LED work lighting
- Easy attach remote outlets
- New bold styling (hood, cab roof, lighting)
- Long Stable 104" wheel base for all 4WD models
- 15' 1" (181") turning radius (Std FWD disengaged, no brake, no fenders)

ENGINE

T6.175

- Rated PTO HP - 120
- Rated Engine HP - 145
- Engine Power Management (EPM)
- Maximum Engine HP w/ EPM - 175
- Rated Speed - 2200 RPM
- 274 cu. in. (4.5L) - 4 Cylinder
- Fuel Tank: 52.2 Gallon (197.5L)
- DEF Tank: 10.4 Gallon (39.5L)

T6.180

- Rated PTO HP - 125
- Rated Engine HP - 145
- Engine Power Management (EPM)
- Maximum Engine HP w/ EPM - 175
- Rated Speed - 2200 RPM
- 411 cu. in. (6.7L) - 6 Cylinder
- Fuel Tank: 52.2 Gallon (197.5L)
- DEF Tank: 10.4 Gallon (39.5L)

COMMON ENGINE FEATURES

- Tier 4B Emissions Compliant
- ECOBlue™ HI-eSCR Tier4B system
- Engine with Turbocharger and Air-to-Air Intercooler
- 4 Valves Per Cylinder
- Bosch Common Rail Fuel Injection Pump (electronic)
- Power Management and Constant RPM
- Power Boost in PTO & Transport Modes
- Grid Heater Starting Aid
- Dual Element Air Filter with Pre-Cleaner (spin tube intakes)
- A-Pillar Exhaust with Integral Muffler
- Viscous Fan (5 blade)
- Foot and Hand Throttle

TRANSMISSION

- 23 X 23 Dynamic Command™ Powershift
- Clutchless Range Change between Ranges A/B, B/C
- Steering Column Mounted Left-hand Power Shuttle
- Multi-plate Wet Clutch Design

ROAD SPEEDS

- Std 4WD - 25 mph/40 kph
- Optional 4WD - 31 mph/50KPH (speeds varies by tire size)

STEERING & BRAKES

- Hydrostatic Power Steering
- Hydraulic Wet Disc Brakes (self-equalizing/self-adjusting)
- Parking Brake (automotive style)



**T6 DYNAMIC COMMAND - BLUE POWER EDITION
 US PRICE LIST**

Standard Equipment

REAR AXLE

 Heavy Duty Flange
 Wet Plate Differential Lock
 Electrohydraulic Engaged Rear Diff Lock

Oil Collection Bottles
 Hydraulic Tapping Port (power beyond)
 Low Pressure Return Quick Coupler

FRONT AXLE

 SELECTION MUST BE MADE WHEN
 ORDERING. ENTRY LEVEL OPTION IS:
 Front FWD (TerraLock™)
 Class 4 Heavy Duty FWD Axle
 55 Degree Turning Angle
 Dual Steering Cylinders
 8 Degree Axle Oscillation
 Adjustable Tread Width from
 61.4 in. to 88.8 in. (varies by tire size)
 Electrohydraulic FWD Engagement
 TerraLock™ Auto FWD/Diff-Lock
 Drive Shaft Shield

3-POINT LIFT SYSTEM

 Electronic Draft Control (EDC)
 Lower Link Sensing
 Fast Raise/Lower Control in Cab
 Rear Fender Mounted 3-PT Raise/Lower
 Switches
 Dynamic Ride Control™
 Category II Flex Link Ends
 Telescoping Stabilizers
 11,650 lb. Lift Capacity (OECD)
 with Dual 90mm External Rams

DRAWBAR

 Independent Swinging Drawbar

PTO

 Independent 540/1000 rpm PTO
 with Reversible Shaft
 Multi-Plate Wet Clutch Design
 Electrohydraulic Engagement with
 Soft Start/Auto Feathering
 Hydraulic Piston PTO Brake with Manual
 Override (coast-down feature)
 Flip-up PTO Shaft Guard
 Auto PTO Management System
 Rear Fender Mounted PTO Controls

CUSTOM HEADLAND
 MANAGEMENT SYSTEM

 Allows Programming of the Following
 -Transmission Upshift/Downshift
 - Fast Raise/Lower of the 3-PT Hitch
 - Engine rpm Increase/Decrease
 via Throttle
 - Engine rpm Increase/Decrease
 via Constant RPM
 - Optional Electro-Hydraulic Remotes

HYDRAULIC SYSTEM

 CCLS: Closed-Center-Load-Sensing
 System
 Variable Displacement Piston Pump
 Maximum Flow at Rated Engine Speed
 29.9 gpm (113 l/m) Implement Pump
 12.4 gpm (47 l/m) Steering Pump
 (2) Lever Controlled, Configurable,
 Mechanical Remote Valves with Quick
 Couplers, Flow Control & Anti-leak-down

ELECTRICAL

 (1) 12-volt 1300 cca Battery
 ALTERNATOR SELECTION MUST BE
 MADE. ENTRY LEVEL OPTION IS:
 200 amp Alternator
 Geared Starter Motor (4.2 kW)
 7-pin Outlet for Trailer/Implement
 Lighting
 3-pin, 40 amp Implement Socket
 ISO/JD (30 amp) Socket
 15 amp Screw-type Positive/Negative



**T6 DYNAMIC COMMAND - BLUE POWER EDITION
US PRICE LIST**

Standard Equipment

Terminals
ISO BUS Class 3 Basic
Single Pin (8 amp) Accessory Outlet
Cigar Lighter
(2) Roof Mounted Single Pin Outlets for
beacon
Battery Boost Terminals

LIGHTS

WORK LIGHT SELECTION MUST BE
MADE. STANDARD EQUIPMENT IS:
(4) Halogen front hood headlights
(2) LED front hood signature lights
(16) LED cab mounted work lights
 (12) LED high front & rear
 (4) LED mid-mount front & rear
(2) taillights

Front & Rear Flashing Cab Safety Lights
Time Delayed, Self-Cancelling Turn
Indicators with Audiable Warning

INSTRUMENTATION

Analog/Digital Instrument Cluster with
LCD Display, Enhanced Key Pad and
Performance Monitor

CAB

High Roof w/ Opening Visibility Panel
and Sunshade
Flat Deck Platform with Integrated ROPS

Automatic Temperature Control with
Air Conditioner and Heater with
4-Speed Pressurizer
Two doors with Locks
Two-speed Intermittent Front
Wiper/Washer
Rear Intermittent Wiper/Washer
Hinged Rear Window
Tinted Glass with Sunshade
Leather Tilt and Telescoping Steering
Wheel
Alcant Blue PowerAir Suspension Seat
with Automatic Adjustment, Operator
Presence Switch and Lap Belt
Instructor Seat
Deluxe Radio with BlueTooth, High
Performance Speakers & Antenna
Digital Clock
Interior Dome Light
(2) External Courtesy Lights
(2) Electronically Adjustment
Telescoping, Heated External Mirrors
Horn

MISCELLANEOUS

Pivoting Engine Hood
SMV Emblem
Toolbox

WARRANTY

New Holland Standard Warranty Applies



**T6 DYNAMIC COMMAND - BLUE POWER EDITION
 US PRICE LIST**

Models

| COMMERCIAL MODEL | Weight | Factory Data | List Price |
|--------------------------------------|-----------|--------------|--------------|
| T6.175 DCT | 19,268 LB | 9113685P88 | \$147,644.00 |
| Includes the following Equipment | | | |
| 380/85(14.9)R28R1W HD-MIFI (8241901) | | \$2,686.00 | |
| 460/85(18.4)R38 R1W-MIFITR (8328401) | | \$5,592.00 | |
| T6.180 DCT | 15,245 LB | 9117974P78 | \$153,214.00 |
| Includes the following Equipment | | | |
| 380/85(14.9)R28R1W HD-MIFI (8241901) | | \$2,686.00 | |
| 460/85(18.4)R38 R1W-MIFITR (8328401) | | \$5,592.00 | |



**T6 DYNAMIC COMMAND - BLUE POWER EDITION
 US PRICE LIST**

Factory Supplied Options

| Order Code | Description | Weight | Factory Data | List Price |
|------------|-------------|--------|--------------|------------|
|------------|-------------|--------|--------------|------------|

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

| | | | | |
|--|------------------------|--|--|-----------|
| | X0475XX LESS PACKAGING | | | No Charge |
|--|------------------------|--|--|-----------|

CAB CONFIGURATION

CAB ROOF/COLOR

SD_T9850 SPECIAL COLORS/PANELS

| | | | | |
|--|---|--|------------|-------------|
| | 758320 BLUE POW. SPEC. ED. Blue Power Special Edition Available on T6.175 or T6.180 ONLY Includes: Distinct Midnight Blue Color with Silver Accents 759154 2 Tele/Heat/Rem/Adj Mirrors 759384 SDLX HTD Alcant Blue Power Seat 758596 16 LED High Power Lights 758482 Air Conditioning w/ATC 758483 Leather Steering Wheel & Carpet Choice of 330442 Michelin or 330418 Treleborg brand tires | | 9009332P40 | \$12,120.00 |
|--|---|--|------------|-------------|

FIXED OR SUSPENDED

SD_T9200 OPERATOR STRUCTURE #1

| | | | | |
|--|--|--|------------|------------|
| | 391610 Cab w/Fixed Front Screen Standard Cab - Does not include cab suspension. | | | No Charge |
| | 758479 Suspended_Cab Suspended Cab includes two adjustable rear shocks Cab suspension reduces shock loads to the tractor by up to 25% utilitizing two adjustable shocks to increase confort to the operator. | | 9001360P59 | \$1,767.00 |
| | 758480 Suspended Cab w/Heated Screens Includes 758479 Cab Suspension plus defrost elements on front and rear windows Requires 200 Amp alternator | | 9001750P98 | \$2,274.00 |



**T6 DYNAMIC COMMAND - BLUE POWER EDITION
 US PRICE LIST**

ENGINE

COLD WEATHER AIDS

SD_T1938 WEATHER PACK

| | | | | | | |
|--|--|--------|--|--|------------|----------|
| | | 758402 | Grid_Heater + 110V Pack Improves starting in cold weather conditions. Option includes grid heater and 110V electrical plug in of engine block heater and transmission heater | | 9000311P85 | \$405.00 |
|--|--|--------|--|--|------------|----------|

FUEL TANK GUARD

SD_T1400 FUEL TANK

| | | | | | | |
|--|--|--------|---|--|------------|-----------|
| | | 759128 | Std Fuel Tank+Guard Standard fuel tank with guards Compatible with 34" Rear Wheels 55 Gallon / 210 Liter Capacity | | | No Charge |
| | | 759130 | Large Fuel Tank+Guard Large fuel tank with guards Not compatible with 34" Rear Wheels 59 Gallon / 222 Liters Capacity | | 9000180P95 | \$235.00 |

TRANSMISSION

SD_T2800 SPEED

| | | | | | | |
|--|--|--------|--|--|------------|------------|
| | | 759110 | 40 KPH DCT Dynamic Command Transmission: 23 Speed Transmission with up to 8 powershifts per range for three ranges that does not require mechanical range lever or a need to clutch between ranges. 23 gear limited @ 2000 engine rpm both forward and reverse | | | No Charge |
| | | 759111 | 40 KPH ECO - DCT Dynamic Command Transmission: 24 Speed Transmission with Economy 24th gear 24 gear limited @ 1650 engine rpm , 23 gear limited @ 2000 engine rpm both forward and reverse | | 9001410P64 | \$1,832.00 |



**T6 DYNAMIC COMMAND - BLUE POWER EDITION
 US PRICE LIST**

| | | | | | |
|-----------------------|--------|--|--|------------|------------|
| | 759113 | 50 KPH - DCT Dynamic Command Transmission: 24 Speed Transmission with 50 KPH 24th gear providing top transport speed of 31 MPH | | 9001410P64 | \$1,832.00 |
| Creeper Transmissions | | | | | |
| | 759131 | 40KPH DCT + CREEPER Creeper Transmisison - provides 722 Feet per Hour (220 meters per hour) | | 9001925P77 | \$2,501.00 |
| | 759112 | 40K ECO - DCT+CREEPE Creeper Transmisison - provides 722 Feet per Hour (220 meters per hour) | | 9003336P41 | \$4,333.00 |
| | 759134 | 50KPH DCT + CREEPER Creeper Transmisison - provides 722 Feet per Hour (220 meters per hour) Requires 113l Hyd Pump (758441) which is base equipment | | 9003336P41 | \$4,333.00 |

SD_T2816 AUTO FEATURES

| | | | | | |
|--|--------|--|--|------------|------------|
| | 759166 | BASIC AUTO FEATURE Basic Auto Features include: Smart Range Shift, Memory Shuttle, Smooth Shift, Pedal Kick Down, Auto Functions and Brake-To-Clutch | | | No Charge |
| | 758631 | ADV TRANS AUTO FEAT Ground Speed Management: Allows an operator to select a target ground speed. | | 9001285P13 | \$1,669.00 |

FRONT AXLE

SD_T4010 FRONT AXLE

| | | | | | |
|-----------------------------|--------|---|--|------------|------------|
| Class 4 FWD Axle | | | | | |
| | 758425 | Class 4 Hydraulic Lock With TerraLock traction management system with multi-plate differential Incompatible with 34" rear wheels | | | No Charge |
| | 759109 | Class 4 HD Std Axle | | 9000194P81 | \$253.00 |
| Class 4 SuperSteer FWD Axle | | | | | |
| | 758429 | Class 4 SuperSteer L/Water SuperSteer front axle with TerraLock traction management system. Includes multit-plate differential lock. Incompatible with Autoguidance | | 9002652P65 | \$3,445.00 |



**T6 DYNAMIC COMMAND - BLUE POWER EDITION
 US PRICE LIST**

| Class 4 Suspended FWD Axle | | | | | | |
|----------------------------|--|--------|---|--|------------|------------|
| | | 758428 | Class 4 Susp + Brake Hyd Lock With TerraGlide suspended axle with TerraLock traction management system. Includes multi-plate differential and front brakes. Incompatible with 34" rear wheels | | 9004884P11 | \$6,343.00 |

REAR AXLE

| SD_T3200 REAR AXLE | | | | | | |
|--------------------|--|--------|--|--|------------|------------|
| | | 758430 | HD Flange Multi-Diff Heavy duty flange axle - 10.8" (275 mm) | | | No Charge |
| | | 758432 | HD Bar Steel Multi-Diff Heavy duty 98" bar axle for steel wheels | | 9001146P53 | \$1,489.00 |
| | | 758434 | HD Bar Cast Multi-Diffential Heavy duty 98" bar axle for cast wheels | | 9001146P53 | \$1,489.00 |

TIRES

BRAND CHOICE

| SD_T4900 TIRE CATEGORY CHOICE | | | | | | |
|-------------------------------|--|--------|------------|--|--|-----------|
| | | 330442 | Michelin | | | No Charge |
| | | 330418 | Trelleborg | | | No Charge |

FRONT WHEELS & TIRES

| SD_T4940 FRONT WHEELS AND TIRES | | | | | | |
|---------------------------------|--|---------|--|--|------------|------------|
| Class 4 FWD Axle | | | | | | |
| | | 8241901 | 380/85(14.9)R28R1W HD-MIFITRCO Requires: 460(18.4)R38 R1W | | 9002068P22 | \$2,686.00 |
| | | 8255904 | 420/85(16.9)R28 R1W MI-FI Requires 20.8R38 R1W or 18.4R42 R1W | | 9002640P33 | \$3,429.00 |
| | | 8258704 | 380/85(14.9)R30 R1W MI-FI-CM Requires 18.4R42 R1W or 14.9R46 R1W | | 9002483P25 | \$3,225.00 |
| | | 8801604 | 320/85R34 R1W Brands - MI Requires 320/90R50 R1W | | 9002633P40 | \$3,420.00 |
| | | 8825501 | 480/65R28 R1W MI-CM Requires 600/65 R38 | | 9002346P96 | \$3,048.00 |



**T6 DYNAMIC COMMAND - BLUE POWER EDITION
 US PRICE LIST**

REAR WHEELS & TIRES

SD_T4950 REAR WHEELS AND TIRES

| Flange Axle | | | | | |
|------------------------|---------|---|--|------------|------------|
| | 8328401 | 460/85(18.4)R38 R1W-MIFITR Matching Front Tire - 14.9R28 R1W - 8241901 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims | | 9004305P84 | \$5,592.00 |
| | 8384406 | 460/85(18.4)R42 R1W - MI Matching Front Tire - 14.9R30 (380/85R30) - 8258704 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims | | 9005839P68 | \$7,584.00 |
| | 8380404 | 520/85 (20.8) R38 R1W MI, TR Matching front tire is 8255404 420/85(16.9) R28 R1W MI-FI-TR | | 9005957P49 | \$7,737.00 |
| Flange and Bar - Steel | | | | | |
| | 8388404 | 460/85(18.4)R42R1W MI,F,T,C,A Matching Front Tire - 14.9R30 R1W - 8258704 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims | | 9004672P36 | \$6,068.00 |
| | 8963504 | 320/90R50 R1W MI Matching Front Tire - 320/85R34 R1W - 8801604 (Class 4 Axle) Adjustable Rims | | 9004784P78 | \$6,214.00 |
| | 8949401 | 600/65R38 R1W Fixd-FI,MI,CO,TR Matching Front Tire - 480/65R28 R1W - 8825501 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Requires: - 743707 (Full Cover Rear Fenders) Fixed Rims | | 9006063P75 | \$7,875.00 |

HYDRAULICS

REAR REMOTES

SD_T8270 REAR REMOTES

| Electro-Hydraulic Rear Remotes | | | | | |
|--------------------------------|--------|--|--|------------|------------|
| | 743686 | 3 Elect Hyd. Rear Remote Valve 3 electronic rear remotes | | 9001874P18 | \$2,434.00 |
| | 743733 | 4 Elect Hyd. Rear Remote Valve 4 electronic rear remotes | | 9000947P87 | \$1,231.00 |



**T6 DYNAMIC COMMAND - BLUE POWER EDITION
 US PRICE LIST**

COMPLETE LOADER READY

SD_T8110 LOADER BRACKETS

| | | | | | |
|-----------------------------|--------|--|--|------------|-------------|
| | 758478 | Engine Side Rails | | 9000749P21 | \$973.00 |
| Electro-Hydraulic Mid Mount | | | | | |
| | 759470 | NA LDR RDY+2MMV+ADV Complete Loader Ready: Includes 2 slice electronic mid-mount valve (EMMV), horizontal and vertical two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the mulit-coupler and joystick. Includes predisposition for Complete Loader Ready (758622) Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price & Data Pages | | 9007544P46 | \$9,798.00 |
| | 759471 | NA LDR RDY+3MMV+ADV Complete Loader Ready: Includes 3 slice electronic mid-mount valve (EMMV), horizontal and vertical two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the multi-coupler and joystick. Includes predisposition for Complete Loader Ready (758622) Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price & Data Pages. | | 9008705P62 | \$11,306.00 |

REAR PTO

SD_T8710 FENDERS PTO CONTROL

| | | | | | |
|--|--------|--|--|------------|----------|
| | 743680 | Fender EDC/PTO/Rem Valv Contrl Rear Fender Mounted (Right/Left) 3-PT, PTO & 3rd Rear Remote Control Switches. Requires: - 743686 or 743733 (3 or 4 EH Rear Remotes) - 330345 (Advanced Processor) | | 9000223P30 | \$290.00 |
|--|--------|--|--|------------|----------|



**T6 DYNAMIC COMMAND - BLUE POWER EDITION
 US PRICE LIST**

3-POINT HITCH

FRONT 3 POINT HITCH

SD_T8100 FRONT THREE POINT HITCH

| | | | | | |
|--|--------|--|--|------------|-------------|
| | 390811 | Less Front Linkage | | | No Charge |
| | 759144 | Integrated FHPL 759144 Front Hitch for units with Standard or Suspended Front Axles Requires hoses (758473, 758474, 758475, 758544 or 758582) Incompatible with front weights Includes integrated tow hook | | 9005988P29 | \$7,777.00 |
| | 759147 | Int FHPL+FPTO Front Hitch and PTO for units with standard or suspended Front Axle (ratio matches rear PTO) Requires Advanced Processor (758498), hoses (758473, 758474,758475, 758544 or 758582) Incompatible with front weights Includes integrated tow hook 1,000 RPM 6 spline counter clockwise rotation (looking at the PTO) Engine RPM's at 1895 Maximum power transmission: 87 HP @ 86 deg. F ambient/ 107 HP @ 32 deg F Ambient | | 9012759P67 | \$16,571.00 |

SD_T8300 HOSES FOR FHPL

| | | | | | |
|---------------------------|--------|--|--|------------|-----------|
| | 390926 | Less Tubes for FHPL | | | No Charge |
| Hoses less Front Couplers | | | | | |
| | 758474 | Hose pkg for frt hitch w/ ERV Front hitch hoses to connect front hitch to electro-hydraulic rear remotes | | | No Charge |
| | 758475 | Hose pkg for frt hitch w/ MMV Front hitch hoses to connect front hitch to mid mount valve Incompatible with loader ready | | | No Charge |
| Hoses with Front Couplers | | | | | |
| | 758544 | Hse pkg frt hit w/MMV/frt coup Front couplers and hoses for front hitch to connect to mid mount valve Incompatible with loader ready | | 9000148P61 | \$193.00 |

WEIGHTS

FRONT WEIGHTS

SD_T2150 FRONT BALLAST

| | | | | | |
|--|--------|--|--|------------|----------|
| | 758562 | Weight Carrier w/Hook Weight carrier with tow hook - 199.3 lbs (90.4 kg) | | 9000200P97 | \$261.00 |
|--|--------|--|--|------------|----------|



**T6 DYNAMIC COMMAND - BLUE POWER EDITION
 US PRICE LIST**

| | | | |
|--------|--|------------|------------|
| 758518 | Weight Pack A w/Hook Pack "A" includes weight rack - 199.3 lbs., (6) 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 703 lbs. (319 kg) Not compatible with front 3-PT hitch: 743699 and 743700 | 9000869P33 | \$1,129.00 |
| 758519 | Weight Pack B w/Hook Pack "B" includes: weight rack - 199.3 lbs., 10 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 1207 lbs. (547 kg) Not compatible with front 3-PT hitch: 743699 and 743700 | 9001353P66 | \$1,758.00 |
| 758520 | Weight Pack C w/Hook Pack "C" includes: weight rack - 199.3 lbs., 18 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 2000 lbs. (907 kg) Not compatible with front 3-PT hitch: 743699 and 743700 Not compatible with loader ready packages: 758344, 758351, 758353, 758354, 758351 | 9002206P05 | \$2,865.00 |

REAR WHEEL WEIGHTS

SD_T4960 WHEEL WEIGHTS

| | | | |
|--------|--|------------|------------|
| 758564 | 6X65KG Wheel Weight Includes (6) 143 lbs. weights totalling 860 lbs. | 9000922P46 | \$1,198.00 |
| 759137 | 2X150KG + 2X250KG Wheel Weight Rear Wheel Weights Includes 2 X 150 plus 2 X 250 KG Weights Four weights totaling 800 KG or 1,764 lbs. Incompatible with shipping wheels Requires Bar Axle & Fixed Rims | 9001203P51 | \$1,563.00 |
| 759821 | 2X150KG + 4X250KG Wheel Weight Rear Wheel Weights 2 X 150 KG and 4 X 250 KG. Total of 6 rear weights for 1,300 KG or 2,866 lbs. 3 weights (650 KG) on each side Incompatible with shipping wheels Requires Bar Axle & Fixed Rims | 9002065P91 | \$2,683.00 |

CAB OPTION

CLIMATE CONTROL

SD_T9291 REAR WINDOW SUNSHADE

| | | | |
|--------|--|------------|----------|
| 758580 | Sunshade, Rear Window Perforated sun screen used to reduce sun shine on operator | 9000158P62 | \$206.00 |
|--------|--|------------|----------|



**T6 DYNAMIC COMMAND - BLUE POWER EDITION
 US PRICE LIST**

STORAGE

SD_T9010 REAR CAB STORAGE BO

| | | | | | | |
|--|--|--------|---|--|------------|----------|
| | | 758570 | Lefthand Rear Cab Storage Box Large LH storage box Located in the back left hand corner, behind instructor seat area Incompatible with Autoguidance | | 9000172P48 | \$224.00 |
|--|--|--------|---|--|------------|----------|

LIGHTS

SD_T9146 ROTARY BEACON

| | | | | | | |
|--|--|--------|--|--|------------|----------|
| | | 758489 | Rotary Beacon Lefthand Side Single rotary beacon mounted on rear left side of tractor for increased safety and visibility | | 9000321P86 | \$418.00 |
| | | 758491 | Twin Beacon Rotary beacons mounted on rear of the cab on both left and right side of tractor for maximum safety and visibility | | 9000643P72 | \$836.00 |

MONITOR BRACKETS

SD_T9223 RH WINDOW BAR MOUNT

| | | | | | | |
|--|--|--------|---|--|------------|------------|
| | | 390665 | Fixings for Mounted Monitor No Bar or Monitor | | | No Charge |
| | | 758153 | Monitor Mounting Bracket. Includes Bar mounted in righthand side of cab without Monitor | | 9000115P50 | \$150.00 |
| | | 758154 | RH Window Bar Display Ready. Includes Bar mounted in right hand side of cab with Intelliview ready harness and window mount without Monitor | | 9000187P88 | \$244.00 |
| | | 758621 | 10" Color Touch Screen Display Monitor mounting bracket with IntelliView IV | | 9004485P25 | \$5,825.00 |

SD_T9228 RH ARMREST MOUNT

| | | | | | | |
|--|--|--------|---|--|------------|------------|
| | | 759155 | BASIC ARMREST MTD DOG Basic display of gears mounted on the armrest | | | No Charge |
| | | 758548 | 10" Color Touch Screen Display 10.4 inch, wide screen Intelliview touchscreen monitor attached to SideWinder II armrest | | 9004499P88 | \$5,844.00 |



**T6 DYNAMIC COMMAND - BLUE POWER EDITION
 US PRICE LIST**

ISO BUS CONNECTOR

SD_T7642 ISO BUS

| | | | | | |
|--|--------|--------------------|--|------------|----------|
| | 758710 | ISO CL3+9PIN+SPEED | | 9000301P84 | \$392.00 |
|--|--------|--------------------|--|------------|----------|

AUTO GUIDANCE

AUTO GUIDANCE READY

SD_T6300 STEERING OR AUTOGUIDANCE READY

| | | | | | |
|--|--------|--|--|------------|------------|
| | 759186 | Variable Ratio Steer CUSTOMSTEER™ OPTION feature allows operators to turn fully from lock to lock with as little as one rotation of the steering wheel with precision control. You can choose a steering ratio preference from 1:1 to 1:4 for quicker maneuvering at the headland, reversing with trailers, or during repetitive loader work. | | 9002223P76 | \$2,888.00 |
| | 759185 | Autoguidance Ready Autoguidance Ready with steering sensor, electronic steering valve, steering manifold, hoses, wiring harness, receiver mounting bracket, cabling, & hardware Incompatible with SuperSteer front axle | | 9004095P63 | \$5,319.00 |

SD_T7630 AUTOGUIDANCE

| | | | | | |
|--|--------|--|--|------------|-------------|
| | 758803 | Full AG Nav GPS L1 Autoguidance Complete Includes Nav II controller and NH 372 receiver Requires Autoguidance ready, monitor mounting bracket with IntelliView IV monitor 758590 Activated to WAAS level accuracy (Level 1) | | 9011362P12 | \$14,756.00 |
| | 758804 | Full AG Nav GPS L2 Autoguidance - Complete Pack Autoguidance Complete Includes Nav II controller and NH 372 receiver Requires Autoguidance ready, monitor mounting bracket with IntelliView IV monitor 758590 Activated to OmniSTAR HP/G2/XP & CenterPoint RTX level accuracy (Level 2) | | 9013476P54 | \$17,502.00 |



**T6 DYNAMIC COMMAND - BLUE POWER EDITION
 US PRICE LIST**

| | | | | | |
|--|--------|---|--|------------|-------------|
| | 758871 | Autoguidance Lvl 3 RTK Modem Autoguidance Complete Includes Nav II controller, NH 372 receiver Requires Autoguidance ready, monitor mounting bracket with IntelliView IV monitor 758590 Activated to RTK level accuracy (Level 3) Requires either a RTK radio or modem not included | | 9015590P19 | \$20,247.00 |
|--|--------|---|--|------------|-------------|

MISCELLANEOUS

FENDERS FRONT

SD_T8740 FRONT FENDERS

| | | | | | |
|--|--------|----------------------------|--|------------|----------|
| | 758505 | Front Fender 420mm Dynamic | | 9000605P22 | \$786.00 |
|--|--------|----------------------------|--|------------|----------|

FENDERS REAR

SD_T8700 FENDERS

| | | | | | |
|--|--------|---|--|------------|----------|
| | 743707 | Full Cover Full Cover Rear Fender (92.1 in. / 2,340 mm) | | 9000558P25 | \$725.00 |
|--|--------|---|--|------------|----------|

RADAR

SD_T7580 RADAR

| | | | | | |
|--|--------|-----------|--|------------|----------|
| | 758501 | Radar NAR | | 9000629P86 | \$818.00 |
|--|--------|-----------|--|------------|----------|

OTHER

SD_T7420 BATTERY

| | | | | | |
|--|--------|---|--|------------|----------|
| | 758409 | HD Battery W/Isolator 176AH Heavy duty battery with electronic isolator switch on right hand rear c-pillar in cab. In-cab switch disconnects battery to prevent battery drainage. | | 9000337P26 | \$438.00 |
|--|--------|---|--|------------|----------|

OPERATOR'S MANUALS

SD_T9802 OPERATORS MANUAL

| | | | | | |
|--|--------|-------------|--|--|-----------|
| | 758534 | English USA | | | No Charge |
| | 758535 | Spanish NAR | | | No Charge |
| | 759101 | French NAR | | | No Charge |



**T6 AUTO COMMAND - DELUXE FAST PICK
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- Fuel efficient high torque 4.5L, 4-cylinder with power boost
FPT engines with 4 valves per cylinder and common rail fuel injection systems
- Tier 4B EPA emissions compliant with SCR only ECOBlue™ HI-eSCR Tier4B emissions system
- Auto Command™ CVT high efficiency transmission
- Standard LED work lighting
- Easy attach remote outlets
- Long Stable 104" wheel base

MODELS

T6.145
Rated PTO HP - 95
Rated Engine HP - 116
Engine Power Management (EPM)
Maximum Engine HP w/ EPM - 145
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 59.0 Gallon (223.0L)
DEF Tank: 10.4 Gallon (39.5L)

T6.165
Rated PTO HP - 110
Rated Engine HP - 135
Engine Power Management (EPM)
Maximum Engine HP w/ EPM - 169
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 59.0 Gallon (223.0L)
DEF Tank: 10.4 Gallon (39.5L)

T6.175
Rated PTO HP - 120
Rated Engine HP - 145
Engine Power Management (EPM)
Maximum Engine HP w/ EPM - 175
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 59.0 Gallon (223.0L)
DEF Tank: 10.4 Gallon (39.5L)

T6.180
Rated PTO HP - 125
ENGINE Rated Engine HP - 145
Engine Power Management (EPM)
Maximum Engine HP w/ EPM - 175
Rated Speed - 2200 RPM
411 cu. in. (6.7L) - 6 Cylinder
Fuel Tank: 59.0 Gallon (223.0L)
DEF Tank: 10.4 Gallon (39.5L)

ENGINE

Tier 4B Emissions Compliant
ECOBlue™ HI-eSCR Tier4B system
Engine with Turbocharger and
Air-to-Air Intercooler
4 Valves Per Cylinder
Bosch Common Rail Fuel Injection
Pump (electronic)
Power Management and Constant RPM
Power Boost in PTO & Transport Modes
Grid Heater Starting Aid
Engine Block Heater
Dual Element Air Filter with Pre-Cleaner
(spin tube intakes)
A-Pillar Exhaust with Integral Muffler
Viscous Fan (5 blade)
Hand Throttle

TRANSMISSION

Auto Command™ CVT with
column-mounted power shuttle
Command Grip™ multi-function controller
Infinite speed from 0 to 31 MPH
3 target speed selections
Infinite target speed thumb wheel
Three choice forward/reverse shuttle
controls
Right foot "go pedal"
31-MPH (50-KPH) (varies by tire size)
Transmission Heater



**T6 AUTO COMMAND - DELUXE FAST PICK
 US PRICE LIST**

Standard Equipment

CAB

 High Roof w/ Opening Visibility Panel
 and Sunshade
 Flat Deck Platform with Integrated ROPS
 Standard Air Conditioner and Heater
 with 4-Speed Pressurizer and
 dual zone air conditioning
 Two doors with Locks
 Two-speed Intermittent Front
 Wiper/Washer
 Rear Intermittent Wiper/Washer
 Hinged Rear Window
 Tinted Glass with Sunshade
 Tilt and Telescoping Steering Wheel
 IntelliView™ IV disp. mtd. on arm rest
 Deluxe Leather Heated Low Frequency
 Air Suspension Seat with Operator
 Presence Switch, Lap Belt and Swivel
 Headrest
 Instructor Seat
 Deluxe radio
 Digital clock
 Integral ROPS
 Interior dome light
 (2) External courtesy lights
 (2) External telescopic remote
 adjustable, heated mirrors
 Horn
 Std steering wheel & floor mat
 ISOBUS connector

STEERING & BRAKES

 Hydrostatic power steering
 Hydraulic wet disc brakes
 (self-equalizing/self-adjusting)
 Parking brake (automotive style)

FRONT AXLE

 Front FWD (TerraLock™)
 Class 4 Suspended FWD axle
 55-degree turning angle
 Dual steering cylinders
 8-degree axle oscillation
 Adjustable tread width from 62.2 in. to
 92 in. (varies by tire size)
 Electrohydraulic FWD engagement
 TerraLock™ Auto FWD/Diff-Lock
 Driveshaft shield

REAR AXLE

 Heavy-duty flange axle
 Wet plate differential lock
 Electrohydraulic-engaged dif. lock

ELECTRICAL

 (1) 12-volt 1300 CCA battery
 150-amp alternator
 Geared starter motor (4.2 kW)
 7-pin outlet for implement lighting
 3-pin 40-amp implement socket
 ISO/JD (30 amp) socket
 15 amp screw-type +/- terminals
 Single pin (8 amp) accessory outlet
 Cigarette lighter
 (2) single-pin outlets for beacon on roof
 Battery boost terminals
 Battery Isolator
 ISOBUS Class 3 Basic Speed Control



**T6 AUTO COMMAND - DELUXE FAST PICK
US PRICE LIST**

Standard Equipment

LIGHTS

WORK LIGHT SELECTION MUST BE
MADE. ENTRY LEVEL OPTION IS:
(4) Halogen front hood headlights
(2) LED front hood signature lights
(12) LED cab mounted work lights
 (8) LED high front & rear
 (4) LED mid-mount front & rear
(2) taillights

Front & Rear Flashing Cab Safety Lights
Time Delayed, Self-Cancelling Turn
Indicators with Audiable Warning

PTO

Independent 540/1000 RPM PTO with
 reversible shaft and flip-up shield
Multi-plate wet clutch design
Electrohydraulic-engagement with
 soft start/auto feathering
Hydraulic piston PTO brake w/override

HYDRAULIC SYSTEM

Closed-center load-sensing pump
Flow at 1,900 RPM: 33.5 gpm (127 l/m)
(4) electro-hydraulic rear remote valves
controlled in SideWinder II™ console
(fully programmable)
Oil collection bottles
Hydraulic tapping port (Power Beyond)
Independent pump for CVT and
 operating circuits

3-POINT LIFT SYSTEM

Electronic Draft Control (EDC)
Lower link sensing
Fast raise/lower control
Dynamic Ride Control™
Category II flex link ends
Telescopic stabilizers
9,214 lb. Lift Capacity (OECD)
 with Dual 80mm External Rams

MISCELLANEOUS

Flip-up engine hood
Swinging drawbar
SMV emblem
Toolbox
Monitor Mounting Bracket
Dynamic Front Fenders

WARRANTY

New Holland standard warranty applies



**T6 AUTO COMMAND - DELUXE FAST PICK
 US PRICE LIST**

Models

| COMMERCIAL MODEL | Weight | Factory Data | List Price |
|--------------------------------------|------------|--------------|--------------|
| T6.145 AC CVT T4B | 15,245 LB | 9110299P42 | \$143,246.00 |
| Includes the following Equipment | | | |
| 380/85(14.9)R28R1W HD-MIFI (8241901) | \$2,686.00 | | |
| 460/85(18.4)R38 R1W-MIFITR (8328401) | \$5,592.00 | | |
| T6.165 AC CVT T4B | 15,245 LB | 9126055P16 | \$163,708.00 |
| Includes the following Equipment | | | |
| 380/85(14.9)R28R1W HD-MIFI (8241901) | \$2,686.00 | | |
| 460/85(18.4)R38 R1W-MIFITR (8328401) | \$5,592.00 | | |
| T6.175 AC CVT T4B | 15,245 LB | 9131307P33 | \$170,529.00 |
| Includes the following Equipment | | | |
| 380/85(14.9)R28R1W HD-MIFI (8241901) | \$2,686.00 | | |
| 460/85(18.4)R38 R1W-MIFITR (8328401) | \$5,592.00 | | |
| T6.180 AC CVT T4B | 15,245 LB | 9135669P38 | \$176,194.00 |
| Includes the following Equipment | | | |
| 380/85(14.9)R28R1W HD-MIFI (8241901) | \$2,686.00 | | |
| 460/85(18.4)R38 R1W-MIFITR (8328401) | \$5,592.00 | | |



**T6 AUTO COMMAND - DELUXE FAST PICK
 US PRICE LIST**

Factory Supplied Options

| Order Code | Description | Weight | Factory Data | List Price |
|------------|-------------|--------|--------------|------------|
|------------|-------------|--------|--------------|------------|

ENGINE

COLD WEATHER AIDS

SD_T1938 WEATHER PACK

| | | | | | |
|--|--------|--|--|------------|----------|
| | 758402 | Grid_Heater + 110V Pack Grid heater and cold weather pack Includes engine block heater and transmission heater | | 9000311P85 | \$405.00 |
|--|--------|--|--|------------|----------|

TIRES

BRAND CHOICE

SD_T4900 TIRE CATEGORY CHOICE

| | | | | | |
|--|--------|--------------------------|--|------------|-----------|
| | 330438 | No tire brand preference | | | No Charge |
| | 330446 | Firestone | | 9000431P20 | \$560.00 |
| | 330439 | Continental | | 9000431P20 | \$560.00 |
| | 330442 | Michelin | | 9000431P20 | \$560.00 |

FRONT WHEELS & TIRES

SD_T4940 FRONT WHEELS AND TIRES

| Class 4 FWD Axle | | | | | |
|------------------|---------|--|--|------------|------------|
| | 8241901 | 380/85(14.9)R28R1W HD-MIFITRCO Requires 18.4 R38 | | 9002068P22 | \$2,686.00 |
| | 8825501 | 480/65R28 R1W MI-CM Requires 600/65 R38 | | 9002346P96 | \$3,048.00 |
| | 8258704 | 380/85(14.9)R30 R1W MI-FI-CM Requires 18.4R42 R1W or 14.9R46 R1W | | 9002483P25 | \$3,225.00 |
| | 8801604 | 320/85R34 R1W Brands - MI Requires 320/90R50 R1W | | 9002633P40 | \$3,420.00 |
| | 8255904 | 420/85(16.9)R28 R1W MI-FI Requires 20.8R38 R1W or 18.4R42 R1W | | 9002640P33 | \$3,429.00 |
| | 8866501 | 400/80R28 Fixed CIs 4 Alliance Requires 480/80 R38 Municipality | | 9002869P02 | \$3,726.00 |



**T6 AUTO COMMAND - DELUXE FAST PICK
 US PRICE LIST**

REAR WHEELS & TIRES

SD_T4950 REAR WHEELS AND TIRES

| Flange and Bar - Steel | | | | | |
|------------------------|---------|---|--|------------|------------|
| | 8328401 | 460/85(18.4)R38 R1W-MIFITR Matching Front Tire - 14.9R28 R1W - 8241401 (Class 3 Axle) - 8241901 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims | | 9004305P84 | \$5,592.00 |
| | 8380404 | 520/85 (20.8) R38 R1W MI, TR Matching front tire is 8255904 - 16,9 R28 Compatible with 31 MPH (50 KPH) Adjustable Rims | | 9005957P49 | \$7,737.00 |
| | 8949401 | 600/65R38 R1W Fixd-FI,MI,CO,TR Matching Front Tire - 480/65R28 R1W - 8825501 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Requires: - 743707 (Full Cover Rear Fenders) Fixed Rims | | 9006063P75 | \$7,875.00 |
| | 8388404 | 460/85(18.4)R42R1W MI,F,T,C,A Matching Front Tire - 14.9R30 R1W - 8258704 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims | | 9004672P36 | \$6,068.00 |
| | 8370404 | 380/90(14.9)R46R1WAdj Rim-C,MI Matching Front Tire - 14.9R30 R1 - 8258704 (Class 4 Axle) Adjustable Rims | | 9004600P75 | \$5,975.00 |
| | 8963504 | 320/90R50 R1W MI Matching Front Tire - 320/85R34 R1W - 8801604 (Class 4 Axle) Adjustable Rims | | 9004784P78 | \$6,214.00 |
| | 8919401 | 480/80R38 Alliance Matching Front Tire - 400/80 R28 Municipality - 8866501 (Class 4 Axle)Fixed steel rims | | 9005394P62 | \$7,006.00 |

HYDRAULICS

REAR REMOTE VALVES

SD_T8270 REAR REMOTES

| | | | | | |
|--|--------|---|--|------------|------------|
| | 743733 | 4 Elect Hyd. Rear Remote Valve 4 electro-hydraulic rear remote valves | | 9000947P87 | \$1,231.00 |
|--|--------|---|--|------------|------------|



**T6 AUTO COMMAND - DELUXE FAST PICK
 US PRICE LIST**

WEIGHTS

FRONT WEIGHTS

SD_T2150 FRONT BALLAST

| | | | | | |
|--|--------|--|--|------------|----------|
| | 758562 | Weight Carrier w/Hook Weight carrier with tow hook - 199.3 lbs (90.4 kg) | | 9000200P97 | \$261.00 |
|--|--------|--|--|------------|----------|

CAB OPTION

CLIMATE CONTROL

SD_T9230 CLIMATE CONTROL

| | | | | | |
|--|--------|------------------------|--|------------|----------|
| | 758482 | Air Conditioning W/ATC | | 9000561P33 | \$729.00 |
|--|--------|------------------------|--|------------|----------|

LIGHTS

SD_T9130 WORK LAMPS

| | | | | | |
|--|--------|---|--|------------|------------|
| | 758596 | 16 LED High Power Hi-Roof A total of 16 Cab mounted LED work lights: 12 high cab-mounted; 6 front, 6 rear 4 mid-cab mounted; 2 front, 2 rear 16 LED work lights emitting 31,200 lumens | | 9001207P36 | \$1,568.00 |
|--|--------|---|--|------------|------------|

SD_T9146 ROTARY BEACON

| | | | | | |
|--|--------|--|--|------------|----------|
| | 758489 | Rotary Beacon Lefthand Side Single rotary beacon mounted on rear left side of tractor for increased safety and visibility | | 9000321P86 | \$418.00 |
|--|--------|--|--|------------|----------|

MISCELLANEOUS

FENDERS FRONT

SD_T8740 FRONT FENDERS

| | | | | | |
|--|--------|--|--|------------|----------|
| | 758505 | Front Fender 420mm Dynamic Dynamic front fenders 16.5 inches wide (420 mm) | | 9000605P22 | \$786.00 |
|--|--------|--|--|------------|----------|

OPERATOR'S MANUALS

SD_T9802 OPERATORS MANUAL

| | | | | | |
|--|--------|-------------|--|--|-----------|
| | 758535 | Spanish NAR | | | No Charge |
| | 759101 | French NAR | | | No Charge |



**T6 AUTO COMMAND - PREMIUM FAST PICK
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- Fuel efficient high torque 4.5L, 4-cylinder with power boost
FPT engines with 4 valves per cylinder and common rail fuel injection systems
- Tier 4B EPA emissions compliant with SCR only ECOBlue™ HI-eSCR Tier4B emissions system
- Auto Command™ CVT high efficiency transmission
- Standard LED work lighting
- Easy attach remote outlets
- Long Stable 104" wheel base

MODELS

T6.145
Rated PTO HP - 95
Rated Engine HP - 116
Engine Power Management (EPM)
Maximum Engine HP w/ EPM - 145
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 59.0 Gallon (223.0L)
DEF Tank: 10.4 Gallon (39.5L)

T6.165
Rated PTO HP - 110
Rated Engine HP - 135
Engine Power Management (EPM)
Maximum Engine HP w/ EPM - 169
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 59.0 Gallon (223.0L)
DEF Tank: 10.4 Gallon (39.5L)

T6.175
Rated PTO HP - 120
Rated Engine HP - 145
Engine Power Management (EPM)
Maximum Engine HP w/ EPM - 175
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 59.0 Gallon (223.0L)
DEF Tank: 10.4 Gallon (39.5L)

T6.180
Rated PTO HP - 125
ENGINE Rated Engine HP - 145
Engine Power Management (EPM)
Maximum Engine HP w/ EPM - 175
Rated Speed - 2200 RPM
411 cu. in. (6.7L) - 6 Cylinder
Fuel Tank: 59.0 Gallon (223.0L)
DEF Tank: 10.4 Gallon (39.5L)

ENGINE

Tier 4B Emissions Compliant
ECOBlue™ HI-eSCR Tier4B system
Engine with Turbocharger and
Air-to-Air Intercooler
4 Valves Per Cylinder
Bosch Common Rail Fuel Injection
Pump (electronic)
Power Management and Constant RPM
Power Boost in PTO & Transport Modes
Grid Heater Starting Aid
Engine Block Heater
Dual Element Air Filter with Pre-Cleaner
(spin tube intakes)
A-Pillar Exhaust with Integral Muffler
Viscous Fan (5 blade)
Hand Throttle

TRANSMISSION

Auto Command™ CVT with
column-mounted power shuttle
Command Grip™ multi-function controller
Infinite speed from 0 to 31 MPH
3 target speed selections
Infinite target speed thumb wheel
Three choice forward/reverse shuttle
controls
Right foot "go pedal"
31-MPH (50-KPH) (varies by tire size)
Transmission Heater



**T6 AUTO COMMAND - PREMIUM FAST PICK
 US PRICE LIST**

Standard Equipment

CAB

 High Roof w/ Opening Visibility Panel
 and Sunshade
 Flat Deck Platform with Integrated ROPS
 Standard Air Conditioner and Heater
 with 4-Speed Pressurizer and
 dual zone air conditioning
 Two doors with Locks
 Two-speed Intermittent Front
 Wiper/Washer
 Rear Intermittent Wiper/Washer
 Hinged Rear Window
 Tinted Glass with Sunshade
 Tilt and Telescoping Steering Wheel
 IntelliView™ IV disp. mtd. on arm rest
 Deluxe Leather Heated Low Frequench
 Air Suspension Seat with Operator
 Presence Switch, Lap Belt and Swivel
 Headrest
 Instructor Seat
 Deluxe radio
 Digital clock
 Integral ROPS
 Interior dome light
 (2) External courtesy lights
 (2) External telescopic remote
 adjustable, heated mirrors
 Horn
 Std steering wheel & floor mat
 ISOBUS connector

STEERING & BRAKES

 Hydrostatic power steering
 Hydraulic wet disc brakes
 (self-equalizing/self-adjusting)
 Parking brake (automotive style)

FRONT AXLE

 Front FWD (TerraLock™)
 Class 4 Suspended FWD axle
 55-degree turning angle
 Dual steering cylinders
 8-degree axle oscillation
 Adjustable tread width from 62.2 in. to
 92 in. (varies by tire size)
 Electrohydraulic FWD engagement
 TerraLock™ Auto FWD/Diff-Lock
 Driveshaft shield

REAR AXLE

 Heavy-duty flange axle
 Wet plate differential lock
 Electrohydraulic-engaged dif. lock

ELECTRICAL

 (1) 12-volt 1300 CCA battery
 150-amp alternator
 Geared starter motor (4.2 kW)
 7-pin outlet for implement lighting
 3-pin 40-amp implement socket
 ISO/JD (30 amp) socket
 15 amp screw-type +/- terminals
 Single pin (8 amp) accessory outlet
 Cigarette lighter
 (2) single-pin outlets for beacon on roof
 Battery boost terminals
 Battery Isolator
 ISOBUS Class 3 Basic Speed Control



**T6 AUTO COMMAND - PREMIUM FAST PICK
US PRICE LIST**

Standard Equipment

LIGHTS

WORK LIGHT SELECTION MUST BE
MADE. ENTRY LEVEL OPTION IS:
(4) Halogen front hood headlights
(2) LED front hood signature lights
(12) LED cab mounted work lights
 (8) LED high front & rear
 (4) LED mid-mount front & rear
(2) taillights

Front & Rear Flashing Cab Safety Lights
Time Delayed, Self-Cancelling Turn
Indicators with Audiable Warning

PTO

Independent 540/1000 RPM PTO with
 reversible shaft and flip-up shield
Multi-plate wet clutch design
Electrohydraulic-engagement with
 soft start/auto feathering
Hydraulic piston PTO brake w/override

HYDRAULIC SYSTEM

Closed-center load-sensing pump
Flow at 1,900 RPM: 33.5 gpm (127 l/m)
(4) electro-hydraulic rear remote valves
controlled in SideWinder II™ console
(fully programmable)
Oil collection bottles
Hydraulic tapping port (Power Beyond)
Independent pump for CVT and
 operating circuits

3-POINT LIFT SYSTEM

Electronic Draft Control (EDC)
Lower link sensing
Fast raise/lower control
Dynamic Ride Control™
Category II flex link ends
Telescopic stabilizers
9,214 lb. Lift Capacity (OECD)
 with Dual 80mm External Rams

MISCELLANEOUS

Flip-up engine hood
Swinging drawbar
SMV emblem
Toolbox
Monitor Mounting Bracket
Dynamic Front Fenders

WARRANTY

New Holland standard warranty applies



**T6 AUTO COMMAND - PREMIUM FAST PICK
 US PRICE LIST**

Models

| COMMERCIAL MODEL | Weight | Factory Data | List Price |
|--------------------------------------|------------|--------------|--------------|
| T6.145 AC CVT T4B | 15,245 LB | 9110299P42 | \$143,246.00 |
| Includes the following Equipment | | | |
| 380/85(14.9)R28R1W HD-MIFI (8241901) | \$2,686.00 | | |
| 460/85(18.4)R38 R1W-MIFITR (8328401) | \$5,592.00 | | |
| T6.165 AC CVT T4B | 15,245 LB | 9126055P16 | \$163,708.00 |
| Includes the following Equipment | | | |
| 380/85(14.9)R28R1W HD-MIFI (8241901) | \$2,686.00 | | |
| 460/85(18.4)R38 R1W-MIFITR (8328401) | \$5,592.00 | | |
| T6.175 AC CVT T4B | 15,245 LB | 9131307P33 | \$170,529.00 |
| Includes the following Equipment | | | |
| 380/85(14.9)R28R1W HD-MIFI (8241901) | \$2,686.00 | | |
| 460/85(18.4)R38 R1W-MIFITR (8328401) | \$5,592.00 | | |
| T6.180 AC CVT T4B | 15,245 LB | 9135669P38 | \$176,194.00 |
| Includes the following Equipment | | | |
| 380/85(14.9)R28R1W HD-MIFI (8241901) | \$2,686.00 | | |
| 460/85(18.4)R38 R1W-MIFITR (8328401) | \$5,592.00 | | |



**T6 AUTO COMMAND - PREMIUM FAST PICK
 US PRICE LIST**

Factory Supplied Options

| Order Code | Description | Weight | Factory Data | List Price |
|------------|-------------|--------|--------------|------------|
|------------|-------------|--------|--------------|------------|

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

| | | | | |
|---------|---|--|------------|-------------|
| X0472XX | NAR NH PCK A PREMIUM Premium Fastpick Package Includes: 758557: 150 AMP_Alternator 758402: Grid_Heater + 110V Pack 759130: Large Fuel Tank+Guard 758549: 50KPH ECO CVT 758428: Class 4 Susp + Brake Hyd Lock 743733: 4 Elect Hyd. Rear Remote Valve 758485: Deluxe Seat Air Susp Heated 758153: Monitor Mounting Bracket 758505 Front Fender 420mm Dynamic 758409 HD Battery w/Isolator | | 9011620P84 | \$15,092.00 |
|---------|---|--|------------|-------------|

REAR AXLE

SD_T3200 REAR AXLE

| | | | | |
|--------|--------------------------------|--|------------|------------|
| 758538 | HD 98" Bar Axles - Steel Wheel | | 9001146P53 | \$1,489.00 |
|--------|--------------------------------|--|------------|------------|

TIRES

BRAND CHOICE

SD_T4900 TIRE CATEGORY CHOICE

| | | | | |
|--------|-------------|--|------------|----------|
| 330446 | Firestone | | 9000431P20 | \$560.00 |
| 330439 | Continental | | 9000431P20 | \$560.00 |
| 330442 | Michelin | | 9000431P20 | \$560.00 |

FRONT WHEELS & TIRES

SD_T4940 FRONT WHEELS AND TIRES

| Class 4 FWD Axle | | | | |
|------------------|--|--|------------|------------|
| 8241901 | 380/85(14.9)R28R1W HD-MIFITRCO Requires 18.4 R38 | | 9002068P22 | \$2,686.00 |
| 8825501 | 480/65R28 R1W MI-CM Requires 600/65 R38 | | 9002346P96 | \$3,048.00 |



**T6 AUTO COMMAND - PREMIUM FAST PICK
 US PRICE LIST**

| | | | |
|---------|--|------------|------------|
| 8258704 | 380/85(14.9)R30 R1W MI-FI-CM Requires 18.4R42 R1W or 14.9R46 R1W | 9002483P25 | \$3,225.00 |
| 8801604 | 320/85R34 R1W Brands - MI Requires 320/90R50 R1W | 9002633P40 | \$3,420.00 |
| 8255904 | 420/85(16.9)R28 R1W MI-FI Requires 20.8R38 R1W or 18.4R42 R1W | 9002640P33 | \$3,429.00 |
| 8866501 | 400/80R28 Fixed CIs 4 Alliance Requires 480/80 R38 Municipality | 9002869P02 | \$3,726.00 |

REAR WHEELS & TIRES

SD_T4950 REAR WHEELS AND TIRES

| Flange and Bar - Steel | | | |
|------------------------|---|------------|------------|
| 8328401 | 460/85(18.4)R38 R1W-MIFITR Matching Front Tire - 14.9R28 R1W - 8241401 (Class 3 Axle) - 8241901 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims | 9004305P84 | \$5,592.00 |
| 8380404 | 520/85 (20.8) R38 R1W MI, TR Matching front tire is 8255904 - 16,9 R28 Compatible with 31 MPH (50 KPH) Adjustable Rims | 9005957P49 | \$7,737.00 |
| 8949401 | 600/65R38 R1W Fixd-FI,MI,CO,TR Matching Front Tire - 480/65R28 R1W - 8825501 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Requires: - 743707 (Full Cover Rear Fenders) Fixed Rims | 9006063P75 | \$7,875.00 |
| 8388404 | 460/85(18.4)R42R1W MI,F,T,C,A Matching Front Tire - 14.9R30 R1W - 8258704 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims | 9004672P36 | \$6,068.00 |
| 8963504 | 320/90R50 R1W MI Matching Front Tire - 320/85R34 R1W - 8801604 (Class 4 Axle) Adjustable Rims | 9004784P78 | \$6,214.00 |
| 8919401 | 480/80R38 Alliance Matching Front Tire - 400/80 R28 Municipality - 8866501 (Class 4 Axle)Fixed steel rims | 9005394P62 | \$7,006.00 |



**T6 AUTO COMMAND - PREMIUM FAST PICK
 US PRICE LIST**

HYDRAULICS

COMPLETE LOADER READY

SD_T8110 LOADER BRACKETS

Electro-Hydraulic Mid Mount

| | | | | | |
|--|--------|---|--|------------|-------------|
| | 758354 | Loader Ready + 3 EH MMV + Joy Complete Loader Ready Includes 3 slice electronic mid-mount valve (EMMV), horizontal and vertical two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the hydraulic multi-coupler and joystick. Includes predisposition for Complete Loader Ready (758622) Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price & Data Pages. | | 9008363P74 | \$10,862.00 |
|--|--------|---|--|------------|-------------|

AUTO GUIDANCE

AUTO GUIDANCE READY

SD_T6300 STEERING OR AUTOGUIDANCE READY

| | | | | | |
|--|--------|--|--|------------|------------|
| | 759186 | Variable Ratio Steer CUSTOMSTEER™ OPTION feature allows operators to turn fully from lock to lock with as little as one rotation of the steering wheel with precision control. You can choose a steering ratio preference from 1:1 to 1:4 for quicker maneuvering at the headland, reversing with trailers, or during repetitive loader work. | | 9002223P76 | \$2,888.00 |
| | 759185 | Autoguidance Ready Autoguidance Ready which includes: steering sensor, electronic steering valve, steering manifold, hoses, wiring harness, receiver mounting bracket, cabling, & hardware Note: -Requires CCLS hydraulics -Incompatible with SuperSteer front axle | | 9004095P63 | \$5,319.00 |



**T6 AUTO COMMAND - PREMIUM FAST PICK
 US PRICE LIST**

SD_T7630 AUTOGUIDANCE

| | | | | | |
|--|--------|--|--|------------|-------------|
| | 758803 | Full AG Nav GPS L1 Autoguidance Complete Includes Nav II controller and NH 372 receiver Requires Autoguidance ready, monitor mounting bracket with IntelliView IV monitor 758590 Activated to WAAS level accuracy (Level 1) | | 9011362P12 | \$14,756.00 |
| | 758804 | Full AG Nav GPS L2 Autoguidance - Complete Pack Autoguidance Complete Includes Nav II controller and NH 372 receiver Requires Autoguidance ready, monitor mounting bracket with IntelliView IV monitor 758590 Activated to OmniSTAR HP/G2/XP & CenterPoint RTX level accuracy (Level 2) | | 9013476P54 | \$17,502.00 |
| | 758871 | Autoguidance Lvl 3 RTK Modem Autoguidance Complete Includes Nav II controller, NH 372 receiver Requires Autoguidance ready, monitor mounting bracket with IntelliView IV monitor 758590 Activated to RTK level accuracy (Level 3) Requires either a RTK radio or modem not included | | 9015590P19 | \$20,247.00 |

WEIGHTS

FRONT WEIGHTS

SD_T2150 FRONT BALLAST

| | | | | | |
|--|--------|--|--|------------|------------|
| | 758562 | Weight Carrier w/Hook Weight carrier with tow hook - 199.3 lbs (90.4 kg) | | 9000200P97 | \$261.00 |
| | 758519 | Weight Pack B w/Hook Pack "B" includes weight rack - 199.3 lbs., 10 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 1207 lbs. (547 kg) Not compatible with front 3-PT hitch - 743699 and 743700 | | 9001353P66 | \$1,758.00 |
| | 758520 | Weight Pack C w/Hook Pack "C" includes weight rack - 199.3 lbs., 18 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 2000 lbs. (907 kg) Not compatible with front 3-PT hitch - 743699 and 743700 Not compatible with loader ready packages 758344,758351,758353,758354,758478 | | 9002206P05 | \$2,865.00 |



**T6 AUTO COMMAND - PREMIUM FAST PICK
 US PRICE LIST**

REAR WHEEL WEIGHTS

SD_T4960 WHEEL WEIGHTS

| | | | | | |
|--|--------|--|--|------------|------------|
| | 758564 | 6X65KG Wheel Weight Includes (6) 143 lbs. weights totalling 860 lbs. | | 9000922P46 | \$1,198.00 |
|--|--------|--|--|------------|------------|

CAB OPTION

CLIMATE CONTROL

SD_T9230 CLIMATE CONTROL

| | | | | | |
|--|--------|------------------------|--|------------|----------|
| | 758482 | Air Conditioning W/ATC | | 9000561P33 | \$729.00 |
|--|--------|------------------------|--|------------|----------|

LIGHTS

SD_T9146 ROTARY BEACON

| | | | | | |
|--|--------|--|--|------------|----------|
| | 758489 | Rotary Beacon Lefthand Side Single rotary beacon mounted on rear left side of tractor for increased safety and visibility | | 9000321P86 | \$418.00 |
| | 758491 | Twin Beacon Rotary beacons mounted on rear of the cab on both left and right side of tractor for maximum safety and visibility | | 9000643P72 | \$836.00 |

MISCELLANEOUS

FENDERS REAR

SD_T8700 FENDERS

| | | | | | |
|--|--------|------------|--|--|-----------|
| | 743707 | Full Cover | | | No Charge |
|--|--------|------------|--|--|-----------|

OPERATOR'S MANUALS

SD_T9802 OPERATORS MANUAL

| | | | | | |
|--|--------|-------------|--|--|-----------|
| | 758535 | Spanish NAR | | | No Charge |
| | 759101 | French NAR | | | No Charge |



**T6 AUTO COMMAND - LESS FAST PICK
 US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- Fuel efficient high torque 4.5L, 4-cylinder with power boost
 FPT engines with 4 valves per cylinder and common rail fuel injection systems
- Tier 4B EPA emissions compliant with SCR only ECOBlue™ HI-eSCR Tier4B emissions system
- Auto Command™ CVT high efficiency transmission
- Standard LED work lighting
- Easy attach remote outlets
- Long Stable 104" wheel base

MODELS

 T6.145
 Rated PTO HP - 95
 Rated Engine HP - 116
 Engine Power Management (EPM)
 Maximum Engine HP w/ EPM - 145
 Rated Speed - 2200 RPM
 274 cu. in. (4.5L) - 4 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

T6.165
 Rated PTO HP - 110
 Rated Engine HP - 135
 Engine Power Management (EPM)
 Maximum Engine HP w/ EPM - 169
 Rated Speed - 2200 RPM
 274 cu. in. (4.5L) - 4 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

T6.175
 Rated PTO HP - 120
 Rated Engine HP - 145
 Engine Power Management (EPM)
 Maximum Engine HP w/ EPM - 175
 Rated Speed - 2200 RPM
 274 cu. in. (4.5L) - 4 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

T6.180
 Rated PTO HP - 125
 ENGINE Rated Engine HP - 145
 Engine Power Management (EPM)
 Maximum Engine HP w/ EPM - 175
 Rated Speed - 2200 RPM
 411 cu. in. (6.7L) - 6 Cylinder
 Fuel Tank: 52.2 Gallon (197.5L)
 DEF Tank: 10.4 Gallon (39.5L)

ENGINE

 Tier 4B Emissions Compliant
 ECOBlue™ HI-eSCR Tier4B system
 Engine with Turbocharger and
 Air-to-Air Intercooler
 4 Valves Per Cylinder
 Bosch Common Rail Fuel Injection
 Pump (electronic)
 Power Management and Constant RPM
 Power Boost in PTO & Transport Modes
 Grid Heater Starting Aid
 Dual Element Air Filter with Pre-Cleaner
 (spin tube intakes)
 A-Pillar Exhaust with Integral Muffler
 Viscous Fan (5 blade)
 Hand Throttle

TRANSMISSION

 Auto Command™ CVT with
 column-mounted power shuttle
 Command Grip™ multi-function controller
 Infinite speed from 0 to 25 MPH
 (Opt.31 MPH / 50 KPH)
 3 target speed selections
 Infinite target speed thumb wheel
 Three choice forward/reverse shuttle
 controls
 Right foot "go pedal"
 25-MPH (40-KPH) (varies by tire size)



**T6 AUTO COMMAND - LESS FAST PICK
 US PRICE LIST**

Standard Equipment

CAB

 High Roof w/ Opening Visibility Panel
 and Sunshade
 Flat Deck Platform with Integrated ROPS
 Standard Air Conditioner and Heater
 with 4-Speed Pressurizer and
 dual zone air conditioning
 Two doors with Locks
 Two-speed Intermittent Front
 Wiper/Washer
 Rear Intermittent Wiper/Washer
 Hinged Rear Window
 Tinted Glass with Sunshade
 Tilt and Telescoping Steering Wheel
 IntelliView™ IV disp. mtd. on arm rest
 Deluxe Low Freqenuch Air Suspension
 Seat with Operator Presence Switch,
 Lap Belt and Swivel Headrest
 Instructor Seat
 Deluxe radio
 Digital clock
 Integral ROPS
 Interior dome light
 (2) External courtesy lights
 (2) External telescopic remote
 adjustable, heated mirrors
 Horn
 Std steering wheel & floor mat
 ISOBUS connector

STEERING & BRAKES

 Hydrostatic power steering
 Hydraulic wet disc brakes
 (self-equalizing/self-adjusting)
 Parking brake (automotive style)

FRONT AXLE

 Front FWD (TerraLock™)
 Class 4 heavy-duty FWD axle
 55-degree turning angle
 Dual steering cylinders
 8-degree axle oscillation
 Adjustable tread width from 62.2 in. to
 92 in. (varies by tire size)
 Electrohydraulic FWD engagement
 TerraLock™ Auto FWD/Diff-Lock
 Driveshaft shield

REAR AXLE

 Heavy-duty flange axle
 Wet plate differential lock
 Electrohydraulic-engaged dif. lock

ELECTRICAL

 (1) 12-volt 1300 CCA battery
 120-amp alternator
 Geared starter motor (4.2 kW)
 7-pin outlet for implement lighting
 3-pin 40-amp implement socket
 ISO/JD (30 amp) socket
 15 amp screw-type +/- terminals
 Single pin (8 amp) accessory outlet
 Cigarette lighter
 (2) single-pin outlets for beacon on roof
 Battery boost terminals
 ISOBUS Class 3 Basic Speed Control



**T6 AUTO COMMAND - LESS FAST PICK
US PRICE LIST**

Standard Equipment

LIGHTS

-
- WORK LIGHT SELECTION MUST BE
MADE. ENTRY LEVEL OPTION IS:
- (4) Halogen front hood headlights
 - (2) LED front hood signature lights
 - (12) LED cab mounted work lights
 - (8) LED high front & rear
 - (4) LED mid-mount front & rear
 - (2) taillights

Front & Rear Flashing Cab Safety Lights
Time Delayed, Self-Cancelling Turn
Indicators with Audiable Warning

PTO

-
- Independent 540/1000 RPM PTO with
reversible shaft and flip-up shield
 - Multi-plate wet clutch design
 - Electrohydraulic-engagement with
soft start/auto feathering
 - Hydraulic piston PTO brake w/override

HYDRAULIC SYSTEM

-
- Closed-center load-sensing pump
 - Flow at 1,900 RPM: 33.5 gpm (127 l/m)
 - (3) electro-hydraulic rear remote valves
controlled in SideWinder II™ console
(fully programmable)
 - Oil collection bottles
 - Hydraulic tapping port (Power Beyond)
 - Independent pump for CVT and
operating circuits

3-POINT LIFT SYSTEM

-
- Electronic Draft Control (EDC)
 - Lower link sensing
 - Fast raise/lower control
 - Dynamic Ride Control™
 - Category II flex link ends
 - Telescopic stabilizers
 - 9,214 lb. Lift Capacity (OECD)
with Dual 80mm External Rams

MISCELLANEOUS

-
- Flip-up engine hood
 - Swinging drawbar
 - SMV emblem
 - Toolbox

WARRANTY

New Holland standard warranty applies



**T6 AUTO COMMAND - LESS FAST PICK
 US PRICE LIST**

Models

| COMMERCIAL MODEL | Weight | Factory Data | List Price |
|--------------------------------------|-----------|--------------|--------------|
| T6.145 AC CVT T4B | 15,245 LB | 9110299P42 | \$143,246.00 |
| Includes the following Equipment | | | |
| 380/85(14.9)R28R1W HD-MIFI (8241901) | | \$2,686.00 | |
| 460/85(18.4)R38 R1W-MIFITR (8328401) | | \$5,592.00 | |
| T6.165 AC CVT T4B | 15,245 LB | 9126055P16 | \$163,708.00 |
| Includes the following Equipment | | | |
| 380/85(14.9)R28R1W HD-MIFI (8241901) | | \$2,686.00 | |
| 460/85(18.4)R38 R1W-MIFITR (8328401) | | \$5,592.00 | |
| T6.175 AC CVT T4B | 15,245 LB | 9131307P33 | \$170,529.00 |
| Includes the following Equipment | | | |
| 380/85(14.9)R28R1W HD-MIFI (8241901) | | \$2,686.00 | |
| 460/85(18.4)R38 R1W-MIFITR (8328401) | | \$5,592.00 | |
| T6.180 AC CVT T4B | 15,245 LB | 9135669P38 | \$176,194.00 |
| Includes the following Equipment | | | |
| 380/85(14.9)R28R1W HD-MIFI (8241901) | | \$2,686.00 | |
| 460/85(18.4)R38 R1W-MIFITR (8328401) | | \$5,592.00 | |



**T6 AUTO COMMAND - LESS FAST PICK
 US PRICE LIST**

Factory Supplied Options

| Order Code | Description | Weight | Factory Data | List Price |
|------------|-------------|--------|--------------|------------|
|------------|-------------|--------|--------------|------------|

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

| | | | | | |
|--|---------|----------------|--|--|-----------|
| | X0475XX | LESS PACKAGING | | | No Charge |
|--|---------|----------------|--|--|-----------|

CAB CONFIGURATION

SUSPENDED CAB

SD_T9200 OPERATOR STRUCTURE #1

| | | | | | |
|--|--------|--|--|------------|----------|
| | 758480 | Suspended Cab w/Heated Screens Cab Suspension with defrost elements on front and rear windows Requires 200 Amp alternator | | 9000390P39 | \$507.00 |
|--|--------|--|--|------------|----------|

ENGINE

ALTERNATOR SELECTION

SD_T1040 CHARGING SYSTEMS

| | | | | | |
|--|--------|---|--|------------|----------|
| | 758557 | 150 AMP_Alternator | | 9000119P35 | \$155.00 |
| | 758558 | 200 AMP_Alternator Required when ordering 758480 Suspended Cab w/Heated Screens | | 9000184P80 | \$240.00 |

COLD WEATHER AIDS

SD_T1938 WEATHER PACK

| | | | | | |
|--|--------|---|--|------------|----------|
| | 758402 | Grid_Heater + 110V Pack Grid heater and cold weather pack Includes engine block heater and transmission heater | | 9000311P85 | \$405.00 |
|--|--------|---|--|------------|----------|

FUEL TANK GUARD

SD_T1400 FUEL TANK

| | | | | | |
|--|--------|---|--|------------|----------|
| | 759130 | Large Fuel Tank+Guard Large fuel tank with guards Not compatible with 34" Rear Wheels 59 Gallon / 222 Liter compacity | | 9000180P95 | \$235.00 |
|--|--------|---|--|------------|----------|



**T6 AUTO COMMAND - LESS FAST PICK
 US PRICE LIST**

TRANSMISSION

SD_T2800 SPEED

| | | | | | |
|--|--------|---|--|------------|------------|
| | 758549 | 50KPH ECO CVT Requires suspended front axle 758427 or 758428 | | 9001085P70 | \$1,410.00 |
|--|--------|---|--|------------|------------|

FRONT AXLE

SD_T4010 FRONT AXLE

| | | | | | |
|-----------------------------|--------|---|--|------------|------------|
| Class 4 SuperSteer FWD Axle | | | | | |
| | 758429 | Class 4 SuperSteer L/Water -SuperSteer front axle with TerraLock traction management system. -Includes mult-plate differential lock. -Incompatible with Autoguidance | | 9003622P85 | \$4,705.00 |
| Class 4 Suspended FWD Axle | | | | | |
| | 758428 | Class 4 Susp + Brake Hyd Lock With TerraGlide suspended axle with TerraLock traction management system. Includes multi-plate differential and brakes. Incompatible with 34" rear wheels | | 9005853P54 | \$7,602.00 |

REAR AXLE

SD_T3200 REAR AXLE

| | | | | | |
|--|--------|--------------------------------|--|------------|------------|
| | 758538 | HD 98" Bar Axles - Steel Wheel | | 9001146P53 | \$1,489.00 |
|--|--------|--------------------------------|--|------------|------------|

TIRES

BRAND CHOICE

SD_T4900 TIRE CATEGORY CHOICE

| | | | | | |
|--|--------|-------------|--|------------|----------|
| | 330446 | Firestone | | 9000431P20 | \$560.00 |
| | 330439 | Continental | | 9000431P20 | \$560.00 |
| | 330442 | Michelin | | 9000431P20 | \$560.00 |

FRONT WHEELS & TIRES

SD_T4940 FRONT WHEELS AND TIRES

| | | | | | |
|------------------|---------|---|--|------------|------------|
| Class 4 | | | | | |
| | 8299906 | Front Shipping Wheels | | 9001131P13 | \$1,469.00 |
| Class 4 FWD Axle | | | | | |
| | 8241901 | 380/85(14.9)R28R1W HD-MIFITRCO Requires 18.4 R38 | | 9002068P22 | \$2,686.00 |



**T6 AUTO COMMAND - LESS FAST PICK
US PRICE LIST**

| | | | |
|---------|--|------------|------------|
| 8825501 | 480/65R28 R1W MI-CM Requires 600/65 R38 | 9002346P96 | \$3,048.00 |
| 8258704 | 380/85(14.9)R30 R1W MI-FI-CM Requires 18.4R42 R1W or 14.9R46 R1W | 9002483P25 | \$3,225.00 |
| 8801604 | 320/85R34 R1W Brands - MI Requires 320/90R50 R1W | 9002633P40 | \$3,420.00 |
| 8255904 | 420/85(16.9)R28 R1W MI-FI Requires 20.8R38 R1W or 18.4R42 R1W | 9002640P33 | \$3,429.00 |
| 8866501 | 400/80R28 Fixed CIs 4 Alliance Requires 480/80 R38 Municipality | 9002869P02 | \$3,726.00 |

REAR WHEELS & TIRES

SD_T4950 REAR WHEELS AND TIRES

| Flange and Bar - Steel | | | |
|------------------------|---|------------|------------|
| 8328401 | 460/85(18.4)R38 R1W-MIFITRCO Matching Front Tire - 14.9R28 R1W - 8241401 (Class 3 Axle) - 8241901 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims | 9004305P84 | \$5,592.00 |
| 8380404 | 520/85 (20.8) R38 R1W MI, TR Matching front tire is 8255904 - 16,9 R28 Compatible with 31 MPH (50 KPH) Adjustable Rims | 9005957P49 | \$7,737.00 |
| 8949401 | 600/65R38 R1W Fixd-FI,MI,CO,TR Matching Front Tire - 480/65R28 R1W - 8825501 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Requires: - 743707 (Full Cover Rear Fenders) Fixed Rims | 9006063P75 | \$7,875.00 |
| 8388404 | 460/85(18.4)R42R1W MI,F,T,C,A Matching Front Tire - 14.9R30 R1W - 8258704 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims | 9004672P36 | \$6,068.00 |
| 8963504 | 320/90R50 R1W MI Matching Front Tire - 320/85R34 R1W - 8801604 (Class 4 Axle) Adjustable Rims | 9004784P78 | \$6,214.00 |
| 8919401 | 480/80R38 Alliance Matching Front Tire - 400/80 R28 Municipality - 8866501 (Class 4 Axle)Fixed steel rims | 9005394P62 | \$7,006.00 |



**T6 AUTO COMMAND - LESS FAST PICK
 US PRICE LIST**

HYDRAULICS

REAR REMOTE VALVES

SD_T8270 REAR REMOTES

| | | | | | |
|--|--------|---|--|------------|------------|
| | 743686 | 3 Elect Hyd. Rear Remote Valve 3 electro-hydraulic rear remotes | | | No Charge |
| | 743733 | 4 Elect Hyd. Rear Remote Valve 4 electro-hydraulic rear remote valves | | 9000947P87 | \$1,231.00 |
| | 758359 | 4-Elec Rear Remotes F/ Pwr Byd 4 electro-hydraulic rear remotes for power beyond Requires 758542 power beyond plus low pressure return | | 9001543P85 | \$2,005.00 |

AUXILLARY FUNCTIONS

SD_T8275 POWER BEYOND COUPLE

| | | | | | |
|--|--------|---|--|------------|----------|
| | 758542 | Power Beyond + Low-Pressure Power beyond coupler and low pressure return Incompatible with 743733 4 electro-hydraulic rear remote option | | 9000592P13 | \$769.00 |
|--|--------|---|--|------------|----------|

COMPLETE LOADER READY

SD_T8110 LOADER BRACKETS

| | | | | | |
|-----------------------------|--------|---|--|------------|-------------|
| Electro-Hydraulic Mid Mount | | | | | |
| | 758353 | Loader Ready + 2 EH MMV + Joy Complete Loader Ready Includes 2 slice electronic mid-mount valve (EMMV), horizontal and verticle two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the multi-coupler and joystick. Includes predisposition for Complete Loader Ready (758622) Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price & Data Pages. | | 9007201P81 | \$9,353.00 |
| | 758354 | Loader Ready + 3 EH MMV + Joy Complete Loader Ready Includes 3 slice electronic mid-mount valve (EMMV), horizontal and vertical two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the hydraulic multi-coupler and joystick. Includes predisposition for Complete Loader Ready (758622) Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price & Data Pages. | | 9008363P74 | \$10,862.00 |



**T6 AUTO COMMAND - LESS FAST PICK
 US PRICE LIST**

| | | | | | | |
|-------------------|--|--------|--|--|------------|----------|
| Engine Side Rails | | | | | | |
| | | 758478 | Engine Side Rails Not for loader mounting. | | 9000749P21 | \$973.00 |

3-POINT HITCH

FRONT 3 POINT HITCH

| | | | | | | |
|----------------------------------|--|--------|---|--|------------|-------------|
| SD_T8100 FRONT THREE POINT HITCH | | | | | | |
| | | 759144 | Integrated FHPL 759144 Front Hitch for units with Standard or Suspended Front Axles Requires hoses (758473, 758474, 758475, 758544 or 758582) Incompatible with front weights Includes integrated tow hook | | 9005988P29 | \$7,777.00 |
| | | 759147 | Int FHPL+FPTO Front Hitch and PTO for units with standard or suspended Front Axle (ratio matches rear PTO) Requires Advanced Processor (758498), hoses (758473, 758474,758475, 758544 or 758582) Incompatible with front weights Includes integrated tow hook 1,000 RPM 6 spline counter clockwise rotation (looking at the PTO) Engine RPM's at 1895 Maximum power transmission: 87 HP @ 86 deg. F ambient/ 107 HP @ 32 deg F Ambient | | 9012759P67 | \$16,571.00 |

| | | | | | | |
|---------------------------|--|--------|--|--|------------|-----------|
| SD_T8300 HOSES FOR FHPL | | | | | | |
| Hoses less Front Couplers | | | | | | |
| | | 758474 | Hose pkg for frt hitch w/ ERV Front hitch hoses to connect front hitch to electro-hydraulic rear remotes | | | No Charge |
| | | 758475 | Hose pkg for frt hitch w/ MMV Front hitch hoses to connect front hitch to mid mount valve Incompatible with loader ready | | | No Charge |
| Hoses with Front Couplers | | | | | | |
| | | 758544 | Hse pkg frt hit w/MMV/frt coup Front couplers and hoses for front hitch to connect to mid mount valve Incompatible with loader ready | | 9000148P61 | \$193.00 |



**T6 AUTO COMMAND - LESS FAST PICK
 US PRICE LIST**

AUTO GUIDANCE

AUTO GUIDANCE READY

SD_T6300 STEERING OR AUTOGUIDANCE READY

| | | | | | |
|--|--------|--|--|------------|------------|
| | 759186 | Variable Ratio Steer CUSTOMSTEER™ OPTION feature allows operators to turn fully from lock to lock with as little as one rotation of the steering wheel with precision control. You can choose a steering ratio preference from 1:1 to 1:4 for quicker maneuvering at the headland, reversing with trailers, or during repetitive loader work. | | 9002223P76 | \$2,888.00 |
| | 759185 | Autoguidance Ready Autoguidance Ready which includes: steering sensor, electronic steering valve, steering manifold, hoses, wiring harness, receiver mounting bracket, cabling, & hardware Note: -Requires CCLS hydraulics -Incompatible with SuperSteer front axle | | 9004095P63 | \$5,319.00 |

SD_T7630 AUTOGUIDANCE

| | | | | | |
|--|--------|--|--|------------|-------------|
| | 758803 | Full AG Nav GPS L1 Autoguidance Complete Includes Nav II controller and NH 372 receiver Requires Autoguidance ready, monitor mounting bracket with IntelliView IV monitor 758590 Activated to WAAS level accuracy (Level 1) | | 9011362P12 | \$14,756.00 |
| | 758804 | Full AG Nav GPS L2 Autoguidance - Complete Pack Autoguidance Complete Includes Nav II controller and NH 372 receiver Requires Autoguidance ready, monitor mounting bracket with IntelliView IV monitor 758590 Activated to OmniSTAR HP/G2/XP & CenterPoint RTX level accuracy (Level 2) | | 9013476P54 | \$17,502.00 |
| | 758871 | Autoguidance Lvl 3 RTK Modem Autoguidance Complete Includes Nav II controller, NH 372 receiver Requires Autoguidance ready, monitor mounting bracket with IntelliView IV monitor 758590 Activated to RTK level accuracy (Level 3) Requires either a RTK radio or modem not included | | 9015590P19 | \$20,247.00 |



**T6 AUTO COMMAND - LESS FAST PICK
 US PRICE LIST**

WEIGHTS

FRONT WEIGHTS

SD_T2150 FRONT BALLAST

| | | | | | |
|--|--------|--|--|------------|------------|
| | 758562 | Weight Carrier w/Hook Weight carrier with tow hook - 199.3 lbs (90.4 kg) | | 9000200P97 | \$261.00 |
| | 758519 | Weight Pack B w/Hook Pack "B" includes weight rack - 199.3 lbs., 10 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 1207 lbs. (547 kg) Not compatible with front 3-PT hitch - 743699 and 743700 | | 9001353P66 | \$1,758.00 |
| | 758520 | Weight Pack C w/Hook Pack "C" includes weight rack - 199.3 lbs., 18 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 2000 lbs. (907 kg) Not compatible with front 3-PT hitch - 743699 and 743700 Not compatible with loader ready packages 758344,758351,758353,758354,758478 | | 9002206P05 | \$2,865.00 |

REAR WHEEL WEIGHTS

SD_T4960 WHEEL WEIGHTS

| | | | | | |
|--|--------|--|--|------------|------------|
| | 758564 | 6X65KG Wheel Weight Includes (6) 143 lbs. weights totalling 860 lbs. | | 9000922P46 | \$1,198.00 |
|--|--------|--|--|------------|------------|

CAB OPTION

CLIMATE CONTROL

SD_T9230 CLIMATE CONTROL

| | | | | | |
|--|--------|------------------------|--|------------|----------|
| | 758482 | Air Conditioning W/ATC | | 9000561P33 | \$729.00 |
|--|--------|------------------------|--|------------|----------|

SD_T9291 REAR WINDOW SUNSHADE

| | | | | | |
|--|--------|-----------------------|--|------------|----------|
| | 758580 | Sunshade, Rear Window | | 9000158P62 | \$206.00 |
|--|--------|-----------------------|--|------------|----------|

SEATS

SD_T8500 SEAT

| | | | | | |
|--|--------|---|--|------------|------------|
| | 758485 | Deluxe Seat Air Susp Heated Super Deluxe Seat with Low Frequency Suspension (+DDS) Belt and Swivel Headrest Heated Leather/Alcantara Seat swivel: 10 degrees left and 20 degrees right. | | 9001505P35 | \$1,955.00 |
|--|--------|---|--|------------|------------|



**T6 AUTO COMMAND - LESS FAST PICK
 US PRICE LIST**

LIGHTS

SD_T9130 WORK LAMPS

| | | | | | | |
|--|--|--------|--|--|------------|------------|
| | | 758596 | 16 LED High Power Hi-Roof A total of 16 Cab mounted LED work lights: 12 high cab-mounted; 6 front, 6 rear 4 mid-cab mounted; 2 front, 2 rear 16 LED work lights emitting 31,200 lumens | | 9001207P36 | \$1,568.00 |
|--|--|--------|--|--|------------|------------|

SD_T9146 ROTARY BEACON

| | | | | | | |
|--|--|--------|--|--|------------|----------|
| | | 758489 | Rotary Beacon Lefthand Side Single rotary beacon mounted on rear left side of tractor for increased safety and visibility | | 9000321P86 | \$418.00 |
| | | 758491 | Twin Beacon Rotary beacons mounted on rear of the cab on both left and right side of tractor for maximum safety and visibility | | 9000643P72 | \$836.00 |

MONITOR BRACKETS

SD_T9223 RH WINDOW BAR MOUNT

| | | | | | | |
|--|--|--------|---|--|------------|------------|
| | | 758153 | Monitor Mounting Bracket. Monitor mounting bracket | | 9000115P50 | \$150.00 |
| | | 758621 | 10" Color Touch Screen Display Monitor mounting bracket with IntelliView IV Requires ISOBUS socket 743795, 758561 or 758624 | | 9004485P25 | \$5,825.00 |

MISCELLANEOUS

FENDERS FRONT

SD_T8740 FRONT FENDERS

| | | | | | | |
|--|--|--------|--|--|------------|----------|
| | | 758505 | Front Fender 420mm Dynamic Dynamic front fenders 16.5 inches wide (420 mm) | | 9000605P22 | \$786.00 |
|--|--|--------|--|--|------------|----------|

FENDERS REAR

SD_T8700 FENDERS

| | | | | | | |
|--|--|--------|------------|--|------------|----------|
| | | 743707 | Full Cover | | 9000558P25 | \$725.00 |
|--|--|--------|------------|--|------------|----------|

RADAR

SD_T7580 RADAR

| | | | | | | |
|--|--|--------|-----------|--|------------|----------|
| | | 758501 | Radar NAR | | 9000629P86 | \$818.00 |
|--|--|--------|-----------|--|------------|----------|



**T6 AUTO COMMAND - LESS FAST PICK
 US PRICE LIST**

OTHER

SD_T7420 BATTERY

| | | | | | | |
|--|--|--------|--|--|------------|----------|
| | | 758409 | HD Battery W/Isolator 176AH Heavy duty battery with isolator | | 9000337P26 | \$438.00 |
|--|--|--------|--|--|------------|----------|

OPERATOR'S MANUALS

SD_T9802 OPERATORS MANUAL

| | | | | | | |
|--|--|--------|-------------|--|--|-----------|
| | | 758535 | Spanish NAR | | | No Charge |
| | | 759101 | French NAR | | | No Charge |



**T6 AUTO COMMAND - BLUE POWER EDITION
US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- Fuel efficient high torque 4.5L, 4-cylinder with power boost
FPT engines with 4 valves per cylinder and common rail fuel injection systems
- Tier 4B EPA emissions compliant with SCR only ECOBlue™ HI-eSCR Tier4B emissions system
- Auto Command™ CVT high efficiency transmission
- Standard LED work lighting
- Easy attach remote outlets
- Long Stable 104" wheel base

MODELS

T6.175
Rated PTO HP - 120
Rated Engine HP - 145
Engine Power Management (EPM)
Maximum Engine HP w/ EPM - 175
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

T6.180
Rated PTO HP - 125
ENGINE Rated Engine HP - 145
Engine Power Management (EPM)
Maximum Engine HP w/ EPM - 175
Rated Speed - 2200 RPM
411 cu. in. (6.7L) - 6 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

ENGINE

Tier 4B Emissions Compliant
ECOBlue™ HI-eSCR Tier4B system
Engine with Turbocharger and
Air-to-Air Intercooler
4 Valves Per Cylinder
Bosch Common Rail Fuel Injection
Pump (electronic)
Power Management and Constant RPM
Power Boost in PTO & Transport Modes
Grid Heater Starting Aid
Dual Element Air Filter with Pre-Cleaner
(spin tube intakes)
A-Pillar Exhaust with Integral Muffler
Viscous Fan (5 blade)
Hand Throttle

TRANSMISSION

Auto Command™ CVT with
column-mounted power shuttle
Command Grip™ multi-function controller
Infinite speed from 0 to 25 MPH
(Opt.31 MPH / 50 KPH)
3 target speed selections
Infinite target speed thumb wheel
Three choice forward/reverse shuttle
controls
Right foot "go pedal"
25-MPH (40-KPH) (varies by tire size)



**T6 AUTO COMMAND - BLUE POWER EDITION
US PRICE LIST**

Standard Equipment

CAB

 High Roof w/ Opening Visibility Panel
 and Sunshade
 Flat Deck Platform with Integrated ROPS
 Automatic Temperature Control
 with 4-Speed Pressurizer and
 dual zone air conditioning
 Two doors with Locks
 Two-speed Intermittent Front
 Wiper/Washer
 Rear Intermittent Wiper/Washer
 Hinged Rear Window
 Tinted Glass with Sunshade
 Leather Tilt and Telescoping Steering
 Wheel
 IntelliView™ IV disp. mtd. on arm rest
 Alcant Blue PowerAir Suspension Seat
 with Automatic Adjustment, Operator
 Presence Switch and Lap Belt
 Instructor Seat
 Deluxe radio
 Digital clock
 Integral ROPS
 Interior dome light
 (2) External courtesy lights
 (2) External telescopic remote
 adjustable, heated mirrors
 Horn
 Std steering wheel & floor mat
 ISOBUS connector

STEERING & BRAKES

 Hydrostatic power steering
 Hydraulic wet disc brakes
 (self-equalizing/self-adjusting)
 Parking brake (automotive style)

FRONT AXLE

 Front FWD (TerraLock™)
 Class 4 heavy-duty FWD axle
 55-degree turning angle
 Dual steering cylinders
 8-degree axle oscillation
 Adjustable tread width from 62.2 in. to
 92 in. (varies by tire size)
 Electrohydraulic FWD engagement
 TerraLock™ Auto FWD/Diff-Lock
 Driveshaft shield

REAR AXLE

 Heavy-duty flange axle
 Wet plate differential lock
 Electrohydraulic-engaged dif. lock

ELECTRICAL

 (1) 12-volt 1300 CCA battery
 200-amp alternator
 Geared starter motor (4.2 kW)
 7-pin outlet for implement lighting
 3-pin 40-amp implement socket
 ISO/JD (30 amp) socket
 15 amp screw-type +/- terminals
 Single pin (8 amp) accessory outlet
 Cigarette lighter
 (2) single-pin outlets for beacon on roof
 Battery boost terminals
 ISOBUS Class 3 Basic Speed Control



**T6 AUTO COMMAND - BLUE POWER EDITION
US PRICE LIST**

Standard Equipment

LIGHTS

WORK LIGHT SELECTION MUST BE
MADE. ENTRY LEVEL OPTION IS:
(4) Halogen front hood headlights
(2) LED front hood signature lights
(16) LED cab mounted work lights
 (12) LED high front & rear
 (4) LED mid-mount front & rear
(2) taillights

Front & Rear Flashing Cab Safety Lights
Time Delayed, Self-Cancelling Turn
Indicators with Audiable Warning

PTO

Independent 540/1000 RPM PTO with
reversible shaft and flip-up shield
Multi-plate wet clutch design
Electrohydraulic-engagement with
soft start/auto feathering
Hydraulic piston PTO brake w/override

HYDRAULIC SYSTEM

Closed-center load-sensing pump
Flow at 1,900 RPM: 33.5 gpm (127 l/m)
(3) electro-hydraulic rear remote valves
controlled in SideWinder II™ console
(fully programmable)
Oil collection bottles
Hydraulic tapping port (Power Beyond)
Independent pump for CVT and
operating circuits

3-POINT LIFT SYSTEM

Electronic Draft Control (EDC)
Lower link sensing
Fast raise/lower control
Dynamic Ride Control™
Category II flex link ends
Telescopic stabilizers
9,214 lb. Lift Capacity (OECD)
 with Dual 80mm External Rams

MISCELLANEOUS

Flip-up engine hood
Swinging drawbar
SMV emblem
Toolbox

WARRANTY

New Holland standard warranty applies



**T6 AUTO COMMAND - BLUE POWER EDITION
 US PRICE LIST**

Models

| COMMERCIAL MODEL | Weight | Factory Data | List Price |
|--------------------------------------|-----------|--------------|--------------|
| T6.175 AC CVT T4B | 15,245 LB | 9131307P33 | \$170,529.00 |
| Includes the following Equipment | | | |
| 380/85(14.9)R28R1W HD-MIFI (8241901) | | \$2,686.00 | |
| 460/85(18.4)R38 R1W-MIFITR (8328401) | | \$5,592.00 | |
| T6.180 AC CVT T4B | 15,245 LB | 9135669P38 | \$176,194.00 |
| Includes the following Equipment | | | |
| 380/85(14.9)R28R1W HD-MIFI (8241901) | | \$2,686.00 | |
| 460/85(18.4)R38 R1W-MIFITR (8328401) | | \$5,592.00 | |



**T6 AUTO COMMAND - BLUE POWER EDITION
 US PRICE LIST**

Factory Supplied Options

| Order Code | Description | Weight | Factory Data | List Price |
|------------|-------------|--------|--------------|------------|
|------------|-------------|--------|--------------|------------|

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

| | | | | |
|--|------------------------|--|--|-----------|
| | X0475XX LESS PACKAGING | | | No Charge |
|--|------------------------|--|--|-----------|

CAB CONFIGURATION

CAB ROOF/COLOR

SD_T9850 SPECIAL COLORS/PANELS

| | | | | |
|--|---|--|------------|------------|
| | 758320 BLUE POW. SPEC. ED. Blue Power Special Edition Available on T6.175 or T6.180 ONLY Includes: Distinct Midnight Blue Color with Silver Accents 759154 2 Tele/Heat/Rem/Adj Mirrors 759384 SDLX HTD Alcant Blue Power Seat 758596 16 LED High Power Lights 758482 Air Conditioning w/ATC 758483 Leather Steering Wheel & Carpet 758558 200 AMP Alternator | | 9007458P22 | \$9,686.00 |
|--|---|--|------------|------------|

SUSPENDED CAB

SD_T9200 OPERATOR STRUCTURE #1

| | | | | |
|--|---|--|------------|----------|
| | 758480 Suspended Cab w/Heated Screens Cab Suspension with defrost elements on front and rear windows Requires 200 Amp alternator | | 9000390P39 | \$507.00 |
|--|---|--|------------|----------|

ENGINE

COLD WEATHER AIDS

SD_T1938 WEATHER PACK

| | | | | |
|--|--|--|------------|----------|
| | 758402 Grid_Heater + 110V Pack Grid heater and cold weather pack Includes engine block heater and transmission heater | | 9000311P85 | \$405.00 |
|--|--|--|------------|----------|



**T6 AUTO COMMAND - BLUE POWER EDITION
 US PRICE LIST**

FUEL TANK GUARD

SD_T1400 FUEL TANK

| | | | | | | |
|--|--|--------|---|--|------------|----------|
| | | 759130 | Large Fuel Tank+Guard Large fuel tank with guards Not compatible with 34" Rear Wheels 59 Gallon / 222 Liter compacity | | 9000180P95 | \$235.00 |
|--|--|--------|---|--|------------|----------|

TRANSMISSION

SD_T2800 SPEED

| | | | | | | |
|--|--|--------|--|--|------------|------------|
| | | 758549 | 50KPH ECO CVT Requires suspended front axle 758427 or 758428 | | 9001085P70 | \$1,410.00 |
|--|--|--------|--|--|------------|------------|

FRONT AXLE

SD_T4010 FRONT AXLE

| | | | | | | |
|-----------------------------|--|--------|---|--|------------|------------|
| Class 4 SuperSteer FWD Axle | | | | | | |
| | | 758429 | Class 4 SuperSteer L/Water -SuperSteer front axle with TerraLock traction management system. -Includes mult-plate differential lock. -Incompatible with Autoguidance | | 9003622P85 | \$4,705.00 |
| Class 4 Suspended FWD Axle | | | | | | |
| | | 758428 | Class 4 Susp + Brake Hyd Lock With TerraGlide suspended axle with TerraLock traction management system. Includes multi-plate differential and brakes. Incompatible with 34" rear wheels | | 9005853P54 | \$7,602.00 |

REAR AXLE

SD_T3200 REAR AXLE

| | | | | | | |
|--|--|--------|--------------------------------|--|------------|------------|
| | | 758538 | HD 98" Bar Axles - Steel Wheel | | 9001146P53 | \$1,489.00 |
|--|--|--------|--------------------------------|--|------------|------------|

TIRES

BRAND CHOICE

SD_T4900 TIRE CATEGORY CHOICE

| | | | | | | |
|--|--|--------|----------|--|--|-----------|
| | | 330442 | Michelin | | | No Charge |
|--|--|--------|----------|--|--|-----------|



**T6 AUTO COMMAND - BLUE POWER EDITION
 US PRICE LIST**

FRONT WHEELS & TIRES

SD_T4940 FRONT WHEELS AND TIRES

| Class 4 FWD Axle | | | | | |
|------------------|---------|--|--|------------|------------|
| | 8241901 | 380/85(14.9)R28R1W HD-MIFITRCO Requires 18.4 R38 | | 9002068P22 | \$2,686.00 |
| | 8825501 | 480/65R28 R1W MI-CM Requires 600/65 R38 | | 9002346P96 | \$3,048.00 |
| | 8258704 | 380/85(14.9)R30 R1W MI-FI-CM Requires 18.4R42 R1W or 14.9R46 R1W | | 9002483P25 | \$3,225.00 |
| | 8801604 | 320/85R34 R1W Brands - MI Requires 320/90R50 R1W | | 9002633P40 | \$3,420.00 |
| | 8255904 | 420/85(16.9)R28 R1W MI-FI Requires 20.8R38 R1W or 18.4R42 R1W | | 9002640P33 | \$3,429.00 |

REAR WHEELS & TIRES

SD_T4950 REAR WHEELS AND TIRES

| Flange and Bar - Steel | | | | | |
|------------------------|---------|---|--|------------|------------|
| | 8328401 | 460/85(18.4)R38 R1W-MIFITRCO Matching Front Tire - 14.9R28 R1W - 8241401 (Class 3 Axle) - 8241901 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims | | 9004305P84 | \$5,592.00 |
| | 8380404 | 520/85 (20.8) R38 R1W MI, TR Matching front tire is 8255904 - 16,9 R28 Compatible with 31 MPH (50 KPH) Adjustable Rims | | 9005957P49 | \$7,737.00 |
| | 8949401 | 600/65R38 R1W Fixd-FI,MI,CO,TR Matching Front Tire - 480/65R28 R1W - 8825501 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Requires: - 743707 (Full Cover Rear Fenders) Fixed Rims | | 9006063P75 | \$7,875.00 |
| | 8388404 | 460/85(18.4)R42R1W MI,F,T,C,A Matching Front Tire - 14.9R30 R1W - 8258704 (Class 4 Axle) Compatible with 31 MPH (50 KPH) Adjustable Rims | | 9004672P36 | \$6,068.00 |
| | 8963504 | 320/90R50 R1W MI Matching Front Tire - 320/85R34 R1W - 8801604 (Class 4 Axle) Adjustable Rims | | 9004784P78 | \$6,214.00 |



**T6 AUTO COMMAND - BLUE POWER EDITION
 US PRICE LIST**

HYDRAULICS

REAR REMOTE VALVES

SD_T8270 REAR REMOTES

| | | | | | |
|--|--------|--|--|------------|------------|
| | 743686 | 3 Elect Hyd. Rear Remote Valve 3 electro-hydraulic rear remotes | | | No Charge |
| | 743733 | 4 Elect Hyd. Rear Remote Valve 4 electro-hydraulic rear remote valves | | 9000947P87 | \$1,231.00 |
| | 758359 | 4-Elec Rear Remotes F/ Pwr Byd 4 electro-hydraulic rear remotes for power beyond Requires 758542 power beyond plus low pressure return | | 9001543P85 | \$2,005.00 |

AUXILLARY FUNCTIONS

SD_T8275 POWER BEYOND COUPLE

| | | | | | |
|--|--------|--|--|------------|----------|
| | 758542 | Power Beyond + Low-Pressure Power beyond coupler and low pressure return Incompatible with 743733 4 electro-hydraulic rear remote option | | 9000592P13 | \$769.00 |
|--|--------|--|--|------------|----------|

COMPLETE LOADER READY

SD_T8110 LOADER BRACKETS

| | | | | | |
|-----------------------------|--------|---|--|------------|-------------|
| Electro-Hydraulic Mid Mount | | | | | |
| | 758353 | Loader Ready + 2 EH MMV + Joy Complete Loader Ready Includes 2 slice electronic mid-mount valve (EMMV), horizontal and verticle two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the multi-coupler and joystick. Includes predisposition for Complete Loader Ready (758622) Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price & Data Pages. | | 9007201P81 | \$9,353.00 |
| | 758354 | Loader Ready + 3 EH MMV + Joy Complete Loader Ready Includes 3 slice electronic mid-mount valve (EMMV), horizontal and vertical two piece system (TPS) mounting brackets, grill guard, hydraulic plumbing, tractor half of the hydraulic multi-coupler and joystick. Includes predisposition for Complete Loader Ready (758622) Does not include front end loader frame, buckets or loader attachments. Order a front end loader from the 805TL Series Front End Loader Price & Data Pages. | | 9008363P74 | \$10,862.00 |



**T6 AUTO COMMAND - BLUE POWER EDITION
 US PRICE LIST**

| | | | | | | |
|-------------------|--|--------|--|--|------------|----------|
| Engine Side Rails | | | | | | |
| | | 758478 | Engine Side Rails Not for loader mounting. | | 9000749P21 | \$973.00 |

3-POINT HITCH

FRONT 3 POINT HITCH

| | | | | | | |
|----------------------------------|--|--------|---|--|------------|-------------|
| SD_T8100 FRONT THREE POINT HITCH | | | | | | |
| | | 759144 | Integrated FHPL 759144 Front Hitch for units with Standard or Suspended Front Axles Requires hoses (758473, 758474, 758475, 758544 or 758582) Incompatible with front weights Includes integrated tow hook | | 9005988P29 | \$7,777.00 |
| | | 759147 | Int FHPL+FPTO Front Hitch and PTO for units with standard or suspended Front Axle (ratio matches rear PTO) Requires Advanced Processor (758498), hoses (758473, 758474,758475, 758544 or 758582) Incompatible with front weights Includes integrated tow hook 1,000 RPM 6 spline counter clockwise rotation (looking at the PTO) Engine RPM's at 1895 Maximum power transmission: 87 HP @ 86 deg. F ambient/ 107 HP @ 32 deg F Ambient | | 9012759P67 | \$16,571.00 |

| | | | | | | |
|---------------------------|--|--------|--|--|------------|-----------|
| SD_T8300 HOSES FOR FHPL | | | | | | |
| Hoses less Front Couplers | | | | | | |
| | | 758474 | Hose pkg for frt hitch w/ ERV Front hitch hoses to connect front hitch to electro-hydraulic rear remotes | | | No Charge |
| | | 758475 | Hose pkg for frt hitch w/ MMV Front hitch hoses to connect front hitch to mid mount valve Incompatible with loader ready | | | No Charge |
| Hoses with Front Couplers | | | | | | |
| | | 758544 | Hse pkg frt hit w/MMV/frt coup Front couplers and hoses for front hitch to connect to mid mount valve Incompatible with loader ready | | 9000148P61 | \$193.00 |



**T6 AUTO COMMAND - BLUE POWER EDITION
 US PRICE LIST**

AUTO GUIDANCE

AUTO GUIDANCE READY

SD_T6300 STEERING OR AUTOGUIDANCE READY

| | | | | | |
|--|--------|--|--|------------|------------|
| | 759186 | Variable Ratio Steer CUSTOMSTEER™ OPTION feature allows operators to turn fully from lock to lock with as little as one rotation of the steering wheel with precision control. You can choose a steering ratio preference from 1:1 to 1:4 for quicker maneuvering at the headland, reversing with trailers, or during repetitive loader work. | | 9002223P76 | \$2,888.00 |
| | 759185 | Autoguidance Ready Autoguidance Ready which includes: steering sensor, electronic steering valve, steering manifold, hoses, wiring harness, receiver mounting bracket, cabling, & hardware Note: -Requires CCLS hydraulics -Incompatible with SuperSteer front axle | | 9004095P63 | \$5,319.00 |

SD_T7630 AUTOGUIDANCE

| | | | | | |
|--|--------|--|--|------------|-------------|
| | 758803 | Full AG Nav GPS L1 Autoguidance Complete Includes Nav II controller and NH 372 receiver Requires Autoguidance ready, monitor mounting bracket with IntelliView IV monitor 758590 Activated to WAAS level accuracy (Level 1) | | 9011362P12 | \$14,756.00 |
| | 758804 | Full AG Nav GPS L2 Autoguidance - Complete Pack Autoguidance Complete Includes Nav II controller and NH 372 receiver Requires Autoguidance ready, monitor mounting bracket with IntelliView IV monitor 758590 Activated to OmniSTAR HP/G2/XP & CenterPoint RTX level accuracy (Level 2) | | 9013476P54 | \$17,502.00 |
| | 758871 | Autoguidance Lvl 3 RTK Modem Autoguidance Complete Includes Nav II controller, NH 372 receiver Requires Autoguidance ready, monitor mounting bracket with IntelliView IV monitor 758590 Activated to RTK level accuracy (Level 3) Requires either a RTK radio or modem not included | | 9015590P19 | \$20,247.00 |



**T6 AUTO COMMAND - BLUE POWER EDITION
 US PRICE LIST**

WEIGHTS

FRONT WEIGHTS

SD_T2150 FRONT BALLAST

| | | | | | |
|--|--------|--|--|------------|------------|
| | 758562 | Weight Carrier w/Hook Weight carrier with tow hook - 199.3 lbs (90.4 kg) | | 9000200P97 | \$261.00 |
| | 758519 | Weight Pack B w/Hook Pack "B" includes weight rack - 199.3 lbs., 10 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 1207 lbs. (547 kg) Not compatible with front 3-PT hitch - 743699 and 743700 | | 9001353P66 | \$1,758.00 |
| | 758520 | Weight Pack C w/Hook Pack "C" includes weight rack - 199.3 lbs., 18 99.2 lbs. weights, plus the tow hook - 15.4 lbs., total weight is 2000 lbs. (907 kg) Not compatible with front 3-PT hitch - 743699 and 743700 Not compatible with loader ready packages 758344,758351,758353,758354,758478 | | 9002206P05 | \$2,865.00 |

REAR WHEEL WEIGHTS

SD_T4960 WHEEL WEIGHTS

| | | | | | |
|--|--------|--|--|------------|------------|
| | 758564 | 6X65KG Wheel Weight Includes (6) 143 lbs. weights totalling 860 lbs. | | 9000922P46 | \$1,198.00 |
|--|--------|--|--|------------|------------|

CAB OPTION

CLIMATE CONTROL

SD_T9291 REAR WINDOW SUNSHADE

| | | | | | |
|--|--------|-----------------------|--|------------|----------|
| | 758580 | Sunshade, Rear Window | | 9000158P62 | \$206.00 |
|--|--------|-----------------------|--|------------|----------|

LIGHTS

SD_T9146 ROTARY BEACON

| | | | | | |
|--|--------|--|--|------------|----------|
| | 758489 | Rotary Beacon Lefthand Side Single rotary beacon mounted on rear left side of tractor for increased safety and visibility | | 9000321P86 | \$418.00 |
| | 758491 | Twin Beacon Rotary beacons mounted on rear of the cab on both left and right side of tractor for maximum safety and visibility | | 9000643P72 | \$836.00 |



**T6 AUTO COMMAND - BLUE POWER EDITION
 US PRICE LIST**

MONITOR BRACKETS

SD_T9223 RH WINDOW BAR MOUNT

| | | | | | |
|--|--------|---|--|------------|------------|
| | 758153 | Monitor Mounting Bracket. Monitor mounting bracket | | 9000115P50 | \$150.00 |
| | 758621 | 10" Color Touch Screen Display Monitor mounting bracket with IntelliView IV Requires ISOBUS socket 743795, 758561 or 758624 | | 9004485P25 | \$5,825.00 |

MISCELLANEOUS

FENDERS FRONT

SD_T8740 FRONT FENDERS

| | | | | | |
|--|--------|--|--|------------|----------|
| | 758505 | Front Fender 420mm Dynamic Dynamic front fenders 16.5 inches wide (420 mm) | | 9000605P22 | \$786.00 |
|--|--------|--|--|------------|----------|

FENDERS REAR

SD_T8700 FENDERS

| | | | | | |
|--|--------|------------|--|------------|----------|
| | 743707 | Full Cover | | 9000558P25 | \$725.00 |
|--|--------|------------|--|------------|----------|

RADAR

SD_T7580 RADAR

| | | | | | |
|--|--------|-----------|--|------------|----------|
| | 758501 | Radar NAR | | 9000629P86 | \$818.00 |
|--|--------|-----------|--|------------|----------|

OTHER


SD_T7420 BATTERY

| | | | | | |
|--|--------|--|--|------------|----------|
| | 758409 | HD Battery W/Isolator 176AH Heavy duty battery with isolator | | 9000337P26 | \$438.00 |
|--|--------|--|--|------------|----------|

OPERATOR'S MANUALS

SD_T9802 OPERATORS MANUAL

| | | | | | |
|--|--------|-------------|--|--|-----------|
| | 758535 | Spanish NAR | | | No Charge |
| | 759101 | French NAR | | | No Charge |

|  <h1 style="text-align: center;">T6 Tier 4B Tire Chart</h1> | | | | | | | | | | | | 330438 - No brand | 330442 - Michelin Brand | 330446 - Firestone Brand | 330439 - Continental/Mitas Brand | 330457 - Vredestein Brand |
|---|-----------|-------------------|------------|---------|---------|--|-----------|-------------------|------------|---------|--------------|-------------------|-------------------------|--------------------------|----------------------------------|---------------------------|
| Rear Tires - Family T4950 | | | | | | Front Tires - Family T4940 | | | | | | HD 2WD | | | | |
| Tire Size | Pattern | Metric Equivalent | Rim Type | Variant | Notes | Tire Size | Pattern | Metric Equivalent | Type | Class 3 | Class 4(3.5) | Goodyear | | | | |
| REAR FLANGE OR BAR AXLE - STEEL | | | | | | Not compatible with 98 in. bar axle for Cast Wheels (758434) | | | | | | | | | | |
| 18.4R34 | R1W | 460/85R34 | Adjustable | 8365401 | | 14.9R24 | R1W | 380/85R24 | Adjustable | 8240402 | - | 11:00-16 F2 | 8138401 | | | |
| 18.4R38 | R1W | 460/85R38 | Adjustable | 8328401 | 50K | 14.9R28 | R1W | 380/85R28 | Adjustable | 8241401 | 8241901 | " | " | | | |
| 480/80R38 | Municipal | | Fixed | 8919401 | 50K | 440/80R24 | Municipal | | Fixed | 8847401 | 8803501 | " | " | | | |
| 20.8R38 | R1W | 520/85R38 | Adjustable | 8380404 | 50K,FCF | 16.9R28 | R1W | 420/85R28 | Adjustable | 8255404 | 8255904 | " | " | | | |
| 520/70R38 | R1W | | Fixed | 8975401 | 50K,FCF | 420/70R28 | R1W | | Fixed | - | 8852501 | " | " | | | |
| | | | | | | | | | Adjustable | 8801301 | - | " | " | | | |
| 650/60R38 | R1W | | Fixed | 8907501 | 50K,FCF | 520/60R28 | R1W | | Fixed | 8801401 | 8801601 | " | " | | | |
| | | | | | | | | | Adjustable | 8801301 | - | " | " | | | |
| 650/60R38 | R1W | | Adjustable | 8907601 | 50K,FCF | 520/60R28 | R1W | | Fixed | 8801401 | 8801601 | " | " | | | |
| 600/65R38 | R1W | | Fixed | 8949401 | 50K,FCF | 480/65R28 | R1W | | Fixed | - | 8825501 | " | " | | | |
| 650/65R38 | R1W | | Fixed | 8998401 | 50K,FCF | 540/65R28 | R1W | | Fixed | 8858401 | 8858501 | " | " | | | |
| 18.4R42 | R1W | 460/85R46 | Adjustable | 8388404 | 50K | 14.9R30 | R1W | 380/85R30 | Adjustable | 8258404 | 8258704 | " | " | | | |
| 14.9R46 | R1W | 380/85R46 | Adjustable | 8370404 | | 14.9R30 | R1W | 380/85R30 | Adjustable | 8258404 | 8258704 | " | " | | | |
| 320/90R50 | R1W | | Adjustable | 8963504 | | 320/85R34 | R1W | | Adjustable | 8859604 | 8801604 | " | " | | | |
| REAR BAR - CAST | | | | | | Requires 98 in. bar axle for Cast Wheels | | | | | | | | | | |
| 18.4R38 | R1W | 460/85R38 | Adjustable | 8334406 | 50K | 14.9R28 | R1W | 380/85R28 | Adjustable | 8241401 | 8241901 | " | " | | | |
| 18.4R42 | R1W | 460/85R42 | Adjustable | 8384406 | 50K | 16.9R28 | R1W | 420/85R28 | Adjustable | 8255404 | 8255904 | " | " | | | |
| 18.4R42 | R1W | 460/85R42 | Adjustable | 8384406 | 50K | 14.9R30 | R1W | 380/85R30 | Adjustable | 8258404 | 8258704 | " | " | | | |
| SHIPPING WHEELS | | | | | | Requires 98 in. bar axle for Cast Wheels | | | | | | | | | | |
| Rear | Shipping | 12.4X32 | | 8399906 | 50K | Front | Shipping | 11.2X24 | | 8299905 | 8299906 | Front Shipping | N/A | | | |
| NOTES: 50K Suitable for 31 MPH (50KPH) FCF Requires Full Cover Rear Fenders If no tire brand preference is selected orders may receive any of the 4 tire brands | | | | | | | | | | | | | | | | |

Special Paint Color Information

Customer demand may require special color paint. New Holland can supply many of the standard colors that are listed in the Classic RAL System on the exterior of T6 Series Tractors. The Special Paint service is aimed at meeting the requirement by operations such as highway maintenance agencies, airport authorities, etc. for a tractor painted in a nonstandard color. This process delivers to the customer a professionally painted tractor with no requirement for a dealer to strip down and paint the tractor locally.

The Process:

The New Holland Territory Business Manager (TBM) must be involved to authorize the color choice and coordinate contact with the order management team.

1. TBM approval of RAL color
2. The tractor retail order* is placed including the Special Paint Color order as listed in options in the Price & Data pages.
3. The Special Paint order code flags order management and the plant of the request for special paint
4. The RAL paint color is communicated to order management to go along with the retail tractor order
5. Order management then contacts the manufacturing plant to gain authorization
6. The tractor with special paint is scheduled into production**

Please determine the RAL System color number your customer requests (example Omaha Orange = RAL 2005). Please visit www.ralcolor.com or <https://www.ral-farben.de/info-ral-classic.html?&L=1> for more information on RAL colors.

The Special Paint Color order codes are offered in two levels of special paint inclusion:

1. Hood, roof, rear fenders
2. Chassis, wheels, hood, roof, fenders

See the Price & Data pages for order codes and other details

More information:

Any replacement panels for special color tractors do have to be sourced locally. Unlike Blue Power parts, they will not be available through the CNH parts system.

*New Holland will only accept retail sales orders for tractors with special paint colors and we reserve the right to refuse to paint tractors in colors deemed inappropriate (example: competitor paint schemes).

**Tractors with special color paint schemes may require additional lead times.

Once a tractor order is submitted with a special color paint request, the tractor order cannot be changed to another color.

| Service Parts Supplied Dealer Installed Accessories (DIA's) | | T6 Electro Command™ (EC) Semi-power shift -T1GU | | | | | T6 Auto Command™ (AC) CVT - T1HU | | |
|--|-------------|---|------------|------------|------------|------------|----------------------------------|------------|------------|
| | | T6.145 SPS | T6.155 SPS | T6.165 SPS | T6.165 SPS | T6.180 SPS | T6.145 CVT | T6.165 CVT | T6.175 CVT |
| DIA Description | Part Number | | | | | | | | |
| ENGINE & STARTING SYSTEM | | | | | | | | | |
| Grid Heater 4cyl 4v (recommended for climates -10 to -18C) | 718203024 | X | X | X | X | | X | X | X |
| Grid Heater 6cyl 4v (recommended for climates -10 to -18C) | 718203104 | | | | | X | | | |
| Cold Weather Pack (Block and Trans Heater 110V) | 710206144 | X | X | X | X | X | X | X | X |
| Cold Weather Pack (Block and Trans Heater 240V) | 719106114 | X | X | X | X | X | X | X | X |
| Fuel Heater (req grid heater to be fitted to provide power supply) | 718204044 | X | X | X | X | X | X | X | X |
| Fuel Cooler (6cyl) | 719831034 | | | | | X | | | |
| Fuel Cooler (4cyl) | 719831044 | X | X | X | X | | X | X | X |
| Engine side rails 4 and 6 Cyl | 710245124 | X | X | X | X | X | X | X | X |
| Lockable DEF and Fuel Cap | 718221014 | X | X | X | X | X | X | X | X |
| CREEPER TRANSMISSION | | | | | | | | | |
| Creeper Speed for 16x16 Semi-power shift | 718100014 | X | X | X | X | X | | | |
| REAR HYD. REMOTE VALVES - CLOSED CENTER - MECHANICAL - CONFIG/NON-CONFIG MIX DETENTS | | | | | | | | | |
| Additional Rear Remote valve (from 2 to 3) | 718715084 | X | X | X | X | X | | | |
| Additional Rear Remote valve (from 3 to 4) | 710020054 | X | X | X | X | X | X | X | X |
| REAR HYD. REMOTE VALVES - CLOSED CENTER - ELECTRO-HYDRAULIC- CONFIGURABLE DETENTS | | | | | | | | | |
| EH Remote slice 3 to 4 GARU -NH EHS 1 | 719411144 | | | | | | X | X | X |
| EH Remote slice 3 to 4 (MTA 1 architecture) EHS 1 | 719411164 | X | X | X | X | X | | | |
| DETENT KITS FOR NON-CONFIGURABLE RCV SLICES | | | | | | | | | |
| Permanent detent kit for single RCV spool (Closed center valves) | 710362024 | X | X | X | X | X | X | X | X |
| Zero detent kit for single RCV spool (Closed center valves) | 718362024 | X | X | X | X | X | X | X | X |
| Zero detent kit (plus float) for single RCV spool (Closed center valves) | 719362024 | X | X | X | X | X | X | X | X |
| Hydraulic Free flow return pipe kit | 719979034 | X | X | X | X | X | X | X | X |
| Hydraulic Power Beyond Slice with Flat face couplers | 719143014 | X | X | X | X | X | X | X | X |
| MID MOUNT HYDRAULIC VALVE KITS | | | | | | | | | |
| Electronic Mid Mount valve kit (1 slice) - joystick not included | 718223014 | X | X | X | X | X | X | X | X |
| Electronic Mid Mount valve kit (2 slice) - joystick not included | 719763094 | X | X | X | X | X | X | X | X |
| Electronic Mid Mount valve kit (3 slice) - joystick not included | 718229014 | X | X | X | X | X | X | X | X |
| Note if tractor is not already fitted with a joystick this will need to be ordered to operate the mid mount valve. | | | | | | | | | |
| REAR 3-POINT LINKAGE | | | | | | | | | |
| Hydraulic Adjust Top Link | 719790034 | X | X | X | X | X | X | X | X |
| Hydraulic Adjust Adj. RH lift link | 718485034 | X | X | X | X | X | X | X | X |
| FRONT 3-POINT HITCH & PTO | | | | | | | | | |
| Front PTO, 6 spline NH - not suitable for integrated Front 3-point hitch | 718041054 | X | X | X | X | X | X | X | X |
| Front PTO 6 spline for Integrated Front 3-point hitch | 719098114 | X | X | X | X | X | X | X | X |
| 2 ftr mtd (LHS) hyd couplers operated from 1 Mid RCV for integrated F. 3-point hitch | 718036024 | X | X | X | X | X | X | X | X |
| FRONT TOW HOOK & FRONT WEIGHTS | | | | | | | | | |
| Supersteer carrier less weights less tow hook | 710022014 | X | X | X | X | X | X | X | X |
| Standard steer carrier less weights less tow hook NH | 710023014 | X | X | X | X | X | X | X | X |
| Pack of 45 kg front end weights & attaching hardware - NH = 10 | 719065034 | X | X | X | X | X | X | X | X |
| 2205 lbs (1000 kg) front end weight & attaching hardware NH | 710061024 | X | X | X | X | X | X | X | X |
| FRONT FENDERS | | | | | | | | | |
| F Fender 420 Dynamic | 718510024 | X | X | X | X | X | X | X | X |
| F Fender 480 Dynamic | 718511024 | X | X | X | X | X | X | X | X |
| F Fender 540 Dynamic | 718775024 | X | X | X | X | X | X | X | X |

| Service Parts Supplied Dealer Installed Accessories (DIA's) continued | | T6 Electro Command™ (EC) Semi-power shift -T1GU | | | | | T6 Auto Command™ (AC) CVT - T1HU | | |
|--|-------------|---|------------|------------|------------|------------|----------------------------------|------------|------------|
| | | T6.145 SPS | T6.155 SPS | T6.165 SPS | T6.165 SPS | T6.180 SPS | T6.145 CVT | T6.165 CVT | T6.175 CVT |
| DIA Description | Part Number | | | | | | | | |
| REAR FENDERS | | | | | | | | | |
| Rear Fender extensions for Full cover fenders 75 mm | 718293014 | X | X | X | X | X | X | X | X |
| Rear Fender extensions for Full cover fenders 150 mm | 718601014 | X | X | X | X | X | X | X | X |
| CAB & PLATFORM | | | | | | | | | |
| Telescopic arms for Rear view Mirror (conversion kit - does not contain mirrors) | 718794014 | X | X | X | X | X | X | X | X |
| Wide view internal mirror | 719876014 | X | X | X | X | X | X | X | X |
| Carbon Filters & Pressure Gauge (high roof only) | 710577014 | X | X | X | X | X | X | X | X |
| Sunshade for rear window | 719570014 | X | X | X | X | X | X | X | X |
| LH rear cab storage box NH | 718577054 | X | X | X | X | X | X | X | X |
| INSTRUCTOR SEATS | | | | | | | | | |
| Instructional Seat with belt BASE MATERIAL(Includes warning decal for NAR) NH | 710036104 | X | X | X | X | X | X | X | X |
| Instruction seat with belt (NEW FABRIC – NH) (Includes warning decal for NAR) | 718248014 | X | X | X | X | X | X | X | X |
| WORKLIGHTS / HEADLIGHTS | | | | | | | | | |
| Front headlights kit for top of sidelights LH dip NH | 710177064 | X | X | X | X | X | X | X | X |
| Front headlights kit for top of sidelights RH dip NH | 718177064 | X | X | X | X | X | X | X | X |
| 2 x additional work light for under side lights NH | 710768084 | X | X | X | X | X | X | X | X |
| INSTRUMENTS & PERFORMANCE MONITORS | | | | | | | | | |
| Bracket for mounting equipment monitors ('baler bar') | 710686024 | X | X | X | X | X | X | X | X |
| Mounting bracket and harness for mounting IntelliView™ (includes 'baler bar' mounting bracket and harness--does not include screen) | 719343014 | X | X | X | X | X | X | X | X |
| TECU for use with tractors already fitted with ISOBUS virtual terminal and Socket. This is an additional module that allows tractor information to be used by an implement connected to the ISOBUS socket. The functionality is to ISOBUS Class 1 Tractor Basic Information and includes: <ul style="list-style-type: none"> • Wheel based speed and ground based speed • Rear hitch position and 'in work' indication • Engine RPM • PTO RPM • PTO engaged indication • Implement power control • Equivalent message of trailer lighting socket (indicators, brake lights etc) • Selected language | 710059014 | X | X | X | X | X | X | X | X |
| ELECTRICAL SOCKETS | | | | | | | | | |
| 30A implement socket front of cab (inside) | 719774034 | X | X | X | X | X | X | X | X |
| IntelliSteer™ AUTOGUIDANCE | | | | | | | | | |
| DIA Fitment of Autoguidance system AC CVT w/Class 3 front axle (includes steering system, roof bracket, and wiring harness) requires addition of Navcom and receiver to have a full working kit. (<i>Finishing Kit</i>) | 718083024 | | | | | | X | X | X |
| DIA Fitment of Autoguidance system AC CVT w/Class 4 front axle (includes steering system, roof bracket, and wiring harness) requires addition of Navcom and receiver to have a full working kit. (<i>Finishing Kit</i>) | 718084024 | | | | | | X | X | X |
| DIA Fitment of Autoguidance system EC SPS w/class 3 front axle (includes steering system, roof bracket, and wiring harness) requires addition of Navcom and receiver to have a full working kit. (<i>Finishing Kit</i>) | 718228014 | X | X | X | X | X | | | |
| DIA Fitment of Autoguidance system EC SPS w/class 4 front axle (includes steering system, roof bracket, and wiring harness) requires addition of Navcom and receiver to have a full working kit. (<i>Finishing Kit</i>) | 718230014 | X | X | X | X | X | | | |
| MISCELLANEOUS | | | | | | | | | |
| Reverse Alarm | 719161024 | X | X | X | X | X | X | X | X |
| APUH viewing mirror | 710960024 | X | X | X | X | X | X | X | X |
| Driveshaft for hydraulic pump | 718770014 | X | X | X | X | X | X | X | X |
| COUNTRY CONFIGURATIONS | | | | | | | | | |
| French language decal kit for North America | 710982024 | X | X | X | X | X | X | X | X |
| Spanish language decal kit for North America | 710986024 | X | X | X | X | X | X | X | X |