



October 7, 2019

## PRODUCT AND PRICING BULLETIN

NEW HOLLAND BRAND PRODUCTS, U.S. NO. 19-55A

### NEW HOLLAND AG DEALERS WITH MRT AGREEMENT

#### SUBJECT: **TS6 SERIES: REVISED PRICE & DATA PAGES**

The agricultural industry is constantly evolving to meet the world's shifting needs. Here at New Holland, we're focused on matching pace with those changes to help you get the job done. Together, we can make our customers jobs easier and raise industry standards along the way.



We have revised the TS6 Series product offering to include Fast Pick Packages. These packages have been designed to provide you and your customer with just what they need in common configurations that make it easy for you and your customer to get exactly what is needed in a mid-range utility tractor. Please review these price and data pages to understand the contents of each of the below packages:

- TS6 All Purpose Cab FWD 16X8 Less Loader Fast Pick
- TS6 All Purpose Cab FWD 16X8 Loader Ready Fast Pick
- TS6 All Purpose Cab 2WD 16X8 Less Loader Fast Pick
- TS6 All Purpose ROPS FWD 16X8 Less Loader Fast Pick
- TS6 All Purpose ROPS FWD 8X8 Less Loader Fast Pick
- TS6.120 High Clearance ROPS Tanks & Canopy Fast Pick
- TS6.120 High Clearance ROPS Less Tanks & Canopy Fast Pick

Less Fast Pick Package orders can still be placed, but will be at a premium price compared to the fast pick packages as each package will have a discount applied that will maintain the Model Year 2020 pricing that is effective October 1, 2019.

This bulletin and the price pages may be accessed via the Dealer Portal if you have the MRT agreement with New Holland. Log on to the Dealer Portal. With the "Wholegoods" button displayed, click on "Pricing," click on "Tractors," and then click on "TS6 Series." The latest published items will appear at the top of the list. Please replace your current P&D pages with those attached to this bulletin.

Christine Chleboun  
Director, Commercial Marketing  
New Holland, North America

Dan Valen  
Director, Product Marketing  
New Holland, North America

#### Attachment

**CNH Industrial America LLC**  
500 Diller Avenue, P.O. Box 1895  
New Holland, PA 17557-0903  
Telephone: (717) 355-1121  
[www.newholland.com/na](http://www.newholland.com/na)



## Index – TS6 Series Tractor

<b><u>EQUIPMENT DESCRIPTION</u></b>	<b><u>LATEST REVISION</u></b>	<b><u>PAGE NUMBER</u></b>
TS6 All Purpose Cab FWD 16X8 Less Loader Fast Pick	01/01/2020	2
TS6 All Purpose Cab FWD 16X8 Loader Ready Fast Pick	01/01/2020	9
TS6 All Purpose Cab 2WD 16X8 Less Loader Fast Pick	01/01/2020	16
TS6 All Purpose ROPS FWD 16X8 Less Loader Fast Pick	01/01/2020	23
TS6 All Purpose ROPS FWD 8X8 Less Loader Fast Pick	01/01/2020	29
TS6 All Purpose - Less Fast Pick	01/01/2020	35
TS6.120 High Clearance ROPS Tanks & Canopy Fast Pick	01/01/2020	46
TS6.120 High Clearance ROPS Less Tanks & Canopy Fast Pick	01/01/2020	50
TS6.120 High Clearance - Less Fast Pick	01/01/2020	55
Tire Chart	01/01/2020	64
Referral Attachment - Front 3-Point Hitch & PTO	01/01/2020	65
TS6 Tier 4B Dealer Installed Accessories	01/01/2020	66



**TS6 CAB FWD 16X8 LESS LOADER FAST PICK  
US PRICE LIST**

**Standard Equipment**

KEY SELLING POINTS:

- CommandArc™ ergonomically places most frequently used controls to operator's right
- Cab has ten repositionable vents for heating and air conditioning
- Full-size instructor seat (option)
- Creeper transmission (option)
- 4.5L, 4-cylinder, FPT engines with 4 valves per cylinder, and common rail fuel injection systems
- Tier 4B EPA emissions compliant with ECOBlue™ HI-eSCR Tier4B emissions system

ENGINE

-----  
 TS6.110  
 Rated PTO HP - 90  
 Rated Engine HP - 110  
 Rated Engine Speed - @ 2200 rpm  
 274 cu. in. (4.5L) Displacement  
 4 Cylinders, Turbocharged  
 Intercooled Diesel Engine

TS6.120  
 Rated PTO HP - 96  
 Rated Engine HP - 119  
 Rated Engine Speed - @ 2200 rpm  
 274 cu. in. (4.5L) Displacement  
 4 Cylinders, Turbocharged  
 Intercooled Engine

TS6.130  
 Rated PTO HP - 105  
 Rated Engine HP - 130  
 Rated Engine Speed - @ 2200 rpm  
 274 cu. in. (4.5L) Displacement  
 4 Cylinders, Turbocharged  
 Intercooled Engine

TS6.140  
 Rated PTO HP - 115  
 Rated Engine HP - 139

Rated Engine Speed - @ 2200 rpm  
 274 cu. in. (4.5L) Displacement  
 4 Cylinders, Turbocharged  
 Intercooled Engine

COMMON ENGINE FEATURES

- 
- Tier 4B Emissions Compliant
  - ECOBlue™ HI-eSCR Tier4B emissions system
  - Engine with Turbocharger and Air-to-Air Intercooler
  - 4 Valves Per Cylinder
  - Bosch Common Rail Fuel Injection Pump (electronic)
  - Grid Heater Starting Aid
  - Dual Element Air Filter with Pre-Cleaner (spin tube intakes)
  - A-Pillar Exhaust with Integral Muffler
  - Air cleaner with integrated pre-cleaner & dust ejector
  - Fixed Fan
  - Cooling System with Antifreeze
  - Water Separator and Dual Fuel Filters
  - Plastic Fuel Tank
  - 57.5 gallon (217.6 liter) fuel capacity
  - 7.9 gallon (30 liter) DEF tank capacity
  - Fuel tank guard

TRANSMISSION

- 
- 16 X 8 Power Shuttle
  - 16 Forward x 8 Reverse
  - 24.9 MPH (40 KPH)
  - Main gearbox synchronized in range
  - Left-hand shuttle lever
  - (2) Right-hand Shift Levers
  - Multiplate Wet Clutch (7) 6in. plates

STEERING

- 
- Hydrostatic Power Steering



**TS6 CAB FWD 16X8 LESS LOADER FAST PICK  
 US PRICE LIST**

## Standard Equipment

**AXLES**

-----  
 Front - FWD  
 104" Wheel Base  
 Class 3 Heavy Duty  
 Limited Slip Front Wheel Drive  
 Mechanical FWD Engagement  
 55° Turning Angle  
 12° Axle Oscillation  
 Front Drive Shaft Shield  
 Manual Adjustable Tread Width from  
     64 in. to 80 in.

Rear  
 Hydraulic Wet Brakes (equalizing)  
 Park Brake Lever  
 Swinging Drawbar  
 Manual Adjustable Tread Width from  
     64 in. to 80 in.

PTO  
 -----  
 Independent, 540/1000 rpm PTO  
 Multi-plate Wet Clutch  
 Mechanical Engagement

HYDRAULIC SYSTEM  
 -----  
 Fixed displacement pumps  
 Dual Gear Pumps  
 Maximum Flow at Rated Engine Speed:  
 Implement Pump: 22 gpm  
 Steering Pump: 7 gpm  
 Total Flow: 29 gpm  
 (2) Close Center Deluxe Remotes (opt.  
 for 3) with Flow Control and  
 (4) Couplers

3-POINT LIFT SYSTEM  
 -----  
 Top Link Draft Sensing  
 3735 lbs. Lift Capacity @ 24 in. (ASAE)  
 Category II, 3-point Linkage with Flexible  
     Link Ends

Telescopic Stabilizers

ELECTRICAL:  
 (1) 950 cca Heavy-Duty Battery  
 120 amp Alternator  
 7-pin Outlet for trailer/implement lighting  
     and signals  
 3-pin Power Outlet (30 amp) - cab only  
 Single Pin (8 amp) Accessory Power  
 outlet  
 12V power socket (cigarette lighter) -  
 cab only

INSTRUMENTATION:  
 Analog Instrumentation with warning  
     lights for air cleaner service,  
     alternator, oil pressure, fuel  
     sediment/water sensor, PTO  
     engagement, head light high beam,  
     low fuel and parking brake,  
     digital speed readout  
 Gauges for fuel level, engine  
     temperature, tachometer and hour  
     meter  
 Horn

LIGHTING:  
 CAB  
 Front: (2) Halogen Headlights and  
     (4) cab mounted worklights  
 Rear: (4) cab mounted worklights  
 Turn Signals/Flashers/Rear Lights

OPERATOR PROTECTIVE STRUCTURE:  
  
 CAB MODELS  
 ROPS protected, FOPS Certified, flat  
 deck platform with heat and air  
 conditioning, tinted windshield, two  
 doors with locks, two external mirrors,  
 openable side windows, hinged rear  
 window (opens completely)  
 Steering Wheel - adjustable tilt  
 Seat - Cloth covered with mechanical



**TS6 CAB FWD 16X8 LESS LOADER FAST PICK  
US PRICE LIST**

**Standard Equipment**

suspension, operator's presence sensor,  
retractable seat belt and arm rests  
Suspended pedals  
Radio, wires, speakers, and  
antenna  
Front window washer and wiper

WARRANTY

-----  
New Holland Standard Warranty Applies

MISCELLANEOUS

-----  
Pivoting Engine Hood  
SMV Emblem  
Toolbox



**TS6 CAB FWD 16X8 LESS LOADER FAST PICK  
 US PRICE LIST**

**Models**

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
TS6.110 T4B	Cab	MFD	10,450 LB	9066561P30	\$85,335.00
Includes the following Equipment					
13.6R28 MICHELIN (8201703)      \$1,853.00					
18.4R34 MICHELIN (8301703)      \$3,592.00					
Radio 392295 (392295)      \$244.00					
TS6.120 T4B	Cab	MFD	10,450 LB	9070145P40	\$89,930.00
Includes the following Equipment					
13.6R28 MICHELIN (8201703)      \$1,853.00					
18.4R34 MICHELIN (8301703)      \$3,592.00					
Radio 392295 (392295)      \$244.00					
TS6.130 T4B	Cab	MFD	10,626 LB	9074164P74	\$95,083.00
Includes the following Equipment					
13.6R28 MICHELIN (8201703)      \$1,853.00					
18.4R34 MICHELIN (8301703)      \$3,592.00					
Radio 392295 (392295)      \$244.00					
TS6.140 T4B	Cab	MFD	10,626 LB	9080060P76	\$102,642.00
Includes the following Equipment					
13.6R28 MICHELIN (8201703)      \$1,853.00					
18.4R34 MICHELIN (8301703)      \$3,592.00					
Radio 392295 (392295)      \$244.00					



**TS6 CAB FWD 16X8 LESS LOADER FAST PICK  
 US PRICE LIST**

**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**PACKAGE SELECTION**

SD\_T9980 PACKAGING

X0548XX	NH FAST PICK #3 <b>NH FAST PICK #3</b> TS6 Cab FWD 16X8 Less Loader  Includes: 337280: 40 KPH 330061: 16x8 With Power Shuttle 390331: Heavy-duty Flange Axle 429472: 2 Bosch RR Flow Ctrl 390819: Less Loader Ready XT8240X: Std less External 3-pt Control 390215: Less Front Carrier and Weights XT4961X: Standard less rear ballast 334743: High-visibility window 336937: Instructor seat 390860: Less Front Fenders 392295: Radio 392295 X5701XX: Floor mat in Cab base		(900597P48)	(\$766.00)
---------	---	--	-------------	------------

**TRANSMISSION**

SD\_T3230 CREEPER or Interlock

330066	10:1 CREEPER FOR 8+8 & 16+8 <b>Creeper Transmission</b>  NOT Compatible with 16x8 (330061) AND 46" rear wheels (8360761 or 8360781).		9001963P26	\$2,517.00
--------	---	--	------------	------------

**TIRES**

FRONT WHEELS & TIRES

SD\_T4940 FRONT WHEELS AND TIRES

4WD Front				
8201703	13.6R28 MICHELIN <b>Requires 18.4R34 R1W Rear Tires</b>		9001445P34	\$1,853.00



**TS6 CAB FWD 16X8 LESS LOADER FAST PICK  
 US PRICE LIST**

	8240304	14.9-24 6PR R1 <b>Firestone Brand</b>		9001445P34	\$1,853.00
	8282201	12.4 x 28 6PR R1 <b>Requires 12.4x42 Rear Tires</b>		9001679P34	\$2,153.00
	8248621	250/95 R34 R1 <b>Requires 12.4R46 or 320/90R46 R1 Rear Tires</b>		9001911P78	\$2,451.00
	8248631	320/85 R34 R1 <b>Requires 14.9R46 (380/85R46) Rear Tires</b>		9003267P42	\$4,189.00
	8299905	Front Shipping Wheels-4WD <b>4WD Shipping Wheels</b>		9000152P10	\$195.00

**REAR WHEELS & TIRES**

SD\_T4950 REAR WHEELS AND TIRES

Flange Axle					
	8340612	18.4x34 8 ply R1 8340612		9002744P04	\$3,518.00
	8301702	18.4R30 MICHELIN		9002389P14	\$3,063.00
	8301703	18.4R34 MICHELIN		9002801P76	\$3,592.00
	8365440	18.4 x 34 8 PLY R1 <b>Firestone Brand</b>		9002801P76	\$3,592.00
	8301705	18.4R38 MICHELIN		9003261P18	\$4,181.00
	8380100	12.4x42 8PR R1		9003604P38	\$4,621.00
	8399905	Shipping Wheels-Rear		9000571P74	\$733.00

**3-POINT HITCH**

**REAR 3 POINT HITCH**

SD\_T8950 AUX RAMS

	390344	Hyd Lift w/ 1 int. cyl <b>1 Internal Lift Ram</b> <b>3,735 pounds lift capacity</b>			No Charge
	336784	Hyd Lift w/ 1 int. & 1 ext cyl <b>1 Auxiliary Lift Ram</b> <b>5,499 pounds lift capacity</b>		9000550P68	\$706.00
	339784	Hyd Lift w/ 1 int. & 2 ext cyl <b>2 Auxiliary Lift Rams</b> <b>7,326 pounds lift capacity</b>		9001040P52	\$1,334.00

**CAB OPTION**

**SEATS**

SD\_T8500 SEAT

	336923	Air suspension seat w/swivel <b>With 15 degree swivel</b>		9000732P42	\$939.00
--	--------	--	--	------------	----------





**TS6 CAB FWD 16X8 LESS LOADER FAST PICK  
 US PRICE LIST**

**REAR WINDOW WIPER/WASHER**

SD\_T9150 REAR WIPER & WASHER

		330642	Rear wiper/washer - CAB <b>Rear window wiper/washer for Cab</b>		9000212P16	\$272.00
--	--	--------	--	--	------------	----------

**OPERATOR'S MANUALS**

SD\_T9802 OPERATORS MANUAL

		429481	Spanish Bosch T4B			No Charge
		429482	French Bosch T4B			No Charge

SD\_T9840 COUNTRY CONFIGURATION

		339982	French Decals			No Charge
		339986	Spanish Decals			No Charge



**TS6 CAB FWD 16X8 LOADER READY FAST PICK  
US PRICE LIST**

**Standard Equipment**

KEY SELLING POINTS:

- CommandArc™ ergonomically places most frequently used controls to operator's right
- High visibility panel provides a better view of loader when at full height
- Ten repositionable vents for heating and air conditioning
- Full-size instructor seat
- 4.5L, 4-cylinder, FPT engines with 4 valves per cylinder, and common rail fuel injection systems
- Tier 4B EPA emissions compliant with ECOBlue™ HI-eSCR Tier4B emissions system
- Factory Installed joystick and loader mounts
- Economy priced All Purpose Heavy tractor

ENGINE

-----  
 TS6.110  
 Rated PTO HP - 90  
 Rated Engine HP - 110  
 Rated Engine Speed - @ 2200 rpm  
 274 cu. in. (4.5L) Displacement  
 4 Cylinders, Turbocharged  
 Intercooled Diesel Engine

TS6.120  
 Rated PTO HP - 96  
 Rated Engine HP - 119  
 Rated Engine Speed - @ 2200 rpm  
 274 cu. in. (4.5L) Displacement  
 4 Cylinders, Turbocharged  
 Intercooled Diesel Engine

TS6.130  
 Rated PTO HP - 105  
 Rated Engine HP - 130  
 Rated Engine Speed - @ 2200 rpm  
 274 cu. in. (4.5L) Displacement  
 4 Cylinders, Turbocharged  
 Intercooled Diesel Engine

TS6.140  
 Rated PTO HP - 115  
 Rated Engine HP - 139  
 Rated Engine Speed - @ 2200 rpm  
 274 cu. in. (4.5L) Displacement  
 4 Cylinders, Turbocharged  
 Intercooled Diesel Engine

COMMON ENGINE FEATURES

- Tier 4B Emissions Compliant  
 ECOBlue™ HI-eSCR Tier4B emissions system  
 Engine with Turbocharger and Air-to-Air Intercooler  
 4 Valves Per Cylinder  
 Bosch Common Rail Fuel Injection Pump (electronic)  
 Grid Heater Starting Aid  
 Dual Element Air Filter with Pre-Cleaner (spin tube intakes)  
 A-Pillar Exhaust with Integral Muffler  
 Air cleaner with integrated pre-cleaner & dust ejector  
 Fixed Fan  
 Cooling System with Antifreeze  
 Water Separator and Dual Fuel Filters  
 Plastic Fuel Tank  
 57.5 gallon (217.6 liter) fuel capacity  
 7.9 gallon (30 liter) DEF tank capacity  
 Fuel tank guard

TRANSMISSION

- 16 X 8 Power Shuttle  
 16 Forward x 8 Reverse  
 4WD - 24.9 MPH (40 KPH)  
 Main gearbox synchronized in range  
 Left-hand shuttle lever  
 (2) Right-hand shift Levers  
 Multi-plate wet clutch (7) 6in. plates

STEERING

-----



**TS6 CAB FWD 16X8 LOADER READY FAST PICK  
US PRICE LIST**

**Standard Equipment**

Hydrostatic Power Steering

**AXLES**

-----

Front - FWD  
104" Wheel Base  
Class 3 Heavy Duty  
Limited Slip Front Wheel Drive  
Mechanical FWD Engagement  
55° Turning Angle  
12° Axle Oscillation  
Front Drive Shaft Shield  
Manual Adjustable Tread Width from  
64 in. to 80 in.

Rear  
Hydraulic Wet Brakes (equalizing)  
Park Brake Lever  
Swinging Drawbar  
Manual Adjustable Tread Width from  
64 in. to 80 in.

**PTO**

-----

Independent, 540/1000 rpm PTO  
Multi-plate Wet Clutch  
Mechanical Engagement

**HYDRAULIC SYSTEM**

-----

Fixed displacement pumps  
Dual Gear Pumps  
Maximum Flow at Rated Engine Speed:  
Implement Pump: 22 gpm  
Steering Pump: 7 gpm  
Total Flow: 29 gpm  
(3) Close Center Deluxe Remotes  
(6) Couplers  
2 function mid mount valve and  
joystick with loader brackets,  
hoses and multi-coupler quick coupler

**3-POINT LIFT SYSTEM**

-----

Top Link Draft Sensing  
3735 lbs. Lift Capacity @ 24 in. (ASAE)  
Category II, 3-point Linkage with Flexible  
Link Ends  
Telescopic Stabilizers  
External 3-point hitch control

**ELECTRICAL:**

(1) 950 cca Heavy-Duty Battery  
120 amp Alternator  
7-pin Outlet for trailer/implement lighting  
and signals  
3-pin Power Outlet (30 amp) - cab only  
Single Pin (8 amp) Accessory Power  
outlet  
12V power socket (cigarette lighter) -  
cab only

**INSTRUMENTATION:**

Analog Instrumentation with warning  
lights for air cleaner service,  
alternator, oil pressure, fuel  
sediment/water sensor, PTO  
engagement, head light high beam,  
low fuel and parking brake,  
digital speed readout  
Gauges for fuel level, engine  
temperature, tachometer and hour  
meter  
Horn

**LIGHTING:**

CAB  
Front: (2) Halogen Headlights and  
(4) cab mounted worklights  
Rear: (4) cab mounted worklights  
Turn Signals/Flashers/Rear Lights

**OPERATOR PROTECTIVE STRUCTURE:**

ROPS protected, FOPS certified, flat  
deck platform  
with heat and air conditioning, tinted  
windshield, two doors with locks, two  
external mirrors, openable side



**TS6 CAB FWD 16X8 LOADER READY FAST PICK  
US PRICE LIST**

**Standard Equipment**

windows, hinged rear window (opens completely)  
Steering Wheel - adjustable tilt  
Seat - Cloth covered with air suspension, operator's presence sensor, retractable seat belt and arm rests  
Instructor seat  
Suspended pedals  
Radio complete with radio, wires, speakers, and antenna  
Front and rear window washer and wiper  
Overhead high visibility window  
Sun visor

MISCELLANEOUS

-----  
Pivoting Engine Hood  
SMV Emblem  
Toolbox  
6 Rear Wheel Weights

WARRANTY

-----  
New Holland Standard Warranty Applies



**TS6 CAB FWD 16X8 LOADER READY FAST PICK  
 US PRICE LIST**

### Models

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
TS6.110 T4B	Cab	MFD	10,450 LB	9066561P30	\$85,335.00
Includes the following Equipment					
13.6R28 MICHELIN (8201703)      \$1,853.00					
18.4R34 MICHELIN (8301703)      \$3,592.00					
Radio 392295 (392295)      \$244.00					
TS6.120 T4B	Cab	MFD	10,450 LB	9070145P40	\$89,930.00
Includes the following Equipment					
13.6R28 MICHELIN (8201703)      \$1,853.00					
18.4R34 MICHELIN (8301703)      \$3,592.00					
Radio 392295 (392295)      \$244.00					
TS6.130 T4B	Cab	MFD	10,626 LB	9074164P74	\$95,083.00
Includes the following Equipment					
13.6R28 MICHELIN (8201703)      \$1,853.00					
18.4R34 MICHELIN (8301703)      \$3,592.00					
Radio 392295 (392295)      \$244.00					
TS6.140 T4B	Cab	MFD	10,626 LB	9080060P76	\$102,642.00
Includes the following Equipment					
13.6R28 MICHELIN (8201703)      \$1,853.00					
18.4R34 MICHELIN (8301703)      \$3,592.00					
Radio 392295 (392295)      \$244.00					



**TS6 CAB FWD 16X8 LOADER READY FAST PICK  
 US PRICE LIST**

**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**PACKAGE SELECTION**

SD\_T9980 PACKAGING

X0549XX	NH FAST PICK #4 <b>NH FAST PICK #4</b> <b>Cab FWD 16X8 Loader Ready</b>  <b>Include:</b> 337280: 40 KPH 330061: 16x8 With Power Shuttle 390331: Heavy-duty Flange Axle 390266: L/CREEPER FOR 8+8 429473: 3 Bosch RR Flow Ctrl 330845: External 3-pt Control for MDC 429475: Loader Ready 429475 330471: 6 Rear Wheel Weights 334743: High-visibility window 336937: Instructor seat 390860: Less Front Fenders 392295: Radio 392295 X5701XX: Floor mat in Cab base		9005141P76	\$6,592.00
---------	---	--	------------	------------

**TIRES**

FRONT WHEELS & TIRES

SD\_T4940 FRONT WHEELS AND TIRES

4WD Front				
8230608	14.9X24 6 PLY R1 8230608		9001330P68	\$1,706.00
8201703	13.6R28 MICHELIN <b>Requires 18.4R34 R1W Rear Tires</b>		9001445P34	\$1,853.00
8240304	14.9-24 6PR R1 <b>Firestone Brand</b>		9001445P34	\$1,853.00
8282201	12.4 x 28 6PR R1 <b>Requires 12.4x42 Rear Tires</b>		9001679P34	\$2,153.00
8299905	Front Shipping Wheels-4WD <b>4WD Shipping Wheels</b>		9000152P10	\$195.00



**TS6 CAB FWD 16X8 LOADER READY FAST PICK  
 US PRICE LIST**

**REAR WHEELS & TIRES**

SD\_T4950 REAR WHEELS AND TIRES

Flange Axle						
		8340612	18.4x34 8 ply R1 8340612		9002744P04	\$3,518.00
		8301702	18.4R30 MICHELIN		9002389P14	\$3,063.00
		8301703	18.4R34 MICHELIN		9002801P76	\$3,592.00
		8365440	18.4 x 34 8 PLY R1 <b>Firestone Brand</b>		9002801P76	\$3,592.00
		8301705	18.4R38 MICHELIN		9003261P18	\$4,181.00
		8380100	12.4x42 8PR R1		9003604P38	\$4,621.00

**3-POINT HITCH**

REAR 3 POINT HITCH

SD\_T8950 AUX RAMS

		390344	Hyd Lift w/ 1 int. cyl <b>1 Internal Lift Ram</b> <b>3,735 pounds lift capacity</b>			No Charge
		336784	Hyd Lift w/ 1 int. & 1 ext cyl <b>1 Auxiliary Lift Ram</b> <b>5,499 pounds lift capacity</b>		9000550P68	\$706.00

**WEIGHTS**

FRONT WEIGHTS

SD\_T2150 FRONT BALLAST

		334923	Carrier less front weights		9000244P14	\$313.00
		330213	Front Weight Carrier +8 wghts <b>Front weight carrier &amp; 8 weight slices (31kgs / 68 lbs each)</b>		9000960P96	\$1,232.00
		330214	Front Weight Carrier +12 wghts <b>Front weight carrier &amp; 12 weight slices (31kgs / 68 lbs each)</b>		9001359P54	\$1,743.00
		330218	Front Weight Carrier +16 wghts <b>Front weight carrier &amp; 16 weight slices (31kgs / 68 lbs each)</b>		9001488P24	\$1,908.00

**CAB OPTION**

SEATS

SD\_T8500 SEAT

		336923	Air suspension seat w/swivel <b>With 15 degree swivel</b>		9000732P42	\$939.00
--	--	--------	--	--	------------	----------



**TS6 CAB FWD 16X8 LOADER READY FAST PICK  
 US PRICE LIST**

**REAR WINDOW WIPER/WASHER**

SD\_T9150 REAR WIPER & WASHER

		330642	Rear wiper/washer - CAB <b>Rear window wiper/washer for Cab</b>		9000212P16	\$272.00
--	--	--------	--	--	------------	----------

**MISCELLANEOUS**

**FENDERS FRONT**

SD\_T8740 FRONT FENDERS

		336940	Front Fenders-Dynamic <b>Requires 331497 axle oscillation stops.</b>		9000571P74	\$733.00
--	--	--------	---	--	------------	----------

**OPERATOR'S MANUALS**

SD\_T9802 OPERATORS MANUAL

		429481	Spanish Bosch T4B			No Charge
		429482	French Bosch T4B			No Charge

SD\_T9840 COUNTRY CONFIGURATION

		339982	French Decals			No Charge
		339986	Spanish Decals			No Charge





**TS6 CAB 2WD 16X8 LESS LOADER FAST PICK  
US PRICE LIST**

**Standard Equipment**

KEY SELLING POINTS:

- CommandArc™ ergonomically places most frequently used controls to operator's right
- Ten repositionable vents for heating and air conditioning
- Full-size instructor seat
- 4.5L, 4-cylinder, FPT engines with 4 valves per cylinder, and common rail fuel injection systems
- Tier 4B EPA emissions compliant with ECOBlue™ HI-eSCR Tier4B emissions system
- Economy priced All Purpose Heavy tractor

ENGINE

-----  
 TS6.110  
 Rated PTO HP - 90  
 Rated Engine HP - 110  
 Rated Engine Speed - @ 2200 rpm  
 274 cu. in. (4.5L) Displacement  
 4 Cylinders, Turbocharged  
 Intercooled Diesel Engine

TS6.120  
 Rated PTO HP - 96  
 Rated Engine HP - 119  
 Rated Engine Speed - @ 2200 rpm  
 274 cu. in. (4.5L) Displacement  
 4 Cylinders, Turbocharged  
 Intercooled Diesel Engine

TS6.130  
 Rated PTO HP - 105  
 Rated Engine HP - 130  
 Rated Engine Speed - @ 2200 rpm  
 274 cu. in. (4.5L) Displacement  
 4 Cylinders, Turbocharged  
 Intercooled Diesel Engine

TS6.140  
 Rated PTO HP - 115  
 Rated Engine HP - 139

Rated Engine Speed - @ 2200 rpm  
 274 cu. in. (4.5L) Displacement  
 4 Cylinders, Turbocharged  
 Intercooled Diesel Engine

COMMON ENGINE FEATURES

-----  
 Tier 4B Emissions Compliant  
 ECOBlue™ HI-eSCR Tier4B emissions system  
 Engine with Turbocharger and Air-to-Air Intercooler  
 4 Valves Per Cylinder  
 Bosch Common Rail Fuel Injection Pump (electronic)  
 Grid Heater Starting Aid  
 Dual Element Air Filter with Pre-Cleaner (spin tube intakes)  
 A-Pillar Exhaust with Integral Muffler  
 Air cleaner with integrated pre-cleaner & dust ejector  
 Fixed Fan  
 Cooling System with Antifreeze  
 Water Separator and Dual Fuel Filters  
 Plastic Fuel Tank  
 57.5 gallon (217.6 liter) fuel capacity  
 7.9 gallon (30 liter) DEF tank capacity  
 Fuel tank guard

TRANSMISSION

-----  
 16 X 8 Power Shuttle  
 16 Forward x 8 Reverse  
 2WD - 18.7 MPH (30 KPH)  
 Main gearbox synchronized in range  
 Left-hand shuttle lever  
 (2) Right-hand shift Levers  
 Multi-plate wet clutch (7) 6in. plates

STEERING

-----  
 Hydrostatic Power Steering

AXLES

-----



**TS6 CAB 2WD 16X8 LESS LOADER FAST PICK  
US PRICE LIST**

## Standard Equipment

Front - 2WD  
 STD - 100" Wheel Base - TS6.110 &  
 TS6.120  
 HD - 96" wheel Base - TS6.130 &  
 TS6.140  
 55° Turning Angle  
 12° Axle Oscillation  
 Adjustable Tread Width from 60 in.  
 to 80 in.

Rear  
 Hydraulic Wet Brakes (equalizing)  
 Park Brake Lever  
 Swinging Drawbar  
 Manual Adjustable Tread Width from  
 64 in. to 80 in.

PTO  
 -----  
 Independent, 540/1000 rpm PTO  
 Multi-plate Wet Clutch  
 Mechanical Engagement

### HYDRAULIC SYSTEM

-----

Fixed displacement pumps  
 Dual Gear Pumps  
 Maximum Flow at Rated Engine Speed:  
 Implement Pump: 22 gpm  
 Steering Pump: 7 gpm  
 Total Flow: 29 gpm  
 (2) Close Center Deluxe Remotes  
 (4) Couplers

### 3-POINT LIFT SYSTEM

-----

Top Link Draft Sensing  
 5499 lbs. Lift Capacity @ 24 in. (ASAE)  
 Category II, 3-point Linkage with Flexible  
 Link Ends  
 Telescopic Stabilizers

### ELECTRICAL:

(1) 950 cca Heavy-Duty Battery

120 amp Alternator  
 7-pin Outlet for trailer/implement lighting  
 and signals  
 3-pin Power Outlet (30 amp) - cab only  
 Single Pin (8 amp) Accessory Power  
 outlet  
 12V power socket (cigarette lighter) -  
 cab only

### INSTRUMENTATION:

Analog Instrumentation with warning  
 lights for air cleaner service,  
 alternator, oil pressure, fuel  
 sediment/water sensor, PTO  
 engagement, head light high beam,  
 low fuel and parking brake,  
 digital speed readout  
 Gauges for fuel level, engine  
 temperature, tachometer and hour  
 meter  
 Horn

### CAB

Front: (2) Halogen Headlights and  
 (4) cab mounted worklights  
 Rear: (4) cab mounted worklights  
 Turn Signals/Flashers/Rear Lights

### CAB MODELS

ROPS protected, FOPS certified, flat  
 deck platform  
 with heat and air conditioning, tinted  
 windshield, two doors with locks, two  
 external mirrors, openable side  
 windows, hinged rear window (opens  
 completely)  
 Steering Wheel - adjustable tilt  
 Seat - Cloth covered with air suspension,  
 operator's presence sensor, retractable  
 seat belt and arm rests  
 Instructor seat  
 Suspended pedals  
 Radio complete with radio, wires,  
 speakers, and antenna  
 Front and rear window washer and



**TS6 CAB 2WD 16X8 LESS LOADER FAST PICK  
US PRICE LIST**

**Standard Equipment**

wiper  
Sun visor

WARRANTY

MISCELLANEOUS

-----  
New Holland Standard Warranty Applies

-----  
Pivoting Engine Hood  
SMV Emblem  
Toolbox



**TS6 CAB 2WD 16X8 LESS LOADER FAST PICK  
 US PRICE LIST**

**Models**

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
TS6.110 T4B	Cab	2WD	9,281 LB	9060952P32	\$78,144.00
Includes the following Equipment					
10.00-16 8PR F2 (8114404) \$864.00					
18.4R34 MICHELIN (8301703) \$3,592.00					
Radio 392295 (392295) \$244.00					
TS6.120 T4B	Cab	2WD	9,281 LB	9064536P42	\$82,739.00
Includes the following Equipment					
10.00-16 8PR F2 (8114404) \$864.00					
18.4R34 MICHELIN (8301703) \$3,592.00					
Radio 392295 (392295) \$244.00					
TS6.130 T4B	Cab	2WD	9,326 LB	9068555P76	\$87,892.00
Includes the following Equipment					
10.00 x 16 8ply For HD Axl (8180522) \$864.00					
18.4R34 MICHELIN (8301703) \$3,592.00					
Radio 392295 (392295) \$244.00					
TS6.140 T4B	Cab	2WD	9,326 LB	9074451P78	\$95,451.00
Includes the following Equipment					
10.00 x 16 8ply For HD Axl (8180522) \$864.00					
18.4R34 MICHELIN (8301703) \$3,592.00					
Radio 392295 (392295) \$244.00					



**TS6 CAB 2WD 16X8 LESS LOADER FAST PICK  
 US PRICE LIST**

**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**PACKAGE SELECTION**

SD\_T9980 PACKAGING

	X0552XX	NH FAST PICK #7 <b>X0552XX: NH FAST PICK #7</b> TS6 Cab 2WD 16X8 Less Loader  Include: 330061: 16x8 With Power Shuttle 390331: Heavy-duty Flange Axle 429472: 2 Bosch RR Flow Ctrl 390819: Less Loader Ready 336784: Hyd Lift w/ 1 int. & 1 ext cyl XT4961X: Standard less rear ballast 330642: Rear wiper/washer - CAB 392295: Radio 392295 X5701XX: Floor mat in Cab base		(900892P32)	(\$1,144.00)
--	---------	--	--	-------------	--------------

**FRONT AXLE**

SD\_T4010 FRONT AXLE

	390373	2WD Front Axle HD <b>Standard Equipment Heavy Duty 2WD Front Axle for TS6.130 and TS6.140</b>		9002074P80	\$2,660.00
		if MODEL is TS6 130 NH			No Charge
		if MODEL is TS6.140			No Charge

**TIRES**

**FRONT WHEELS & TIRES**

SD\_T4940 FRONT WHEELS AND TIRES

2WD Front					
	8114404	10.00-16 8PR F2 <b>Firestone Brand - 2WD</b>		9000673P92	\$864.00
	8180522	10.00 x 16 8ply For HD Axle <b>Firestone Brand - 2WD</b>		9000673P92	\$864.00



**TS6 CAB 2WD 16X8 LESS LOADER FAST PICK  
 US PRICE LIST**

	8199101	Front Shipping Wheels-2wd <b>2WD Shipping Wheels (NOT compatible with Heavy Duty 2WD front axle 390373)</b>		9000088P92	\$114.00
	8843901	Front Shipping Wheels 2WD HD <b>Requires 2WD Heavy Duty axle 390373</b>		9000088P92	\$114.00

**REAR WHEELS & TIRES**

SD\_T4950 REAR WHEELS AND TIRES

Flange Axle					
	8301702	18.4R30 MICHELIN		9002389P14	\$3,063.00
	8301703	18.4R34 MICHELIN		9002801P76	\$3,592.00
	8301705	18.4R38 MICHELIN		9003261P18	\$4,181.00
	8380100	12.4x42 8PR R1		9003604P38	\$4,621.00
	8399905	Shipping Wheels-Rear		9000571P74	\$733.00

**3-POINT HITCH**

REAR 3 POINT HITCH

SD\_T8240 EXTERNAL LIFT CONTROL

	330845	External 3-pt Control for MDC <b>Mechanical ground control for 3 point hitch (not compatible with 2 external lift cylinders 339784)</b>		9000141P18	\$181.00
--	--------	--	--	------------	----------

**WEIGHTS**

FRONT WEIGHTS

SD\_T2150 FRONT BALLAST

	390215	Less Front Carrier and Weights			No Charge
	334923	Carrier less front weights		9000244P14	\$313.00
	330213	Front Weight Carrier +8 wghts <b>Front weight carrier &amp; 8 weight slices (31kgs / 68 lbs each)</b>		9000960P96	\$1,232.00
	330214	Front Weight Carrier +12 wghts <b>Front weight carrier &amp; 12 weight slices (31kgs / 68 lbs each)</b>		9001359P54	\$1,743.00
	330218	Front Weight Carrier +16 wghts <b>Front weight carrier &amp; 16 weight slices (31kgs / 68 lbs each)</b>		9001488P24	\$1,908.00

**CAB OPTION**

SD\_T9411 HIGH VISIBILITY WINDOW

	334743	High-visibility window		9000413P40	\$530.00
--	--------	------------------------	--	------------	----------



**TS6 CAB 2WD 16X8 LESS LOADER FAST PICK  
 US PRICE LIST**

**SEATS**

SD\_T8500 SEAT

		336923	Air suspension seat w/swivel <b>With 15 degree swivel</b>		9000732P42	\$939.00
--	--	--------	--	--	------------	----------

**INSTRUCTOR SEAT**

SD\_T5702 INSTRUCTOR SEAT

		336937	Instructor seat		9000448P50	\$575.00
--	--	--------	-----------------	--	------------	----------

**MISCELLANEOUS**

**BRAKES/TRAILER BRAKE**

SD\_T7130 TRLR BRK VLV

		330718	Hydraulic trailer brakes		9000713P70	\$915.00
--	--	--------	--------------------------	--	------------	----------

**REVERSE ALARM**

SD\_T9249 REVERSE ALARM

		330692	Reverse Alarm		9000131P82	\$169.00
--	--	--------	---------------	--	------------	----------

**OPERATOR'S MANUALS**

SD\_T9802 OPERATORS MANUAL

		429481	Spanish Bosch T4B			No Charge
		429482	French Bosch T4B			No Charge

SD\_T9840 COUNTRY CONFIGURATION

		339982	French Decals			No Charge
		339986	Spanish Decals			No Charge



**TS6 ROPS FWD 16X8 LESS LOADER FAST PICK  
US PRICE LIST**

**Standard Equipment**

KEY SELLING POINTS:

- CommandArc™ ergonomically places most frequently used controls to operator's right
- 4.5L, 4-cylinder, FPT engines with 4 valves per cylinder, and common rail fuel injection systems
- Tier 4B EPA emissions compliant with ECOBlue™ HI-eSCR Tier4B emissions system
- Economy priced All Purpose Heavy tractor

ENGINE

-----  
TS6.110

Rated PTO HP - 90  
 Rated Engine HP - 110  
 Rated Engine Speed - @ 2200 rpm  
 274 cu. in. (4.5L) Displacement  
 4 Cylinders, Turbocharged  
 Intercooled Diesel Engine

TS6.120

Rated PTO HP - 96  
 Rated Engine HP - 119  
 Rated Engine Speed - @ 2200 rpm  
 274 cu. in. (4.5L) Displacement  
 4 Cylinders, Turbocharged  
 Intercooled Diesel Engine

TS6.130

Rated PTO HP - 105  
 Rated Engine HP - 130  
 Rated Engine Speed - @ 2200 rpm  
 274 cu. in. (4.5L) Displacement  
 4 Cylinders, Turbocharged  
 Intercooled Diesel Engine

TS6.140

Rated PTO HP - 115  
 Rated Engine HP - 139  
 Rated Engine Speed - @ 2200 rpm  
 274 cu. in. (4.5L) Displacement  
 4 Cylinders, Turbocharged

Intercooled Diesel Engine

COMMON ENGINE FEATURES

- 
- Tier 4B Emissions Compliant
  - ECOBlue™ HI-eSCR Tier4B emissions system
  - Engine with Turbocharger and Air-to-Air Intercooler
  - 4 Valves Per Cylinder
  - Bosch Common Rail Fuel Injection Pump (electronic)
  - Grid Heater Starting Aid
  - Dual Element Air Filter with Pre-Cleaner (spin tube intakes)
  - A-Pillar Exhaust with Integral Muffler
  - Air cleaner with integrated pre-cleaner & dust ejector
  - Fixed Fan
  - Cooling System with Antifreeze
  - Water Separator and Dual Fuel Filters
  - Plastic Fuel Tank
  - 57.5 gallon (217.6 liter) fuel capacity
  - 7.9 gallon (30 liter) DEF tank capacity
  - Fuel tank guard

TRANSMISSION

- 
- 16 X 8 Power Shuttle
  - 16 Forward x 8 Reverse
  - 4WD - 24.9 MPH (40 KPH)
  - Main gearbox synchronized in range
  - Left-hand shuttle lever
  - (2) Right-hand shift Levers
  - Multi-plate wet clutch (7) 6in. plates

STEERING

- 
- Hydrostatic Power Steering

AXLES

- 
- Front - FWD
  - 104" Wheel Base





**TS6 ROPS FWD 16X8 LESS LOADER FAST PICK  
US PRICE LIST**

**Standard Equipment**

Class 3 Heavy Duty  
Limited Slip Front Wheel Drive  
Mechanical FWD Engagement  
55° Turning Angle  
12° Axle Oscillation  
Front Drive Shaft Shield  
Manual Adjustable Tread Width from  
64 in. to 80 in.

Rear  
Hydraulic Wet Brakes (equalizing)  
Park Brake Lever  
Swinging Drawbar  
Manual Adjustable Tread Width from  
64 in. to 80 in.

PTO  
-----  
Independent, 540/1000 rpm PTO  
Multi-plate Wet Clutch  
Mechanical Engagement

HYDRAULIC SYSTEM  
-----  
Fixed displacement pumps  
Dual Gear Pumps  
Maximum Flow at Rated Engine Speed:  
Implement Pump: 22 gpm  
Steering Pump: 7 gpm  
Total Flow: 29 gpm  
(2) Close Center Deluxe Remotes  
(4) Couplers

3-POINT LIFT SYSTEM  
-----  
Top Link Draft Sensing  
5499 lbs. Lift Capacity @ 24 in. (ASAE)  
Category II, 3-point Linkage with Flexible  
Link Ends  
Telescopic Stabilizers  
External 3-point hitch control

ELECTRICAL:  
(1) 950 cca Heavy-Duty Battery

120 amp Alternator  
7-pin Outlet for trailer/implement lighting  
and signals  
3-pin Power Outlet (30 amp) - cab only  
Single Pin (8 amp) Accessory Power  
outlet  
12V power socket (cigarette lighter) -  
cab only

INSTRUMENTATION:  
Analog Instrumentation with warning  
lights for air cleaner service,  
alternator, oil pressure, fuel  
sediment/water sensor, PTO  
engagement, head light high beam,  
low fuel and parking brake,  
digital speed readout  
Gauges for fuel level, engine  
temperature, tachometer and hour  
meter  
Horn

LIGHTING:  
ROPS  
Front: (2) Halogen Headlights  
Rear: (1) Worklight  
Turn Signals/Flashers/Rear Lights

OPERATOR PROTECTIVE STRUCTURE:  
ROPS MODELS  
2-Post Foldable ROPS with ISO-  
mounted flat deck platform  
with rubber floor mat  
Steering Wheel - adjustable tilt  
Seat - Vinyl covered with mechanical  
suspension, operator's presence  
sensor, retractable seat belts and  
arm rests  
Suspended pedals  
Locking brake pedals

MISCELLANEOUS  
-----



**TS6 ROPS FWD 16X8 LESS LOADER FAST PICK  
US PRICE LIST**

**Standard Equipment**

Pivoting Engine Hood  
SMV Emblem  
Toolbox

New Holland Standard Warranty Applies

WARRANTY  
-----



**TS6 ROPS FWD 16X8 LESS LOADER FAST PICK  
 US PRICE LIST**

### Models

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
TS6.110 T4B	Rops	MFD	9,700 LB	9057113P16	\$73,222.00
Includes the following Equipment					
13.6R28 MICHELIN (8201703)		\$1,853.00			
18.4R34 MICHELIN (8301703)		\$3,592.00			
TS6.120 T4B	Rops	MFD	9,700 LB	9060697P26	\$77,817.00
Includes the following Equipment					
13.6R28 MICHELIN (8201703)		\$1,853.00			
18.4R34 MICHELIN (8301703)		\$3,592.00			
TS6.130 T4B	Rops	MFD	9,877 LB	9064716P60	\$82,970.00
Includes the following Equipment					
13.6R28 MICHELIN (8201703)		\$1,853.00			
18.4R34 MICHELIN (8301703)		\$3,592.00			
TS6.140 T4B	Rops	MFD	9,877 LB	9070612P62	\$90,529.00
Includes the following Equipment					
13.6R28 MICHELIN (8201703)		\$1,853.00			
18.4R34 MICHELIN (8301703)		\$3,592.00			



**TS6 ROPS FWD 16X8 LESS LOADER FAST PICK  
 US PRICE LIST**

**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**PACKAGE SELECTION**

SD\_T9980 PACKAGING

Order Code	Description	Weight	Factory Data	List Price
X0550XX	NH FAST PICK #5 <b>X0550XX: NH FAST PICK #5</b> <b>TS6 ROPS FWD 16X8 Less Loader</b>  <b>Include:</b> 337280: 40 KPH 330061: 16x8 With Power Shuttle 390266: L/CREEPER FOR 8+8 XT401XX: Less 2WD Front Axle 390331: Heavy-duty Flange Axle 429472: 2 Bosch RR Flow Ctrl 390819: Less Loader Ready 330845: External 3-pt Control for MDC 336784: Hyd Lift w/ 1 int. & 1 ext cyl 390215: Less Front Carrier and Weights XT4961X: Standard less rear ballast		(900957P84)	(\$1,228.00)

**TIRES**

FRONT WHEELS & TIRES

SD\_T4940 FRONT WHEELS AND TIRES

4WD Front				
Order Code	Description	Weight	Factory Data	List Price
8230608	14.9X24 6 PLY R1 8230608		9001330P68	\$1,706.00
8201703	13.6R28 MICHELIN <b>Requires 18.4R34 R1W Rear Tires</b>		9001445P34	\$1,853.00
8240304	14.9-24 6PR R1 <b>Firestone Brand</b>		9001445P34	\$1,853.00
8282201	12.4 x 28 6PR R1 <b>Requires 12.4x42 Rear Tires</b>		9001679P34	\$2,153.00
8248621	250/95 R34 R1 <b>Requires 12.4R46 or 320/90R46 R1 Rear Tires</b>		9001911P78	\$2,451.00
8248631	320/85 R34 R1 <b>Requires 14.9R46 (380/85R46) Rear Tires</b>		9003267P42	\$4,189.00



**TS6 ROPS FWD 16X8 LESS LOADER FAST PICK  
 US PRICE LIST**

	8299905	Front Shipping Wheels-4WD <b>4WD Shipping Wheels</b>		9000152P10	\$195.00
--	---------	---	--	------------	----------

**REAR WHEELS & TIRES**

**SD\_T4950 REAR WHEELS AND TIRES**

Flange Axle					
	8340612	18.4x34 8 ply R1 8340612		9002744P04	\$3,518.00
	8301702	18.4R30 MICHELIN		9002389P14	\$3,063.00
	8301703	18.4R34 MICHELIN		9002801P76	\$3,592.00
	8365440	18.4 x 34 8 PLY R1 <b>Firestone Brand</b>		9002801P76	\$3,592.00
	8301705	18.4R38 MICHELIN		9003261P18	\$4,181.00
	8380100	12.4x42 8PR R1		9003604P38	\$4,621.00
	8399905	Shipping Wheels-Rear		9000571P74	\$733.00

**MISCELLANEOUS**

**FENDERS FRONT**

**SD\_T8740 FRONT FENDERS**

	336940	Front Fenders-Dynamic <b>Requires 331497 axle oscillation stops.</b>		9000571P74	\$733.00
--	--------	---	--	------------	----------

**ROPS CANOPY**

**SD\_T8771 CANOPY**

	335857	Canopy <b>Only for Open Station ROPS tractor</b>		9000620P10	\$795.00
--	--------	---	--	------------	----------

**RUBBER FLOOR MAT**

**SD\_T5701 FLOOR MAT**

	334742	Rubber floor mat <b>Only for open station ROPS tractors</b>		9000082P68	\$106.00
--	--------	--	--	------------	----------

**OPERATOR'S MANUALS**

**SD\_T9802 OPERATORS MANUAL**

	429481	Spanish Bosch T4B			No Charge
	429482	French Bosch T4B			No Charge

**SD\_T9840 COUNTRY CONFIGURATION**

	339982	French Decals			No Charge
	339986	Spanish Decals			No Charge



**TS6 ROPS FWD 8X8 LESS LOADER FAST PICK  
US PRICE LIST**

**Standard Equipment**

KEY SELLING POINTS:

- CommandArc™ ergonomically places most frequently used controls to operator's right
- 4.5L, 4-cylinder, FPT engines with 4 valves per cylinder, and common rail fuel injection systems
- Tier 4B EPA emissions compliant with ECOBlue™ HI-eSCR Tier4B emissions system
- Economy priced All Purpose Heavy tractor

ENGINE

-----  
TS6.110

Rated PTO HP - 90  
 Rated Engine HP - 110  
 Rated Engine Speed - @ 2200 rpm  
 274 cu. in. (4.5L) Displacement  
 4 Cylinders, Turbocharged  
 Intercooled Diesel Engine

TS6.120

Rated PTO HP - 96  
 Rated Engine HP - 119  
 Rated Engine Speed - @ 2200 rpm  
 274 cu. in. (4.5L) Displacement  
 4 Cylinders, Turbocharged  
 Intercooled Diesel Engine

TS6.130

Rated PTO HP - 105  
 Rated Engine HP - 130  
 Rated Engine Speed - @ 2200 rpm  
 274 cu. in. (4.5L) Displacement  
 4 Cylinders, Turbocharged  
 Intercooled Diesel Engine

TS6.140

Rated PTO HP - 115  
 Rated Engine HP - 139  
 Rated Engine Speed - @ 2200 rpm  
 274 cu. in. (4.5L) Displacement  
 4 Cylinders, Turbocharged

Intercooled Diesel Engine

COMMON ENGINE FEATURES

- 
- Tier 4B Emissions Compliant ECOBlue™ HI-eSCR Tier4B emissions system
  - Engine with Turbocharger and Air-to-Air Intercooler
  - 4 Valves Per Cylinder
  - Bosch Common Rail Fuel Injection Pump (electronic)
  - Grid Heater Starting Aid
  - Dual Element Air Filter with Pre-Cleaner (spin tube intakes)
  - A-Pillar Exhaust with Integral Muffler
  - Air cleaner with integrated pre-cleaner & dust ejector
  - Fixed Fan
  - Cooling System with Antifreeze
  - Water Separator and Dual Fuel Filters
  - Plastic Fuel Tank
  - 57.5 gallon (217.6 liter) fuel capacity
  - 7.9 gallon (30 liter) DEF tank capacity
  - Fuel tank guard

TRANSMISSION

- 
- 8 X 8 Power Shuttle
  - 8 Forward x 8 Reverse
  - 4WD - 24.9 MPH (40 KPH)
  - Main gearbox synchronized in range
  - Left-hand shuttle lever
  - (2) Right-hand shift Levers
  - Multi-plate wet clutch (7) 6in. plates

STEERING

- 
- Hydrostatic Power Steering

AXLES

- 
- Front - FWD
  - 104" Wheel Base



**TS6 ROPS FWD 8X8 LESS LOADER FAST PICK  
US PRICE LIST**

**Standard Equipment**

Class 3 Heavy Duty  
Limited Slip Front Wheel Drive  
Mechanical FWD Engagement  
55° Turning Angle  
12° Axle Oscillation  
Front Drive Shaft Shield  
Manual Adjustable Tread Width from  
64 in. to 80 in.

Rear  
Hydraulic Wet Brakes (equalizing)  
Park Brake Lever  
Swinging Drawbar  
Manual Adjustable Tread Width from  
64 in. to 80 in.

PTO  
-----  
Independent, 540/1000 rpm PTO  
Multi-plate Wet Clutch  
Mechanical Engagement

HYDRAULIC SYSTEM  
-----  
Fixed displacement pumps  
Dual Gear Pumps  
Maximum Flow at Rated Engine Speed:  
Implement Pump: 22 gpm  
Steering Pump: 7 gpm  
Total Flow: 29 gpm  
(2) Close Center Deluxe Remotes (opt.  
f/ 3 & 4) with Flow Controls and  
(4) Couplers

3-POINT LIFT SYSTEM  
-----  
Top Link Draft Sensing  
5499 lbs. Lift Capacity @ 24 in. (ASAE)  
Category II, 3-point Linkage with Flexible  
Link Ends  
Telescopic Stabilizers

ELECTRICAL:  
(1) 950 cca Heavy-Duty Battery

120 amp Alternator  
7-pin Outlet for trailer/implement lighting  
and signals  
3-pin Power Outlet (30 amp) - cab only  
Single Pin (8 amp) Accessory Power  
outlet  
12V power socket (cigarette lighter) -  
cab only

INSTRUMENTATION:  
Analog Instrumentation with warning  
lights for air cleaner service,  
alternator, oil pressure, fuel  
sediment/water sensor, PTO  
engagement, head light high beam,  
low fuel and parking brake,  
digital speed readout  
Gauges for fuel level, engine  
temperature, tachometer and hour  
meter  
Horn

LIGHTING:  
ROPS  
Front: (2) Halogen Headlights  
Rear: (1) Worklight  
Turn Signals/Flashers/Rear Lights

OPERATOR PROTECTIVE STRUCTURE:  
ROPS MODELS  
2-Post Foldable ROPS with ISO-  
mounted flat deck platform  
with rubber floor mat  
Steering Wheel - adjustable tilt  
Seat - Vinyl covered with mechanical  
suspension, operator's presence  
sensor, retractable seat belts and  
arm rests  
Suspended pedals  
Locking brake pedals

MISCELLANEOUS



**TS6 ROPS FWD 8X8 LESS LOADER FAST PICK  
US PRICE LIST**

**Standard Equipment**

-----  
Pivoting Engine Hood  
SMV Emblem  
Toolbox

-----  
New Holland Standard Warranty Applies

WARRANTY





**TS6 ROPS FWD 8X8 LESS LOADER FAST PICK  
 US PRICE LIST**

### Models

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
TS6.110 T4B	Rops	MFD	9,700 LB	9057113P16	\$73,222.00
Includes the following Equipment					
13.6R28 MICHELIN (8201703)		\$1,853.00			
18.4R34 MICHELIN (8301703)		\$3,592.00			
TS6.120 T4B	Rops	MFD	9,700 LB	9060697P26	\$77,817.00
Includes the following Equipment					
13.6R28 MICHELIN (8201703)		\$1,853.00			
18.4R34 MICHELIN (8301703)		\$3,592.00			
TS6.130 T4B	Rops	MFD	9,877 LB	9064716P60	\$82,970.00
Includes the following Equipment					
13.6R28 MICHELIN (8201703)		\$1,853.00			
18.4R34 MICHELIN (8301703)		\$3,592.00			
TS6.140 T4B	Rops	MFD	9,877 LB	9070612P62	\$90,529.00
Includes the following Equipment					
13.6R28 MICHELIN (8201703)		\$1,853.00			
18.4R34 MICHELIN (8301703)		\$3,592.00			



**TS6 ROPS FWD 8X8 LESS LOADER FAST PICK  
 US PRICE LIST**

**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**PACKAGE SELECTION**

SD\_T9980 PACKAGING

	X0551XX NH FAST PICK #6 <b>X0551XX: NH FAST PICK #6</b> <b>TS6 ROPS FWD 8X8 Less Loader</b>  <b>Include:</b> 337280: 40 KPH 330059: 8x8 With Power Shuttle 390266: L/CREEPER FOR 8+8 XT401XX: Less 2WD Front Axle 390331: Heavy-duty Flange Axle 429472: 2 Bosch RR Flow Ctrl 390819: Less Loader Ready 330845: External 3-pt Control for MDC 336784: Hyd Lift w/ 1 int. & 1 ext cyl 390215: Less Front Carrier and Weights XT4961X: Standard less rear ballast		(902544P36)	(\$3,262.00)
--	--	--	-------------	--------------

**TIRES**

FRONT WHEELS & TIRES

SD\_T4940 FRONT WHEELS AND TIRES

4WD Front				
	8230608	14.9X24 6 PLY R1 8230608	9001330P68	\$1,706.00
	8201703	13.6R28 MICHELIN <b>Requires 18.4R34 R1W Rear Tires</b>	9001445P34	\$1,853.00
	8240304	14.9-24 6PR R1 <b>Firestone Brand</b>	9001445P34	\$1,853.00
	8282201	12.4 x 28 6PR R1 <b>Requires 12.4x42 Rear Tires</b>	9001679P34	\$2,153.00
	8248621	250/95 R34 R1 <b>Requires 12.4R46 or 320/90R46 R1 Rear Tires</b>	9001911P78	\$2,451.00
	8248631	320/85 R34 R1 <b>Requires 14.9R46 (380/85R46) Rear Tires</b>	9003267P42	\$4,189.00
	8299905	Front Shipping Wheels-4WD <b>4WD Shipping Wheels</b>	9000152P10	\$195.00



**TS6 ROPS FWD 8X8 LESS LOADER FAST PICK  
 US PRICE LIST**

**REAR WHEELS & TIRES**

SD\_T4950 REAR WHEELS AND TIRES

Flange Axle						
		8340612	18.4x34 8 ply R1 8340612		9002744P04	\$3,518.00
		8301702	18.4R30 MICHELIN		9002389P14	\$3,063.00
		8301703	18.4R34 MICHELIN		9002801P76	\$3,592.00
		8365440	18.4 x 34 8 PLY R1 <b>Firestone Brand</b>		9002801P76	\$3,592.00
		8301705	18.4R38 MICHELIN		9003261P18	\$4,181.00
		8380100	12.4x42 8PR R1		9003604P38	\$4,621.00
		8399905	Shipping Wheels-Rear		9000571P74	\$733.00

**MISCELLANEOUS**

**FENDERS FRONT**

SD\_T8740 FRONT FENDERS

		336940	Front Fenders-Dynamic <b>Requires 331497 axle oscillation stops.</b>		9000571P74	\$733.00
--	--	--------	---	--	------------	----------

**ROPS CANOPY**

SD\_T8771 CANOPY

		335857	Canopy <b>Only for Open Station ROPS tractor</b>		9000620P10	\$795.00
--	--	--------	---	--	------------	----------

**RUBBER FLOOR MAT**

SD\_T5701 FLOOR MAT

		334742	Rubber floor mat <b>Only for open station ROPS tractors</b>		9000082P68	\$106.00
--	--	--------	--	--	------------	----------

**OPERATOR'S MANUALS**

SD\_T9802 OPERATORS MANUAL

		429481	Spanish Bosch T4B			No Charge
		429482	French Bosch T4B			No Charge

SD\_T9840 COUNTRY CONFIGURATION

		339982	French Decals			No Charge
		339986	Spanish Decals			No Charge



**TS6 ALL PURPOSE - LESS FAST PICK  
US PRICE LIST**

**Standard Equipment**

KEY SELLING POINTS:

- CommandArc™ ergonomically places most frequently used controls to operator's right
- High visibility panel provides a better view of loader when at full height
- Ten repositionable vents for heating and air conditioning
- Full-size instructor seat
- Creeper transmission option
- 4.5L, 4-cylinder, FPT engines with 4 valves per cylinder, and common rail fuel injection systems
- Tier 4B EPA emissions compliant with ECOBlue™ HI-eSCR Tier4B emissions system
- Cab, ROPS, 2WD or 4WD options
- Factory Installed joystick and loader mounts (optional)
- Economy priced All Purpose Heavy tractor

4 Cylinders, Turbocharged  
Intercooled Diesel Engine

TS6.140  
Rated PTO HP - 115  
Rated Engine HP - 139  
Rated Engine Speed - @ 2200 rpm  
274 cu. in. (4.5L) Displacement  
4 Cylinders, Turbocharged  
Intercooled Diesel Engine

COMMON ENGINE FEATURES

- 
- Tier 4B Emissions Compliant
- ECOBlue™ HI-eSCR Tier4B emissions system
- Engine with Turbocharger and Air-to-Air Intercooler
- 4 Valves Per Cylinder
- Bosch Common Rail Fuel Injection Pump (electronic)
- Grid Heater Starting Aid
- Dual Element Air Filter with Pre-Cleaner (spin tube intakes)
- A-Pillar Exhaust with Integral Muffler
- Air cleaner with integrated pre-cleaner & dust ejector
- Fixed Fan
- Cooling System with Antifreeze
- Water Separator and Dual Fuel Filters
- Plastic Fuel Tank
- 57.5 gallon (217.6 liter) fuel capacity
- 7.9 gallon (30 liter) DEF tank capacity
- Fuel tank guard

ENGINE

-----  
TS6.110  
Rated PTO HP - 90  
Rated Engine HP - 110  
Rated Engine Speed - @ 2200 rpm  
274 cu. in. (4.5L) Displacement  
4 Cylinders, Turbocharged  
Intercooled Diesel Engine

TS6.120  
Rated PTO HP - 96  
Rated Engine HP - 119  
Rated Engine Speed - @ 2200 rpm  
274 cu. in. (4.5L) Displacement  
4 Cylinders, Turbocharged  
Intercooled Diesel Engine

TS6.130  
Rated PTO HP - 105  
Rated Engine HP - 130  
Rated Engine Speed - @ 2200 rpm  
274 cu. in. (4.5L) Displacement

TRANSMISSION

- 
- 8 X 8 Power Shuttle
- 8 Forward x 8 Reverse
- 4WD - 24.9 MPH (40 KPH)
- 2WD - 18.7 MPH (30 KPH)
- Main gearbox synchronized in range
- Left-hand shuttle lever
- (2) Right-hand shift Levers
- Multi-plate wet clutch (7) 6in. plates



**TS6 ALL PURPOSE - LESS FAST PICK  
US PRICE LIST**

**Standard Equipment**

STEERING

-----  
Hydrostatic Power Steering

AXLES

-----  
Front - 2WD  
STD - 100" Wheel Base - TS6.110 &  
TS6.120  
HD - 96" wheel Base - TS6.130 &  
TS6.140  
55° Turning Angle  
12° Axle Oscillation  
Adjustable Tread Width from 60 in.  
to 80 in.

Front - FWD  
104" Wheel Base  
Class 3 Heavy Duty  
Limited Slip Front Wheel Drive  
Mechanical FWD Engagement  
55° Turning Angle  
12° Axle Oscillation  
Front Drive Shaft Shield  
Manual Adjustable Tread Width from  
64 in. to 80 in.

Rear  
Hydraulic Wet Brakes (equalizing)  
Park Brake Lever  
Swinging Drawbar  
Manual Adjustable Tread Width from  
64 in. to 80 in.

PTO  
-----  
Independent, 540/1000 rpm PTO  
Multi-plate Wet Clutch  
Mechanical Engagement

HYDRAULIC SYSTEM  
-----  
Fixed displacement pumps

Dual Gear Pumps  
Maximum Flow at Rated Engine Speed:  
Implement Pump: 22 gpm  
Steering Pump: 7 gpm  
Total Flow: 29 gpm  
(2) Close Center Deluxe Remotes (opt.  
f/ 3 & 4) with Flow Controls and  
(4) Couplers

3-POINT LIFT SYSTEM  
-----  
Top Link Draft Sensing  
  
3735 lbs. Lift Capacity @ 24 in. (ASAE)  
Category II, 3-point Linkage with Flexible  
Link Ends  
Telescopic Stabilizers

ELECTRICAL:  
(1) 950 cca Heavy-Duty Battery  
120 amp Alternator  
7-pin Outlet for trailer/implement lighting  
and signals  
3-pin Power Outlet (30 amp) - cab only  
Single Pin (8 amp) Accessory Power  
outlet  
12V power socket (cigarette lighter) -  
cab only

INSTRUMENTATION:  
Analog Instrumentation with warning  
lights for air cleaner service,  
alternator, oil pressure, fuel  
sediment/water sensor, PTO  
engagement, head light high beam,  
low fuel and parking brake,  
digital speed readout  
Gauges for fuel level, engine  
temperature, tachometer and hour  
meter  
Horn

LIGHTING:  
ROPS



**TS6 ALL PURPOSE - LESS FAST PICK  
US PRICE LIST**

**Standard Equipment**

Front: (2) Halogen Headlights  
Rear: (1) Worklight  
Turn Signals/Flashers/Rear Lights

**CAB**

Front: (2) Halogen Headlights and  
(4) cab mounted worklights  
Rear: (4) cab mounted worklights  
Turn Signals/Flashers/Rear Lights

**OPERATOR PROTECTIVE STRUCTURE:  
ROPS MODELS**

2-Post Foldable ROPS with ISO-  
mounted flat deck platform  
with rubber floor mat  
Steering Wheel - adjustable tilt  
Seat - Vinyl covered with mechanical  
suspension, operator's presence  
sensor, retractable seat belts and  
arm rests  
Suspended pedals  
Locking brake pedals

**CAB MODELS**

ROPS protected, FOPS certified, flat  
deck platform  
with heat and air conditioning, tinted  
windshield, two doors with locks, two

external mirrors, openable side  
windows, hinged rear window (opens  
completely)  
Steering Wheel - adjustable tilt  
Seat - Cloth covered with air suspension,  
operator's presence sensor, retractable  
seat belt and arm rests  
Suspended pedals  
Radio complete with radio, wires,  
speakers, and antenna  
Front and rear window washer and  
wiper  
Sun visor

**MISCELLANEOUS**

-----  
Pivoting Engine Hood  
SMV Emblem  
Toolbox

**WARRANTY**

-----  
New Holland Standard Warranty Applies



**TS6 ALL PURPOSE - LESS FAST PICK  
US PRICE LIST**

### Models

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
TS6.110 T4B	Rops	2WD	8,532 LB	9051504P18	\$66,031.00
Includes the following Equipment					
10.00-16 8PR F2 (8114404)			\$864.00		
18.4R34 MICHELIN (8301703)			\$3,592.00		
TS6.110 T4B	Rops	MFD	9,700 LB	9057113P16	\$73,222.00
Includes the following Equipment					
13.6R28 MICHELIN (8201703)			\$1,853.00		
18.4R34 MICHELIN (8301703)			\$3,592.00		
TS6.110 T4B	Cab	2WD	9,281 LB	9060952P32	\$78,144.00
Includes the following Equipment					
10.00-16 8PR F2 (8114404)			\$864.00		
18.4R34 MICHELIN (8301703)			\$3,592.00		
Radio 392295 (392295)			\$244.00		
TS6.110 T4B	Cab	MFD	10,450 LB	9066561P30	\$85,335.00
Includes the following Equipment					
13.6R28 MICHELIN (8201703)			\$1,853.00		
18.4R34 MICHELIN (8301703)			\$3,592.00		
Radio 392295 (392295)			\$244.00		
TS6.120 T4B	Rops	2WD	8,532 LB	9055088P28	\$70,626.00
Includes the following Equipment					
10.00-16 8PR F2 (8114404)			\$864.00		
18.4R34 MICHELIN (8301703)			\$3,592.00		
TS6.120 T4B	Rops	MFD	9,700 LB	9060697P26	\$77,817.00
Includes the following Equipment					
13.6R28 MICHELIN (8201703)			\$1,853.00		
18.4R34 MICHELIN (8301703)			\$3,592.00		
TS6.120 T4B	Cab	2WD	9,281 LB	9064536P42	\$82,739.00
Includes the following Equipment					
10.00-16 8PR F2 (8114404)			\$864.00		
18.4R34 MICHELIN (8301703)			\$3,592.00		
Radio 392295 (392295)			\$244.00		
TS6.120 T4B	Cab	MFD	10,450 LB	9070145P40	\$89,930.00
Includes the following Equipment					
13.6R28 MICHELIN (8201703)			\$1,853.00		
18.4R34 MICHELIN (8301703)			\$3,592.00		
Radio 392295 (392295)			\$244.00		
TS6.130 T4B	Rops	2WD	8,576 LB	9059107P62	\$75,779.00
Includes the following Equipment					
10.00 x 16 8ply For HD Axl (8180522)			\$864.00		



**TS6 ALL PURPOSE - LESS FAST PICK  
 US PRICE LIST**

### Models

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
18.4R34 MICHELIN (8301703)      \$3,592.00					
TS6.130 T4B	Rops	MFD	9,877 LB	9064716P60	\$82,970.00
Includes the following Equipment					
13.6R28 MICHELIN (8201703)      \$1,853.00					
18.4R34 MICHELIN (8301703)      \$3,592.00					
TS6.130 T4B	Cab	2WD	9,326 LB	9068555P76	\$87,892.00
Includes the following Equipment					
10.00 x 16 8ply For HD Axl (8180522)      \$864.00					
18.4R34 MICHELIN (8301703)      \$3,592.00					
Radio 392295 (392295)      \$244.00					
TS6.130 T4B	Cab	MFD	10,626 LB	9074164P74	\$95,083.00
Includes the following Equipment					
13.6R28 MICHELIN (8201703)      \$1,853.00					
18.4R34 MICHELIN (8301703)      \$3,592.00					
Radio 392295 (392295)      \$244.00					
TS6.140 T4B	Rops	2WD	8,576 LB	9065003P64	\$83,338.00
Includes the following Equipment					
10.00 x 16 8ply For HD Axl (8180522)      \$864.00					
18.4R34 MICHELIN (8301703)      \$3,592.00					
TS6.140 T4B	Rops	MFD	9,877 LB	9070612P62	\$90,529.00
Includes the following Equipment					
13.6R28 MICHELIN (8201703)      \$1,853.00					
18.4R34 MICHELIN (8301703)      \$3,592.00					
TS6.140 T4B	Cab	2WD	9,326 LB	9074451P78	\$95,451.00
Includes the following Equipment					
10.00 x 16 8ply For HD Axl (8180522)      \$864.00					
18.4R34 MICHELIN (8301703)      \$3,592.00					
Radio 392295 (392295)      \$244.00					
TS6.140 T4B	Cab	MFD	10,626 LB	9080060P76	\$102,642.00
Includes the following Equipment					
13.6R28 MICHELIN (8201703)      \$1,853.00					
18.4R34 MICHELIN (8301703)      \$3,592.00					
Radio 392295 (392295)      \$244.00					





**TS6 ALL PURPOSE - LESS FAST PICK  
 US PRICE LIST**

**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**PACKAGE SELECTION**

SD\_T9980 PACKAGING

	X0557XX	LESS PACKAGING.		No Charge
--	---------	-----------------	--	-----------

**TRANSMISSION**

SD\_T2800 SPEED

	337280	40 KPH		\$251.00
--	--------	--------	--	----------

SD\_T2810 TRANSMISSION

	330061	16x8 With Power Shuttle <b>16x8 DualPower Power Shuttle</b>  NOT Compatible with Creeper (330066) AND rear wheels 8360781.	9001586P52	\$2,034.00
--	--------	---	------------	------------

SD\_T3230 CREEPER or Interlock

	330066	10:1 CREEPER FOR 8+8 & 16+8 <b>Creeper Transmission</b>  NOT Compatible with 16x8 (330061) AND 46" rear wheels (8360761 or 8360781).	9001963P26	\$2,517.00
--	--------	---	------------	------------

**FRONT AXLE**

SD\_T4010 FRONT AXLE

	390373	2WD Front Axle HD <b>Standard Equipment Heavy Duty 2WD Front Axle for TS6.130 and TS6.140</b>	9002074P80	\$2,660.00
		if MODEL is TS6 130 NH		No Charge
		if MODEL is TS6.140		No Charge



**TS6 ALL PURPOSE - LESS FAST PICK  
 US PRICE LIST**

**REAR AXLE**

SD\_T3200 REAR AXLE

	330331	98 in. bar axle (Steel Wheels) <b>Includes Extremity lights (fold down safety flashers)</b>		9001290P12	\$1,654.00
--	--------	--	--	------------	------------

**TIRES**

FRONT WHEELS & TIRES

SD\_T4940 FRONT WHEELS AND TIRES

2WD Front					
	8114404	10.00-16 8PR F2 <b>Firestone Brand - 2WD</b>		9000673P92	\$864.00
	8180522	10.00 x 16 8ply For HD Axle <b>Firestone Brand - 2WD</b>		9000673P92	\$864.00
	8199101	Front Shipping Wheels-2wd <b>2WD Shipping Wheels (NOT compatible with Heavy Duty 2WD front axle 390373)</b>		9000088P92	\$114.00
	8843901	Front Shipping Wheels 2WD HD <b>Requires 2WD Heavy Duty axle 390373</b>		9000088P92	\$114.00
4WD Front					
	8230608	14.9X24 6 PLY R1 8230608		9001330P68	\$1,706.00
	8201703	13.6R28 MICHELIN <b>Requires 18.4R34 R1W Rear Tires</b>		9001445P34	\$1,853.00
	8240304	14.9-24 6PR R1 <b>Firestone Brand</b>		9001445P34	\$1,853.00
	8282201	12.4 x 28 6PR R1 <b>Requires 12.4x42 Rear Tires</b>		9001679P34	\$2,153.00
	8248621	250/95 R34 R1 <b>Requires 12.4R46 or 320/90R46 R1 Rear Tires</b>		9001911P78	\$2,451.00
	8248631	320/85 R34 R1 <b>Requires 14.9R46 (380/85R46) Rear Tires</b>		9003267P42	\$4,189.00
	8299905	Front Shipping Wheels-4WD <b>4WD Shipping Wheels</b>		9000152P10	\$195.00

REAR WHEELS & TIRES

SD\_T4950 REAR WHEELS AND TIRES

Flange Axle					
	8340612	18.4x34 8 ply R1 8340612		9002744P04	\$3,518.00
	8301702	18.4R30 MICHELIN		9002389P14	\$3,063.00
	8301707	520/70R38 MICHELIN <b>520/70R38 R1W Michelin Omnibib</b>		9005622P24	\$7,208.00
	8301703	18.4R34 MICHELIN		9002801P76	\$3,592.00



**TS6 ALL PURPOSE - LESS FAST PICK  
 US PRICE LIST**

	8365440	18.4 x 34 8 PLY R1 <b>Firestone Brand</b>		9002801P76	\$3,592.00
	8301705	18.4R38 MICHELIN		9003261P18	\$4,181.00
	8380100	12.4x42 8PR R1		9003604P38	\$4,621.00
	8399905	Shipping Wheels-Rear		9000571P74	\$733.00
Bar Axle - Singles					
	8301708	520/85R38 MICH BAR S <b>520/70R38 R1W Michelin Omnibib</b>		9005705P70	\$7,315.00
	8301704	18.4R34-MICH BAR S		9002801P76	\$3,592.00
	8301706	18.4R38 MICH BAR S		9003261P18	\$4,181.00
	8318590	Single 12.4 x 42 R1		9003604P38	\$4,621.00
	8360761	320/90R46 R-1 - Bar Single <b>Requires 250/95 R34 R1 Front Tire</b>		9004406P22	\$5,649.00
	8399906	Rear Shipping Wheels		9000571P74	\$733.00

**HYDRAULICS**

REAR REMOTE VALVES

SD\_T8270 REAR REMOTES

	429472	2 Bosch RR Flow Ctrl			No Charge
	429473	3 Bosch RR Flow Ctrl		9000809P64	\$1,038.00
	429474	4 Bosch RR Flow Ctrl		9001617P72	\$2,074.00

LOADER READY OPTIONS

SD\_T8110 LOADER BRACKETS

	429475	Loader Ready 429475 <b>Includes loader mounting brackets (horizontal and verticle), 2 slice mid-mount loader valve and joystick control, with hoses from the mid-mount valve (MMV) to the multi-coupler. Includes tractor half of the multi-coupler. Does not include front end loader frame, buckets or attachments. Refer to 805 Series loader pages to order suitable front end loader. Order base loader, desired bucket or attachments and multi-coupler 4 hose cap (MC4) if a non-self leveling (NSL) base loader. For 3rd loader function, must order diverter valve kit and electric joystick handle kit.</b>		9004129P32	\$5,294.00
--	--------	--	--	------------	------------

**3-POINT HITCH**

REAR 3 POINT HITCH

SD\_T8240 EXTERNAL LIFT CONTROL

	330845	External 3-pt Control for MDC <b>Mechanical ground control for 3 point hitch (not compatible with 2 external lift cylinders 339784)</b>		9000141P18	\$181.00
--	--------	--	--	------------	----------



**TS6 ALL PURPOSE - LESS FAST PICK  
 US PRICE LIST**

**SD\_T8950 AUX RAMS**

	390344	Hyd Lift w/ 1 int. cyl <b>1 Internal Lift Ram</b> <b>3,735 pounds lift capacity</b>			No Charge
	336784	Hyd Lift w/ 1 int. & 1 ext cyl <b>1 Auxiliary Lift Ram</b> <b>5,499 pounds lift capacity</b>		9000550P68	\$706.00
	339784	Hyd Lift w/ 1 int. & 2 ext cyl <b>2 Auxiliary Lift Rams</b> <b>7,326 pounds lift capacity</b>		9001040P52	\$1,334.00

**WEIGHTS**

**FRONT WEIGHTS**

**SD\_T2150 FRONT BALLAST**

	390215	Less Front Carrier and Weights			No Charge
	334923	Carrier less front weights		9000244P14	\$313.00
	330213	Front Weight Carrier +8 wghts <b>Front weight carrier &amp; 8 weight slices (31kgs / 68 lbs each)</b>		9000960P96	\$1,232.00
	330214	Front Weight Carrier +12 wghts <b>Front weight carrier &amp; 12 weight slices (31kgs / 68 lbs each)</b>		9001359P54	\$1,743.00
	330218	Front Weight Carrier +16 wghts <b>Front weight carrier &amp; 16 weight slices (31kgs / 68 lbs each)</b>		9001488P24	\$1,908.00

**REAR WHEEL WEIGHTS**

**SD\_T4961 REAR BALLAST**

<b>Bar Axle</b>					
	336935	6 Rear wheel weights <b>6 rear wheel weights for bar axle (65 kgs / 143 lbs each)</b>		9000659P10	\$845.00
	334354	10 rear wheel weight <b>10 rear wheel weights for bar axle (65 kgs / 143 lbs each)</b>		9001098P24	\$1,408.00
	XT4961X	Standard less rear ballast			No Charge
	330471	6 Rear Wheel Weights <b>6 rear wheel weights (40 kgs / 88 lbs each) for flange axle , total 528 lbs.</b>  <b>ONLY compatible with 18.4-34 &amp; 18.4-38 rear wheels</b>		9000659P10	\$845.00
<b>Flange Axle</b>					
	332497	12 Rear wheel weights <b>12 rear wheel weights for flange axle (40 kgs / 88 lbs each)total 1056 lbs.</b>  <b>ONLY compatible with 18.4-38 rear wheels</b>		9001315P08	\$1,686.00



**TS6 ALL PURPOSE - LESS FAST PICK  
 US PRICE LIST**

**CAB OPTION**

SD\_T9411 HIGH VISIBILITY WINDOW

	334743	High-visibility window		9000413P40	\$530.00
--	--------	------------------------	--	------------	----------

**SEATS**

SD\_T8500 SEAT

	336923	Air suspension seat w/swivel <b>With 15 degree swivel</b>		9000732P42	\$939.00
--	--------	--	--	------------	----------

**REAR WINDOW WIPER/WASHER**

SD\_T9150 REAR WIPER & WASHER

	330642	Rear wiper/washer - CAB <b>Rear window wiper/washer for Cab</b>		9000212P16	\$272.00
--	--------	--	--	------------	----------

**MISCELLANEOUS**

**FENDERS FRONT**

SD\_T8740 FRONT FENDERS

	336940	Front Fenders-Dynamic <b>Requires 331497 axle oscillation stops.</b>		9000571P74	\$733.00
--	--------	---	--	------------	----------

**BRAKES/TRAILER BRAKE**

SD\_T7130 TRLR BRK VLV

	330718	Hydraulic trailer brakes		9000713P70	\$915.00
--	--------	--------------------------	--	------------	----------

**REVERSE ALARM**

SD\_T9249 REVERSE ALARM

	330692	Reverse Alarm		9000131P82	\$169.00
--	--------	---------------	--	------------	----------

**ROPS CANOPY**

SD\_T8771 CANOPY

	335857	Canopy <b>Only for Open Station ROPS tractor</b>		9000620P10	\$795.00
--	--------	---	--	------------	----------



**TS6 ALL PURPOSE - LESS FAST PICK  
 US PRICE LIST**

**RUBBER FLOOR MAT**

SD\_T5701 FLOOR MAT

		334742	Rubber floor mat <b>Only for open station ROPS tractors</b>		9000082P68	\$106.00
--	--	--------	--	--	------------	----------

**OPERATOR'S MANUALS**

SD\_T9802 OPERATORS MANUAL

		429481	Spanish Bosch T4B			No Charge
		429482	French Bosch T4B			No Charge

SD\_T9840 COUNTRY CONFIGURATION

		339982	French Decals			No Charge
		339986	Spanish Decals			No Charge



**TS6.120 HC ROPS TANKS & CANOPY FAST PICK  
US PRICE LIST**

**Standard Equipment**

KEY SELLING POINTS:

- CommandArc™ ergonomically places most frequently used controls to operator's right
- Creeper transmission
- 4.5L, 4-cylinder, FPT engines with 4 valves per cylinder, and common rail fuel injection systems
- Tier 4B EPA emissions compliant with ECOBlue™ HI-eSCR Tier4B emissions system

ENGINE

-----  
TS6.120

- Rated PTO HP - 96
- Rated Engine HP - 119
- Rated Engine Speed - @ 2200 rpm
- 274 cu. in. (4.5L) Displacement
- 4 Cylinders, Turbocharged
- Intercooled Diesel Engine

COMMON ENGINE FEATURES

- 
- Tier 4B Emissions Compliant
- ECOBBlue™ HI-eSCR Tier4B emissions system
- Engine with Turbocharger and Air-to-Air Intercooler
- 4 Valves Per Cylinder
- Bosch Common Rail Fuel Injection Pump (electronic)
- Grid Heater Starting Aid
- Dual Element Air Filter with Pre-Cleaner (spin tube intakes)
- A-Pillar Exhaust with Integral Muffler
- Air cleaner with integrated pe-cleaner & dust ejector
- Fixed Fan
- Cooling System with Antifreeze
- Water Separator and Dual Fuel Filters
- Plastic Fuel Tank
- 57.5 gallon (217.6 liter) fuel capacity
- 7.9 gallon (30 liter) DEF tank capacity

Fuel tank guard

TRANSMISSION

- 
- 8X8 Power Shuttle
- 8 Forward x 8 Reverse gears
- Creeper transmission
- Synchronized gear change
- Main gearbox synchronized
- Left-hand shuttle lever
- 14" cerametalic clutch
- 18.7 MPH (30 KPH)

STEERING

-----  
Hydrostatic Power Steering

PTO

- 
- Independent, 540/1000 rpm PTO
- Multi-plate Wet Clutch
- Mechanical Engagement

AXLES

- 
- Front Axle - FWD:
- Class III Standard Duty
- Limited Slip Front Wheel Drive Axle
- Mechanical FWD Engagement
- 55° Turning Angle
- 12° Axle Oscillation Drive Shaft Shield
- Front Drive Shaft Shield
- Manual Adjustable Tread Width from 72 in. to 84 in.
- Maximum Axle Clearance - 28 in.
- Rear Axle:
- Drop Box Final Drives
- Hydraulic Wet Brakes (equalizing)
- Park Brake Lever
- Manual Adjustable Tread Width from 72 in. to 84 in.
- Maximum Drawbar Support Clearance - 30 in.



**TS6.120 HC ROPS TANKS & CANOPY FAST PICK  
US PRICE LIST**

**Standard Equipment**

HYDRAULIC SYSTEM

-----  
Fixed displacement pumps  
Dual Gear Pumps  
Maximum Flow at Rated Engine Speed:  
Implement Pump: 22 gpm  
Steering Pump: 7 gpm  
Total Flow: 29 gpm  
(2) Close Center Deluxe Remotes with  
Flow Controls, Adjustable Detents and  
(4) Couplers

3-POINT LIFT SYSTEM

-----  
One internal lift cylinder  
Top Link Draft Sensing  
3735 lbs. Lift Capacity @ 24 in. (ASAE)  
Category II, 3-point Linkage with Flexible  
Link Ends  
Telescopic Stabilizers

INSTRUMENTATION:

Analog Instrumentation with warning  
lights for air cleaner service,  
alternator, oil pressure, fuel  
sediment/water sensor, PTO  
engagement, head light high beam,  
low fuel and parking brake,  
digital speed readout  
Gauges for fuel level, engine  
temperature, tachometer and hour  
meter  
Horn

ELECTRICAL:

(1) 950 cca Heavy-Duty Battery  
120 amp Alternator  
7-pin Outlet for trailer/implement lighting  
and signals  
3-pin Power Outlet (30 amp) - cab only  
Single Pin (8 amp) Accessory Power  
outlet

12V power socket (cigarette lighter) -  
cab only  
Reverse alarm

LIGHTING:

ROPS  
Front: (2) Halogen Headlights  
Rear: (1) Worklight  
Turn Signals/Flashers/Rear Lights

OPERATOR PROTECTIVE STRUCTURE:

ROPS MODELS  
2-Post Foldable ROPS with ISO-  
mounted flat deck platform  
Canopy  
Steering Wheel - adjustable tilt  
Seat - Vinyl covered with mechanical  
suspension, operator's presence  
sensor, retractable seat belts and  
arm rests  
Suspended pedals  
Locking brake pedals

MISCELLANEOUS

-----  
Front push frame mounts  
Two 120 gallon tanks integrated  
into the rear fenders  
16 front weights  
Pivoting Engine Hood  
SMV Emblem  
Toolbox

WARRANTY

-----  
New Holland Standard Warranty Applies





**TS6.120 HC ROPS TANKS & CANOPY FAST PICK  
 US PRICE LIST**

**Models**

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
TS6.120 HC T4B	Rops & High Clearance	MFD	10,692 LB	9073930P74	\$94,783.00
Includes the following Equipment					
8x8 With Power Shuttle (330059)                      \$1,911.00					
13.6R38 MICHELIN (8201706)                      \$2,302.00					
13.6R38 MICHELIN HC (8301709)                      \$2,302.00					



**TS6.120 HC ROPS TANKS & CANOPY FAST PICK  
 US PRICE LIST**

**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**PACKAGE SELECTION**

SD\_T9980 PACKAGING

X0546XX	NH FAST PICK #1 <b>NH FAST PICK #1</b> <b>TS6.120 High Clear ROPS Pkg</b> - Tanks & Canopy Includes: 330059: 8x8 With Power Shuttle 30066: 10:1 CREEPER FOR 8+8 & 16+ 8201706: 13.6R38 MICHELIN 8301709: 13.6R38 MICHELIN HC 429472: 2 Bosch RR Flow Ctrl 463748: 2 TANKS SET 463789: HYD LIFT 1CYL TANKS 330218: Front Weight Carrier +16 wghts 330692: Reverse Alarm 335857: Canopy		9011218P74	\$14,383.00
---------	---	--	------------	-------------

**TIRES**

REAR WHEELS & TIRES

SD\_T4950 REAR WHEELS AND TIRES

8301709	13.6R38 MICHELIN HC <b>Requires 13.6R38 Front Tires</b>		9001795P56	\$2,302.00
8390701	12.4R X46 R2 8390701 <b>Requires 12.4 x 46 R2 Front Tires</b>		9003588P78	\$4,601.00

**OPERATOR'S MANUALS**

SD\_T9802 OPERATORS MANUAL

429481	Spanish Bosch T4B			No Charge
429482	French Bosch T4B			No Charge

SD\_T9840 COUNTRY CONFIGURATION

339982	French Decals			No Charge
339986	Spanish Decals			No Charge



**TS6.120 HC ROPS LESS TANKS FAST PICK  
US PRICE LIST**

**Standard Equipment**

KEY SELLING POINTS:

- CommandArc™ ergonomically places most frequently used controls to operator's right
- Creeper transmission
- 4.5L, 4-cylinder, FPT engines with 4 valves per cylinder, and common rail fuel injection systems
- Tier 4B EPA emissions compliant with ECOBlue™ HI-eSCR Tier4B emissions system

ENGINE

-----  
TS6.120

Rated PTO HP - 96  
 Rated Engine HP - 119  
 Rated Engine Speed - @ 2200 rpm  
 274 cu. in. (4.5L) Displacement  
 4 Cylinders, Turbocharged  
 Intercooled Diesel Engine

COMMON ENGINE FEATURES

-----  
 Tier 4B Emissions Compliant  
 ECOBlue™ HI-eSCR Tier4B emissions system  
 Engine with Turbocharger and Air-to-Air Intercooler  
 4 Valves Per Cylinder  
 Bosch Common Rail Fuel Injection Pump (electronic)  
 Grid Heater Starting Aid  
 Dual Element Air Filter with Pre-Cleaner (spin tube intakes)  
 A-Pillar Exhaust with Integral Muffler  
 Air cleaner with integrated pe-cleaner & dust ejector  
 Fixed Fan  
 Cooling System with Antifreeze  
 Water Separator and Dual Fuel Filters  
 Plastic Fuel Tank  
 57.5 gallon (217.6 liter) fuel capacity  
 7.9 gallon (30 liter) DEF tank capacity

Fuel tank guard

TRANSMISSION

-----  
 8X8 Power Shuttle  
 8 Forward x 8 Reverse gears  
 Creeper transmission  
 Synchronized gear change  
 Main gearbox synchronized  
 Left-hand shuttle lever  
 14" cerametalic clutch  
 18.7 MPH (30 KPH)

STEERING

-----  
Hydrostatic Power Steering

PTO

-----  
 Independent, 540/1000 rpm PTO  
 Multi-plate Wet Clutch  
 Mechanical Engagement

AXLES

-----  
 Front Axle - FWD:  
 Class III Standard Duty  
 Limited Slip Front Wheel Drive Axle  
 Mechanical FWD Engagement  
 55° Turning Angle  
 12° Axle Oscillation Drive Shaft Shield  
 Front Drive Shaft Shield  
 Manual Adjustable Tread Width from 72 in. to 84 in.  
 Maximum Axle Clearance - 28 in.

Rear Axle:  
 Drop Box Final Drives  
 Hydraulic Wet Brakes (equalizing)  
 Park Brake Lever  
 Manual Adjustable Tread Width from 72 in. to 84 in.  
 Maximum Drawbar Support Clearance - 30 in.



**TS6.120 HC ROPS LESS TANKS FAST PICK  
US PRICE LIST**

### Standard Equipment

**HYDRAULIC SYSTEM**

-----  
Fixed displacement pumps  
Dual Gear Pumps  
Maximum Flow at Rated Engine Speed:  
Implement Pump: 22 gpm  
Steering Pump: 7 gpm  
Total Flow: 29 gpm  
(2) Close Center Deluxe Remotes with  
Flow Controls, Adjustable Detents and  
(4) Couplers

**3-POINT LIFT SYSTEM**

-----  
One internal lift cylinder  
Top Link Draft Sensing  
3735 lbs. Lift Capacity @ 24 in. (ASAE)  
Category II, 3-point Linkage with Flexible  
Link Ends  
Telescopic Stabilizers

**INSTRUMENTATION:**

Analog Instrumentation with warning  
lights for air cleaner service,  
alternator, oil pressure, fuel  
sediment/water sensor, PTO  
engagement, head light high beam,  
low fuel and parking brake,  
digital speed readout  
Gauges for fuel level, engine  
temperature, tachometer and hour  
meter  
Horn

**ELECTRICAL:**

(1) 950 cca Heavy-Duty Battery  
120 amp Alternator  
7-pin Outlet for trailer/implement lighting  
and signals  
3-pin Power Outlet (30 amp) - cab only

Single Pin (8 amp) Accessory Power  
outlet  
12V power socket (cigarette lighter) -  
cab only  
Reverse alarm

**LIGHTING:**

ROPS  
Front: (2) Halogen Headlights  
Rear: (1) Worklight  
Turn Signals/Flashers/Rear Lights

**OPERATOR PROTECTIVE STRUCTURE:**

ROPS MODELS  
2-Post Foldable ROPS with ISO-  
mounted flat deck platform  
Steering Wheel - adjustable tilt  
Seat - Vinyl covered with mechanical  
suspension, operator's presence  
sensor, retractable seat belts and  
arm rests  
Suspended pedals  
Locking brake pedals

**MISCELLANEOUS**

-----  
Front push frame mounts  
16 front weights  
Pivoting Engine Hood  
SMV Emblem  
Toolbox

**WARRANTY**

-----  
New Holland Standard Warranty Applies



**TS6.120 HC ROPS LESS TANKS FAST PICK  
 US PRICE LIST**

**Models**

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
TS6.120 HC T4B	Rops & High Clearance	MFD	10,692 LB	9073930P74	\$94,783.00
Includes the following Equipment					
8x8 With Power Shuttle (330059)           \$1,911.00					
13.6R38 MICHELIN (8201706)           \$2,302.00					
13.6R38 MICHELIN HC (8301709)       \$2,302.00					



**TS6.120 HC ROPS LESS TANKS FAST PICK  
 US PRICE LIST**

**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**PACKAGE SELECTION**

SD\_T9980 PACKAGING

X0547XX	NH FAST PICK #2 <b>NH FAST PICK #2</b> <b>TS6.120 High Clear ROPS Pkg</b> - Less Tanks & Canopy <b>Includes:</b> 8x8 With Power Shuttle 10:1 CREEPER FOR 8+8 & 16+ 13.6R38 MICHELIN 13.6R38 MICHELIN HC 2 Bosch RR Flow Ctrl Hyd Lift w/ 1 int. cyl Front Weight Carrier +16 wgths Reverse Alarm		(900321P36)	(\$412.00)
---------	--	--	-------------	------------

**3-POINT HITCH**

REAR 3 POINT HITCH

SD\_T8240 EXTERNAL LIFT CONTROL

330845	External 3-pt Control for MDC <b>Mechanical ground control for 3 point hitch</b> (not compatible with 2 external lift cylinders 339784)		9000141P18	\$181.00
--------	---	--	------------	----------

**MISCELLANEOUS**

ROPS CANOPY

SD\_T8771 CANOPY

335857	Canopy <b>Only for Open Station ROPS tractor</b>		9000620P10	\$795.00
--------	---	--	------------	----------

**OPERATOR'S MANUALS**

SD\_T9802 OPERATORS MANUAL

429481	Spanish Bosch T4B			No Charge
--------	-------------------	--	--	-----------



**TS6.120 HC ROPS LESS TANKS FAST PICK  
US PRICE LIST**

		429482	French Bosch T4B			No Charge
--	--	--------	------------------	--	--	-----------

SD\_T9840 COUNTRY CONFIGURATION

		339982	French Decals			No Charge
		339986	Spanish Decals			No Charge



**TS6 T4B HIGH CLEARANCE - LESS FAST PICK  
US PRICE LIST**

**Standard Equipment**

KEY SELLING POINTS:

- VisionView™ cab
- CommandArc™ ergonomically places most frequently used controls to operator's right
- Cab has ten repositionable vents for heating and air conditioning w/dual fan
- Full-size instructor seat (option)
- Creeper transmission
- 4.5L, 4-cylinder, FPT engines with 4 valves per cylinder, and common rail fuel injection systems
- Tier 4B EPA emissions compliant with ECOBlue™ HI-eSCR Tier4B emissions system
- Offering to fit customer; Cab or ROPS

ENGINE

-----  
TS6.120

Rated PTO HP - 96  
 Rated Engine HP - 119  
 Rated Engine Speed - @ 2200 rpm  
 274 cu. in. (4.5L) Displacement  
 4 Cylinders, Turbocharged  
 Intercooled Diesel Engine

COMMON ENGINE FEATURES

-----  
 Tier 4B Emissions Compliant  
 ECOBlue™ HI-eSCR Tier4B emissions system  
 Engine with Turbocharger and Air-to-Air Intercooler  
 4 Valves Per Cylinder  
 Bosch Common Rail Fuel Injection Pump (electronic)  
 Grid Heater Starting Aid  
 Dual Element Air Filter with Pre-Cleaner (spin tube intakes)  
 A-Pillar Exhaust with Integral Muffler  
 Air cleaner with integrated pe-cleaner & dust ejector  
 Fixed Fan

Cooling System with Antifreeze  
 Water Separator and Dual Fuel Filters  
 Plastic Fuel Tank  
 57.5 gallon (217.6 liter) fuel capacity  
 7.9 gallon (30 liter) DEF tank capacity  
 Fuel tank guard

TRANSMISSION

-----  
 8X8 Power Shuttle  
 8 Forward x 8 Reverse gears  
 Creeper transmission  
 Synchronized gear change  
 Main gearbox synchronized  
 Left-hand shuttle lever  
 14" cerametalic clutch  
 18.7 MPH (30 KPH)

STEERING

-----  
Hydrostatic Power Steering

PTO

-----  
 Independent, 540/1000 rpm PTO  
 Multi-plate Wet Clutch  
 Mechanical Engagement

AXLES

-----  
 Front Axle - FWD:  
 Class III Standard Duty  
 Limited Slip Front Wheel Drive Axle  
 Mechanical FWD Engagement  
 55° Turning Angle  
 12° Axle Oscillation Drive Shaft Shield  
 Front Drive Shaft Shield  
 Manual Adjustable Tread Width from 72 in. to 84 in.  
 Maximum Axle Clearance - 28 in.

Rear Axle:  
 Drop Box Final Drives  
 Hydraulic Wet Brakes (equalizing)  
 Park Brake Lever





**TS6 T4B HIGH CLEARANCE - LESS FAST PICK  
 US PRICE LIST**

## Standard Equipment

Manual Adjustable Tread Width from  
 72 in. to 84 in.  
 Maximum Drawbar Support Clearance -  
 30 in.

Single Pin (8 amp) Accessory Power  
 outlet  
 12V power socket (cigarette lighter) -  
 cab only

**HYDRAULIC SYSTEM**  
 -----

Fixed displacement pumps  
 Dual Gear Pumps  
 Maximum Flow at Rated Engine Speed:  
 Implement Pump: 22 gpm  
 Steering Pump: 7 gpm  
 Total Flow: 29 gpm  
 (2) Close Center Deluxe Remotes with  
 Flow Controls, Adjustable Detents and  
 (4) Couplers

**LIGHTING:**

ROPS  
 Front: (2) Halogen Headlights  
 Rear: (1) Worklight  
 Turn Signals/Flashers/Rear Lights

**CAB**

Front: (2) Halogen Headlights and  
 (4) cab mounted worklights  
 Rear: (4) cab mounted worklights  
 Turn Signals/Flashers/Rear Lights

**3-POINT LIFT SYSTEM**  
 -----

One internal lift cylinder  
 Top Link Draft Sensing  
 3735 lbs. Lift Capacity @ 24 in. (ASAE)  
 Category II, 3-point Linkage with Flexible  
 Link Ends  
 Telescopic Stabilizers

**OPERATOR PROTECTIVE STRUCTURE:**

ROPS MODELS  
 2-Post Foldable ROPS with ISO-  
 mounted flat deck platform  
 Steering Wheel - adjustable tilt  
 Seat - Vinyl covered with mechanical  
 suspension, operator's presence  
 sensor, retractable seat belts and  
 arm rests

Suspended pedals  
 Locking brake pedals

**INSTRUMENTATION:**

Analog Instrumentation with warning  
 lights for air cleaner service,  
 alternator, oil pressure, fuel  
 sediment/water sensor, PTO  
 engagement, head light high beam,  
 low fuel and parking brake,  
 digital speed readout  
 Gauges for fuel level, engine  
 temperature, tachometer and hour  
 meter  
 Horn

**CAB MODELS**

ROPS protected, FOPS Certified, flat  
 deck platform with heat and air  
 conditioning, tinted windshield, two  
 doors with locks, two external mirrors,  
 openable side windows, hinged rear  
 window (opens completely)  
 Steering Wheel - adjustable tilt  
 Seat - Cloth covered with mechanical  
 suspension, operator's presence sensor,  
 retractable seat belt and arm rests  
 Suspended pedals, Radio, wires,  
 speakers, and antenna  
 Front window washer and wiper

**ELECTRICAL:**

(1) 950 cca Heavy-Duty Battery  
 120 amp Alternator  
 7-pin Outlet for trailer/implement lighting  
 and signals  
 3-pin Power Outlet (30 amp) - cab only



**TS6 T4B HIGH CLEARANCE - LESS FAST PICK  
US PRICE LIST**

**Standard Equipment**

MISCELLANEOUS

-----  
Front push frame mounts  
Pivoting Engine Hood  
SMV Emblem  
Toolbox

WARRANTY

-----  
New Holland Standard Warranty Applies



**TS6 T4B HIGH CLEARANCE - LESS FAST PICK  
 US PRICE LIST**

**Models**

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
TS6.120 HC T4B	Rops & High Clearance	MFD	10,692 LB	9073930P74	\$94,783.00
Includes the following Equipment					
8x8 With Power Shuttle (330059)      \$1,911.00					
13.6R38 MICHELIN (8201706)      \$2,302.00					
13.6R38 MICHELIN HC (8301709)      \$2,302.00					
TS6.120 HC T4B	Cab & High Clearance	MFD	11,442 LB	9083280P60	\$106,770.00
Includes the following Equipment					
8x8 With Power Shuttle (330059)      \$1,911.00					
13.6R38 MICHELIN (8201706)      \$2,302.00					
13.6R38 MICHELIN HC (8301709)      \$2,302.00					
Radio 392295 (392295)      \$244.00					



**TS6 T4B HIGH CLEARANCE - LESS FAST PICK  
 US PRICE LIST**

**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**PACKAGE SELECTION**

SD\_T9980 PACKAGING

X0557XX	LESS PACKAGING.			No Charge
---------	-----------------	--	--	-----------

**TRANSMISSION**

SD\_T2810 TRANSMISSION

330061	16x8 With Power Shuttle <b>16x8 DualPower Power Shuttle</b>  <b>NOT Compatible with Creeper (330066) AND rear wheels 8360781.</b>		9001586P52	\$2,034.00
--------	--	--	------------	------------

SD\_T3230 CREEPER or Interlock

330066	10:1 CREEPER FOR 8+8 & 16+8 <b>Creeper Transmission</b>  <b>NOT Compatible with 16x8 (330061) AND 46" rear wheels (8360761 or 8360781).</b>			No Charge
390266	L/CREEPER FOR 8+8 <b>Less Creeper Option</b>		(901963P26)	(\$2,517.00)

**TIRES**

**FRONT WHEELS & TIRES**

SD\_T4940 FRONT WHEELS AND TIRES

4WD Front				
8201706	13.6R38 MICHELIN		9001795P56	\$2,302.00
8296801	12.4R x 46 R2 - ANY BR		9003588P78	\$4,601.00
8215404	9.5R48 R1W Wide Track <b>Matches 230/95R48 R1W Rear Tire</b>		9003680P04	\$4,718.00
8299905	Front Shipping Wheels-4WD <b>4WD Shipping Wheels</b>		9000152P10	\$195.00



**TS6 T4B HIGH CLEARANCE - LESS FAST PICK  
 US PRICE LIST**

**REAR WHEELS & TIRES**

SD\_T4950 REAR WHEELS AND TIRES

Flange Axle					
	8301709	13.6R38 MICHELIN HC <b>Requires 13.6R38 Front Tires</b>		9001795P56	\$2,302.00
	8390701	12.4R X46 R2 8390701 <b>Requires 12.4 x 46 R2 Front Tires</b>		9003588P78	\$4,601.00
	8903401	230/95R48 R1W <b>Requires 230/9.5 x 48 FrontTires</b>		9003680P04	\$4,718.00
	8399905	Shipping Wheels-Rear		9000571P74	\$733.00

**HYDRAULICS**

**REAR REMOTE VALVES**

SD\_T8270 REAR REMOTES

	429473	3 Bosch RR Flow Ctrl		9000809P64	\$1,038.00
	429474	4 Bosch RR Flow Ctrl		9001617P72	\$2,074.00

**TANKS**

**TANKS**

SD\_P8103 TANK

	463747	240G FENDER TANKS <b>Two 120 US Gallon Tanks are intergrated into the fenders and installed on the tractor.</b>		9004680P00	\$6,000.00
	463748	2 TANKS SET <b>Two 120 US Gallon Tanks are intergrated into the fenders and installed on the tractor and two additional tanks shipped with the tractor on a skid.</b>		9010920P00	\$14,000.00

**3-POINT HITCH**

**REAR 3 POINT HITCH**

SD\_T8240 EXTERNAL LIFT CONTROL

	330845	External 3-pt Control for MDC <b>Mechanical ground control for 3 point hitch (not compatible with 2 external lift cylinders 339784)</b>		9000141P18	\$181.00
--	--------	--	--	------------	----------



**TS6 T4B HIGH CLEARANCE - LESS FAST PICK  
 US PRICE LIST**

**SD\_T8950 AUX RAMS**

	390344	Hyd Lift w/ 1 int. cyl <b>1 Internal Lift Ram</b> <b>3,735 pounds lift capacity</b>			No Charge
	336784	Hyd Lift w/ 1 int. & 1 ext cyl <b>1 Auxiliary Lift Ram</b> <b>5,499 pounds lift capacity</b>		9000550P68	\$706.00
	339784	Hyd Lift w/ 1 int. & 2 ext cyl <b>2 Auxiliary Lift Rams</b> <b>7,326 pounds lift capacity</b>		9001040P52	\$1,334.00
	463789	HYD LIFT 1CYL TANKS <b>1 Internal Lift Ram</b> <b>3,735 pounds lift capacity</b> <b>Used with 240 Gallon Fender Tanks</b>			No Charge
	463790	HYD LIFT XT CYL TANK <b>1 Auxiliary Lift Ram</b> <b>5,499 pounds lift capacity</b> <b>Used with 240 Gallon Fender Tanks</b>		9000550P68	\$706.00
	463791	HYD LIFT 2CYL TANKS <b>2 Auxiliary Lift Rams</b> <b>7,326 pounds lift capacity</b> <b>Used with 240 Gallon Fender Tanks</b>		9001040P52	\$1,334.00

**WEIGHTS**

**FRONT WEIGHTS**

**SD\_T2150 FRONT BALLAST**

	334923	Carrier less front weights		9000244P14	\$313.00
	330213	Front Weight Carrier +8 wghts <b>Front weight carrier &amp; 8 weight slices (31kgs / 68 lbs each)</b>		9000960P96	\$1,232.00
	330214	Front Weight Carrier +12 wghts <b>Front weight carrier &amp; 12 weight slices (31kgs / 68 lbs each)</b>		9001359P54	\$1,743.00
	330218	Front Weight Carrier +16 wghts <b>Front weight carrier &amp; 16 weight slices (31kgs / 68 lbs each)</b>		9001488P24	\$1,908.00

**CAB OPTION**

**SEATS**

**SD\_T8500 SEAT**

	336923	Air suspension seat w/swivel <b>With 15 degree swivel</b>		9000732P42	\$939.00
--	--------	--	--	------------	----------



**TS6 T4B HIGH CLEARANCE - LESS FAST PICK  
 US PRICE LIST**

**INSTRUCTOR SEAT**

SD\_T5702 INSTRUCTOR SEAT

	336937	Instructor seat		9000448P50	\$575.00
--	--------	-----------------	--	------------	----------

**REAR WINDOW WIPER/WASHER**

SD\_T9150 REAR WIPER & WASHER

	330642	Rear wiper/washer - CAB Rear window wiper/washer for Cab		9000212P16	\$272.00
--	--------	---	--	------------	----------

**RADIO**

SD\_T9160 RADIO READY

	392295	Radio 392295		9000190P32	\$244.00
--	--------	--------------	--	------------	----------

**MISCELLANEOUS**

**BRAKES/TRAILER BRAKE**

SD\_T7130 TRLR BRK VLV

	330718	Hydraulic trailer brakes		9000713P70	\$915.00
--	--------	--------------------------	--	------------	----------

**REVERSE ALARM**

SD\_T9249 REVERSE ALARM

	330692	Reverse Alarm		9000131P82	\$169.00
--	--------	---------------	--	------------	----------

**ROPS CANOPY**

SD\_T8771 CANOPY

	335857	Canopy Only for Open Station ROPS tractor		9000620P10	\$795.00
--	--------	--	--	------------	----------

**RUBBER FLOOR MAT**

SD\_T5701 FLOOR MAT

	334742	Rubber floor mat Only for open station ROPS tractors		9000082P68	\$106.00
--	--------	---	--	------------	----------

**OPERATOR'S MANUALS**

SD\_T9802 OPERATORS MANUAL

	429481	Spanish Bosch T4B			No Charge
	429482	French Bosch T4B			No Charge



**TS6 T4B HIGH CLEARANCE - LESS FAST PICK  
US PRICE LIST**

SD\_T9840 COUNTRY CONFIGURATION

		339982	French Decals			No Charge
		339986	Spanish Decals			No Charge





# TS6 Tier 4B Tire Charts

## Tire Combinations - TS6.110, TS6.120, TS6.130, TS6.140

Type	Type Variant	FRONT Wheels for 4WD FRONT AXLE							FRONT Wheels for 2WD FRONT AXLE				
		13.6R24 R1W 8201702	13.6R28 R1W 8201703	14.9R28 R1W 8201704	380/85R30 R1W 8201705	12.4x28 R1 8282201	250/95R34 R1 8248621	320/85R34 R1 8248631	13.6 R38 128A8/125B TL AGRIBIB - 54" Front 8201708	FR Shipping Whl 8299905	10.00x16 8ply (F2) Firestone 8114404	8180522	Front Ship Whl 8199101
										Std. Duty F. Axle	HD Front Axle	Std. Duty F. Axle	HD Front Axle
<b>All Purpose Standard Tractor</b>													
<b>REAR Wheels for Flange Axle</b>													
18.4R30 R1W Michelin Agribib	8301702	X								X	X	X	X
18.4R34 R1W Michelin Agribib	8301703		X							X	X	X	X
18.4R38 R1W Michelin Agribib	8301705			TS6.110/120	TS6.130/140					X	X	X	X
520/70R38 R1W Michelin Omnibib	8301707			TS6.110/120	TS6.130/140					X	X	X	X
12.4x42 R1 Firestone	8380100						X			X	X	X	X
RR Shipping Wheels	8399905								X	X	X	X	X
<b>REAR SINGLE Wheels for 98" Bar Axle</b>													
18.4R34 R1W Michelin Agribib	8301704		X							X	X	X	X
18.4R38 R1W Michelin Agribib	8301706			TS6.110/120	TS6.130/140					X	X	X	X
520/70R38 R1W Michelin Omnibib	8301708			TS6.110/120	TS6.130/140					X	X	X	X
12.4x42 R1 Firestone	8318590						X			X	X	X	X
320/90R46 R1 Goodyear *	8360761						X			X	X	X	X
380/85R46 R1 Goodyear *	8360781							X		X	X	X	X
320/90R54 R1W - Bar Single	8301806							X		N/A	N/A	N/A	N/A
RR Shipping Wheels	8399906								X	X	X	X	X

\* Not compatible with 16x8 and creeper transmission #330066

## Tire Combinations - TS6.120 High Clearance

Type	Type Variant	FRONT Wheels for 4WD FRONT AXLE			
		13.6R38 R1W 8201706	12.4R46 R2 8296801	230/9.5R48 R1W 8215405	FR Ship Whl 8299905
<b>High Clearance Tractor</b>					
<b>REAR Wheels for Rear Axle</b>					
13.6R38 R1W Michelin	8201709	X			
12.4R46 R2 Firestone	8390701		X		
230/9.5R48 R1W Firestone	8903401			X	
RR Shipping Wheels	8399905				X

Updated 7/1/2019

## Authorized Referral Attachment:

### Front 3-Point Hitch & Front PTO for New Holland TS6 Series (Tier 4B TS6)



For customers looking for additional TS6 versatility and productivity, a front 3-point hitch, with or without front PTO, is available from Zuidberg North America, Inc.

For process information and pricing, please contact:

Zuidberg North America Inc.  
3105 Capital Way, Suite 1  
Cedar Falls, IA-50613  
United States of America  
Toll free: 844-791-4674  
Phone: 319-553-4800  
E-mail: [sales@zuidbergna.com](mailto:sales@zuidbergna.com)  
Web: [www.zuidbergna.com](http://www.zuidbergna.com)

#### Front hitch features (TS6 Tier 4B tractors):

- Lift capacity up to 6200 lbs (2800 kg)
- Two double acting lift cylinders with multi-valve for double/single acting operation
- Cat. II width with Cat. III quick couplers and balls
- Compatible with New Holland front loaders for TS6-series
- Compatible with 4WD Cab, ROPS and HC (mudder) models. Not compatible w/ 2WD tractors
- Optional equipment:
  - Front hydraulic outlets, chain hooks and accumulator
  - Weight frame, to carry tractor original suitcase weights
  - Push bar and torsion tube for pushing applications
- Includes all mounting hardware, hydraulic hoses, fittings and installation instruction

#### Front PTO features (TS6 Tier 4B tractors):

- Wet plate clutch with internal oil pump
- Adjustable engagement to accommodate different implements
- PTO options:
  - 1000 rpm clockwise rotation, 1 3/8" shaft, 21 spline
  - 1000 rpm counter clockwise rotation, 1 3/8" shaft, 6 spline
  - 540 clockwise rotation, 1 3/8 shaft, 6 spline
  - 1000 rpm variants handle full engine performance
  - 540 CW variant max. 80 HP (overload protection required)
- Compatible with 4WD Cab, ROPS and HC (mudder) models. Not compatible with 2WD tractors
- Includes all mounting hardware, hydraulic hoses, fittings and installation instruction

Please be advised that Zuidberg North America Inc. is responsible for service parts, warranty and service support.

Service Parts Supplied Dealer Installed Accessories (DIA's)		TS6 Tier 4B Models and Configurations									
Part Number	DIA Description	TS6.110	TS6.120	TS6.130	TS6.140	ROPS	CAB	2WD	4WD	All Purpose	High Clear
<b>Engine</b>											
710206034	110 volt Engine block heater	X	X	X	X	X	X	X	X	X	X
<b>Vehicle</b>											
47805466	Clevis for draw bar (110,120)	X	X			X	X	X	X	X	X
47805469	Clevis for draw bar (130,140)			X	X	X	X	X	X	X	
47805455	Front weight carrier + 8 weight slices	X	X	X	X	X	X	X	X	X	X
47805457	Front weight carrier + 16 weight slices	X	X	X	X	X	X	X	X	X	X
47805459	6 rear weight slices (incl. 30" & 12 slice adaptor kits), Black	X	X	X	X	X	X	X	X	X	X
47805463	Dynamic Front Fenders for MFWD (110,120)	X	X	-	-	X	X	-	X	X	-
718510024	Dynamic Front Fenders for MFWD (130,140)	-	-	X	X	X	X	-	X	X	-
<b>Cab</b>											
47805414	2 additional front + 2 additional rear worklights for cab(Total 4 front and rear) NH	X	X	X	X	-	X	X	X	X	X
47805420	2 additional front + 2 additional rear worklights for cab(Total 4 front and rear) CIH	X	X	X	X	-	X	X	X	X	X
710879250	2 x Telescopic External Mirrors (Shatter proof & Large head)	X	X	X	X	-	X	X	X	X	X
47805427	Rear window washer & wiper	X	X	X	X	-	X	X	X	X	X
718130060	Monitor Mounting Bracket (baler control box)	X	X	X	X	-	X	X	X	X	X
718121253	Instructor seat DIA NH	X	X	X	X	-	X	X	X	X	X
<b>ROPS</b>											
47805456	Floor mat (Platform) Rops	X	X	X	X	X	-	X	X	X	X
47805467	Canopy, Blue	X	X	X	X	X	-	X	X	X	X
47911750	Steel FOPS (White) Recommended for loader installation	X	X	X	X	X	-	X	X	X	X
<b>Rotating beacon F/Cab</b>											
47805476	Rotating beacon F/Cab	X	X	X	X	-	X	X	X	X	X
<b>Back-up alarm</b>											
47805477	Back-up alarm	X	X	X	X	X	X	X	X	X	X
<b>Extremity Lights for Duals ROPS</b>											
47805481	Extremity Lights for Duals ROPS	X	X	X	X	X	-	X	X	X	-
<b>Extremity Lights for Duals CAB</b>											
47805483	Extremity Lights for Duals CAB	X	X	X	X	-	X	X	X	X	-
<b>Driveline</b>											
48048942	Trailer Brake- Tier 3 & 4B (not for High Clearance)	X	X	X	X	X	X	X	X	X	
<b>Hydraulics</b>											
47932558	Auxiliary hydraulic pump kit (9 gpm)	X	X	X	X	X	X	X	X	X	X
47805493	From 2 Deluxe Valves to 3 Cab for Sohipren	X	X	X	X		X	X	X	X	X
47805497	From 3 Deluxe Valves to 4 Cab for Sohipren	X	X	X	X		X	X	X	X	X
47805499	From 2 Deluxe Valves to 3 Platform for Sohipren	X	X	X	X	X		X	X	X	X
47805500	From 3 Deluxe Valves to 4 Platform for Sohipren	X	X	X	X	X		X	X	X	X
47805484	Mid-Mount Loader Valve & Joystic (NH Cab) for Sohipren	X	X	X	X		X	X	X	X	X
47805488	Mid-Mount Loader Valve & Joystic (NH ROPS) for Sohipren	X	X	X	X		X	X	X	X	X
47929594	From 2 Deluxe Valves to 3 Cab for Bosch	X	X	X	X		X	X	X	X	X
47929596	From 3 Deluxe Valves to 4 Cab for Bosch	X	X	X	X		X	X	X	X	X
47929608	From 2 Deluxe Valves to 3 Platform for Bosch	X	X	X	X	X		X	X	X	X
47929610	From 3 Deluxe Valves to 4 Platform for Bosch	X	X	X	X	X		X	X	X	X
47932560	Mid-Mount Loader Valve & Joystic (NH Cab) Bosch	X	X	X	X		X	X	X	X	X
47932573	Mid-Mount Loader Valve & Joystic (NH ROPS) Bosch	X	X	X	X		X	X	X	X	X
<b>3-Point Hitch</b>											
47805472	LH Single Auxillary 3 PT Hitch Lift Ram Kit (+ 1,800 lbs. capacity)	X	X	X	X	X	X	X	X	X	X
47805474	RH Single Auxillary 3 PT Hitch Lift Ram Kit (+ 1,800 lbs. capacity)	X	X	X	X	X	X	X	X	X	X