

**November 1, 2021**  
**BOBCAT Retail Price Pages**



**UV34 (MY20 & Newer)**  
**Bobcat Utility Vehicle**



**Standard Equipment**

**Engine**

- Liquid Cooled Engines
- Engine protection Oil pressure & Water Temp
- Pressurized Oil System w/ spin on filter
- High Capacity Air Filter

**Drive System**

- CVT (Continuous Variable Transmission)
- Sealed CVT w/remote intake and exhaust
- Transmission 2 Forward & 1 Reverse Range
- Intergrated In-Transmission Vehicle Park
- 4 Wheel Hydraulic Disc Brakes w/ dual-bore front calipers
- CV Joints on Drive and Half Shafts
- CV Guards, Front
- Drive Modes (All-wheel, 2-Lock Diff, 1-Open Diff)

**Steering & Suspenson**

- Front & Rear Independent, Dual A-Arm
- 4 Coil Over Shocks w/Adjustable Spring Preloads
- Rack & Pinion w/Electric Power Steering
- Tilt Steering

**Operator Comfort**

- 3 Occupant Bench Seating (40/60 Split)
- 3-PT Seat Belts w/Shoulder Comfort Strap
- 2 -12v Power Ports
- Beverage holders (6)
- Storage; Upper Dash, Lower Dash, & Underseat
- Sealed Glove Box Storage

**Tires & Wheels**

- Industrial All-Terrain Non-Directional 8-ply
- Front/Rear; 26x10-12
- Front/Rear; Orange Steel Rim 12x6

**Electrical**

- Headlights; High & Low Beams 4 @ 35 Watts
- LED Rear Marker & Brake Lights
- High output electrical systems
- 575 CCA Battery
- 6 Position Power Bar for Accessories

**Instrumentation**

- LCD Display w/Color Select
- Digital Display of Speedo, Tachometer, Engine Temp, Volts, Trip & Hour Meter, Clock, 4-Wheel Drive Mode, Service Reminder, Service Codes, and Gear Position
- Indicator Lights; Glow Plugs, Seatbelts, High Beam, Check Engine, Low Oil Pressure, & High Engine Temp

**Frame & Cargo Box**

- ROPS (Roll Over Protective Structure)
- Profiled ROPS Structure; Field Cab Ready
- Chassis Skid Plates
- 2" Rear Receiver
- Composite Cargo Box w/ Cylinder Lift Assist
- Single Latch Tailgate

**Warranty**

- 1 Year/ 1000 HRS

**Quick Specs**

	<u>Diesel</u>	<u>Gas</u>
Engine Displacement.....	989 cc	999 cc
Horsepower.....	23.5 HP	40 hp
Fuel Delivery.....	Indirect Injection	Electronic Fuel Injection
Travel Speed Forward (High/Low).....	35 MPH/16 MPH	35 MPH/25 MPH
Vehicle Speed Setting Factory (w/Speed Kits).....	35 MPH (25, & 15)	35 MPH (40, 25, & 15)
Shipping Weight.....	1695 lbs	1665 lbs
Vehicle Dimensions (Length x Width x Height).....	123x62x76 in.	123x62x76 in.
Turning Radius.....	9.2 ft.	9.2 ft.
Ground Clearance.....	11.7 in.	11.7 in.

**UV34 (MY20 & Newer)**  
**Bobcat Utility Vehicle**

**Quick Specs - Cont.**

Utility Vehicles

	<u>Diesel</u>	<u>Gas</u>
Fuel Capacity.....	11.5 gal	11.5 gal
Cargo Box Volume.....	15.6 cubic ft.	15.6 cubic ft.
Cargo Box Inside Dimensions (LxWxH).....	43.5x54x11.5 in.	43.5x54x11.5 in.
Cargo Box Load Height.....	38 in.	38 in.
Vehicle Rated Capacity.....		
- Combined weight of passengers, cargo box, and accessories	1900 lbs	1900 lbs
- Towing Capacity.....	2500 lbs	2500 lbs
- Tongue Weight.....	250 lbs	250 lbs
- Cargo Box Capacity.....	1250 lbs	1250 lbs

Utility Vehicle		
Part Number	Description	Retail Price in US \$
M1501	UV34 Utility Vehicle - Diesel.....	\$18,821
M1503	UV34 Utility Vehicle - Gas.....	\$16,319
M1509	UV34 Utility Vehicle - Gas California Emissions.....	\$16,542

Factory installed Cab & Heat		
Part Number	Description	Retail Price in US \$
M1503-A01-C03	UV34 Gas - Factory installed Cab & Heat Option.....	\$6,871
	Model: MY20 UV34 Gas	
	Factory installation of premium sport roof, poly rear window, fixed glass front window, premium doors, wind shield wipers, and deluxe heater w/defrost.	

Destination Charge		
Part Number	Description	Retail Price in US \$
M1501_FREIGI	UV34 Utility Vehicle - Diesel.....	\$770
M1503_FREIGI	UV34 Utility Vehicle - Gas.....	\$770
M1509_FREIGI	UV34 Utility Vehicle - Gas California Emissions.....	\$770

*\*Dealer Installed Accessories for the UV34 are located after the UV34XL Utility Vehicle section\**

UV34XL (MY20 & Newer)
Bobcat Utility Vehicle



Standard Equipment
--------------------

Engine

Tires & Wheels

Utility Vehicles

- Liquid Cooled Engines
- Engine protection Oil pressure & Water Temp
- Pressurized Oil System w/ spin on filter
- High Capacity Air Filter
- Drive System**
- CVT (Continuous Variable Transmission)
- Sealed CVT w/remote intake and exhaust
- Transmission 2 Forward & 1 Reverse Range
- Intergrated In-Transmission Vehicle Park
- 4 Wheel Hydraulic Disc Brakes w/ duel piston front calipers
- CV Joint on Drive and Half Shafts
- CV Guards, Front & Rear
- Drive Modes (All-wheel, 2-Lock Diff, 1-Open Diff)
- Steering & Suspenson**
- Front & Rear Independent, Dual A-Arm
- 4 Coil Over Shocks w/Adjustable Spring Preloads
- Rack & Pinion w/Electric Power Steering
- Tilt Steering
- Operator Comfort**
- 6 Occupant Bench Seating (40/60 Split)
- 6-PT Seat Belts w/Shoulder Comfort Strap
- 3 -12v Power Ports
- Beverage holders (8)
- Storage; Upper Dash, Lower Dash, & Underseats
- Sealed Glove Box Storage

- Industrial All-Terrain Non-Directional 8-ply
- Front/Rear; 26x10-12
- Front/Rear; Orange Steel Rim 12x6
- Electrical**
- Headlights; High & Low Beams 4 @ 35 Watts
- LED Rear Marker & Brake Lights
- High output electrical systems
- 575 CCA Battery
- 6 Position Power Bar for Accessories
- Instrumentation**
- LCD Display w/Color Select
- Digital Display of Speedo, Tachometer, Engine Temp, Volts, Trip & Hour Meter, Clock, 4-Wheel Drive Mode Service Reminder, Service Codes, and Gear Position
- Indcator Lights; Glow Plugs, Seatbelts, High Beam, Check-Engine, Low Oil Pressure, & High Engine Temp
- Frame & Cargo Box**
- ROPS (Roll Over Protective Structure)
- Profiled ROPS Structure; Field Cab Ready
- Full Chassis Skid Plates
- 2" Rear Reciever
- Composite Cargo Box w/ Cylinder Lift Assist
- Single Latch Tailgate
- Warranty**
- 1 Year/ 1000 HRS

**Quick Specs**

	<u>Diesel</u>	<u>Gas</u>
Engine Displacement.....	989 cc	999 cc
Horsepower.....	23.5 HP	40 hp
Fuel Delivery.....	Indirect Injection	Electronic Fuel Injection
Travel Speed Forward (High/Low).....	35 MPH/16 MPH	35 MPH/25 MPH
Vehicle Speed Setting Factory (w/Speed Kits).....	35 MPH (25, & 15)	35 MPH (40, 25, & 15)
Shipping Weight.....	2165 lbs	1925 lbs
Vehicle Dimensions (Length x Width x Height).....	155x62x76 in.	155x62x76 in.
Turning Radius.....	12.8 ft.	12.8 ft.

**UV34XL (MY20 & Newer)**  
**Bobcat Utility Vehicle**  
**Quick Specs - Cont.**

	<u>Diesel</u>	<u>Gas</u>
Ground Clearance.....	11.7 in.	11.7 in.
Fuel Capacity.....	11.5 gal	11.5 gal
Cargo Box Volume.....	15.6 cubic ft.	15.6 cubic ft.
Cargo Box Inside Dimensions (LxWxH).....	43.5x54x11.5 in.	43.5x54x11.5 in.
Cargo Box Load Height.....	38 in.	38 in.
Vehicle Rated Capacity.....		
- Combined weight of passangers, cargo box, and accessories	2075 lbs	2075 lbs
- Towing Capacity.....	2500 lbs	2500 lbs
- Tongue Weight.....	250 lbs	250 lbs
- Cargo Box Capacity.....	1250 lbs	1250 lbs

<b>Utility Vehicle</b>		
<b>Part Number</b>	<b>Description</b>	<b>Retail Price in US \$</b>
M1505	UV34XL Utility Vehicle - Diesel.....	<b>\$20,519</b>
M1507	UV34XL Utility Vehicle - Gas.....	<b>\$18,775</b>

**M1511 UV34XL Utility Vehicle - Gas California Emissions..... \$18,924**

<b>Factory installed Cab &amp; Heat</b>		
<b>Part Number</b>	<b>Description</b>	<b>Retail Price in US \$</b>

**M1507-A01-C03 UV34XL Gas - Factory installed Cab & Heat Option..... \$10,234**

Model: MY20 UV34XL Gas

Factory installation of premium sport roof, poly rear window, fixed glass front window, premium doors(front and rear), wind shield wipers, and deluxe heater w/defrost.

<b>Destination Charge</b>		
<b>Part Number</b>	<b>Description</b>	<b>Retail Price in US \$</b>

**M1505\_FREIG UV34XL Utility Vehicle - Diesel..... \$870**

**M1507\_FREIG UV34XL Utility Vehicle - Gas..... \$870**

**M1511\_FREIG UV34XL Utility Vehicle - Gas California Emissions..... \$870**