

## CATERPILLAR MACHINE PRICE LIST

**PM310**PM310 COLD PLANER  
MINERBIO, ITALYShip Weight  
lbsLIST PRICE  
AT DEALER

Standard Equipment:

**POWERTRAIN**

CAT C9.3, inline 6-cylinder,  
turbocharged, ATAAC, diesel engine  
Power and torque curve optimized for  
fuel efficiency  
Engine diagnostic connector (for Cat ET)  
Air cleaner, dry type dual element with  
integral precleaner  
Belt, automatic tensioner  
Fuel filter/water separator  
Hydrostatic transmission  
Computerized load control  
Traction control/differential lock  
Alignment controlled steering system  
with two steering modes:  
rear and assist ON/OFF  
Alignment is optimized for selected mode

**ELECTRICAL**

Backup alarm  
Alternator, 115-amp  
Batteries, two maintenance free,  
1400 CCA each  
Horn, forward warning  
Ground located horn, operator warning  
Electrical system, 24 Volt  
Work lights (8 pole mount)  
Machine diagnostic connector  
(for CAT ET)  
Self diagnostic system  
Product link equipped

**OPERATOR ENVIRONMENT**

Single right side operation station  
with adjustable seat  
Platform handrails/guardrails  
Lockable vandalism guards for all  
control panels  
Joystick propel and steering  
Control console with LED backlit panels  
Machine monitoring system  
Electronic machine management system  
Automatic throttle control  
Digital graphic display for  
diagnostics and operating instructions  
Silver-class touch screen display  
Camera ready display  
LED wake-up mode with floor light  
Integrated grade control ready  
Electronic drivetrain protection system  
Rear RH leg steering for track option  
Rear RH leg retraction  
Load control  
Ramp-in, ramp-out function  
Digital moldboard control

3 rotor speeds selectable on control  
panels  
Quick detach fuses and relays with  
blown fuse detection and fault  
indication on display  
Two level warning system with action  
light and horn (warning, critical  
warning)  
Water spray system  
Electronic water level gauge  
12v ports at operator station  
Rotor service keypad control

**APPLICATION SPECIFIC COMPONENTS**

**ROTOR AND CHAMBER SYSTEM**  
Caterpillar patented tool holder with  
easy extraction feature  
External floating side plates  
Dry clutch, belt transmission and  
automatic tensioner  
Dedicated water spray for tool cooling  
and dust control  
Curb clearance right side plate  
Moldboard with floating, locked or  
service height levels and adjustable  
down pressure  
Hydraulic raiseable and floating anti-  
slab  
**CONVEYORS**  
Front loading  
600 mm (26.3") belt width collecting  
conveyor  
600 mm (26.3") belt width discharge  
conveyor  
Dual stage, infinitely variable speed  
60-degree swing either side of center  
for discharging conveyor  
Quick-detach discharge conveyor

**FLUIDS**

Extended life coolant with protection  
to -34C (-29F)

**OTHER STANDARD EQUIPMENT**

Doors, service access, hinged, locking  
Fuel tank 600 L (158 gal)  
Pressure test ports with quick connect  
Water tank 1260 L (333 gal)  
Sound suppression insulation kit  
Mirrors  
Gas-spring engine hood lift  
Emergency functions:  
Hand pump brake release  
Air filter restriction electric  
indicator

CATERPILLAR MACHINE PRICE LIST

# PM310

---

PM310 COLD PLANER  
MINERBIO, ITALY

Ship Weight  
lbs

LIST PRICE  
AT DEALER

---

## OTHER STANDARD EQUIPMENT (CONT.)

- On board winterization system
- Bit removal tools
- S.O.S. sampling ports
- Sight gauges (hydraulic oil, filter restriction)

CATERPILLAR MACHINE PRICE LIST

# PM310

---

PM310 COLD PLANER  
MINERBIO, ITALY

Ship Weight  
lbs

LIST PRICE  
AT DEALER

---

**Lane 2 is reserved for the Base Order Management Program.  
Please use Lane 2 when placing orders that are part of the Base  
Orders Management Program.**

CATERPILLAR MACHINE PRICE LIST

# PM310

PM310 COLD PLANER MINERBIO, ITALY	Ship Weight lbs	LIST PRICE AT DEALER
--------------------------------------	--------------------	-------------------------

<b>575-4708</b>	<b>PM310 02B COLD PLANER</b> ..... 0 LANE 2 - AVAILABLE FROM MINERBIO FACTORY LANE 3 - AVAILABLE FROM MINERBIO FACTORY	<b>\$351,220</b>
-----------------	------------------------------------------------------------------------------------------------------------------------------	------------------

AVAILABLE FOR: AM-N, Puerto Rico, Europe, Israel, Palestine and  
 South Korea

<b>0G-0616</b>	<b>PM310 MISC MATL</b> ..... 0 AVAILABLE FROM MINERBIO FACTORY	<b>NC</b>
----------------	-------------------------------------------------------------------	-----------

Only reference numbers that have the text  
 "ALSO AVAILABLE ON A MISCELLANEOUS ORDER" can be used on a MISC order.

CATERPILLAR MACHINE PRICE LIST

# PM310

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**LANE SELECTION**

OP-9002	LANE 2 ORDER . . . . .	0	NC
	Only for dealers enrolled in the Base Order Management (BOM) program.		
OP-9003	LANE 3 ORDER . . . . .	0	NC

**SPECIAL ARRANGEMENTS**

**CHASSIS**

L	575-4714	MACHINE, PM3 COMMON . . . . .	0	NC
		ONLY FOR USE WITH: 575-4708 PM310 02B COLD PLANER		

**POWERTRAIN**

**ENGINE**

L	548-2958	ENGINE, CAT C9.3 . . . . .	0	NC
		Meets U.S. EPA Tier 4 Final, EU Stage V and Korea Tier 4 Final emission standards. Meets UN R120.		
		ONLY FOR USE WITH: 575-4708 PM310 02B COLD PLANER		

**TRACTION TYPE**

L	577-6236	WHEEL, CONVERSION . . . . .	0	NC
		Includes solid rubber tires on steel wheels.		
		ONLY FOR USE WITH: 575-4708 PM310 02B COLD PLANER		
L	577-6234	TRACK, CONVERSION . . . . .	0	\$63, 930
		Includes independent track drives with auto tensioning system.		
		ONLY FOR USE WITH: 575-4708 PM310 02B COLD PLANER		

**HYDRAULICS**

**DUST EXTRACTION**

L	381-6682	COVER, NO VENTILATION . . . . .	0	NC
L	577-6257	VENTILATION SYSTEM . . . . .	0	\$6, 020
		Dust and particles from operations are collected in multiple areas by hydraulically driven fan and discharged into secondary conveyor.		
		NOTE: option may be needed for local regulations.		
		ONLY FOR USE WITH: 575-4708 PM310 02B COLD PLANER		

**ELECTRICAL**

**LIGHTING**

L	381-6575	LIGHTS, HALOGEN . . . . .	0	\$780
			0	\$780 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER		
		Includes 8 halogen lights: 1 light facing each of the 4 tracks/wheels, 1 light facing the rear of the cutter box, 1 light facing the front of the cutter box and 2 lights mounted on the top front end of the discharge conveyor.		

CATERPILLAR MACHINE PRICE LIST

**PM310**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**ELECTRICAL (CONT.)**

**LIGHTING (Cont.)**

L	381-6572	LIGHTS, LED . . . . .	0	\$4,680
			0	\$4,680 NI

ALSO AVAILABLE ON A MISCELLANEOUS ORDER  
 Includes 8 LED lights: 1 light facing each of the  
 4 tracks/wheels, 1 light facing the rear of the cutter box,  
 1 light facing the front of the cutter box and 2 lights  
 mounted on the top front end of the discharge conveyor.

**TECHNOLOGY PRODUCTS**

**PRODUCT LINK COMMUNICATION (Must select one)**

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the cost of owning and operating your fleet. Availability varies by country. Please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Caterpillar marketing representative with questions.

L	381-6524	PRODUCT LINK, SATELLITE PL631 . . . . .	0	\$446
		Product Link Pro series PL631 uses a satellite network to transmit location, utilization and health information for viewing in Product Link user applications. For use in areas with poor or no cellular coverage.		
L	488-5577	PRODUCT LINK, SATELLITE PLE631 . . . . .	0	\$825
		Product Link Elite series PLE631 (consisting of PL631 radio and PLE601 network manager) uses a satellite network to transmit location, utilization and health information for viewing in Product Link user applications. For use in areas with poor or no cellular coverage.		
L	381-7317	PRODUCT LINK, CELLULAR PL641 . . . . .	0	NC
		Product Link Basic series PL641 uses cellular networks to transmit location, utilization and health information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		
L	381-6525	PRODUCT LINK, CELLULAR PLE641 . . . . .	0	\$378
		Product Link Elite series PLE641 (consisting of PL641 radio and PLE601 network manager) uses cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		

**OTHER ATTACHMENTS**

**MILL ROTORS**

L	522-0117	ROTOR, K STD - 15 MM . . . . .	0	\$26,240
		Latest Design tool holder system with 1000 mm (39.4") cut width. Allows for quick change of tool holder without the need for welding, replaceable bolt on kicker paddles, tooth spacing 15 mm. Includes: 91 Bits		

CATERPILLAR MACHINE PRICE LIST

**PM310**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OTHER ATTACHMENTS (CONT.)**

**MILL ROTORS (Cont.)**

C	567-0885	<b>ROTOR, K FINE - 8 MM</b> . . . . . 0		\$38,030
		CUSTOM ATTACHMENT - PLEASE CONTACT THE FACTORY FOR AVAILABILITY Latest design tool holder system with 1000 mm (39.4") cut width. Allows for quick change of tool holder without the need for welding, replaceable bolt on kicker paddles, tooth spacing 8 mm. Includes: 150 Bits ONLY FOR USE WITH: LANE 3		
C	567-0888	<b>ROTOR, K COARSE - 18 MM</b> . . . . . 0		\$24,920
		CUSTOM ATTACHMENT - PLEASE CONTACT THE FACTORY FOR AVAILABILITY Latest design tool holder system with 1000 mm (39.4") cut width. Allows for quick change of tool holder without the need for welding, replaceable bolt on kicker paddles, tooth spacing 18 mm. Includes: 80 Bits ONLY FOR USE WITH: LANE 3		
L	0F-5136	<b>OMISSION, ROTOR</b> . . . . . 0		NC
		ONLY FOR USE WITH: LANE 3		

**DISCHARGE CONVEYOR**

L	572-9763	<b>DISCHARGE CONVEYOR, MECHANICAL</b> . . . . . 0		\$40,920
		Mechanical downward folding discharge conveyor. ONLY FOR USE WITH: 575-4708 PM310 02B COLD PLANER		
L	572-9764	<b>DISCHARGE CONVEYOR, HYD. FOLD</b> . . . . . 0		\$49,080
		Hydraulically downward folding discharge conveyor. ONLY FOR USE WITH: 575-4708 PM310 02B COLD PLANER		

**WATER TANK GROUND LEVEL FILLING PORT**

P	381-7333	<b>PORT, FILLING, WATER TANK</b> . . . . . 0		NC
		Water tank ground level Filling Port. US Standard only.		

**STEERING GUIDES**

P	548-3070	<b>GUIDE, STANDARD STEERING</b> . . . . . 0		NC
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides one standard steering guide with lateral adjustment of pendulum markers.	0	\$283 NI
P	548-6908	<b>GUIDE, TELESCOPING STEERING</b> . . . . . 0		NC
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides one telescoping steering guide with multi point adjustment for advanced steering marker placement. ONLY FOR USE WITH: 577-6234 TRACK, CONVERSION or 381-6528 TRACK, CONVERSION	0	\$348 NI

**ROTOR DRIVE BELT GUARD**

L	578-5682	<b>GUARD, NO ROTOR TURNING DEVICE</b> . . . . . 0		NC
		Provides a rotor drive belt guard for machines not equipped with a rotor turning device. ONLY FOR USE WITH: 575-4708 PM310 02B COLD PLANER		

CATERPILLAR MACHINE PRICE LIST

**PM310**

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

**OTHER ATTACHMENTS (CONT.)**

**ROTOR DRIVE BELT GUARD (Cont.)**

L	577-6336	<b>GUARD, ROTOR TURNING DEVICE</b> . . . . . 0		<b>NC</b>
		Provides a rotor drive belt guard for machines equipped with a rotor turning device		
		ONLY FOR USE WITH: 575-4708 PM310 02B COLD PLANER 561-4359 ROTOR TURNING DEVICE		

**GRADE AND SLOPE CONTROLS**

L	577-2980	<b>CONTROL, GRADE</b> . . . . . 0		<b>\$8,880</b>
		Measures grade from the position of side plates, using position sensing cylinders. Provides information to machine displays for operation of grade control.		
		ONLY FOR USE WITH: 575-4708 PM310 02B COLD PLANER		
L	381-7320	<b>CONTROL, SLOPE</b> . . . . . 0		<b>\$2,090</b>
		Measures cross slope using a slope sensor mounted to the chassis. Provides information to machine for operation of grade control.		
		ONLY FOR USE WITH: 481-8872 CONTROL, GRADE and 577-2980 CONTROL, GRADE		

**COMMISSIONING SUPPORT**

NOTE: It is recommended that startup and commissioning of machine be included as part of the machine sale. The net charge covers a three days commissioning event. Trained personnel cover proper machine setup, basic maintenance, operation and application on a customer's jobsite. To request and schedule a machine commissioning event, dealers will need to contact the Caterpillar Paving Technical Training group by filling out the online request form

URL:<https://dealer.cat.com/PavingOnDemand>

L	0P-2586	<b>COMMISSIONING, NEEDED</b> . . . . . 0		<b>\$6,520 NET</b>
		Commissioning Needed, trained personnel are required to properly commission the machine.		
		AVAILABLE FOR: AM-N and AM-S		
	0P-2587	<b>COMMISSIONING, NOT NEEDED</b> . . . . . 0		<b>NC</b>
		Commissioning training not needed - Special Case, only to be used by qualified dealers who meet GCI's standard requirements to self-commission machines with customers.		
		For questions, please consult your local GCI Paving Territory Manager		

**FLUIDS**

**OIL**

L	381-6481	<b>HYDR. OIL, HYDO ADVANCED 10W</b> . . . . . 0		<b>NC</b>
		Cat standard hydraulic oil.		
L	381-6489	<b>HYDRAULIC OIL, BIODEGRADABLE</b> . . . . . 0		<b>\$2,285</b>
		Hydraulic environmental ester synthetic oil is recommended when environmental compliance is required or desired.		
		ONLY FOR USE WITH: LANE 3		
L	381-6523	<b>HYDRAULIC OIL, HIGH AMBIENT</b> . . . . . 0		<b>\$715</b>
		Hydraulic synthetic oil is recommended when high ambient operation is typical for machine.		
		ONLY FOR USE WITH: LANE 3		



CATERPILLAR MACHINE PRICE LIST

**PM310**

USE	REF NO.	<b>LANE 2 / 3 MANDATORY</b>	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	-----------------------------	--------------------	-------------------------

**INSTRUCTIONS**

***DECAL PACKAGES***

<b>L</b>	<b>577-2995</b>	<b>INSTRUCTIONS, ANSI . . . . . 0</b> ANSI picto warning decals using symbols plus the word "WARNING" as required for North America (except Quebec, Canada). ONLY FOR USE WITH: 575-4708 PM310 02B COLD PLANER	<b>NC</b>
----------	-----------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------

***SERVICE INSTRUCTIONS***

	<b>421-8926</b>	<b>SERIALIZED TECHNICAL MEDIA KIT . . . . . 0</b> The technical media kit, will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary.  Any additional media or translations not included in the kit, should be ordered through <a href="http://publications.cat.com">publications.cat.com</a>	<b>NC</b>
--	-----------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------

CATERPILLAR MACHINE PRICE LIST

# PM310

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**ELECTRICAL**

P	481-8732	<b>LIGHT, HAZARD, CANOPY</b> . . . . . 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes two LED amber strobe lights, bracket mounted on a rotatable, detent pivot base. One strobe is mounted on the canopy at the rear of the machine and the other is mounted at the front of the machine at the top of the conveyor. ONLY FOR USE WITH: 381-7316 CANOPY, FOLDING, HYDRAULIC or 566-6910 CANOPY, FOLDING, HYDRAULIC	0	\$349 NI
P	421-8156	<b>LIGHT, HAZARD</b> . . . . . 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes two LED amber strobe lights: one is mounted to an adjustable height pole mount on the rear of the machine, the other is mounted at the front of the machine, at the top of the conveyor on a rotatable bracket on a detent pivot base. CANNOT BE USED WITH: 381-7316 CANOPY, FOLDING, HYDRAULIC or 566-6910 CANOPY, FOLDING, HYDRAULIC	0	\$925 \$925 NI
P	381-7323	<b>LIGHTS, ROADING AND WORKING</b> . . . . . 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes two front mounted working lights with turn signals, two rear indicator/parking lights that signal, license plate holder with light and mounting hardware.	0	\$3,455 \$3,455 NI
P	394-9642	<b>LAMP, HALOGEN (MAGNETIC)</b> . . . . . 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides a single halogen lamp with magnetic mounting.	0	\$321 NI
P	381-7330	<b>LIGHT, TRUCK SIGNAL</b> . . . . . 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Red/Green light to communicate with truck driver.	0	\$565 \$565 NI
P	569-2838	<b>PUMP ACCESSORY DRIVE</b> . . . . . 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Electro-hydraulic pump to allow for operation of steering, elevation and canopy movement with engine power off. ONLY FOR USE WITH: 575-4708 PM310 02B COLD PLANER	0	\$620 \$620 NI

**OPERATOR ENVIRONMENT**

**OPERATOR STATION**

P	566-6910	<b>CANOPY, FOLDING, HYDRAULIC</b> . . . . . 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Hydraulically folding canopy with extendible side wings. REQUIRES: 569-2838 PUMP, EMERGENCY ONLY FOR USE WITH: 575-4708 PM310 02B COLD PLANER	0	\$4,970 \$4,970 NI
P	577-2997	<b>UMBRELLA</b> . . . . . 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes (1) umbrella to provide operator protection from sun and rain. Umbrella measures 1372 mm x 1372 mm (54" x 54") and is collapsible. Includes support shafts and mounting hardware to be installed on machine at customer discretion. ONLY FOR USE WITH: 575-4708 PM310 02B COLD PLANER	0	\$710 NI

CATERPILLAR MACHINE PRICE LIST

# PM310

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**OPERATOR ENVIRONMENT (CONT.)**

**OPERATOR STATION (Cont.)**

P	381-7324	UMBRELLA. . . . .	0	\$710 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes (1) umbrella to provide operator protection from sun and rain. Umbrella measures 1372 mm x 1372 mm (54" x 54") and is collapsible. Includes support shafts and mounting hardware to be installed on machine at customer discretion. ONLY FOR USE WITH: 471-6427 PM310 COLD PLANER		
P	555-7680	WINDSCREEN. . . . .	0	\$1,055
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides a polycarbonate shield that acts as a wind deflector to the operator. ONLY FOR USE WITH: 575-4708 PM310 02B COLD PLANER	0	\$1,055 NI

**OTHER ATTACHMENTS**

**GRADE AND SLOPE CONTROLS**

P	509-2523	SENSOR, SONIC, AVERAGING . . . . .	0	\$10,380
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Sonic averaging ski for mounting on the LH or RH side or inboard. Consists of two sonic sensors (in addition to the machine grade control base system) with adjustable mounting arms. ONLY FOR USE WITH: 577-2980 CONTROL, GRADE or 481-8872 CONTROL GRADE	0	\$10,380 NI
P	381-7318	DISPLAY, OPTIONAL, PLFM . . . . .	0	\$2,895 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Additional (1) display with mounting bracket for ground/operator station(s). Order qty 1 maximum		
P	387-9468	DISPLAY, OPTIONAL . . . . .	0	\$2,895 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Additional display (1) with mounting bracket for use at ground level. Order qty 1 maximum		

**VISIBILITY ENHANCEMENTS**

P	421-8146	REAR CAMERA. . . . .	0	\$675
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER This camera system is used to enhance the operator's rear visibility while operating. The LCD color display is designed to have a sharp, clear picture with camera mounted on the top rear end of the machine. NOTE: Mandatory for all EC countries and affiliates	0	\$675 NI

CATERPILLAR MACHINE PRICE LIST

**PM310**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**OTHER ATTACHMENTS (CONT.)**

**VISIBILITY ENHANCEMENTS (Cont.)**

P	381-7314	CONVEYOR CAMERA . . . . .	0	\$940
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER	0	\$940 NI
		This camera system is used to enhance the operator's forward visibility while operating. The LCD color display is designed to have a sharp, clear picture with camera mounted on the top front end of the discharge conveyor.		
P	488-5580	CAMERA, AUX . . . . .	0	\$760 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER		
		Includes camera with cable and magnetic mount. Can be placed anywhere within cable length.		
P	542-7915	CAMERA, LH DRUM EDGE . . . . .	0	\$645
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER	0	\$645 NI
		Positioned to assist in lining up for cutting on left hand side of rotor. Includes camera, auxiliary lamp, cable, bracket and mounting hardware.		
P	551-5925	CAMERA, CUT TRACKING . . . . .	0	\$835
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER	0	\$835 NI
		Mounted to the right hand side of the machine, this camera system offers the operator advanced visibility and tracking of the rotor placement with the ability to adjust the cut edge guidance line on the standard console mounted display. ONLY FOR USE WITH: 575-4708 PM310 02B COLD PLANER		

**ROTOR SERVICING TOOLS**

P	376-4134	PNEUMATIC BIT REMOVAL TOOL . . . . .	0	\$640 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER		
		Includes pneumatic hammer, punch tools, coil hose and fittings.		
P	561-4359	ROTOR TURNING DEVICE . . . . .	0	\$3,610
		Includes pendant control device and electrical motor for powered rotational assist when servicing the rotor.		
		ONLY FOR USE WITH: 575-4708 PM310 02B COLD PLANER		
P	381-7326	PNEUMATIC COMPRESSOR SYSTEM . . . . .	0	\$2,825
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER	0	\$2,825 NI
		Engine mounted air compressor with hose, tank and pressure regulator.		
P	577-4176	EXTRACTOR, TOOL HOLDER . . . . .	0	\$282 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER		
		Hand tool for extracting K System cutter bit tool holders which have broken at the shank inside the weld on block. Tool is engaged to broken shank via a threaded pulling bolt.		

CATERPILLAR MACHINE PRICE LIST

**PM310**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**OTHER ATTACHMENTS (CONT.)**

**ADDITIONAL WATER SPRAYING SYSTEM**

P	421-9634	DUST REDUCTION, ADDITIONAL . . . . .	0	\$675
			0	\$675 NI

ALSO AVAILABLE ON A MISCELLANEOUS ORDER  
 Additional water spraying system for dust reduction.  
 Includes additional spray bars located on the front and rear of the pickup conveyor.  
 NOTE: option may be needed for local regulations.

**HIGH PRESSURE WASHDOWN**

L	577-6255	PUMP, WASHING, HIGH PRESSURE . . . . .	0	\$5,000
			0	\$5,000 NI

ALSO AVAILABLE ON A MISCELLANEOUS ORDER  
 High pressure washdown water pump, including (1) wand with 15.2 m (50 ft) of hose on reel.  
 ONLY FOR USE WITH: 575-4708 PM310 02B COLD PLANER

**LOW PRESSURE WASHDOWN**

L	544-2811	WASHDOWN, LOW PRESSURE (HF) . . . . .	0	\$1,485
			0	\$1,485 NI

ALSO AVAILABLE ON A MISCELLANEOUS ORDER  
 Low pressure (high flow) washdown system, including (1) spray nozzle with 13 m (43 ft) of hose, and a coiled hose storage bracket.  
 Coiled hose storage bracket mounts to the discharge conveyor.

**MISC ATTACHMENTS**

P	482-4046	BALLAST KIT . . . . .	0	\$3,735
			0	\$3,735 NI

ALSO AVAILABLE ON A MISCELLANEOUS ORDER  
 510 kg of additional weight for greater milling control, especially when in deep cuts or when cutting challenging material.  
 Recommended for machines used in a full range applications or those seeking premium cutting control.

P	561-4363	HOSE, SUCTION . . . . .	0	\$312 NI
---	----------	-------------------------	---	----------

ALSO AVAILABLE ON MISCELLANEOUS ORDER  
 Suction hose with strainer for filling the water tank for alternative water sources. European standard only.  
 ONLY FOR USE WITH: 381-7332 PORT, FILLING, WATER TANK

CATERPILLAR MACHINE PRICE LIST

**PM310**

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

**FIELD INSTALLED ATTACHMENTS**

The following field attachments can be ordered through Machine Order as a miscellaneous order.

C	522-0118	<b>ROTOR, K STD - 15 MM, FLD</b> . . . . . 0		<b>\$26,240 NI</b>
		CUSTOM ATTACHMENT - PLEASE CONTACT THE FACTORY FOR AVAILABILITY Latest Design tool holder system with 1000 mm (39.4") cut width. Allows for quick change of tool holder without the need for welding, replaceable bolt on kicker paddles, tooth spacing 15 mm. Includes: 91 Bits		
C	567-0886	<b>ROTOR, K FINE - 8 MM, FLD</b> . . . . . 0		<b>\$38,030 NI</b>
		CUSTOM ATTACHMENT - PLEASE CONTACT THE FACTORY FOR AVAILABILITY Latest design tool holder system with 1000 mm (39.4") cut width. Allows for quick change of tool holder without the need for welding, replaceable bolt on kicker paddles, tooth spacing 8 mm. Includes: 150 Bits		
C	567-0889	<b>ROTOR, K COARSE - 18 MM, FLD</b> . . . . . 0		<b>\$24,920 NI</b>
		CUSTOM ATTACHMENT - PLEASE CONTACT THE FACTORY FOR AVAILABILITY Latest design tool holder system with 1000 mm (39.4") cut width. Allows for quick change of tool holder without the need for welding, replaceable bolt on kicker paddles, tooth spacing 18 mm. Includes: 80 Bits		

**DOCUMENTATION**

**CERTIFICATES**

OF-5109	<b>CERTIFICATE OF ORIGIN</b> . . . . . 0		<b>\$90 NET</b>
---------	------------------------------------------	--	-----------------

**PACKING**

OG-0044	<b>ROLL ON-ROLL OFF</b> . . . . . 0		<b>NC</b>
OG-0068	<b>PACK, MISCELLANEOUS MATERIAL</b> . . . . . 0		<b>NC</b>