

CATERPILLAR MACHINE PRICE LIST

PM312PM312 COLD PLANER
MINERBIO, ITALYShip Weight
lbsLIST PRICE
AT DEALER

Standard Equipment:

POWERTRAIN

CAT C9.3, inline 6-cylinder,
turbocharged, ATAAC, diesel engine
Power and torque curve optimized for
fuel efficiency
Engine diagnostic connector (for Cat ET)
Air cleaner, dry type dual element with
integral precleaner
Belt, automatic tensioner
Fuel filter/water separator
Hydrostatic transmission
Computerized load control
Traction control/differential lock
Alignment controlled steering system
with two steering modes:
rear and assist ON/OFF
Alignment is optimized for selected mode

Integrated grade control ready
Electronic drivetrain protection system
Rear RH leg steering for track option
Rear RH leg retraction
Load control
Ramp-in, ramp-out function
Digital moldboard control
3 rotor speeds selectable on control
panels
Quick detach fuses and relays with
blown fuse detection and fault
indication on display
Two level warning system with action
light and horn (warning, critical
warning)
Water spray system
Electronic water level gauge
12v ports at operator station
Rotor service keypad control

ELECTRICAL

Backup alarm
Alternator, 115-amp
Batteries, two maintenance free,
1400 CCA each
Horn, forward warning
Ground located horn, operator warning
Electrical system, 24 Volt
Work lights (8 pole mount)
Machine diagnostic connector
(for CAT ET)
Self diagnostic system
Balloon light ready
Product link ready

APPLICATION SPECIFIC COMPONENTS

ROTOR AND CHAMBER SYSTEM
Caterpillar patented tool holder with
easy extraction feature
External floating side plates
Dry clutch, belt transmission and
automatic tensioner
Dedicated water spray for tool cooling
and dust control
Curb clearance right side plate
Moldboard with floating, locked or
service height levels and adjustable
down pressure
Hydraulic raiseable and floating anti-
slab
CONVEYORS
Front loading
600 mm (26.3") belt width collecting
conveyor
600 mm (26.3") belt width discharge
conveyor
Dual stage, infinitely variable speed
60-degree swing either side of center
for discharging conveyor
Quick-detach discharge conveyor

OPERATOR ENVIRONMENT

Single right side operator station with
power sliding platform and adjustable
seat
Adjustable arm rest with primary keypad
controls for ergonomic operation
whether seated or standing
Platform handrails/guardrails
Lockable vandalism guards for all
control panels
Joystick propel and steering with
integrated buttons for conveyor
motion control
Control console with LED backlit panels
Machine monitoring system
Electronic machine management system
Automatic throttle control
Digital graphic display for
diagnostics and operating instructions
Silver-class touch screen display
Camera ready display
LED wake-up mode with floor light

FLUIDS

Extended life coolant with protection
to -34C (-29F)

OTHER STANDARD EQUIPMENT

Doors, service access, hinged, locking
Fuel tank 600 L (158 gal)
Pressure test ports with quick connect
Water tank 1260 L (333 gal)

CATERPILLAR MACHINE PRICE LIST

PM312

PM312 COLD PLANER
MINERBIO, ITALY

Ship Weight
lbs

LIST PRICE
AT DEALER

OTHER STANDARD EQUIPMENT (CONT.)

- Sound suppression insulation kit
- Mirrors
- Gas-spring engine hood lift
- Emergency functions:
 - Hand pump brake release
- Air filter restriction electric indicator
- On board winterization system
- Bit removal tools
- S.O.S. sampling ports
- Sight gauges (hydraulic oil, filter restriction)

CATERPILLAR MACHINE PRICE LIST

PM312

PM312 COLD PLANER
MINERBIO, ITALY

Ship Weight
lbs

LIST PRICE
AT DEALER

**Lane 2 is reserved for the Base Order Management Program.
Please use Lane 2 when placing orders that are part of the Base
Orders Management Program.**

CATERPILLAR MACHINE PRICE LIST

PM312

PM312 COLD PLANER MINERBIO, ITALY	Ship Weight lbs	LIST PRICE AT DEALER
--------------------------------------	--------------------	-------------------------

603-6763	PM312 02B COLD PLANER DCA2A 0	\$540,020
	LANE 1 - AVAILABLE FROM BALTIMORE PDC	

- INCLUDES:
- 575-4709 PM312 02B COLD PLANER
 - 575-4714 MACHINE, PM3 COMMON
 - 548-2958 ENGINE, CAT C9.3
 - 577-6234 TRACK, CONVERSION
 - 577-6257 VENTILATION SYSTEM
 - 381-6575 LIGHTS, HALOGEN
 - 381-6525 PRODUCT LINK, CELLULAR PLE641
 - 522-0126 ROTOR, K STD - 15 MM
 - 572-9764 DISCHARGE CONVEYOR, HYD. FOLD
 - 381-7333 PORT, FILLING, WATER TANK
 - 548-3070 GUIDE, STANDARD STEERING
 - 577-6336 GUARD, ROTOR TURNING DEVICE
 - 577-2980 CONTROL, GRADE
 - 381-7320 CONTROL, SLOPE
 - 381-6481 HYDR. OIL HYDO ADVANCED 10W
 - 577-2995 INSTRUCTIONS, ANSI
 - 481-8732 LIGHT, HAZARD, CANOPY
 - 569-2838 PUMP, ACCESSORY DRIVE
 - 566-6910 CANOPY, FOLDING, HYDRAULIC
 - 381-7318 DISPLAY, OPTIONAL, PLFM
 - 421-8146 CAMERA, REAR
 - 381-7314 CAMERA, CONVEYOR
 - 542-7915 CAMERA, LH DRUM EDGE
 - 376-4134 PNEUMATIC BIT REMOVAL TOOL
 - 561-4359 ROTOR TURNING DEVICE
 - 381-7326 PNEUMATIC COMPRESSOR SYSTEM
 - 421-9634 DUST REDUCTION, ADDITIONAL
 - 577-6255 PUMP, WASHING, HIGH PRESSURE
 - 482-4046 BALLAST KIT

AVAILABLE FOR: AM-N, Puerto Rico
 NOTE: Please refer to Lane 1 section to complete you order.

575-4709	PM312 02B COLD PLANER 0	\$352,240
	LANE 2 - AVAILABLE FROM MINERBIO FACTORY	
	LANE 3 - AVAILABLE FROM MINERBIO FACTORY	

AVAILABLE FOR: AM-N, Puerto Rico, Europe, Israel, Palestine and South Korea

0G-0617	PM312 MISC MATL 0	NC
	AVAILABLE FROM MINERBIO FACTORY	

Only reference numbers that have the text
 "ALSO AVAILABLE ON A MISCELLANEOUS ORDER" can be used on a MISC order.

CATERPILLAR MACHINE PRICE LIST

PM312

USE	REF NO.	LANE 1 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

LANE SELECTION

0P-9001	LANE 1 ORDER	0	NC
---------	------------------------	---	----

COMMISSIONING

0P-2586	COMMISSIONING, NEEDED	0	\$6,520 NET
		0	\$6,520 NI
			NET

Commissioning Needed, trained personnel are required to properly commission the machine.

0P-2587	COMMISSIONING, NOT NEEDED	0	NC
---------	-------------------------------------	---	----

Commissioning training not needed - Special Case, only to be used by qualified dealers who meet GCI's standard requirements to self-commission machines with customers.

For questions, please consult your local GCI Paving Territory Manager

PACKING

0G-0044	ROLL ON-ROLL OFF	0	NC
---------	----------------------------	---	----

0P-0210	PACK, DOMESTIC TRUCK	0	NC
---------	--------------------------------	---	----

CATERPILLAR MACHINE PRICE LIST

PM312

USE	REF NO.	LANE 1 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	------------------------	--------------------	-------------------------

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS

DOCUMENTATION

L	524-1948	COMPLIANCE FILM,ELECT-MAGNETIC 0 Film indicates EMC compliance. Required for Canada		NC
	0F-5109	CERTIFICATE OF ORIGIN 0		\$90 NET

CATERPILLAR MACHINE PRICE LIST

PM312

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

LANE SELECTION

OP-9002	LANE 2 ORDER	0	NC
	Only for dealers enrolled in the Base Order Management (BOM) program.		
OP-9003	LANE 3 ORDER	0	NC

SPECIAL ARRANGEMENTS

CHASSIS

L	575-4714	MACHINE, PM3 COMMON	0	NC
		ONLY FOR USE WITH: 575-4709 PM312 02B COLD PLANER or 575-4712 PM312 02B COLD PLANER		

POWERTRAIN

ENGINE

L	548-2958	ENGINE, CAT C9.3	0	NC
		Meets U.S. EPA Tier 4 Final, EU Stage V and Korea Tier 4 Final emission standards. Meets UN R120. ONLY FOR USE WITH: 575-4709 PM312 02B COLD PLANER		

TRACTION TYPE

L	577-6236	WHEEL, CONVERSION	0	NC
		Includes solid rubber tires on steel wheels. ONLY FOR USE WITH: 575-4709 PM312 02B COLD PLANER 575-4712 PM312 02B COLD PLANER		
L	577-6234	TRACK, CONVERSION	0	\$63,930
		Includes independent track drives with auto tensioning system. ONLY FOR USE WITH: 575-4709 PM312 02B COLD PLANER 575-4712 PM312 02B COLD PLANER		

HYDRAULICS

DUST EXTRACTION

L	381-6682	COVER, NO VENTILATION	0	NC
L	577-6257	VENTILATION SYSTEM	0	\$6,020
		Dust and particles from operations are collected in multiple areas by hydraulically driven fan and discharged into secondary conveyor. NOTE: option may be needed for local regulations. ONLY FOR USE WITH: 575-4709 PM312 02B COLD PLANER 575-4712 PM312 02B COLD PLANER		

CATERPILLAR MACHINE PRICE LIST

PM312

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

ELECTRICAL

LIGHTING

L	381-6575	LIGHTS, HALOGEN	0	\$780
			0	\$780 NI

ALSO AVAILABLE ON A MISCELLANEOUS ORDER
 Includes 8 halogen lights: 1 light facing each of the 4 tracks/wheels, 1 light facing the rear of the cutter box, 1 light facing the front of the cutter box and 2 lights mounted on the top front end of the discharge conveyor.

L	381-6572	LIGHTS, LED	0	\$4,680
			0	\$4,680 NI

ALSO AVAILABLE ON A MISCELLANEOUS ORDER
 Includes 8 LED lights: 1 light facing each of the 4 tracks/wheels, 1 light facing the rear of the cutter box, 1 light facing the front of the cutter box and 2 lights mounted on the top front end of the discharge conveyor.

TECHNOLOGY PRODUCTS

PRODUCT LINK COMMUNICATION (Must select one)

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the cost of owning and operating your fleet. Availability varies by country. Please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Caterpillar marketing representative with questions.

L	381-6524	PRODUCT LINK, SATELLITE PL631	0	\$446
		Product Link Pro series PL631 uses a satellite network to transmit location, utilization and health information for viewing in Product Link user applications. For use in areas with poor or no cellular coverage.		

L	488-5577	PRODUCT LINK, SATELLITE PLE631	0	\$825
		Product Link Elite series PLE631 (consisting of PL631 radio and PLE601 network manager) uses a satellite network to transmit location, utilization and health information for viewing in Product Link user applications. For use in areas with poor or no cellular coverage.		

L	381-7317	PRODUCT LINK, CELLULAR PL641	0	NC
		Product Link Basic series PL641 uses cellular networks to transmit location, utilization and health information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		

L	381-6525	PRODUCT LINK, CELLULAR PLE641	0	\$378
		Product Link Elite series PLE641 (consisting of PL641 radio and PLE601 network manager) uses cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent transmission and larger volumes of data.		

CATERPILLAR MACHINE PRICE LIST

PM312

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OTHER ATTACHMENTS

MILL ROTORS

L	522-0126	ROTOR, K STD - 15 MM 0		\$29,040
		Latest Design tool holder system with 1225 mm (48.2") cut width. Allows for quick change of tool holder without the need for welding, replaceable bolt on kicker paddles, tooth spacing 15 mm. Includes: 106 Bits		
C	567-0891	ROTOR, K FINE - 8 MM 0		\$42,090
		CUSTOM ATTACHMENT - PLEASE CONTACT THE FACTORY FOR AVAILABILITY Latest Design tool holder system with 1225 mm (48.2") cut width. Allows for quick change of tool holder without the need for welding, replaceable bolt on kicker paddles, tooth spacing 8 mm. Includes: 172 Bits		
		ONLY FOR USE WITH: LANE 3		
C	567-0940	ROTOR, K COARSE - 18 MM 0		\$27,580
		CUSTOM ATTACHMENT - PLEASE CONTACT THE FACTORY FOR AVAILABILITY Latest Design tool holder system with 1225 mm (48.2") cut width. Allows for quick change of tool holder without the need for welding, replaceable bolt on kicker paddles, tooth spacing 18 mm. Includes: 92 Bits		
		ONLY FOR USE WITH: LANE 3		
L	0F-5136	OMISSION, ROTOR 0		NC
		ONLY FOR USE WITH: LANE 3		

DISCHARGE CONVEYOR

L	572-9763	DISCHARGE CONVEYOR, MECHANICAL 0		\$40,920
		Mechanical downward folding discharge conveyor. ONLY FOR USE WITH: 575-4709 PM313 02B COLD PLANER or 575-4712 PM312 02B COLD PLANER		
L	572-9764	DISCHARGE CONVEYOR, HYD. FOLD 0		\$49,080
		Hydraulically downward folding discharge conveyor. ONLY FOR USE WITH: 575-4709 PM312 02B COLD PLANER or 575-4712 PM312 02B COLD PLANER		

WATER TANK GROUND LEVEL FILLING PORT

P	381-7333	PORT, FILLING, WATER TANK 0		NC
		Water tank ground level Filling Port, US Standard only		

STEERING GUIDES

P	548-3070	GUIDE, STANDARD STEERING 0		NC
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides one standard steering guide with lateral adjustment of pendulum markers.	0	\$283 NI
P	548-6908	GUIDE, TELESCOPING STEERING 0		NC
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides one telescoping steering guide with multi point adjustment for advanced steering marker placement. ONLY FOR USE WITH: 571-0408 TRACK, CONVERSION or 577-6234 TRACK, CONVERSION	0	\$348 NI

CATERPILLAR MACHINE PRICE LIST

PM312

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

OTHER ATTACHMENTS (CONT.)

ROTOR DRIVE BELT GUARD

L	578-5682	GUARD, NO ROTOR TURNING DEVICE 0 Provides a rotor drive belt guard for machines not equipped with a rotor turning device. ONLY FOR USE WITH: 575-4709 PM312 02B COLD PLANER or 575-4712 PM312 02B COLD PLANER		NC
L	577-6336	GUARD, ROTOR TURNING DEVICE 0 Provides a rotor drive belt guard for machines equipped with a rotor turning device ONLY FOR USE WITH: 561-4359 ROTOR TURNING DEVICE AND 575-4709 PM312 02B COLD PLANER or 575-4712 PM312 02B COLD PLANER		NC

GRADE AND SLOPE CONTROLS

L	577-2980	CONTROL, GRADE 0 Measures grade from the position of side plates, using position sensing cylinders. Provides information to machine displays for operation of grade control. ONLY FOR USE WITH: 575-4709 PM312 02B COLD PLANER or 575-4712 PM312 02B COLD PLANER		\$8,880
L	381-7320	CONTROL, SLOPE 0 Measures cross slope using a slope sensor mounted to the chassis. Provides information to machine for operation of grade control. ONLY FOR USE WITH: 577-2980 CONTROL, GRADE		\$2,090

COMMISSIONING SUPPORT

NOTE: It is recommended that startup and commissioning of machine be included as part of the machine sale. The net charge covers a three days commissioning event. Trained personnel cover proper machine setup, basic maintenance, operation and application on a customer's jobsite. To request and schedule a machine commissioning event, dealers will need to contact the Caterpillar Paving Technical Training group by filling out the online request form
 URL:<https://dealer.cat.com/PavingOnDemand>

L	0P-2586	COMMISSIONING, NEEDED 0 Commissioning Needed, trained personnel are required to properly commission the machine. AVAILABLE FOR: AM-N and AM-S		\$6,520 NET
	0P-2587	COMMISSIONING, NOT NEEDED 0 Commissioning training not needed - Special Case, only to be used by qualified dealers who meet GCI's standard requirements to self-commission machines with customers. For questions, please consult your local GCI Paving Territory Manager		NC

FLUIDS

OIL

L	381-6481	HYDR. OIL, HYDO ADVANCED 10W 0 Cat standard hydraulic oil.		NC
---	----------	--	--	----

CATERPILLAR MACHINE PRICE LIST

PM312

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	----------------------	-----------------	----------------------

FLUIDS (CONT.)

OIL (Cont.)

L	381-6489	HYDRAULIC OIL, BIODEGRADABLE 0 Hydraulic environmental ester synthetic oil is recommended when environmental compliance is required or desired. ONLY FOR USE WITH: LANE 3		\$2,285
L	381-6523	HYDRAULIC OIL, HIGH AMBIENT 0 Hydraulic synthetic oil is recommended when high ambient operation is typical for machine. ONLY FOR USE WITH: LANE 3		\$715

INSTRUCTIONS

DECAL PACKAGES

L	577-2995	INSTRUCTIONS, ANSI 0 ANSI picto warning decals using symbols plus the word "WARNING" as required for North America (except Quebec, Canada). ONLY FOR USE WITH: 575-4709 PM312 02B COLD PLANER		NC
---	----------	--	--	----

SERVICE INSTRUCTIONS

	421-8926	SERIALIZED TECHNICAL MEDIA KIT 0 The technical media kit, will include the Operation & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com		NC
--	----------	--	--	----

CATERPILLAR MACHINE PRICE LIST

PM312

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

ELECTRICAL

P	481-8732	LIGHT, HAZARD, CANOPY 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes two LED amber strobe lights, bracket mounted on a rotatable, detent pivot base. One strobe is mounted on the canopy at the rear of the machine and the other is mounted at the front of the machine at the top of the conveyor. ONLY FOR USE WITH: 566-6910 CANOPY, FOLDING, HYDRAULIC	0	\$349 NI
P	421-8156	LIGHT, HAZARD 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes two LED amber strobe lights: one is mounted to an adjustable height pole mount on the rear of the machine, the other is mounted at the front of the machine, at the top of the conveyor on a rotatable bracket on a detent pivot base. CANNOT BE USED WITH: 566-6910 CANOPY, FOLDING, HYDRAULIC	0	\$925 \$925 NI
P	381-7323	LIGHTS, ROADING AND WORKING 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes two front mounted working lights with turn signals, two rear indicator/parking lights that signal, license plate holder with light and mounting hardware.	0	\$3,455 \$3,455 NI
P	394-9642	LAMP, HALOGEN (MAGNETIC) 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides a single halogen lamp with magnetic mounting.	0	\$321 NI
P	381-7330	LIGHT, TRUCK SIGNAL 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Red/Green light to communicate with truck driver.	0	\$565 \$565 NI
P	569-2838	PUMP ACCESSORY DRIVE 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Electro-hydraulic pump to allow for operation of steering, elevation and canopy movement with engine power off. ONLY FOR USE WITH: 575-4709 PM312 02B COLD PLANER or 575-4712 PM312 02B COLD PLANER	0	\$620 \$620 NI

OPERATOR ENVIRONMENT

OPERATOR STATION

P	566-6910	CANOPY, FOLDING, HYDRAULIC 0 ALSO AVAILABLE ON A MISCELLANEOUS ORDER Hydraulically folding canopy with extendible side wings. ONLY FOR USE WITH: 569-2838 PUMP, ACCESSORY DRIVE AND 575-4709 PM312 02B COLD PLANER or 575-4712 PM312 02B COLD PLANER	0	\$4,970 \$4,970 NI
---	----------	---	---	-----------------------

CATERPILLAR MACHINE PRICE LIST

PM312

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

OPERATOR STATION (Cont.)

P	577-2997	UMBRELLA.	0	\$710 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes (1) umbrella to provide operator protection from sun and rain. Umbrella measures 1372 mm x 1372 mm (54" x 54") and is collapsible. Includes support shafts and mounting hardware to be installed on machine at customer discretion. ONLY FOR USE WITH: 575-4709 PM312 02B COLD PLANER or 575-4712 PM312 02B COLD PLANER		
P	555-7680	WINDSCREEN.	0	\$1,055
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Provides a polycarbonate shield that acts as a wind deflector to the operator. ONLY FOR USE WITH: 575-4709 PM312 02B COLD PLANER or 575-4712 PM312 02B COLD PLANER	0	\$1,055 NI

OTHER ATTACHMENTS

GRADE AND SLOPE CONTROLS

P	509-2523	SENSOR, SONIC, AVERAGING	0	\$10,380
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Sonic averaging ski for mounting on the LH or RH side or inboard. Consists of two sonic sensors (in addition to the machine grade control base system) with adjustable mounting arms. ONLY FOR USE WITH: 577-2980 CONTROL, GRADE	0	\$10,380 NI
P	381-7318	DISPLAY, OPTIONAL, PLFM	0	\$2,895 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Additional (1) display with mounting bracket for ground/operator station(s). Order qty 1 maximum		
P	387-9468	DISPLAY, OPTIONAL	0	\$2,895 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Additional display (1) with mounting bracket for use at ground level. Order qty 1 maximum		

VISIBILITY ENHANCEMENTS

P	421-8146	REAR CAMERA.	0	\$675
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER This camera system is used to enhance the operator's rear visibility while operating. The LCD color display is designed to have a sharp, clear picture with camera mounted on the top rear end of the machine. REQUIRED BY: European dealers and affiliates	0	\$675 NI

CATERPILLAR MACHINE PRICE LIST

PM312

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

OTHER ATTACHMENTS (CONT.)

VISIBILITY ENHANCEMENTS (Cont.)

P	381-7314	CONVEYOR CAMERA	0 0	\$940 \$940 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER This camera system is used to enhance the operator's forward visibility while operating. The LCD color display is designed to have a sharp, clear picture with camera mounted on the top front end of the discharge conveyor.		
P	488-5580	CAMERA, AUX	0	\$760 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes camera with cable and magnetic mount. Can be placed anywhere within cable length.		
P	542-7915	CAMERA, LH DRUM EDGE	0 0	\$645 \$645 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Positioned to assist in lining up for cutting on left hand side of rotor. Includes camera, auxiliary lamp, cable, bracket and mounting hardware.		
P	551-5925	CAMERA, CUT TRACKING	0 0	\$835 \$835 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Mounted to the right hand side of the machine, this camera system offers the operator advanced visibility and tracking of the rotor placement with the ability to adjust the cut edge guidance line on the standard console mounted display. ONLY FOR USE WITH: 575-4709 PM312 02B COLD PLANER or 575-4712 PM312 02B COLD PLANER		

ROTOR SERVICING TOOLS

P	376-4134	PNEUMATIC BIT REMOVAL TOOL	0	\$640 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Includes pneumatic hammer, punch tools, coil hose and fittings.		
P	561-4359	ROTOR TURNING DEVICE	0	\$3,610
		Includes pendant control device and electrical motor for powered rotational assist when servicing the rotor. ONLY FOR USE WITH: 575-4709 PM312 02B COLD PLANER or 575-4712 PM312 02B COLD PLANER		
P	381-7326	PNEUMATIC COMPRESSOR SYSTEM	0 0	\$2,825 \$2,825 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Engine mounted air compressor with hose, tank and pressure regulator.		
P	577-4176	EXTRACTOR, TOOL HOLDER	0	\$282 NI
		ALSO AVAILABLE ON A MISCELLANEOUS ORDER Hand tool for extracting K System cutter bit tool holders which have broken at the shank inside the weld on block. Tool is engaged to broken shank via a threaded pulling bolt.		

CATERPILLAR MACHINE PRICE LIST

PM312

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

OTHER ATTACHMENTS (CONT.)

ADDITIONAL WATER SPRAYING SYSTEM

P	421-9634	DUST REDUCTION, ADDITIONAL	0	\$675
			0	\$675 NI

ALSO AVAILABLE ON A MISCELLANEOUS ORDER
 Additional water spraying system for dust reduction.
 Includes additional spray bars located on the front and rear of the pickup conveyor.
 NOTE: option may be needed for local regulations.

HIGH PRESSURE WASHDOWN

L	577-6255	PUMP, WASHING, HIGH PRESSURE	0	\$5,000
			0	\$5,000 NI

ALSO AVAILABLE ON A MISCELLANEOUS ORDER
 High pressure washdown water pump, including (1) wand with 15.2 m (50 ft) of hose on reel.
 ONLY FOR USE WITH: 575-4709 PM312 02B COLD PLANER or
 575-4712 PM312 02B COLD PLANER

LOW PRESSURE WASHDOWN

L	544-2811	WASHDOWN, LOW PRESSURE (HF)	0	\$1,485
			0	\$1,485 NI

ALSO AVAILABLE ON A MISCELLANEOUS ORDER
 Low pressure (high flow) washdown system, including (1) spray nozzle with 13 m (43 ft) of hose, and a coiled hose storage bracket.
 Coiled hose storage bracket mounts to the discharge conveyor.

MISC ATTACHMENTS

P	482-4046	BALLAST KIT	0	\$3,735
			0	\$3,735 NI

ALSO AVAILABLE ON A MISCELLANEOUS ORDER
 510 kg of additional weight for greater milling control, especially when in deep cuts or when cutting challenging material.
 Recommended for machines used in a full range applications or those seeking premium cutting control.

P	561-4363	HOSE, SUCTION	0	\$312 NI
---	----------	-------------------------	---	----------

ALSO AVAILABLE ON MISCELLANEOUS ORDER
 Suction hose with strainer for filling the water tank for alternative water sources. European standard only.
 ONLY FOR USE WITH: 381-7332 PORT, FILLING, WATER TANK

CATERPILLAR MACHINE PRICE LIST

PM312

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	---------------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS

The following field attachments can be ordered through Machine Order as a miscellaneous order.

C	522-0127	ROTOR, K STD - 15 MM, FLD 0		\$29,040 NI
		CUSTOM ATTACHMENT - PLEASE CONTACT THE FACTORY FOR AVAILABILITY Latest Design tool holder system with 1225 mm (48.2") cut width. Allows for quick change of tool holder without the need for welding, replaceable bolt on kicker paddles, tooth spacing 15 mm. Includes: 106 Bits		
C	567-0892	ROTOR, K FINE - 8 MM, FLD 0		\$42,090 NI
		CUSTOM ATTACHMENT - PLEASE CONTACT THE FACTORY FOR AVAILABILITY Latest Design tool holder system with 1225 mm (48.2") cut width. Allows for quick change of tool holder without the need for welding, replaceable bolt on kicker paddles, tooth spacing 8 mm. Includes: 172 Bits		
C	567-0895	ROTOR, K COARSE - 18 MM, FLD 0		\$27,580 NI
		CUSTOM ATTACHMENT - PLEASE CONTACT THE FACTORY FOR AVAILABILITY Latest Design tool holder system with 1225 mm (48.2") cut width. Allows for quick change of tool holder without the need for welding, replaceable bolt on kicker paddles, tooth spacing 18 mm. Includes: 92 Bits		

DOCUMENTATION

CERTIFICATES

OF-5109	CERTIFICATE OF ORIGIN 0		\$90 NET
---------	--	--	-----------------

PACKING

OG-0044	ROLL ON-ROLL OFF 0		NC
OG-0068	PACK, MISCELLANEOUS MATERIAL 0		NC