



10/31/2018

| Option number  | Description   | PART<br>QTY<br>(1)=pick<br>(.)=pick | OSP LIST<br>PRICE |
|----------------|---|-------------------------------------|-------------------|
| <b>PSC3216</b> | Palfinger model PSC 3216 telescopic service crane;<br>12,500 ft. lbs., 16' reach capability, one hydraulic / one<br>manual extension, 4,000 Lb. vertical lift capacity, - 5 to<br>+80 degree boom elevation, double acting cylinders with<br>load holding valves on all cylinders, overload shutdown<br>system, radio remote control, decals, crane hook, load<br>line block, Ecoat prime, finish paint white topcoat and<br>crane tie down bolt kit.<br><b>Available for use on vehicles above 10,001 GVW.</b><br><b>Consult factory for other applications.</b> |                                     |                   |
| PSC3216 E      | Model PSC 3216 electric telescopic service crane<br>Continuous rotation, three-spool single proportional<br>control valve, electric planetary drive winch and two-block<br>damage prevention system, 12V power unit.  |                                     | 12,590.00         |
| PSC3216 H      | Model PSC 3216 hydraulic telescopic service crane<br>410 degrees rotation, four-spool single proportional<br>control valve, hydraulic planetary drive winch and two-<br>block damage prevention system, PTO hydraulic.  |                                     | 16,422.00         |
| <b>PSC4016</b> | Palfinger model PSC 4016 telescopic service crane;<br>18,500 ft. lbs., 16' reach capability, one hydraulic / one<br>manual extension, 4,000 Lb. vertical lift capacity, - 5 to<br>+80 degree boom elevation, double acting cylinders with<br>load holding valves on all cylinders, overload shutdown<br>system, radio remote control, decals, crane hook, load<br>line block, Ecoat prime, finish paint white topcoat and<br>crane tie down bolt kit.<br><b>Available for use on vehicles above 10,001 GVW.</b><br><b>Consult factory for other applications.</b> |                                     |                   |
| PSC4016 E      | Model PSC 4016 electric telescopic service crane<br>Continuous rotation, three-spool single proportional<br>control valve, electric planetary drive winch and two-block<br>damage prevention system, 12V power unit.  |                                     | 16,451.00         |
| PSC4016 H      | Model PSC 4016 hydraulic telescopic service crane<br>410 degrees rotation, four-spool single proportional<br>control valve, hydraulic planetary drive winch and two-<br>block damage prevention system, PTO hydraulic.  |                                     | 17,493.00         |









|                |   |  |
|----------------|---|--|
| <b>PSC4025</b> | Palfinger model PSC 4025 telescopic service crane;<br>18,500 ft. lbs., 25' reach capability, two hydraulic powered<br>extensions, 4,000 Lb. vertical lift capacity, - 5 to +80<br>degree boom elevation, double acting cylinders with load<br>holding valves on all cylinders, overload shutdown<br>system, radio remote control, decals, crane hook, load<br>line block, Ecoat prime, finish paint white topcoat paint<br>and crane tie down bolt kit.<br><b>Available for use on vehicles above 10,001 GVW.</b><br><b>Consult factory for other applications.</b> |  |
|----------------|---|--|


|           |  |           |
|-----------|--|-----------|
| PSC4025 E | Model PSC 4025 electric telescopic service crane<br>Continuous rotation, three-spool single proportional<br>control valve, electric planetary drive winch and two-block<br>damage prevention system, 12V power unit.   | 19,007.00 |
| PSC4025 H | Model PSC 4025 hydraulic telescopic service crane<br>410 degrees rotation, four-spool single proportional<br>control valve, hydraulic planetary drive winch and two-<br>block damage prevention system, PTO hydraulic. | 19,198.00 |





|                             |
|-----------------------------|
| <b><i>CRANE OPTIONS</i></b> |
|-----------------------------|

|             |  |          |
|-------------|--|----------|
| 5060003     | 90% Acoustic Warning   | 645.00   |
| 5060004     | Third Wrap Limit System  | 118.00   |
| EZ5282      | Load hook - 1.5 ton bolt on hook located on <b>LEFT</b> side of boom tip   | 371.00   |
| EZ5282      | Load hook - 1.5 ton bolt on hook located on <b>RIGHT</b> side of boom tip  | 371.00   |
| EZ5282 (2X) | Load hook - 1.5 ton bolt on hook located on <b>BOTH</b> sides of boom tip  | 742.00   |
| KMG04787AS  | Crane installation kit - electric (25ft. Battery cable, breaker/disconnect)  | 214.00   |
| KMG04950AS  | Crane installation kit - hydraulic (2x hose, 2x swivel fittings)   | 214.00   |
| 5060001     | Two hydraulic powered extensions. <b>OPTION ONLY AVAILABLE ON PSC3216 AND PSC4016 (Standard on all other models)</b> | 1,100.00 |


|                                 |
|---------------------------------|
| <b><i>CRANE ACCESSORIES</i></b> |
|---------------------------------|

|  |   |   |        |
|--|---|---|--------|
| KMG04788AS                                   | Radio remote controller storage kit   |  | 50.00  |
| EZ5085                                       | Protective case with belt loop for radio remote control   |  | 101.00 |
| EZ5086                                       | Silicone cover for radio remote control   |  | 62.00  |
| <b>BOOM SUPPORT OPTION</b>                   |   |  |        |
| OS5030022                                    | Boom support - Adjustable position 16.5" High to 25.5" High   |  | 413.00 |
| OS5030030                                    | Boom support - Non-Adjustable Fixed position 9.75" High   |  | 340.00 |
| <b>CRANE SPACER KIT FOR LOW SLIDING ROOF</b> |   |  |        |
| OS5030468                                    | CRANE SPACER KIT, PSC 3216, 4016, 4025, 12 X 12 MOUNT PATTERN, 1.5" RISER (REQUIRED FOR BODY LSR CLEARANCE) |  | 340.00 |

|                       |  |  |  |
|-----------------------|--|--|--|
| <b>9' BODY OPTION</b> | <p>PCB 20 Series 9' heavy duty galvanized steel crane body with standard right rear crane mounting compartment, compartment tops reinforced with structural angle, six (6) recessed cargo tie downs (6,000 lb. capacity), two (2) grab handles, 40" high side compartments (optional compartments may be raised to 60" high with additional structural gusseting), a fully integrated and sealed automotive style harness kit, FMVSS 108 LED light and reflector kit, entire body electro coat (E-Coat) primer, understructure and bottom of compartments undercoated. Body installation kit for Class 3-5 chassis cab with 60" CA included for Ford, GM, and RAM. Designed to accept up to 20,000 ft./lbs. rated crane.</p> |  |  |
|-----------------------|--|--|--|

|             |  |   |          |
|-------------|--|---|----------|
| PCB20-9     | 9' Standard - 40"H sidepacks   |  | 6,550.00 |
| PCB20-9CS   | 9' CS Raised - 40"H sidepacks, Curb side 1st raised to 60"H                    |  | 7,250.00 |
| PCB20-9SS   | 9' SS Raised - 40"H sidepacks, Street side 1st raised to 60"H                  |  | 7,250.00 |
| PCB20-9SSCS | 9' SSSCS Raised - 40"H sidepacks, Street side and Curb side 1st raised to 60"H |  | 7,950.00 |

**FLOOR WIDTH OPTION (REQUIRED)**

|            |   |   |      |
|------------|---|---|------|
| 54X108-WBX | 54.5" W X 108" L floor with wheelboxes (dual wheel chassis) |  | 0.00 |
|------------|---|---|------|




|            |   |      |
|------------|---|------|
| 54X108     | 54.5" W X 108" L floor without wheelboxes (dual wheel chassis)          | 0.00 |
| 48X108-WBX | 48.5" W X 108" L floor with wheelboxes (narrow axle dual wheel chassis) | 0.00 |

***TAILSHELF-BUMPER OPTION (BOLT ON TO CHASSIS)***



|           |  |          |
|-----------|--|----------|
| OSCB9901  | 21" Workbench Tailshelf with outrigger cross tube, through compartment, 1/4" top plate work surface and integrated hitch receiver tube | 2,500.00 |
| OSCB9902  | OSCB9901 Workbench Tailshelf with outrigger cross tube, Integral Pipe Trough at rear of top plate, and integrated receiver hitch tube  | 2,752.00 |
| OSCB9903  | 12" Workbench Bumper with outrigger cross tube, 1/4" top plate work surface and integrated hitch receiver tube                         | 1,690.00 |
| OSCB9904  | 20" Workbench Bumper with 1/4" top plate work surface and integrated hitch receiver tube   | 1,354.00 |
| OS5030496 | 10" Treadplate Bumper (for use with drop down outriggers only and PSC 3216 crane) with recess for integrated hitch receiver tube       | 661.00   |
| OS5030499 | 17" Treadplate Bumper with outrigger cross tube, recessed for integrated hitch receiver tube   | 1,057.00 |

***OUTRIGGER OPTION***


|           |  |          |
|-----------|--|----------|
| OS5016904 | Rear Power Out (crane side) Power Down Stabilizers, 21" and 12" work bench tailshelf only  | 4,902.00 |
| OS5016903 | Rear Manual Out (crane side) Power Down Stabilizers, 21" and 12" work bench tailshelf only | 4,198.00 |
| OS5016940 | Rear Manual Out (crane side) Crank Down Stabilizers, 21" and 12" work bench tailshelf only | 2,322.00 |
| OSCB9706  | Power Down Stabilizers, 21" and 12" work bench tailshelf only                              | 2,313.00 |
| OS5016938 | Crank Down Stabilizers, 21" and 12" work bench tailshelf only                              | 896.00   |
| OSCB9702  | Crank Down Stabilizers, 20" work bench tailshelf and 17" bumper                            | 762.00   |

|           |   |   |          |
|-----------|---|---|----------|
| OSCB9703  | Real Manual Out (crane side) Crank Down Stabilizers, 17" bumper only          |  | 1,073.00 |
| OSCB9701  | Drop Down Stabilizers, 10" bumper only  |  | 308.00   |
| OS5051025 | 12VDC Electric over hydraulic power unit for hydraulically powered outriggers |  | 750.00   |





***CRANE MOUNTING PATTERN***

|          |  |   |      |
|----------|--|---|------|
| OSSB6902 | PSC Curb Side Crane Mounting (12" X 12")   |  | 0.00 |
| OSSB6905 | PSC Street Side Crane Mounting (12" X 12") |  | 0.00 |


***MASTERLOCK, CRANE BODY***

|          |   |   |        |
|----------|---|---|--------|
| OSSB2202 | Master Locking System Installed - 9' PCB 20 Body (all models) |  | 550.00 |
|----------|---|---|--------|


***TAILGATE OPTIONS***

|          |   |   |        |
|----------|---|---|--------|
| OSSB2301 | PALFINGER Stamped Tailgate                                    |  | 175.00 |
| OSSB2302 | No Logo Tailgate (approx. 8" x 50" flat surface for graphics) |  | 195.00 |
| OSSB2307 | No Tailgate   |  | 0.00   |
| OSSB2308 | 10" Tailboard Channels (Distributor supplied tailboard)       |  | 80.00  |

***LOW SLIDING ROOF***

|          |   |   |          |
|----------|---|---|----------|
| OSSB6802 | Low Sliding Roof Installed (Eliminates all compartment top weldment options except boom rest) |  | 2,550.00 |
|----------|---|---|----------|

















***HEADACHE RACK***

















|          |  |   |        |
|----------|--|---|--------|
| OSCB9101 | 49" Rack Height (measured top of headache rack to top of frame rail) - Installed only, Not compatible w/ LSR |  | 680.00 |
|----------|--|---|--------|

**INSTALLATION ACCESSORIES**





|             |   |  |        |
|-------------|---|--|--------|
| OSCB10102_9 | Treadplate overlays, compartment tops and load space walls  |  | 700.00 |
| OSSB0703    | Rear fuel fill cutout - includes (1) aluminum fuel fill cup OS3450331   |  | 87.00  |
| 5050027     | Chock block holder (wheel well cutout and holder) 8.5" wide x 6.75" tall  |  | 117.00 |
|             | Specify wheel chock location: front or rear - (maximum of two not to interfere with fuel and DEF fill necks)  |  |        |
| OSCB10101   | Full Height Aluminum Rock Guards Streetside and Curbside Uninstalled  |  | 365.00 |
| OSCB8102    | Boom support mounting bracket for PSC Cranes - (weld on threaded plate in lieu of thru-bolts in compartment)  |  | 75.00  |
| OSCB8103    | Compressor Mounting Bracket for - PPC37, PRC35, PRC60 (weld on bars and mounting adapter plate) left front sidepack top <b>(FOR NON-RAISED STREETSIDE SIDEPACK CONFIGURATIONS ONLY)</b> |  | 238.00 |
| OSCB8104    | Compressor Mounting Bracket for - PRC45V, PRC60V (weld on bars and mounting adapter plate) left front sidepack top  |  | 238.00 |
| OSCB8105    | Welder Mounting Bracket (weld on bars and mounting adapter plate) left rear sidepack top - Miller adapter plate included  |  | 238.00 |
| 5050028     | Compartment cutout for welder (right front compartment) <b>(Engineering Lead Time Will Apply)</b>   |  | 136.00 |
|             | Specify make and model of welder  |  |        |
| 5050025     | Engineer to order body accessory - Contact factory for pricing and availability <b>(Engineering Lead Time Will Apply)</b>   |  | 0.00   |

**INTERIOR COMPARTMENT OPTIONS**








|                      |   |   |          |
|----------------------|---|---|----------|
| <b>LEFT FRONT</b>    | <b>PCB20-9FT BODY - Streetside front vertical compartment (LV1)</b>   |    |          |
| OSPSB108MK10         | Adjustable Aluminum divider tray - 16" x 32.5" x 3" LV1 compartment (includes 4 adjustable dividers) <b>(MAX QTY OF 4 ON STANDARD HEIGHT, 5 ON 60" COMPT)</b> |    | 152.00   |
| OSPSBMP00579         | Additional dividers for adjustable divider tray   |    | 6.00     |
| OS5020201            | Aluminum Drawer Unit 3-3", 2-5", 1-7" X 26"W (6 drawers)  |    | 1,804.00 |
| OSSB4612             | 4 Swivel Material Hooks Installed (1-2-1) 7" down from compartment top  |    | 100.00   |
| <b>LH HORIZONTAL</b> | <b>PCB20-9FT BODY - Streetside horizontal compartment (LH)</b>  |    |          |
| OSPSB108MK12         | Adjustable Aluminum divider tray - 16" x 45.5" x 3" LH / RH compartment (includes 4 adjustable dividers) <b>(MAX QTY OF 2)</b>                                |    | 182.00   |
| OS5030332            | Slide out tray for horizontal compartment,  |   | 340.00   |
| OSPSBMP00579         | Additional dividers for divider tray  |  | 6.00     |
| OSSB4709             | Book rack - 20"L x 8"H x 13"D (does not include shelf)  |  | 536.00   |
| OS5020203            | Aluminum Drawer Unit 3-3" X 40"W (3 drawers)  |  | 1,165.00 |
| OS5021002            | 2 Drawer Bolt Bin - 1H X 2W   |  | 674.00   |
| OS5021004            | 4 Drawer Bolt Bin - 1H X 4W   |  | 1,228.00 |
| <b>LEFT REAR</b>     | <b>PCB20-9FT BODY - Streetside rear vertical compartment (LR), No Options Available if Crane Mounted Streetside</b>   |  |          |
| OSPSB108MK11         | Adjustable Aluminum divider tray - 16" x 28.5" x 3" LR compartment (includes 4 adjustable dividers) <b>(MAX QTY OF 4)</b>                                     |  | 116.00   |
| OSPSBMP00579         | Additional dividers for divider tray  |  | 6.00     |

|                      |  |   |          |
|----------------------|--|---|----------|
| OS5020204            | Aluminum Drawer Unit 33-3", 2-5", 1-7" X 22"W (6 drawers)  |    | 1,680.00 |
| OSSB4812             | 4 Swivel Material Hooks Installed (1-2-1) 7" down from compartment top   |    | 100.00   |
| <b>RIGHT FRONT</b>   | <b>PCB20-9FT BODY - Curbside front vertical compartment (RV1)</b>  |    |          |
| OSPSB108MK10         | Adjustable Aluminum divider tray - 16" x 32.5" x 3" RV1 compartment (includes 4 adjustable dividers)<br><b>(MAX QTY OF 4 ON STANDARD HEIGHT, 5 ON 60" COMPT)</b> |    | 95.00    |
| OSPSBMP00579         | Additional dividers for adjustable divider tray  |    | 6.00     |
| OSSB4914             | Tank bracket - Oxy / Acet for 2 tanks - Cargo area wall mounted, compartment vented when this option is picked   |    | 165.00   |
| OS5020201            | Aluminum Drawer Unit 3-3", 2-5", 1-7" X 26"W (6 drawers)   |    | 1,804.00 |
| OSSB4912             | 4 Swivel Material Hooks Installed (1-2-1) 7" down from compartment top   |   | 100.00   |
| <b>RH HORIZONTAL</b> | <b>PCB20-9FT BODY - Curbside horizontal compartment (RH)</b>   |  |          |
| OSPSB108MK12         | Adjustable Aluminum divider tray - 16" x 45.5" x 3" LH / RH compartment (includes 4 adjustable dividers)<br><b>(MAX QTY OF 2)</b>                                |  | 170.00   |
| OSPSBMP00579         | Additional dividers for divider tray   |  | 6.00     |
| OSSB4709             | Book rack - 20"L x 8"H x 13"D (does not include shelf)   |  | 536.00   |
| OS5020203            | Aluminum Drawer Unit 3-3" X 40"W (3 drawers)   |  | 1,165.00 |
| OS5021002            | 2 Drawer Bolt Bin - 1H X 2W  |  | 674.00   |
| OS5021004            | 4 Drawer Bolt Bin - 1H X 4W  |  | 1,228.00 |
| <b>LEFT REAR</b>     | <b>PCB20-9FT BODY - Curbside rear vertical compartment (RR), No Options Available if Crane Mounted Curbside</b>  |  |          |












|              |  |   |          |
|--------------|--|---|----------|
| OSPSB108MK11 | Adjustable Aluminum divider tray - 16" x 28.5" x 3" LR compartment (includes 4 adjustable dividers)<br><b>(MAX QTY OF 4)</b> |  | 116.00   |
| OSPSBMP00579 | Additional dividers for divider tray   |  | 6.00     |
| OS5020204    | Aluminum Drawer Unit 33-3", 2-5", 1-7" X 22"W (6 drawers)  |  | 1,680.00 |
| OSSB5112     | 4 Swivel Material Hooks Installed (1-2-1) 7" down from compartment top   |  | 100.00   |

***TAILSHELF WORKBENCH ACCESSORIES***




|           |   |   |          |
|-----------|---|---|----------|
| OS5030046 | Flexible tailshelf mounted step (installation is not available), 21" workbench tailshelf and treadplate bumpers only    |    | 206.00   |
| OS5030075 | Removable sliding vise mounting bracket, workbench tailshelves only<br>Type Your Location Here - Left Side / Right Side |    | 207.00   |
| OS5040304 | Weld-on vise mounting plate 9" x 9", workbench tailshelves only<br>Type Your Location Here - Left Side / Right Side     |   | 75.00    |
| OS5040305 | Wilton Workbench model #676 utility swivel vise; 6-1/2" jaw width, 5-1/2" jaw opening                                   |  | 431.00   |
| OS5040306 | Wilton Tradesman model #1780 swivel vise; 8" jaw width, 7-1/2" jaw opening  |  | 1,941.00 |
| OS5030077 | Pintle Ball Combo Hitch w/2" removable ball for hitch receiver mounting   |  | 152.00   |
| OS1474379 | 7-pole trailer plug receptacle (socket only, does not include plug)   |  | 68.00    |

***LIGHT KIT OPTIONS***


|           |  |   |        |
|-----------|--|---|--------|
| OSCB8302  | 3 Light Hole Tail Light Boxes in lieu of standard 2 Light Hole Tail Light Boxes <b>(Distributor to supply third oval light per side)</b> |  | 75.00  |
| OS5030112 | Install tail lights and harness  |  | 100.00 |


|           |  |  |        |
|-----------|--|--|--------|
| OS5030131 | Body Control System <b>(BCS)</b> and Installation (Front and Rear Power Distribution Boxes and Control Panel)<br><br>NOTE: For install harness - enter a 1 in both columns |   | 387.00 |
| OS5030065 | Body Interior LED strip lighting in 6 compartments <b>(BCS recommended with installation)</b>  |   | 501.00 |
| OS5030133 | Compartment Light harness (required for ship out body with customer supplied interior lighting) <b>(BCS recommended with installation)</b>                                 |   | 139.00 |
| OS5030061 | LED flood light kit (two lights) - includes harnesses for up to 6 lights <b>(BCS recommended with installation)</b>  |   | 324.00 |
| OS5030171 | LED flood light kit (four lights) - includes harnesses for up to 6 lights <b>(BCS recommended with installation)</b>   |   | 519.00 |
| OS5030172 | LED flood light kit (six lights) - includes harnesses <b>(BCS recommended with installation)</b>   |   | 715.00 |
| OS5030124 | Flood light harness for four (4) or six (6) lights at rear, front & sides of body <b>(BCS recommended with installation)</b>   |  | 139.00 |

***HYDRAULIC SYSTEM OPTIONS***




|           |  |   |        |
|-----------|--|---|--------|
| OS5030300 | Oil reservoir - 15 gallon (top deck mount in cargo area) Approx. 5 " de  |  | 886.00 |
| OS5030060 | Oil reservoir - 30 gallon (top deck mount in cargo area) Approx. 9.5 "   |  | 936.00 |
| OS5051018 | Hydraulic installation kit - Includes High Pressure Filter and Flow Control Valve, 3.5 GPM (FOR PSC3216, PSC4016, AND PSC4025) |  | 900.00 |

***COMPRESSOR AIR COMPRESSOR OPTION***








|         |  |   |          |
|---------|--|---|----------|
| OS701BA | Palfinger PRC 45V rotary compressed air system; oil flooded rotary screw, 45 CFM @ 150 PSI, maximum 150 PSI system pressure, weight 150 Lbs. Includes: hydraulic motor, control valve, integrated hydraulic oil cooler.<br><br><b>NOTE: Compressor performance is dependent on hydraulic supply specifications. Additional information is available through PALDESK.</b> |  | 6,344.00 |
|---------|--|---|----------|

|         |  |   |          |
|---------|--|---|----------|
| OS702BA | Palfinger PRC 60V rotary compressed air system; oil flooded rotary screw, 60 CFM @ 150 PSI, maximum 150 PSI system pressure, weight 160 Lbs. Includes: hydraulic motor, control valve, integrated hydraulic oil cooler.<br><b>NOTE: Compressor performance is dependent on hydraulic supply specifications. Additional information is available through PALDESK.</b> |  | 7,613.00 |
|---------|--|---|----------|

**COMPRESSOR ACCESSORIES**




|            |  |   |          |
|------------|--|---|----------|
| OSCA700052 | PRC45V & PRC60V Test and Adjustment Tool (one time purchase kit)                                       |  | 475.00   |
| OSCA700146 | PRC45V & PRC60V Cold Weather Climate Kit - Heater for operation in ambient temperatures less than 5° F |  | 1,023.00 |
| OS5030524  | Compressor Hydraulic Installation Kit (PRC45V & PRC60V) for PAL Pro Package                            |  | 140.00   |

**AIR SYSTEM ACCESSORIES**









|           |  |   |          |
|-----------|--|---|----------|
| OS5030147 | Extension harness, 48" direct plug in to body harness - used for alternate compressor mounting locations   |  | 33.00    |
| OS5030029 | Cover kit for hose reel hole in crane compartment  |  | 24.00    |
| 5052024   | Air reservoir-35 gallon (To be distributor mounted on top of the streetside compartments)  |  | 1,086.00 |
| OS5052025 | Hose reel, Reelcraft 3/8" x 50' with guide (to be used when passing through body)  |  | 606.00   |
| OS5052026 | Hose reel, Reelcraft 1/2" x 50' with guide (to be used when passing through body)  |  | 673.00   |
| OS5052027 | 1/2" air filter, regulator, lubricator (FRL)   |  | 419.00   |
| OS5052022 | (16) gallon air reservoir - mounted under deck parallel with drive shaft, includes fittings and tank air drain valve (12" x 36") for Ram chassis |  | 907.00   |

**CHASSIS RELATED OPTIONS**

|           |                                    |   |       |
|-----------|------------------------------------|---|-------|
| OS3287053 | Ram chassis cab tail light adapter |  | 33.00 |
|-----------|------------------------------------|---|-------|

|           |  |   |       |
|-----------|--|---|-------|
| OS3287058 | Ford Super Duty chassis cab tail light adapter |  | 34.00 |
| OS3287124 | GM chassis cab tail light adapter              |  | 58.00 |
| OS5030028 | ICC safety kit - located in cab                |  | 95.00 |

***PAINT OPTIONS***

|           |   |   |          |
|-----------|---|---|----------|
| OS5050037 | Standard coating - outside/inside E-coat prime only   |    | 0.00     |
| OS5050038 | Body finish topcoat - PCB 20 outside/inside (Single Stage Common Whites: codes only include Ford Z1, Ford YZ, or Dodge PW7)         |    | 1,387.00 |
|           | Specify chassis make and paint code here - (e.g. Ford - Z1)   |   |          |
| OS5050042 | Body finish topcoat – PCB 20 (Single Stage White Shades with verifiable Single Stage paint code)                                    |    | 1,807.00 |
|           | Specify chassis make and paint code here - (e.g. Freightliner - N0010)  |   |          |
| OS5050039 | Body finish topcoat – PCB 20 (Single Stage Colors with verifiable Single Stage paint code including most reds, blues, oranges, etc) |   | 4,100.00 |
|           | Contact Factory with OEM or Manufacturers paint code for pricing  |   |          |
| OS5050043 | Add Line-X Bedliner on load space, tops, front panels, rear panels behind the outriggers and bumper to a top coated body            |  | 1,500.00 |
| OS5050036 | Body finish topcoat - Additional charge for Low Sliding Roof  |  | 500.00   |
| OS5050040 | Add Line-X Ultra coating inside compartments to prime only body   |  | 1,050.00 |
| OS5050041 | Add Line-X Ultra coating inside compartments to top coated body   |  | 1,050.00 |

| Option number  | Description   | PART<br>QTY<br>(1)=pick<br>(.)=pick | OSP LIST<br>PRICE |
|----------------|---|-------------------------------------|-------------------|
| <b>PSC3216</b> |   |                                     |                   |
|                | Palfinger model PSC 3216 telescopic service crane;<br>12,500 ft. lbs., 16' reach capability, one hydraulic / one<br>manual extension, 4,000 Lb. vertical lift capacity, - 5 to<br>+80 degree boom elevation, double acting cylinders with<br>load holding valves on all cylinders, overload shutdown<br>system, radio remote control, decals, crane hook, load<br>line block, Ecoat prime, finish paint white topcoat and<br>crane tie down bolt kit.<br><b>Available for use on vehicles above 10,001 GVW.</b><br><b>Consult factory for other applications.</b> |                                     |                   |
| PSC3216 E      | Model PSC 3216 electric telescopic service crane<br>Continuous rotation, three-spool single proportional<br>control valve, electric planetary drive winch and two-block<br>damage prevention system, 12V power unit.  |                                     | 12,590.00         |
| PSC3216 H      | Model PSC 3216 hydraulic telescopic service crane<br>410 degrees rotation, four-spool single proportional<br>control valve, hydraulic planetary drive winch and two-<br>block damage prevention system, PTO hydraulic.  |                                     | 16,422.00         |
| <b>PSC4016</b> |   |                                     |                   |
|                | Palfinger model PSC 4016 telescopic service crane;<br>18,500 ft. lbs., 16' reach capability, one hydraulic / one<br>manual extension, 4,000 Lb. vertical lift capacity, - 5 to<br>+80 degree boom elevation, double acting cylinders with<br>load holding valves on all cylinders, overload shutdown<br>system, radio remote control, decals, crane hook, load<br>line block, Ecoat prime, finish paint white topcoat and<br>crane tie down bolt kit.<br><b>Available for use on vehicles above 10,001 GVW.</b><br><b>Consult factory for other applications.</b> |                                     |                   |
| PSC4016 E      | Model PSC 4016 electric telescopic service crane<br>Continuous rotation, three-spool single proportional<br>control valve, electric planetary drive winch and two-block<br>damage prevention system, 12V power unit.  |                                     | 16,451.00         |
| PSC4016 H      | Model PSC 4016 hydraulic telescopic service crane<br>410 degrees rotation, four-spool single proportional<br>control valve, hydraulic planetary drive winch and two-<br>block damage prevention system, PTO hydraulic.  |                                     | 17,493.00         |










|                |   |  |
|----------------|---|--|
| <b>PSC4025</b> | <p>Palfinger model PSC 4025 telescopic service crane; 18,500 ft. lbs., 25' reach capability, two hydraulic powered extensions, 4,000 Lb. vertical lift capacity, - 5 to +80 degree boom elevation, double acting cylinders with load holding valves on all cylinders, overload shutdown system, radio remote control, decals, crane hook, load line block, Ecoat prime, finish paint white topcoat paint and crane tie down bolt kit.</p> <p><b>Available for use on vehicles above 10,001 GVW. Consult factory for other applications.</b></p> |  |
|----------------|---|--|


|           |  |  |           |
|-----------|--|--|-----------|
| PSC4025 E | Model PSC 4025 electric telescopic service crane Continuous rotation, three-spool single proportional control valve, electric planetary drive winch and two-block damage prevention system, 12V power unit.  |  | 19,007.00 |
| PSC4025 H | Model PSC 4025 hydraulic telescopic service crane 410 degrees rotation, four-spool single proportional control valve, hydraulic planetary drive winch and two-block damage prevention system, PTO hydraulic. |  | 19,198.00 |





|                             |
|-----------------------------|
| <b><i>CRANE OPTIONS</i></b> |
|-----------------------------|

|             |  |  |          |
|-------------|--|--|----------|
| OS5060003   | 90% Acoustic Warning   |  | 645.00   |
| OS5060004   | Third Wrap Limit System  |  | 118.00   |
| EZ5282      | Load hook - 1.5 ton bolt on hook located on <b>LEFT</b> side of boom tip   |  | 371.00   |
| EZ5282      | Load hook - 1.5 ton bolt on hook located on <b>RIGHT</b> side of boom tip  |  | 371.00   |
| EZ5282 (2X) | Load hook - 1.5 ton bolt on hook located on <b>BOTH</b> sides of boom tip  |  | 742.00   |
| KMG04787AS  | Crane installation kit - electric (25ft. Battery cable, breaker/disconnect)  |  | 214.00   |
| KMG04950AS  | Crane installation kit - hydraulic (2x hose, 2x swivel fittings)   |  | 214.00   |
| OS5060001   | Two hydraulic powered extensions. <b>OPTION ONLY AVAILABLE ON PSC3216 AND PSC4016 (Standard on all other models)</b> |  | 1,100.00 |




|                                 |
|---------------------------------|
| <b><i>CRANE ACCESSORIES</i></b> |
|---------------------------------|

|  |  |   |        |
|--|--|---|--------|
| KMG04788AS                                   | Radio remote controller storage kit  |  | 50.00  |
| EZ5085                                       | Protective case with belt loop for radio remote control  |  | 101.00 |
| EZ5086                                       | Silicone cover for radio remote control  |  | 62.00  |
| <b>BOOM SUPPORT OPTION</b>                   |  |  |        |
| OS5030022                                    | Boom support - Adjustable position 16.5" High to 25.5" High  |  | 413.00 |
| OS5030030                                    | Boom support - Non-Adjustable Fixed position 9.75" High  |  | 340.00 |
| OS5030074                                    | Boom support - Adjustable position 27.5" High to 36.5" High  |  | 443.00 |
| <b>CRANE SPACER KIT FOR LOW SLIDING ROOF</b> |  |  |        |
| OS5030468                                    | CRANE SPACER KIT, PSC 3216, 4016, 4025, 12 X 12 MOUNT PATTERN, 1.5" RISER <b>(REQUIRED FOR BODY LSR CLEARANCE)</b> |  | 340.00 |







|                               |   |  |  |
|-------------------------------|---|--|--|
| <b><i>11' BODY OPTION</i></b> | <p>PCB 20 Series 11' heavy duty galvanized steel crane body with standard right rear crane mounting compartment, compartment tops reinforced with structural angle, eight (8) recessed cargo tie downs (6,000 lb. capacity), two (2) grab handles, 40" high side compartments (optional compartments may be raised to 60" high with additional structural gusseting), a fully integrated and sealed automotive style harness kit, FMVSS 108 LED light and reflector kit, entire body electro coat (E-Coat) primer, understructure and bottom of compartments undercoated. Body installation kit for Class 3-5 chassis cab with 84" CA included for Ford, GM, and RAM. Designed to accept up to 20,000 ft./lbs. rated crane.</p> |  |  |
|-------------------------------|---|--|--|

|              |   |   |          |
|--------------|---|---|----------|
| PCB20-11     | 11' Standard - 40"H sidepacks   |  | 8,450.00 |
| PCB20-11CS   | 11' CS Raised - 40"H sidepacks, Curb side 1st raised to 60"H                    |  | 9,150.00 |
| PCB20-11SS   | 11' CS Raised - 40"H sidepacks, Street side 1st raised to 60"H                  |  | 9,150.00 |
| PCB20-11SSCS | 11' SSSCS Raised - 40"H sidepacks, Street side and Curb side 1st raised to 60"H |  | 9,850.00 |






|   |   |
|---|---|
| <b><i>FLOOR WIDTH OPTION (REQUIRED)</i></b> |  |
|---|---|

|            |   |   |      |
|------------|---|---|------|
| 54X108-WBX | 54.5" W X 132" L floor with wheelboxes (dual wheel chassis)             |  | 0.00 |
| 54X108     | 54.5" W X 132" L floor without wheelboxes (dual wheel chassis)          |  | 0.00 |
| 48X108-WBX | 48.5" W X 132" L floor with wheelboxes (narrow axle dual wheel chassis) |  | 0.00 |





***TAILSHELF-BUMPER OPTION (BOLT ON TO CHASSIS FRAME)***

|           |  |   |          |
|-----------|--|---|----------|
| OSCB9901  | 21" Workbench Tailshelf with outrigger cross tube, through compartment, 1/4" top plate work surface and integrated hitch receiver tube |    | 2,500.00 |
| OSCB9902  | OSCB9901 Workbench Tailshelf with outrigger cross tube, Integral Pipe Trough at rear of top plate, and integrated receiver hitch tube  |    | 2,752.00 |
| OSCB9903  | 12" Workbench Bumper with outrigger cross tube, 1/4" top plate work surface and integrated hitch receiver tube                         |    | 1,690.00 |
| OSCB9904  | 20" Workbench Bumper with 1/4" top plate work surface and integrated hitch receiver tube   |   | 1,354.00 |
| OS5030496 | 10" Treadplate Bumper (for use with drop down outriggers only and PSC 3216 crane) with recess for integrated hitch receiver tube       |  | 661.00   |
| OS5030499 | 17" Treadplate Bumper with outrigger cross tube, recessed for integrated hitch receiver tube   |  | 1,057.00 |



***OUTRIGGER OPTION***

|           |  |   |          |
|-----------|--|---|----------|
| OS5016904 | Rear Power Out (crane side) Power Down Stabilizers, 21" and 12" work bench tailshelf only  |  | 4,902.00 |
| OS5016903 | Rear Manual Out (crane side) Power Down Stabilizers, 21" and 12" work bench tailshelf only |  | 4,198.00 |
| OS5016940 | Rear Manual Out (crane side) Crank Down Stabilizers, 21" and 12" work bench tailshelf only |  | 2,322.00 |
| OSCB9706  | Power Down Stabilizers, 21" and 12" work bench tailshelf only                              |  | 2,313.00 |
| OS5016938 | Crank Down Stabilizers, 21" and 12" work bench tailshelf only                              |  | 896.00   |




|           |   |   |          |
|-----------|---|---|----------|
| OSCB9702  | Crank Down Stabilizers, 20" work bench tailshelf and 17" bumper               |  | 762.00   |
| OSCB9703  | Real Manual Out (crane side) Crank Down Stabilizers, 17" bumper only          |  | 1,073.00 |
| OSCB9701  | Drop Down Stabilizers, 10" bumper only  |  | 308.00   |
| OS5051025 | 12VDC Electric over hydraulic power unit for hydraulically powered outriggers |  | 750.00   |





***CRANE MOUNTING PATTERN***

|          |  |   |      |
|----------|--|---|------|
| OSSB6902 | PSC Curb Side Crane Mounting (12" X 12")   |  | 0.00 |
| OSSB6905 | PSC Street Side Crane Mounting (12" X 12") |  | 0.00 |


***MASTERLOCK, CRANE BODY***

|          |  |   |        |
|----------|--|---|--------|
| OSSB2202 | Master Locking System Installed - 11' PCB 20 Body (all models) |  | 575.00 |
|----------|--|---|--------|


***TAILGATE OPTIONS***

|          |   |   |        |
|----------|---|---|--------|
| OSSB2301 | PALFINGER Stamped Tailgate                                    |  | 175.00 |
| OSSB2302 | No Logo Tailgate (approx. 8" x 50" flat surface for graphics) |  | 195.00 |
| OSSB2307 | No Tailgate   |  | 0.00   |
| OSSB2308 | 10" Tailboard Channels (Distributor supplied tailboard)       |  | 80.00  |

***LOW SLIDING ROOF***

|          |   |   |          |
|----------|---|---|----------|
| OSSB6802 | Low Sliding Roof Installed (Eliminates all compartment top weldment options except boom rest) |  | 2,917.00 |
|----------|---|---|----------|

***HEADACHE RACK***

















|          |  |   |        |
|----------|--|---|--------|
| OSCB9101 | 49" Rack Height (measured top of headache rack to top of frame rail) - Installed only, Not compatible w/ LSR |  | 680.00 |
|----------|--|---|--------|
















**INSTALLATION ACCESSORIES**














|              |  |  |        |
|--------------|--|--|--------|
| OSCB10102_11 | Treadplate overlays, compartment tops and load space walls   |  | 800.00 |
| OSSB0703     | Rear fuel fill cutout - includes (1) aluminum fuel fill cup OS3450331  |  | 87.00  |
| OS5050027    | Chock block holder (wheel well cutout and holder) 8.5" wide x 6.75" tall<br>Specify wheel chock location: front or rear - (maximum of two not to interfere with fuel and DEF fill necks) |  | 117.00 |
| OSCB10101    | Full Height Aluminum Rock Guards Streetside and Curbside Uninstalled   |  | 365.00 |
| OSCB8102     | Boom support mounting bracket for PSC Cranes - (weld on threaded plate in lieu of thru-bolts in compartment)   |  | 75.00  |
| OSCB8103     | Compressor Mounting Bracket for - PPC37, PRC35, PRC60 (weld on bars and mounting adapter plate) left front sidepack top  |  | 238.00 |
| OSCB8104     | Compressor Mounting Bracket for - PRC45V, PRC60V (weld on bars and mounting adapter plate) left front sidepack top   |  | 238.00 |
| OSCB8105     | Welder Mounting Bracket (weld on bars and mounting adapter plate) left rear sidepack top - Miller adapter plate included   |  | 238.00 |
| 5050028      | Compartment cutout for welder (right front compartment) <b>(Engineering Lead Time Will Apply)</b><br>Specify make and model of welder  |  | 136.00 |
| 5050025      | Engineer to order body accessory - Contact factory for pricing and availability <b>(Engineering Lead Time Will Apply)</b>  |  | 0.00   |

**INTERIOR COMPARTMENT OPTIONS**




|            |  |  |
|------------|--|--|
| LEFT FRONT | <b>PCB20-11FT BODY - Streetside front vertical compartment (LV1)</b> |  |
|------------|--|--|

|                      |  |   |          |
|----------------------|--|---|----------|
| OSPSB108MK10         | Adjustable Aluminum divider tray - 16" x 32.5" x 3" LV1 compartment (includes 4 adjustable dividers)<br><b>(MAX QTY OF 4 ON STANDARD HEIGHT, 5 ON 60" COMPT)</b> |    | 116.00   |
| OSPSBMP00579         | Additional dividers for adjustable divider tray  |    | 6.00     |
| OS5020201            | Aluminum Drawer Unit 3-3", 2-5", 1-7" X 26"W (6 drawers)   |    | 1,804.00 |
| OSCB1134             | 4 Swivel Material Hooks Installed (1-2-1) 7" down from compartment top   |    | 100.00   |
| <b>LEFT SECOND</b>   | <b>PCB20-11 FT BODY - Streetside second vertical compartment (LV2)</b>   |    |          |
| OSPSB108MK14         | Adjustable Aluminum divider tray - 16" x 23.5" x 3" LV2 compartment (includes 4 adjustable dividers)<br><b>(MAX QTY OF 4 ON STANDARD HEIGHT, 5 ON 60" COMPT)</b> |    | 103.00   |
| OSPSBMP00579         | Additional dividers for adjustable divider tray  |    | 6.00     |
| OS5020202            | Aluminum Drawer Unit 3-3", 2-5", 1-7" X 18"W (6 drawers)   |   | 1,556.00 |
| OSSB7212             | 4 Swivel Material Hooks Installed (1-2-1) 7" down from compartment top   |  | 100.00   |
| <b>LH HORIZONTAL</b> | <b>PCB20-11FT BODY - Streetside horizontal compartment (LH)</b>  |  |          |
| OSPSB108MK12         | Adjustable Aluminum divider tray - 16" x 45.5" x 3" LH / RH compartment (includes 4 adjustable dividers)<br><b>(MAX QTY OF 2)</b>                                |  | 170.00   |
| OSPSBMP00579         | Additional dividers for divider tray   |  | 6.00     |
| OSSB4709             | Book rack - 20"L x 8"H x 13"D (does not include shelf)   |  | 536.00   |
| OS5020203            | Aluminum Drawer Unit 3-3" X 40"W (3 drawers)   |  | 1,165.00 |
| OS5021002            | 2 Drawer Bolt Bin - 1H X 2W  |  | 674.00   |
| OS5021004            | 4 Drawer Bolt Bin - 1H X 4W  |  | 1,228.00 |

|                     |   |   |          |
|---------------------|---|---|----------|
| <b>LEFT REAR</b>    | <b>PCB20-11FT BODY - Streetside rear vertical compartment (LR), No Options Available if Crane Mounted Streetside</b>  |    |          |
| OSPSB108MK11        | Adjustable Aluminum divider tray - 16" x 28.5" x 3" LR compartment (includes 4 adjustable dividers) <b>(MAX QTY OF 4)</b>                                     |    | 116.00   |
| OSPSBMP00579        | Additional dividers for divider tray  |    | 6.00     |
| OS5020204           | Aluminum Drawer Unit 33-3", 2-5", 1-7" X 22"W (6 drawers)   |    | 1,680.00 |
| OSSB4812            | 4 Swivel Material Hooks Installed (1-2-1) 7" down from compartment top  |    | 100.00   |
| <b>RIGHT FRONT</b>  | <b>PCB20-11FT BODY - Curbside front vertical compartment (RV1)</b>  |    |          |
| OSPSB108MK10        | Adjustable Aluminum divider tray - 16" x 32.5" x 3" LV1 compartment (includes 4 adjustable dividers) <b>(MAX QTY OF 4 ON STANDARD HEIGHT, 5 ON 60" COMPT)</b> |    | 116.00   |
| OSPSBMP00579        | Additional dividers for adjustable divider tray   |  | 6.00     |
| OSSB4914            | Tank bracket - Oxy / Acet for 2 tanks - Cargo area wall mounted, compartment vented when this option is picked  |  | 165.00   |
| OS5020201           | Aluminum Drawer Unit 3-3", 2-5", 1-7" X 26"W (6 drawers)  |  | 1,804.00 |
| OSSB4912            | 4 Swivel Material Hooks Installed (1-2-1) 7" down from compartment top  |  | 100.00   |
| <b>RIGHT SECOND</b> | <b>PCB20-11FT BODY - Curbside second vertical compartment (RV2)</b>   |  |          |
| OSPSB108MK14        | Adjustable Aluminum divider tray - 16" x 23.5" x 3" RV2 compartment (includes 4 adjustable dividers) <b>(MAX QTY OF 4 ON STANDARD HEIGHT, 5 ON 60" COMPT)</b> |  | 103.00   |
| OSPSBMP00579        | Additional dividers for divider tray  |  | 6.00     |
| OS5020202           | Aluminum Drawer Unit 3-3", 2-5", 1-7" X 18"W (6 drawers)  |  | 1,556.00 |

|                      |  |   |          |
|----------------------|--|---|----------|
| OSSB7312             | 4 Swivel Material Hooks Installed (1-2-1) 7" down from compartment top   |    | 100.00   |
| <b>RH HORIZONTAL</b> | <b>PCB20-11FT BODY - Curbside horizontal compartment (RH)</b>  |    |          |
| OSPSB108MK12         | Adjustable Aluminum divider tray - 16" x 45.5" x 3" LH / RH compartment (includes 4 adjustable dividers) <b>(MAX QTY OF 2)</b> |    | 170.00   |
| OSPSBMP00579         | Additional dividers for divider tray   |    | 6.00     |
| OSSB4709             | Book rack - 20"L x 8"H x 13"D (does not include shelf)   |    | 536.00   |
| OS5020203            | Aluminum Drawer Unit 3-3" X 40"W (3 drawers)   |    | 1,165.00 |
| OS5021002            | 2 Drawer Bolt Bin - 1H X 2W  |    | 674.00   |
| OS5021004            | 4 Drawer Bolt Bin - 1H X 4W  |    | 1,228.00 |
| <b>LEFT REAR</b>     | <b>PCB20-11FT BODY - Curbside rear vertical compartment (RR), No Options Available if Crane Mounted Curbside</b>               |   |          |
| OSPSB108MK11         | Adjustable Aluminum divider tray - 16" x 28.5" x 3" LR compartment (includes 4 adjustable dividers) <b>(MAX QTY OF 4)</b>      |  | 116.00   |
| OSPSBMP00579         | Additional dividers for divider tray   |  | 6.00     |
| OS5020204            | Aluminum Drawer Unit 33-3", 2-5", 1-7" X 22"W (6 drawers)  |  | 1,680.00 |
| OSSB5112             | 4 Swivel Material Hooks Installed (1-2-1) 7" down from compartment top   |  | 100.00   |

***TAILSHELF WORKBENCH ACCESSORIES***

|           |  |   |        |
|-----------|--|---|--------|
| OS5030046 | Flexible tailshelf mounted step (installation is not available), 21" workbench tailshelf and treadplate bumpers only |  | 206.00 |
| OS5030075 | Removable sliding vise mounting bracket, workbench tailshelves only  |  | 207.00 |
|           | Type Your Location Here - Left Side / Right Side   |  |        |

|           |   |                          |          |
|-----------|---|--------------------------|----------|
| OS5040304 | Weld-on vise mounting plate 9" x 9", workbench tailshelves only                       | <input type="checkbox"/> | 75.00    |
|           | Type Your Location Here - Left Side / Right Side                                      | <input type="checkbox"/> |          |
| OS5040305 | Wilton Workbench model #676 utility swivel vise; 6-1/2" jaw width, 5-1/2" jaw opening | <input type="checkbox"/> | 431.00   |
| OS5040306 | Wilton Tradesman model #1780 swivel vise; 8" jaw width, 7-1/2" jaw opening            | <input type="checkbox"/> | 1,941.00 |
| OS5030077 | Pintle Ball Combo Hitch w/2" removable ball for hitch receiver mounting               | <input type="checkbox"/> | 152.00   |
| OS1474379 | 7-pole trailer plug receptacle (socket only, does not include plug)                   | <input type="checkbox"/> | 68.00    |

***LIGHT KIT OPTIONS***

|           |  |                          |        |
|-----------|--|--------------------------|--------|
| OSCB8302  | 3 Light Hole Tail Light Boxes in lieu of standard 2 Light Hole Tail Light Boxes <b>(Distributor to supply third oval light per side)</b>                               | <input type="checkbox"/> | 75.00  |
| OS5030112 | Install tail lights and harness  | <input type="checkbox"/> | 100.00 |
| OS5030131 | Body Control System <b>(BCS)</b> and Installation (Front and Rear Power Distribution Boxes and Control Panel)<br>NOTE: For install harness - enter a 1 in both columns | <input type="checkbox"/> | 387.00 |
| OS5030066 | Body Interior LED strip lighting in 8 compartments <b>(BCS recommended with installation)</b>  | <input type="checkbox"/> | 630.00 |
| OS5030133 | Compartment Light harness (required for ship out body with customer supplied interior lighting) <b>(BCS recommended with installation)</b>                             | <input type="checkbox"/> | 139.00 |
| OS5030061 | LED flood light kit (two lights) - includes harnesses for up to 6 lights <b>(BCS recommended with installation)</b>  | <input type="checkbox"/> | 324.00 |
| OS5030171 | LED flood light kit (four lights) - includes harnesses for up to 6 lights <b>(BCS recommended with installation)</b>   | <input type="checkbox"/> | 519.00 |
| OS5030172 | LED flood light kit (six lights) - includes harnesses <b>(BCS recommended with installation)</b>   | <input type="checkbox"/> | 715.00 |
| OS5030124 | Flood light harness for four (4) or six (6) lights at rear, front & sides of body <b>(BCS recommended with installation)</b>   | <input type="checkbox"/> | 139.00 |

**HYDRAULIC SYSTEM OPTIONS**

|           |  |        |
|-----------|--|--------|
| OS5030300 | Oil reservoir - 15 gallon (top deck mount in cargo area) Approx. 5 " de  | 886.00 |
| OS5030060 | Oil reservoir - 30 gallon (top deck mount in cargo area) Approx. 9.5 " d   | 936.00 |
| OS5051018 | Hydraulic installation kit - Includes High Pressure Filter and Flow Control Valve, 3.5 GPM (FOR PSC3216, PSC4016, AND PSC4025) | 900.00 |

**COMPRESSOR AIR COMPRESSOR OPTION**

|         |  |          |
|---------|--|----------|
| OS701BA | Palfinger PRC 45V rotary compressed air system; oil flooded rotary screw, 45 CFM @ 150 PSI, maximum 150 PSI system pressure, weight 150 Lbs. Includes: hydraulic motor, control valve, integrated hydraulic oil cooler.<br><b>NOTE: Compressor performance is dependent on hydraulic supply specifications. Additional information is available through PALDESK.</b> | 6,344.00 |
|---------|--|----------|









|         |  |          |
|---------|--|----------|
| OS702BA | Palfinger PRC 60V rotary compressed air system; oil flooded rotary screw, 60 CFM @ 150 PSI, maximum 150 PSI system pressure, weight 160 Lbs. Includes: hydraulic motor, control valve, integrated hydraulic oil cooler.<br><b>NOTE: Compressor performance is dependent on hydraulic supply specifications. Additional information is available through PALDESK.</b> | 7,613.00 |
|---------|--|----------|

**COMPRESSOR ACCESSORIES**





|            |  |          |
|------------|--|----------|
| OSCA700052 | PRC45V & PRC60V Test and Adjustment Tool (one time purchase kit)                                       | 475.00   |
| OSCA700146 | PRC45V & PRC60V Cold Weather Climate Kit - Heater for operation in ambient temperatures less than 5° F | 1,023.00 |
| OS5030524  | Compressor Hydraulic Installation Kit (PRC45V & PRC60V) for PAL Pro Package                            | 140.00   |

**AIR SYSTEM ACCESSORIES**




|           |  |       |
|-----------|--|-------|
| OS5030147 | Extension harness, 48" direct plug in to body harness - used for alternate compressor mounting locations | 33.00 |
|-----------|--|-------|

|           |  |  |          |
|-----------|--|--|----------|
| OS5030029 | Cover kit for hose reel hole in crane compartment  |   | 24.00    |
| 5052024   | Air reservoir-35 gallon (To be distributor mounted on top of the streetside compartments)  |   | 1,086.00 |
| OS5052025 | Hose reel, Reelcraft 3/8" x 50' with guide (to be used when passing through body)  |   | 606.00   |
| OS5052026 | Hose reel, Reelcraft 1/2" x 50' with guide (to be used when passing through body)  |   | 673.00   |
| OS5052027 | 1/2" air filter, regulator, lubricator (FRL)   |   | 419.00   |
| OS5052022 | (16) gallon air reservoir - mounted under deck parallel with drive shaft, includes fittings and tank air drain valve (12" x 36") for Ram chassis |   | 907.00   |
| OS5052028 | (22) gallon air reservoir - truck frame mount parallel with drive shaft, includes fittings and tank air drain valve (12" x 48") for Ram chassis  |   | 1,139.00 |
| KPN00015A | (6) gallon air reservoir - mounted under deck, includes fittings and tank air drain valve (8" x 34")   |  | 600.00   |

|                |                                |   |
|----------------|--------------------------------|---|
| <b>CHASSIS</b> | <b>CHASSIS RELATED OPTIONS</b> |  |
|----------------|--------------------------------|---|

|           |  |   |       |
|-----------|--|---|-------|
| OS3287053 | Ram chassis cab tail light adapter             |  | 33.00 |
| OS3287058 | Ford Super Duty chassis cab tail light adapter |  | 34.00 |
| OS3287124 | GM chassis cab tail light adapter              |  | 58.00 |
| OS5030028 | ICC safety kit - located in cab                |  | 95.00 |

|                      |   |
|----------------------|---|
| <b>PAINT OPTIONS</b> |  |
|----------------------|---|

|           |  |   |          |
|-----------|--|---|----------|
| OS5050037 | Standard coating - outside/inside E-coat prime only  |  | 0.00     |
| OS5050038 | Body finish topcoat - PCB 20 outside/inside (Single Stage Common Whites: codes only include Ford Z1, Ford YZ, or Dodge PW7)<br>Specify chassis make and paint code here - (e.g. Ford - Z1) |  | 1,500.00 |
| OS5050042 | Body finish topcoat – PCB 20 (Single Stage White Shades with verifiable Single Stage paint code)   |  | 1,920.00 |



|           |   |  |          |
|-----------|---|--|----------|
|           | Specify chassis make and paint code here - (e.g. Freightliner - N0010)  |  |          |
| OS5050039 | Body finish topcoat – PCB 20 (Single Stage Colors with verifiable Single Stage paint code including most reds, blues, oranges, etc) |  | 4,300.00 |
|           | Contact Factory with OEM or Manufactrers paint code for pricing   |  |          |
| OS5050043 | Add Line-X Bedliner on load space, tops, front panels, rear panels behind the outriggers and bumper to a top coated body            |  | 1,600.00 |
| OS5050036 | Body finish topcoat - Additional charge for Low Sliding Roof  |  | 615.00   |
| OS5050040 | Add Line-X Ultra coating inside compartments to prime only body   |  | 1,050.00 |
| OS5050041 | Add Line-X Ultra coating inside compartments to top coated body   |  | 1,050.00 |

| Option number  | Description   | PART<br>QTY<br>(1)=pick<br>(.)=pick | OSP LIST<br>PRICE |
|----------------|---|-------------------------------------|-------------------|
| <b>PSC3216</b> |   |                                     |                   |
|                | <p>Palfinger model PSC 3216 telescopic service crane; 12,500 ft. lbs., 16' reach capability, one hydraulic / one manual extension, 4,000 Lb. vertical lift capacity, - 5 to +80 degree boom elevation, double acting cylinders with load holding valves on all cylinders, overload shutdown system, radio remote control, decals, crane hook, load line block, Ecoat prime, finish paint white topcoat and crane tie down bolt kit.</p> <p><b>Available for use on vehicles above 10,001 GVW. Consult factory for other applications.</b></p> |                                     |                   |
| PSC3216 E      | Model PSC 3216 electric telescopic service crane Continuous rotation, three-spool single proportional control valve, electric planetary drive winch and two-block damage prevention system, 12V power unit.   |                                     | 12,590.00         |
| PSC3216 H      | Model PSC 3216 hydraulic telescopic service crane 410 degrees rotation, four-spool single proportional control valve, hydraulic planetary drive winch and two-block damage prevention system, PTO hydraulic.  |                                     | 16,422.00         |
| <b>PSC4016</b> |   |                                     |                   |
|                | <p>Palfinger model PSC 4016 telescopic service crane; 18,500 ft. lbs., 16' reach capability, one hydraulic / one manual extension, 4,000 Lb. vertical lift capacity, - 5 to +80 degree boom elevation, double acting cylinders with load holding valves on all cylinders, overload shutdown system, radio remote control, decals, crane hook, load line block, Ecoat prime, finish paint white topcoat and crane tie down bolt kit.</p> <p><b>Available for use on vehicles above 10,001 GVW. Consult factory for other applications.</b></p> |                                     |                   |
| PSC4016 E      | Model PSC 4016 electric telescopic service crane Continuous rotation, three-spool single proportional control valve, electric planetary drive winch and two-block damage prevention system, 12V power unit.   |                                     | 16,451.00         |
| PSC4016 H      | Model PSC 4016 hydraulic telescopic service crane 410 degrees rotation, four-spool single proportional control valve, hydraulic planetary drive winch and two-block damage prevention system, PTO hydraulic.  |                                     | 17,493.00         |

|                       |  |  |
|-----------------------|--|--|
| <b><i>PSC4025</i></b> | <p>Palfinger model PSC 4025 telescopic service crane; 18,500 ft. lbs., 25' reach capability, two hydraulic powered extensions, 4,000 Lb. vertical lift capacity, - 5 to +80 degree boom elevation, double acting cylinders with load holding valves on all cylinders, overload shutdown system, radio remote control, decals, crane hook, load line block, Ecoat prime, finish paint white topcoat paint and crane tie down bolt kit.</p> <p><b>Available for use on vehicles above 10,001 GVW.<br/>                 Consult factory for other applications.</b></p> |  |
|-----------------------|--|--|

|           |  |           |
|-----------|--|-----------|
| PSC4025 E | <p>Model PSC 4025 electric telescopic service crane<br/>                 Continuous rotation, three-spool single proportional control valve, electric planetary drive winch and two-block damage prevention system, 12V power unit.</p>  | 19,007.00 |
| PSC4025 H | <p>Model PSC 4025 hydraulic telescopic service crane<br/>                 410 degrees rotation, four-spool single proportional control valve, hydraulic planetary drive winch and two-block damage prevention system, PTO hydraulic.</p> | 19,198.00 |

|                       |  |  |
|-----------------------|--|--|
| <b><i>PSC5025</i></b> | <p>Palfinger model PSC 5025 telescopic service crane; 32,500 ft. lbs., 25' reach capability, two hydraulic powered extensions, 5,000 Lb. vertical lift capacity, - 5 to +80 degree boom elevation, double acting cylinders with load holding valves on all cylinders, overload shutdown system, radio remote control, decals, crane hook, load line block, Ecoat prime, finish paint white topcoat paint and crane tie down bolt kit.</p> <p><b>Available for use on vehicles above 14,001 GVW.<br/>                 Consult factory for other applications.</b></p> |  |
|-----------------------|--|--|



|           |  |           |
|-----------|--|-----------|
| PSC5025 E | <p>Model PSC 5025 electric telescopic service crane<br/>                 Continuous rotation, three-spool single proportional control valve, electric planetary drive winch and two-block damage prevention system, 12V power unit.</p>  | 21,762.00 |
| PSC5025 H | <p>Model PSC 5025 hydraulic telescopic service crane<br/>                 410 degrees rotation, four-spool single proportional control valve, hydraulic planetary drive winch and two-block damage prevention system, PTO hydraulic.</p> | 20,266.00 |

|                |  |  |
|----------------|--|--|
| <b>PSC6025</b> | Palfinger model PSC 6025 telescopic service crane;<br>38,500 ft. lbs., 25' reach capability, two hydraulic powered<br>extensions, 6,000 Lb. vertical lift capacity, - 25 to +75<br>degree boom elevation, double acting cylinders with load<br>holding valves on all cylinders, overload shutdown<br>system, radio remote control, decals, crane hook, load<br>line block, Ecoat prime, finish paint white topcoat paint<br>and crane mounting bolt kit.<br><b>Available for use on vehicles above 14,001 GVW.</b><br><b>Consult factory for other applications.</b> |  |
|----------------|--|--|






|           |  |  |           |
|-----------|--|--|-----------|
| PSC6025 E | Model PSC 6025 electric telescopic service crane<br>Continuous rotation, four-spool single proportional control<br>valve, hydraulic planetary drive winch and two-block<br>damage prevention system, 12V power unit.   |  | 23,069.00 |
| PSC6025 H | Model PSC 6025 hydraulic telescopic service crane<br>410 degrees rotation, four-spool single proportional<br>control valve, hydraulic planetary drive winch and two-<br>block damage prevention system, PTO hydraulic. |  | 22,592.00 |

|                             |  |
|-----------------------------|--|
| <b><i>CRANE OPTIONS</i></b> |  |
|-----------------------------|--|




|             |  |  |        |
|-------------|--|--|--------|
| 5060003     | 90% Acoustic Warning   |  | 645.00 |
| 5060004     | Third Wrap Limit System  |  | 118.00 |
| EZ5282      | Load hook - 1.5 ton bolt on hook located on <b>LEFT</b> side of boom tip       |  | 371.00 |
| EZ5282      | Load hook - 1.5 ton bolt on hook located on <b>RIGHT</b> side of boom tip      |  | 371.00 |
| EZ5282 (2X) | Load hook - 1.5 ton bolt on hook located on <b>BOTH</b> sides of boom tip      |  | 742.00 |
| KMG05359AS  | Emergency lowering valve kit. <b>REQUIRED FOR PERSONNEL BASKET APPLICATION</b> |  | 250.00 |
| KMG04787AS  | Crane installation kit - electric (25ft. Battery cable, breaker/disconnect)    |  | 214.00 |
| KMG04950AS  | Crane installation kit - hydraulic (2x hose, 2x swivel fittings)               |  | 214.00 |
| KSC01083A   | Fully proportional control valve. <b>OPTION ONLY AVAILABLE ON PSC6025</b>      |  | 841.00 |

|            |  |   |          |
|------------|--|---|----------|
| 5060001    | Two hydraulic powered extensions. <b>OPTION ONLY AVAILABLE ON PSC3216 AND PSC4016 (Standard on all other models)</b> |  | 1,100.00 |
| KMG04615AS | ELS (Easy load block stowing) system   |  | 316.00   |



***CRANE ACCESSORIES***

|             |  |   |          |
|-------------|--|---|----------|
| OS202-PB-A  | Personnel Basket for Service Cranes incl. storage boxes ONLY AVAILABLE FOR PSC5025 AND PSC6025 |  | 8,448.00 |
| OS202QC01AS | Personnel Basket - Quick Connect Adapter for PSC5025 and PSC6025                               |  | 273.00   |
| KMG04788AS  | Radio remote controller storage kit  |  | 50.00    |
| EZ5085      | Protective case with belt loop for radio remote control  |  | 101.00   |
| EZ5086      | Silicone cover for radio remote control  |  | 62.00    |

**BOOM SUPPORT OPTION**

|           |   |   |        |
|-----------|---|---|--------|
| OS5030022 | Boom support - Adjustable position 16.5" High to 25.5" High |  | 413.00 |
| OS5030030 | Boom support - Non-Adjustable Fixed position 9.75" High     |  | 340.00 |
| OS5030074 | Boom support - Adjustable position 27.5" High to 36.5" High |  | 443.00 |

**CRANE SPACER KIT FOR LOW SLIDING ROOF**

|           |   |   |        |
|-----------|---|---|--------|
| OS5030468 | CRANE SPACER KIT, PSC 3216, 4016, 4025, 12 X 12 MOUNT PATTERN, 1.5" RISER (REQUIRED FOR BODY LSR CLEARANCE) |  | 340.00 |
| OS5030469 | CRANE SPACER KIT, PSC 5025, 6025, 14.75 X 14.75 MOUNT PATTERN, 1.5" RISER (REQUIRED FOR BODY LSR CLEARANCE) |  | 413.00 |

|                       |   |  |  |
|-----------------------|---|--|--|
| <b>9' BODY OPTION</b> | <p>PCB 39 Series 9' heavy duty galvanized steel crane body with standard right rear crane mounting compartment, all aluminum doors and hinges, eight (8) recessed cargo tie downs (6,000 lb. capacity), two (2) grab handles, 44" high side compartments (optional compartments may be raised to 60" high), a fully integrated and sealed automotive style harness kit and electrical system with easy access power distribution panel, FMVSS 108 LED light and reflector kit, entire body electro coat (E-Coat) primer, compartments painted with multicolor interior spray finish, understructure and bottom of compartments undercoated. Body installation kit - (for Ford F450/550 &amp; RAM 4500/5500 60" CA chassis). Designed to accept up to 39,000 ft./lbs. rated crane.</p> |  |  |
|-----------------------|---|--|--|


|             |  |  |           |
|-------------|--|--|-----------|
| PCB39-9     | 9' Standard - 44"H sidepacks   |  | 12,919.00 |
| PCB39-9CS   | 9' CS Raised - 44"H sidepacks, Curb side 1st and 2nd raised to 60"H                    |  | 14,538.00 |
| PCB39-9SSCS | 9' SSSCS Raised - 44"H sidepacks, Street side and Curb side 1st and 2nd raised to 60"H |  | 15,455.00 |

|                                |  |  |
|--------------------------------|--|--|
| <b><i>TAILSHELF-BUMPER</i></b> |  |  |
|--------------------------------|--|--|


|          |  |  |          |
|----------|--|--|----------|
| OSCB8901 | 21" Workbench Tailshelf with through compartment, 1/4" top plate work surface and integrated hitch receiver tube installed |  | 2,500.00 |
| OSCB8902 | OSCB8901 Workbench Tailshelf with Integral Pipe Trough at rear of top plate installed                                      |  | 2,900.00 |
| OSCB8903 | 12" Workbench Bumper with 1/4" top plate work surface and integrated hitch receiver tube installed                         |  | 1,800.00 |
| OSCB8904 | No Tailshelf/Bumper or Outriggers  |  | 0.00     |


|                                |  |  |
|--------------------------------|--|--|
| <b><i>OUTRIGGER OPTION</i></b> |  |  |
|--------------------------------|--|--|

|           |   |  |          |
|-----------|---|--|----------|
| OS5016904 | Rear Power Out (crane side) Power Down Stabilizers  |  | 4,902.00 |
| OS5016903 | Rear Manual Out (crane side) Power Down Stabilizers |  | 4,198.00 |
| OS5016940 | Rear Manual Out (crane side) Crank Down Stabilizers |  | 2,322.00 |


|           |   |   |        |
|-----------|---|---|--------|
| OS5051025 | 12VDC Electric over hydraulic power unit for hydraulically powered outriggers |  | 750.00 |
|-----------|---|---|--------|

***CRANE MOUNTING PATTERN***


|          |   |   |      |
|----------|---|---|------|
| OSCB9001 | PSC Crane Mounting (12" X 12", 14.75" x 14.75") |  | 0.00 |
|----------|---|---|------|

|          |                                   |   |       |
|----------|-----------------------------------|---|-------|
| OSCB9002 | NON PSC Crane Mounting (No Holes) |  | 75.00 |
|----------|-----------------------------------|---|-------|

***SUPPLEMENTAL SPRING MOUNT***


|          |  |   |        |
|----------|--|---|--------|
| OSSB0502 | Front Spring Mount (Recommended for Off Pavement Use on Class 4 Chassis) |  | 260.00 |
|----------|--|---|--------|

***MASTERLOCK, CRANE BODY***


|          |   |   |        |
|----------|---|---|--------|
| OSCB0403 | Master Locking System Installed - 9' PCB 39 Body (all models) |  | 550.00 |
|----------|---|---|--------|

***TAILGATE OPTIONS***


|          |                            |   |        |
|----------|----------------------------|---|--------|
| OSSB2301 | PALFINGER Stamped Tailgate |  | 175.00 |
|----------|----------------------------|---|--------|

|          |   |   |        |
|----------|---|---|--------|
| OSSB2302 | No Logo Tailgate (approx. 8" x 50" flat surface for graphics) |  | 195.00 |
|----------|---|---|--------|


|          |             |   |      |
|----------|-------------|---|------|
| OSSB2307 | No Tailgate |  | 0.00 |
|----------|-------------|---|------|


|          |   |   |       |
|----------|---|---|-------|
| OSSB2308 | 10" Tailboard Channels (Distributor supplied tailboard) |  | 80.00 |
|----------|---|---|-------|

***LOW SLIDING ROOF***

|          |   |   |          |
|----------|---|---|----------|
| OSSB6802 | Low Sliding Roof Installed ( <b>SELECT APPROPRIATE CRANE SPACER KIT FOR LSR APPLICATION ABOVE</b> ) |  | 2,550.00 |
|----------|---|---|----------|

***HEADACHE RACK***

|          |  |   |        |
|----------|--|---|--------|
| OSCB9101 | 52" Rack Height (measured top of headache rack to top of frame rail) - Installed only, Not compatible w/ LSR |  | 680.00 |
|----------|--|---|--------|




|          |  |   |        |
|----------|--|---|--------|
| OSCB9102 | 63" Rack Height (measured top of headache rack to top of frame rail) - Installed only, Not compatible w/ LSR |  | 700.00 |
|----------|--|---|--------|

|          |  |  |        |
|----------|--|--|--------|
| OSCB9103 | 69" Rack Height (measured top of headache rack to top of frame rail) - Installed only, Not compatible w/ LSR |  | 720.00 |
|----------|--|--|--------|











***INSTALLATION ACCESSORIES***


















|           |   |  |        |
|-----------|---|--|--------|
| OSSB0703  | Rear fuel fill cutout - includes (1) aluminum fuel fill cup OS3450331   |  | 87.00  |
| 5050027   | Chock block holder (wheel well cutout and holder) 8.5" wide x 6.75" tall  |  | 117.00 |
|           | Specify wheel chock location: front or rear - (maximum of two not to interfere with fuel or DEF fill necks)   |  |        |
| OSSB3202  | Full Height Aluminum Rock Guards Streetside and Curbside Uninstalled  |  | 365.00 |
| OSCB8101  | Boom support mounting bracket <b>FOR 25' CRANES</b> - (weld on threaded plate in lieu of thru-bolts in compartment)   |  | 75.00  |
| OSCB8102  | Boom support mounting bracket <b>FOR 16' CRANES</b> - (weld on threaded plate in lieu of thru-bolts in compartment)   |  | 75.00  |
| OS5030211 | Compressor Mounting Bracket for - PPC37, PRC35, PRC60 (weld on bars and mounting adapter plate) left front sidepack top ( <b>FOR NON-RAISED STREETSIDE SIDEPACK CONFIGURATIONS ONLY</b> ) |  | 238.00 |
| OS5030216 | Compressor Mounting Bracket for - PRC45V, PRC60V (weld on bars and mounting adapter plate) left front sidepack top  |  | 238.00 |
| OS5030212 | Welder Mounting Bracket (weld on bars and mounting adapter plate) left rear sidepack top - Miller adapter plate included  |  | 238.00 |
| OS5030217 | Welder Mounting Bracket (weld on bars and mounting adapter plate) left rear sidepack top - Miller 200/302 Airpak and VANAIR Air-N-Arc 300   |  | 275.00 |
| OSCB8107  | Personnel Basket Storage Box mounts installed right sidepack top above horizontal compartment   |  | 213.00 |


























|           |  |   |        |
|-----------|--|---|--------|
| OS5030418 | Miller EnPak Mounting Bars installed (weld on bars and mounting adapter plate) left front sidepack top <b>(FOR NON-RAISED STREETSIDE SIDEPACK CONFIGURATIONS ONLY)</b> |  | 322.00 |
| 5050028   | Compartment cutout for welder (right front compartment) <b>(Engineering Lead Time Will Apply)</b><br>Specify make and model of welder                                  |  | 136.00 |
| 5050025   | Engineer to order body accessory - Contact factory for pricing and availability <b>(Engineering Lead Time Will Apply)</b>  |  | 0.00   |

**INTERIOR COMPARTMENT OPTIONS**










|                      |   |   |          |
|----------------------|---|---|----------|
| <b>LEFT FRONT</b>    | <b>PCB39-9FT BODY - Streetside front vertical compartment (LV1)</b>   |    |          |
| OS5041266            | Adjustable Aluminum divider tray - 18" x 29" x 3" LV1 compartment (includes 4 adjustable dividers) <b>(MAX QTY OF 4 ON STANDARD HEIGHT, 5 ON 60" COMPT)</b> |   | 116.00   |
| OS5040681            | Additional dividers for adjustable divider tray   |  | 6.00     |
| OS5020191            | Aluminum Drawer Unit 5-3", 2-5", 1-7" x 25" wide (8 drawers)  |  | 2,089.00 |
| OS5020192            | Aluminum Drawer Unit 3-3", 2-5", 1-7" x 25" wide (6 drawers)  |  | 1,692.00 |
| OS5020193            | Aluminum Drawer Unit 5-3", 3-5" x 25" wide (8 drawers)  |  | 2,067.00 |
| OS5020194            | Aluminum Drawer Unit 8-3", 1-5" x 25" wide (9 drawers)  |  | 2,156.00 |
| OS5020195            | Aluminum Drawer Unit 5-3", 3-5", 1-7" x 25" wide (9 drawers)  |  | 2,089.00 |
| OSCB1134             | 4 Swivel Material Hooks Installed (1-2-1) 7" down from compartment top  |  | 100.00   |
| <b>LH HORIZONTAL</b> | <b>PCB39-9FT BODY - Streetside horizontal compartment (LH)</b>  |  |          |

|                  |   |   |          |
|------------------|---|---|----------|
| OS5041270        | Adjustable Aluminum divider tray - 18" x 50" x 3" LH / RH compartment (includes 4 adjustable dividers)<br><b>(MAX QTY OF 2)</b> |    | 170.00   |
| OS5040681        | Additional dividers for divider tray  |    | 6.00     |
| OS5030058        | Book rack kit - two 20"L x 8"H x 13"D mounted side by side (does not include a shelf)   |    | 687.00   |
| OS5030059        | Book rack - 20"L x 8"H x 13"D (does not include shelf)  |    | 536.00   |
| OS5020188        | Aluminum Drawer Unit 3-3" x 47" wide (3 drawers)  |    | 1,216.00 |
| OS5020189        | Aluminum Drawer Unit 4-3" x 47" wide (4 drawers)  |    | 1,498.00 |
| OS5020190        | Aluminum Drawer Unit 2-5" x 47" wide (2 drawers)  |    | 1,084.00 |
| OS5021002        | 2 Drawer Bolt Bin - 1H X 2W   |    | 674.00   |
| OS5021004        | 4 Drawer Bolt Bin - 1H X 4W   |    | 1,228.00 |
| <b>LEFT REAR</b> | <b>PCB39-9FT BODY - Streetside rear vertical compartment (LR)</b>   |  |          |
| OS5040679        | Adjustable Aluminum divider tray - 18" x 26" x 3" LR compartment (includes 4 adjustable dividers)<br><b>(MAX QTY OF 4)</b>      |  | 116.00   |
| OS5040681        | Additional dividers for divider tray  |  | 6.00     |
| OS5020179        | Aluminum Drawer Unit 5-3", 2-5" , 1-7" x 20" wide (8 drawers)   |  | 1,904.00 |
| OS5020180        | Aluminum Drawer Unit 3-3", 2-5", 1-7" x 20" wide (6 drawers)  |  | 1,544.00 |
| OS5020181        | Aluminum Drawer Unit 5-3", 3-5" x 20" wide (8 drawers)  |  | 1,888.00 |
| OS5020182        | Aluminum Drawer Unit 8-3", 1-5" x 20" wide (9 drawers)  |  | 1,968.00 |
| OS5020198        | Aluminum Drawer Unit 3-3", 3-5" x 20" wide (6 drawers)  |  | 2,164.00 |



|                      |  |   |          |
|----------------------|--|---|----------|
| OSCB1416             | 4 Swivel Material Hooks Installed (1-2-1) 7" down from compartment top   |    | 100.00   |
| <b>RIGHT FRONT</b>   | <b>PCB39-9FT BODY - Curbside front vertical compartment (RV1)</b>  |    |          |
| OS5041261            | Adjustable Aluminum divider tray - 18" x 11" x 3" requires interior partition kit (includes 4 adjustable dividers) <b>(MAX QTY OF 4)</b> |    | 95.00    |
| OS5040681            | Additional dividers for adjustable divider tray  |    | 6.00     |
| OS5030045            | Tank bracket - Oxy / Acet for 2 tanks - Front wall mounted in vented c   |    | 165.00   |
| OS5030049            | Tank bracket - Oxy / Acet for 3 tanks - Front & back wall mounted in v   |    | 237.00   |
| OS5030460            | Interior partition kit - 60"H (bolt in) - Includes 1 swivel hook   |    | 170.00   |
| OS5030461            | Interior partition kit - 44"H (bolt in) - Includes 1 swivel hook   |    | 138.00   |
| OSCB1538             | 2 Swivel Material Hooks Installed (0-2-0) 7" down from compartment top Forward of Partition Kit  |   | 50.00    |
| OSCB1539             | 3 Swivel Material Hooks Installed (1-2-0) 7" down from compartment top w/o Partition Kit   |  | 75.00    |
| <b>RH HORIZONTAL</b> | <b>PCB39-9FT BODY - Curbside horizontal compartment (RH)</b>   |  |          |
| OS5041270            | Adjustable Aluminum divider tray - 18" x 50" x 3" LH / RH compartment (includes 4 adjustable dividers) <b>(MAX QTY OF 2)</b>             |  | 170.00   |
| OS5040681            | Additional dividers for divider tray   |  | 6.00     |
| OS5030058            | Book rack kit - two 20"L x 8"H x 13"D mounted side by side (does not include a shelf)  |  | 687.00   |
| OS5030059            | Book rack - 20"L x 8"H x 13"D (does not include shelf)   |  | 536.00   |
| OS5020188            | Aluminum Drawer Unit 3-3" x 47" wide (3 drawers)   |  | 1,216.00 |
| OS5020189            | Aluminum Drawer Unit 4-3" x 47" wide (4 drawers)   |  | 1,498.00 |
| OS5020190            | Aluminum Drawer Unit 2-5" x 47" wide (2 drawers)   |  | 1,084.00 |








|                   |   |   |          |
|-------------------|---|---|----------|
| OS5021002         | 2 Drawer Bolt Bin - 1H X 2W               |  | 674.00   |
| OS5021004         | 4 Drawer Bolt Bin - 1H X 4W               |  | 1,228.00 |
| <b>RIGHT REAR</b> | <b>PCB39-9FT BODY - Crane Compartment</b> |  |          |
|                   | Hose Reel Mounting Shelf Included         |  | 0.00     |
| OSCB8802          | Drip Pan Kit for NON PSC crane Installed  |  | 90.00    |

***TAILSHELF WORKBENCH ACCESSORIES***





|           |   |   |          |
|-----------|---|---|----------|
| OS5030046 | Flexible tailshelf mounted step (installation is not available for ship out body)           |    | 206.00   |
| OS5030075 | Removable sliding vise mounting bracket<br>Type Your Location Here - Left Side / Right Side |    | 207.00   |
| OS5040304 | Weld-on vise mounting plate 9" x 9"<br>one on each side, level                              |    | 75.00    |
| OS5040305 | Wilton Workbench model #676 utility swivel vise; 6-1/2" jaw width, 5-1/2" jaw opening       |  | 431.00   |
| OS5040306 | Wilton Tradesman model #1780 swivel vise; 8" jaw width, 7-1/2" jaw opening                  |  | 1,941.00 |
| OS5030077 | Pintle Ball Combo Hitch w/2" removable ball for hitch receiver mounting                     |  | 152.00   |
| OS1474379 | 7-pole trailer plug receptacle (socket only, does not include plug)                         |  | 68.00    |
| OS5030470 | Bolt On Aluminum Rear Access Hand Rail - Powder Coated Safety Yellow                        |  | 125.00   |
| OS1432232 | Pintle Hitch Mount for 2" receiver tube - 3 Position, 14,000lb MGTW                         |  | 77.00    |

***LIGHT KIT OPTIONS***

|           |   |   |        |
|-----------|---|---|--------|
| OSCB8302  | 3 Light Hole Tail Light Boxes in lieu of standard 2 Light Hole Tail Light Boxes (Distributor to supply third oval light per side) |  | 75.00  |
| OS5030112 | Install tail lights and harness   |  | 100.00 |

|   |  |   |        |
|---|--|---|--------|
| OS5030131   | Body Control System <b>(BCS)</b> and Installation (Front and Rear Power Distribution Boxes and Control Panel)                              |    | 387.00 |
| NOTE: For install harness - enter a 1 in both columns |  |   |        |
| OS5030065   | Body Interior LED strip lighting in 5 compartments (crane box has integral light) <b>(BCS recommended with installation)</b>               |    | 501.00 |
| OS5030133   | Compartment Light harness (required for ship out body with customer supplied interior lighting) <b>(BCS recommended with installation)</b> |    | 139.00 |
| OS5030061   | LED flood light kit (two lights) - includes harnesses for up to 6 lights <b>(BCS recommended with installation)</b>                        |    | 324.00 |
| OS5030171   | LED flood light kit (four lights) - includes harnesses for up to 6 lights <b>(BCS recommended with installation)</b>                       |    | 519.00 |
| OS5030172   | LED flood light kit (six lights) - includes harnesses <b>(BCS recommended with installation)</b>   |   | 715.00 |
| OS5030124   | Flood light harness for four (4) or six (6) lights at rear, front & sides of body <b>(BCS recommended with installation)</b>               |  | 139.00 |

***ELECTRICAL SYSTEM OPTIONS***

|           |   |   |        |
|-----------|---|---|--------|
| OS5030062 | Light Reel kit - 12 Volt 50' cord w/ fluorescent light                              |  | 139.00 |
| OS5030064 | Light Reel kit - 110 Volt 50' cord (heavy duty Reelcraft w/ fluorescent light)      |  | 180.00 |
| OS5030070 | Electric duplex outlet kit - 110 Volt - 20 Amp GFCI (wall mounted weatherproof box) |  | 147.00 |
| OS5030071 | Switch kit - 110 Volt - 20 Amp switch (wall mounted weatherproof box)               |  | 135.00 |

***HYDRAULIC SYSTEM OPTIONS***

|           |   |   |        |
|-----------|---|---|--------|
| OS5030300 | Oil reservoir - 15 gallon (top deck mount in cargo area) <u>Approx. 5" de</u> |  | 886.00 |
|-----------|---|---|--------|


|           |  |        |
|-----------|--|--------|
| OS5030060 | Oil reservoir - 30 gallon (top deck mount in cargo area) Approx. 9.5 "   | 936.00 |
| OS5051018 | Hydraulic installation kit - Includes High Pressure Filter and Flow Control Valve, 3.5 GPM (FOR PSC3216, PSC4016, AND PSC4025) IF FLOW OF PUMP IS NOT SUFFICIENT TO RUN CRANE AND COMPRESSOR SIMULTANEOUSLY, ADD APPROPRIATE PRIORITY FLOW VALVE KIT | 900.00 |
| OS5051019 | Hydraulic installation kit - Includes High Pressure Filter and Flow Control Valve, 5.0 GPM (FOR PSC5025 AND PSC6025) IF FLOW OF PUMP IS NOT SUFFICIENT TO RUN CRANE AND COMPRESSOR SIMULTANEOUSLY, ADD APPROPRIATE PRIORITY FLOW VALVE KIT           | 900.00 |
| OS5051015 | Priority Flow Valve Kit, 5 GPM to crane (PSC 5025/6025 W/ Single Section Pump and Compressor)  | 673.00 |
| OS5051016 | Priority Flow Valve Kit, 3.5 GPM to crane (PSC 3215/4016/4025 W/ Single Section Pump and Compressor)   | 673.00 |

|                   |                              |  |
|-------------------|------------------------------|--|
| <b>COMPRESSOR</b> | <b>AIR COMPRESSOR OPTION</b> |  |
|-------------------|------------------------------|--|








|         |  |          |
|---------|--|----------|
| OS701BA | Palfinger PRC 45V rotary compressed air system; oil flooded rotary screw, 45 CFM @ 150 PSI, maximum 150 PSI system pressure, weight 150 Lbs. Includes: hydraulic motor, control valve, integrated hydraulic oil cooler.<br><b>NOTE: Compressor performance is dependent on hydraulic supply specifications. Additional information is available through PALDESK.</b> | 6,344.00 |
| OS702BA | Palfinger PRC 60V rotary compressed air system; oil flooded rotary screw, 60 CFM @ 150 PSI, maximum 150 PSI system pressure, weight 160 Lbs. Includes: hydraulic motor, control valve, integrated hydraulic oil cooler.<br><b>NOTE: Compressor performance is dependent on hydraulic supply specifications. Additional information is available through PALDESK.</b> | 7,613.00 |

|                               |  |
|-------------------------------|--|
| <b>COMPRESSOR ACCESSORIES</b> |  |
|-------------------------------|--|




|            |  |        |
|------------|--|--------|
| OSCA700052 | PRC45V & PRC60V Test and Adjustment Tool (one time purchase, reusable kit) | 475.00 |
|------------|--|--------|

|            |  |   |          |
|------------|--|---|----------|
| OSCA700146 | PRC45V & PRC60V Cold Weather Climate Kit - Heater for operation in ambient temperatures less than 5° F |  | 1,023.00 |
| OS5030524  | Compressor Hydraulic Installation Kit (PRC45V & PRC60V) for PAL Pro Package                            |  | 140.00   |



***AIR SYSTEM ACCESSORIES***


|           |  |   |          |
|-----------|--|---|----------|
| OS5030147 | Extension harness, 48" direct plug in to body harness - used for alternate compressor mounting locations   |    | 33.00    |
| OS5030029 | Cover kit for hose reel hole in crane compartment  |    | 24.00    |
| 5052024   | Air reservoir-35 gallon (To be distributor mounted on top of the streetside compartments)  |    | 1,086.00 |
| OS5052025 | Hose reel, Reelcraft 3/8" x 50' with guide (to be used when passing through body)  |    | 606.00   |
| OS5052026 | Hose reel, Reelcraft 1/2" x 50' with guide (to be used when passing through body)  |    | 673.00   |
| OS5052027 | 1/2" air filter, regulator, lubricator (FRL)   |  | 419.00   |
| OS5052022 | (16) gallon air reservoir - mounted under deck parallel with drive shaft, includes fittings and tank air drain valve (12" x 36") for Ram chassis |  | 907.00   |

***CHASSIS CHASSIS RELATED OPTIONS***


|           |  |   |       |
|-----------|--|---|-------|
| OS3287053 | Ram chassis cab tail light adapter             |  | 33.00 |
| OS3287058 | Ford Super Duty chassis cab tail light adapter |  | 34.00 |
| OS5030028 | ICC safety kit - located in cab                |  | 95.00 |


***WELDER DECK OPTIONS***


|           |  |   |          |
|-----------|--|---|----------|
| OS5000024 | 23' Flat Top Welder Deck w/ Underdeck Compartment, Door Spring Retainers |  | 2,988.00 |
| OS5000025 | 35" Flat Top Welder Deck w/ Underdeck Compartment, Door Spring Retainers |  | 3,098.00 |


|           |  |   |          |
|-----------|--|---|----------|
| OS5000050 | 35" Welder Deck w/ One 60" Raised Compartment, Door Spring Retainers |  | 3,338.00 |
|-----------|--|---|----------|


***PAINT OPTIONS***


|           |   |   |      |
|-----------|---|---|------|
| OS5050020 | Standard coating - outside primed with Line-X Ultra coating inside compartments |  | 0.00 |
|-----------|---|---|------|


|           |   |   |          |
|-----------|---|---|----------|
| OS5050023 | Body finish topcoat - PCB 39 (Single Stage Common Whites: codes only include Ford Z1, Ford YZ, or Dodge PW7)<br>Specify chassis make and paint code here - (e.g. Ford - Z1) |  | 1,636.00 |
|-----------|---|---|----------|

|           |   |   |          |
|-----------|---|---|----------|
| OS5050042 | Body finish topcoat – PCB 39 (Single Stage White Shades with verifiable Single Stage paint code),<br>Specify chassis make and paint code here - (e.g. Freightliner - N0010) |  | 2,056.00 |
|-----------|---|---|----------|

|           |  |   |          |
|-----------|--|---|----------|
| OS5050024 | Body finish topcoat – PCB 39 (Single Stage Colors with verifiable Single Stage paint code including most reds, blues, oranges, etc)<br>Contact Factory with OEM or Manufactrers paint code for pricing |  | 4,100.00 |
|-----------|--|---|----------|

|           |  |   |          |
|-----------|--|---|----------|
| OS5050043 | Add Line-X Bedliner on load space, tops, front panels, rear panels behind the outriggers and bumper to a top coated body |  | 1,600.00 |
|-----------|--|---|----------|

|           |   |   |        |
|-----------|---|---|--------|
| OS5050036 | Body finish topcoat - Additional charge for Low Sliding Roof in matching white (call for custom colors) |  | 500.00 |
|-----------|---|---|--------|

|             |  |   |        |
|-------------|--|---|--------|
| OS5050036-2 | Body finish topcoat - Additional charge for Welder Deck in matching white (call for custom colors) |  | 700.00 |
|-------------|--|---|--------|



| Option number  | Description  | PART<br>QTY<br>(1)=pick<br>(.)=pick | OSP LIST<br>PRICE |
|----------------|--|-------------------------------------|-------------------|
| <b>PSC3216</b> |  |                                     |                   |
|                | Palfinger model PSC 3216 telescopic service crane;<br>12,500 ft. lbs., 16' reach capability, one hydraulic / one<br>manual extension, 4,000 Lb. vertical lift capacity, - 5 to<br>+80 degree boom elevation, double acting cylinders with<br>load holding valves on all cylinders, overload shutdown<br>system, radio remote control, decals, crane hook, load<br>line block, Ecoat prime, finish paint white topcoat and<br>crane tie down bolt kit.<br><b>Available for use on vehicles above 10,001 GVW.<br/>                     Consult factory for other applications.</b> |                                     |                   |
| PSC3216 E      | Model PSC 3216 electric telescopic service crane<br>Continuous rotation, three-spool single proportional<br>control valve, electric planetary drive winch and two-block<br>damage prevention system, 12V power unit.   |                                     | 12,590.00         |
| PSC3216 H      | Model PSC 3216 hydraulic telescopic service crane<br>410 degrees rotation, four-spool single proportional<br>control valve, hydraulic planetary drive winch and two-<br>block damage prevention system, PTO hydraulic.   |                                     | 16,422.00         |
| <b>PSC4016</b> |  |                                     |                   |
|                | Palfinger model PSC 4016 telescopic service crane;<br>18,500 ft. lbs., 16' reach capability, one hydraulic / one<br>manual extension, 4,000 Lb. vertical lift capacity, - 5 to<br>+80 degree boom elevation, double acting cylinders with<br>load holding valves on all cylinders, overload shutdown<br>system, radio remote control, decals, crane hook, load<br>line block, Ecoat prime, finish paint white topcoat and<br>crane tie down bolt kit.<br><b>Available for use on vehicles above 10,001 GVW.<br/>                     Consult factory for other applications.</b> |                                     |                   |
| PSC4016 E      | Model PSC 4016 electric telescopic service crane<br>Continuous rotation, three-spool single proportional<br>control valve, electric planetary drive winch and two-block<br>damage prevention system, 12V power unit.   |                                     | 16,451.00         |
| PSC4016 H      | Model PSC 4016 hydraulic telescopic service crane<br>410 degrees rotation, four-spool single proportional<br>control valve, hydraulic planetary drive winch and two-<br>block damage prevention system, PTO hydraulic.   |                                     | 17,493.00         |

|                       |  |  |  |
|-----------------------|--|--|--|
| <b><i>PSC4025</i></b> | <p>Palfinger model PSC 4025 telescopic service crane; 18,500 ft. lbs., 25' reach capability, two hydraulic powered extensions, 4,000 Lb. vertical lift capacity, - 5 to +80 degree boom elevation, double acting cylinders with load holding valves on all cylinders, overload shutdown system, radio remote control, decals, crane hook, load line block, Ecoat prime, finish paint white topcoat paint and crane tie down bolt kit.</p> <p><b>Available for use on vehicles above 10,001 GVW.<br/>                 Consult factory for other applications.</b></p> |  |  |
|-----------------------|--|--|--|

|           |   |  |           |
|-----------|---|--|-----------|
| PSC4025 E | <p>Model PSC 4025 electric telescopic service crane Continuous rotation, three-spool single proportional control valve, electric planetary drive winch and two-block damage prevention system, 12V power unit.</p>  |  | 19,007.00 |
| PSC4025 H | <p>Model PSC 4025 hydraulic telescopic service crane 410 degrees rotation, four-spool single proportional control valve, hydraulic planetary drive winch and two-block damage prevention system, PTO hydraulic.</p> |  | 19,198.00 |

|                       |  |  |  |
|-----------------------|--|--|--|
| <b><i>PSC5025</i></b> | <p>Palfinger model PSC 5025 telescopic service crane; 32,500 ft. lbs., 25' reach capability, two hydraulic powered extensions, 5,000 Lb. vertical lift capacity, - 5 to +80 degree boom elevation, double acting cylinders with load holding valves on all cylinders, overload shutdown system, radio remote control, decals, crane hook, load line block, Ecoat prime, finish paint white topcoat paint and crane tie down bolt kit.</p> <p><b>Available for use on vehicles above 14,001 GVW.<br/>                 Consult factory for other applications.</b></p> |  |  |
|-----------------------|--|--|--|



|           |   |  |           |
|-----------|---|--|-----------|
| PSC5025 E | <p>Model PSC 5025 electric telescopic service crane Continuous rotation, three-spool single proportional control valve, electric planetary drive winch and two-block damage prevention system, 12V power unit.</p>  |  | 21,762.00 |
| PSC5025 H | <p>Model PSC 5025 hydraulic telescopic service crane 410 degrees rotation, four-spool single proportional control valve, hydraulic planetary drive winch and two-block damage prevention system, PTO hydraulic.</p> |  | 20,266.00 |

|                |  |  |
|----------------|--|--|
| <b>PSC6025</b> | <p>Palfinger model PSC 6025 telescopic service crane; 38,500 ft. lbs., 25' reach capability, two hydraulic powered extensions, 6,000 Lb. vertical lift capacity, - 25 to +75 degree boom elevation, double acting cylinders with load holding valves on all cylinders, overload shutdown system, radio remote control, decals, crane hook, load line block, Ecoat prime, finish paint white topcoat paint and crane mounting bolt kit.</p> <p><b>Available for use on vehicles above 14,001 GVW. Consult factory for other applications.</b></p> |  |
|----------------|--|--|






|           |   |  |           |
|-----------|---|--|-----------|
| PSC6025 E | Model PSC 6025 electric telescopic service crane Continuous rotation, four-spool single proportional control valve, hydraulic planetary drive winch and two-block damage prevention system, 12V power unit. |  | 23,069.00 |
| PSC6025 H | Model PSC 6025 hydraulic telescopic service crane 410 degrees rotation, four-spool proportional control valve, hydraulic planetary drive winch and two-block damage prevention system, PTO hydraulic.       |  | 22,592.00 |

|                             |  |
|-----------------------------|--|
| <b><i>CRANE OPTIONS</i></b> |  |
|-----------------------------|--|




|             |  |  |        |
|-------------|--|--|--------|
| 5060003     | 90% Acoustic Warning   |  | 645.00 |
| 5060004     | Third Wrap Limit System  |  | 118.00 |
| EZ5282      | Load hook - 1.5 ton bolt on hook located on <b>LEFT</b> side of boom tip       |  | 371.00 |
| EZ5282      | Load hook - 1.5 ton bolt on hook located on <b>RIGHT</b> side of boom tip      |  | 371.00 |
| EZ5282 (2X) | Load hook - 1.5 ton bolt on hook located on <b>BOTH</b> sides of boom tip      |  | 742.00 |
| KMG05359AS  | Emergency lowering valve kit. <b>REQUIRED FOR PERSONNEL BASKET APPLICATION</b> |  | 250.00 |
| KMG04787AS  | Crane installation kit - electric (25ft. Battery cable, breaker/disconnect)    |  | 214.00 |
| KMG04950AS  | Crane installation kit - hydraulic (2x hose, 2x swivel fittings)               |  | 214.00 |
| KSC01083A   | Fully proportional control valve. <b>OPTION ONLY AVAILABLE ON PSC6025</b>      |  | 841.00 |

|            |  |   |          |
|------------|--|---|----------|
| 5060001    | Two hydraulic powered extensions. <b>OPTION ONLY AVAILABLE ON PSC3216 AND PSC4016 (Standard on all other models)</b> |  | 1,100.00 |
| KMG04615AS | ELS (Easy load block stowing) system   |  | 316.00   |



***CRANE ACCESSORIES***

|             |  |   |          |
|-------------|--|---|----------|
| OS202-PB-A  | Personnel Basket for Service Cranes incl. storage boxes ONLY AVAILABLE FOR PSC5025 AND PSC6025 |  | 8,448.00 |
| OS202QC01AS | Personnel Basket - Quick Connect Adapter for PSC5025 and PSC6025                               |  | 273.00   |
| KMG04788AS  | Radio remote controller storage kit  |  | 50.00    |
| EZ5085      | Protective case with belt loop for radio remote control  |  | 101.00   |
| EZ5086      | Silicone cover for radio remote control  |  | 62.00    |

**BOOM SUPPORT OPTION**

|           |   |   |        |
|-----------|---|---|--------|
| OS5030022 | Boom support - Adjustable position 16.5" High to 25.5" High |  | 413.00 |
| OS5030030 | Boom support - Non-Adjustable Fixed position 9.75" High     |  | 340.00 |
| OS5030074 | Boom support - Adjustable position 27.5" High to 36.5" High |  | 443.00 |

**CRANE SPACER KIT FOR LOW SLIDING ROOF**

|           |   |   |        |
|-----------|---|---|--------|
| OS5030468 | CRANE SPACER KIT, PSC 3216, 4016, 4025, 12 X 12 MOUNT PATTERN, 1.5" RISER (REQUIRED FOR BODY LSR CLEARANCE) |  | 340.00 |
| OS5030469 | CRANE SPACER KIT, PSC 5025, 6025, 14.75 X 14.75 MOUNT PATTERN, 1.5" RISER (REQUIRED FOR BODY LSR CLEARANCE) |  | 413.00 |

|                        |  |  |  |
|------------------------|--|--|--|
| <b>11' BODY OPTION</b> | <p>PCB 39 Series 11' heavy duty galvanized steel crane body with standard right rear crane mounting compartment, all aluminum doors and hinges, eight (8) recessed cargo tie downs (6,000 lb. capacity), two (2) grab handles, 44" high side compartments (optional compartments may be raised to 60" high), a fully integrated and sealed automotive style harness kit and electrical system with easy access power distribution panel, FMVSS 108 LED light and reflector kit, entire body electro coat (E-Coat) primer, compartments painted with multicolor interior spray finish, understructure and bottom of compartments undercoated. Body installation kit - (for Ford F450/550 &amp; RAM 4500/5500 84" CA chassis). Designed to accept up to 39,000 ft./lbs. rated crane.</p> |  |  |
|------------------------|--|--|--|


|              |   |  |           |
|--------------|---|--|-----------|
| PCB39-11     | 11' Standard - 44"H sidepacks   |  | 13,633.00 |
| PCB39-11CS   | 11' CS Raised - 44"H sidepacks, Curb side 1st and 2nd raised to 60"H                    |  | 15,252.00 |
| PCB39-11SSCS | 11' SSSCS Raised - 44"H sidepacks, Street side and Curb side 1st and 2nd raised to 60"H |  | 16,169.00 |

|                         |  |  |
|-------------------------|--|--|
| <b>TAILSHELF-BUMPER</b> |  |  |
|-------------------------|--|--|


|          |  |  |          |
|----------|--|--|----------|
| OSCB8901 | 21" Workbench Tailshelf with through compartment, 1/4" top plate work surface and integrated hitch receiver tube installed |  | 2,500.00 |
| OSCB8902 | OSCB8901 Workbench Tailshelf with Integral Pipe Trough at rear of top plate installed                                      |  | 2,900.00 |
| OSCB8903 | 12" Workbench Bumper with 1/4" top plate work surface and integrated hitch receiver tube installed                         |  | 1,800.00 |
| OSCB8904 | No Tailshelf/Bumper or Outriggers  |  | 0.00     |


|                         |  |  |
|-------------------------|--|--|
| <b>OUTRIGGER OPTION</b> |  |  |
|-------------------------|--|--|

|           |   |  |          |
|-----------|---|--|----------|
| OS5016904 | Rear Power Out (crane side) Power Down Stabilizers  |  | 4,902.00 |
| OS5016903 | Rear Manual Out (crane side) Power Down Stabilizers |  | 4,198.00 |
| OS5016940 | Rear Manual Out (crane side) Crank Down Stabilizers |  | 2,322.00 |


|           |   |   |        |
|-----------|---|---|--------|
| OS5051025 | 12VDC Electric over hydraulic power unit for hydraulically powered outriggers |  | 750.00 |
|-----------|---|---|--------|

***CRANE MOUNTING PATTERN***


|          |   |   |      |
|----------|---|---|------|
| OSCB9001 | PSC Crane Mounting (12" X 12", 14.75" x 14.75") |  | 0.00 |
|----------|---|---|------|

|          |                                   |   |       |
|----------|-----------------------------------|---|-------|
| OSCB9002 | NON PSC Crane Mounting (No Holes) |  | 75.00 |
|----------|-----------------------------------|---|-------|

***SUPPLEMENTAL SPRING MOUNT***


|          |  |   |        |
|----------|--|---|--------|
| OSSB0502 | Front Spring Mount (Recommended for Off Pavement Use on Class 4 Chassis) |  | 260.00 |
|----------|--|---|--------|

***MASTERLOCK, CRANE BODY***

|          |  |   |        |
|----------|--|---|--------|
| OSCB0403 | Master Locking System Installed - 11' PCB 39 Body (all models) |  | 575.00 |
|----------|--|---|--------|

***TAILGATE OPTIONS***


|          |                            |   |        |
|----------|----------------------------|---|--------|
| OSSB2301 | PALFINGER Stamped Tailgate |  | 175.00 |
|----------|----------------------------|---|--------|

|          |   |   |        |
|----------|---|---|--------|
| OSSB2302 | No Logo Tailgate (approx. 8" x 50" flat surface for graphics) |  | 195.00 |
|----------|---|---|--------|


|          |             |   |      |
|----------|-------------|---|------|
| OSSB2307 | No Tailgate |  | 0.00 |
|----------|-------------|---|------|


|          |   |   |       |
|----------|---|---|-------|
| OSSB2308 | 10" Tailboard Channels (Distributor supplied tailboard) |  | 80.00 |
|----------|---|---|-------|


***LOW SLIDING ROOF***

|          |   |   |          |
|----------|---|---|----------|
| OSSB6802 | Low Sliding Roof Installed ( <b>SELECT APPROPRIATE CRANE SPACER KIT FOR LSR APPLICATION ABOVE</b> ) |  | 2,917.00 |
|----------|---|---|----------|













***HEADACHE RACK***



|          |  |   |        |
|----------|--|---|--------|
| OSCB9101 | 52" Rack Height (measured top of headache rack to top of frame rail) - Installed only, Not compatible w/ LSR |  | 680.00 |
|----------|--|---|--------|

|          |  |   |        |
|----------|--|---|--------|
| OSCB9102 | 63" Rack Height (measured top of headache rack to top of frame rail) - Installed only, Not compatible w/ LSR |  | 700.00 |
|----------|--|---|--------|












|          |  |   |        |
|----------|--|---|--------|
| OSCB9103 | 69" Rack Height (measured top of headache rack to top of frame rail) - Installed only, Not compatible w/ LSR |  | 720.00 |
|----------|--|---|--------|

***INSTALLATION ACCESSORIES***



















|           |   |  |        |
|-----------|---|--|--------|
| OSSB0703  | Rear fuel fill cutout - includes (1) aluminum fuel fill cup OS3450331   |   | 87.00  |
| 5050027   | Chock block holder (wheel well cutout and holder) 8.5" wide x 6.75" tall<br>Specify wheel chock location: front or rear - (maximum of two not to interfere with fuel or DEF fill necks) | <br> | 117.00 |
| OSSB3202  | Full Height Aluminum Rock Guards Streetside and Curbside Uninstalled  |   | 365.00 |
| OSCB8101  | Boom support mounting bracket <b>FOR 25' CRANES</b> - (weld on threaded plate in lieu of thru-bolts in compartment)   |   | 75.00  |
| OSCB8102  | Boom support mounting bracket <b>FOR 16' CRANES</b> - (weld on threaded plate in lieu of thru-bolts in compartment)   |    | 75.00  |
| OS5030211 | Compressor Mounting Bracket for - PPC37, PRC35, PRC60 (weld on bars and mounting adapter plate) left front sidepack top   |   | 238.00 |
| OS5030216 | Compressor Mounting Bracket for - PRC45V, PRC60V (weld on bars and mounting adapter plate) left front sidepack top  |   | 238.00 |
| OS5030212 | Welder Mounting Bracket (weld on bars and mounting adapter plate) left rear sidepack top - Miller adapter plate included  |   | 238.00 |
| OS5030217 | Welder Mounting Bracket (weld on bars and mounting adapter plate) left rear sidepack top - Miller 200/302 Airpak and VANAIR Air-N-Arc 300   |   | 275.00 |
| OSCB8107  | Personnel Basket Storage Box mounts installed right sidepack top above horizontal compartment   |   | 213.00 |
| OS5030418 | Miller EnPak Mounting Bars installed (weld on bars and mounting adapter plate) left front sidepack top ( <b>FOR NON-RAISED STREETSIDE SIDEPACK CONFIGURATIONS ONLY</b> )                |   | 322.00 |


















|         |  |   |        |
|---------|--|---|--------|
| 5050028 | Compartment cutout for welder (right front compartment)<br><b>(Engineering Lead Time Will Apply)</b><br>Specify make and model of welder |  | 136.00 |
| 5050025 | Engineer to order body accessory - Contact factory for pricing and availability<br><b>(Engineering Lead Time Will Apply)</b>             |  | 0.00   |

















**INTERIOR COMPARTMENT OPTIONS**










|                    |  |   |          |
|--------------------|--|---|----------|
| <b>LEFT FRONT</b>  | <b>PCB39-11FT BODY - Streetside front vertical compartment (LV1)</b>   |    |          |
| OS5041265          | Adjustable Aluminum divider tray - 18" x 29" x 3" LV1 compartment (includes 4 adjustable dividers)<br><b>(MAX QTY OF 4 ON STANDARD HEIGHT, 5 ON 60" COMPT)</b> |    | 116.00   |
| OS5040681          | Additional dividers for adjustable divider tray  |    | 6.00     |
| OS5020191          | Aluminum Drawer Unit 5-3", 2-5", 1-7" x 25" wide (8 drawers)   |  | 2,089.00 |
| OS5020192          | Aluminum Drawer Unit 3-3", 2-5", 1-7" x 25" wide (6 drawers)   |  | 1,692.00 |
| OS5020193          | Aluminum Drawer Unit 5-3", 3-5" x 25" wide (8 drawers)   |  | 2,067.00 |
| OS5020194          | Aluminum Drawer Unit 8-3", 1-5" x 25" wide (9 drawers)   |  | 2,156.00 |
| OS5020195          | Aluminum Drawer Unit 5-3", 3-5", 1-7" x 25" wide (9 drawers)   |  | 2,089.00 |
| OSCB1134           | 4 Swivel Material Hooks Installed (1-2-1) 7" down from compartment top   |  | 100.00   |
| <b>LEFT SECOND</b> | <b>PCB39-11 FT BODY - Streetside second vertical compartment (LV2)</b>   |  |          |
| OS5041264          | Adjustable Aluminum divider tray - 18" x 25" x 3" LV2 compartment (includes 4 adjustable dividers)<br><b>(MAX QTY OF 4 ON STANDARD HEIGHT, 5 ON 60" COMPT)</b> |  | 116.00   |












|                      |  |   |          |
|----------------------|--|---|----------|
| OS5040681            | Additional dividers for adjustable divider tray  |    | 6.00     |
| OS5020179            | Aluminum Drawer Unit 5-3", 2-5" , 1-7" x 20" wide (8 drawers)  |    | 1,904.00 |
| OS5020180            | Aluminum Drawer Unit 3-3", 2-5", 1-7" x 20" wide (6 drawers)   |    | 1,544.00 |
| OS5020181            | Aluminum Drawer Unit 5-3", 3-5" x 20" wide (8 drawers)   |    | 1,888.00 |
| OS5020182            | Aluminum Drawer Unit 8-3", 1-5" x 20" wide (9 drawers)   |    | 1,968.00 |
| OS5020198            | Aluminum Drawer Unit 3-3", 3-5" x 20" wide (6 drawers)   |    | 2,164.00 |
| OS5021016            | 16 Drawer Bolt Bin - w/base  |    | 1,992.00 |
| OS5021018            | 18 Drawer Bolt Bin - w/base ( <b>60" COMPT ONLY</b> )  |    | 2,215.00 |
| OSCB1231             | 4 Swivel Material Hooks Installed (1-2-1) 7" down from compartment top   |   | 100.00   |
| <b>LH HORIZONTAL</b> | <b>PCB39-11FT BODY - Streetside horizontal compartment (LH)</b>  |  |          |
| OS5041270            | Adjustable Aluminum divider tray - 18" x 50" x 3" LH / RH compartment (includes 4 adjustable dividers) ( <b>MAX QTY OF 2</b> ) |  | 170.00   |
| OS5040681            | Additional dividers for divider tray   |  | 6.00     |
| OS5030058            | Book rack kit - two 20"L x 8"H x 13"D mounted side by side (does not include a shelf)  |  | 687.00   |
| OS5030059            | Book rack - 20"L x 8"H x 13"D (does not include shelf)   |  | 536.00   |
| OS5020188            | Aluminum Drawer Unit 3-3" x 47" wide (3 drawers)   |  | 1,216.00 |
| OS5020189            | Aluminum Drawer Unit 4-3" x 47" wide (4 drawers)   |  | 1,498.00 |
| OS5020190            | Aluminum Drawer Unit 2-5" x 47" wide (2 drawers)   |  | 1,084.00 |
| OS5021002            | 2 Drawer Bolt Bin - 1H X 2W  |  | 674.00   |

|                    |  |   |          |
|--------------------|--|---|----------|
| OS5021004          | 4 Drawer Bolt Bin - 1H X 4W  |    | 1,228.00 |
| <b>LEFT REAR</b>   | <b>PCB39-11FT BODY - Streetside rear vertical compartment (LR)</b>   |    |          |
| OS5040679          | Adjustable Aluminum divider tray - 18" x 26" x 3" LR compartment (includes 4 adjustable dividers) <b>(MAX QTY OF 4)</b>                  |    | 116.00   |
| OS5040681          | Additional dividers for divider tray   |    | 6.00     |
| OS5020179          | Aluminum Drawer Unit 5-3", 2-5" , 1-7" x 20" wide (8 drawers)  |    | 1,904.00 |
| OS5020180          | Aluminum Drawer Unit 3-3", 2-5", 1-7" x 20" wide (6 drawers)   |    | 1,544.00 |
| OS5020181          | Aluminum Drawer Unit 5-3", 3-5" x 20" wide (8 drawers)   |    | 1,888.00 |
| OS5020182          | Aluminum Drawer Unit 8-3", 1-5" x 20" wide (9 drawers)   |    | 1,968.00 |
| OS5020198          | Aluminum Drawer Unit 3-3", 3-5" x 20" wide (6 drawers)   |   | 2,164.00 |
| OSCB1416           | 4 Swivel Material Hooks Installed (1-2-1) 7" down from compartment top   |  | 100.00   |
| <b>RIGHT FRONT</b> | <b>PCB39-11FT BODY - Curbside front vertical compartment (RV1)</b>   |  |          |
| OS5041261          | Adjustable Aluminum divider tray - 18" x 11" x 3" requires interior partition kit (includes 4 adjustable dividers) <b>(MAX QTY OF 4)</b> |  | 95.00    |
| OS5040681          | Additional dividers for adjustable divider tray  |  | 6.00     |
| OS5030045          | Tank bracket - Oxy / Acet for 2 tanks - Front wall mounted in vented c   |  | 165.00   |
| OS5030049          | Tank bracket - Oxy / Acet for 3 tanks - Front & back wall mounted in v   |  | 237.00   |
| OS5030460          | Interior partition kit - 60"H (bolt in) - Includes 1 swivel hook   |  | 170.00   |
| OS5030461          | Interior partition kit - 44"H (bolt in) - Includes 1 swivel hook   |  | 138.00   |

|                      |   |   |          |
|----------------------|---|---|----------|
| OSCB1538             | 2 Swivel Material Hooks Installed (0-2-0) 7" down from compartment top Forward of Partition Kit   |    | 50.00    |
| OSCB1539             | 3 Swivel Material Hooks Installed (1-2-0) 7" down from compartment top w/o Partition Kit  |    | 75.00    |
| <b>RIGHT SECOND</b>  | <b>PCB39-11FT BODY - Curbside second vertical compartment (RV2)</b>   |    |          |
| OS5041264            | Adjustable Aluminum divider tray - 18" x 21" x 3" LV2 / RV2 compartment (includes 4 adjustable dividers) <b>(MAX QTY OF 4 ON STANDARD HEIGHT, 5 ON 60" COMPT)</b> |    | 103.00   |
| OS5040681            | Additional dividers for divider tray  |    | 6.00     |
| OS5020179            | Aluminum Drawer Unit 5-3", 2-5" , 1-7" x 20" wide (8 drawers)   |    | 2,039.00 |
| OS5020180            | Aluminum Drawer Unit 3-3", 2-5", 1-7" x 20" wide (6 drawers)  |    | 1,654.00 |
| OS5020181            | Aluminum Drawer Unit 5-3", 3-5" x 20" wide (8 drawers)  |   | 2,023.00 |
| OS5020182            | Aluminum Drawer Unit 8-3", 1-5" x 20" wide (9 drawers)  |  | 2,108.00 |
| OS5021016            | 16 Drawer Bolt Bin - w/base   |  | 1,992.00 |
| OS5021018            | 18 Drawer Bolt Bin - w/base <b>(60" COMPT ONLY)</b>   |  | 2,215.00 |
| OSCB1634             | 4 Swivel Material Hooks Installed (1-2-1) 7" down from compartment top  |  | 100.00   |
| <b>RH HORIZONTAL</b> | <b>PCB39-11FT BODY - Curbside horizontal compartment (RH)</b>   |  |          |
| OS5041270            | Adjustable Aluminum divider tray - 18" x 50" x 3" LH / RH compartment (includes 4 adjustable dividers) <b>(MAX QTY OF 2)</b>                                      |  | 170.00   |
| OS5040681            | Additional dividers for divider tray  |  | 6.00     |
| OS5030058            | Book rack kit - two 20"L x 8"H x 13"D mounted side by side (does not include a shelf)   |  | 687.00   |

|                   |  |   |          |
|-------------------|--|---|----------|
| OS5030059         | Book rack - 20"L x 8"H x 13"D (does not include shelf) |  | 536.00   |
| OS5020188         | Aluminum Drawer Unit 3-3" x 47" wide (3 drawers)       |  | 1,216.00 |
| OS5020189         | Aluminum Drawer Unit 4-3" x 47" wide (4 drawers)       |  | 1,498.00 |
| OS5020190         | Aluminum Drawer Unit 2-5" x 47" wide (2 drawers)       |  | 1,084.00 |
| OS5021002         | 2 Drawer Bolt Bin - 1H X 2W                            |  | 674.00   |
| OS5021004         | 4 Drawer Bolt Bin - 1H X 4W                            |  | 1,228.00 |
| <b>RIGHT REAR</b> | <b>PCB39-11FT BODY - Crane Compartment</b>             |  |          |
|                   | Hose Reel Mounting Shelf Included                      |  | 0.00     |
| OSCB8802          | Drip Pan Kit for NON PSC crane Installed               |  | 90.00    |

***TAILSHELF WORKBENCH ACCESSORIES***


|           |   |   |          |
|-----------|---|---|----------|
| OS5030046 | Flexible tailshelf mounted step (installation is not available for ship out body)           |   | 206.00   |
| OS5030075 | Removable sliding vise mounting bracket<br>Type Your Location Here - Left Side / Right Side |  | 207.00   |
| OS5040304 | Weld-on vise mounting plate 9" x 9"<br>Type Your Location Here - Left Side / Right Side     |  | 75.00    |
| OS5040305 | Wilton Workbench model #676 utility swivel vise; 6-1/2" jaw width, 5-1/2" jaw opening       |  | 431.00   |
| OS5040306 | Wilton Tradesman model #1780 swivel vise; 8" jaw width, 7-1/2" jaw opening                  |  | 1,941.00 |
| OS5030077 | Pintle Ball Combo Hitch w/2" removable ball for hitch receiver mounting                     |  | 152.00   |
| OS1474379 | 7-pole trailer plug receptacle (socket only, does not include plug)                         |  | 68.00    |
| OS5030470 | Bolt On Aluminum Rear Access Hand Rail - Powder Coated Safety Yellow                        |  | 125.00   |
| OS1432232 | Pintle Hitch Mount for 2" receiver tube - 3 Position, 14,000lb MGTW                         |  | 77.00    |

***LIGHT KIT OPTIONS***


|   |  |                          |        |
|---|--|--------------------------|--------|
| OSCB8302  | 3 Light Hole Tail Light Boxes in lieu of standard 2 Light Hole Tail Light Boxes <b>(Distributor to supply third oval light per side)</b>   | <input type="checkbox"/> | 75.00  |
| OS5030112   | Install tail lights and harness  | <input type="checkbox"/> | 100.00 |
| OS5030131   | Body Control System <b>(BCS)</b> and Installation (Front and Rear Power Distribution Boxes and Control Panel)                              | <input type="checkbox"/> | 387.00 |
| NOTE: For install harness - enter a 1 in both columns |  |                          |        |
| OS5030066   | Body Interior LED strip lighting in 7 compartments (crane box has integral light) <b>(BCS recommended with installation)</b>               | <input type="checkbox"/> | 501.00 |
| OS5030133   | Compartment Light harness (required for ship out body with customer supplied interior lighting) <b>(BCS recommended with installation)</b> | <input type="checkbox"/> | 139.00 |
| OS5030061   | LED flood light kit (two lights) - includes harnesses for up to 6 lights <b>(BCS recommended with installation)</b>                        | <input type="checkbox"/> | 324.00 |
| OS5030171   | LED flood light kit (four lights) - includes harnesses for up to 6 lights <b>(BCS recommended with installation)</b>                       | <input type="checkbox"/> | 519.00 |
| OS5030172   | LED flood light kit (six lights) - includes harnesses <b>(BCS recommended with installation)</b>   | <input type="checkbox"/> | 715.00 |
| OS5030124   | Flood light harness for four (4) or six (6) lights at rear, front & sides of body <b>(BCS recommended with installation)</b>               | <input type="checkbox"/> | 139.00 |


***ELECTRICAL SYSTEM OPTIONS***


|           |   |                          |        |
|-----------|---|--------------------------|--------|
| OS5030062 | Light Reel kit - 12 Volt 50' cord w/ fluorescent light                              | <input type="checkbox"/> | 139.00 |
| OS5030064 | Light Reel kit - 110 Volt 50' cord (heavy duty Reelcraft w/ fluorescent light)      | <input type="checkbox"/> | 180.00 |
| OS5030070 | Electric duplex outlet kit - 110 Volt - 20 Amp GFCI (wall mounted weatherproof box) | <input type="checkbox"/> | 147.00 |


|           |   |   |        |
|-----------|---|---|--------|
| OS5030071 | Switch kit - 110 Volt - 20 Amp switch (wall mounted weatherproof box) |  | 135.00 |
|-----------|---|---|--------|


***HYDRAULIC SYSTEM OPTIONS***


|           |   |   |        |
|-----------|---|---|--------|
| OS5030300 | Oil reservoir - 15 gallon (top deck mount in cargo area) Approx. 5 " de |  | 886.00 |
|-----------|---|---|--------|

|           |  |   |        |
|-----------|--|---|--------|
| OS5030060 | Oil reservoir - 30 gallon (top deck mount in cargo area) Approx. 9.5 " |  | 936.00 |
|-----------|--|---|--------|


|           |  |   |        |
|-----------|--|---|--------|
| OS5051018 | Hydraulic installation kit - Includes High Pressure Filter and Flow Control Valve, 3.5 GPM (FOR PSC3216, PSC4016, AND PSC4025) IF FLOW OF PUMP IS NOT SUFFICIENT TO RUN CRANE AND COMPRESSOR SIMULTANEOUSLY, ADD APPROPRIATE PRIORITY FLOW VALVE KIT |  | 900.00 |
|-----------|--|---|--------|

|           |  |   |        |
|-----------|--|---|--------|
| OS5051019 | Hydraulic installation kit - Includes High Pressure Filter and Flow Control Valve, 5.0 GPM (FOR PSC5025 AND PSC6025) IF FLOW OF PUMP IS NOT SUFFICIENT TO RUN CRANE AND COMPRESSOR SIMULTANEOUSLY, ADD APPROPRIATE PRIORITY FLOW VALVE KIT |  | 900.00 |
|-----------|--|---|--------|

|         |   |   |        |
|---------|---|---|--------|
| 5051015 | Priority Flow Valve Kit, 5 GPM to crane (PSC 5025/6025 W/ Single Section Pump and Compressor) |  | 673.00 |
|---------|---|---|--------|

|         |  |   |        |
|---------|--|---|--------|
| 5051016 | Priority Flow Valve Kit, 3.5 GPM to crane (PSC 3216/4016/4025 W/ Single Section Pump and Compressor) |  | 673.00 |
|---------|--|---|--------|

***COMPRESSOR AIR COMPRESSOR OPTION***

|         |  |   |          |
|---------|--|---|----------|
| OS701BA | Palfinger PRC 45V rotary compressed air system; oil flooded rotary screw, 45 CFM @ 150 PSI, maximum 150 PSI system pressure, weight 150 Lbs. Includes: hydraulic motor, control valve, integrated hydraulic oil cooler.<br><b>NOTE: Compressor performance is dependent on hydraulic supply specifications. Additional information is available through PALDESK.</b> |  | 6,344.00 |
|---------|--|---|----------|


|         |  |          |
|---------|--|----------|
| OS702BA | Palfinger PRC 60V rotary compressed air system; oil flooded rotary screw, 60 CFM @ 150 PSI, maximum 150 PSI system pressure, weight 160 Lbs. Includes: hydraulic motor, control valve, integrated hydraulic oil cooler.<br><b>NOTE: Compressor performance is dependent on hydraulic supply specifications. Additional information is available through PALDESK.</b> | 7,613.00 |
|---------|--|----------|

**COMPRESSOR ACCESSORIES**




|            |  |          |
|------------|--|----------|
| OSCA700052 | PRC45V & PRC60V Test and Adjustment Tool (one time purchase, reusable kit)                             | 475.00   |
| OSCA700146 | PRC45V & PRC60V Cold Weather Climate Kit - Heater for operation in ambient temperatures less than 5° F | 1,023.00 |
| OS5030524  | Compressor Hydraulic Installation Kit (PRC45V & PRC60V) for PAL Pro Package                            | 140.00   |

**AIR SYSTEM ACCESSORIES**







|           |  |          |
|-----------|--|----------|
| OS5030147 | Extension harness, 48" direct plug in to body harness - used for alternate compressor mounting locations   | 33.00    |
| OS5030029 | Cover kit for hose reel hole in crane compartment  | 24.00    |
| 5052024   | Air reservoir-35 gallon (To be distributor mounted on top of the streetside compartments)  | 1,086.00 |
| OS5052025 | Hose reel, Reelcraft 3/8" x 50' with guide (to be used when passing through body)  | 606.00   |
| OS5052026 | Hose reel, Reelcraft 1/2" x 50' with guide (to be used when passing through body)  | 673.00   |
| OS5052027 | 1/2" air filter, regulator, lubricator (FRL)   | 419.00   |
| OS5052022 | (16) gallon air reservoir - mounted under deck parallel with drive shaft, includes fittings and tank air drain valve (12" x 36") for Ram chassis | 907.00   |
| OS5052028 | (22) gallon air reservoir - truck frame mount parallel with drive shaft, includes fittings and tank air drain valve (12" x 48") for Ram chassis  | 1,139.00 |

|           |  |   |        |
|-----------|--|---|--------|
| KPN00015A | (6) gallon air reservoir - mounted under deck, includes fittings and tank air drain valve (8" x 34") |  | 600.00 |
|-----------|--|---|--------|

|                |                                |  |  |
|----------------|--------------------------------|--|--|
| <b>CHASSIS</b> | <b>CHASSIS RELATED OPTIONS</b> |  |  |
|----------------|--------------------------------|--|--|

|           |  |   |       |
|-----------|--|---|-------|
| OS3287053 | Ram chassis cab tail light adapter             |  | 33.00 |
| OS3287058 | Ford Super Duty chassis cab tail light adapter |  | 34.00 |
| OS5030028 | ICC safety kit - located in cab                |  | 95.00 |

|  |                      |  |  |
|--|----------------------|--|--|
|  | <b>PAINT OPTIONS</b> |  |  |
|--|----------------------|--|--|

|           |   |   |          |
|-----------|---|---|----------|
| OS5050020 | Standard coating - outside primed with Line-X Ultra coating inside compartments   |    | 0.00     |
| OS5050023 | Body finish topcoat - PCB 39 (Single Stage Common Whites: codes only include Ford Z1, Ford YZ, or Dodge PW7)<br>Specify chassis make and paint code here - (e.g. Ford - Z1)                             |    | 1,929.00 |
| OS5050042 | Body finish topcoat – PCB 39 (Single Stage White Shades with verifiable Single Stage paint code)<br>Specify chassis make and paint code here - (e.g. Freightliner - N0010)                              |   | 2,350.00 |
| OS5050024 | Body finish topcoat – PCB 39 (Single Stage Colors with verifiable Single Stage paint code including most reds, blues, oranges, etc)<br>Contact Factory with OEM or Manufacutrers paint code for pricing |  | 4,300.00 |
| OS5050043 | Add Line-X Bedliner on load space, tops, front panels, rear panels behind the outriggers and bumper to a top coated body  |  | 1,600.00 |
| OS5050036 | Body finish topcoat - Additional charge for Low Sliding Roof  |  | 615.00   |



| Option number  | Description   | PART<br>QTY<br>(1)=pick<br>(.)=pick | OSP LIST<br>PRICE |
|----------------|---|-------------------------------------|-------------------|
| <b>PSC3216</b> |   |                                     |                   |
| PSC3216 E      | Model PSC 3216 electric telescopic service crane<br>Continuous rotation, three-spool single proportional control valve, electric planetary drive winch and two-block damage prevention system, 12V power unit.  |                                     | 12,590.00         |
| PSC3216 H      | Model PSC 3216 hydraulic telescopic service crane<br>410 degrees rotation, four-spool single proportional control valve, hydraulic planetary drive winch and two-block damage prevention system, PTO hydraulic. |                                     | 16,422.00         |
| <b>PSC4016</b> |   |                                     |                   |
| PSC4016 E      | Model PSC 4016 electric telescopic service crane<br>Continuous rotation, three-spool single proportional control valve, electric planetary drive winch and two-block damage prevention system, 12V power unit.  |                                     | 16,451.00         |
| PSC4016 H      | Model PSC 4016 hydraulic telescopic service crane<br>410 degrees rotation, four-spool single proportional control valve, hydraulic planetary drive winch and two-block damage prevention system, PTO hydraulic. |                                     | 17,493.00         |

|                       |  |  |
|-----------------------|--|--|
| <b><i>PSC4025</i></b> | <p>Palfinger model PSC 4025 telescopic service crane; 25' reach capability, two hydraulic powered extensions, 4,000 Lb. vertical lift capacity, - 5 to +80 degree boom elevation, double acting cylinders with load holding valves on all cylinders, overload shutdown system, radio remote control, decals, crane hook, load line block, Ecoat prime, finish paint white topcoat paint and crane tie down bolt kit.</p> <p><b>Available for use on vehicles above 10,001 GVW.</b><br/> <b>Consult factory for other applications.</b></p> |  |
|-----------------------|--|--|

|           |  |  |           |
|-----------|--|--|-----------|
| PSC4025 E | <p>Model PSC 4025 electric telescopic service crane<br/>                 Continuous rotation, three-spool single proportional control valve, electric planetary drive winch and two-block damage prevention system, 12V power unit.</p>  |  | 19,007.00 |
| PSC4025 H | <p>Model PSC 4025 hydraulic telescopic service crane<br/>                 410 degrees rotation, four-spool single proportional control valve, hydraulic planetary drive winch and two-block damage prevention system, PTO hydraulic.</p> |  | 19,198.00 |

|                       |  |  |
|-----------------------|--|--|
| <b><i>PSC5025</i></b> | <p>Palfinger model PSC 5025 telescopic service crane; 25' reach capability, two hydraulic powered extensions, 5,000 Lb. vertical lift capacity, - 5 to +80 degree boom elevation, double acting cylinders with load holding valves on all cylinders, overload shutdown system, radio remote control, decals, crane hook, load line block, Ecoat prime, finish paint white topcoat paint and crane tie down bolt kit.</p> <p><b>Available for use on vehicles above 14,001 GVW.</b><br/> <b>Consult factory for other applications.</b></p> |  |
|-----------------------|--|--|

|           |  |  |           |
|-----------|--|--|-----------|
| PSC5025 E | <p>Model PSC 5025 electric telescopic service crane<br/>                 Continuous rotation, three-spool single proportional control valve, electric planetary drive winch and two-block damage prevention system, 12V power unit.</p>  |  | 21,762.00 |
| PSC5025 H | <p>Model PSC 5025 hydraulic telescopic service crane<br/>                 410 degrees rotation, four-spool single proportional control valve, hydraulic planetary drive winch and two-block damage prevention system, PTO hydraulic.</p> |  | 20,266.00 |

|                |  |  |
|----------------|--|--|
| <b>PSC6025</b> | <p>Palfinger model PSC 6025 telescopic service crane; 38,500 ft. lbs., 25' reach capability, two hydraulic powered extensions, 6,000 Lb. vertical lift capacity, - 25 to +75 degree boom elevation, double acting cylinders with load holding valves on all cylinders, overload shutdown system, radio remote control, decals, crane hook, load line block, Ecoat prime, finish paint white topcoat paint and crane tie down bolt kit.</p> <p><b>Available for use on vehicles above 14,001 GVW. Consult factory for other applications.</b></p> |  |
|----------------|--|--|

|           |  |  |           |
|-----------|--|--|-----------|
| PSC6025 E | Model PSC 6025 electric telescopic service crane Continuous rotation, four-spool single proportional control valve, hydraulic planetary drive winch and two-block damage prevention system, 12V power unit.  |  | 23,069.00 |
| PSC6025 H | Model PSC 6025 hydraulic telescopic service crane 410 degrees rotation, four-spool single proportional control valve, hydraulic planetary drive winch and two-block damage prevention system, PTO hydraulic. |  | 22,592.00 |

***PSC 3216 - PSC 6025 CRANE ACCESSORIES***

|             |  |  |        |
|-------------|--|--|--------|
| 5060003     | 90% Acoustic Warning   |  | 645.00 |
| 5060004     | Third Wrap Limit System  |  | 118.00 |
| EZ5282      | Load hook - 1.5 ton bolt on hook located on <b>LEFT</b> side of boom tip       |  | 371.00 |
| EZ5282      | Load hook - 1.5 ton bolt on hook located on <b>RIGHT</b> side of boom tip      |  | 371.00 |
| EZ5282 (2X) | Load hook - 1.5 ton bolt on hook located on <b>BOTH</b> sides of boom tip      |  | 742.00 |
| KMG05359AS  | Emergency lowering valve kit. <b>REQUIRED FOR PERSONNEL BASKET APPLICATION</b> |  | 250.00 |
| KMG04787AS  | Crane installation kit - electric (25ft. Battery cable, breaker/disconnect)    |  | 214.00 |
| KMG04950AS  | Crane installation kit - hydraulic (2x hose, 2x swivel fittings)               |  | 214.00 |
| KSC01083A   | Fully proportional control valve. <b>OPTION ONLY AVAILABLE ON PSC6025</b>      |  | 841.00 |

|         |  |  |          |
|---------|--|--|----------|
| 5060001 | Two hydraulic powered extensions. <b>OPTION ONLY AVAILABLE ON PSC3216 AND PSC4016 (Standard on all other models)</b> |  | 1,100.00 |
|---------|--|--|----------|

***All CRANE ACCESSORIES***

|  |   |  |          |
|--|---|--|----------|
| OS202-PB-A   | Personnel Basket for Service Cranes incl. storage boxes<br><b>ONLY AVAILABLE ON PSC5025 AND UP</b>                            |  | 8,448.00 |
| OS202QC01AS  | Personnel Basket - Quick Connect Adapter for PSC5025<br>and PSC6025   |  | 273.00   |
| KMG05359AS   | Emergency lowering valve kit. <b>REQUIRED FOR PERSONNEL BASKET APPLICATION</b>  |  | 250.00   |
| KMG04788AS   | Radio remote controller storage kit   |  | 50.00    |
| EZ5085   | Protective case with belt loop for radio remote control   |  | 101.00   |
| EZ5086   | Silicone cover for radio remote control   |  | 62.00    |
| <b>BOOM SUPPORT OPTION</b>                         |   |  |          |
| OS5030022  | Boom support - Adjustable position 16.5" High to 25.5" High   |  | 413.00   |
| OS5030030  | Boom support - Non -Adjustable Fixed position 9.75" High  |  | 340.00   |
| OS5030074  | Boom support - Adjustable position 27.5" High to 36.5" High   |  | 443.00   |
| <b>OUTRIGGER OPTION (Non-PAL Pro Applications)</b> |   |  |          |
| OS5016910  | Set of (2) Drop Down Jack Legs and Brackets<br><b>ONLY FOR PSC3216 (or as additional front stabilizer for other packages)</b> |  | 434.00   |
| OS5016999  | Crank Down Only Outrigger Set, bolt-on, non-extending<br>(used on the PCB 20 bumpers)   |  | 741.00   |
| OS5016937  | Hydraulic Down Only Outrigger Set, bolt-on, non-<br>extending (used in the PCB 39 outriggers)                                 |  | 1,199.00 |
| OS5016938  | Crank Down Only Outrigger Set, bolt-on, non-extending<br>(used in the PCB 39 outriggers)                                      |  | 818.00   |

|           |  |  |          |
|-----------|--|--|----------|
| OS5016928 | Outrigger Housing Weldment for optional structural attachment of bolt-on outrigger sets  |  | 1,199.00 |
| OS5016934 | Rear Manual Out, Crank Down Outrigger Assembly, No Bumper (96" wide)<br><b>FOR CRANES UP TO PSC5025 - 32,500 ft. lb.</b>                                       |  | 1,386.00 |
| OS5016905 | Manual out / hydraulic down outriggers, complete with horizontal housing weldment<br><b>FOR CRANES UP TO PSC6229 - 62,000 ft. lb.</b>                          |  | 5,267.00 |
| OS5016906 | Hydraulic extending (one side only) hydraulic down outriggers, complete with horizontal housing weldment<br><b>FOR CRANES UP TO PSC6229 - 62,000 ft. lb.</b>   |  | 5,971.00 |
| OS5016941 | Rear Manual Out (crane side) Crank Down Stabilizers - complete with horizontal housing weldment<br><b>FOR CRANES UP TO PSC6229 - 62,000 ft. lb.</b>            |  | 3,196.00 |
| OS5016916 | Hydraulic extending (both sides) hydraulic down outriggers, complete with dual horizontal housing weldment<br><b>FOR CRANES UP TO PSC7229 - 72,000 ft. lb.</b> |  | 9,494.00 |





**HYDRAULIC SYSTEM OPTIONS**

|           |   |  |        |
|-----------|---|--|--------|
| 5051002   | Hydraulic installation kit - PCB 72 for CRANE ONLY on right rear compartment  |  | 509.00 |
| OS5051025 | 12VDC Electric over hydraulic power unit for hydraulically powered outriggers |  | 750.00 |





**HYDRAULIC SYSTEM OPTIONS**

|           |   |  |        |
|-----------|---|--|--------|
| OS5030300 | Oil reservoir - 15 gallon (top deck mount in cargo area) Approx. 5" dia   |  | 886.00 |
| OS5030060 | Oil reservoir - 30 gallon (top deck mount in cargo area) Approx. 9.5" dia |  | 936.00 |
| OS5030042 | Filter Assembly, High Pressure Hydraulic                                  |  | 233.00 |

| Option number                          | Description  | PART<br>QTY<br>(1)=pick<br>(.)=pick | OSP LIST<br>PRICE |
|--|--|-------------------------------------|-------------------|
| <b><i>PALFINGER AIR COMPRESSOR</i></b> |  |                                     |                   |
| OS701BA                                | Palfinger PRC 45V rotary compressed air system; oil flooded rotary screw, 45 CFM @ 150 PSI, maximum 150 PSI system pressure, weight 150 Lbs. Includes: hydraulic motor, control valve, integrated hydraulic oil cooler.<br><b>NOTE: Compressor performance is dependent on hydraulic supply specifications. Additional information is available through PALDESK.</b> |                                     | 6,344.00          |
| OS702BA                                | Palfinger PRC 60V rotary compressed air system; oil flooded rotary screw, 60 CFM @ 150 PSI, maximum 150 PSI system pressure, weight 160 Lbs. Includes: hydraulic motor, control valve, integrated hydraulic oil cooler.<br><b>NOTE: Compressor performance is dependent on hydraulic supply specifications. Additional information is available through PALDESK.</b> |                                     | 7,613.00          |
| OS5030146                              | Connector plug & braided harness 290" long - for installation on Non-Palfinger mechanic service body   |                                     | 77.00             |
| <b><i>AIR SYSTEM ACCESSORIES</i></b>   |  |                                     |                   |
| KPN00015A                              | (6) gallon air reservoir - mounted under deck, includes fittings and tank air drain valve (8" x 34")   |                                     | 600.00            |
| OS5052022                              | (16) gallon air reservoir - PCB 43 mounted under deck parallel with drive shaft (12" x 36")  |                                     | 907.00            |
| OS5052021                              | (22) gallon air reservoir - rear mount between frame rails (18" x 23")   |                                     | 953.00            |
| OS5052028                              | (22) gallon air reservoir - PCB 72 truck frame mount parallel with drive shaft (12" x 48")   |                                     | 1,139.00          |
| OS5052025                              | Hose reel, Reelcraft 3/8" x 50' with guide (to be used when passing through body)  |                                     | 606.00            |

|            |   |   |          |
|------------|---|---|----------|
| OS5052026  | Hose reel, Reelcraft 1/2" x 50' with guide (to be used when passing through body) |  | 673.00   |
| OS5052027  | 1/2" moisture separator/regulator/oiler   |  | 419.00   |
| OSCA700052 | PRC45V & PRC60V Test and Adjustment Tool (one time purchase, reusable kit)        |  | 722.00   |
| OSCA700146 | PRC45V & PRC60V Cold Weather Climate Kit  |  | 1,023.00 |

***HYDRAULIC SYSTEM OPTIONS***

|           |  |   |          |
|-----------|--|---|----------|
| OS5030300 | Oil reservoir - 15 gallon (top deck mount in cargo area) Approx. 5" de     |  | 886.00   |
| OS5030060 | Oil reservoir - 30 gallon (top deck mount in cargo area at front bulkhead) |  | 1,036.00 |
| 5050004   | PTO with Hot shift (required with automatic transmissions)                 |  |          |
| 5050006   | Single Section Hydraulic Pump  |  |          |

NOTE: Your installation may require additional oil cooling capacity. Utilize hydraulic oil cooler when necessary.









***ASSIS FRAME)***