

35LBS WITH 20,000 BTUs OF SAFE HEAT

Phoenix FireBIRD Compact 20 - Portable Heater

SPECIFICATIONS

PART NUMBER

4033450

POWER

120VAC 60Hz, 1 Phase Heater Circuits (up to 4):
12 Amp / circuit = 17°F temperature rise/circuit:
5,000 BTU
At Maximum Heat:
20,000 BTU with 70°F Temperature Rise at 250CFM

CFM

250 CFM

FILTER

Mini Pleated Media MERV-11

DUCTING OPTIONS

8" flex-duct (intake)
8" flex-duct (supply)

DIMENSIONS

	UNIT	SHIPPING
WIDTH:	13"	17"
HEIGHT	12.5"	17"
DEPTH:	26"	30"
WEIGHT:	35 lbs	42 lbs

POPULAR ACCESSORIES AND REPLACEMENT FILTERS

- 4033895 Duct Kit, Compact Heater, 8" inlet (no flex Duct)
- 4027415 8" x 25' Flex Duct
- 4032773 Cord Kit, (2) 25' Lighted Cords & (2) 50' Lighted Cords
- 4030671 9" x 11 3/8 x 3/4" Mini-Pleated MERV-11 Filter
- 4030733 Filter Package, 12 PK; 9" x 11 3/8 x 3/4" Mini-Pleated MERV-11 Filter
- 4027327 Phoenix Remote Thermostat Kit

WARRANTY

Year 1 - 100% of Parts and Labor



4 - 12 Amp circuits
Up to 20,000 BTU's



Stack up to 6 units with a strap
for storage and transportation



Mini Pleated MERV-11 filter



USEPHOENIX.COM

1.800.533.7533

Northeast Janitorial Supply
505 Ringwood Ave
Pompton Lakes, NJ 07442

POWERFUL PORTABLE SAFE INSTANT HEAT

Phoenix FireBIRD - Portable Heater

SPECIFICATIONS

PART NUMBER

4027300

POWER

30 or 50 amp operation; Amp selection switch on unit:
30 Amp = 46° F temperature rise; 18,000 BTUs
50 Amp = 80° F temperature rise; 31,000 BTUs

POWER CORDS AND REMOTE THERMOSTAT

Two 8' Power Cords
(1 dryer, 1 range) included with unit

Phoenix Thermostat (with 25'
connecting wire) included with unit

CFM

360 CFM

FILTER

Pleated Media MERV-11

DUCTING OPTIONS

12" flex-duct (intake)
12" flex-duct (supply)

DIMENSIONS

	UNIT	SHIPPING
WIDTH:	20.25"	27.5"
HEIGHT:	40"	45.25"
DEPTH:	21.4"	25.5"
WEIGHT:	90 lbs	115 lbs

POPULAR ACCESSORIES AND REPLACEMENT FILTERS


4024750	12" x 25' Intake Flex Duct
4024969	16" x 20" x 2" Pleated Media MERV-8
4021475	16" x 20" x 2" Standard Pleated Media MERV-11
4022164	16" x 20" x 2" Optional Pleated Media MERV-14
4027326	25' Cord Kit
4027327	Thermostat Kit

WARRANTY

Year 1 - 100% of Parts and Labor
Year 2-5 100% Parts



FireBIRD control panel.



50 Amp built-in twist lock receptacle



USEPHOENIX.COM

1.800.533.7533

Northeast Janitorial Supply
505 Ringwood Ave
Pompton Lakes, NJ 07442

THE COMPETITION JUST DOESN'T STACK UP

Phoenix AirMAX - Radial Air Mover

SPECIFICATIONS

PART NUMBERS

4025800 (Red)
4025810 (Blue)

POWER

1.95.7 Amps
Voltage: 115 VAC
Outlet: 15A UL Rated GFCI duplex receptacle

CFM

925 CFM

DIMENSIONS

	UNIT	SHIPPING
WIDTH:	17"	17 1/2"
HEIGHT:	8 7/8"	9 1/4"
DEPTH:	20 1/2"	21 1/8"
WEIGHT:	21 lbs	22 1/2 lbs

POPULAR ACCESSORIES AND REPLACEMENT FILTERS

4024936 Lay-flat Duct 14" Round x 250' Roll

WARRANTY

Year 1 - 100% parts and labor (all components)
Year 2 - 100% parts only (all components)
Year 3-7 - Materials and workmanship of the housing only

PATENTS

US Patent D782, 022
Other Patents Pending
©Technologies Holdings Corp.



USEPHOENIX.COM

1.800.533.7533

Northeast Janitorial Supply
505 Ringwood Ave
Pompton Lakes, NJ 07442

3000+ CFM PATENTED FOCUS™ TECHNOLOGY

Phoenix AAM - AXIAL AIR MOVER

SPECIFICATIONS

PART NUMBERS

4025200 (Red)
4030680 (Blue)

POWER

Current Draw: 2.5 Amps (High Speed)
Voltage: 115 VAC, Grounded

DRIVE MOTOR

1/4 hp 1-phase 110/120 VAC 2-speed
4-pole, PSC Electric motor

CFM

Approximately 3000 CFM

OUTLET

15A UL Rated GFCI Duplex Receptacle

CORD

20 ft Power Cord

DIMENSIONS

	UNIT	SHIPPING
WIDTH:	19.125"	19.375"
HEIGHT:	19.5"	20"
DEPTH:	15.2"	15.5"
WEIGHT:	29.5 lbs	32.7 lbs

POPULAR ACCESSORIES AND REPLACEMENT FILTERS

4025092	Motor
4025095	Blade
4021597	Hour Meter
4025205	GFCI Duplex Outlet
4025203	Circuit Breaker
4025460	AAM Stand

WARRANTY

Year 1 - 100% of Parts and Labor
Year 2 100% Parts only (all components)
Years 3-7 - Materials and workmanship of the housing only.

PATENT

7,331,759



Innovative control panel includes power-on light, run-time hour meter, GFCI outlet and more.



Units interlock for ease of stacking during storage and handling.



USEPHOENIX.COM

1.800.533.7533

Northeast Janitorial Supply
505 Ringwood Ave
Pompton Lakes, NJ 07442

OVER 1,000 CFM AND STACKS 4 HIGH

Phoenix Stackable CAM - CENTRIFUGAL AIR MOVER

SPECIFICATIONS

PART NUMBERS

4030990

POWER

Current Draw: 2.6 Amps (High Speed)
Voltage: 115 VAC, Grounded

DRIVE MOTOR

1/3 hp 1-phase 110/120 VAC 2-speed
Thermal cut-off

CFM

1050 CFM

OUTLET

15A UL Rated GFCI Duplex Receptacle

CORD

20 ft Power Cord

DIMENSIONS

	UNIT	SHIPPING
WIDTH:	17.25"	17.3"
HEIGHT:	20"	20"
DEPTH:	19.4"	20"
WEIGHT:	27 lbs	30 lbs

WARRANTY

Year 1 - 100% of Parts and Labor
Year 2 100% Parts only (all components)
Years 3-7 - Materials and workmanship of the housing only.



On-board GFCI outlet and circuit breaker.



Units interlock for ease of stacking during storage and handling.



Positionable horizontally, 45° or 90° to ensure thorough drying.



USEPHOENIX.COM

1.800.533.7533

Northeast Janitorial Supply
505 Ringwood Ave
Pompton Lakes, NJ 07442

ONE UNIT CONTROLS UP TO 21,000 FT³

Phoenix Guardian HEPA - Air Scrubber

SPECIFICATIONS

PART NUMBER

4024848

POWER

Current Draw: 12 Amps
Voltage: 110-120 VAC, Grounded

CFM

2-Speed
High: 1400 CFM* w/o external duct
Low: 900 CFM* w/o external duct

FILTERS

24" x 24"
1-stage 1" Spun Polyester
2-stage 2" Pleated Media
3-stage 12" V-bank HEPA
(optional) 4-stage 2" Carbon and Potassium
Permanganate

DUCTING OPTIONS

Multiple ducting for intake and exhaust

DIMENSIONS

	UNIT	SHIPPING
WIDTH:	25"	29"
HEIGHT	39"	45"
DEPTH:	25"	28"
WEIGHT:	121 lbs	155 lbs


The built-in manometer provides precise measurement of air-flow through the HEPA filter and aids in determination of HEPA filter replacement intervals.

POPULAR ACCESSORIES AND REPLACEMENT FILTERS

4024750 12" x 25' In-take Flex Duct
4023643 18" x 25' In-take Flex Duct
4024935 10" x 250' Lay-flat Duct
4024936 14" x 250' Lay-flat Duct
4023374 24" x 24" x 1' Polyester Pre-Filter
4023375 24" x 24" x 2" Pleated Pre-Filter
4023244 24" x 24" x 12" V-Bank HEPA Filter
4023487 24" x 24" x 2" Carbon Filter
4024764 24" x 24" x 2" Carbon Filter Frame
4030115 Reed LM 8000 Multi-Function Meter
4024528 Carbon/Potassium Permanganate media,
five-gallon bucket (30 lbs)

WARRANTY

Year 1 - 100% of Parts and Labor



Multiple ducting options for intake and exhaust



USEPHOENIX.COM

1.800.533.7533

Northeast Janitorial Supply
505 Ringwood Ave
Pompton Lakes, NJ 07442

COMPACT SIZE WITH TRUE 415 CFM

Phoenix MINI Guardian HEPA - Air Scrubber

SPECIFICATIONS

PART NUMBER

402774

POWER

Current Draw: 1.96 Amps 215 Watts
Voltage: 110-120 VAC, Grounded

CFM

Up to 415 CFM
(delivered air flow w/3-stage filter operation)

FILTERS

24" x 24"

- 1-stage 1" Spun Polyester, 16" x 16"
- 2-stage 2" Pleated Media, 16" x 16"
- 3-stage 14" dia. x 24" Canister HEPA
- (optional) 4-stage 2" Carbon and Potassium Permanganate

DUCTING OPTIONS

Multiple ducting for intake and exhaust

DIMENSIONS


	UNIT	w/Cart	SHIPPING
WIDTH:	16"	19.5"	20.5"
HEIGHT	40"	40"	47"
DEPTH:	16"	19"	20.5"
WEIGHT:		65 lbs	70 lbs

POPULAR ACCESSORIES AND REPLACEMENT FILTERS

- 4024750 12" x 25' In-take Flex Duct
- 4024935 10" x 250' Lay-flat Duct
- 4024824 16" x 16" x 1" Polyester Pre-Filter
- 4021799 16" x 16" x 2" Pleated Pre-Filter
- 4024667 14" x 24" Canister HEPA Filter
- 4024879 16" x 16" x 2" Carbon Filter
- 4024891 16" x 16" x 2" Carbon Filter Frame
- 4024528 Carbon/Potassium Permanganate media, five-gallon bucket

WARRANTY

Year 1 - 100% of Parts and Labor



USEPHOENIX.COM

1.800.533.7533

Northeast Janitorial Supply
505 Ringwood Ave
Pompton Lakes, NJ 07442

500 CFM WITH 50% LONGER HEPA FILTER LIFE

Phoenix Guardian R - Air Scrubber

SPECIFICATIONS

PART NUMBER

4031350 (Red)
4031460 (Blue)

POWER

Current Draw: 2.4 Amps
Voltage: 110-120 VAC, Grounded

CFM

500 CFM

FILTERS

1st stage 1" Pleated Media, 18" x 18"
(optional) 1" Carbon and Potassium
Permanganate
2nd stage 2.5" Pleated HEPA 18" x 18"

GFCI

15A UL rated GFCI Duplex Receptacle

DUCTING OPTIONS

Multiple ducting for intake and exhaust

DIMENSIONS

	UNIT	SHIPPING
WIDTH:	22"	22.25"
HEIGHT	14"	14.25"
DEPTH:	24"	24.75"
WEIGHT:	33 lbs	36 lbs

POPULAR ACCESSORIES AND REPLACEMENT FILTERS

- 4031878 Air Filter, Disposable Carbon/Potassium Permanganate
- 4031877 Air Filter, Pleated, 1" x 18" x 18"
- 4031864 Air Filter, HEPA, 2.5" x 18" x 18" (99.97% Efficient)
- 4028357 Duct, Flex, 16" x 25'
- 4024935 Duct, Lay Flat, 10" x 250'

WARRANTY

Year 1 - 100% of Parts and Labor



Multiple ducting options for intake and exhaust



The horizontal opening duct maximizes the filtration capture area

Can be stored safely and securely up to 4 units high, freeing up valuable space in our trucks and warehouses



USEPHOENIX.COM

1.800.533.7533

Northeast Janitorial Supply
505 Ringwood Ave
Pompton Lakes, NJ 07442

PATENTED TECHNOLOGY STILL NO. 1

Phoenix Hydro-X - Xtreme Xtractor

SPECIFICATIONS

PART NUMBER

4025600

POWER

Current Draw: 2.5 Amps
Voltage: 120 VAC, Grounded

SPEED

0-28 FPM
Either forward or reverse

DIMENSIONS

	UNIT	SHIPPING
WIDTH:	17" (Base)	27.5"
HEIGHT	52"	45.5"
DEPTH:	20.5" (Base)	22"
WEIGHT:	70 lbs	80 lbs

Insurance companies recognize the Hydro-X as the best tool on the market and allow for "special extraction tool" rates, sometimes up to three times higher rates per sq. ft. than regular extraction tools. The Society for Cleaning Restoration Technicians, formerly ISCT, performed a market study of extraction devices at Shaw Industries. The results from that testing can be seen in the published report from www.isct.com. In that independent study of restoration professionals, the Hydro-X Xtractor with the Hydro-X Vac Pac pulled more water out of the carpet and pad than any other product on the market today, in one case pulling 40 gallons (or 320 pints) more water out of the structure than the next best tool.

POPULAR ACCESSORIES AND REPLACEMENT FILTERS

4025369 Suction Chamber Cover
4025734 Hydro-X Caddy
4025601 Hydro-X Vac Pac

WARRANTY

Year 1 - 100% of Parts and Labor

PATENTS

6,152,151
6,629,333



Xtreme Xtractor with Hydro-X
Vacuum Pac



USEPHOENIX.COM

1.800.533.7533
Northeast Janitorial Supply
505 Ringwood Ave
Pompton Lakes, NJ 07442

COMPACT SIZE WITH XL PERFORMANCE

Phoenix Hydro-X - Vacuum Pac

SPECIFICATIONS

PART NUMBER

4025601

POWER

Current Draw: 13.5 Amps (Vac Motor)
4.5 Amps (Pump Motor)
Voltage: 120 VAC, Grounded

SUCTION RATING

10" of vacuum

FILTER

Washable lint bag

DIMENSIONS

	UNIT	SHIPPING
WIDTH:	16" (Base)	27.5"
HEIGHT:	26"	45.5"
DEPTH:	13" (Base)	22"
WEIGHT:	74 lbs	79 lbs (Vacuum Assy.) 16 lbs (Hose Assy.)

POPULAR ACCESSORIES AND REPLACEMENT FILTERS

4025369 Suction Chamber Cover
4025734 Hydro-X Caddy
4025600 Hydro-X Xtreme Xtractor

WARRANTY

Year 1 - 100% of Parts and Labor

PATENTS

6,152,151
6,629,333



Vac Pac easily mounts onto
the Hydro-X Xtreme Xtractor



USEPHOENIX.COM

1.800.533.7533

Northeast Janitorial Supply
505 Ringwood Ave
Pompton Lakes, NJ 07442