
Z, ZG, ZD, F SERIES

WHOLEGOODS PRICE LIST EFFECTIVE MARCH 1, 2021

These pages are a complete revision of this section and contain new model and product information. All prices are effective as of March 1, 2021.

NOTE: Tire prices appear per piece.

1/4/2021 Add NEW Z400SS models. See pages 2-16 to 2-18.
Update Z4051 and add Z4052. See pages 2-26.
~~Update G8103A Weight part number. See pages 2-22&23, 2-33&34,
2-40, 2-44&45, 2-46, 2-53.~~

3/1/2021 Update ZTR and F Series Pricing. See pages 2-16 to 2-69.

This page intentionally left blank.

	PAGE NUMBER	MODEL	GROSS ENGINE H.P.	FACTORY NUMBER	SUGGESTED
GAS CURRENT MODELS					
Z100 Series	2-5	Z122RKW-42 *	21.5	K3Z464Z76	\$4,442.00
	2-6	Z122EBR-48 *	22	K3Z992Z04	\$5,118.00
	2-7	Z121SKH-48 *	21	K4Z368Z78	\$5,601.00
	2-8	Z125EBR-54 *	25	K4Z661Z28	\$5,976.00
	2-9	Z125SKH-54 *	25	K5Z038Z02	\$6,459.00
	2-10	Z100 & Z200 Series Matching Chart			
	2-10	Z100 & Z200 & ZSeries Implements & Attachments			
Z200 Series	2-11	Z231KW-42	21.5	K3Z464Z76	\$4,442.00
	2-12	Z231BR-48	22	K4Z070Z04	\$5,218.00
	2-13	Z231KH-48	21	K4Z446Z78	\$5,701.00
	2-14	Z251BR-54	25	K4Z739Z28	\$6,076.00
	2-15	Z251KH-54	25	K5Z116Z02	\$6,559.00
	2-10	Z100 & Z200 Series Matching Chart			
	2-10	Z100 & Z200 & ZSeries Implements & Attachments			
Z400 Series	2-16	Z412KW-48	22	K5Z653Z44	\$7,248.00
	2-17	Z422KW-54	24	K6Z077Z76	\$7,792.00
	2-18	Z422KWT-60	24	K6Z507Z54	\$8,343.00
	2-19	Z411KW-3-48	22	K5Z376Z54	\$6,893.00
	2-20	Z421KW-3-54	24	K5Z800Z86	\$7,437.00
	2-21	Z421KWT-3-60	24	K6Z230Z64	\$7,988.00
	2-22	Z411KW-48 *	22	K5Z218Z98	\$6,691.00
	2-23	Z421KW-54 *	24	K5Z637Z06	\$7,227.00
	2-24	Z421KWT-60 *	24	K6Z060Z60	\$7,770.00
	2-25	Z400 Series Matching Chart			
	2-26	Z400 Series Implements & Attachments			
Z700 Series	2-27	Z723KH-3-48	22.5	K7Z293Z78	\$9,351.00
	2-27	Z724XKW-3-48	23.5	K7Z619Z82	\$9,769.00
	2-28	Z724KH-3-54	25	K7Z706Z40	\$9,880.00
	2-28	Z724XKW-3-54	23.5	K7Z910Z76	\$10,142.00
	2-29	Z725KH-3-60	23.5	K8Z118Z24	\$10,408.00
	2-29	Z726XKW-3-60	25.5	K8Z384Z22	\$10,749.00
	2-30	Z723KH-2-48 *	22.5	K7Z003Z62	\$8,979.00
	2-30	Z724XKW-2-48 *	23.5	K7Z319Z52	\$9,384.00
	2-31	Z724KH-2-54 *	25	K7Z403Z76	\$9,492.00
	2-31	Z724XKW-2-54 *	23.5	K7Z602Z66	\$9,747.00
	2-32	Z725KH-2-60 *	23.5	K7Z803Z90	\$10,005.00
	2-32	Z726XKW-2-60 *	25.5	K8Z062Z08	\$10,336.00
	2-33	Z751KWi-48	25.5	K8Z476Z26	\$10,867.00
	2-34	Z781KWi-54	29.5	K9Z076Z08	\$11,636.00
	2-35	Z781KWTI-60	29.5	K9Z494Z16	\$12,172.00
	2-36	Z700 Series Matching Chart			
	2-37	Z700 Series Implements & Attachments			
ZG200 Series	2-38	ZG222ANC-3-48	21.1	K7Z199Z20	\$8,999.00
	2-38	ZG222A-3-48 *	21.1	K7Z119Z20	\$8,899.00
	2-39	ZG227ANC-3-54	26	K8Z239Z20	\$10,299.00
	2-39	ZG227A-3-54 *	26	K8Z079Z20	\$10,099.00
	2-39	ZG227LANC-3-60	26	K8Z639Z20	\$10,799.00
	2-39	ZG227LA-3-60 *	26	K8Z479Z20	\$10,599.00
	2-40	ZG222A-48 *	21.1	K7Z039Z20	\$8,799.00
	2-41	ZG227A-54 *	26	K7Z999Z20	\$9,999.00
	2-41	ZG227LA-60 *	26	K8Z399Z20	\$10,499.00
	2-42	Z200 Series Matching Chart			
2-40	Z200 Series Implements & Attachments				
Z300 Series	2-45	ZG327PANC-3-60	26	K9Z679Z20	\$12,099.00
	2-45	ZG327PA-3-60 *	26	K9Z439Z20	\$11,799.00
	2-45	ZG327RPANC-3-60R	26	K9Z919Z20	\$12,399.00
	2-45	ZG327RPA-3-60R *	26	K9Z679Z20	\$12,099.00
	2-46	ZG327PA-60 *	26	K9Z359Z20	\$11,699.00
	2-46	ZG327RPA-60R *	26	K9Z599Z20	\$11,999.00
	2-47	Z300 Series Matching Chart			
	2-48	Z300 Series Implements & Attachments			

* Subject to Availability

- ① The engine horsepower information is provided by the engine manufacturer. Refer to the engine manufacturer's web site for additional information.
- ② Price includes standard tires.

NC models - Not for sale in California

	PAGE NUMBE	MODEL	GROSS ENGINE H.P.	FACTORY NUMBER	SUGGESTED	
DIESEL CURRENT MODELS						
Z1000 Series	2-51	ZD1011-3-48	19.3	K10Z559Z20	\$13,199.00	
	2-51	ZD1011-3-54	19.3	K10Z799Z20	\$13,499.00	
	2-52	ZD1021-3-60	21.6	K12Z079Z20	\$15,099.00	
	2-53	ZD1011-48 *	19.3	K10Z159Z20	\$12,699.00	
	2-53	ZD1011-54 *	19.3	K10Z399Z20	\$12,999.00	
	2-54	ZD1021-60 *	21.6	K11Z679Z20	\$14,599.00	
	2-55	Z1000 Series Matching Chart				
	2-56	Z1000 Series Implements & Attachments				
Z1200 Series	2-58	ZD1211-3-60	24.8	K13Z439Z20	\$16,799.00	
	2-58	ZD1211R-3-60R	24.8	K13Z679Z20	\$17,099.00	
	2-58	ZD1211L-3-72	24.8	K14Z079Z20	\$17,599.00	
	2-58	ZD1211RL-3-72R	24.8	K14Z319Z20	\$17,899.00	
	2-59	ZD1211-60 *	24.8	K12Z959Z20	\$16,199.00	
	2-59	ZD1211R-60R *	24.8	K13Z199Z20	\$16,499.00	
	2-59	ZD1211L-72 *	24.8	K13Z599Z20	\$16,999.00	
	2-59	ZD1211RL-72R *	24.8	K13Z839Z20	\$17,299.00	
	2-60	Z1200 Series Matching Chart				
	2-61	Z1200 Series Implements & Attachments				
Z1500 Series	2-63	ZD1511LF-3-72	30.8	K18Z319Z20	\$22,899.00	
	2-63	ZD1511RL-3-60R	30.8	K17Z519Z20	\$21,899.00	
	2-63	ZD1511RLF-3-72R	30.8	K18Z719Z20	\$23,399.00	
	2-64	ZD1511LF-72 *	30.8	K17Z679Z20	\$22,099.00	
	2-64	ZD1511RL-60R *	30.8	K16Z879Z20	\$21,099.00	
	2-64	ZD1511RLF-72R *	30.8	K18Z079Z20	\$22,599.00	
	2-65	Z1500 Series Matching Chart				
	2-66	Z1500 Series Implements & Attachments				
F Series	2-67	F2690E ②	24.8	K14F584F04	\$18,262.00	
	2-68	F2690 ②	24.8	K16F773F83	\$21,004.00	
	2-69	F3990 ②	36.9	K20F613F84	\$25,804.00	
	2-70	F Series Matching Chart				
	2-72	F Series Implements & Attachments				
	2-76	Z Series / F Series Replacement Engines				

* Subject to Availability

① The engine horsepower information is provided by the engine manufacturer. Refer to the engine manufacturer's web site for additional information.

② Price includes standard tires.

Kommander Z122R

*** EQUIPMENT IN STANDARD MACHINE ***

GASOLINE ENGINE

Kawasaki FR651V Series
 Air-cooled, V-Twin Vertical Shaft
 21.5 Gross HP @ 3600 rpm*
 Displacement 726 cc
 Kubota Model GH7302V

TRANSMISSION

Hydro-Gear Commercial ZT2200
 Integrated Zero-Turn Transaxle
 Internal Parking Brake
 Forward Speeds 0 - 6.5 mph
 Reverse Speeds 0 - 4 mph

STEERING / MOTION CONTROL

(2) Hand Levers
 Hydraulically Damped

FLUID CAPACITY

Fuel Tank 3.22 gal
 Oil 2.3 qts
 Transaxle 1.6 - 1.68 qts

TIRES AND WHEELS

Front Casters 11 x 4-5 Smooth
 Rear 18 x 7.5-10 Turf

DIMENSIONS

Height 65.4"
 Length 74.4"
 Width Overall 12.4" w/o deck
 Wheelbase 48.7"

OPERATING FEATURES

Zero Turn Radius
 Full pressure lube system
 Hands-free K-Lift Deck Lift
 Cup Holder & Storage Compartment
 Deluxe Adjustable Seat

SAFETY EQUIPMENT

Seat Safety Switch
 Control Lever Safety Switch
 Parking Brake Safety Switch
 Fixed ROPS

MOWER DECK

42" Cutting Width
 1.5-4.25" Cut Height, Adjustable
 1/4" Increments
 Flexible Discharge Cover
 Fabricated 10 Gauge Steel
 4.5" Deep Design
 2 Blades
 17,700 fpm Blade Tip Speed
 Maintenance-Free, Sealed Bearings
 Ogura GT1A Electric Clutch

* Manufacturer's estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

Z122RKW-42	** RESIDENTIAL ZERO-TURN W/21.5HP/42"MWR 42" Mower Deck	K3Z464Z76	801	\$4,442.00
------------	--	-----------	-----	------------

**** - LIMITED AVAILABILTY**

Replacement Tires and Wheels (price per piece)

K3011-18020	Front Tire Assembly 11 x 4-5 Pneumatic Smooth	Order from Parts Department
K3001-17200	Rear 18 x 7.5-10 Turf	Order from Parts Department

Kommander Z122E

*** EQUIPMENT IN STANDARD MACHINE ***

GASOLINE ENGINE

Briggs & Stratton Professional Series 44S6
 Air-cooled, V-Twin Vertical Shaft
 22 Gross HP @ 3600 rpm*
 Displacement 724 cc
 Kubota Model GH7301V

TRANSMISSION

Hydro-Gear Commercial ZT3100
 Integrated Zero-Turn Transaxle
 Internal Parking Brake
 Forward Speeds 0 - 8 mph
 Reverse Speeds 0 - 4 mph

STEERING / MOTION CONTROL

(2) Hand Levers
 Hydraulically Damped

FLUID CAPACITY

Fuel Tank 4.3 gal
 Oil 2 qts
 Transaxle 2.4 qts

TIRES AND WHEELS

Front Casters 11 x 4
 Rear 22 x 10-14 Turf

DIMENSIONS

Height 65"
 Length 77.5"
 Width Overall 52"
 Wheelbase 45.5"

OPERATING FEATURES

Zero Turn Radius
 Full pressure lube system
 Hands-free K-Lift Deck Lift
 2 Cup Holders & 4 Storage Compartments
 Deluxe Adjustable Seat

SAFETY EQUIPMENT

Seat Safety Switch
 Control Lever Safety Switch
 Parking Brake Safety Switch
 Fixed ROPS

MOWER DECK

Ogura GT1A Electric Clutch
 48" Cutting Width
 1.5-4.5" Cut Height, Adjustable
 1/4" Increments
 Flexible Discharge Cover
 Fabricated 10 Gauge Steel
 5" Deep Design
 3 Blades
 18,300 fpm Blade Tip Speed
 Maintenance Free Sealed Bearings

* Manufacturer's estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

Z122EBR-48	** HOMEOWNER ZERO-TURN W/22HP/48"MWR 48" Mower Deck	K3Z992Z04	892	\$5,118.00
------------	--	-----------	-----	------------

**** - LIMITED AVAILABILTY**

Replacement Tires and Wheels (price per piece)

K3011-18020	Front Tire Assembly 11 x 4-5 Pneumatic Smooth		Order from Parts Department	
AZR8630	Rear 22 x 10-14 Turf Ultrascaper Z	K118Z08	33	\$144.00

Kommander Z121S

*** EQUIPMENT IN STANDARD MACHINE ***

GASOLINE ENGINE

Kohler Confidant ZT720
 Air-cooled, V-Twin Vertical Shaft
 21 Gross HP @ 3600 rpm*
 Displacement 725 cc
 Kubota Model GH7301V

TRANSMISSION

Hydro-Gear Commercial ZT3100
 Integrated Zero-Turn Transaxle
 Internal Parking Brake
 Forward Speeds 0 - 8 mph
 Reverse Speeds 0 - 4 mph

STEERING / MOTION CONTROL

(2) Hand Levers
 Hydraulically Damped

FLUID CAPACITY

Fuel Tank 4.3 gal
 Oil 2 qts
 Transaxle 2.4 qts

TIRES AND WHEELS

Front Casters 11 x 4
 Rear 22 x 10-14 Turf

DIMENSIONS

Height 65"
 Length 77.5"
 Width Overall 52"
 Wheelbase 45.5"

OPERATING FEATURES

Zero Turn Radius
 Full pressure lube system
 Hands-free K-Lift Deck Lift
 2 Cup Holders & 4 Storage Compartments
 LED Headlights
 Full Seat Suspension

SAFETY EQUIPMENT

Seat Safety Switch
 Control Lever Safety Switch
 Parking Brake Safety Switch
 Fixed ROPS

MOWER DECK

48" Cutting Width
 1.5-4.5" Cut Height, Adjustable
 1/4" Increments
 Flexible Discharge Cover
 Fabricated 10 Gauge Steel
 5" Deep Design
 3 Blades
 18,300 fpm Blade Tip Speed
 Maintenance Free Sealed Bearings
 Ogura GT1A Electric Clutch

* Manufacturer's estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

Z121SKH-48	** HOMEOWNER ZERO-TURN W/21HP/48"MWR 48" Mower Deck	K4Z368Z78	915	\$5,601.00
------------	--	-----------	-----	------------

** - LIMITED AVAILABILTIY

Replacement Tires and Wheels (price per piece)

K3011-18020	Front Tire Assembly 11 x 4-5 Pneumatic Smooth		Order from Parts Department	
AZR8630	Rear 22 x 10-14 Turf Ultrascaper Z	K118Z08	33	\$144.00

Kommander Z125E

*** EQUIPMENT IN STANDARD MACHINE ***

GASOLINE ENGINE

Briggs & Stratton
 Cyclonic Commercial Turf 44T9
 Air-cooled, V-Twin Vertical Shaft
 25 Gross HP @ 3600 rpm*
 Displacement 724 cc
 Kubota Model GH733V-1

TRANSMISSION

Hydro-Gear Commercial ZT3100
 Integrated Zero-Turn Transaxle
 Internal Parking Brake
 Forward Speeds 0 - 8 mph
 Reverse Speeds 0 - 4 mph

STEERING / MOTION CONTROL

(2) Hand Levers
 Hydraulically Damped

FLUID CAPACITY

Fuel Tank 4.3 gal
 Oil 2 qts
 Transaxle 2.4 qts

TIRES AND WHEELS

Front Casters 11 x 4
 Rear 22 x 10-14 Turf

DIMENSIONS

Height 65"
 Length 77.5"
 Width Overall 57"
 Wheelbase 45.5"

OPERATING FEATURES

Zero Turn Radius
 Full pressure lube system
 5-step Integrated Cyclonic Air Cleaner
 Hands-free K-Lift Deck Lift
 2 Cup Holders & 4 Storage Compartments
 Deluxe Adjustable Seat

SAFETY EQUIPMENT

Seat Safety Switch
 Control Lever Safety Switch
 Parking Brake Safety Switch
 Fixed ROPS

MOWER DECK

54" Cutting Width
 1.5-4.5" Cut Height, Adjustable
 1/4" Increments
 Flexible Discharge Cover
 Fabricated 10 Gauge Steel
 5" Deep Design
 3 Blades
 18,300 fpm Blade Tip Speed
 Maintenance Free Sealed Bearings
 Ogura GT1A Electric Clutch

* Manufacturer's estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

Z125EBR-54	** HOMEOWNER ZERO-TURN W/25HP/54"MWR 54" Mower Deck	K4Z661Z28	912	\$5,976.00
------------	--	-----------	-----	------------

**** - LIMITED AVAILABILITY**

Replacement Tires and Wheels (price per piece)

K3011-18020	Front Tire Assembly 11 x 4-5 Pneumatic Smooth		Order from Parts Department	
AZR8630	Rear 22 x 10-14 Turf Ultrascaper Z	K118Z08	33	\$144.00

Kommander Z125S

*** EQUIPMENT IN STANDARD MACHINE ***

GASOLINE ENGINE

Kohler Confidant ZT740
 Air-cooled, V-Twin Vertical Shaft
 25 Gross HP @ 3600 rpm*
 Displacement 725 cc
 Kubota Model GH750V

TRANSMISSION

Hydro-Gear Commercial ZT3100
 Integrated Zero-Turn Transaxle
 Internal Parking Brake
 Forward Speeds 0 - 8 mph
 Reverse Speeds 0 - 4 mph

STEERING / MOTION CONTROL

(2) Hand Levers
 Hydraulically Damped

FLUID CAPACITY

Fuel Tank 4.3 gal
 Oil 2 qts
 Transaxle 2.4 qts

TIRES AND WHEELS

Front Casters 11 x 4
 Rear 22 x 10-14 Turf

DIMENSIONS

Height 65"
 Length 77.5"
 Width Overall 57"
 Wheelbase 45.5"

OPERATING FEATURES

Zero Turn Radius
 Full pressure lube system
 Hands-free K-Lift Deck Lift
 2 Cup Holders & 4 Storage Compartments
 LED Headlights
 Full Seat Suspension

SAFETY EQUIPMENT

Seat Safety Switch
 Control Lever Safety Switch
 Parking Brake Safety Switch
 Fixed ROPS

MOWER DECK

54" Cutting Width
 1.5-4.5" Cut Height, Adjustable
 1/4" Increments
 Flexible Discharge Cover
 Fabricated 10 Gauge Steel
 5" Deep Design
 3 Blades
 18,300 fpm Blade Tip Speed
 Maintenance Free Sealed Bearings
 Ogura GT1A Electric Clutch

* Manufacturer's estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

Z125SKH-54	** HOMEOWNER ZERO-TURN W/25HP/54"MWR 54" Mower Deck	K5Z038Z02	952	\$6,459.00
------------	--	-----------	-----	------------

** - LIMITED AVAILABILTIY

Replacement Tires and Wheels (price per piece)

K3011-18020	Front Tire Assembly 11 x 4-5 Pneumatic Smooth		Order from Parts Department	
AZR8630	Rear 22 x 10-14 Turf Ultrascaper Z	K118Z08	33	\$144.00

Z100 & Z200 Series Implements and Attachments

Z100 & Z200 SERIES IMPLEMENTS AND ATTACHMENT MATCHING CHART

Implements Model	Z122RKW-42 / Z231KW-42	Z122EBR-48 / Z231BR-48	Z125EBR-54 / Z251BR-54	Z121SKH-48 / Z231KH-48	Z125SKH-54 / Z251KH-54
Grass Catcher, 2-Bag	GCK42-122Z	GCK54-100Z			
Replacement Deck	RCK42P-122Z	RCK48P-124Z	RCK54P-127ZA	RCK48P-124Z	RCK54P-127ZA
Blade, Replacement (1 blade)*	K5559-34330*	K5575-34330*	K5617-34330*	K5575-34330*	K5617-34330*
Blade, Replacement Mulching (1 blade)*	K5124-71930*	K5579-34350*	K5639-34350*	K5579-34350*	K5639-34350*
Blade, Replacement High-Lift (1 blade)*	K6041-34330*	K5579-92330*	K5639-92330*	K5579-92330*	K5639-92330*
Blade Set, Replacement High-Lift (3 blades)*		K5579-92300*	K5639-92300*	K5579-92300*	K5639-92300*
Attachments					
Hitch Kit	ZG1343	Hitch Kit Standard			
Spark Arrestor Kit*	70000-01602*	70000-01602*	70000-01602*	70000-01602*	70000-01602*
LED Light Kit	ZG1302			LED Lights Standard	
Mower Deck Lift Assist Kit	N/A	ZG1337			
Mulch Kit	ZG1342	ZG1348	ZG1354	ZG1348	ZG1354
Seat Suspension Kit	N/A	ZG1356		Seat Suspension Standard	
Arm Rest Kit	ZG1341	N/A			
Tuff Top Canopy SUNSHADE	N/A	Z3366 (Not approved with grass catcher)			
Replacement ROPS	SFZ-122	SFZG-124			
Tires (Replacement)*					
Front Tire Assy Pneumatic Smooth 11x4.0-5*	K3011-18020*				
Rear Turf Tire Assembly *	K3001-17200*	AZR8630 (22x10 -14)*			

*Order from Parts Department

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
GRASS CATCHER				
GCK54-100Z	GRASS CATCHER/HOMEOWNER ZERO-TURN	K646Z98	270	\$789.00
GCK42-122Z	GRASS CATCHER FOR 42" DECK	K548Z58	258	\$669.00
HITCH KIT				
ZG1343	HITCH KIT FOR THE Z122RKW-42	K23Z78	4	\$29.00
LED LIGHT KIT				
ZG1302	LED LIGHT KIT FOR Z100 SERIES	K163Z18	2	\$199.00
MID MOUNT MOWER DECK (REPLACEMENT)				
RCK42P-122Z	42" REPLACEMENT MOWER	K679Z78	187	\$829.00
RCK48P-124Z	48" MOWER DECK FOR ZG123/ZG124	K802Z78	213	\$979.00
RCK54P-127Z	54" MOWER DECK FOR ZG127	K888Z42	1	\$1,139.00
MOWER DECK LIFT ASSIST KIT				
ZG1337	MOWER LIFT ASSIST KIT/HOMEOWNER ZERO-TRN	K20Z50	5	\$25.00
MULCH KIT				
ZG1342	MULCHING KIT FOR 42" DECK	K122Z18	18	\$149.00
ZG1348	MULCHING KIT /RCK48P-124Z 48" DECK	K171Z38	25	\$209.00
ZG1354	MULCHING KIT / RCK54P-127Z 54" DECK	K171Z38	27	\$209.00
ROPS, FIXED (Replacement)				
SFZG-124	REPL ROPS FOR HOMEOWNER ZERO-TURN	K171Z38	150	\$209.00
SFZ-122	REPLACEMENT ROPS / Z122RKW-42	K171Z38	150	\$209.00
CANOPY				
E1175	QUICK ATTACH CANOPY	K404Z00	90	\$505.00
Z3366	TUFF TOP CANOPY FOR ALL Z100 & Z700	K220Z58	42	\$269.00
SEAT SUSPENSION				
ZG1356	SEAT SUSPN KIT/HOMEOWNER ZERO-TURN	K204Z18	35	\$249.00
ARM REST KIT				
ZG1341	SEAT ARM REST KIT	K46A80	8	\$60.00
SPARK ARRESTOR				
70000-01602	Spark Arrestor for all Z100 models			Order from Parts Department

Z231KW-42

*** EQUIPMENT IN STANDARD MACHINE ***

GASOLINE ENGINE

Kawasaki FR651V Series
 Air-cooled, V-Twin Vertical Shaft
 21.5 Gross HP @ 3600 rpm*
 Displacement 726 cc
 Kubota Model GH7302V

TRANSMISSION

Hydro-Gear Commercial ZT2200
 Integrated Zero-Turn Transaxle
 Internal Parking Brake
 Forward Speeds 0 - 6.5 mph
 Reverse Speeds 0 - 4 mph

STEERING / MOTION CONTROL

(2) Hand Levers
 Hydraulically Damped

FLUID CAPACITY

Fuel Tank 3.22 gal
 Oil 2.3 qts
 Transaxle 1.6 - 1.68 qts

TIRES AND WHEELS

Front Casters 11 x 4-5 Smooth
 Rear 18 x 7.5-10 Turf

DIMENSIONS

Height 65.4"
 Length 74.4"
 Width Overall 42.4" w/o deck
 Wheelbase 48.7"

OPERATING FEATURES

Zero Turn Radius
 Full pressure lube system
 Hands-free K-Lift Deck Lift
 Cup Holder & Storage Compartment
 Deluxe Adjustable Seat

SAFETY EQUIPMENT

Seat Safety Switch
 Control Lever Safety Switch
 Parking Brake Safety Switch
 Fixed ROPS

MOWER DECK

42" Cutting Width
 1.5-4.25" Cut Height, Adjustable
 1/4" Increments
 Flexible Discharge Cover
 Fabricated 10 Gauge Steel
 4.5" Deep Design
 2 Blades
 17,700 fpm Blade Tip Speed
 Maintenance-Free, Sealed Bearings
 Ogura GT1A Electric Clutch

* Manufacturer's estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

Z231KW-42	RESIDENTIAL ZERO-TURN W/21.5HP/42" DECK 42" Mower Deck	K3Z464Z76	801	\$4,442.00
-----------	---	-----------	-----	------------

Replacement Tires and Wheels (price per piece)

K3011-18020	Front Tire Assembly 11 x 4-5 Pneumatic Smooth	Order from Parts Department
K3001-17200	Rear 18 x 7.5-10 Turf	Order from Parts Department

Z231BR-48

*** EQUIPMENT IN STANDARD MACHINE ***

GASOLINE ENGINE

Briggs & Stratton Professional Series 44S6
 Air-cooled, V-Twin Vertical Shaft
 22 Gross HP @ 3600 rpm*
 Displacement 724 cc
 Kubota Model GH7301V

TRANSMISSION

Hydro-Gear Commercial ZT3100
 Integrated Zero-Turn Transaxle
 Internal Parking Brake
 Forward Speeds 0 - 8 mph
 Reverse Speeds 0 - 4 mph

STEERING / MOTION CONTROL

(2) Hand Levers
 Hydraulically Damped

FLUID CAPACITY

Fuel Tank 4.3 gal
 Oil 2 qts
 Transaxle 2.4 qts

TIRES AND WHEELS

Front Casters 11 x 4
 Rear 22 x 10-14 Turf

DIMENSIONS

Height 65"
 Length 77.5"
 Width Overall 52"
 Wheelbase 45.5"

OPERATING FEATURES

Zero Turn Radius
 Full pressure lube system
 Hands-free K-Lift Deck Lift
 2 Cup Holders & 4 Storage Compartments
 Deluxe Adjustable Seat
 w/ Kubota Exclusive Seat Design

SAFETY EQUIPMENT

Seat Safety Switch
 Control Lever Safety Switch
 Parking Brake Safety Switch
 Fixed ROPS

MOWER DECK

48" Cutting Width
 1.5-4.5" Cut Height, Adjustable
 1/4" Increments
 Flexible Discharge Cover
 Fabricated 10 Gauge Steel
 5" Deep Design
 3 Blades
 18,300 fpm Blade Tip Speed
 Maintenance Free Sealed Bearings
 Ogura GT1A Electric Clutch

* Manufacturer's estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

Z231BR-48	HOMEOWNER ZERO-TURN W/22HP/48" DECK 48" Mower Deck	K4Z070Z04	892	\$5,218.00
-----------	---	-----------	-----	------------

Replacement Tires and Wheels (price per piece)

K3011-18020	Front Tire Assembly 11 x 4-5 Pneumatic Smooth		Order from Parts Department	
AZR8630	Rear 22 x 10-14 Turf Ultrascaper Z	K118Z08	33	\$144.00

Z231KH-48

*** EQUIPMENT IN STANDARD MACHINE ***

GASOLINE ENGINE

Kohler Confidant ZT720
 Air-cooled, V-Twin Vertical Shaft
 21 Gross HP @ 3600 rpm*
 Displacement 725 cc
 Kubota Model GH7301V

TRANSMISSION

Hydro-Gear Commercial ZT3100
 Integrated Zero-Turn Transaxle
 Internal Parking Brake
 Forward Speeds 0 - 8 mph
 Reverse Speeds 0 - 4 mph

STEERING / MOTION CONTROL

(2) Hand Levers
 Hydraulically Damped

FLUID CAPACITY

Fuel Tank 4.3 gal
 Oil 2 qts
 Transaxle 2.4 qts

TIRES AND WHEELS

Front Casters 11 x 4
 Rear 22 x 10-14 Turf

DIMENSIONS

Height 65"
 Length 77.5"
 Width Overall 52"
 Wheelbase 45.5"

OPERATING FEATURES

Zero Turn Radius
 Full pressure lube system
 Hands-free K-Lift Deck Lift
 2 Cup Holders & 4 Storage Compartments
 LED Headlights
 Full Seat Suspension
 w/ Kubota Exclusive Seat Design

SAFETY EQUIPMENT

Seat Safety Switch
 Control Lever Safety Switch
 Parking Brake Safety Switch
 Fixed ROPS

MOWER DECK

48" Cutting Width
 1.5-4.5" Cut Height, Adjustable
 1/4" Increments
 Flexible Discharge Cover
 Fabricated 10 Gauge Steel
 5" Deep Design
 3 Blades
 18,300 fpm Blade Tip Speed
 Maintenance Free Sealed Bearings
 Ogura GT1A Electric Clutch

* Manufacturer's estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

Z231KH-48	HOMEOWNER ZERO-TURN W/21HP/48" DECK 48" Mower Deck	K4Z446Z78	915	\$5,701.00
-----------	---	-----------	-----	------------

Replacement Tires and Wheels (price per piece)

K3011-18020	Front Tire Assembly 11 x 4-5 Pneumatic Smooth		Order from Parts Department	
AZR8630	Rear 22 x 10-14 Turf Ultrascaper Z	K118Z08	33	\$144.00

Z251BR-54

*** EQUIPMENT IN STANDARD MACHINE ***

GASOLINE ENGINE

Briggs & Stratton
 Cyclonic Commercial Turf 44T9
 Air-cooled, V-Twin Vertical Shaft
 25 Gross HP @ 3600 rpm*
 Displacement 724 cc
 Kubota Model GH733V-1

TRANSMISSION

Hydro-Gear Commercial ZT3100
 Integrated Zero-Turn Transaxle
 Internal Parking Brake
 Forward Speeds 0 - 8 mph
 Reverse Speeds 0 - 4 mph

STEERING / MOTION CONTROL

(2) Hand Levers
 Hydraulically Damped

FLUID CAPACITY

Fuel Tank 4.3 gal
 Oil 2 qts
 Transaxle 2.4 qts

TIRES AND WHEELS

Front Casters 11 x 4
 Rear 22 x 10-14 Turf

DIMENSIONS

Height 65"
 Length 77.5"
 Width Overall 57"
 Wheelbase 45.5"

OPERATING FEATURES

Zero Turn Radius
 Full pressure lube system
 5-step Integrated Cyclonic Air Cleaner
 Hands-free K-Lift Deck Lift
 2 Cup Holders & 4 Storage Compartments
 Deluxe Adjustable Seat
 w/ Kubota Exclusive Seat Design

SAFETY EQUIPMENT

Seat Safety Switch
 Control Lever Safety Switch
 Parking Brake Safety Switch
 Fixed ROPS

MOWER DECK

54" Cutting Width
 1.5-4.5" Cut Height, Adjustable
 1/4" Increments
 Flexible Discharge Cover
 Fabricated 10 Gauge Steel
 5" Deep Design
 3 Blades
 18,300 fpm Blade Tip Speed
 Maintenance Free Sealed Bearings
 Ogura GT1A Electric Clutch

* Manufacturer's estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

Z251BR-54	HOMEOWNER ZTR W/25HP/54" DECK/BRIGGS 54" Mower Deck	K4Z739Z28	912	\$6,076.00
-----------	--	-----------	-----	------------

Replacement Tires and Wheels (price per piece)

K3011-18020	Front Tire Assembly 11 x 4-5 Pneumatic Smooth		Order from Parts Department	
AZR8630	Rear 22 x 10-14 Turf Ultrascaper Z	K118Z08	33	\$144.00

Z251KH-54

*** EQUIPMENT IN STANDARD MACHINE ***

GASOLINE ENGINE

Kohler Confidant ZT740
 Air-cooled, V-Twin Vertical Shaft
 25 Gross HP @ 3600 rpm*
 Displacement 725 cc
 Kubota Model GH750V

TRANSMISSION

Hydro-Gear Commercial ZT3100
 Integrated Zero-Turn Transaxle
 Internal Parking Brake
 Forward Speeds 0 - 8 mph
 Reverse Speeds 0 - 4 mph

STEERING / MOTION CONTROL

(2) Hand Levers
 Hydraulically Damped

FLUID CAPACITY

Fuel Tank 4.3 gal
 Oil 2 qts
 Transaxle 2.4 qts

TIRES AND WHEELS

Front Casters 11 x 4
 Rear 22 x 10-14 Turf

DIMENSIONS

Height 65"
 Length 77.5"
 Width Overall 57"
 Wheelbase 45.5"

OPERATING FEATURES

Zero Turn Radius
 Full pressure lube system
 Hands-free K-Lift Deck Lift
 2 Cup Holders & 4 Storage Compartments
 LED Headlights
 Full Seat Suspension
 w/ Kubota Exclusive Seat Design

SAFETY EQUIPMENT

Seat Safety Switch
 Control Lever Safety Switch
 Parking Brake Safety Switch
 Fixed ROPS

MOWER DECK

54" Cutting Width
 1.5-4.5" Cut Height, Adjustable
 1/4" Increments
 Flexible Discharge Cover
 Fabricated 10 Gauge Steel
 5" Deep Design
 3 Blades
 18,300 fpm Blade Tip Speed
 Maintenance Free Sealed Bearings
 Ogura GT1A Electric Clutch

* Manufacturer's estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

Z251KH-54	HOMEOWNER ZTR W/25HP/54" DECK/KOHLER 54" Mower Deck	K5Z116Z02	952	\$6,559.00
-----------	--	-----------	-----	------------

Replacement Tires and Wheels (price per piece)

K3011-18020	Front Tire Assembly 11 x 4-5 Pneumatic Smooth		Order from Parts Department	
AZR8630	Rear 22 x 10-14 Turf Ultrascaper Z	K118Z08	33	\$144.00

Z412KW-48

*** EQUIPMENT IN STANDARD MACHINE ***

GASOLINE ENGINE

KAWASAKI, Model FS651V
 Air-cooled, V-Twin Vertical Shaft
 22hp @ 3,600 RPM
 Displacement 726 cc
 Kubota Model GH7302V

TRANSMISSION

Hydro-Gear ZT-3600
 Integrated 12cc pump and 16cc motor
 Internal Parking Brake
 Forward Speeds 0 - 10 mph
 Reverse Speeds 0 - 5 mph

STEERING / MOTION CONTROL

(2) Hand Levers
 Hydraulically Damped
 (3) Position Damper Adjustment

FLUID CAPACITY

Fuel Tank 6.8 gal
 Oil w/filter 2.1 qts
 Transaxle 2.4 qts

TIRES AND WHEELS

Front Casters 13 x 6.5 - 6 Pneumatic
 Rear 24 x 9.5 -14 Turf - Low profile

DIMENSIONS

Height 69.8"
 Length 80.9"
 Width w/o deck 48.1"
 Wheelbase 49.4"
 Weight 856 lbs.

OPERATING FEATURES

Zero Turn Radius
 Foot Controlled Brake
 Adjustable Steering Levers
 Adjustable Mower Deck Lift Pedal
 Cup Holder & Storage Compartments
 Pneumatic, Smooth, Front Tires
 Deluxe Adjustable Suspension Seat
 w/ Kubota Exclusive Seat Design

SAFETY EQUIPMENT

Seat Safety Switch
 Control Lever Safety Switch
 Parking Brake Safety Switch
 Foldable ROPS

PTO SYSTEM

Belt Driven
 Dynamo-Electric clutch

MOWER DECK

48" Cutting Width
 1.5-5" Cut Height, Adjustable
 1/4" Increments
 Flexible Discharge Cover
 Fabricated 10 Gauge Steel
 Debris Guard on Deck
 Spindle Bearing Cups
 5" Deep Design
 3 Blades
 18,800 fpm Blade Tip Speed
 Maintenance-Free Sealed Spindles

* Manufacturer's estimate.

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

Z412KW-48	PROSUMER ZERO-TURN/22 HP/48" DECK 48" Mower Deck, KAWASAKI FS651V Engine	K5Z653Z44	1192	\$7,248.00
-----------	---	-----------	------	------------

Replacement Tires and Wheels (price per piece)

K3091-18020	Front Tire Assembly Pneumatic 13 x 5 - 6 Smooth	Order from Parts Department
K3091-17200	Rear 24 x 9.5 -14 Turf Tire Assembly - Low Profile	Order from Parts Department

Z422KW-54

*** EQUIPMENT IN STANDARD MACHINE ***

GASOLINE ENGINE

KAWASAKI, Model FS730V
 Air-cooled, V-Twin Vertical Shaft
 24hp @ 3,600 RPM
 Displacement 726 cc
 Kubota Model GH7301V

TRANSMISSION

Hydro-Gear ZT-3600
 Integrated 12cc pump and 16cc motor
 Internal Parking Brake
 Forward Speeds 0 - 10 mph
 Reverse Speeds 0 - 5 mph

STEERING / MOTION CONTROL

(2) Hand Levers
 Hydraulically Damped
 (3) Position Damper Adjustment

FLUID CAPACITY

Fuel Tank 6.8 gal
 Oil w/filter 2.1 qts
 Transaxle 2.4 qts

TIRES AND WHEELS

Front Casters 13 x 6.5 - 6 Pneumatic
 Rear 24 x 9.5 -14 Turf - Low profile

DIMENSIONS

Height 69.8"
 Length 80.9"
 Width w/o deck 48.1"
 Wheelbase 49.4"
 Weight 870 lbs.

OPERATING FEATURES

Zero Turn Radius
 Foot Controlled Brake
 Adjustable Steering Levers
 Adjustable Mower Deck Lift Pedal
 Cup Holder & Storage Compartments
 Pneumatic, Smooth, Front Tires
 Deluxe Adjustable Suspension Seat
 w/ Kubota Exclusive Seat Design

SAFETY EQUIPMENT

Seat Safety Switch
 Control Lever Safety Switch
 Parking Brake Safety Switch
 Foldable ROPS

PTO SYSTEM

Belt Driven
 Dynamo-Electric clutch

MOWER DECK

54" Cutting Width
 1.5-5" Cut Height, Adjustable
 1/4" Increments
 Flexible Discharge Cover
 Fabricated 10 Gauge Steel
 Debris Guard on Deck
 Spindle Bearing Cups
 5" Deep Design
 3 Blades
 18,800 fpm Blade Tip Speed
 Maintenance-Free Sealed Spindles

* Manufacturer's estimate.

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

Z422KW-54	PROSUMER ZERO-TURN/24HP/54" DECK 54" Mower Deck, KAWASAKI FS730V Engine	K6Z077Z76	1206	\$7,792.00
-----------	--	-----------	------	------------

Replacement Tires and Wheels (price per piece)

K3091-18020	Front Tire Assembly Pneumatic 13 x 5 - 6 Smooth	Order from Parts Department
K3091-17200	Rear 24 x 9.5 -14 Turf Tire Assembly - Low Profile	Order from Parts Department

Z422KWT-60

*** EQUIPMENT IN STANDARD MACHINE ***

GASOLINE ENGINE

KAWASAKI, Model FS730V
 Air-cooled, V-Twin Vertical Shaft
 24hp @ 3,600 RPM
 Displacement 726 cc
 Kubota Model GH7301V

TRANSMISSION

Hydro-Gear ZT-3600
 Integrated 12cc pump and 16cc motor
 Internal Parking Brake
 Forward Speeds 0 - 10 mph
 Reverse Speeds 0 - 5 mph

STEERING / MOTION CONTROL

(2) Hand Levers
 Hydraulically Damped
 (3) Position Damper Adjustment

FLUID CAPACITY

Fuel Tank 6.8 gal
 Oil w/filter 2.1 qts
 Transaxle 2.4 qts

TIRES AND WHEELS

Front Casters 13 x 6.5 - 6 Pneumatic
 Rear 24 x 12 -14 Turf - Low profile

DIMENSIONS

Height 69.8"
 Length 80.9"
 Width w/o deck 48.1"
 Wheelbase 49.4"
 Weight 904 lbs.

OPERATING FEATURES

Zero Turn Radius
 Foot Controlled Brake
 Adjustable Steering Levers
 Adjustable Mower Deck Lift Pedal
 Cup Holder & Storage Compartments
 Pneumatic, Smooth, Front Tires
 Deluxe Adjustable Suspension Seat
 w/ Kubota Exclusive Seat Design

SAFETY EQUIPMENT

Seat Safety Switch
 Control Lever Safety Switch
 Parking Brake Safety Switch
 Foldable ROPS

PTO SYSTEM

Belt Driven
 Dynamo-Electric clutch

MOWER DECK

60" Cutting Width
 1.5-5" Cut Height, Adjustable
 1/4" Increments
 Flexible Discharge Cover
 Fabricated 10 Gauge Steel
 Debris Guard on Deck
 Spindle Bearing Cups
 5" Deep Design
 3 Blades
 18,800 fpm Blade Tip Speed
 Maintenance-Free Sealed Spindles

* Manufacturer's estimate.

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

Z422KWT-60	PROSUMER ZERO-TURN/24 HP/60" DECK 60" Mower Deck, KAWASAKI FS730V Engine	K6Z507Z54	1240	\$8,343.00
------------	---	-----------	------	------------

Replacement Tires and Wheels (price per piece)

K3071-18020	Front Tire Assembly Pneumatic 13 x 6.5 - 6 Smooth	Order from Parts Department
K3071-17200	Rear 24 x 12 -14 Turf Tire Assembly - Low Profile	Order from Parts Department

Z411KW-3-48

*** EQUIPMENT IN STANDARD MACHINE ***

GASOLINE ENGINE

KAWASAKI, Model FS651V
 Air-cooled, V-Twin Vertical Shaft
 22hp @ 3,600 RPM
 Displacement 726 cc
 Kubota Model GH7302V

TRANSMISSION

Hydro-Gear ZT-3600
 Integrated 12cc pump and 16cc motor
 Internal Parking Brake
 Forward Speeds 0 - 10 mph
 Reverse Speeds 0 - 5 mph

STEERING / MOTION CONTROL

(2) Hand Levers
 Hydraulically Damped
 (3) Position Damper Adjustment

FLUID CAPACITY

Fuel Tank 6.8 gal
 Oil w/filter 2.1 qts
 Transaxle 2.4 qts

TIRES AND WHEELS

Front Casters 13 x 5.0 - 6 Pneumatic
 Rear 24 x 9.5 -14 Turf - Low profile

DIMENSIONS

Height 69.8"
 Length 80.9"
 Width w/o deck 48.1"
 Wheelbase 49.4"
 Weight 856 lbs.

OPERATING FEATURES

Zero Turn Radius
 Foot Controlled Brake
 Adjustable Steering Levers
 Adjustable Mower Deck Lift Pedal
 Cup Holder & Storage Compartments
 Pneumatic, Smooth, Front Tires
 Deluxe Adjustable Seat
 w/ Kubota Exclusive Seat Design

SAFETY EQUIPMENT

Seat Safety Switch
 Control Lever Safety Switch
 Parking Brake Safety Switch
 Foldable ROPS

PTO SYSTEM

Belt Driven
 Dynamo-Electric clutch

MOWER DECK

48" Cutting Width
 1.5-5" Cut Height, Adjustable
 1/4" Increments
 Flexible Discharge Cover
 Fabricated 10 Gauge Steel
 5" Deep Design
 3 Blades
 18,800 fpm Blade Tip Speed
 Maintenance-Free Sealed Spindles

* Manufacturer's estimate.

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

Z411KW-3-48	PROSUMER ZERO-TURN/22 HP/48" DECK 48" Mower Deck, KAWASAKI FS651V Engine	K5Z376Z54	1192	\$6,893.00
-------------	---	-----------	------	------------

Replacement Tires and Wheels (price per piece)

K3091-18020	Front Tire Assembly Pneumatic 13 x 5 - 6 Smooth	Order from Parts Department
K3091-17200	Rear 24 x 9.5 -14 Turf Tire Assembly - Low Profile	Order from Parts Department

Z421KW-3-54

*** EQUIPMENT IN STANDARD MACHINE ***

GASOLINE ENGINE

KAWASAKI, Model FS730V
 Air-cooled, V-Twin Vertical Shaft
 24hp @ 3,600 RPM
 Displacement 726 cc
 Kubota Model GH7301V

TRANSMISSION

Hydro-Gear ZT-3600
 Integrated 12cc pump and 16cc motor
 Internal Parking Brake
 Forward Speeds 0 - 10 mph
 Reverse Speeds 0 - 5 mph

STEERING / MOTION CONTROL

(2) Hand Levers
 Hydraulically Damped
 (3) Position Damper Adjustment

FLUID CAPACITY

Fuel Tank 6.8 gal
 Oil w/filter 2.1 qts
 Transaxle 2.4 qts

TIRES AND WHEELS

Front Casters 13 x 5.0 - 6 Pneumatic
 Rear 24 x 9.5 -14 Turf - Low profile

DIMENSIONS

Height 69.8"
 Length 80.9"
 Width w/o deck 48.1"
 Wheelbase 49.4"
 Weight 870 lbs.

OPERATING FEATURES

Zero Turn Radius
 Foot Controlled Brake
 Adjustable Steering Levers
 Adjustable Mower Deck Lift Pedal
 Cup Holder & Storage Compartments
 Pneumatic, Smooth, Front Tires
 Deluxe Adjustable Seat
 w/ Kubota Exclusive Seat Design

SAFETY EQUIPMENT

Seat Safety Switch
 Control Lever Safety Switch
 Parking Brake Safety Switch
 Foldable ROPS

PTO SYSTEM

Belt Driven
 Dynamo-Electric clutch

MOWER DECK

54" Cutting Width
 1.5-5" Cut Height, Adjustable
 1/4" Increments
 Flexible Discharge Cover
 Fabricated 10 Gauge Steel
 5" Deep Design
 3 Blades
 18,700 fpm Blade Tip Speed
 Maintenance-Free Sealed Spindles

* Manufacturer's estimate.

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

Z421KW-3-54	PROSUMER ZERO-TURN/24HP/54" DECK 54" Mower Deck, KAWASAKI FS730V Engine	K5Z800Z86	1206	\$7,437.00
-------------	--	-----------	------	------------

Replacement Tires and Wheels (price per piece)

K3091-18020	Front Tire Assembly Pneumatic 13 x 5 - 6 Smooth	Order from Parts Department
K3091-17200	Rear 24 x 9.5 -14 Turf Tire Assembly - Low Profile	Order from Parts Department

Z421KWT-3-60

*** EQUIPMENT IN STANDARD MACHINE ***

GASOLINE ENGINE

KAWASAKI, Model FS730V
 Air-cooled, V-Twin Vertical Shaft
 24hp @ 3,600 RPM
 Displacement 726 cc
 Kubota Model GH7301V

TRANSMISSION

Hydro-Gear ZT-3600
 Integrated 12cc pump and 16cc motor
 Internal Parking Brake
 Forward Speeds 0 - 10 mph
 Reverse Speeds 0 - 5 mph

STEERING / MOTION CONTROL

(2) Hand Levers
 Hydraulically Damped
 (3) Position Damper Adjustment

FLUID CAPACITY

Fuel Tank 6.8 gal
 Oil w/filter 2.1 qts
 Transaxle 2.4 qts

TIRES AND WHEELS

Front Casters 13 x 6.5 - 6 Pneumatic
 Rear 24 x 12 -14 Turf - Low profile

DIMENSIONS

Height 69.8"
 Length 80.9"
 Width w/o deck 48.1"
 Wheelbase 49.4"
 Weight 904 lbs.

OPERATING FEATURES

Zero Turn Radius
 Foot Controlled Brake
 Adjustable Steering Levers
 Adjustable Mower Deck Lift Pedal
 Cup Holder & Storage Compartments
 Pneumatic, Smooth, Front Tires
 Deluxe Adjustable Seat
 w/ Kubota Exclusive Seat Design

SAFETY EQUIPMENT

Seat Safety Switch
 Control Lever Safety Switch
 Parking Brake Safety Switch
 Foldable ROPS

PTO SYSTEM

Belt Driven
 Dynamo-Electric clutch

MOWER DECK

60" Cutting Width
 1.5-5" Cut Height, Adjustable
 1/4" Increments
 Flexible Discharge Cover
 Fabricated 10 Gauge Steel
 5" Deep Design
 3 Blades
 18,300 fpm Blade Tip Speed
 Maintenance-Free Sealed Spindles

* Manufacturer's estimate.

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

Z421KWT-3-60	PROSUMER ZERO-TURN/24 HP/60" DECK 60" Mower Deck, KAWASAKI FS730V Engine	K6Z230Z64	1240	\$7,988.00
--------------	---	-----------	------	------------

Replacement Tires and Wheels (price per piece)

K3071-18020	Front Tire Assembly Pneumatic 13 x 6.5 - 6 Smooth	Order from Parts Department
K3071-17200	Rear 24 x 12 -14 Turf Tire Assembly - Low Profile	Order from Parts Department

Z411KW-48

*** EQUIPMENT IN STANDARD MACHINE ***

GASOLINE ENGINE

KAWASAKI, Model FS651V
 Air-cooled, V-Twin Vertical Shaft
 22hp @ 3,600 RPM
 Displacement 726 cc
 Kubota Model GH7302V

TRANSMISSION

Hydro-Gear ZT-3600
 Integrated 12cc pump and 16cc motor
 Internal Parking Brake
 Forward Speeds 0 - 10 mph
 Reverse Speeds 0 - 5 mph

STEERING / MOTION CONTROL

(2) Hand Levers
 Hydraulically Damped
 (3) Position Damper Adjustment

FLUID CAPACITY

Fuel Tank 6.8 gal
 Oil w/filter 2.1 qts
 Transaxle 2.4 qts

TIRES AND WHEELS

Front Casters 13 x 5.0 - 6 Pneumatic
 Rear 24 x 9.5 -14 Turf - Low profile

DIMENSIONS

Height 69.8"
 Length 80.9"
 Width w/o deck 48.1"
 Wheelbase 49.4"
 Weight 856 lbs.

OPERATING FEATURES

Zero Turn Radius
 Foot Controlled Brake
 Adjustable Steering Levers
 Adjustable Mower Deck Lift Pedal
 Cup Holder & Storage Compartments
 Pneumatic, Smooth, Front Tires
 Deluxe Adjustable Seat

SAFETY EQUIPMENT

Seat Safety Switch
 Control Lever Safety Switch
 Parking Brake Safety Switch
 Foldable ROPS

PTO SYSTEM

Belt Driven
 Dynamo-Electric clutch

MOWER DECK

48" Cutting Width
 1.5-5" Cut Height, Adjustable
 1/4" Increments
 Flexible Discharge Cover
 Fabricated 10 Gauge Steel
 5" Deep Design
 3 Blades
 18,800 fpm Blade Tip Speed
 Maintenance-Free Sealed Spindles

* Manufacturer's estimate.

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

Z411KW-48	** PROSUMER ZERO-TURN/22 HP/48" DECK 48" Mower Deck, KAWASAKI FS651V Engine	K5Z218Z98	1192	\$6,691.00
-----------	--	-----------	------	------------

**** - LIMITED AVAILABILITY**

Replacement Tires and Wheels (price per piece)

K3091-18020	Front Tire Assembly Pneumatic 13 x 5 - 6 Smooth	Order from Parts Department
K3091-17200	Rear 24 x 9.5 -14 Turf Tire Assembly - Low Profile	Order from Parts Department

Z421KW-54

*** EQUIPMENT IN STANDARD MACHINE ***

GASOLINE ENGINE

KAWASAKI, Model FS730V
 Air-cooled, V-Twin Vertical Shaft
 24hp @ 3,600 RPM
 Displacement 726 cc
 Kubota Model GH7301V

TRANSMISSION

Hydro-Gear ZT-3600
 Integrated 12cc pump and 16cc motor
 Internal Parking Brake
 Forward Speeds 0 - 10 mph
 Reverse Speeds 0 - 5 mph

STEERING / MOTION CONTROL

(2) Hand Levers
 Hydraulically Damped
 (3) Position Damper Adjustment

FLUID CAPACITY

Fuel Tank 6.8 gal
 Oil w/filter 2.1 qts
 Transaxle 2.4 qts

TIRES AND WHEELS

Front Casters 13 x 5.0 - 6 Pneumatic
 Rear 24 x 9.5 -14 Turf - Low profile

DIMENSIONS

Height 69.8"
 Length 80.9"
 Width w/o deck 48.1"
 Wheelbase 49.4"
 Weight 870 lbs.

OPERATING FEATURES

Zero Turn Radius
 Foot Controlled Brake
 Adjustable Steering Levers
 Adjustable Mower Deck Lift Pedal
 Cup Holder & Storage Compartments
 Pneumatic, Smooth, Front Tires
 Deluxe Adjustable Seat

SAFETY EQUIPMENT

Seat Safety Switch
 Control Lever Safety Switch
 Parking Brake Safety Switch
 Foldable ROPS

PTO SYSTEM

Belt Driven
 Dynamo-Electric clutch

MOWER DECK

54" Cutting Width
 1.5-5" Cut Height, Adjustable
 1/4" Increments
 Flexible Discharge Cover
 Fabricated 10 Gauge Steel
 5" Deep Design
 3 Blades
 18,700 fpm Blade Tip Speed
 Maintenance-Free Sealed Spindles

* Manufacturer's estimate.

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

Z421KW-54	** PROSUMER ZERO-TURN/24 HP/54" DECK 54" Mower Deck, KAWASAKI FS730V Engine	K5Z637Z06	1206	\$7,227.00
-----------	--	-----------	------	------------

**** - LIMITED AVAILABILITY**

Replacement Tires and Wheels (price per piece)

K3091-18020	Front Tire Assembly Pneumatic 13 x 5 - 6 Smooth	Order from Parts Department
K3091-17200	Rear 24 x 9.5 -14 Turf Tire Assembly - Low Profile	Order from Parts Department

Z421KWT-60

*** EQUIPMENT IN STANDARD MACHINE ***

GASOLINE ENGINE

KAWASAKI, Model FS730V
 Air-cooled, V-Twin Vertical Shaft
 24hp @ 3,600 RPM
 Displacement 726 cc
 Kubota Model GH7301V

TRANSMISSION

Hydro-Gear ZT-3600
 Integrated 12cc pump and 16cc motor
 Internal Parking Brake
 Forward Speeds 0 - 10 mph
 Reverse Speeds 0 - 5 mph

STEERING / MOTION CONTROL

(2) Hand Levers
 Hydraulically Damped
 (3) Position Damper Adjustment

FLUID CAPACITY

Fuel Tank 6.8 gal
 Oil w/filter 2.1 qts
 Transaxle 2.4 qts

TIRES AND WHEELS

Front Casters 13 x 6.5 - 6 Pneumatic
 Rear 24 x 12 -14 Turf - Low profile

DIMENSIONS

Height 69.8"
 Length 80.9"
 Width w/o deck 48.1"
 Wheelbase 49.4"
 Weight 904 lbs.

OPERATING FEATURES

Zero Turn Radius
 Foot Controlled Brake
 Adjustable Steering Levers
 Adjustable Mower Deck Lift Pedal
 Cup Holder & Storage Compartments
 Pneumatic, Smooth, Front Tires
 Deluxe Adjustable Seat

SAFETY EQUIPMENT

Seat Safety Switch
 Control Lever Safety Switch
 Parking Brake Safety Switch
 Foldable ROPS

PTO SYSTEM

Belt Driven
 Dynamo-Electric clutch

MOWER DECK

60" Cutting Width
 1.5-5" Cut Height, Adjustable
 1/4" Increments
 Flexible Discharge Cover
 Fabricated 10 Gauge Steel
 5" Deep Design
 3 Blades
 18,300 fpm Blade Tip Speed
 Maintenance-Free Sealed Spindles

* Manufacturer's estimate.

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

Z421KWT-60	** PROSUMER ZERO-TURN/24 HP/60" DECK 60" Mower Deck, KAWASAKI FS730V Engine	K6Z060Z60	1240	\$7,770.00
------------	--	-----------	------	------------

**** - LIMITED AVAILABILITY**

Replacement Tires and Wheels (price per piece)

K3071-18020	Front Tire Assembly Pneumatic 13 x 6.5 - 6 Smooth	Order from Parts Department
K3071-17200	Rear 24 x 12 -14 Turf Tire Assembly - Low Profile	Order from Parts Department

Z400 Series Implements and Attachments

Z400 SERIES IMPLEMENTS AND ATTACHMENT MATCHING CHART

Implements Model	Z411KW-3-48 / Z411KW-48	Z421KW-3-54 / Z421KW-54	Z421KWT-3-60 / Z421KWT-60
3 Bag Grass Catcher	GCK48-400Z	GCK54-400Z	GCK60-400Z
Front Suitcase Weight (Requires 4)	G8103 or G8103A (Requires 4)		
Replacement Deck	RCK48P-400Z	RCK54P-400Z	RCK60P-400Z
Blades*			
Replacement blade (1 blade)	K5583-34340	K5613-34340	K5647-34340
Mulching blade (1 blade)	K5583-34350	K5613-34350	K5645-34340
Attachments			
LED Work Lights	Z3318A		
Operator Controlled Discharge Chute (OCDC)	Z4023	Z4024	Z4025
Mulch Kit	Z4048	Z4054	Z4060
Chute Block Kit	Z4026	Z4027	Z4028
Tuff Top Canopy SUNSHADE	Z3366		
Replacement ROPS	SFZ-F421		
Maintenance Lift Kit	Z4030		
ROPS Organizer	E1184		
Spart Arrester Kit*	77700-06366		
Seat Suspension Kit **	Z4031		
Seat Suspension Kit must buy Z4052	Z4051		
Seat Suspension Kit must buy Z4052 (New Cover)	Z4051A		
Mount Kit for Z400 Suspension Seat	Z4052		
Seat Suspension Kit COMPLETE	Z4053		
Tires*			
Front Semi-Pneumatic Caster Tire/Wheel Assembly	K3091-18020		K3071-18020
Rear Turf Tire/Wheel Assembly	K3091-17200		K3071-17200

*Order through Parts Department

** Limited Availability

Z400 Series Implements and Attachments

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
GRASS CATCHER				
GCK48-400Z	GRASS CATCHER/BAGGER STYLE /48" DECK	K1Z036Z62	258	\$1,329.00
GCK54-400Z	GRASS CATCHER/BAGGER STYLE/54" DECK	K1Z036Z62	91	\$1,329.00
GCK60-400Z	GRASS CATCHER/BAGGER STYLE/60" DECK	K1Z036Z62	270	\$1,329.00
G8103A	FRONT SUITCASE WEIGHT (25LBS)	K31G20	25	\$40.00
G8103	* FRONT SUITCASE WEIGHT (25LBS)	K31G20	25	\$40.00
MID-MOUNT MOWER DECK (REPLACEMENT)				
RCK48P-400Z	REPL MOWER DECK 48" / Z411KW-48	K974Z22	208	\$1,249.00
RCK54P-400Z	REPL MOWER DECK 54" / Z421KW-54 PNF	K1Z130Z22	190	\$1,449.00
RCK60P-400Z	REPL MOWER DECK 60" / Z421KWT-60 PNF	K1Z379Z82	190	\$1,769.00
Work Lights				
Z3318A	LED LIGHT KIT FOR Z700 & Z400 SERIES	K155Z22	4	\$199.00
Maintenance Lift Kit				
Z4030	MAINTENANCE LIFT KIT	K131Z82	16	\$169.00
Operator Controlled Discharge Chute				
Z4023	OPR CONTROLLED DISCHG CHUTE/48" DECK	K194Z22	11	\$249.00
Z4024	OPR CONTROLLED DISCHG CHUTE/54" DECK	K194Z22	12	\$249.00
Z4025	OPR CONTROLLED DISCHG CHUTE/60" DECK	K194Z22	12	\$249.00
Mulch Kits				
Z4048	MULCHING KIT FOR 48" DECK	K194Z22	24	\$249.00
Z4054	MULCHING KIT FOR 54" DECK	K194Z22	26	\$249.00
Z4060	MULCHING KIT FOR 60" DECK	K202Z02	32	\$259.00
Chute Block Kits				
Z4026	CHUTE BLOCK KIT Z400 48"	K31Z20	4	\$40.00
Z4027	CHUTE BLOCK KIT Z400 54"	K31Z20	4	\$40.00
Z4028	CHUTE BLOCK KIT Z400 60"	K31Z20	4	\$40.00
Foldable ROPS				
SFZ-F421	REPLACEMENT ROPS	K225Z42	141	\$289.00
E1184	ROPS ORGANIZER	K45B60	2	\$57.00
CANOPY				
E1175	QUICK ATTACH CANOPY	K404Z00	90	\$505.00
Z3366	TUFF TOP CANOPY FOR ALL Z100 & Z700	K220Z58	42	\$269.00
Seat Suspension Kit				
Z4031	SEAT SUSPENSION KIT	K241Z02	37	\$309.00
Z4051	* 3" SUSPENSION SEAT FOR Z400	K208Z02	56	\$359.00
Z4051A	* 3" SUSPENSION SEAT FOR Z400 New Seat Cover	K319Z02	56	\$409.00
Z4052	* MOUNT KIT FOR Z400 SUSPENSION SEAT Needed for Z4051 and Z4051A	K81Z90	68	\$105.00
Z4053	SUSPENSION SEAT KIT FOR Z400 New Seat Cover with Seat Plate (all included)	K389Z22	83	\$499.00
SPARK ARRESTOR				
77700-06366	Spark Arrestor for Z400 models only.			Order from Parts Department

* Subject to availability.

Z723KH-3-48 / Z724XKW-3-48

*** EQUIPMENT IN STANDARD MACHINE ***

GASOLINE ENGINE

Z723KH-3-48
 Kohler Command Pro CV682
 Air-cooled V-Twin Vertical Shaft
 22.5 Gross HP @ 3600 rpm*
 Displacement 694 cc
 Kubota Model GH680V

FLUID CAPACITY

Fuel Tank 11.6 gal
 Oil 2.2 qts
 Transaxle 3.5 qts
 Gross Weight (Kaw) 1163 lbs

SAFETY EQUIPMENT

Seat Safety Switch
 Control Lever Safety Switch
 Parking Brake Safety Switch
 Foldable ROPS

Z724XKW-3-48

Kawasaki FX730V
 Air-cooled V-Twin Vertical Shaft
 23.5 hp @ 3,600 RPM
 Displacement 726 cc
 Kubota Model GH735V

TIRES AND WHEELS

Front Casters 13 x 5.0 - 6 Flat free
 Rear 24 x 9.5 -12 Turf

PTO SYSTEM

Belt Driven
 Dynamo-Electric clutch

DIMENSIONS

Height 69.9"
 Length 83.9"
 Width w/o deck 50.4"
 Wheelbase 51"

MOWER DECK

48" Cutting Width
 1-5" Cut Height, Adjustable
 1/4" Increments
 Flexible Discharge Cover
 Fabricated 8 Gauge Steel
 6" Deep Design
 3 Blades
 18,100-18,600 fpm Blade Tip Speed
 Maintenance-Free Sealed Spindles

TRANSMISSION

Parker Torqcompact HTG14
 Integrated 14cc pump and wheel motor
 Internal Parking Brake
 Forward Speeds 0 - 11.2 mph
 Reverse Speeds 0 - 5.6 mph

OPERATING FEATURES

Zero Turn Radius
 Foot Controlled Brake
 Adjustable Levers and Mower Deck Lift Pedal
 Cup Holder & Storage Compartments
 Semi-pneumatic, Smooth, Flat free Front Tires
 Premium Adjustable Suspension Seat
 w/ Kubota Exclusive Seat Design

STEERING / MOTION CONTROL

(2) Hand Levers
 Hydraulically Damped

* Manufacturer's estimate.

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

Z723KH-3-48	COMMERCIAL ZTR MWR 23HP 48" DECK 48" Mower Deck	K7Z293Z78	1440	\$9,351.00
Z724XKW-3-48	COMMERCIAL ZTR 23.5HP 48" DECK/KAWASAKI 48" Mower Deck	K7Z619Z82	1440	\$9,769.00

Replacement Tires and Wheels (price per piece)

K3831-18022	Front Tire Assembly Semi-pneumatic 13 x 5 - 6	Order from Parts Department
K3831-17200	Rear 24 x 9.5 -12 Turf Tire Assembly	Order from Parts Department

Z724KH-3-54 / Z724XKW-3-54

*** EQUIPMENT IN STANDARD MACHINE ***

GASOLINE ENGINE

Z724KH-3-54
 Kohler Command Pro CV732
 Air-cooled, V-Twin Vertical Shaft
 23.5 Gross HP @ 3600 rpm*
 Displacement 747 cc
 Kubota Model GH730V

Z724XKW-3-54
 Kawasaki FX730V
 Air-cooled V-Twin Vertical Shaft
 23.5 hp @ 3,600 RPM
 Displacement 726 cc
 Kubota Model GH735V

TRANSMISSION

Parker Torqcompact HTG14
 Integrated 14cc pump and wheel motor
 Internal Parking Brake
 Forward Speeds 0 - 11.2 mph
 Reverse Speeds 0 - 5.6 mph

STEERING / MOTION CONTROL

(2) Hand Levers
 Hydraulically Damped

FLUID CAPACITY

Fuel Tank 11.6 gal
 Oil 2.2 qts
 Transaxle 3.5 qts
 Gross Weight (Kaw) 1179 lbs

TIRES AND WHEELS

Front Casters 13 x 5.0 - 6 Flat free
 Rear 24 x 9.5 -12 Turf

DIMENSIONS

Height 69.9"
 Length 83.9"
 Width w/o deck 50.4"
 Wheelbase 51"

OPERATING FEATURES

Zero Turn Radius
 Foot Controlled Brake
 Adjustable Levers and Mower Deck Lift Pedal
 Cup Holder & Storage Compartments
 Semi-pneumatic, Smooth, Flat free Front Tires
 Premium Adjustable Suspension Seat
 w/ Kubota Exclusive Seat Design

SAFETY EQUIPMENT

Seat Safety Switch
 Control Lever Safety Switch
 Parking Brake Safety Switch
 Foldable ROPS

PTO SYSTEM

Belt Driven
 Dynamo-Electric clutch

MOWER DECK

54" Cutting Width
 1-5" Cut Height, Adjustable
 1/4" Increments
 Flexible Discharge Cover
 Fabricated 8 Gauge Steel
 6" Deep Design
 3 Blades
 18,100-18,600 fpm Blade Tip Speed
 Maintenance-Free Sealed Spindles

* Manufacturer's estimate.

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

Z724KH-3-54	COMMERCIAL ZTR MWR 24 HP 54" DECK 54" Mower Deck	K7Z706Z40	1440	\$9,880.00
Z724XKW-3-54	COMMERCIAL ZTR/23.5HP/54" DECK/KAWASAKI 54" Mower Deck	K7Z910Z76	1485	\$10,142.00

Replacement Tires and Wheels (price per piece)

K3831-18022	Front Tire Assembly Semi-pneumatic 13 x 5 - 6	Order from Parts Department
K3831-17200	Rear 24 x 9.5 -12 Turf Tire Assembly	Order from Parts Department

Z725KH-3-60 / Z726XKW-3-60

*** EQUIPMENT IN STANDARD MACHINE ***

GASOLINE ENGINE

Z725KH-3-60
 Kohler Command Pro CV742
 Air-cooled, V-Twin Vertical Shaft
 25 Gross HP @ 3600 rpm*
 Displacement 747 cc
 Kubota Model GH740V

Z726XKW-3-60

Kawasaki FX801V
 Air-cooled, V-Twin Vertical Shaft
 25.5 hp @ 3,600 RPM
 Displacement 852 cc
 Kubota Model GH860V

TRANSMISSION

Parker Torqcompact HTG14
 Integrated 14cc pump and wheel motor
 Internal Parking Brake
 Forward Speeds 0 - 11.2 mph
 Reverse Speeds 0 - 5.6 mph

STEERING / MOTION CONTROL

(2) Hand Levers
 Hydraulically Damped

FLUID CAPACITY

Fuel Tank 11.6 gal
 Oil 2.4 qts
 Transaxle 3.5 qts
 Gross Weight (Kaw) 1232 lbs

TIRES AND WHEELS

Front Casters 13 x 6.5 - 6 Flat free
 Rear 24 x 12 - 12 Turf

DIMENSIONS

Height 69.9"
 Length 83.9"
 Width w/o deck 54.7"
 Wheelbase 51"

OPERATING FEATURES

Zero Turn Radius
 Foot Controlled Brake
 Adjustable Levers and Mower Deck Lift Pedal
 Cup Holder & Storage Compartments
 Semi-pneumatic, Smooth, Flat free Front Tires
 Premium Adjustable Suspension Seat
 w/ Kubota Exclusive Seat Design

SAFETY EQUIPMENT

Seat Safety Switch
 Control Lever Safety Switch
 Parking Brake Safety Switch
 Foldable ROPS

PTO SYSTEM

Belt Driven
 Dynamo-Electric clutch

MOWER DECK

60" Cutting Width
 1-5" Cut Height, Adjustable
 1/4" Increments
 Flexible Discharge Cover
 Fabricated 8 Gauge Steel
 6" Deep Design
 3 Blades
 18,100-18,600 fpm Blade Tip Speed
 Maintenance-Free Sealed Spindles

* Manufacturer's estimate.

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

Z725KH-3-60	COMMERCIAL ZTR MWR 25 HP 60" DECK 60" Mower Deck	K8Z118Z24	1440	\$10,408.00
Z726XKW-3-60	COMMERCIAL ZTR MWR 25.5 HP 60" DECK/KAWA 60" Mower Deck	K8Z384Z22	1525	\$10,749.00

Replacement Tires and Wheels (price per piece)

K3811-18022	Front Tire Assembly Semi-pneumatic 13 x 6.5 - 6	Order from Parts Department
K3811-17200	Rear 24 x 12 -12 Turf Tire Assembly	Order from Parts Department

Z723KH-2-48 / Z724XKW-2-48

*** EQUIPMENT IN STANDARD MACHINE ***

GASOLINE ENGINE

Z723KH-2-48
 Kohler Command Pro CV682
 Air-cooled V-Twin Vertical Shaft
 22.5 Gross HP @ 3600 rpm*
 Displacement 694 cc
 Kubota Model GH680V

Z724XKW-2-48
 Kawasaki FX730V
 Air-cooled V-Twin Vertical Shaft
 23.5 hp @ 3,600 RPM
 Displacement 726 cc
 Kubota Model GH735V

TRANSMISSION

Parker Torqpack HTG14
 Integrated 14cc pump and wheel motor
 Internal Parking Brake
 Forward Speeds 0 - 11.2 mph
 Reverse Speeds 0 - 5.6 mph

STEERING / MOTION CONTROL

(2) Hand Levers
 Hydraulically Damped

FLUID CAPACITY

Fuel Tank 11.6 gal
 Oil 2.2 qts
 Transaxle 3.5 qts
 Gross Weight (Kaw) 1163 lbs

TIRES AND WHEELS

Front Casters 13 x 5.0 - 6 Flat free
 Rear 24 x 9.5 -12 Turf

DIMENSIONS

Height 69.9"
 Length 83.9"
 Width w/o deck 50.4"
 Wheelbase 51"

OPERATING FEATURES

Premium Adjustable Suspension Seat
 Zero Turn Radius
 Foot Controlled Brake
 Adjustable Levers and Mower Deck Lift Pedal
 Cup Holder & Storage Compartments
 Semi-pneumatic, Smooth, Flat free Front Tires

SAFETY EQUIPMENT

Seat Safety Switch
 Control Lever Safety Switch
 Parking Brake Safety Switch
 Foldable ROPS

PTO SYSTEM

Belt Driven
 Dynamo-Electric clutch

MOWER DECK

48" Cutting Width
 1-5" Cut Height, Adjustable
 1/4" Increments
 Flexible Discharge Cover
 Fabricated 8 Gauge Steel
 6" Deep Design
 3 Blades
 18,100-18,600 fpm Blade Tip Speed
 Maintenance-Free Sealed Spindles

* Manufacturer's estimate.

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

Z723KH-2-48	** COMMERCIAL ZTR MWR 23HP W SUSP SEAT 48" Mower Deck	K7Z003Z62	1440	\$8,979.00
Z724XKW-2-48	** COMMERCIAL ZTR MWR 24HP W SUSP SEAT 48" Mower Deck	K7Z319Z52	1440	\$9,384.00

**** - LIMITED AVAILABILTIY**

Replacement Tires and Wheels (price per piece)

K3831-18022	Front Tire Assembly Semi-pneumatic 13 x 5 - 6	Order from Parts Department
K3831-17200	Rear 24 x 9.5 -12 Turf Tire Assembly	Order from Parts Department

Z724KH-2-54 / Z724XKW-2-54

*** EQUIPMENT IN STANDARD MACHINE ***

GASOLINE ENGINE

Z724KH-2-54
 Kohler Command Pro CV732
 Air-cooled, V-Twin Vertical Shaft
 23.5 Gross HP @ 3600 rpm*
 Displacement 747 cc
 Kubota Model GH730V

Z724XKW-2-54
 Kawasaki FX730V
 Air-cooled V-Twin Vertical Shaft
 23.5 hp @ 3,600 RPM
 Displacement 726 cc
 Kubota Model GH735V

TRANSMISSION

Parker Torqcompact HTG14
 Integrated 14cc pump and wheel motor
 Internal Parking Brake
 Forward Speeds 0 - 11.2 mph
 Reverse Speeds 0 - 5.6 mph

STEERING / MOTION CONTROL

(2) Hand Levers
 Hydraulically Damped

FLUID CAPACITY

Fuel Tank 11.6 gal
 Oil 2.2 qts
 Transaxle 3.5 qts
 Gross Weight (Kaw) 1179 lbs

TIRES AND WHEELS

Front Casters 13 x 5.0 - 6 Flat free
 Rear 24 x 9.5 -12 Turf

DIMENSIONS

Height 69.9"
 Length 83.9"
 Width w/o deck 50.4"
 Wheelbase 51"

OPERATING FEATURES

Premium Adjustable Suspension Seat
 Zero Turn Radius
 Foot Controlled Brake
 Adjustable Levers and Mower Deck Lift Pedal
 Cup Holder & Storage Compartments
 Semi-pneumatic, Smooth, Flat free Front Tires

SAFETY EQUIPMENT

Seat Safety Switch
 Control Lever Safety Switch
 Parking Brake Safety Switch
 Foldable ROPS

PTO SYSTEM

Belt Driven
 Dynamo-Electric clutch

MOWER DECK

54" Cutting Width
 1-5" Cut Height, Adjustable
 1/4" Increments
 Flexible Discharge Cover
 Fabricated 8 Gauge Steel
 6" Deep Design
 3 Blades
 18,100-18,600 fpm Blade Tip Speed
 Maintenance-Free Sealed Spindles

* Manufacturer's estimate.

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

Z724KH-2-54	** COMMERCIAL ZTR MWR 24 HP W SUSP SEAT 54" Mower Deck	K7Z403Z76	1440	\$9,492.00
Z724XKW-2-54	** COMMERCIAL ZTR MWR 24HP W SUSP SEAT 54" Mower Deck	K7Z602Z66	1485	\$9,747.00

**** - LIMITED AVAILABILTIY**

Replacement Tires and Wheels (price per piece)

K3831-18022	Front Tire Assembly Semi-pneumatic 13 x 5 - 6	Order from Parts Department
K3831-17200	Rear 24 x 9.5 -12 Turf Tire Assembly	Order from Parts Department

Z725KH-2-60 / Z726XKW-2-60

*** EQUIPMENT IN STANDARD MACHINE ***

GASOLINE ENGINE

Z725KH-2-60
 Kohler Command Pro CV742
 Air-cooled, V-Twin Vertical Shaft
 25 Gross HP @ 3600 rpm*
 Displacement 747 cc
 Kubota Model GH740V

Z726XKW-2-60
 Kawasaki FX801V
 Air-cooled, V-Twin Vertical Shaft
 25.5 hp @ 3,600 RPM
 Displacement 852 cc
 Kubota Model GH860V

TRANSMISSION

Parker Torqcompact HTG14
 Integrated 14cc pump and wheel motor
 Internal Parking Brake
 Forward Speeds 0 - 11.2 mph
 Reverse Speeds 0 - 5.6 mph

STEERING / MOTION CONTROL

(2) Hand Levers
 Hydraulically Damped

FLUID CAPACITY

Fuel Tank 11.6 gal
 Oil 2.4 qts
 Transaxle 3.5 qts
 Gross Weight (Kaw) 1232 lbs

TIRES AND WHEELS

Front Casters 13 x 6.5 - 6 Flat free
 Rear 24 x 12 - 12 Turf

DIMENSIONS

Height 69.9"
 Length 83.9"
 Width w/o deck 54.7"
 Wheelbase 51"

OPERATING FEATURES

Premium Adjustable Suspension Seat
 Zero Turn Radius
 Foot Controlled Brake
 Adjustable Levers and Mower Deck Lift Pedal
 Cup Holder & Storage Compartments
 Semi-pneumatic, Smooth, Flat free Front Tires

SAFETY EQUIPMENT

Seat Safety Switch
 Control Lever Safety Switch
 Parking Brake Safety Switch
 Foldable ROPS

PTO SYSTEM

Belt Driven
 Dynamo-Electric clutch

MOWER DECK

60" Cutting Width
 1-5" Cut Height, Adjustable
 1/4" Increments
 Flexible Discharge Cover
 Fabricated 8 Gauge Steel
 6" Deep Design
 3 Blades
 18,100-18,600 fpm Blade Tip Speed
 Maintenance-Free Sealed Spindles

* Manufacturer's estimate.

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

Z725KH-2-60	** COMMERCIAL ZTR MWR 25HP W SUSP SEAT 60" Mower Deck	K7Z803Z90	1440	\$10,005.00
Z726XKW-2-60	** COMMERCIAL ZTR MWR 26HP W SUSP SEAT 60" Mower Deck	K8Z062Z08	1525	\$10,336.00

**** - LIMITED AVAILABILTIY**

Replacement Tires and Wheels (price per piece)

K3811-18022	Front Tire Assembly Semi-pneumatic 13 x 6.5 - 6	Order from Parts Department
K3811-17200	Rear 24 x 12 -12 Turf Tire Assembly	Order from Parts Department

Z751KWi-48

*** EQUIPMENT IN STANDARD MACHINE ***

GASOLINE ENGINE

Z751KWi-48
 Kawasaki FX730V-EFI
 Air-cooled, V-Twin Vertical Shaft
 Kubota Model GH7303V-F
 25.5* hp @3,600 RPM
 Displacement 726 cc

TRANSMISSION

Parker Torqpack HTG14
 Integrated 14cc pump and wheel motor
 Internal Parking Brake
 Forward Speeds 0 - 11.2 mph
 Reverse Speeds 0 - 5.6 mph

TIRES AND WHEELS

Front Casters 13 x 6.5 - 6 (Flat free)
 Rear 24 x 9.5 - 14 Turf - Low Profile

STEERING / MOTION CONTROL

(2) Hand Levers
 Hydraulically Damped - 3 Position Adjustable

FLUID CAPACITY

Fuel Tank 11.6 gal
 Oil 2.2 qts
 Transaxle 3.5 qts
 Gross Weight (Kaw) 1215 lbs

DIMENSIONS

Height 70.1"
 Length 83.9"
 Width w/o deck 50.4"
 Wheelbase 51"

OPERATING FEATURES

Kawasaki EFI with E-Gov and advanced ECU
 Dial Throttle Control with PTO Engage Zone
 Zero Turn Radius
 Foot Activated Parking Brake
 Quick Dial Height Deck Height Adjustment
 Mower Deck Transport Lock (On/Off) Lever
 Adjustable Levers and Mower Deck Lift Pedal
 Cup Holder & Storage Compartments
 Smooth 6.5" Wide Flat Free Front Caster Tires
 12V Power Outlet
 Premium Adjustable Suspension Seat
 w/ Kubota Exclusive Seat Design

PTO SYSTEM

Belt Driven
 Electric Clutch

SAFETY EQUIPMENT

Water and Dust Proof Safety Switches
 Seat Safety Switch
 Control Lever Safety Switch
 Parking Brake Safety Switch
 Foldable ROPS

LCD Engine Meter

Unit Status -
 Fuel Level, Hours, Oil Temp, and RPM
 Safety Switch Status -
 Seat, Steering, Brake, and PTO
 Engine Warning Lights -
 Oil Press&Temp, Battery, and CK Eng
 Unit Performance -
 Fuel Consumption and Engine Load

MOWER DECK

48" Cutting Width - 3 Blades
 Deck Step Indicator
 6" Deep Design
 1-5" Cut Height, Adjustable
 1/4" Increments
 18,600 fpm Blade Tip Speed
 Maintenance-Free Sealed Spindles
 Fabricated 8 Gauge Steel
 Flexible Discharge Cover
 3 Adjustable Anti-Scalp Wheels

* Manufacturer's estimate.

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

Z751KWi-48	COMMERCIAL ZTR MWR 26HP EFI 48" Mower Deck	K8Z476Z26	1440	\$10,867.00
------------	---	-----------	------	-------------

Replacement Tires and Wheels (price per piece)

K3811-18023	Front Tire Assembly Semi-pneumatic 13 x 6.5 - 6	Order from Parts Department
K3891-17202	Rear 24 x 9.5 -14 Turf Tire Assembly	Order from Parts Department

Z781KWi-54

*** EQUIPMENT IN STANDARD MACHINE ***

GASOLINE ENGINE

Z781KWi-54
 Kawasaki FX850V-EFI
 Air-cooled, V-Twin Vertical Shaft
 Kubota Model GH860V-F
 29.5* hp @ 3,600 RPM
 Displacement 852 cc

TRANSMISSION

Parker Torqpack HTG14
 Integrated 14cc pump and wheel motor
 Internal Parking Brake
 Forward Speeds 0 - 11.2 mph
 Reverse Speeds 0 - 5.6 mph

TIRES AND WHEELS

Front Casters 13 x 6.5 - 6 (Flat free)
 Rear 24 x 9.5 - 14 Turf - Low Profile

STEERING / MOTION CONTROL

(2) Hand Levers
 Hydraulically Damped - 3 Position Adjustable

FLUID CAPACITY

Fuel Tank 11.6 gal
 Oil 2.2 qts
 Transaxle 3.5 qts
 Gross Weight (Kaw) 1254 lbs

DIMENSIONS

Height 70.1"
 Length 83.9"
 Width w/o deck 50.4"
 Wheelbase 51"

OPERATING FEATURES

Kawasaki EFI with E-Gov and advanced ECU
 Dial Throttle Control with PTO Engage Zone
 Zero Turn Radius
 Foot Activated Parking Brake
 Quick Dial Height Deck Height Adjustment
 Mower Deck Transport Lock (On/Off) Lever
 Adjustable Levers and Mower Deck Lift Pedal
 Cup Holder & Storage Compartments
 Smooth 6.5" Wide Flat Free Front Caster Tires
 12V Power Outlet
 Premium Adjustable Suspension Seat
 w/ Kubota Exclusive Seat Design

PTO SYSTEM

Belt Driven
 Electric Clutch

SAFETY EQUIPMENT

Water and Dust Proof Safety Switches
 Seat Safety Switch
 Control Lever Safety Switch
 Parking Brake Safety Switch
 Foldable ROPS

LCD Engine Meter

Unit Status -
 Fuel Level, Hours, Oil Temp, and RPM
 Safety Switch Status -
 Seat, Steering, Brake, and PTO
 Engine Warning Lights -
 Oil Press&Temp, Battery, and CK Eng
 Unit Performance -
 Fuel Consumption and Engine Load

MOWER DECK

54" Cutting Width - 3 Blades
 Deck Step Indicator
 6" Deep Design
 1-5" Cut Height, Adjustable
 1/4" Increments
 18,400 fpm Blade Tip Speed
 Maintenance-Free Sealed Spindles
 Fabricated 8 Gauge Steel
 Flexible Discharge Cover
 3 Adjustable Anti-Scalp Wheels

* Manufacturer's estimate.

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

Z781KWi-54	COMMERCIAL ZTR MWR 30HP EFI 54" Mower Deck	K9Z076Z08	1485	\$11,636.00
------------	---	-----------	------	-------------

Replacement Tires and Wheels (price per piece)

K3811-18023	Front Tire Assembly Semi-pneumatic 13 x 6.5 - 6	Order from Parts Department
K3891-17202	Rear 24 x 9.5 -14 Turf Tire Assembly	Order from Parts Department

Z781KWTi-60

*** EQUIPMENT IN STANDARD MACHINE ***

GASOLINE ENGINE

Z781KWTi-60
 Kawasaki FX850V-EFI
 Air-cooled, V-Twin Vertical Shaft
 Kubota Model GH860V-F
 29.5* hp @ 3,600 RPM
 Displacement 852 cc

TRANSMISSION

Parker Torqpack HTG14
 Integrated 14cc pump and wheel motor
 Internal Parking Brake
 Forward Speeds 0 - 11.2 mph
 Reverse Speeds 0 - 5.6 mph

TIRES AND WHEELS

Front Casters 13 x 6.5 - 6 (Flat free)
 Rear 24 x 12 - 14 Turf - Low Profile

STEERING / MOTION CONTROL

(2) Hand Levers
 Hydraulically Damped - 3 Position Adjustable

FLUID CAPACITY

Fuel Tank 11.6 gal
 Oil 2.2 qts
 Transaxle 3.5 qts
 Gross Weight (Kaw) 1285 lbs

DIMENSIONS

Height 70.1"
 Length 83.9"
 Width w/o deck 54.7"
 Wheelbase 51"

OPERATING FEATURES

Kawasaki EFI with E-Gov and advanced ECU
 Dial Throttle Control with PTO Engage Zone
 Zero Turn Radius
 Foot Activated Parking Brake
 Quick Dial Height Deck Height Adjustment
 Mower Deck Transport Lock (On/Off) Lever
 Adjustable Levers and Mower Deck Lift Pedal
 Cup Holder & Storage Compartments
 Smooth 6.5" Wide Flat Free Front Caster Tires
 12V Power Outlet
 Premium Adjustable Suspension Seat
 w/ Kubota Exclusive Seat Design

PTO SYSTEM

Belt Driven
 Electric Clutch

SAFETY EQUIPMENT

Water and Dust Proof Safety Switches
 Seat Safety Switch
 Control Lever Safety Switch
 Parking Brake Safety Switch
 Foldable ROPS

LCD Engine Meter

Unit Status -
 Fuel Level, Hours, Oil Temp, and RPM
 Safety Switch Status -
 Seat, Steering, Brake, and PTO
 Engine Warning Lights -
 Oil Press&Temp, Battery, and CK Eng
 Unit Performance -
 Fuel Consumption and Engine Load

MOWER DECK

60" Cutting Width - 3 Blades
 Deck Step Indicator
 6" Deep Design
 1-5" Cut Height, Adjustable
 1/4" Increments
 18,600 fpm Blade Tip Speed
 Maintenance-Free Sealed Spindles
 Fabricated 8 Gauge Steel
 Flexible Discharge Cover
 3 Adjustable Anti-Scalp Wheels

* Manufacturer's estimate.

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

Z781KWTi-60	COMMERCIAL ZTR MWR 30HP EFI 60" Mower Deck	K9Z494Z16	1525	\$12,172.00
-------------	---	-----------	------	-------------

Replacement Tires and Wheels (price per piece)

K3811-18023	Front Tire Assembly Semi-pneumatic 13 x 6.5 - 6	Order from Parts Department
K3881-17202	Rear 24 x 12 -14 Turf Tire Assembly	Order from Parts Department

Z700 Series Implements and Attachments

Z700 SERIES IMPLEMENTS AND ATTACHMENT MATCHING CHART

Model Implements	Z723-3-48 / Z724X-3-48/ Z723-2-48 / Z724X-2-48/ Z723-48 / Z724X-48 Z751KWi-48 EFI	Z724-3-54 / Z724X-3-54/ Z724-2-54 / Z724X-2-54/ Z724-54 / Z724X-54 Z781KWi-54 EFI	Z725-3-60 / Z726X-3-60/ Z725-2-60 / Z726X-2-60/ Z725-60 / Z726X-60 Z781KWTi-60 EFI
	3 Bag Grass Catcher(ALL MODELS)	GCK48-700ZB	GCK54-700ZB
3 Bag Grass Catcher (NON-EFI Models) (Limited availat	GCK48-700Z	GCK54-700Z	GCK60-700Z
Front Suitcase Weight (Requires 6)	G8103 or G8103A		
Replacement Deck (ALL MODELS)	RCK48P-751Z	RCK54P-781Z	RCK60P-781Z
Blades*			
Replacement blade kit (3 blades)	K5583-97530	K5613-97530	K5647-97530
Replacement blade (1 blade)	K5583-34340	K5613-34340	K5647-34340
Mulching blade (1 blade)	K5583-34350	K5613-34350	K5645-34342
Karu Mulching (Multi-tooth) blade (1 blade)			77700-06350
Attachments			
Hitch	Z3308		
Halogen Work Lights (ROPS Mounted) **	Z3317		
LED Work Lights	Z3318A		
Maintenance Lift Kit	Z3338		
Adapter Bracket -Maintenance Lift kit (use w/grass catch	Z1340		
Mulch Kit	Z3448	Z3454	Z3460
Operator Controlled Discharge Chute (OCDC)	Z3348	Z3354	Z3360
Replacement ROPS (for all models only)	SFZ-F781		
ROPS Organizer	E1184		
Tuff Top Canopy SUNSHADE (Not compatitable with Kohler models using Grass Catchers)	Z3366		
Seat Suspension Kit **	Z3356A		
3" Susp Seat Kit for Z700 ALL	Z3359		
Spark Arrestor for Kohler models only*	77700-06209		
Spark Arrestor for Kawasaki models only*	77700-06366		
Spark Arrestor Exhaust Diverter Elbow (for Grass Catcher) (Kohler models only)*	77700-06208		

*Order through Parts Department

** Subject to availability.

Z700 Series Implements and Attachments

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
GRASS CATCHER				
GCK48-700ZB	GRASS CATCHER FOR 48" DECK	K1Z964Z82	258	\$2,519.00
GCK54-700ZB	GRASS CATCHER FOR 54" DECK	K1Z972Z62	268	\$2,529.00
GCK60-700ZB	GRASS CATCHER FOR 60" DECK	K2Z050Z62	268	\$2,629.00
G8103A	FRONT SUITCASE WEIGHT (25LBS)	K31G20	25	\$40.00
G8103	* FRONT SUITCASE WEIGHT (25LBS)	K31G20	25	\$40.00
MID-MOUNT MOWER DECK (REPLACEMENT)				
RCK48P-751Z	48" MWR DECK / Z751 EFI	K1Z231Z62	307	\$1,579.00
RCK54P-781Z	54" MWR DECK / Z781 EFI	K1Z426Z62	323	\$1,829.00
RCK60P-781Z	60" MWR DECK / Z781 EFI	K1Z676Z22	342	\$2,149.00
Hitch Kits				
Z3308	HITCH FOR THE Z700 MODELS	K30Z42	3	\$39.00
Work Lights				
Z3318A	LED LIGHT KIT FOR Z700 & Z400 SERIES	K155Z22	4	\$199.00
Maintenance Lift Kit				
Z3338	MAINTENACE LIFT KIT FOR Z700 SERIES	K131Z82	14	\$169.00
Z1340	Z700 LIFT KIT ADAPTER F/GRASS CATCHER	K53Z82	5	\$69.00
Mulch Kits				
Z3448	MULCH KIT FOR 48" DECK /Z700 SERIES	K233Z22	40	\$299.00
Z3454	MULCH KIT FOR 54" DECK /Z700 SERIES	K233Z22	41	\$299.00
Z3460	MULCH KIT FOR 60" DECK /Z700 SERIES	K233Z22	44	\$299.00
Operator Controlled Discharge Chute				
Z3348	OPR CONTROLLED DISCHG CHUTE/48" DECK	K194Z22	11	\$249.00
Z3354	OPR CONTROLLED DISCHG CHUTE/54" DECK	K194Z22	12	\$249.00
Z3360	OPR CONTROLLED DISCHG CHUTE/60" DECK	K194Z22	12	\$249.00
Foldable ROPS				
SFZ-F781	REPL ROPS / Z700 EFI	K241Z02	141	\$309.00
E1184	ROPS ORGANIZER	K45B60	2	\$57.00
CANOPY				
E1175	QUICK ATTACH CANOPY	K404Z00	90	\$505.00
Z3366	TUFF TOP CANOPY FOR ALL Z100 & Z700	K220Z58	42	\$269.00
Seat Suspension Kit				
Z3356A	SUSPENSION SEAT FOR Z700 MODELS	K326Z82	80	\$419.00
Z3359	3" SUSP SEAT UPDATE KIT / Z700	K471Z90	68	\$605.00
SPARK ARRESTOR				
77700-06209	Spark Arrestor for Kohler models only.			Order from Parts Department
77700-06366	Spark Arrestor for Kawasaki models only.			Order from Parts Department
77700-06208	Spark Arrestor Exhaust Diverter Elbow (Kohler models only) Diverter must be installed when using Grasscatcher.			Order from Parts Department

* Subject to availability.

ZG222ANC-3-48 / ZG222A-3-48

*** EQUIPMENT IN STANDARD MACHINE ***

GASOLINE ENGINE

Kubota KGZ770-E2-M3
 Overhead Valve - air cooled
 2 Cylinders
 +22 Gross HP @ 3600 rpm

FLUID CAPACITY

Fuel Tank 7.4 gal
 Crankcase w/ Filter 1.9 qts
 Transmission Case and Axle Gear 7.9 qts

OPERATING FEATURES

Zero Turn Radius
 Dual Element Air Filter
 Hands-free Hydraulic Deck Lift
 Hands-free Parking Brake
 Cup Holder
 Deluxe Adjustable Seat
 w/ Kubota Exclusive Seat Design

TRANSMISSION

Hydrostatic Drive
 (2) HST w/Gear Reduction
 Brake - Wet Multi Disks
 Forward Speeds 0 - 9 mph
 Reverse Speeds 0 - 5 mph

TIRES AND WHEELS

Front 13 x 5.0 - 6 Turf
 Rear 23 x 10.5 - 12 Turf

SAFETY EQUIPMENT

Electric Key Shut Off
 Control Lever Safety Switch
 Parking Brake Safety Switch
 Foldable ROPS

STEERING / MOTION CONTROL

(2) Hand Levers
 Hydraulically Damped

DIMENSIONS

Height 69.9"
 Length (ZG222A-48) 82.4"
 Width Overall 61.1"
 Wheelbase 51.0"

MOWERS

6" Deep, Fabricated Decks
 1-5" Cut Height, Adjustable
 1/4" Increments
 Flexible Discharge Cover
 3 Blades
 ZG222A-48, Fabricated 9 Gauge,
 6" Deep Design Deck

POWER TAKE OFF

Hydraulic Independent PTO
 Shaft Drive Mower Deck
 Wet Disk Clutch

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

ZG222ANC-3-48	ZERO TURN MWR W/48" PRO DECK NC 48" PRO Commercial Mower Deck	K7Z199Z20	1504	\$8,999.00
ZG222A-3-48	** ZERO TURN MWR W/48" PRO DECK 48" PRO Commercial Mower Deck	K7Z119Z20	1504	\$8,899.00

** - LIMITED AVAILABILTIY

NC models - Not for sale in California

Replacement Tires and Wheels (price per piece)

AZR8637	Front 13 x 5.00 - 6 Turf	K44Z46	9	\$57.00
AZR8633A	Rear 23 x 10.5 - 12 Turf	K113Z88	32	\$146.00

ZG227ANC-3-54 / ZG227LANC-3-60 / ZG227A-3-54 / ZG227LA-3-60

*** EQUIPMENT IN STANDARD MACHINE ***

GASOLINE ENGINE

Kubota KGZ770-E2-M2
 Overhead Valve - air cooled
 2 Cylinders
 +27 Gross HP @ 3600 rpm

TRANSMISSION

Hydrostatic Drive
 (2) HST w/Gear Reduction
 Brake - Wet Multi Disks
 Forward Speeds 0 - 9 mph
 Reverse Speeds 0 - 5 mph

STEERING / MOTION CONTROL

(2) Hand Levers
 Hydraulically Damped

POWER TAKE OFF

Hydraulic Independent PTO
 Shaft Drive Mower Deck
 Wet Disk Clutch

FLUID CAPACITY

Fuel Tank 7.4 gal
 Crankcase w/ Filter 2.1 qts
 Transmission Case and Axle Gear 7.9 qts

TIRES AND WHEELS

Front 13 x 5.0 - 6 Turf
 Rear 23 x 10.5 - 12 Turf

DIMENSIONS

Height 69.9"
 Length (ZG227A-54) 82.4"
 (ZG227LA-60) 83.9"
 Width Overall (ZG227A-54) 67.3"
 (ZG227LA-60) 75.2"
 Wheelbase 51.0"

OPERATING FEATURES

Zero Turn Radius
 Dual Element Air Filter
 Hands-free Hydraulic Deck Lift
 Hands-free Parking Brake
 Cup Holder
 Deluxe Adjustable Seat
 w/ Kubota Exclusive Seat Design

SAFETY EQUIPMENT

Electric Key Shut Off
 Control Lever Safety Switch
 Parking Brake Safety Switch
 Foldable ROPS

MOWERS

6" Deep, Fabricated Decks
 1-5" Cut Height, Adjustable
 1/4" Increments
 Flexible Discharge Cover
 3 Blades
 ZG227A-54, 8 Gauge, 54" Cut
 ZG227LA-60, 8 Gauge, 60" Cut

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

ZG227ANC-3-54	ZERO TURN MWR W/54" PRO DECK NC 54" PRO Commercial Mower Deck	K8Z239Z20	2042	\$10,299.00
ZG227LANC-3-60	ZERO TURN MWR W/60" PRO MOWER NC 60" PRO Commercial Mower Deck	K8Z639Z20	1800	\$10,799.00
ZG227A-3-54	** ZERO TURN MWR W/54" PRO DECK 54" PRO Commercial Mower Deck	K8Z079Z20	2042	\$10,099.00
ZG227LA-3-60	** ZERO TURN MWR W/60" PRO DECK 60" PRO Commercial Mower Deck	K8Z479Z20	1800	\$10,599.00

** - LIMITED AVAILABILITY

NC models - Not for sale in California

Replacement Tires and Wheels (price per piece)

AZR8637	Front 13 x 5.00 - 6 Turf	K44Z46	9	\$57.00
AZR8633A	Rear 23 x 10.5 - 12 Turf	K113Z88	32	\$146.00

ZG222A-48

*** EQUIPMENT IN STANDARD MACHINE ***

GASOLINE ENGINE

Kubota KGZ770-E2-M3
 Overhead Valve - air cooled
 2 Cylinders
 +22 Gross HP @ 3600 rpm

FLUID CAPACITY

Fuel Tank 7.4 gal
 Crankcase w/ Filter 1.9 qts
 Transmission Case 7.9 qts
 and Axle Gear

OPERATING FEATURES

Zero Turn Radius
 Dual Element Air Filter
 Hands-free Hydraulic Deck Lift
 Hands-free Parking Brake
 Cup Holder
 Deluxe Adjustable Seat

TRANSMISSION

Hydrostatic Drive
 (2) HST w/Gear Reduction
 Brake - Wet Multi Disks
 Forward Speeds 0 - 9 mph
 Reverse Speeds 0 - 5 mph

TIRES AND WHEELS

Front 13 x 5.0 - 6 Turf
 Rear 23 x 10.5 - 12 Turf

SAFETY EQUIPMENT

Electric Key Shut Off
 Control Lever Safety Switch
 Parking Brake Safety Switch
 Foldable ROPS

STEERING / MOTION CONTROL

(2) Hand Levers
 Hydraulically Damped

DIMENSIONS

Height 69.9"
 Length (ZG222A-48) 82.4"
 Width Overall 61.1"
 Wheelbase 51.0"

MOWERS

6" Deep, Fabricated Decks
 1-5" Cut Height, Adjustable
 1/4" Increments
 Flexible Discharge Cover
 3 Blades
 ZG222A-48, Fabricated 9 Gauge,
 6" Deep Design Deck

POWER TAKE OFF

Hydraulic Independent PTO
 Shaft Drive Mower Deck
 Wet Disk Clutch

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

ZG222A-48	** ZERO TURN TRA W/48" PRO DECK 48" PRO Commercial Mower Deck	K7Z039Z20	1504	\$8,799.00
-----------	--	-----------	------	------------

** - LIMITED AVAILABILTIY

Replacement Tires and Wheels (price per piece)

AZR8637	Front 13 x 5.00 - 6 Turf	K44Z46	9	\$57.00
AZR8633A	Rear 23 x 10.5 - 12 Turf	K113Z88	32	\$146.00

ZG227A-54 / ZG227LA-60

*** EQUIPMENT IN STANDARD MACHINE ***

GASOLINE ENGINE

Kubota KGZ770-E2-M2
 Overhead Valve - air cooled
 2 Cylinders
 +27 Gross HP @ 3600 rpm

FLUID CAPACITY

Fuel Tank 7.4 gal
 Crankcase w/ Filter 2.1 qts
 Transmission Case and Axle Gear 7.9 qts

OPERATING FEATURES

Zero Turn Radius
 Dual Element Air Filter
 Hands-free Hydraulic Deck Lift
 Hands-free Parking Brake
 Cup Holder
 Deluxe Adjustable Seat

TRANSMISSION

Hydrostatic Drive
 (2) HST w/Gear Reduction
 Brake - Wet Multi Disks
 Forward Speeds 0 - 9 mph
 Reverse Speeds 0 - 5 mph

TIRES AND WHEELS

Front 13 x 5.0 - 6 Turf
 Rear 23 x 10.5 - 12 Turf

SAFETY EQUIPMENT

Electric Key Shut Off
 Control Lever Safety Switch
 Parking Brake Safety Switch
 Foldable ROPS

STEERING / MOTION CONTROL

(2) Hand Levers
 Hydraulically Damped

DIMENSIONS

Height 69.9"
 Length (ZG227A-54) 82.4"
 (ZG227LA-60) 83.9"
 Width Overall (ZG227A-54) 67.3"
 (ZG227LA-60) 75.2"
 Wheelbase 51.0"

MOWERS

1-5" Cut Height, Adjustable
 1/4" Increments
 Flexible Discharge Cover
 3 Blades
 ZG227A-54, 8 Gauge, 54" Cut
 ZG227LA-60, 8 Gauge, 60" Cut

POWER TAKE OFF

Hydraulic Independent PTO
 Shaft Drive Mower Deck
 Wet Disk Clutch

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

ZG227A-54	** ZERO TURN TRA W/54 PRO DECK 54" PRO Commercial Mower Deck	K7Z999Z20	2042	\$9,999.00
ZG227LA-60	** ZERO TURN TRA W/60 PRO MOWER 60" PRO Commercial Mower Deck	K8Z399Z20	1800	\$10,499.00

**** - LIMITED AVAILABILTIY**

Replacement Tires and Wheels (price per piece)

AZR8637	Front 13 x 5.00 - 6 Turf	K44Z46	9	\$57.00
AZR8633A	Rear 23 x 10.5 - 12 Turf	K113Z88	32	\$146.00

ZG200 Series Implements and Attachments

ZG200 SERIES IMPLEMENTS AND ATTACHMENT MATCHING CHART

Model	ZG222ANC-3 / ZG222A-3 / ZG222A	ZG227ANC-3 / ZG227A-3
Implements		
Grass Catcher -- GCK54-200ZB ①	X	X
48" Replacement Deck -- RCK48-222Z	ZG222A-48S	--
48" Replacement Deck -- RCK48P-222Z	ZG222A-48	--
54" Replacement Deck -- RCK54P-227Z	--	ZG227A-54
60" Replacement Deck -- RCK60P-227Z	--	ZG227LA-60
Attachments		
Mount Kit for use with GCK54-200ZA	--	--
Mount Kit for use with GCK54-200ZB	ZG3164	ZG3164
Blower Kit (for 48" Deck) -- ZD3140	ZG222A-48S	--
Blower Kit (for 48" Deck) -- ZD3141	ZG222A-48	--
Blower Kit (for 54" Deck) -- ZG3152	--	ZG227A-54
Blower Kit (for 60" Deck) -- ZG3162	--	ZG227LA-60
Weight Kit (for GCK54-200ZB) -- ZG3132	ZG222A-48	ZG227A-54
Mulch Kit (for 48" Deck) -- ZG3049	ZG222A-48S	--
Mulch Kit (for 48" Deck) -- ZD3145	ZG222A-48	--
Mulch Kit (for 54" Deck) -- ZG3156	--	ZG227A-54
Mulch Kit (for 60" Deck) -- ZG3157	--	ZG227LA-60
Maintenance Lift Kit - ZG3127	X	X
Canopy, Deluxe Fiberglass -- E1123 ②	X	X
Work Light Kit - ZD3116A	X	X
ROPS Organizer – E1184	X	X
SPARK ARRESTOR KIT -- ZG3123③	X	X
SPARK ARRESTOR KIT -- ZD3125	--	--
Foldable ROPS (replacement) - SFZD-F221	--	--
Foldable ROPS (replacement) - SFZG-F222	X	X
Foldable ROPS (replacement) - SFZG-F27A*	--	--
Tires (Replacement)		
AZR8637 Pneumatic, Front (13x5.0-6)	X	X
AZR8633A Turf, Rear (23x10.5-12)	X	X

① See Matching Chart for necessary Weight Brackets, Mount Kits, and Blower Kits.

② Requires Canopy Mount Kit (E1124) for use with E1123 Deluxe Canopy.

③ ZG200A Series require additional ZG Adapter Kit (ZG3133).

NC Models not sold in California

ZG200 Series Implements and Attachments

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
GRASS CATCHER				
GCK54-200ZB	GRASS CATCHER FOR ZD/ZG 200 Fits Z200/Z200A Series 48", 54", & 60" decks May require Blower Kit, Weight Kit, & Mount Kit	K568Z62	91	\$729.00
BLOWER KIT, required for use with Grass Catcher				
ZD3140	MOUNTING KIT / ZG222-48S	K490Z62	61	\$629.00
ZD3141	BLOWER KIT / ZG222-48	K818Z22	78	\$1,049.00
ZG3152	BLOWER KIT / ZG227-54	K818Z22	75	\$1,049.00
ZG3162	BLOWER KIT FOR ZG227L-60/GCK54-200ZA	K989Z82	78	\$1,269.00
MOUNT KIT, required for use with Grass Catcher				
ZG3144	FRAME KIT FOR GCK54-200Z ON ZG200	K286Z26	34	\$367.00
ZG3164	FRAME KIT FOR GCK54-200ZB ON ZG200	K303Z42	33	\$389.00
ZD3154	FRAME KIT FOR GCK54-200Z ON ZD200	K311Z22	39	\$399.00
WEIGHT KIT, may be required for use with GCK54-200ZB Grass Catcher				
ZG3131	WEIGHT KIT/GCK54-200ZB/NON "A" ZG200 (ZG227L-60 does not require Weight Kit)	K22Z62	14	\$29.00
ZG3132	WEIGHT KIT FOR GCK54-200ZB/ZG200 "A" (ZG227LA-60 does not require Weight Kit) **ZG3132 requires (2) G8103 or G8103A Suitcase Weights	K85Z02	13	\$109.00
G8103A	FRONT SUITCASE WEIGHT (25LBS)	K31G20	25	\$40.00
G8103	* FRONT SUITCASE WEIGHT (25LBS)	K31G20	25	\$40.00
MULCH KIT				
ZG3049	48" MULCHING KIT FOR ZG20-48	K131Z82	17	\$169.00
ZD3145	MULCHING KIT FOR 48" MOWER	K233Z22	34	\$299.00
ZG3156	MULCHING KIT FOR 54" MOWER	K233Z22	37	\$299.00
ZG3157	MULCHING KIT FOR 60" MOWER	K248Z82	41	\$319.00
OPTIONAL / REPLACEMENT MOWER BLADES				
K5575-97530	48" Stamped Deck Replacement Blade Set (3 blades)			Order from Parts Department
K5575-97590	48" Stamped Deck Mulch Blade Set (3 blades)			Order from Parts Department
K5576-97530	48" Pro Deck Replacement Blade Set (3 blades)			Order from Parts Department
K5576-34340	48" Pro Deck Mulch Blade (1 blade)			Order from Parts Department
K5619-97530	54" Pro Deck Replacement Blade Set (3 blades)			Order from Parts Department
K5351-99040	54" Pro Deck Mulch Blade (1 blade)			Order from Parts Department
K5647-97530	60" Pro Deck Replacement Blade Set (3 blades)			Order from Parts Department
K5645-34340	60" Pro Deck Mulch Blade (1 blade)			Order from Parts Department
77700-63500	60" Karu Mulching Blade (Multi-tooth) (1 blade)			Order from Parts Department
MAINTENANCE LIFT KIT				
ZG3127	MAINTENANCE LIFT KIT ZG222 & ZG227	K108Z42	13	\$139.00
CANOPY				
E1175	QUICK ATTACH CANOPY	K404Z00	90	\$505.00
E1123	DELUXE FIBERGLASS CANOPY	K264Z42	90	\$339.00
E1124	MOUNTING BRACKET FOR E1123	K147Z42	28	\$189.00
WORK LIGHT KIT				
ZD3116A	WORK LIGHT KIT /ZG200 /ZG300 Fits all Z-Series	K92Z82	4	\$119.00

* Subject to availability.

ZG200 Series Implements and Attachments

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
ROPS ORGANIZER				
E1184	ROPS ORGANIZER 5 protective pockets with zippers	K45B60	2	\$57.00
MID MOUNT MOWERS (replacement)				
RCK48S-222Z	REPL MWR 48" STAMP DECK	K1Z216Z02	208	\$1,559.00
RCK48P-222Z	REPL 45" PRO COMMERCIAL DECK for ZG222(A)-48 & ZD221-48	K1Z325Z22	190	\$1,699.00
RCK54P-227Z	REPL 54" PRO COMMERCIAL DECK for ZG227(A)-54 & ZD221-54	K1Z535Z82	190	\$1,969.00
RCK60P-227Z	REPL MOWER DECK FOR ZG227L-60 for ZG227L(A)-60	K1Z793Z22	190	\$2,299.00
SPARK ARRESTOR MUFFLER KIT				
ZG3123	SPARK ARRESTOR MLFR KIT /ZG200/ZG300 Fits ZG200 Series **ZG200A Series require additional ZG3133 Adapter Kit	K186Z42	12	\$239.00
ZG3133	SPARK ARRESTING MUFFLER KIT required for ZG200A Models w/ ZG3123	K15Z60	2	\$20.00
ZD3125	Spark Arrestor (screen type) Fits ZD200 Series	K53Z82	2	\$69.00
FOLDABLE ROPS (replacement)				
SFZD-F221	REPLACEMENT ROPS FOR ZD200 SERIES	K287Z82	141	\$369.00
SFZG-F222	REPL ROPS / ZG200 W/EVAPORATION ENG	K287Z82	159	\$369.00
SFZG-F27A*	REPLACEMENT ROPS FOR ZG200 SERIES	K287Z82	150	\$369.00

* Subject to availability.

ZG327PANC-3-60 / ZG327RPANC-3-60R / ZG327PA-3-60/ ZG327RPA-3-60R

*** EQUIPMENT IN STANDARD MACHINE ***

GASOLINE ENGINE

Kubota KGZ770-E2-M1
 Overhead Valve - air cooled
 2 Cylinders
 +27 Gross HP @ 3600 rpm

FLUID CAPACITY

Fuel Tank 12.7 gal
 Crankcase w/ Filter 2.1 qts
 Transmission Case 12.8 qts
 and Axle Gear

OPERATING FEATURES

Zero Turn Radius
 Dual Element Air Filter
 Hands-free Hydraulic Deck Lift
 Hands-free Parking Brake
 Cup Holder
 Deluxe Adjustable Suspension Seat
 w/ Kubota Exclusive Seat Design

TRANSMISSION

Hydrostatic Drive
 (2) HST w/Gear Reduction
 Brake - Wet Multi Disks
 Forward Speeds 0 - 10.6 mph
 Reverse Speeds 0 - 5.3 mph

TIRES AND WHEELS

Front 15 x 6.0 - 6, Flat Free
 Rear 26 x 12.0 - 12 Turf

SIDE DISCHARGE MOWER

60" PRO Commercial Deck
 7 Gauge, 6.5" Deep Deck
 1-5" Cut Height, Adjustable
 1/4" Increments
 Flexible Discharge Cover
 3 Blades

STEERING / MOTION CONTROL

(2) Hand Levers
 Hydraulically Damped

DIMENSIONS

Height 75.4"
 Length 87.8"
 Width Overall
 (ZG327PA-60) 75.2"
 (ZG327RPA-60R) 63.1"
 Wheelbase 55.5"

REAR DISCHARGE MOWER

60" Fabricated Deck
 5.5" Deep Deck
 1-5" Cut Height, Adjustable
 1/4" Increments
 3 Blades
 Bolt-on Skid Bars

POWER TAKE OFF

Hydraulic Independent PTO
 Shaft Drive Mower Deck
 Wet Disk Clutch

SAFETY EQUIPMENT

Electric Key Shut Off
 Control Lever Safety Switch
 Parking Brake Safety Switch
 Foldable ROPS

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

ZG327PANC-3-60	ZERO TURN MWR W/60" PRO DECK NC 60" PRO Commercial Mower Deck	K9Z679Z20	2000	\$12,099.00
ZG327RPANC-3-60R	ZERO TRN MWR W/60" PRO DECK/R-DISCHRG NC 60" Rear Discharge Mower Deck	K9Z919Z20	2200	\$12,399.00
ZG327PA-3-60	** ZERO TURN MWR W/60" PRO DECK 60" PRO Commercial Mower Deck	K9Z439Z20	2000	\$11,799.00
ZG327RPA-3-60R	** ZERO TRN MWR W/60" PRO DECK/R-DISCHRG 60" Rear Discharge Mower Deck	K9Z679Z20	2200	\$12,099.00

** - LIMITED AVAILABILITY

NC models - Not for sale in California

Replacement Tires and Wheels (price per piece)

AZR8638B	Front 15 x 6.00 - 6 Semi-pneumatic, Flat-free	K99Z84	20	\$128.00
AZR8632A	Rear 26 x 12.0 - 12 Turf	K141Z96	42	\$182.00

ZG327PA-60 / ZG327RPA-60R

*** EQUIPMENT IN STANDARD MACHINE ***

GASOLINE ENGINE

Kubota KGZ770-E2-M1
 Overhead Valve - air cooled
 2 Cylinders
 +27 Gross HP @ 3600 rpm

FLUID CAPACITY

Fuel Tank 12.7 gal
 Crankcase w/ Filter 2.1 qts
 Transmission Case and Axle Gear 12.8 qts

OPERATING FEATURES

Zero Turn Radius
 Dual Element Air Filter
 Deluxe Suspension Seat
 Hands-free Hydraulic Deck Lift
 Hands-free Parking Brake
 Cup Holder

TRANSMISSION

Hydrostatic Drive
 (2) HST w/Gear Reduction
 Brake - Wet Multi Disks
 Forward Speeds 0 - 10.6 mph
 Reverse Speeds 0 - 5.3 mph

TIRES AND WHEELS

Front 15 x 6.0 - 6, Flat Free
 Rear 26 x 12.0 - 12 Turf

SIDE DISCHARGE MOWER

60" PRO Commercial Deck
 7 Gauge, 6.5" Deep Deck
 1-5" Cut Height, Adjustable
 1/4" Increments
 Flexible Discharge Cover
 3 Blades

STEERING / MOTION CONTROL

(2) Hand Levers
 Hydraulically Damped

DIMENSIONS

Height 75.4"
 Length 87.8"
 Width Overall (ZG327PA-60) 75.2"
 (ZG327RPA-60R) 63.1"
 Wheelbase 55.5"

REAR DISCHARGE MOWER

60" Fabricated Deck
 5.5" Deep Deck
 1-5" Cut Height, Adjustable
 1/4" Increments
 3 Blades
 Bolt-on Skid Bars

POWER TAKE OFF

Hydraulic Independent PTO
 Shaft Drive Mower Deck
 Wet Disk Clutch

SAFETY EQUIPMENT

Electric Key Shut Off
 Control Lever Safety Switch
 Parking Brake Safety Switch
 Foldable ROPS

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

ZG327PA-60	** ZERO TURN TRA W/60 PRO MOWER 60" PRO Commercial Mower Deck	K9Z359Z20	2000	\$11,699.00
ZG327RPA-60R	** ZERO TRN TRA W/60 R-DISCHRG MWR 60" Rear Discharge Mower Deck	K9Z599Z20	2200	\$11,999.00

** - LIMITED AVAILABILTIY

Replacement Tires and Wheels (price per piece)

AZR8638B	Front 15 x 6.00 - 6 Semi-pneumatic, Flat-free	K99Z84	20	\$128.00
AZR8632A	Rear 26 x 12.0 - 12 Turf	K141Z96	44	\$182.00

ZG300 Series Implements and Attachments

ZG300 SERIES IMPLEMENT AND ATTACHMENT MATCHING CHART

GRASS COLLECTION SYSTEMS	ZG327PANC-3 / ZG327PA-3- 60 / ZG327PA- 60	ZD326S/P-60	ZD326HL-72	ZD331-72
GRASS CATCHER BAGGER STYLE	GCK60-331ZA	GCK60-331ZA		
Blower Kit	ZD3163	ZD3163		
Mount Kit				
Weight Kit	ZG3134			
Suitcase Weight				
GRASS CATCHER HOPPER STYLE	GCK60H-300Z	GCK60H-300Z		GCK72H-300Z
Blower Kit	ZD3163	ZD3163		
Mount Kit		ZD3121		
Weight Kit	ZG3126			
Suitcase Weight	G8103 (4)			
Boss Kit				ZD3128 ①
MOWER DECKS & MULCH KITS	ZG327PA-60	ZD326	ZD326HL-72	ZD331-72
60" Replacement Deck	RCK60P-327Z	RCK60P-331Z		
Mulch Kit 60" Deck	ZD3165	ZD3165		
60" Replacement Deck -Rear Disch.	RCK60R-331Z	RCK60R-331Z		
Mulch Kit 60" Rear Disch. Deck	F5266	F5266		
72" Replacement Deck			TBA	RCK72P-331Z
Mulch Kit 72" Deck			F5372	ZD3175
ATTACHMENTS	ZG327PA-60	ZD326-60	ZD326HL-72	ZD331-72
Canopy - Plastic	E1133	E1133	E1133	E1133
Canopy, Deluxe - Fiberglass	E1123	E1123	E1123	E1123
Canopy, Deluxe - Mount Kit③	E1124	E1124	E1124	E1124
Front Push Blade	ZD3110	ZD3110	ZD3110A	ZD3110
Maintenance Lift Kit	ZG3137			
ROPS, Foldable (Replacement)	SFZG-F31	SFZD-F31	SFZD-F31	SFZD-F31
ROPS Organizer	E1184			
Rear Weight Bracket			ZD3124 ②	ZD3124②
Spark Arresting Muffler Kit	ZG3123	ZD3125	ZD3125	ZD3125
Spark Arrester Kit m	ZG3133			
Stripe Kit	ZD3122	ZD3122		ZD3122
Work Light Kit	ZD3116A	ZD3116A	ZD3116A	ZD3116A
TIRES (REPLACEMENT)	ZG327PA-60	ZD326-60	ZD326HL-72	ZD331-72
Full Pneumatic Front Tire				
Front Pneumatic 15 x 6 x 6.5		AZR8636 (S)		
Front Semi-Pneumatic 15 x 6 x 6.5	AZR8638	AZR8636 (P)	AZR8638	AZR8638
Rear Turf 26 x 12 x 12	AZR8532	AZR8532	AZR8632A	AZR8532

①Boss Kit ZD3128 is required for decks below #30375 (See PSB-2010-009)

②Rear Weight Kit ZD3124 requires G8103 Suitcase Weights

③Canopy Mount Kit (E1124) is required for use with E1123 Deluxe Canopy

NC models - Not for sale in California

ZG300 Series Implements and Attachments

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
GRASS CATCHER				
GCK60-331ZA	2-BAG & 1 TRAY GRASS CATCHER Fits ZG/ZD300(A) Series 54" and 60" Decks May require Blower Kit, Weight Kit, & Mount Kit	K911Z82	270	\$1,169.00
GCK60H-300Z	GRASS CTCHR BAGGER FOR ZG300 & ZD300 Fits ZD323, ZD326S/P, ZG327P(A), & ZD331P, w/ 60" Decks ***May require Blower Kit and Weight / Mount Kit	K1Z574Z82	270	\$2,019.00
BLOWER KIT, required for use with Grass Catcher				
ZD3163	GRASS CATCHER BLOWER KIT / 60" DECK (Steel Impeller Fan)	K1Z270Z62	98	\$1,629.00
ZG3134	WEIGHT KIT/GCK60-331ZA ON ZG327PA-60	K100Z62	39	\$129.00
ZG3126	WEIGHT BRACKET KIT ZG332, and ZP330 (Steel Impeller Fan)	K319Z02	54	\$409.00
MOUNT KIT, may be required for use with Grass Catcher				
ZG3174	FRAME KIT / GCK60-331ZA ON ZG332P-60 ***Requires (2) G8103 or G8103A Suitcase Weights	K85Z02	9	\$109.00
ZD3121	WEIGHT BRACKET KIT FOR ZG300 & ZD300 ZD331 w/ GCK60H-300Z	K319Z02	104	\$409.00
WEIGHT KIT, may be required for use with Grass Catcher				
ZG3134	WEIGHT KIT/GCK60-331ZA ON ZG327PA-60 on ZG327PA & ZG332P-60. Addition of (2) G8103 or G8103A Suitcase Weights also required for ZG332P-60.	K100Z62	39	\$129.00
ZG3126	WEIGHT BRACKET KIT Kit includes Weight Bracket ***Requires (4) G8103 or G8103A Suitcase Weights	K319Z02	54	\$409.00
G8103A	FRONT SUITCASE WEIGHT (25LBS)	K31G20	25	\$40.00
G8103	* FRONT SUITCASE WEIGHT (25LBS)	K31G20	25	\$40.00
MULCH KIT				
ZD3155	54" MULCHING KIT	K233Z22	38	\$299.00
ZD3165	60" MULCHING KIT ZD326S-60, ZD326P-60, ZG327P(A)-60, ZD331P-60, ZG332P-60	K256Z62	44	\$329.00
F5266	MULCHING KIT FOR 60" ZG327RP(A)-60R, & ZD331RP-60R	K256F62	36	\$329.00
ZD3175	72" MULCHING KIT ZG332LP-72	K272Z22	53	\$349.00
OPTIONAL / REPLACEMENT MOWER BLADES				
K5619-97530	54" Standard Replacement Blade Set (3 blades)			Order from Parts Department
K5647-97530	60" Standard Replacement Blade Set (3 blades)			Order from Parts Department
K5645-97530	60" Rear Discharge Replacement Blade Set (3 blades)			Order from Parts Department
K5677-97530	72" Standard Replacement Blade Set (3 blades)			Order from Parts Department
K5615-34340	54" Replacement Mulch Blade (1 blade)			Order from Parts Department
K5645-34340	60" Replacement Mulch Blade (1 blade)			Order from Parts Department
77700-06350	60" Karu Mulching Blade (Multi-tooth) (1 blade) (for use only on deck RCK60P-331Z)			Order from Parts Department
K5647-97590	60" Rear Discharge Mulch Blade Set (3 blades)			Order from Parts Department
K5698-34340	72" Replacement Mulch Blade (1 blade)			Order from Parts Department

ZG300 Series Implements and Attachments

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
MAINTENANCE LIFT KIT				
ZG3137	MAINTENANCE LIFT KIT / ZG327 *Applications on ZG332LP-72 require ZG3138 Bracket	K108Z42	14	\$139.00
CANOPY				
E1175	QUICK ATTACH CANOPY	K404Z00	90	\$505.00
E1133	SUNSHADE (CANOPY)	K355B20	63	\$444.00
E1123	DELUXE FIBERGLASS CANOPY	K264Z42	90	\$339.00
E1124	MOUNTING BRACKET FOR E1123	K147Z42	28	\$189.00
WORK LIGHT KIT				
ZD3116A	WORK LIGHT KIT /ZG200 /ZG300 Fits all Z-Series	K92Z82	4	\$119.00
STRIPE KIT				
ZD3122	STRIPING KIT	K319Z02	54	\$409.00
FRONT BLADE				
ZD3110A	FRONT PUSH BLADE	K568Z62	177	\$729.00
REAR WEIGHT BRACKET				
ZD3124	REAR WEIGHT BRACKET KIT / ZD331LP-72	K77Z22	22	\$99.00
G8103A	FRONT SUITCASE WEIGHT (25LBS)	K31G20	25	\$40.00
G8103	* FRONT SUITCASE WEIGHT (25LBS)	K31G20	25	\$40.00
MID MOUNT MOWERS (replacement)				
RCK54P-321Z	REPL 54" PRO COMMERCIAL DECK	K1Z652Z82	190	\$2,119.00
RCK60P-327Z	REPL 60" PRO COMMERCIAL DECK ZG327P(A)-60, ZG323P-60, ZP330P-60	K1Z879Z02	190	\$2,409.00
RCK60P-331Z	REPL 60" PRO COMMERCIAL DECK ZD323-60, ZD326S-60, ZD326P-60, & ZD331P-60	K1Z879Z02	190	\$2,409.00
RCK60R-331Z	REPL 60" REAR DISCHARGE MWR / ZTR ZG327RP(A)-60R, & ZD331RP-60R	K2Z666Z82	190	\$3,419.00
RCK72P-331Z	REPL 72" PRO COMMERCIAL DECK for ZD331LP-72, ZP330LP-72	K2Z331Z42	190	\$2,989.00
RCK72P-332Z	REPL 72" PRO COMMERCIAL DECK for ZG332LP-72	K2Z331Z42	462	\$2,989.00
BLOCK HEATER				
70000-73274	Engine Block Heater for Cold Weather Starts			Order through Parts Department
SPARK ARRESTOR MUFFLER KIT				
ZG3123	SPARK ARRESTOR MLFR KIT /ZG200/ZG300 ZG300A Series require additional ZG3133 Adapter Kit	K186Z42	12	\$239.00
ZG3133	SPARK ARRESTING MUFFLER KIT	K15Z60	2	\$20.00
FOLDABLE ROPS (replacement)				
SFZG-F300	REPL ROPS / ZG300 W/EVAPORATION ENG	K319Z02	162	\$409.00
SFZG-F332	REPL ROPS FOR ZG332P-60/ZG332LP-72	K319Z02	141	\$409.00
SFZD-F31	REPLACEMENT ROPS	K311Z22	150	\$399.00
SFZG-F31	REPLACEMENT ROPS	K311Z22	150	\$399.00
ROPS ORGANIZER				
E1184	ROPS ORGANIZER 5 protective pockets with zippers	K45B60	2	\$57.00

This page intentionally left blank.

ZD1011-3-48 / ZD1011-3-54

*** EQUIPMENT IN STANDARD MACHINE ***

DIESEL ENGINE

3 Cylinder, Model # D782
 19.3 Gross HP @ 3200 rpm
 47.5 cu. in. Displacement
 12v 430 Amp Hr. Battery
 14 Amps Charging Output

TRANSMISSION

Hydrostatic Drive
 (2) HST w/Gear Reduction
 Brake - Wet Multi Disks
 Forward Speeds 0 - 9 mph
 Reverse Speeds 0 - 5 mph

STEERING / MOTION CONTROL

(2) Hand Levers, Adjustable
 Hydraulically Damped, Adjustable

FLUID CAPACITY

Fuel Tank 5.8 gal
 Engine Coolant w/ Recovery Tank 3.11 qts
 Crankcase w/ Filter 3.7 qts
 Transmission Case and Axle Gear 7.9 qts

TIRES AND WHEELS

Front 13 x 5.0 - 6
 Rear 24 x 9.5-14 Turf, Low Profile

DIMENSIONS

Height 74.4"
 Length 87.8"
 Width Overall
 (ZD1011-48) 61.6"
 (ZD1011-54) 67.3"
 Wheelbase 54.3"

POWER TAKE OFF

Hydraulic Independent PTO
 Shaft Drive Mower Deck
 Wet Disk Clutch

OPERATING FEATURES

Zero Turn Radius
 Dual Element Air Filter
 Adj. Front Axle: Rigid/Oscillating
 Hands-free Hydraulic Deck Lift
 Hands-free Parking Brake
 Cup Holder
 Deluxe Adjustable Suspension Seat
 w/ Kubota Exclusive Seat Design

SAFETY EQUIPMENT

Electric Key Shut Off
 Control Lever Safety Switch
 Parking Brake Safety Switch
 Foldable ROPS
 Seat Safety Switch

MOWERS

6" Deep, Pro Deck w/ACS
 1-5" Cut Height, Adjustable
 1/4" Increments
 Flexible Discharge Cover
 3 Blades
 ZD1011-48, 8 Gauge, 48" Cut
 ZD1011-54, 8 Gauge, 54" Cut

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

ZD1011-3-48	DIESEL ZTR MWR/19.3 HP/48" DECK 48" Kubota PRO Deck w/ACS	K10Z559Z20	1296	\$13,199.00
ZD1011-3-54	DIESEL ZTR MWR/19.3HP/54" DECK 54" Kubota PRO Deck w/ACS	K10Z799Z20	1323	\$13,499.00

ZD1011-48/54 Replacement Tires and Wheels (price per piece)

K3411-18020 Front Pneumatic Caster Tire/Wheel Assembly
 K3411-17300 Rear Turf Tire/Wheel Assembly

Order from Parts Department
 Order from Parts Department

ZD1021-3-60

*** EQUIPMENT IN STANDARD MACHINE ***

DIESEL ENGINE

3 Cylinder, Model # D902
 21.6 Gross HP @ 3200 rpm
 54.8 cu. in. Displacement
 12v 430 Amp Hr. Battery
 14 Amps Charging Output

TRANSMISSION

Hydrostatic Drive
 (2) HST w/Gear Reduction
 Brake - Wet Multi Disks
 Forward Speeds 0 - 9 mph
 Reverse Speeds 0 - 5 mph

STEERING / MOTION CONTROL

(2) Hand Levers, Adjustable
 Hydraulically Damped, Adjustable

FLUID CAPACITY

Fuel Tank 5.8 gal
 Engine Coolant w/ Recovery Tank 3.11 qts
 Crankcase w/ Filter 3.7 qts
 Transmission Case and Axle Gear 7.9 qts

TIRES AND WHEELS

Front 13 x 6.5 - 6
 Rear 24 x 12 - 14 Turf, Low Profile

DIMENSIONS

Height 74.4"
 Length 88.6"
 Width Overall 73.8"
 Wheelbase 54.3"

POWER TAKE OFF

Hydraulic Independent PTO
 Shaft Drive Mower Deck
 Wet Disk Clutch

OPERATING FEATURES

Zero Turn Radius
 Dual Element Air Filter
 Adj. Front Axle: Rigid/Oscillating
 Hands-free Hydraulic Deck Lift
 Hands-free Parking Brake
 Cup Holder
 Deluxe Adjustable Suspension Seat
 w/ Kubota Exclusive Seat Design

SAFETY EQUIPMENT

Electric Key Shut Off
 Control Lever Safety Switch
 Parking Brake Safety Switch
 Foldable ROPS
 Seat Safety Switch

MOWERS

6" Deep, Pro Deck w/ACS
 1-5" Cut Height, Adjustable
 1/4" Increments
 Flexible Discharge Cover
 3 Blades
 ZD1021-60, 8 Gauge, 60" Cut

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

ZD1021-3-60	DIESEL ZTR MWR/21.6 HP/60" DECK 60" PRO Commercial ACS Mower Deck	K12Z079Z20	1530	\$15,099.00
-------------	--	------------	------	-------------

ZD1021-60 Replacement Tires and Wheels (price per piece)

K3421-18020	Front Pneumatic Caster Tire/Wheel Assembly			Order from Parts Department
K3421-17300	Rear Turf Tire/Wheel Assembly			Order from Parts Department

ZD1011-48 / ZD1011-54

*** EQUIPMENT IN STANDARD MACHINE ***

DIESEL ENGINE

3 Cylinder, Model # D782
 19.3 Gross HP @ 3200 rpm
 47.5 cu. in. Displacement
 12v 430 Amp Hr. Battery
 14 Amps Charging Output

FLUID CAPACITY

Fuel Tank 5.8 gal
 Engine Coolant w/ Recovery Tank 3.11 qts
 Crankcase w/ Filter 3.7 qts
 Transmission Case and Axle Gear 7.9 qts

OPERATING FEATURES

Zero Turn Radius
 Dual Element Air Filter
 Adj. Front Axle: Rigid/Oscillating
 Deluxe Adjustable Suspension Seat
 Hands-free Hydraulic Deck Lift
 Hands-free Parking Brake
 Cup Holder

TRANSMISSION

Hydrostatic Drive
 (2) HST w/Gear Reduction
 Brake - Wet Multi Disks
 Forward Speeds 0 - 9 mph
 Reverse Speeds 0 - 5 mph

TIRES AND WHEELS

Front 13 x 5.0 - 6
 Rear 24 x 9.5-14 Turf, Low Profile

SAFETY EQUIPMENT

Electric Key Shut Off
 Control Lever Safety Switch
 Parking Brake Safety Switch
 Foldable ROPS
 Seat Safety Switch

STEERING / MOTION CONTROL

(2) Hand Levers, Adjustable
 Hydraulically Damped, Adjustable

DIMENSIONS

Height 74.4"
 Length 87.8"
 Width Overall
 (ZD1011-48) 61.6"
 (ZD1011-54) 67.3"
 Wheelbase 54.3"

MOWERS

6" Deep, Pro Deck w/ACS
 1-5" Cut Height, Adjustable
 1/4" Increments
 Flexible Discharge Cover
 3 Blades
 ZD1011-48, 8 Gauge, 48" Cut
 ZD1011-54, 8 Gauge, 54" Cut

POWER TAKE OFF

Hydraulic Independent PTO
 Shaft Drive Mower Deck
 Wet Disk Clutch

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

ZD1011-48	** 19.3HP 48" DIESEL ZERO TURN MWR 48" Kubota PRO Deck w/ACS	K10Z159Z20	1296	\$12,699.00
ZD1011-54	** 19.3HP 54" DIESEL ZERO TURN MWR 54" Kubota PRO Deck w/ACS	K10Z399Z20	1323	\$12,999.00

**** - LIMITED AVAILABILTIY**

ZD1011-48/54 Replacement Tires and Wheels (price per piece)

K3411-18020	Front Pneumatic Caster Tire/Wheel Assembly	Order from Parts Department
K3411-17300	Rear Turf Tire/Wheel Assembly	Order from Parts Department

ZD1021-60

***** EQUIPMENT IN STANDARD MACHINE *****

DIESEL ENGINE

3 Cylinder, Model # D902
 21.6 Gross HP @ 3200 rpm
 54.8 cu. in. Displacement
 12v 430 Amp Hr. Battery
 14 Amps Charging Output

TRANSMISSION

Hydrostatic Drive
 (2) HST w/Gear Reduction
 Brake - Wet Multi Disks
 Forward Speeds 0 - 9 mph
 Reverse Speeds 0 - 5 mph

STEERING / MOTION CONTROL

(2) Hand Levers, Adjustable
 Hydraulically Damped, Adjustable

FLUID CAPACITY

Fuel Tank 5.8 gal
 Engine Coolant w/ Recovery Tank 3.11 qts
 Crankcase w/ Filter 3.7 qts
 Transmission Case and Axle Gear 7.9 qts

TIRES AND WHEELS

Front 13 x 6.5 - 6
 Rear 24 x 12 - 14 Turf, Low Profile

DIMENSIONS

Height 74.4"
 Length 88.6"
 Width Overall 73.8"
 Wheelbase 54.3"

POWER TAKE OFF

Hydraulic Independent PTO
 Shaft Drive Mower Deck
 Wet Disk Clutch

OPERATING FEATURES

Zero Turn Radius
 Dual Element Air Filter
 Adj. Front Axle: Rigid/Oscillating
 Deluxe Adjustable Suspension Seat
 Hands-free Hydraulic Deck Lift
 Hands-free Parking Brake
 Cup Holder

SAFETY EQUIPMENT

Electric Key Shut Off
 Control Lever Safety Switch
 Parking Brake Safety Switch
 Foldable ROPS
 Seat Safety Switch

MOWERS

6" Deep, Pro Deck w/ACS
 1-5" Cut Height, Adjustable
 1/4" Increments
 Flexible Discharge Cover
 3 Blades
 ZD1021-60, 8 Gauge, 60" Cut

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

***** STANDARD MACHINE *****

ZD1021-60	** 21.6HP 60" DIESEL ZERO TURN MWR 60" PRO Commercial ACS Mower Deck	K11Z679Z20	1530	\$14,599.00
-----------	---	------------	------	-------------

**** - LIMITED AVAILABILTIY**

ZD1021-60 Replacement Tires and Wheels (price per piece)

K3421-18020	Front Pneumatic Caster Tire/Wheel Assembly
K3421-17300	Rear Turf Tire/Wheel Assembly

Order from Parts Department
 Order from Parts Department

Z1000 Series Implements and Attachments

Z1000 SERIES IMPLEMENTS AND ATTACHMENT MATCHING CHART

Implements	ZD1011-3-48/ ZD1011-48	ZD1011-3-54/ ZD1011-54	ZD1021-3-60/ ZD1021-60
2 Bag Grass Catcher	GCK48-ZD1011	GCK54-ZD1011	GCK60-ZD1021
Replacement Deck	RCK48P-1000Z	RCK54P-1000Z	RCK60P-1000Z
Blades*			
Replacement blade kit (3 blades)	K5915-97530*	K5935-97530*	K5945-97530*
Replacement blade (1 blade)	K5915-34361*	K5935-34361*	K5945-34361*
Attachments			
Hitch	ZD3328		
Maintenance Lift Kit	ZD3117		
Mulch Kit	ZD3145	ZG3156	ZG3157
Operator Controlled Discharge Chute (OCDC)	ZD6148	ZD6154	ZD6160
Replacement ROPS	SFZD-F1021		
Canopy Sunshade (Deluxe Fiberglass, Orange)	E1123		
Mounting Bracket for E1123	E1124		
Block Heater*	70000-17552		
Spark Arrester*	70000-01605		70000-01604
ROPS Organizer	E1184		
Tires*			
Front Pneumatic Caster Tire/Wheel Assembly□	K3411-18020*		K3421-18020*
Rear Turf Tire/Wheel Assembly	K3411-17300*		K3421-17300*

*Order through Parts Department

Z1000 Series Implements and Attachments

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
GRASS CATCHER				
GCK48-ZD1011	GRASS CATCHER BAGGER FOR ZD1000 48" Requires (2) G8103 or G8103A Front Weights	K1Z968Z72	258	\$2,524.00
GCK54-ZD1011	GRASS CATCHER BAGGER FOR ZD1000 54" Requires (2) G8103 or G8103A Front Weights	K1Z972Z62	91	\$2,529.00
GCK60-ZD1021	GRASS CATCHER BAGGER FOR ZD1000 60" Requires (2) G8103 or G8103A Front Weights	K1Z972Z62	270	\$2,529.00
G8103A	FRONT SUITCASE WEIGHT (25LBS)	K31G20	25	\$40.00
G8103	* FRONT SUITCASE WEIGHT (25LBS)	K31G20	25	\$40.00
MID MOUNT MOWERS (Replacement)				
RCK48P-1000Z	REPL MOWER DECK 48" / ZD1011-48	K1Z393Z18	208	\$1,699.00
RCK54P-1000Z	REPL MOWER DECK 54" / ZD1011-54	K1Z535Z82	190	\$1,969.00
RCK60P-1000Z	REPL MOWER DECK 60" / ZD1021-60	K1Z715Z22	190	\$2,199.00
MULCH KIT				
ZD3145	MULCHING KIT FOR 48" MOWER	K233Z22	34	\$299.00
ZG3156	MULCHING KIT FOR 54" MOWER	K233Z22	37	\$299.00
ZG3157	MULCHING KIT FOR 60" MOWER	K248Z82	41	\$319.00
MAINTENANCE LIFT KIT				
ZD3117	MAINTENANCE LIFT KIT ZD1000	K124Z02	10	\$159.00
WORK LIGHT KIT				
ZD3116A	WORK LIGHT KIT /ZG200 /ZG300 Fits all Z-Series	K92Z82	4	\$119.00
OPERATOR CONTROLLED DISCHARGE CHUTE				
ZD6148	OPR CONTROLLED DISCHARGE CHUTE/ZD1011-48	K209Z82	11	\$269.00
ZD6154	OPR CONTROLLED DISCHARGE CHUTE/ZD1011-54	K209Z82	12	\$269.00
ZD6160	OPE CONTROLLED DISCHARGE CHUTE/ZD1021-60	K209Z82	12	\$269.00
HITCH KIT				
ZD3328	HITCH KIT ZD1000	K46Z02	8	\$59.00
CANOPY				
E1175	QUICK ATTACH CANOPY	K404Z00	90	\$505.00
E1123	DELUXE FIBERGLASS CANOPY	K264Z42	90	\$339.00
E1124	MOUNTING BRACKET FOR E1123	K147Z42	28	\$189.00
WORK LIGHT KIT				
ZD3116A	WORK LIGHT KIT /ZG200 /ZG300 Fits all Z-Series	K92Z82	4	\$119.00
OPTIONAL / REPLACEMENT MOWER BLADES				
K5915-97530	48" Kubota PRO Deck Replacement Blade Set (3 blades)for RCK48P-10			Order from Parts Department
K5915-34361	48" Kubota PRO Deck Replacement Blade Set (1 blade)for RCK48P-10C			Order from Parts Department
K5576-34340	48" Kubota PRO Deck Mulch Blade (1 blade)for RCK48P-1000Z			Order from Parts Department
K5935-97530	54" Kubota PRO Deck Replacement Blade Set (3 blades)for RCK54P-10			Order from Parts Department
K5935-34361	54" Kubota PRO Deck Replacement Blade Set (1 blade)for RCK54P-10C			Order from Parts Department
K5351-99040	54" Kubota PRO Deck Mulch Blade (1 blade)for RCK54P-1000Z			Order from Parts Department
K5945-97530	60" Kubota PRO Deck Replacement Blade Set (3 blades)for RCK60P-1000Z			Order from Parts Department
K5945-34361	60" Kubota PRO Deck Replacement Blade Set (1 blade)for RCK60P-10C			Order from Parts Department
K5645-34340	60" Kubota PRO Deck Mulch Blade (1 blade)for RCK60P-1000Z			Order from Parts Department
FOLDABLE ROPS (Replacement)				
SFZD-F1021	REPLACEMENT ROPS ZD1000	K319Z02	246	\$409.00

Z1000 Series Implements and Attachments

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
ROPS ORGANIZER				
E1184	ROPS ORGANIZER 5 protective pockets with zippers	K45B60	2	\$57.00
WORK LIGHT KIT				
ZD3116A	WORK LIGHT KIT /ZG200 /ZG300	K92Z82	4	\$119.00
BLOCK HEATER				
70000-17552	Engine Block Heater for Cold Weather Starts			Order through Parts Department
SPARK ARRESTOR MUFFLER KIT				
7000-01605	Spark Arrestor (screen type) Fits ZD1011 Series			Order through Parts Department
7000-01604	Spark Arrestor (screen type) Fits ZD1021 Series			Order through Parts Department

ZD1211-3-60 / ZD1211L-3-72 / ZD1211R-3-60R / ZD1211RL-3-72R

*** EQUIPMENT IN STANDARD MACHINE ***

DIESEL ENGINE

3 Cylinder, Kubota Model # D1105
 24.8 Gross HP @ 3000 rpm
 68.5 cu. in. Displacement
 12v 430 Amp Hr. Battery
 14 Amps Charging Output

TRANSMISSION

Hydrostatic Drive
 (2) HST w/Gear Reduction
 Brake - Wet Multi Disks
 Forward Speeds 0 - 10.6 mph
 Reverse Speeds 0 - 5.3 mph

STEERING / MOTION CONTROL

(2) Hand Levers, Adjustable
 Hydraulically Damped, Adjustable

POWER TAKE OFF

Hydraulic Independent PTO
 Shaft Drive Mower Deck
 Wet Disk Clutch

FLUID CAPACITY

Fuel Tank 13.1 gal
 Engine Coolant 3.96 qts
 w/ Recovery tank
 Crankcase w/ Filter 4.1 qts
 Transmission Case 12.8 qts
 and Axle Gear

TIRES AND WHEELS

Front 15 x 6.0 - 6 Flat-free (S/N-10001-20000)
 Front 15 x 6.5 - 8 Flat-free (S/N-20001 up)
 Rear 26 x 12.0 - 16 Turf, Low Profile

DIMENSIONS

Height 78.7"
 Length (ZD1211) 89.0"
 (ZD1211L) 93.7"
 Width Overall (ZD1211) 73.8"
 (ZD1211R) 63.0"
 (ZD1211L) 85.8"
 (ZD1211RL) 75.2"
 Wheelbase (ZD1211) 56.7"
 (ZD1211L) 61.4"

SAFETY EQUIPMENT

Electric Key Shut Off
 Control Lever Safety Switch
 Parking Brake Safety Switch
 Foldable ROPS
 Seat Safety Switch

OPERATING FEATURES

Zero Turn Radius
 Adj. Front Axle: Rigid/Oscillating
 Dual Element Air Filter
 Hands-free Hydraulic Deck Lift
 Hands-free Parking Brake
 Cup Holder
 Premium Adjustable Suspension Seat
 w/ Kubota Exclusive Seat Design

SIDE DISCHARGE MOWER

60" and 72" Kubota PRO Deck w/ACS
 8 Gauge, 6" Deep Deck
 1-5" Cut Height, Adjustable
 1/4" Increments
 Flexible Discharge Cover
 3 Blades

REAR DISCHARGE MOWER

60" and 72" Kubota PRO Deck
 5.5" Deep Deck
 1-5" Cut Height, Adjustable
 1/4" Increments
 3 Blades
 Bolt-on Skid Bars

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

ZD1211-3-60	DIESEL ZTR MWR/24.8 HP/60" DECK 60" Kubota PRO Deck w/ACS	K13Z439Z20	2056	\$16,799.00
ZD1211L-3-72	DIESEL ZTR MWR/24.8 HP/72" DECK 72" Kubota PRO Deck w/ACS	K14Z079Z20	2166	\$17,599.00
ZD1211R-3-60R	DSL ZTR MWR/24.8 P/60" DECK/R DISCHG 60" Kubota PRO Deck; Rear Discharge Mower Deck	K13Z679Z20	2036	\$17,099.00
ZD1211RL-3-72R	DSL ZTR MWR/24.8 HP/72" DECK/R DISCHG 72" Kubota PRO Deck; Rear Discharge Mower Deck	K14Z319Z20	2146	\$17,899.00

Replacement Tires and Wheels (price per piece)

K3441-18030	Front Semi-pneumatic Caster Tire/Wheel Assembly (S/N-10001-20000)	Order from Parts Department
K3451-18020	Front Semi-pneumatic Caster Tire/Wheel Assembly (S/N-20001 up)	Order from Parts Department
K3441-17300	Rear Turf Tire/Wheel Assembly	Order from Parts Department

ZD1211-60 / ZD1211L-72 / ZD1211R-60R / ZD1211RL-72R

*** EQUIPMENT IN STANDARD MACHINE ***

DIESEL ENGINE

3 Cylinder, Kubota Model # D1105
 24.8 Gross HP @ 3000 rpm
 68.5 cu. in. Displacement
 12v 430 Amp Hr. Battery
 14 Amps Charging Output

TRANSMISSION

Hydrostatic Drive
 (2) HST w/Gear Reduction
 Brake - Wet Multi Disks
 Forward Speeds 0 - 10.6 mph
 Reverse Speeds 0 - 5.3 mph

STEERING / MOTION CONTROL

(2) Hand Levers, Adjustable
 Hydraulically Damped, Adjustable

POWER TAKE OFF

Hydraulic Independent PTO
 Shaft Drive Mower Deck
 Wet Disk Clutch

FLUID CAPACITY

Fuel Tank 13.1 gal
 Engine Coolant 3.96 qts
 w/ Recovery tank
 Crankcase w/ Filter 4.1 qts
 Transmission Case 12.8 qts
 and Axle Gear

TIRES AND WHEELS

Front 15 x 6.0 - 6 Flat-free (S/N-10001-20000)
 Front 15 x 6.5 - 8 Flat-free (S/N-20001 up)
 Rear 26 x 12.0 - 16 Turf, Low Profile

DIMENSIONS

Height 78.7"
 Length (ZD1211) 89.0"
 (ZD1211L) 93.7"
 Width Overall (ZD1211) 73.8"
 (ZD1211R) 63.0"
 (ZD1211L) 85.8"
 (ZD1211RL) 75.2"
 Wheelbase (ZD1211) 56.7"
 (ZD1211L) 61.4"

SAFETY EQUIPMENT

Electric Key Shut Off
 Control Lever Safety Switch
 Parking Brake Safety Switch
 Foldable ROPS
 Seat Safety Switch

OPERATING FEATURES

Zero Turn Radius
 Adj. Front Axle: Rigid/Oscillating
 Dual Element Air Filter
 Deluxe Adjustable Suspension Seat
 Hands-free Hydraulic Deck Lift
 Hands-free Parking Brake
 Cup Holder

SIDE DISCHARGE MOWER

60" and 72" Kubota PRO Deck w/ACS
 8 Gauge, 6" Deep Deck
 1-5" Cut Height, Adjustable
 1/4" Increments
 Flexible Discharge Cover
 3 Blades

REAR DISCHARGE MOWER

Gross Weight 60" and 72" Kubota PRO Deck
 1687 lbs 5.5" Deep Deck
 1667 lbs 1-5" Cut Height, Adjustable
 1764 lbs 1/4" Increments
 1744 lbs 3 Blades
 Bolt-on Skid Bars

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

ZD1211-60	** 24.8HP 60" DIESEL ZERO TURN MWR 60" Kubota PRO Deck w/ACS	K12Z959Z20	1676	\$16,199.00
ZD1211L-72	** 24.8HP 72" DIESEL ZERO TURN MWR 72" Kubota PRO Deck w/ACS	K13Z599Z20	1742	\$16,999.00
ZD1211R-60R	** 24.8HP 60" DIESEL Z-TURN MWR R-DISCHG 60" Kubota PRO Deck; Rear Discharge Mower Deck	K13Z199Z20	1530	\$16,499.00
ZD1211RL-72R	** 24.8HP 72" DIESEL Z-TURN MWR R-DISCHG 72" Kubota PRO Deck; Rear Discharge Mower Deck	K13Z839Z20	1530	\$17,299.00

** - LIMITED AVAILABILITY

Replacement Tires and Wheels (price per piece)

K3441-18030	Front Semi-pneumatic Caster Tire/Wheel Assembly (S/N-10001-20000)	Order from Parts Department
K3451-18020	Front Semi-pneumatic Caster Tire/Wheel Assembly (S/N-20001 up)	Order from Parts Department
K3441-17300	Rear Turf Tire/Wheel Assembly	Order from Parts Department

Z1200 Series Implements and Attachments

Z1200 SERIES IMPLEMENTS AND ATTACHMENT MATCHING CHART

Implements	ZD1211-3-60/ ZD1211-60	ZD1211L-3-72/ ZD1211L-72	ZD1211R-3-60R/ ZD1211R-60R	ZD1211RL-3-72R/ ZD1211RL-72R
Bagger Style Grass Catcher	GCK60-ZD1211	GCK72-ZD1211L	-	-
Hopper Style Grass Catcher	GCK60H-ZD1211	GCK72H-ZD1211L	-	-
Replacement Deck	RCK60P-1200Z	RCK72P-1200Z	RCK60RP-1200Z	RCK72RP-1200Z
Blades*				
Replacement blade kit (3 blades)	K5955-97530	K5975-97530	K5645-97530	K5698-97530
Replacement blade (1 blade)	K5955-34360	K5975-34360	K5645-34340	K5698-34340
Replacement mulch kit (3 blade)	K5955-97530	K5975-97530	K5647-97590	K5677-97590
Replacement mulch (1 blade)	K5955-34360	K5975-34360	K5647-92340	K5677-92340
Attachments				
Work Light Kit	ZD3116A			
Hitch	ZD3358			
Mulch Kit	ZD3166	ZD3167	F5266	ZD3168
Operator Controlled Discharge Chute (OCD)	ZD5960	ZD5972	-	-
Replacement ROPS	SFZD-F1511			
Canopy Sunshade (Deluxe Fiberglass, Orange)	E1123			
Mounting Bracket for E1123	E1124			
Block Heater*	70000-17552			
Spark Arrester*	70000-01604			
ROPS Organizer	E1184			
Tires*				
Front Semi-Pneumatic Caster Tire/Wheel Assem	K3441-18030 (S/N 10001-20000)			
Front Semi-Pneumatic Caster Tire/Wheel Assem	K3451-18020 (S/N 20001 up)			
Rear Turf Tire/Wheel Assembly	K3441-17300			

*Order through Parts Department

Z1200 Series Implements and Attachments

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
GRASS CATCHERS				
GCK60-ZD1211	GRASS CATCHER BAGGER FOR ZD1200 60" May require Blower Kit, Weight Kit, & Mount Kit Requires (2) G8103 or G8103A Front Weights	K2Z370Z42	270	\$3,039.00
GCK60H-ZD1211	GRASS CATCHER HOPPER FOR ZD1200 60" Requires (6) G8103 or G8103A Front Weights	K3Z329Z82	270	\$4,269.00
GCK72-ZD1211L	GRASS CATCHER BAGGER FOR ZD1200L 72" Requires (2) G8103 or G8103A Front Weights	K2Z370Z42	270	\$3,039.00
GCK72H-ZD1211L	GRASS CATCHER HOPPER FOR ZD1200L 72" add info here	K3Z329Z82	270	\$4,269.00
MOUNT KIT, may be required for use with Grass Catcher				
ZG3174	FRAME KIT / GCK60-331ZA ON ZG332P-60 ***Requires (2) G8103 or G8103A Suitcase Weights	K85Z02	9	\$109.00
ZD3121	WEIGHT BRACKET KIT FOR ZG300 & ZD300 ZD331 w/ GCK60H-300Z	K319Z02	104	\$409.00
WEIGHT KIT, may be required for use with Grass Catcher				
ZG3134	WEIGHT KIT/GCK60-331ZA ON ZG327PA-60 on ZG327PA & ZG332P-60. Addition of (2) G8103 or G8103A Suitcase Weights also required for ZG332P-60. does not fit ZD	K100Z62	39	\$129.00
ZG3126	WEIGHT BRACKET KIT add info here Kit includes Weight Bracket ***Requires (4) G8103 or G8103A Suitcase Weights does not fit ZD	K319Z02	54	\$409.00
G8103A	FRONT SUITCASE WEIGHT (25LBS)	K31G20	25	\$40.00
G8103	* FRONT SUITCASE WEIGHT (25LBS)	K31G20	25	\$40.00
MULCH KIT				
ZD3166	* MULCH KIT / 60" ZD1200 SIDE DISCHARGE	K217Z62	29	\$279.00
ZD3167	* MULCH KIT/72" ZD1200/1500 SIDE DISCHARGE	K233Z22	33	\$299.00
F5266	MULCHING KIT FOR 60"	K256F62	36	\$329.00
ZD3168	MULCH KIT / 72" ZD1200/1500 REAR DISCHG	K280Z02	39	\$359.00
OPERATOR CONTROLLED DISCHARGE CHUTE				
ZD5960	OCD, Hand operated for ZD1200 series 60" Deck	K209Z82	14	\$269.00
ZD5972	OCD, Hand operated for ZD1200 series 72" Deck	K209Z82	14	\$269.00
HITCH KIT				
ZD3358	HITCH KIT ZD1200	K53Z82	7	\$69.00

Z1200 Series Implements and Attachments

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
OPTIONAL / REPLACEMENT MOWER BLADES				
K5955-97530	** 60" ACS Kubota PRO Deck Replacement Blade Set (3 blades) for RCK6			Order from Parts Department
K5955-34360	** 60" ACS Kubota PRO Deck Replacement Blade (1 blade) for RCK60P-1;			Order from Parts Department
K5975-97530	** 72" ACS Kubota PRO Deck Replacement Blade Set (3 blades) for RCK7			Order from Parts Department
K5975-34360	** 72" ACS Kubota PRO Deck Replacement Blade (1 blade) for RCK72P-1;			Order from Parts Department
K5645-97530	60" Kubota PRO Deck; Rear Discharge Replacement Blade Set (3 blades) for RCK60RP-1200Z			Order from Parts Department
K5645-34340	60" Kubota PRO Deck; Rear Discharge Replacement Blade (1 blade) for RCK60RP-1200Z			Order from Parts Department
K5647-92340	60" Kubota PRO Deck; Rear Discharge Mulch Blade (1 blade) for RCK60RP-1200Z			Order from Parts Department
K5698-97530	72" Kubota PRO Deck; Rear Discharge Replacement Blade Set (3 blades) for RCK72RP-1200Z			Order from Parts Department
K5698-34340	72" Kubota PRO Deck; Rear Discharge Replacement Blade (1 blade) for RCK72RP-1200Z			Order from Parts Department
K5677-92340	72" Kubota PRO Deck; Rear Discharge Mulch Blade (1 blade) for RCK72RP-1200Z			Order from Parts Department
FOLDABLE ROPS (Replacement)				
SFZD-F1511	2 POST REPLACEMENT ROPS	K350Z22	246	\$449.00
CANOPY				
E1175	QUICK ATTACH CANOPY	K404Z00	90	\$505.00
E1123	DELUXE FIBERGLASS CANOPY	K264Z42	90	\$339.00
E1124	MOUNTING BRACKET FOR E1123	K147Z42	28	\$189.00
WORK LIGHT KIT				
ZD3116A	WORK LIGHT KIT /ZG200 /ZG300	K92Z82	4	\$119.00
* Standard blade is used in Mulch kit.				
** Order Replacement Blade as replacement for Mulch Kit.				
MID MOUNT MOWERS (Replacement)				
RCK60P-1200Z	REPL MOWER DECK 60" / ZD1200-60	K1Z886Z82	190	\$2,419.00
RCK60RP-1200Z	REPL MWR DECK 60"ZD1200R-60R/ZD1500	K2Z674Z62	190	\$3,429.00
RCK72P-1200Z	REPL MWR DECK 72"/ZD1200L-72/ZD1500L	K2Z339Z22	462	\$2,999.00
RCK72RP-1200Z	REPL MWR DECK 72"/ZD1200R/ZD1500	K2Z815Z02	462	\$3,609.00
BLOCK HEATER				
70000-17552	Engine Block Heater for Cold Weather Starts			Order through Parts Department
SPARK ARRESTOR MUFFLER KIT				
ZG3123	SPARK ARRESTOR MLFR KIT /ZG200/ZG300 ZG300A Series require additional ZG3133 Adapter Kit	K186Z42	12	\$239.00
ZG3133	SPARK ARRESTING MUFFLER KIT	K15Z60	2	\$20.00
70000-01604	Screen Type Spark Arrestor. Fits Z1200 Series			Order through Parts Department
ROPS ORGANIZER				
E1184	ROPS ORGANIZER 5 protective pockets with zippers	K45B60	2	\$57.00

ZD1511LF-3-72 / ZD1511RL-3-60R / ZD1511RLF-3-72R

*** EQUIPMENT IN STANDARD MACHINE ***

DIESEL ENGINE

4 Cylinder, Kubota Model # V1505T w/ DPF
 30.8 Gross HP @ 3000 rpm
 91.4 cu. in. Displacement
 12v 430 Amp Hr. Battery
 14 Amps Charging Output

TRANSMISSION

Hydrostatic Drive
 (2) HST w/Gear Reduction
 Brake - Wet Multi Disks
 Forward Speeds 0 - 10.6 mph
 Reverse Speeds 0 - 5.3 mph

STEERING / MOTION CONTROL

(2) Hand Levers, Adjustable
 Hydraulically Damped, Adjustable

POWER TAKE OFF

Hydraulic Independent PTO
 Shaft Drive Mower Deck
 Wet Disk Clutch

FLUID CAPACITY

Fuel Tank 13.1 gal
 Engine Coolant 3.96 qts
 w/ Recovery tank
 Crankcase w/ Filter 4.1 qts
 Transmission Case 12.8 qts
 and Axle Gear

TIRES AND WHEELS

Front 15 x 6.5 - 8 Flat-free
 Rear 26 x 12.0 - 16 Turf, Low Profile

DIMENSIONS

Height (rops up): 78.7"
 Height (rops down): 64.6"
 Length: 104.7"
 Width Overall (w/o Mower):
 (ZD1511RL-60R) 59.4"
 (ZD1511LF-72) 60.6"
 (ZD1511RLF-72R) 60.6"
 Wheelbase: 61.4"
 Weight:
 (ZD1511RL-60R) 1984 lbs.
 (ZD1511LF-72) 2006 lbs.
 (ZD1511RLF-72R) 2028 lbs.

SAFETY EQUIPMENT

Electric Key Shut Off
 Control Lever Safety Switch
 Parking Brake Safety Switch
 Foldable ROPS
 Seat Safety Switch

OPERATING FEATURES

Zero Turn Radius
 Adj. Front Axle: Rigid/Oscillating
 Dual Element Air Filter
 Hands-free Hydraulic Deck Lift
 Hands-free Parking Brake
 Cup Holder
 Premium Adjustable Suspension Seat
 w/ Kubota Exclusive Seat Design

SIDE DISCHARGE MOWER

72" Kubota PRO Deck w/ACS
 8 Gauge, 6" Deep Deck
 1-5" Cut Height, Adjustable
 1/4" Increments
 Flexible Discharge Cover
 3 Blades

REAR DISCHARGE MOWER

60" and 72" Kubota PRO Deck
 5.5" Deep Deck
 1-5" Cut Height, Adjustable
 1/4" Increments
 3 Blades
 Bolt-on Skid Bars

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

ZD1511LF-3-72	DIESEL ZTR MWR/30.9 HP/72" DECK 72" Kubota PRO Deck w/ACS	K18Z319Z20	2429	\$22,899.00
ZD1511RL-3-60R	DSL ZTR MWR/30.9 HP/60" DECK/R DISCHG 60" Kubota PRO Deck; Rear Discharge Mower Deck	K17Z519Z20	2407	\$21,899.00
ZD1511RLF-3-72R	DSL ZTR MWR/30.9 HP/72" DECK/R DISCHG 72" Kubota PRO Deck; Rear Discharge Mower Deck	K18Z719Z20	2451	\$23,399.00

Replacement Tires and Wheels (price per piece)*

K3451-18020 Front Semi-pneumatic Caster Tire/Wheel Assembly
 K3441-17300 Rear Turf Tire/Wheel Assembly

Order from Parts Department
 Order from Parts Department

ZD1511LF-72 / ZD1511RL-60R / ZD1511RLF-72R

*** EQUIPMENT IN STANDARD MACHINE ***

DIESEL ENGINE

4 Cylinder, Kubota Model # V1505T w/ DPF
 30.8 Gross HP @ 3000 rpm
 91.4 cu. in. Displacement
 12v 430 Amp Hr. Battery
 14 Amps Charging Output

TRANSMISSION

Hydrostatic Drive
 (2) HST w/Gear Reduction
 Brake - Wet Multi Disks
 Forward Speeds 0 - 10.6 mph
 Reverse Speeds 0 - 5.3 mph

STEERING / MOTION CONTROL

(2) Hand Levers, Adjustable
 Hydraulically Damped, Adjustable

POWER TAKE OFF

Hydraulic Independent PTO
 Shaft Drive Mower Deck
 Wet Disk Clutch

FLUID CAPACITY

Fuel Tank 13.1 gal
 Engine Coolant 3.96 qts
 w/ Recovery tank
 Crankcase w/ Filter 4.1 qts
 Transmission Case 12.8 qts
 and Axle Gear

TIRES AND WHEELS

Front 15 x 6.5 - 8 Flat-free
 Rear 26 x 12.0 - 16 Turf, Low Profile

DIMENSIONS

Height (rops up): 78.7"
 Height (rops down): 64.6"
 Length: 104.7"
 Width Overall (w/o Mower):
 (ZD1511RL-60R) 59.4"
 (ZD1511LF-72) 60.6"
 (ZD1511RLF-72R) 60.6"
 Wheelbase: 61.4"
 Weight:
 (ZD1511RL-60R) 1984 lbs.
 (ZD1511LF-72) 2006 lbs.
 (ZD1511RLF-72R) 2028 lbs.

SAFETY EQUIPMENT

Electric Key Shut Off
 Control Lever Safety Switch
 Parking Brake Safety Switch
 Foldable ROPS
 Seat Safety Switch

OPERATING FEATURES

Zero Turn Radius
 Adj. Front Axle: Rigid/Oscillating
 Dual Element Air Filter
 Premium Air Ride Suspension Seat
 Hands-free Hydraulic Deck Lift
 Hands-free Parking Brake
 Cup Holder

SIDE DISCHARGE MOWER

72" Kubota PRO Deck w/ACS
 8 Gauge, 6" Deep Deck
 1-5" Cut Height, Adjustable
 1/4" Increments
 Flexible Discharge Cover
 3 Blades

REAR DISCHARGE MOWER

60" and 72" Kubota PRO Deck
 5.5" Deep Deck
 1-5" Cut Height, Adjustable
 1/4" Increments
 3 Blades
 Bolt-on Skid Bars

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

ZD1511LF-72	** 30.8HP 72" COMMERCIAL ZERO TURN MWR 72" Kubota PRO Deck w/ACS	K17Z679Z20	1530	\$22,099.00
ZD1511RL-60R	** 30.9HP 60" COMMERCIAL ZERO TURN MWR 60" Kubota PRO Deck; Rear Discharge Mower Deck	K16Z879Z20	1530	\$21,099.00
ZD1511RLF-72R	** 30.8HP 72" COMMERCIAL ZERO TURN MWR 72" Kubota PRO Deck; Rear Discharge Mower Deck	K18Z079Z20	1530	\$22,599.00

**** - LIMITED AVAILABILITY**

Replacement Tires and Wheels (price per piece)*

K3451-18020 Front Semi-pneumatic Caster Tire/Wheel Assembly
 K3441-17300 Rear Turf Tire/Wheel Assembly

Order from Parts Department
 Order from Parts Department

Z1500 Series Implements and Attachments

Z1500 SERIES IMPLEMENTS AND ATTACHMENT MATCHING CHART

Implements	ZD1511LF-3-72/ ZD1511LF-72	ZD1511RL-3-60R/ ZD1511RL-60R	ZD1511RLF-3-72R/ ZD1511RLF-72R
Replacement Deck	RCK72P-1500Z	RCK60RP-1500Z	RCK72RP-1500Z
Blades*			
Replacement blade kit (3 blades)	K5975-97530	K5645-97530	K5698-97530
Replacement blade (1 blade)	K5955-34361	K5955-34342	K5698-34342
Attachments			
Operator Controlled Discharge Chute (OCDC)	ZD5972	-	-
Mulch Kit	ZD3167	F5266	ZD3168
Work Light Kit	ZD3116A		
Replacement ROPS	SFZD-F1511		
Canopy Sunshade (Deluxe Fiberglass, Orange)	E1123		
Mounting Bracket for E1123	E1124		
Block Heater	70000-73274		
ROPS Organizer	E1184		
Tires*			
Front Semi-Pneumatic Caster Tire/Wheel Assembly□	K3451-18020		
Rear Turf Tire/Wheel Assembly	K3441-17300		

*Order through Parts Department

Z1500 Series Implements and Attachments

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
MID MOUNT MOWERS (Replacement)				
RCK60RP-1500Z	REPL MWR DECK 60"ZD1200R-60R/ZD1500	K2Z674Z62	190	\$3,429.00
RCK72P-1500Z	REPLACEMENT DECK FOR ZD1500-72	K2Z339Z22	462	\$2,999.00
RCK72RP-1500Z	RPLC MID-MOUNT MWR DECK/ZD1511RLF-72/	K2Z815Z02	462	\$3,609.00
MULCH KIT				
ZD3167	* MULCH KIT/72" ZD1200/1500 SIDE DISCHARGE	K233Z22	33	\$299.00
F5266	MULCHING KIT FOR 60"	K256F62	36	\$329.00
ZD3168	MULCH KIT / 72" ZD1200/1500 REAR DISCHG	K280Z02	39	\$359.00
OPERATOR CONTROLLED DISCHARGE CHUTE				
ZD5972	OPR CONTROLLED DISCHG CHUT/ZD1200L/1500L	K209Z82	14	\$269.00
OPTIONAL / REPLACEMENT MOWER BLADES				
K5975-97530	** 72" Kubota PRO Deck Replacement Blade Set (3 blades) for RCK72P-1!			Order from Parts Department
K5975-34361	** 72" Kubota PRO Deck Replacement Blade (1 blade) for RCK72P-1500Z			Order from Parts Department
K5645-97530	60" Kubota PRO Deck; Rear Discharge Replacement Blade Set (3 blades) for RCK60RP-1500Z			Order from Parts Department
K5955-34342	60" Kubota PRO Deck; Rear Discharge Replacement Blade Set (1 blade) for RCK60RP-1500Z			Order from Parts Department
K5647-92342	60" Kubota PRO Deck; Rear Discharge Mulch Blade Set (1 blade) for RCK60RP-1500Z			Order from Parts Department
K5698-97530	72" Kubota PRO Deck; Rear Discharge Replacement Blade Set (3 blades) for RCK72RP-1500Z			Order from Parts Department
K5698-34342	72" Kubota PRO Deck; Rear Discharge Replacement Blade Set (1 blade) for RCK72RP-1500Z			Order from Parts Department
K5677-92342	72" Kubota PRO Deck; Rear Discharge Mulch Blade Set (1 blade) for RCK72RP-1500Z			Order from Parts Department
FOLDABLE ROPS (Replacement)				
SFZD-F1511	2 POST REPLACEMENT ROPS	K350Z22	246	\$449.00
BLOCK HEATER				
70000-73274	Engine Block Heater for Cold Weather Starts			Order through Parts Department
ROPS ORGANIZER				
E1184	ROPS ORGANIZER 5 protective pockets with zippers	K45B60	2	\$57.00
CANOPY				
E1175	QUICK ATTACH CANOPY	K404Z00	90	\$505.00
E1123	DELUXE FIBERGLASS CANOPY	K264Z42	90	\$339.00
E1124	MOUNTING BRACKET FOR E1123	K147Z42	28	\$189.00
WORK LIGHT KIT				
ZD3116A	WORK LIGHT KIT /ZG200 /ZG300	K92Z82	4	\$119.00

** Order Replacement Blade as replacement for Mulch Kit.

F2690E

*** EQUIPMENT IN STANDARD MACHINE ***

DIESEL ENGINE

Model #D1105
 3 Cyl., 1123 cu. cm.
 +25.5 Gross Eng. HP
 @3000 Eng. RPM
 CARB Certified
 Alternator -- 40 Amps
 Hand Throttle
 Dual Element Air Cleaner

OPERATING FEATURES

Tilt Steering Wheel
 Power Steering
 Deluxe Suspension Seat
 w/ 4 Adj. Controls

HYDRAULICS

Open Center -- Gear Type
 2 Point Hitch Lift
 Cap. at Lift Point -- 573 lbs
 8.6 GPM Hyd. Pump Cap.
 6 GPM Remote Outlet

HYD. INDEPENDENT PTO

Hyd. Multi-Disc PTO
 Single Speed PTO
 2545 rpm @ 3000 Eng. rpm

FLUID CAPACITY

Fuel Tank 16.1 gal
 Cooling System 4.9 qts
 Engine Oil 3.7 qts
 Transmission and Hydraulics 14.8 qts
 Gross Weight 1620 lbs

TIRES AND WHEELS

Front 23 x 10.5 - 12 Multi-Trac C/S
 Rear 16 x 6.5 - 8 Multi-Trac C/S

TRANSMISSION

Hydrostatic Drive (F2/R2)
 Forward Speed -- 0 - 12.0 mph
 Reverse Speed -- 0 - 6.2 mph
 Front Differential Lock

INSTRUMENTS

Liquid Chrystal Display (LCD) Panel
 Hour Meter
 Electric Fuel Gauge
 Temperature Gauge
 Easy Checker™
 Oil Light
 Charge Light
 Glow Plug Light

SAFETY EQUIPMENT

2 Post Foldable ROPS w/
 Retractable Seat Belt
 ROPS meet ISO and OSHA
 Safety Start Switch
 Operator Presence Control
 Parking Brake
 Overheat Alarm Buzzer

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

F2690E	2WD FRONT MOWER w/ ROPS (Price includes seat and ROPS) (Mower Decks and tires must be ordered separately)	K14F300F17	1750	\$17,898.00
--------	---	------------	------	-------------

F2690E		TIRES AND WHEELS (priced per piece)			Price with Tire
ORDER	DESCRIPTION	FACTORY	APPROX	SUGGESTED	SUGG. LIST
AF9364	** Front TIRE 23x10.5-12 R3 TF Steel Bias BB	K91F26	32	\$ 117.00	\$18,262.00
AF8603	** Rear TIRE 16x6.5-8 R3 TF Steel Bias BB	K50F70	15	\$ 65.00	K14F584F09

** Standard tires.

F2690

*** EQUIPMENT IN STANDARD MACHINE ***

DIESEL ENGINE

Model #D1105
 3 Cyl., 1123 cu. cm.
 +25.5 Gross Eng. HP
 @3000 Eng. RPM
 CARB Certified
 Alternator -- 40 Amps
 Hand Throttle
 Dual Element Air Cleaner

OPERATING FEATURES

Tilt Steering Wheel
 Power Steering
 Deluxe Suspension Seat
 w/ 4 Adj. Controls

HYDRAULICS

Open Center -- Gear Type
 2 Point Hitch Lift
 Cap. at Lift Point -- 573 lbs
 8.6 GPM Hyd. Pump Cap.
 6 GPM Remote Outlet

HYD. INDEPENDENT PTO

Hyd. Multi-Disc PTO
 Single Speed PTO
 2545 rpm @ 3000 Eng. rpm

FLUID CAPACITY

Fuel Tank 16.1 gal
 Cooling System 4.9 qts
 Engine Oil 3.7 qts
 Transmission and Hydraulics 14.8 qts
 Gross Weight 1631 lbs

TIRES AND WHEELS

Front 24 x 12 - 12 Multi-Trac C/S
 Rear 18 x 9.5 - 8 Multi-Trac C/S

TRANSMISSION

Hydrostatic Drive (F2/R2)
 Forward Speed -- 0 - 12.5 mph
 Reverse Speed -- 0 - 6.8 mph
 Front Differential Lock

INSTRUMENTS

Liquid Chrystal Display (LCD) Panel
 Hour Meter
 Electric Fuel Gauge
 Temperature Gauge
 Easy Checker™
 Oil Light
 Charge Light
 Glow Plug Light

SAFETY EQUIPMENT

2 Post Foldable ROPS w/
 Retractable Seat Belt
 ROPS meet ISO and OSHA
 Safety Start Switch
 Operator Presence Control
 Parking Brake
 Overheat Alarm Buzzer

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

F2690	4WD FRONT MOWER w/ ROPS (Price includes seat and ROPS) (Mower Decks and tires must be ordered separately)	K16F340F19	1750	\$20,448.00
-------	---	------------	------	-------------

F2690		TIRES AND WHEELS (priced per piece)			Price with Tire
ORDER	DESCRIPTION	FACTORY	APPROX	SUGGESTED	SUGG. LIST
AR8641	** Front TIRE 24x12-12 R3 TF Steel Bias BB	K148F20	37	\$ 190.00	\$21,004.00
AF9398A	** Rear TIRE 18x9.5-8 R3 TF Steel Bias AA	K68F64	19	\$ 88.00	K16F773F83

** Standard tires.

F3990

*** EQUIPMENT IN STANDARD MACHINE ***

DIESEL ENGINE

Model #V1505T-IDI+DPF
 4 Cyl., 1498 cu. cm.
 +39 Gross Eng. HP
 @3000 Eng. RPM
 CARB Certified
 Alternator -- 60 Amps
 Hand Throttle
 Dual Element Air Cleaner

OPERATING FEATURES

Tilt Steering Wheel
 Power Steering
 Deluxe Suspension Seat
 w/ 4 Adj. Controls

HYDRAULICS

Open Center -- Gear Type
 2 Point Hitch Lift
 Cap. at Lift Point -- 573 lbs
 8.6 GPM Hyd. Pump Cap.
 6 GPM Remote Outlet

HYD. INDEPENDENT PTO

Hyd. Multi-Disc PTO
 Single Speed PTO
 2583 rpm @ 2500 Eng. rpm

FLUID CAPACITY

Fuel Tank 16.1 gal
 Cooling System 3.9 qts
 Engine Oil 5 qts
 Transmission and Hydraulics 14.8 qts
 Gross Weight 1830 lbs

TIRES AND WHEELS

Front 24 x 12 - 12 Multi-Trac C/S
 Rear 18 x 9.5 - 8 Multi-Trac C/S

TRANSMISSION

Hydrostatic Drive (F2/R2)
 Forward Speed -- 0 - 12.5 mph
 Reverse Speed -- 0 - 6.8 mph
 Front Differential Lock

INSTRUMENTS

Liquid Chrystal Display (LCD) Panel
 Hour Meter
 Electric Fuel Gauge
 Temperature Gauge
 Easy Checker™
 Oil Light
 Charge Light
 Glow Plug Light

SAFETY EQUIPMENT

2 Post Foldable ROPS w/
 Retractable Seat Belt
 ROPS meet ISO and OSHA
 Safety Start Switch
 Operator Presence Control
 Parking Brake
 Overheat Alarm Buzzer

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

F3990	4WD FRONT MOWER w/ ROPS (Price includes seat and ROPS) (Mower Decks and tires must be ordered separately)	K20F180F16	1750	\$25,248.00
-------	---	------------	------	-------------

F3990		TIRES AND WHEELS (priced per piece)			Price with Tire
ORDER	DESCRIPTION	FACTORY	APPROX	SUGGESTED	SUGG. LIST
AR8641	** Front TIRE 24x12-12 R3 TF Steel Bias BB	K148F20	37	\$ 190.00	\$25,804.00
AF9398A	** Rear TIRE 18x9.5-8 R3 TF Steel Bias AA	K68F64	19	\$ 88.00	K20F613F84

** Standard tires.

F Series Implement Matching Chart

F SERIES IMPLEMENTS AND ATTACHMENT MATCHING CHART

Model	F2690E	F2690	F3990
Implements			
60" Side Discharge Mower		RCK60P-F39	
60" Rear Discharge Mower		RCK60R-F36	
72" Side Discharge Mower		RCK72P-F39	
72" Rear Discharge Mower		RCK72R-F36	
Low Dump Hopper Style Grass Catcher/F90 ①②		GCK72-F39	
Front Debris Blower (Quick Attach Style) ①		F2535D	
Front Blade (Quick Attach Style) ①		B2765A	
Front Rotary Sweeper (Quick Attach Style) ①		L2163	
Front Snowblower (Quick Attach Style) ①		F5220B	
Attachments			
Deluxe Hard Cab ③④		F5206	
Canopy / 2 Post ROPS		E1133	
Cruise Control		F8281	
Hazard Light Kit ④		F8272	
Mulching Kit 60" Side Discharge		ZG3157	
Mulching Kit 60" Rear Discharge		F5266	
Mulching Kit 72" Side Discharge		F5372	
Mulching Kit 72" Rear Discharge		F5276	
Replacement Seat		F8280R	
Replacement ROPS		SFF-F36	
ROPS Organizer		E1184	
Tachometer, Engine		STANDARD	
Turn Assist Brakes ④			
Worklight Kit (ROPS Mounted) ④			
Tires (Replacement)			
AF9364 - Front 23 x 10.5 - 12 Multi-Trac C/S	AF9364	--	--
AF8603 - Rear 16 x 6.50 - 8 Multi-Trac C/S	AF8603	--	--
AF8641 - Front 24 x 12 - 12 Pro-Tech Turf	--	AF8641	AF8641
AF9398A - Rear 18 x 9.5 - 8 Turf Trac R/S	--	AF9398	AF9398

① Additional Kits are required for mounting. (Please see Implement Section.) F8284 Second Hydraulic Valve Kit required for use with wholegoods requiring F8283 single valve in conjunction

② Not compatible with Hard Cab F5205 or F5206.

③ Not compatible with F8282 Turn Assist Brakes.

④ Compatible with Grass Catcher GCK72-F39 with Adapter Kit F5208.

F Series Grass Catcher Matching Chart

F SERIES IMPLEMENTS AND ATTACHMENT MATCHING CHART

	Deck Size	Model	Grass Catcher	Boot kit	Mount Kit	Hydraulic Valve
F80 Series	60"	F2680	GCK72-F36 or GCK72-F39 (requires F5326 mount kit)	F8286	F5326 required ONLY with GCK72-F39	F8283
		F3080				
		F3680				
	72"	F2680		F8287		
		F3080				
		F3680				
F90 Series	60"	F2690E	GCK72-F39	F8288	F5326	F8283
		F2690			F5339	
		F3990				
	72"	F2690E		F8289	F5326	
		F2690			F5339	
		F3990				

- NOTE:
1. Grass Catcher is not compatible with Rear Discharge Decks.
 2. Grass Catcher is not compatible with Hard Cabs.
 3. Requires F8284 Seond Auziliary Hydraulic Valve Kit if used in confunction with a front mounted implement
 4. Grass catchers on lower hp units with larger decks will perform best in mild, flat mowing conditions.

F Series Implements and Attachments

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
FRONT MOUNT MOWERS				
RCK60P-F39	60" MOWER DECK FOR F SERIES TRACTOR Fits all F90 Series, 3 – Blade Mower / RH Discharge / Shaft Drive / Quick Mount Mechanism	K2F776F02	495	\$3,559.00
RCK72P-F39	72" MOWER DECK FOR F SERIES TRACTOR Fits all F90 Series, 3 – Blade Mower / RH Discharge / Shaft Drive / Quick Mount Mechanism	K3F523F26	569	\$4,517.00
RCK60P-F36	60" SIDE DISCHARGE MOWER Fits all F80 Series, 3 – Blade Mower / RH Discharge / Shaft Drive / Quick Mount Mechanism	K2F604F42	489	\$3,339.00
RCK60R-F36	60" REAR DISCHARGE MOWER Fits all F80 Series, 3 – Blade Mower / Rear Discharge / Shaft Drive / Quick Mount Mechanism	K2F663F70	494	\$3,415.00
RCK72P-F36	72" SIDE DISCHARGE MOWER Fits all F80 Series, 3 – Blade Mower / RH Discharge / Shaft Drive / Quick Mount Mechanism	K3F353F22	571	\$4,299.00
RCK72R-F36	72" REAR DISCHARGE MOWER Fits all F80 Series, 3 – Blade Mower / Rear Discharge / Shaft Drive / Quick Mount Mechanism	K3F411F72	541	\$4,374.00
PERFORMANCE BAFFLE KITS - Fine Cut				
F5267	PERFORMANCE BAFFLE KIT/RCK60P-F36	K61F62	14	\$79.00
F5277	PERFORMANCE BAFFLE KIT/RCK72P-F36	K69F42	16	\$89.00
Note: Performance Baffle Kits are not available for Rear Discharge Decks				
MULCHING KITS, include mulching blades				
F5265	MULCHING KIT FOR RCK60P-F36	K209F82	42	\$269.00
F5266	MULCHING KIT FOR 60"	K256F62	36	\$329.00
F5275	MULCHING KIT FOR RCK72P-F36	K233F22	44	\$299.00
F5276	MULCHING KIT FOR RCK72R-F36	K287F82	43	\$369.00
F5372	72" SIDE MULCHING KIT FOR RCK72P-F39	K272F22	49	\$349.00
ZG3157	MULCHING KIT FOR 60" MOWER	K248Z82	41	\$319.00
OPTIONAL / REPLACEMENT MOWER BLADES				
K5647-97530	* 60" Side Replacement Blade Set (3 blades)			Order from Parts Department
K5647-97590	* 60" Side Discharge Mulch Blade Set (3 blades.)			Order from Parts Department
K5645-97530	* 60" Rear Replacement Blade Set (3 blades)			Order from Parts Department
K5647-97590	* 60" Rear Discharge Mulch Blade Set (3 blades)			Order from Parts Department
K5677-97530	* 72" Side Replacement Blade Set (3 blades)			Order from Parts Department
K5677-97590	* 72" Side Discharge Mulch Blade Set (3 blades)			Order from Parts Department
K5698-97530	* 72" Rear Replacement Blade Set (3 blades)			Order from Parts Department
K5677-97590	* 72" Rear Discharge Mulch Blade Set (3 blades)			Order from Parts Department
* Subject to availability.				

F Series Implements and Attachments

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
GCK72-F39	GRASS CATCHER FOR F2690E & F3990 12 Bushel Capacity, Hydraulic Dump from Operator's seat Requires Boot Kit, Mount Kit and Hydraulic Valve	K3F228F42	618	\$4,139.00
Note:	1. Grass Catcher is not compatible with Rear Discharge Decks. 2. Grass Catcher is not compatible with Hard Cabs. 3. Requires F8284 Second Auxiliary Hydraulic Valve Kit if used in conjunction with a front mounted implement. 4. Grass catchers on lower hp units with larger decks will perform best in mild, flat mowing conditions.			
BOOT KIT, required for use with GCK72-F36				
F8286	BOOT KIT 60" SIDE	K217F62	31	\$279.00
F8287	BOOT KIT 72" SIDE	K217F62	26	\$279.00
F8288	BOOT KIT FOR RCK60P-F39	K217F62	14	\$279.00
F8289	BOOT KIT FOR RCK72P-F39	K217F62	14	\$279.00
HYDRAULIC VALVE, required for use with GCK72-F36 or RCL100F-F36				
F8283	HYDRAULIC VALVE SINGLE	K358F02	12	\$459.00
F8284	HYDRAULIC VALVE For use with wholegoods requiring F8283 Single Valve in conjunction with grass catcher	K521F82	16	\$669.00
GRASS CATCHER MOUNT KIT				
F5326	GRASS CATCHER MOUNT KIT FOR F2690 and to all F 80 models.	K311F22	34	\$399.00
F5339	GRASS CATCHER MOUNT KIT FOR F3990	K311F22	41	\$399.00
BLOCK HEATER				
70000-73274	Engine Block Heater for Cold Weather Starts		Order through Parts Department	
CANOPY				
E1133	SUNSHADE (CANOPY) Fits all F90 Series	K355B20	63	\$444.00
CRUISE CONTROL KIT				
F8281	CRUISE CONTROL	K225F42	7	\$289.00
HAZARD LIGHT KIT				
F8272	2 LIGHT HAZARD LIGHT KIT/F SERIES Includes all mounting hardware Not compatible with Hard Cab F5205 or F5206	K163F02	6	\$209.00
TURN ASSIST BRAKES				
F8282	TURN ASSIST BRAKES (not compatible with F5205 & F5206 Hard Cab)	K186F42	9	\$239.00
WORKLIGHT KIT				
F8255	WORKLIGHT KIT/F-80 SERIES	K85F02	2	\$109.00
ROPS ORGANIZER				
E1184	ROPS ORGANIZER 5 protective pockets with zippers	K45B60	2	\$57.00

F Series Implements and Attachments

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
F5206	HARD CAB FOR NEW F-SERIES 90'S Glass Windows, Removable Doors, Steel Frame and Roof, Front LED Work Lights, HD Pantograph Windshield Wiper, Overhead Dome Light, Switch Panel, Blower/Defroster Fan Assembly. Shipped assembled. Fits F90 Series	K4F523F22	487	\$5,799.00
Deluxe Hard Cab Options				
F5254	CAB SEALING KIT FOR F5206 CAB PNF	K202F02	16	\$259.00
F5208	GRASS CATCHER CRTL MOUNT/F5206 CAB	K85F02	3	\$109.00
F5207	GRASS CATCHER CRTL MOUNT/F5206 CAB	K58F50	1	\$75.00
F5311	HEATER W/QK CONNECT HOSE FITTINGS	K389F22	16	\$499.00
F5312	REAR LED WORK LIGHT KIT (2)	K155F22	3	\$199.00
F5313	ROOF MOUNTED LED STROBE LIGHT KIT	K147F42	3	\$189.00
F5314	INTERIOR REARVIEW MIRROR	K69F42	1	\$89.00
DEBRIS BLOWER				
F2535D	DEBRIS BLOWER Hydraulic 230 degree chute rotation is standard. Requires: F5212A Male Quick Hitch, F5216 Remote Hyd. Kit, F8283 Hydraulic Valve, F2523B 1/2 PTO Shaft, (1) BX8064 Weight Bracket, (4) BL8060-1 Suitcase Weights, (4) BL8062 Bolt Kits.	K2F456F22	350	\$3,149.00
FRONT BLADE				
B2765A	60" FRONT BLADE Hydraulic Lift, Hydraulic Angle, Skid Shoes, and Spring Trip are Standard Equipment. Requires: F5212A Male Quick Hitch, F5216 Remote Hyd. Kit, F8283 Hydraulic Valve, (1) BX8064 Weight Bracket, (4) BL8060-1 Suitcase Weights, (4) BL8062 Bolt Kits. Optional B2766 60" rubber cutting edge.	K1B311B20	411	\$1,639.00
B2766	RUBBER CUTTING EDGE	K174B40	49	\$218.00
ROTARY SWEEPER				
L2163	ROTARY BROOM FOR L2180-1/F5212 Q.H. Requires: F5212A Male Quick Hitch, F5216 Remote Hyd. Kit, F8283 Hydraulic Valve, (1) BX8064A Weight Bracket, (4) BL8060-1 Suitcase Weights, (4) BL8062 Bolt Kits, (1) F2524 1/2 PTO Shaft Kit. <i>Std Brush: 100% polypropylene ; Option: 50% steel/50% polypropylene</i>	K3F093F60	300	\$3,867.00
BL2178	SIDE CASTER WHEEL KIT	K368L80	45	\$461.00
L2168	60" RUBBER DEFLECTOR KIT / L2162	K128L80	31	\$161.00

F Series Implements and Attachments

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
F5220B	51" TWO STAGE SNOWBLOWER with 4 Blade 17.75" Impeller. Features Hydraulic Chute Roll standard with Manual Chute Deflector. Requires: F5212A Male Quick Hitch, F5216 Remote Hyd. K F8283 Hydraulic Valve, (1) BX8064 Weight Bracket, (4) BL8060-1 Suitcase Weights, (4) BL8062 Bolt Kits.	K2F986F62	495	\$3,829.00
B2516A	ELECTRIC CHUTE DEFLECTOR KIT	K501B60	9	\$627.00
B2786	SNOWBLOWER SIDE EXTENSIONS	K94F40	27	\$118.00
SUBFRAMES (MOUNTING KITS)				
F5212A	MALE QUICK HITCH (F-SERIES)	K248F82	114	\$319.00
HYDRAULIC KITS / VALVE				
F5216	HYDRAULIC HOSE KIT Requires F8283 Hydraulic Valve, Single	K139F62	4	\$179.00
F8283	HYDRAULIC VALVE SINGLE	K358F02	12	\$459.00
F8284	HYDRAULIC VALVE For use with wholegoods requiring F8283 Single Valve in conjunction with grass catcher	K521F82	16	\$669.00
WEIGHT BRACKETS (Rear)				
BX8064A	FRONT WEIGHT BRACKET	K83B20	23	\$104.00
SUITCASE WEIGHT				
BL8060-1	FRONT SUITCASE WEIGHT (1 WT P/BOLT KIT)	K57B60	55	\$72.00
BL8062	FRONT WEIGHT BOLT KIT	K7B20	1	\$9.00
M8071	FRONT SUITCASE WEIGHT	K80M80	94	\$101.00
M8073	BOLT KIT FOR M8075	K48M00	10	\$60.00
PTO KITS				
F2524	HALF PTO SHAFT / F-SERIES COM MWR	K178F62	6	\$229.00
F2523B	ADAPTER KIT	K155F22	6	\$199.00

Replacement Engines

Effective June 2, 2014 all replacement engines must be ordered through the Parts Department.
See Parts Bulletin DPB-2014-011 R01.