

W/SZ Series Commercial Walk Behind & Stand-On Mowers

WHOLEGOODS PRICE LIST EFFECTIVE March 1, 2021

These pages are a complete revision of this section and contain new model and product information. All prices are effective as of March 1, 2021.

NOTE: Tire prices appear per piece.

1/20/2020 Add 61" Stand-On, updated SZ Series Matching Chart w/ Additional Blades, and additional SZ attachments
Add NC models "Not for Sale in California"
1/6/2021 Add NEW SZ (-2) models. See pages 3-9 thru 3-12.
3/1/2021 Add Stand On Grass Catchers SGC61 and SGC61J. See pages 3-13.

This page intentionally left blank.

PAGE NUMBER	MODEL	GROSS ENGINE H.P. ①	FACTORY NUMBER	SUGGESTED LIST PRICE
3-4	WG6-21	5.5	K989W17	\$1,278.00
3-4	WGC6-21	5.5	K1W117W21	\$1,436.00
3-5	WG14NC-36	14.5	K3W197W22	\$4,099.00
3-5	WG14-36	14.5	K3W059W94	\$3,923.00
3-6	WH15NC-48	15	K4W835W22	\$6,199.00
3-6	WH15-48	15	K4W715W10	\$6,045.00
3-7	WHF19NC-52	19	K6W005W22	\$7,699.00
3-7	WHF19-52	19	K5W864W82	\$7,519.00
3-8	CWB Series Matching Chart			
3-8	CWB Series Implement and Attachments			
3-9	SZ19NC-36-2	19	K6W473W22	\$8,299.00
3-9	SZ19NC-36	19	K6W317W22	\$8,099.00
3-9	SZ19-36	19	K6W161W22	\$7,899.00
3-10	SZ22NC-48-2	22	K7W175W22	\$9,199.00
3-10	SZ22NC-48	22	K7W019W22	\$8,999.00
3-10	SZ22-48	22	K6W785W22	\$8,699.00
3-11	SZ26NC-52-2	26	K7W721W22	\$9,899.00
3-11	SZ26NC-52	26	K7W487W22	\$9,599.00
3-11	SZ26-52	26	K7W253W22	\$9,299.00
3-12	SZ26NC-61-2	26	K7W955W22	\$10,199.00
3-12	SZ26NC-61	26	K7W721W22	\$9,899.00
3-13	SZ Series Matching Chart			
3-13	SZ Series Implement and Attachments			

① The engine horsepower information is provided by the engine manufacturer. Refer to the engine manufacturer's web site for additional information.

NC Models - Not for sale in California

WG6-21 / WGC6-21

*** EQUIPMENT IN STANDARD MACHINE ***

ENGINE

Kawasaki FJ 180 KAI
 +5.5 Gross HP @ 3400 rpm
 4 Cycle - Over Head Valve (OHV)
 179cc Displacement
 Starting - Recoil
 Air Filter - Paper filter with foam precleaner
 Full Pressure Lubrication
 Spin on Replaceable Oil Filter
 Crankshaft - 1" (Zone Start) / 7/8" (BBC)

FLUID CAPACITY

Fuel Tank 2 qts
 Crankcase w/ Filter 0.8 qt

OPERATING FEATURES

21" Fixed Deck mower
 Dual Element Air Filter
 Replaceable Steel Deck Guards

TIRES AND WHEEL

Front 9 x 2.25 - 7 Turf - No flat
 Rear 9 x 2.25 - 7 Turf - No flat
 Replaceable Rubber Tire
 Replaceable Sealed Ball Bearings
 Independent Wheel Adjustment

SAFETY EQUIPMENT

Operator Presence Control (OPC)

TRANSMISSION

Self-Propelled, Rear Wheel Drive, Gear Driven
 3 Speed Gear box - belt driven
 Steel Cut Gears with Internal Spring Clutch
 Full Ball Bearing Construction
 1st Gear: 2.4 mph
 2nd Gear: 3.3 mph
 3rd Gear: 4.1 mph

DIMENSIONS

Height 33"-44"
 Length 62"
 Width Overall 22.5"
 Wheelbase: 26"

MOWER

21" High Vac Cast Aluminum Deck
 3/4"-4.0" Cut Height, Adjustable
 1/4" Increments
 2.5 (3.1cu ft) Bu Bag Capacity
 Mulch Plug Standard

Weight

Zone Start 131 lbs
 Blade Brake Clutch 134 lbs

HANDLE BAR SYSTEM

1" Heavy Wall One Piece Tubing
 Easily Adjustable for comfort
 WG6 - Throttle Fixed Speed
 WGC6 - Throttle Variable Speed - Remote

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

WG6-21	21" Commercial Walk Behind - Zone Start 21" Cast Aluminum Commercial Deck	K989W17	131 lbs	\$1,278.00
WGC6-21	21" Commercial Walk Behind - Blade Brake Clutch 21" Cast Aluminum Commercial Deck	K1W117W21	136 lbs	\$1,436.00

Optional Accessory

SC-4175821 Kit- Engine Guard

Order from Parts Department

WG14NC-36 / WG14-36

*** EQUIPMENT IN STANDARD MACHINE ***

ENGINE

Kawasaki FS481V
 +14.5 Gross HP @ 3600 rpm
 603cc Displacement

TRANSMISSION

Peerless Gear box
 5 Speed with Reverse assist
 Forward Speed: 0 - 5.1 mph
 Reverse Speed: Assist only

STEERING / MOTION CONTROL

Pistol grip with
 Adjustable control force

FLUID CAPACITY

Fuel Tank 5.2 gal
 Crankcase w/ Filter 2.1 qts

TIRES AND WHEELS

Front 9 x 3.5 - 4 Turf - No flat
 Rear 13 x 6.5- 6 Turf - 4 ply

DIMENSIONS

Height 41"
 Length 76"
 Width Overall
 Chute up 36.5"
 Chute down 49"
 Wheelbase 36"

POWER TAKE OFF

Electric PTO - 125 ft-lb
 Belt drive mower

OPERATING FEATURES

36" Fixed Deck mower
 Dual Element Air Filter
 Drum Brakes
 1" Deck Spindles
 Electric Clutch

SAFETY EQUIPMENT

Key Switch Shut Off
 Control Lever Safety Switch
 Parking Brake Safety Switch

MOWERS

36" Fixed Cutting Width Deck
 1.5-4.5" Cut Height, Adjustable
 1/4" Increments
 Fabricated 7 Gauge Steel Top
 & Side Skirts
 4.75" Deep Design
 Flexible Discharge Cover
 2 Blades

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

WG14NC-36	Commercial Walk Behind - Gear Drive 36" Fabricated Fixed Commercial Deck	K3W197W22	630 lbs	\$4,099.00
WG14-36	** Commercial Walk Behind - Gear Drive 36" Fabricated Fixed Commercial Deck	K3W059W94	1 lbs	\$3,923.00

**** - LIMITED AVAILABILTIY**

NC model - Not for sale in California

WH15NC-48 / WH15-48

*** EQUIPMENT IN STANDARD MACHINE ***

ENGINE

Kawasaki FS541V
 +15 Gross HP @ 3600 rpm
 603cc Displacement

TRANSMISSION

2 - Hydro-Gear 10cc variable displacement pumps with Parker wheel motors

Forward Speeds 0 - 6 mph
 Reverse Speeds 0 - 3.5 mph

STEERING / MOTION CONTROL

Twin Lever Hydro Control
 Adjustable control force

FLUID CAPACITY

Fuel Tank 5.2 gal
 Crankcase w/ Filter 2.1 qts

TIRES AND WHEELS

Front 9 x 3.5 - 4 Turf - No flat
 Rear 16 x 7.5- 6 Turf - 4 ply

DIMENSIONS

Height 47"
 Length 76"
 Width Overall
 Chute up 48.5
 Chute down 61"
 Wheelbase 36"

POWER TAKE OFF

Electric PTO - 125 ft-lb
 Belt drive mower

OPERATING FEATURES

48" Fixed Deck mower
 Dual Element Air Filter
 Hydrostatic Braking
 1" Deck Spindles
 Electric Clutch
 Separate Parking Brake

SAFETY EQUIPMENT

Key Switch Shut Off
 Control Lever Safety Switch
 Parking Brake Safety Switch

MOWERS

48" Fixed Cutting Width Deck
 1.38-4.63" Cut Height, Adjustable
 1/4" Increments
 Fabricated 7 Gauge Steel
 & Side Skirts
 4.75" Deep Design
 Flexible Discharge Cover
 3 Blades

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

WH15NC-48	Commercial Walk Behind - Hydro drive 48" Fabricated Fixed Commercial Deck	K4W835W22	825 lbs	\$6,199.00
WH15-48	** Commercial Walk Behind - Hydro drive 48" Fabricated Fixed Commercial Deck	K4W715W10	1 lbs	\$6,045.00

** - LIMITED AVAILABILITY

NC model - Not for sale in California

WHF19NC-52 / WHF19-52

*** EQUIPMENT IN STANDARD MACHINE ***

ENGINE

Kawasaki FX600V
 +19 Gross HP @ 3600 rpm
 603cc Displacement

TRANSMISSION

2 - Hydro-Gear 10cc variable displacement pumps with Parker wheel motors

Forward Speeds 0 - 6 mph
 Reverse Speeds 0 - 3.5 mph

STEERING / MOTION CONTROL

Twin Lever Hydro Control
 Adjustable control force

FLUID CAPACITY

Fuel Tank 5.2 gal
 Crankcase w/ Filter 2.1 qts

TIRES AND WHEELS

Front 11 x 4 - 5 Smooth - Pneumatic
 Rear 18 x 7.5- 8 Turf - 4 ply

DIMENSIONS

Height 47"
 Length 76"
 Width Overall
 Chute up 52.5"
 Chute down 64"
 Wheelbase 42"

POWER TAKE OFF

Electric PTO - 175 ft-lb
 Belt drive mower

OPERATING FEATURES

52" Floating Deck mower
 Dual Element Air Filter
 Hydrostatic Braking
 1" Deck Spindles
 Electric Clutch
 Separate Parking Brake

SAFETY EQUIPMENT

Key Switch Shut Off
 Control Lever Safety Switch
 Parking Brake Safety Switch

MOWERS

52" Floating Cutting Width Deck
 1.5-4.5" Cut Height, Adjustable
 1/4" Increments
 Fabricated 10 Gauge Steel Top,
 7 Gauge Side Skirts w/
 3 Gauge Reinforcement
 4.75" Deep Design
 Flexible Discharge Cover
 3 Blades

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

WHF19NC-52	Commercial Walk Behind - Hydro drive 52" Fabricated Floating Commercial Deck	K6W005W22	970 lbs	\$7,699.00
WHF19-52	** Commercial Walk Behind - Hydro drive 52" Fabricated Floating Commercial Deck	K5W864W82	970 lbs	\$7,519.00

** - LIMITED AVAILABILITY

NC model - Not for sale in California

W Series Commercial Walk Behind Implements and Attachments

W SERIES COMMERCIAL WALK BEHIND IMPLEMENTS AND ATTACHMENT MATCHING CHART

Implements	WG6-21 / WGC6-21	WG14NC-36 / WG14-36	WH15NC-48 / WH15-48	WHF19NC-52 / WHF19-52
Blades*				
Replacement blade (1 blade)	SC-4174803	SC-112111-01		SC-112111-02
Attachments				
Mulch Kit	-	WMK36	WMK48	WMK52
Discharge Plate	-	WBP36	WBP48	WBP52
Cold Start Kit	-	-	WCS00	
Walk Behind Weight Kit	-	WWK01	-	
Grass Catcher Adapter Kit		-		WGCB02
Engine Guard Kit	SC-4175821	-		
Tires*				
Front Semi-Pneumatic Caster Tire/Wheel Assembly	-	SC-4172272		SC-4172270
Rear Turf Tire/Wheel Assembly	-	SC-4172268	SC-4172269	SC-4172271
Front Wheel Assembly	SC-4175729	-		
Rear Wheel Assembly	SC-4175728	-		

*Order through Parts Department

NC models - Not for sale in California

W Series Commercial Walk Behind Implements and Attachments

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
Mulch Kits				
WMK36	Mulch Kit for WG14-36 (36" Fixed Deck Only)	K134W16	21 lbs	\$172.00
WMK48	Mulch Kit for WH15-48 (48" Fixed Deck Only)	K195W00	26 lbs	\$250.00
WMK52	Mulch Kit for WH19-52 (52" Floating Deck Only)	K195W00	40 lbs	\$250.00
Discharge Plate				
WBP36	Discharge Plate for WG14-36 (36" Fixed Deck Only)	K41W34	12 lbs	\$53.00
WBP48	Discharge Plate for WH15-48 (48" Fixed Deck Only)	K41W34	5 lbs	\$53.00
WBP52	Discharge Plate for WH19-52 (52" Floating Deck Only)	K41W34	12 lbs	\$53.00
Cold Start Kit				
WCS00	Cold start kit for Hydro units	K28W86	23 lbs	\$37.00
Grass Catcher Adapter Kit				
WGCB02	Grass Catcher Adapter Kit for WH19-52 (52" Floating Deck Only)	K48W36	7 lbs	\$62.00
Walk Behind Weight Kit				
WWK01	Weight Kit for WG14-36 (36" Fixed Deck Only)	K143W52	26 lbs	\$184.00
Engine Guard Kit				
SC-4175821	Engine Guard Kit for WG6-21/WGC6-21			Order from Parts Department

SZ19NC-36-2 / SZ19NC-36 / SZ19-36

*** EQUIPMENT IN STANDARD MACHINE ***

ENGINE

Kawasaki FX600V
 19HP @ 3600 rpm
 603cc Displacement

FLUID CAPACITY

Fuel Tank 5.1 gal
 Crankcase w/ Filter 2.1 qts
 Transaxle 2 qts

OPERATING FEATURES

Zero Turn Radius
 Ergonomic Cushion Pad
 Dual Element Air Filter
 Fuel Valve & Reserve
 Lever-Type Throttle Control & Choke
 Adjustable Dampen Control Levers
 Tool-Less Adjustable
 Front Reference Bar
 Tool-Less Adjustable
 Control Lever Tracking Adjustment

TRANSMISSION

Hydro-Gear ZT-3100
 Integrated 10cc pump and 16cc motor
 Intergal expansion tanks (-2 model)
 Internal Parking Brake
 Forward Speeds 0 - 9 mph
 Reverse Speeds 0 - 4 mph

DIMENSIONS

Height 45"
 Length 62.5"
 Width Overall 35.5"
 Wheelbase 47.25"

POWER TAKE OFF

Electric PTO - 125 ft-lb
 Belt Drive Mower

SAFETY EQUIPMENT

Key Switch Shut Off
 Control Lever Safety Switch
 Parking Brake Safety Switch

STEERING / MOTION CONTROL

(2) Hydro Hand Levers
 Hydraulic Dampened
 (3) Position Damper Adjustment

TIRES AND WHEELS

Front 11 x 6 - 5 Semi-Pneumatic (Flat-Free) (-2 model)
 Front 11 x 4 - 5 Semi-Pneumatic (Flat-Free)
 Rear 20 x 8 - 10 (Zero T) - 4 ply (-2 model)
 Rear 20 x 8 - 10 Turf - 4 ply

MOWER DECK

36" Floating Cutting Width Deck
 1.5-4.5" Cut Height, Adjustable
 1/4" Increments
 Fabricated 7 Gauge Steel Top
 & Side Skirts w/
 3 Gauge Reinforcement
 4.75" Deep Design
 Wider Flex Discharge Cover (-2 model)
 Flexible Discharge Cover
 Maintenance-Free Sealed Spindles
 2 Blades

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

SZ19NC-36-2	Commercial Stand-On Mower 36" Fabricated Floating Commercial Deck	K6W473W22	864 lbs	\$8,299.00
SZ19NC-36	** Commercial Stand-On Mower 36" Fabricated Floating Commercial Deck	K6W317W22	630 lbs	\$8,099.00
SZ19-36	** Commercial Stand-On Mower 36" Fabricated Floating Commercial Deck	K6W161W22	630 lbs	\$7,899.00

** - LIMITED AVAILABILTIY

NC model - Not for sale in California

SZ22NC-48-2 / SZ22NC-48 / SZ22-48

*** EQUIPMENT IN STANDARD MACHINE ***

ENGINE

Kawasaki FX691V
 22HP @ 3600 rpm
 726cc Displacement

FLUID CAPACITY

Fuel Tank 6.5 gal
 Crankcase w/ Filter 2.1 qts
 Transaxle 2 qts

OPERATING FEATURES

Zero Turn Radius
 Ergonomic Cushion Pad
 Large Operator Platform
 Dual Element Air Filter
 Fuel Gauge
 Lever-Type Throttle Control & Choke
 Adjustable Dampen Control Levers
 Tool-Less Adjustable
 Front Reference Bar
 Tool-Less Adjustable
 Control Lever Tracking Adjustment
Serviceable Deck Lift Arms (-2 models)

TRANSMISSION

Hydro-Gear ZT-3600 (NC Model)
 Hydro-Gear ZT-3400
Intergal expansion tanks (-2 model)
 Integrated 12cc pump and 16cc motor
 Internal Parking Brake
 Forward Speeds 0 - 10.5 mph
 Reverse Speeds 0 - 4 mph

DIMENSIONS

Height 45.75"
 Length 63.75"
 Width Overall 48.875"
 Wheelbase 46"

POWER TAKE OFF

Electric PTO - 200 ft-lb
 Belt Drive Mower

STEERING / MOTION CONTROL

(2) Hydro Hand Levers
 Hydraulic Dampened
 (3) Position Damper Adjustment

SAFETY EQUIPMENT

Key Switch Shut Off
 Control Lever Safety Switch
 Parking Brake Safety Switch

TIRES AND WHEELS

Front 13 x 6.5 - 6 Semi-Pneumatic (Flat-Free) (NC Model)
 Front 13 x 5 - 6 Semi-Pneumatic (Flat-Free)
Rear 23 x 8.5- 12 (Zero T) - 4 ply (-2 model)
 Rear 23 x 8.5- 12 Turf - 4 ply

MOWER DECK

48" Floating Cutting Width Deck
Bolt-on Adjustable Air-Gap Front Baffles (-2 models)
 1.5-4.5" Cut Height, Adjustable
 1/4" Increments
Improved Cutting Height Adjustment (-2 models)
 Fabricated 10 Gauge Steel Top,
 7 Gauge Side Skirts w/
 3 Gauge Reinforcement
 4.75" Deep Design
Wider Flex Discharge Cover (-2 model)
 Flexible Discharge Cover
 Maintenance-Free Sealed Spindles
 3 Blades

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

SZ22NC-48-2	Commercial Stand-On Mower 48" Fabricated Floating Commercial Deck	K7W175W22	998 lbs	\$9,199.00
SZ22NC-48	** Commercial Stand-On Mower 48" Fabricated Floating Commercial Deck	K7W019W22	825 lbs	\$8,999.00
SZ22-48	** Commercial Stand-On Mower 48" Fabricated Floating Commercial Deck	K6W785W22	1 lbs	\$8,699.00

**** - LIMITED AVAILABILITY**

NC model - Not for sale in California

S26NC-52-2 / SZ26NC-52 / SZ26-52

*** EQUIPMENT IN STANDARD MACHINE ***

ENGINE

Kawasaki FT730V-EFI
 26 HP @ 3600 rpm
 726cc Displacement

FLUID CAPACITY

Fuel Tank 6.5 gal
 Crankcase w/ Filter 2.1 qts
 Transaxle 2 qts

OPERATING FEATURES

Zero Turn Radius
 Ergonomic Cushion Pad
 Large Operator Platform
 Vortical Air Filtration
 Fuel Gauge
 Dial-Type Throttle Control
 Adjustable Dampen Control Levers
 Tool-Less Adjustable
 Front Reference Bar
 Tool-Less Adjustable
 Control Lever Tracking Adjustment
Serviceable Deck Lift Arms
 (-2 models)

TRANSMISSION

Hydro-Gear ZT-3600
 Integrated 12cc pump and 16cc motor
Intergal expansion tanks (-2 model)
 Internal Parking Brake
 Forward Speeds 0 - 11 mph
 Reverse Speeds 0 - 4 mph

DIMENSIONS

Height 45.75"
 Length 63.75"
 Width Overall 53.875"
 Wheelbase 46"

POWER TAKE OFF

Electric PTO - 200 ft-lb
 Belt Drive Mower

STEERING / MOTION CONTROL

(2) Hydro Hand Levers
 Hydraulic Dampened
 (3) Position Damper Adjustment

SAFETY EQUIPMENT

Key Switch Shut Off
 Control Lever Safety Switch
 Parking Brake Safety Switch

TIRES AND WHEELS

Front 13 x 6.5 - 6 Semi-Pneumatic (Flat-Free) (NC Model)
 Front 13 x 5 - 6 Semi-Pneumatic (Flat-Free)
Rear 23 x 8.5- 12 (Zero T) - 4 ply (-2 model)
 Rear 23 x 10.5- 12 Turf - 4 ply

MOWER DECK

52" Floating Cutting Width Deck
Bolt-on Adjustable Air-Gap Front Baffles
 (-2 models)
 1.5-4.5" Cut Height, Adjustable
 1/4" Increments
Improved Cutting Height Adjustment
 (-2 models)
 Fabricated 10 Gauge Steel Top,
 7 Gauge Side Skirts w/
 3 Gauge Reinforcement
 4.75" Deep Design
Wider Flex Discharge Cover (-2 model)
 Flexible Discharge Cover
 Maintenance-Free Sealed Spindles
 3 Blades

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

SZ26NC-52-2	Commercial Stand-On Mower 52" Fabricated Floating Commercial Deck	K7W721W22	1030 lbs	\$9,899.00
SZ26NC-52	** Commercial Stand-On Mower 52" Fabricated Floating Commercial Deck	K7W487W22	970 lbs	\$9,599.00
SZ26-52	** Commercial Stand-On Mower 52" Fabricated Floating Commercial Deck	K7W253W22	1 lbs	\$9,299.00

**** - LIMITED AVAILABILTIY**

NC model - Not for sale in California

SZ26NC-61-2 / SZ26-61

*** EQUIPMENT IN STANDARD MACHINE ***

ENGINE

Kawasaki FT730V-EFI
 26 HP @ 3600 rpm
 726cc Displacement

FLUID CAPACITY

Fuel Tank 6.5 gal
 Crankcase w/ Filter 2.1 qts
 Transaxle 2 qts

OPERATING FEATURES

Zero Turn Radius
 Ergonomic Cushion Pad
 Large Operator Platform
 Vortical Air Filtration
 Fuel Gauge
 Dial-Type Throttle Control
 Adjustable Dampen Control Levers
 Tool-Less Adjustable
 Front Reference Bar
 Tool-Less Adjustable
 Control Lever Tracking Adjustment
Serviceable Deck Lift Arms (-2 models)

TRANSMISSION

Hydro-Gear ZT-3600
 Integrated 12cc pump and 16cc motor
Intergal expansion tanks (-2 model)
 Internal Parking Brake
 Forward Speeds 0 - 11 mph
 Reverse Speeds 0 - 4 mph

DIMENSIONS

Height 45.75"
 Length 63.75"
 Width Overall 62"
 Wheelbase 46"

POWER TAKE OFF

Electric PTO - 200 ft-lb
 Belt Drive Mower

STEERING / MOTION CONTROL

(2) Hydro Hand Levers
 Hydraulic Dampened
 (3) Position Damper Adjustment

TIRES AND WHEELS

Front 13 x 6.5 - 6 Semi-Pneumatic (Flat-Free)
Rear 23 x 8.5- 12 (Zero T) - 4 ply (-2 model)
 Rear 23 x 10.5- 12 Turf - 4 ply

SAFETY EQUIPMENT

Key Switch Shut Off
 Control Lever Safety Switch
 Parking Brake Safety Switch

MOWER DECK

61" Floating Cutting Width Deck
Bolt-on Adjustable Air-Gap Front Baffles (-2 models)
 1.5-4.5" Cut Height, Adjustable
 1/4" Increments
Improved Cutting Height Adjustment (-2 models)
 Fabricated 10 Gauge Steel Top,
 7 Gauge Side Skirts w/
 3 Gauge Reinforcement
 4.75" Deep Design
Wider Flex Discharge Cover (-2 model)
 Flexible Discharge Cover
 Maintenance-Free Sealed Spindles
 3 Blades

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

SZ26NC-61-2	Commercial Stand-On Mower 61" Fabricated Floating Commercial Deck	K7W955W22	1030 lbs	\$10,199.00
SZ26NC-61	** Commercial Stand-On Mower 61" Fabricated Floating Commercial Deck	K7W721W22	1030 lbs	\$9,899.00

**** - LIMITED AVAILABILTIY**

NC model - Not for sale in California

SZ Series Commercial Stand-On Implements and Attachments

SZ SERIES COMMERCIAL STAND-ON IMPLEMENTS AND ATTACHMENT MATCHING CHART

Implements	SZ19NC-36-2 / SZ19NC-36	SZ22NC-48-2 / SZ22NC-48	SZ26NC-52-2 / SZ26NC-52	SZ26NC-61-2 / SZ26NC-61
Blades*				
Replacement Standard Blade (1 blade)	SC-112111-08	SC-112111-01	SC-112111-02	SC-112111-03
Standard LaserEdge Blade (1 blade)	SC-112111-08-LE	SC-112111-01-LE	SC-112111-02-LE	SC-112111-03-LE
Replacement Mulch Kit Blade (1 blade)	SC-2722543-08	SC-2722543-01	SC-2722543-02	SC-2722543-03
Attachments				
Mulch Kit	SMK36	SMK48-2 / SMK48	SMK52-2 / SMK52	SMK61-2 / SMK61
Discharge Plate	SBP36	SBP48-2 / SBP48	SBP52-2 / SBP52	SBP61-2 / SBP61
Weight Kit	SWK36	SWK48		
Striping Kit	-	SSK48	SSK52-61	
Grass Catchers (Alumium-Accelerator Type)				
Standard Grass Catcher 36"- 61"	SGC61			
JUMBO Grass Catcher 48"- 61"	SGCJ61			
Tires*				
Front Semi-Pneumatic Caster Tire/Wheel Assembly	SC-4173793	SC-4177672		
Rear Turf Tire/Wheel Assembly	SC-4176240	SC-4176242	SC-4176243	
18" Michelin Tweel (Airless Tire)	77700-10537		-	
22" Michelin Tweel (Airless Tire)	-	77700-11095		
*Order through Parts Department				
NC models - Not for sale in California				

SZ Series Commercial Stand-On Implements and Attachments

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
Mulch Kits				
SMK36	Mulch Kit for SZ19-36 (36" Model Only)	K138W06	21 lbs	\$177.00
SMK48	Mulch Kit for SZ22-48 (48" Model Only)	K195W00	26 lbs	\$250.00
SMK48-2	Mulch Kit for SZ22-48 (48" Model Only)	K202W02	35 lbs	\$259.00
SMK52	Mulch Kit for SZ26-52 (52" Model Only)	K195W00	40 lbs	\$250.00
SMK52-2	Mulch Kit for SZ26-52 (52" Model Only)	K202W02	51 lbs	\$259.00
SMK61	Mulch Kit for SZ26-61 (61" Model Only)	K195W00	44 lbs	\$250.00
SMK61-2	Mulch Kit for SZ26-61 (61" Model Only)	K202W02	48 lbs	\$259.00
Discharge Plate				
SBP36	Discharge Plate for SZ19-36 (36" Model Only)	K41W34	5 lbs	\$53.00
SBP48	Discharge Plate for SZ22-48 (48" Model Only)	K41W34	5 lbs	\$53.00
SBP48-2	Discharge Plate for SZ22-48 (48" Model Only)	K46W02	5 lbs	\$59.00
SBP52	Discharge Plate for SZ26-52 (52" Model Only)	K41W34	5 lbs	\$53.00
SBP52-2	Discharge Plate for SZ26-52 (52" Model Only)	K46W02	5 lbs	\$59.00
SBP61	Discharge Plate for SZ26-61 (61" Model Only)	K41W34	5 lbs	\$53.00
SBP61-2	Discharge Plate for SZ26-61 (61" Model Only)	K46W02	5 lbs	\$59.00
Grass Catchers (Alumium-Accelerator Type)				
SGC61	Standard Grass Catcher 36"- 61"	K350W22	24 lbs	\$449.00
SGCJ61	Jumbo Grass Catcher 48"- 61"	K467W22	28 lbs	\$599.00

SZ Series Commercial Stand-On Implements and Attachments

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
Deck Lift Assist Kit				
SZLA01	Deck Lift Assist Kit for SZ22-48 & SZ25-52 (48"/52"/61" Model Only)	K34W32	1 lbs	\$44.00
Striping Kits				
SSK48	Striping Kit - 48" Stand-On	K61W62	7 lbs	\$79.00
SSK52-61	Striping Kit - 52"-61" Stand-On	K61W62	8 lbs	\$79.00
Weight Kit				
SWK36	Weight Kit for SZ19-36 (36" Model Only)	K103W74	26 lbs	\$133.00
SWK48	Weight Kit for SZ22-48/SZ26-52/SZ26-61 (48"/52"/61" Model Only)	K139W62	40 lbs	\$179.00
Tires				
77700-10537	18" Michelin Tweel (Airless Tire) (36" Model Only)	K233W10	17 lbs Order from Parts Department	\$333.00
77700-11095	22" Michelin Tweel (Airless Tire) (48"/52"/61" Models Only)	K303W10	25 lbs Order from Parts Department	\$433.00