

# KUBOTA

## W/SZ Series Commercial Walk Behind & Stand-On Mowers

### WHOLEGOODS PRICE LIST EFFECTIVE APRIL 1, 2022

For reference only see **DISCLAIMER** below:

These pages are a complete revision of this section and contain new model and product information. All prices are effective as of April 1, 2022.

NOTE: Tire prices appear per piece.

8/2/2021 2021 August Price Increase. See pages 3-9, 3-10, 3-11, 3-12  
1/1/2022 Update Pricing on MODELS. See page 3-9, 3-10, 3-11, 3-12.  
**4/1/2022 Update Pricing on all pages.**

**DISCLAIMER: FOR MOST UP TO DATE PRICING PLEASE CHECK KIO ORDER ENTRY OR IKQ.**

# KUBOTA

---

**This page intentionally left blank.**

**KUBOTA**

PAGE NUMBER	MODEL	GROSS ENGINE H.P. ①	FACTORY NUMBER	SUGGESTED LIST PRICE
3-4	WGC6-21	5.5	K1W117W21	\$1,436.00
3-5	WG14NC-36	14.5	K3W353W22	\$4,299.00
3-6	WH15NC-48	15	K5W030W22	\$6,449.00
3-7	WHF19NC-52	19	K6W247W02	\$8,009.00
3-8	CWB Series Matching Chart			
3-8	CWB Series Implement and Attachments			
3-9	SZ19NC-36-2	19	K7W409W22	\$9,499.00
3-10	SZ22NC-48-2	22	K8W111W22	\$10,399.00
3-11	SZ26NC-52-2	26	K8W735W22	\$11,199.00
3-12	SZ26NC-61-2	26	K9W047W22	\$11,599.00
3-12	SZ26NC-61	26	K8W033W22	\$10,299.00
3-13	SZ Series Matching Chart			
3-13	SZ Series Implement and Attachments			

① The engine horsepower information is provided by the engine manufacturer. Refer to the engine manufacturer's web site for additional information.

**NC Models - Not for sale in California**

**KUBOTA****WGC6-21****\*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*****ENGINE**

Kawasaki FJ 180 KAI  
+5.5 Gross HP @ 3400 rpm  
4 Cycle - Over Head Valve (OHV)  
179cc Displacement  
Starting - Recoil  
Air Filter - Paper filter with foam precleaner  
Full Pressure Lubrication  
Spin on Replaceable Oil Filter  
Crankshaft - 1" (Zone Start) / 7/8" (BBC)

**FLUID CAPACITY**

Fuel Tank 2 qts  
Crankcase w/ Filter 0.8 qt

**TIRES AND WHEEL**

Front 9 x 2.25 - 7 Turf - No flat  
Rear 9 x 2.25 - 7 Turf - No flat  
Replaceable Rubber Tire  
Replaceable Sealed Ball Bearings  
Independent Wheel Adjustment

**OPERATING FEATURES**

21" Fixed Deck mower  
Dual Element Air Filter  
Replaceable Steel Deck Guards

**SAFETY EQUIPMENT**

Operator Presence Control (OPC)

**MOWER**

21" High Vac Cast Aluminum Deck  
3/4"-4.0" Cut Height, Adjustable  
1/4" Increments  
2.5 (3.1cu ft) Bu Bag Capacity  
Mulch Plug Standard

**TRANSMISSION**

Self-Propelled, Rear Wheel Drive, Gear Driven  
3 Speed Gear box - belt driven  
Steel Cut Gears with Internal Spring Clutch  
Full Ball Bearing Construction  
1st Gear: 2.4 mph  
2nd Gear: 3.3 mph  
3rd Gear: 4.1 mph

**DIMENSIONS**

Height 33"-44"  
Length 62"  
Width Overall 22.5"  
Wheelbase: 26"

**Weight**

Zone Start 131 lbs  
Blade Brake Clutch 134 lbs

**HANDLE BAR SYSTEM**

1" Heavy Wall One Piece Tubing  
Easily Adjustable for comfort  
WG6 - Throttle Fixed Speed  
WGC6 - Throttle Variable Speed - Remote

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

**\*\*\* STANDARD MACHINE \*\*\***

<b>WGC6-21</b>	<b>** 21" Commercial Walk Behind - Blade Brake Clutch</b> 21" Cast Aluminum Commercial Deck	K1W117W21	136 lbs	\$1,436.00
----------------	--	-----------	---------	------------

**\*\* - LIMITED AVAILABILITY**

**Optional Accessory**

SC-4175821 Kit- Engine Guard

Order from Parts Department



# WG14NC-36

\*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

**ENGINE**

Kawasaki FS481V  
 +14.5 Gross HP @ 3600 rpm  
 603cc Displacement

**TRANSMISSION**

Peerless Gear box  
 5 Speed with Reverse assist  
 Forward Speed: 0 - 5.1 mph  
 Reverse Speed: Assist only

**STEERING / MOTION CONTROL**

Pistol grip with  
 Adjustable control force

**FLUID CAPACITY**

Fuel Tank 5.2 gal  
 Crankcase w/ Filter 2.1 qts

**TIRES AND WHEELS**

Front 9 x 3.5 - 4 Turf - No flat  
 Rear 13 x 6.5- 6 Turf - 4 ply

**DIMENSIONS**

Height 41"  
 Length 76"  
 Width Overall  
     Chute up 36.5"  
     Chute down 49"  
 Wheelbase 36"

**POWER TAKE OFF**

Electric PTO - 125 ft-lb  
 Belt drive mower

**OPERATING FEATURES**

36" Fixed Deck mower  
 Dual Element Air Filter  
 Drum Brakes  
 1" Deck Spindles  
 Electric Clutch

**SAFETY EQUIPMENT**

Key Switch Shut Off  
 Control Lever Safety Switch  
 Parking Brake Safety Switch

**MOWERS**

36" Fixed Cutting Width Deck  
 1.5-4.5" Cut Height, Adjustable  
 1/4" Increments  
 Fabricated 7 Gauge Steel Top  
 & Side Skirts  
 4.75" Deep Design  
 Flexible Discharge Cover  
 2 Blades

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

\*\*\* STANDARD MACHINE \*\*\*

<b>WG14NC-36</b>	<b>** Commercial Walk Behind - Gear Drive</b> 36" Fabricated Fixed Commercial Deck	<b>K3W353W22</b>	<b>623</b>	<b>\$4,299.00</b>
------------------	---	------------------	------------	-------------------

**\*\* - LIMITED AVAILABILTIY**

**NC model - Not for sale in California**



# WH15NC-48

\*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

**ENGINE**

Kawasaki FS541V  
 +15 Gross HP @ 3600 rpm  
 603cc Displacement

**FLUID CAPACITY**

Fuel Tank 5.2 gal  
 Crankcase w/ Filter 2.1 qts

**OPERATING FEATURES**

48" Fixed Deck mower  
 Dual Element Air Filter  
 Hydrostatic Braking  
 1" Deck Spindles  
 Electric Clutch  
 Separate Parking Brake

**TRANSMISSION**

2 - Hydro-Gear 10cc variable displacement  
 pumps with Parker wheel motors

**TIRES AND WHEELS**

Front 9 x 3.5 - 4 Turf - No flat  
 Rear 16 x 7.5- 6 Turf - 4 ply

**DIMENSIONS**

Height 47"  
 Length 76"  
 Width Overall  
     Chute up 48.5  
     Chute down 61"  
 Wheelbase 36"

**SAFETY EQUIPMENT**

Key Switch Shut Off  
 Control Lever Safety Switch  
 Parking Brake Safety Switch

**STEERING / MOTION CONTROL**

Twin Lever Hydro Control  
 Adjustable control force

**POWER TAKE OFF**

Electric PTO - 125 ft-lb  
 Belt drive mower

**MOWERS**

48" Fixed Cutting Width Deck  
 1.38-4.63" Cut Height, Adjustable  
     1/4" Increments  
 Fabricated 7 Gauge Steel  
     & Side Skirts  
 4.75" Deep Design  
 Flexible Discharge Cover  
 3 Blades

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

\*\*\* STANDARD MACHINE \*\*\*

WH15NC-48	** Commercial Walk Behind - Hydro drive 48" Fabricated Fixed Commercial Deck	K5W030W22	825	\$6,449.00
-----------	---	-----------	-----	------------

\*\* - LIMITED AVAILABILTY

NC model - Not for sale in California



# WHF19NC-52

\*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

**ENGINE**

Kawasaki FX600V  
 +19 Gross HP @ 3600 rpm  
 603cc Displacement

**FLUID CAPACITY**

Fuel Tank 5.2 gal  
 Crankcase w/ Filter 2.1 qts

**OPERATING FEATURES**

52" Floating Deck mower  
 Dual Element Air Filter  
 Hydrostatic Braking  
 1" Deck Spindles  
 Electric Clutch  
 Separate Parking Brake

**TRANSMISSION**

2 - Hydro-Gear 10cc variable displacement pumps with Parker wheel motors

**TIRES AND WHEELS**

Front 11 x 4 - 5 Smooth - Pneumatic  
 Rear 18 x 7.5- 8 Turf - 4 ply

**DIMENSIONS**

Height 47"  
 Length 76"  
 Width Overall  
     Chute up 52.5"  
     Chute down 64"  
 Wheelbase 42"

**SAFETY EQUIPMENT**

Key Switch Shut Off  
 Control Lever Safety Switch  
 Parking Brake Safety Switch

**STEERING / MOTION CONTROL**

Twin Lever Hydro Control  
 Adjustable control force

**POWER TAKE OFF**

Electric PTO - 175 ft-lb  
 Belt drive mower

**MOWERS**

52" Floating Cutting Width Deck  
 1.5-4.5" Cut Height, Adjustable  
     1/4" Increments  
 Fabricated 10 Gauge Steel Top,  
     7 Gauge Side Skirts w/  
     3 Gauge Reinforcement  
 4.75" Deep Design  
 Flexible Discharge Cover  
 3 Blades

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

\*\*\* STANDARD MACHINE \*\*\*

WHF19NC-52	** Commercial Walk Behind - Hydro drive 52" Fabricated Floating Commercial Deck	K6W247W02	968	\$8,009.00
------------	--	-----------	-----	------------

\*\* - LIMITED AVAILABILITY

NC model - Not for sale in California

**KUBOTA****W Series Commercial Walk Behind Implements and Attachments****W SERIES COMMERCIAL WALK BEHIND IMPLEMENTS AND ATTACHMENT MATCHING CHART**

Implements	WG6-21 / WGC6-21	WG14NC-36 / WG14-36	WH15NC-48 / WH15-48	WHF19NC-52 / WHF19-52
<b>Blades*</b>				
Replacement blade (1 blade)	SC-4174803	SC-112111-01		SC-112111-02
<b>Attachments</b>				
Mulch Kit	-	WMK36	WMK48	WMK52
Discharge Plate	-	WBP36	WBP48	WBP52
Cold Start Kit	-	-	WCS00	
Walk Behind Weight Kit	-	WWK01	-	
Grass Catcher Adapter Kit	-			WGCB02
Engine Guard Kit	SC-4175821	-		
<b>Tires*</b>				
Front Semi-Pneumatic Caster Tire/Wheel Assembly	-	SC-4172272		SC-4172270
Rear Turf Tire/Wheel Assembly	-	SC-4172268	SC-4172269	SC-4172271
Front Wheel Assembly	SC-4175729	-		
Rear Wheel Assembly	SC-4175728	-		

\*Order through Parts Department

**NC models - Not for sale in California****W Series Commercial Walk Behind Implements and Attachments**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>Mulch Kits</b>				
WMK36	Mulch Kit for WG14-36 (36" Fixed Deck Only)	<b>K155W22</b>	<b>21</b>	<b>\$199.00</b>
WMK48	Mulch Kit for WH15-48 (48" Fixed Deck Only)	<b>K209W82</b>	<b>26</b>	<b>\$269.00</b>
WMK52	Mulch Kit for WH19-52 (52" Floating Deck Only)	<b>K209W82</b>	<b>40</b>	<b>\$269.00</b>
<b>Discharge Plate</b>				
WBP36	Discharge Plate for WG14-36 (36" Fixed Deck Only)	<b>K53W82</b>	<b>12</b>	<b>\$69.00</b>
WBP48	Discharge Plate for WH15-48 (48" Fixed Deck Only)	<b>K53W82</b>	<b>5</b>	<b>\$69.00</b>
WBP52	Discharge Plate for WH19-52 (52" Floating Deck Only)	<b>K53W82</b>	<b>12</b>	<b>\$69.00</b>
<b>Cold Start Kit</b>				
WCS00	Cold start kit for Hydro units	<b>K46W02</b>	<b>23</b>	<b>\$59.00</b>
<b>Grass Catcher Adapter Kit</b>				
WGCB02	Grass Catcher Adapter Kit for WH19-52 (52" Floating Deck Only)	<b>K61W62</b>	<b>7</b>	<b>\$79.00</b>
<b>Walk Behind Weight Kit</b>				
WWK01	Weight Kit for WG14-36 (36" Fixed Deck Only)	<b>K155W22</b>	<b>26</b>	<b>\$199.00</b>
<b>Engine Guard Kit</b>				
SC-4175821	Engine Guard Kit for WG6-21/WGC6-21			Order from Parts Department





# SZ19NC-36-2

\*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

**ENGINE**

Kawasaki FX600V  
 19HP @ 3600 rpm  
 603cc Displacement

**FLUID CAPACITY**

Fuel Tank 5.1 gal  
 Crankcase w/ Filter 2.1 qts  
 Transaxle 2 qts

**OPERATING FEATURES**

Zero Turn Radius  
 Ergonomic Cushion Pad  
 Dual Element Air Filter  
 Fuel Valve & Reserve  
 Lever-Type Throttle Control & Choke  
 Adjustable Dampen Control Levers  
 Tool-Less Adjustable  
 Front Reference Bar  
 Tool-Less Adjustable  
 Control Lever Tracking Adjustment

**TRANSMISSION**

Hydro-Gear ZT-3100  
 Integrated 10cc pump and 16cc motor  
 Intergal expansion tanks (-2 model)  
 Internal Parking Brake  
 Forward Speeds 0 - 9 mph  
 Reverse Speeds 0 - 4 mph

**DIMENSIONS**

Height 45"  
 Length 62.5"  
 Width Overall 35.5"  
 Wheelbase 47.25"

**POWER TAKE OFF**

Electric PTO - 125 ft-lb  
 Belt Drive Mower

**SAFETY EQUIPMENT**

Key Switch Shut Off  
 Control Lever Safety Switch  
 Parking Brake Safety Switch

**STEERING / MOTION CONTROL**

(2) Hydro Hand Levers  
 Hydraulic Dampened  
 (3) Position Damper Adjustment

**TIRES AND WHEELS**

Front 11 x 6 - 5 Semi-Pneumatic (Flat-Free) (-2 model)  
 Front 11 x 4 - 5 Semi-Pneumatic (Flat-Free)  
 Rear 20 x 8 - 10 (Zero T) - 4 ply (-2 model)  
 Rear 20 x 8 - 10 Turf - 4 ply

**MOWER DECK**

36" Floating Cutting Width Deck  
 1.5-4.5" Cut Height, Adjustable  
 1/4" Increments  
 Fabricated 7 Gauge Steel Top  
 & Side Skirts w/  
 3 Gauge Reinforcement  
 4.75" Deep Design  
 Wider Flex Discharge Cover (-2 model)  
 Flexible Discharge Cover  
 Maintenance-Free Sealed Spindles  
 2 Blades

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

\*\*\* STANDARD MACHINE \*\*\*

SZ19NC-36-2	Commercial Stand-On Mower 36" Fabricated Floating Commercial Deck	K7W409W22	864	\$9,499.00
-------------	--	-----------	-----	------------

NC model - Not for sale in California



# SZ22NC-48-2

\*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

**ENGINE**

Kawasaki FX691V  
 22HP @ 3600 rpm  
 726cc Displacement

**FLUID CAPACITY**

Fuel Tank 6.5 gal  
 Crankcase w/ Filter 2.1 qts  
 Transaxle 2 qts

**OPERATING FEATURES**

Zero Turn Radius  
 Ergonomic Cushion Pad  
 Large Operator Platform  
 Dual Element Air Filter  
 Fuel Gauge  
 Lever-Type Throttle Control & Choke  
 Adjustable Dampen Control Levers  
 Tool-Less Adjustable  
 Front Reference Bar  
 Tool-Less Adjustable  
 Control Lever Tracking Adjustment  
 Serviceable Deck Lift Arms  
 (-2 models)

**TRANSMISSION**

Hydro-Gear ZT-3600 (NC Model)  
 Hydro-Gear ZT-3400  
 Intergal expansion tanks (-2 model)  
 Integrated 12cc pump and 16cc motor  
 Internal Parking Brake  
 Forward Speeds 0 - 10.5 mph  
 Reverse Speeds 0 - 4 mph

**DIMENSIONS**

Height 45.75"  
 Length 63.75"  
 Width Overall 48.875"  
 Wheelbase 46"

**POWER TAKE OFF**

Electric PTO - 200 ft-lb  
 Belt Drive Mower

**SAFETY EQUIPMENT**

Key Switch Shut Off  
 Control Lever Safety Switch  
 Parking Brake Safety Switch

**STEERING / MOTION CONTROL**

(2) Hydro Hand Levers  
 Hydraulic Dampened  
 (3) Position Damper Adjustment

**TIRES AND WHEELS**

Front 13 x 6.5 - 6 Semi-Pneumatic (Flat-Free) (NC Model)  
 Front 13 x 5 - 6 Semi-Pneumatic (Flat-Free)  
 Rear 23 x 8.5- 12 (Zero T) - 4 ply (-2 model)  
 Rear 23 x 8.5- 12 Turf - 4 ply

**MOWER DECK**

48" Floating Cutting Width Deck  
 Bolt-on Adjustable Air-Gap Front Baffles  
 (-2 models)  
 1.5-4.5" Cut Height, Adjustable  
 1/4" Increments  
 Improved Cutting Height Adjustment  
 (-2 models)  
 Fabricated 10 Gauge Steel Top,  
 7 Gauge Side Skirts w/  
 3 Gauge Reinforcement  
 4.75" Deep Design  
 Wider Flex Discharge Cover (-2 model)  
 Flexible Discharge Cover  
 Maintenance-Free Sealed Spindles  
 3 Blades

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

\*\*\* STANDARD MACHINE \*\*\*

SZ22NC-48-2	Commercial Stand-On Mower 48" Fabricated Floating Commercial Deck	K8W111W22	998	\$10,399.00
-------------	--	-----------	-----	-------------

**NC model - Not for sale in California**

**KUBOTA****S26NC-52-2****\*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*****ENGINE**

Kawasaki FT730V-EFI  
26 HP @ 3600 rpm  
726cc Displacement

**FLUID CAPACITY**

Fuel Tank 6.5 gal  
Crankcase w/ Filter 2.1 qts  
Transaxle 2 qts

**OPERATING FEATURES**

Zero Turn Radius  
Ergonomic Cushion Pad  
Large Operator Platform  
Vortical Air Filtration  
Fuel Gauge  
Dial-Type Throttle Control  
Adjustable Dampen Control Levers  
Tool-Less Adjustable  
Front Reference Bar  
Tool-Less Adjustable  
Control Lever Tracking Adjustment  
Serviceable Deck Lift Arms  
(-2 models)

**TRANSMISSION**

Hydro-Gear ZT-3600  
Integrated 12cc pump and 16cc motor  
Intergal expansion tanks (-2 model)  
Internal Parking Brake  
Forward Speeds 0 - 11 mph  
Reverse Speeds 0 - 4 mph

**DIMENSIONS**

Height 45.75"  
Length 63.75"  
Width Overall 53.875"  
Wheelbase 46"

**POWER TAKE OFF**

Electric PTO - 200 ft-lb  
Belt Drive Mower

**STEERING / MOTION CONTROL**

(2) Hydro Hand Levers  
Hydraulic Dampened  
(3) Position Damper Adjustment

**SAFETY EQUIPMENT**

Key Switch Shut Off  
Control Lever Safety Switch  
Parking Brake Safety Switch

**TIRES AND WHEELS**

Front 13 x 6.5 - 6 Semi-Pneumatic (Flat-Free) (NC Model)  
Front 13 x 5 - 6 Semi-Pneumatic (Flat-Free)  
Rear 23 x 8.5- 12 (Zero T) - 4 ply (-2 model)  
Rear 23 x 10.5- 12 Turf - 4 ply

**MOWER DECK**

52" Floating Cutting Width Deck  
Bolt-on Adjustable Air-Gap Front Baffles  
(-2 models)  
1.5-4.5" Cut Height, Adjustable  
1/4" Increments  
Improved Cutting Height Adjustment  
(-2 models)  
Fabricated 10 Gauge Steel Top,  
7 Gauge Side Skirts w/  
3 Gauge Reinforcement  
4.75" Deep Design  
Wider Flex Discharge Cover (-2 model)  
Flexible Discharge Cover  
Maintenance-Free Sealed Spindles  
3 Blades

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

**\*\*\* STANDARD MACHINE \*\*\***

<b>SZ26NC-52-2</b>	<b>Commercial Stand-On Mower</b> 52" Fabricated Floating Commercial Deck	<b>K8W735W22</b>	<b>1030</b>	<b>\$11,199.00</b>
--------------------	---	------------------	-------------	--------------------

**NC model - Not for sale in California**



# SZ26NC-61-2 / SZ26NC-61

\*\*\* EQUIPMENT IN STANDARD MACHINE \*\*\*

**ENGINE**

Kawasaki FT730V-EFI  
 26 HP @ 3600 rpm  
 726cc Displacement

**FLUID CAPACITY**

Fuel Tank 6.5 gal  
 Crankcase w/ Filter 2.1 qts  
 Transaxle 2 qts

**OPERATING FEATURES**

Zero Turn Radius  
 Ergonomic Cushion Pad  
 Large Operator Platform  
 Vortical Air Filtration  
 Fuel Gauge  
 Dial-Type Throttle Control  
 Adjustable Dampen Control Levers  
 Tool-Less Adjustable  
     Front Reference Bar  
 Tool-Less Adjustable  
     Control Lever Tracking Adjustment  
 Serviceable Deck Lift Arms  
     (-2 models)

**TRANSMISSION**

Hydro-Gear ZT-3600  
 Integrated 12cc pump and 16cc motor  
 Intergal expansion tanks (-2 model)  
 Internal Parking Brake  
 Forward Speeds 0 - 11 mph  
 Reverse Speeds 0 - 4 mph

**DIMENSIONS**

Height 45.75"  
 Length 63.75"  
 Width Overall 62"  
 Wheelbase 46"

**POWER TAKE OFF**

Electric PTO - 200 ft-lb  
 Belt Drive Mower

**SAFETY EQUIPMENT**

Key Switch Shut Off  
 Control Lever Safety Switch  
 Parking Brake Safety Switch

**STEERING / MOTION CONTROL**

(2) Hydro Hand Levers  
 Hydraulic Dampened  
 (3) Position Damper Adjustment

**TIRES AND WHEELS**

Front 13 x 6.5 - 6 Semi-Pneumatic (Flat-Free)  
 Rear 23 x 8.5- 12 (Zero T) - 4 ply (-2 model)  
 Rear 23 x 10.5- 12 Turf - 4 ply

**MOWER DECK**

61" Floating Cutting Width Deck  
 Bolt-on Adjustable Air-Gap Front Baffles  
     (-2 models)  
 1.5-4.5" Cut Height, Adjustable  
     1/4" Increments  
 Improved Cutting Height Adjustment  
     (-2 models)  
 Fabricated 10 Gauge Steel Top,  
     7 Gauge Side Skirts w/  
     3 Gauge Reinforcement  
 4.75" Deep Design  
 Wider Flex Discharge Cover (-2 model)  
 Flexible Discharge Cover  
 Maintenance-Free Sealed Spindles  
 3 Blades

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

\*\*\* STANDARD MACHINE \*\*\*

SZ26NC-61-2	Commercial Stand-On Mower 61" Fabricated Floating Commercial Deck	K9W047W22	1030	\$11,599.00
SZ26NC-61	** Commercial Stand-On Mower 61" Fabricated Floating Commercial Deck	K8W033W22	1030	\$10,299.00

\*\* - LIMITED AVAILABILTIY

**NC model - Not for sale in California**

**KUBOTA****SZ Series Commercial Stand-On Implements and Attachments****SZ SERIES COMMERCIAL STAND-ON IMPLEMENTS AND ATTACHMENT MATCHING CHART**

Implements	SZ19NC-36-2 / SZ19NC-36	SZ22NC-48-2 / SZ22NC-48	SZ26NC-52-2 / SZ26NC-52	SZ26NC-61-2 / SZ26NC-61
<b>Blades*</b>				
Replacement Standard Blade (1 blade)	SC-112111-08	SC-112111-01	SC-112111-02	SC-112111-03
Standard LaserEdge Blade (1 blade)	SC-112111-08-LE	SC-112111-01-LE	SC-112111-02-LE	SC-112111-03-LE
Replacement Mulch Kit Blade (1 blade)	SC-2722543-08	SC-2722543-01	SC-2722543-02	SC-2722543-03
<b>Attachments</b>				
Mulch Kit	SMK36	SMK48-2 / SMK48	SMK52-2 / SMK52	SMK61-2 / SMK61
Discharge Plate	SBP36	SBP48-2 / SBP48	SBP52-2 / SBP52	SBP61-2 / SBP61
Weight Kit	SWK36	SWK48		
Striping Kit	-	SSK48	SSK52-61	
<b>Grass Catchers (Alumium-Accelerator Type)</b>				
Standard Grass Catcher 36"- 61"	SGC61			
JUMBO Grass Catcher 48"- 61"	SGCJ61			
<b>Tires*</b>				
Front Semi-Pneumatic Caster Tire/Wheel Assembly	SC-4173793	SC-4177672		
Rear Turf Tire/Wheel Assembly	SC-4176240	SC-4176242	SC-4176243	
18" Michelin Tweel (Airless Tire)	77700-10537		-	
22" Michelin Tweel (Airless Tire)	-		77700-11095	
*Order through Parts Department				
<b>NC models - Not for sale in California</b>				

**SZ Series Commercial Stand-On Implements and Attachments**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>Mulch Kits</b>				
SMK36	Mulch Kit for SZ19-36 (36" Model Only)	<b>K155W22</b>	<b>21</b>	<b>\$199.00</b>
SMK48	Mulch Kit for SZ22-48 (48" Model Only)	<b>K209W82</b>	<b>26</b>	<b>\$269.00</b>
SMK48-2	Mulch Kit for SZ22-48 (48" Model Only)	K202W02	35	\$259.00
SMK52	Mulch Kit for SZ26-52 (52" Model Only)	<b>K209W82</b>	<b>40</b>	<b>\$269.00</b>
SMK52-2	Mulch Kit for SZ26-52 (52" Model Only)	K202W02	51	\$259.00
SMK61	Mulch Kit for SZ26-61 (61" Model Only)	<b>K209W82</b>	<b>48</b>	<b>\$269.00</b>
SMK61-2	Mulch Kit for SZ26-61 (61" Model Only)	K202W02	48	\$259.00
<b>Discharge Plate</b>				
SBP36	Discharge Plate for SZ19-36 (36" Model Only)	<b>K53W82</b>	<b>12</b>	<b>\$69.00</b>
SBP48	Discharge Plate for SZ22-48 (48" Model Only)	<b>K53W82</b>	<b>20</b>	<b>\$69.00</b>
SBP48-2	Discharge Plate for SZ22-48 (48" Model Only)	K46W02	5	\$59.00
SBP52	Discharge Plate for SZ26-52 (52" Model Only)	<b>K53W82</b>	<b>12</b>	<b>\$69.00</b>
SBP52-2	Discharge Plate for SZ26-52 (52" Model Only)	K46W02	5	\$59.00
SBP61	Discharge Plate for SZ26-61 (61" Model Only)	<b>K53W82</b>	<b>5</b>	<b>\$69.00</b>
SBP61-2	Discharge Plate for SZ26-61 (61" Model Only)	K46W02	5	\$59.00
<b>Grass Catchers (Alumium-Accelerator Type)</b>				
SGC61	Standard Grass Catcher 36"- 61"	<b>K451W62</b>	<b>24</b>	<b>\$579.00</b>
SGCJ61	Jumbo Grass Catcher 48"- 61"	<b>K568W62</b>	<b>28</b>	<b>\$729.00</b>

**KUBOTA****SZ Series Commercial Stand-On Implements and Attachments**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>Deck Lift Assist Kit</b>				
SZLA01	Deck Lift Assist Kit for SZ22-48 & SZ25-52 (48"/52"/61" Model Only)	<b>K38W22</b>	<b>1</b>	<b>\$49.00</b>
<b>Striping Kits</b>				
SSK48	Striping Kit - 48" Stand-On	<b>K69W42</b>	<b>7</b>	<b>\$89.00</b>
SSK52-61	Striping Kit - 52"-61" Stand-On	<b>K69W42</b>	<b>8</b>	<b>\$89.00</b>
<b>Weight Kit</b>				
SWK36	Weight Kit for SZ19-36 (36" Model Only)	<b>K124W02</b>	<b>26</b>	<b>\$159.00</b>
SWK48	Weight Kit for SZ22-48/SZ26-52/SZ26-61 (48"/52"/61" Model Only)	<b>K147W42</b>	<b>40</b>	<b>\$189.00</b>
<b>Tires</b>				
77700-10537	18" Michelin Tweel (Airless Tire) (36" Model Only)	<b>K341W30</b>	<b>17</b>	<b>\$437.57</b>
77700-11095	22" Michelin Tweel (Airless Tire) (48"/52"/61" Models Only)	<b>K404W89</b>	<b>25</b>	<b>\$519.89</b>
			Order from Parts Department	
			Order from Parts Department	