

KUBOTA

W/SZ Series Commercial Walk Behind & Stand-On Mowers

WHOLEGOODS PRICE LIST EFFECTIVE March 1, 2019

These pages are a complete revision of this section and contain new model and product information. All prices are effective as of March 1, 2019.

NOTE: Tire prices appear per piece.

12/20/2018 Add new SZ Series Commercial Stand-On Mowers. See pages 3-10 thru 3-12.
Add new SZ Series Matching Chart & Implements and Attachments.
See pages 3-13 and 3-14.
Update and correct W Series descriptions.

3/1/2019 Price increase of implement & attachments

3/13/2019 Add SZLA01

KUBOTA

This page intentionally left blank.

KUBOTA

PAGE NUMBER	MODEL	GROSS ENGINE H.P. ①	FACTORY NUMBER	SUGGESTED LIST PRICE
3-4	WG6-21	5.5	K989W17	\$1,278.00
3-4	WGC6-21	5.5	K1W117W21	\$1,436.00
3-5	WG14-36	14.5	K3W059W94	\$3,923.00
3-6	WH15-48	15	K4W715W10	\$6,045.00
3-7	WHF19-52	19	K5W864W82	\$7,519.00
3-8	CWB Series Matching Chart			
3-9	CWB Series Implement and Attachments			
3-10	SZ19-36	19	K6W161W22	\$7,899.00
3-11	SZ22-48	22	K6W785W22	\$8,699.00
3-12	SZ26-52	26	K7W253W22	\$9,299.00
3-13	SZ Series Matching Chart			
3-14	SZ Series Implement and Attachments			

① The engine horsepower information is provided by the engine manufacturer. Refer to the engine manufacturer's web site for additional information.

KUBOTA

WG6-21 / WGC2-21

*** EQUIPMENT IN STANDARD MACHINE ***

ENGINE

Kawasaki FJ 180 KAI
+5.5 Gross HP @ 3400 rpm
4 Cycle - Over Head Valve (OHV)
179cc Displacement
Starting - Recoil
Air Filter - Paper filter with foam precleaner
Full Pressure Lubrication
Spin on Replaceable Oil Filter
Crankshaft - 1" (Zone Start) / 7/8" (BBC)

FLUID CAPACITY

Fuel Tank 2 qts
Crankcase w/ Filter 0.8 qt

OPERATING FEATURES

21" Fixed Deck mower
Dual Element Air Filter
Replaceable Steel Deck Guards

TIRES AND WHEELS

Front 9 x 2.25 - 7 Turf - No flat
Rear 9 x 2.25 - 7 Turf - No flat
Replaceable Rubber Tire
Replaceable Sealed Ball Bearings
Independent Wheel Adjustment

SAFETY EQUIPMENT

Operator Presence Control (OPC)

TRANSMISSION

Self-Propelled, Rear Wheel Drive, Gear Driven
3 Speed Gear box - belt driven
Steel Cut Gears with Internal Spring Clutch
Full Ball Bearing Construction
1st Gear: 2.4 mph
2nd Gear: 3.3 mph
3rd Gear: 4.1 mph

DIMENSIONS

Height 33"-44"
Length 62"
Width Overall 22.5"
Wheelbase: 26"

MOWER

21" High Vac Cast Aluminum Deck
3/4"-4.0" Cut Height, Adjustable
1/4" Increments
2.5 (3.1cu ft) Bu Bag Capacity
Mulch Plug Standard

Weight

Zone Start 131 lbs
Blade Brake Clutch 134 lbs

HANDLE BAR SYSTEM

1" Heavy Wall One Piece Tubing
Easily Adjustable for comfort
WG6 - Throttle Fixed Speed
WGC6 - Throttle Variable Speed - Remote

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

WG6-21	21" Commercial Walk Behind - Zone Start 21" Cast Aluminum Commercial Deck	K989W17	153 lbs	\$ 1,278.00
WGC6-21	21" Commercial Walk Behind - Blade Brake Clutch 21" Cast Aluminum Commercial Deck	K1W117W21	156 lbs	\$ 1,436.00

Optional Accessory

SC-4175821 Kit- Engine Guard

Order from Parts Department

KUBOTA

WG14-36

*** EQUIPMENT IN STANDARD MACHINE ***

ENGINE

Kawasaki FS481V
+14.5 Gross HP @ 3600 rpm
603cc Displacement

TRANSMISSION

Peerless Gear box
5 Speed with Reverse assist
Forward Speed: 0 - 5.1 mph
Reverse Speed: Assist only

STEERING / MOTION CONTROL

Pistol grip with
Adjustable control force

FLUID CAPACITY

Fuel Tank 5.2 gal
Crankcase w/ Filter 2.1 qts

TIRES AND WHEELS

Front 9 x 3.5 - 4 Turf - No flat
Rear 13 x 6.5- 6 Turf - 4 ply

DIMENSIONS

Height 41"
Length 76"
Width Overall
Chute up 36.5"
Chute down 49"
Wheelbase 36"

POWER TAKE OFF

Electric PTO - 125 ft-lb
Belt drive mower

OPERATING FEATURES

36" Fixed Deck mower
Dual Element Air Filter
Drum Brakes
1" Deck Spindles
Electric Clutch

SAFETY EQUIPMENT

Key Switch Shut Off
Control Lever Safety Switch
Parking Brake Safety Switch

MOWERS

36" Fixed Cutting Width Deck
1.5-4.5" Cut Height, Adjustable
1/4" Increments
Fabricated 7 Gauge Steel Top
& Side Skirts
4.75" Deep Design
Flexible Discharge Cover
2 Blades

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

WG14-36	Commercial Walk Behind - Gear Drive 36" Fabricated Fixed Commercial Deck	K3W059W94	630 lbs	\$ 3,923.00
---------	---	-----------	---------	-------------

KUBOTA

WH15-48

*** EQUIPMENT IN STANDARD MACHINE ***

ENGINE

Kawasaki FS541V
+15 Gross HP @ 3600 rpm
603cc Displacement

FLUID CAPACITY

Fuel Tank 5.2 gal
Crankcase w/ Filter 2.1 qts

OPERATING FEATURES

48" Fixed Deck mower
Dual Element Air Filter
Hydrostatic Braking
1" Deck Spindles
Electric Clutch
Separate Parking Brake

TRANSMISSION

2 - Hydro-Gear 10cc variable displacement pumps with Parker wheel motors

TIRES AND WHEELS

Front 9 x 3.5 - 4 Turf - No flat
Rear 16 x 7.5- 6 Turf - 4 ply

DIMENSIONS

Height 47"
Length 76"
Width Overall
Chute up 48.5
Chute down 61"
Wheelbase 36"

SAFETY EQUIPMENT

Key Switch Shut Off
Control Lever Safety Switch
Parking Brake Safety Switch

STEERING / MOTION CONTROL

Twin Lever Hydro Control
Adjustable control force

POWER TAKE OFF

Electric PTO - 125 ft-lb
Belt drive mower

MOWERS

48" Fixed Cutting Width Deck
1.38-4.63" Cut Height, Adjustable
1/4" Increments
Fabricated 7 Gauge Steel
& Side Skirts
4.75" Deep Design
Flexible Discharge Cover
3 Blades

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

WH15-48	Commercial Walk Behind - Hydro drive 48" Fabricated Fixed Commercial Deck	K4W715W10	825 lbs	\$ 6,045.00
---------	--	-----------	---------	-------------

KUBOTA

WHF19-52

*** EQUIPMENT IN STANDARD MACHINE ***

ENGINE

Kawasaki FX600V
+19 Gross HP @ 3600 rpm
603cc Displacement

FLUID CAPACITY

Fuel Tank 5.2 gal
Crankcase w/ Filter 2.1 qts

OPERATING FEATURES

52" Floating Deck mower
Dual Element Air Filter
Hydrostatic Braking
1" Deck Spindles
Electric Clutch
Separate Parking Brake

TRANSMISSION

2 - Hydro-Gear 10cc variable displacement pumps with Parker wheel motors

TIRES AND WHEELS

Front 11 x 4 - 5 Smooth - Pneumatic
Rear 18 x 7.5- 8 Turf - 4 ply

DIMENSIONS

Height 47"
Length 76"
Width Overall
Chute up 52.5"
Chute down 64"
Wheelbase 42"

SAFETY EQUIPMENT

Key Switch Shut Off
Control Lever Safety Switch
Parking Brake Safety Switch

Forward Speeds 0 - 6 mph

Reverse Speeds 0 - 3.5 mph

STEERING / MOTION CONTROL

Twin Lever Hydro Control
Adjustable control force

POWER TAKE OFF

Electric PTO - 175 ft-lb
Belt drive mower

MOWERS

52" Floating Cutting Width Deck
1.5-4.5" Cut Height, Adjustable
1/4" Increments
Fabricated 10 Gauge Steel Top,
7 Gauge Side Skirts w/
3 Gauge Reinforcement
4.75" Deep Design
Flexible Discharge Cover
3 Blades

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

WHF19-52	Commercial Walk Behind - Hydro drive 52" Fabricated Floating Commercial Deck	K5W864W82	970 lbs	\$ 7,519.00
----------	---	-----------	---------	-------------

KUBOTA

W Series Commercial Walk Behind Implements and Attachments

W SERIES COMMERCIAL WALK BEHIND IMPLEMENTS AND ATTACHMENT MATCHING CHART

Implements	WG6-21/ WGC6-21	WG14-36	WH15-48	WHF19-52
Blades*				
Replacement blade (1 blade)	SC-4174803	SC-112111-01		SC-112111-02
Attachments				
Mulch Kit	-	WMK36	WMK48	WMK52
Discharge Plate	-	WBP36	WBP48	WBP52
Cold Start Kit	-	-	WCS00	
Walk Behind Weight Kit	-	WWK01	-	
Grass Catcher Adapter Kit	-			WGCB02
Engine Guard Kit	SC-4175821	-		
Tires*				
Front Semi-Pneumatic Caster Tire/Wheel Assembly*	-	SC-4172272		SC-4172270
Rear Turf Tire/Wheel Assembly	-	SC-4172268	SC-4172269	SC-4172271
Front Wheel Assembly	SC-4175729	-		
Rear Wheel Assembly	SC-4175728	-		

*Order through Parts Department

KUBOTA

W Series Commercial Walk Behind Implements and Attachments

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
Mulch Kits				
WMK36	Mulch Kit for WG14-36 (36" Fixed Deck Only)	K134W16	21 lbs	\$ 172.00
WMK48	Mulch Kit for WH15-48 (48" Fixed Deck Only)	K195W00	26 lbs	\$ 250.00
WMK52	Mulch Kit for WH19-52 (52" Floating Deck Only)	K195W00	40 lbs	\$ 250.00
Discharge Plate				
WBP36	Discharge Plate for WG14-36 (36" Fixed Deck Only)	K41W34	12 lbs	\$ 53.00
WBP48	Discharge Plate for WH15-48 (48" Fixed Deck Only)	K41W34	5 lbs	\$ 53.00
WBP52	Discharge Plate for WH19-52 (52" Floating Deck Only)	K41W34	12 lbs	\$ 53.00
Cold Start Kit				
WCS00	Cold start kit for Hydro units	K28W86	23 lbs	\$ 37.00
Grass Catcher Adapter Kit				
WGCB02	Grass Catcher Adapter Kit for WH19-52 (52" Floating Deck Only)	K48W36	7 lbs	\$ 62.00
Walk Behind Weight Kit				
WWK01	Weight Kit for WG14-36 (36" Fixed Deck Only)	K143W52	26 lbs	\$ 184.00
Engine Guard Kit				
SC-4175821	Engine Guard Kit for WG6-21/WGC6-21			Order from Parts Department

KUBOTA

SZ19-36

*** EQUIPMENT IN STANDARD MACHINE ***

ENGINE

Kawasaki FX600V
19HP @ 3600 rpm
603cc Displacement

FLUID CAPACITY

Fuel Tank	5.1 gal
Crankcase w/ Filter	2.1 qts
Transaxle	2 qts

OPERATING FEATURES

Zero Turn Radius
Ergonomic Cushion Pad
Dual Element Air Filter
Fuel Valve & Reserve
Lever-Type Throttle Control & Choke
Adjustable Dampen Control Levers
Tool-Less Adjustable
Front Reference Bar
Tool-Less Adjustable
Control Lever Tracking Adjustment

TRANSMISSION

Hydro-Gear ZT-3100
Integrated 10cc pump and 16cc motor
Internal Parking Brake
Forward Speeds 0 - 9 mph
Reverse Speeds 0 - 4 mph

DIMENSIONS

Height	45"
Length	62.5"
Width Overall	35.5"
Wheelbase	47.25"

POWER TAKE OFF

Electric PTO - 125 ft-lb
Belt Drive Mower

SAFETY EQUIPMENT

Key Switch Shut Off
Control Lever Safety Switch
Parking Brake Safety Switch

STEERING / MOTION CONTROL

(2) Hydro Hand Levers
Hydraulic Dampened
(3) Position Damper Adjustment

TIRES AND WHEELS

Front 11 x 4 - 5 Semi-Pneumatic (Flat-Free)
Rear 20 x 8 - 10 Turf - 4 ply

MOWER DECK

36" Floating Cutting Width Deck
1.5-4.5" Cut Height, Adjustable
1/4" Increments
Fabricated 7 Gauge Steel Top
& Side Skirts w/
3 Gauge Reinforcement
4.75" Deep Design
Flexible Discharge Cover
Maintenance-Free Sealed Spindles
2 Blades

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

SZ19-36	Commercial Stand-On Mower 36" Fabricated Floating Commercial Deck	K6W161W22	TBD	\$ 7,899.00
---------	--	-----------	-----	-------------

KUBOTA

SZ22-48

*** EQUIPMENT IN STANDARD MACHINE ***

ENGINE

Kawasaki FX691V
22HP @ 3600 rpm
726cc Displacement

FLUID CAPACITY

Fuel Tank 6.5 gal
Crankcase w/ Filter 2.1 qts
Transaxle 2 qts

OPERATING FEATURES

Zero Turn Radius
Ergonomic Cushion Pad
Large Operator Platform
Dual Element Air Filter
Fuel Gauge
Lever-Type Throttle Control & Choke
Adjustable Dampen Control Levers
Tool-Less Adjustable
Front Reference Bar
Tool-Less Adjustable
Control Lever Tracking Adjustment

TRANSMISSION

Hydro-Gear ZT-3400
Integrated 12cc pump and 16cc motor
Internal Parking Brake
Forward Speeds 0 - 10.5 mph
Reverse Speeds 0 - 4 mph

DIMENSIONS

Height 45.75"
Length 63.75"
Width Overall 48.875"
Wheelbase 46"

POWER TAKE OFF

Electric PTO - 200 ft-lb
Belt Drive Mower

SAFETY EQUIPMENT

Key Switch Shut Off
Control Lever Safety Switch
Parking Brake Safety Switch

STEERING / MOTION CONTROL

(2) Hydro Hand Levers
Hydraulic Dampened
(3) Position Damper Adjustment

TIRES AND WHEELS

Front 13 x 5 - 6 Semi-Pneumatic (Flat-Free)
Rear 23 x 8.5- 12 Turf - 4 ply

MOWER DECK

48" Floating Cutting Width Deck
1.5-4.5" Cut Height, Adjustable
1/4" Increments
Fabricated 10 Gauge Steel Top,
7 Gauge Side Skirts w/
3 Gauge Reinforcement
4.75" Deep Design
Flexible Discharge Cover
Maintenance-Free Sealed Spindles
3 Blades

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

SZ22-48	Commercial Stand-On Mower 48" Fabricated Floating Commercial Deck	K6W785W22	TBD	\$ 8,699.00
---------	--	-----------	-----	-------------

KUBOTA

SZ26-52

*** EQUIPMENT IN STANDARD MACHINE ***

ENGINE

Kawasaki FT730V-EFI
26 HP @ 3600 rpm
726cc Displacement

FLUID CAPACITY

Fuel Tank 6.5 gal
Crankcase w/ Filter 2.1 qts
Transaxle 2 qts

OPERATING FEATURES

Zero Turn Radius
Ergonomic Cushion Pad
Large Operator Platform
Vortical Air Filtration
Fuel Gauge
Dial-Type Throttle Control
Adjustable Dampen Control Levers
Tool-Less Adjustable
Front Reference Bar
Tool-Less Adjustable
Control Lever Tracking Adjustment

TRANSMISSION

Hydro-Gear ZT-3600
Integrated 12cc pump and 16cc motor
Internal Parking Brake
Forward Speeds 0 - 11 mph
Reverse Speeds 0 - 4 mph

DIMENSIONS

Height 45.75"
Length 63.75"
Width Overall 53.875"
Wheelbase 46"

POWER TAKE OFF

Electric PTO - 200 ft-lb
Belt Drive Mower

SAFETY EQUIPMENT

Key Switch Shut Off
Control Lever Safety Switch
Parking Brake Safety Switch

STEERING / MOTION CONTROL

(2) Hydro Hand Levers
Hydraulic Dampened
(3) Position Damper Adjustment

TIRES AND WHEELS

Front 13 x 5 - 6 Semi-Pneumatic (Flat-Free)
Rear 23 x 10.5- 12 Turf - 4 ply

MOWER DECK

52" Floating Cutting Width Deck
1.5-4.5" Cut Height, Adjustable
1/4" Increments
Fabricated 10 Gauge Steel Top,
7 Gauge Side Skirts w/
3 Gauge Reinforcement
4.75" Deep Design
Flexible Discharge Cover
Maintenance-Free Sealed Spindles
3 Blades

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

SZ26-52	Commercial Stand-On Mower 52" Fabricated Floating Commercial Deck	K7W253W22	TBD	\$ 9,299.00
---------	--	-----------	-----	-------------

KUBOTA

SZ Series Commercial Stand-On Implements and Attachments

SZ SERIES COMMERCIAL STAND-ON IMPLEMENTS AND ATTACHMENT MATCHING CHART

Implements	SZ19-36	SZ22-48	SZ26-52
Blades*			
Replacement blade (1 blade)	SC-112111-08	SC-112111-01	SC-112111-02
Attachments			
Mulch Kit	SMK36	SMK48	SMK52
Discharge Plate	SBP36	SBP48	SBP52
Weight Kit	SWK36	-	
Tires*			
Front Semi-Pneumatic Caster Tire/Wheel Assembly	SC-4173793	SC-4176241	
Rear Turf Tire/Wheel Assembly	SC-4176240	SC-4176242	SC-4176243

*Order through Parts Department

KUBOTA

SZ Series Commercial Stand-On Implements and Attachments

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
Mulch Kits				
SMK36	Mulch Kit for SZ19-36 (36" Model Only)	K138W06	TBD	\$ 177.00
SMK48	Mulch Kit for SZ22-48 (48" Model Only)	K195W00	TBD	\$ 250.00
SMK52	Mulch Kit for SZ26-52 (52" Model Only)	K195W00	TBD	\$ 250.00
Discharge Plate				
SBP36	Discharge Plate for SZ19-36 (36" Model Only)	K41W34	TBD	\$ 53.00
SBP48	Discharge Plate for SZ22-48 (48" Model Only)	K41W34	TBD	\$ 53.00
SBP52	Discharge Plate for SZ26-52 (52" Model Only)	K41W34	TBD	\$ 53.00
Deck Lift Assist Kit				
SZLA01	Deck Lift Assist Kit for SZ22-48 & SZ25-52 (48" & 52" Models Only)	K34W32	TBD	\$ 44.00
Weight Kit				
SWK36	Weight Kit for SZ19-36 (36" Model Only)	K103W74	TBD	\$ 133.00