



---

**Loader Landscaper Series -- B26 / L47 / M62**

---

**WHOLEGOODS PRICE LIST**

Effective Jan 06, 2022



## Loader Landscaper Series -- B26 / L47 / M62

PAGE NUMBER	MODEL	PTO HP	FACTORY NUMBER	SUGGESTED LIST PRICE
6 - 4	B26TL	19.5	K23B009B60	\$30,601.00
6 - 4	B26TLB	19.5	K30B107B20	\$40,271.00
6 - 4	B26TLBV	19.5	K30B847B20	\$41,280.00
6 - 9	L47TL	33.0	K33B626B40	\$44,730.00
6 - 9	L47TLB	33.0	K42B939B20	\$57,419.00
6 - 9	L47TLBV	33.0	K45B114B40	\$60,382.00
6 - 16	M62TL	46.0	K40B655B20	\$54,033.00
6 - 16	M62TLB	46.0	K54B108B80	\$72,364.00
6 - 16	M62TLBV	46.0	K56B072B80	\$75,040.00
6 - 22	Loader/Landscaper Utility Series Attachment / Accessories Matching Chart			

**ASSEMBLY CHARGE (Added to Invoice)**

	TL	TLB
B26	\$445.00	\$530.00
L47	\$445.00	\$530.00
M62	\$445.00	\$530.00

**KUBOTA****B26TL/TLB**

\*\*\* EQUIPMENT IN STANDARD MACHINE &amp; SPECIFICATIONS \*\*\*

**DIESEL ENGINE**

Model # D1105 Tier IV Certified  
3 Cylinder  
68.5 cu. in.  
24.3Gross HP (SAE J1995)  
23.1 PTO HP  
@ 2800 Engine RPM  
Charging output 40 Amps  
12 V – 36 Amp Hour Battery  
Dual Element Air Cleaner

**HYDRAULICS**

Open Center — Gear Type  
Total Pump Capacity 11.2 gpm  
Includes Power Steering  
Front / Rear Remotes 7.0 gpm

**CAT I 3-Point Hitch**

Lift Capacity  
@ 24" behind 1,676 lbs.  
Position Control - Standard  
3-point linkage storage standard  
3-point linkage optional  
(Serial # 52354)

**FRONT AXLE**

Bevel-Gear, 4 WD  
Hydrostatic Power Steering  
Cast Iron – Heavy Duty  
Tread spacing, Non-adjustable

**DRIVE TRAIN**

3 Range HST  
Low-Medium-High  
Maximum Travel Speed 11.1 mph  
Rear Differential Lock  
No Clutch  
Wet Disk Brakes  
4 Wheel Drive

**DIMENSIONS**

Transport Length 16' 6"  
Width 54.0"  
Height to ROPS top 89.5"  
Wheelbase 62.2"  
Ground Clearance 13.8"

**FLUID CAPACITY**

Fuel Tank 8.2 gals.  
Crankcase 3.2 qts.  
Eng. Coolant 4.7 qts.  
Fr. Axle Gear Case 4.7 qts.

**TIRES AND WHEELS**

Front 23 x 8.50 - 14 R4 Std  
Rear 12.4 - 16 R4 Std

**LIGHTING**

2 Headlights  
2 Rear Work Lights  
2 Taillights / Turn Signals

**POWER TAKE OFF**

Live Independent Rear PTO  
540 rpm @ 2768 Eng. RPM  
SAE – 1-3/8, 6 splines

**INSTRUMENTS**

Hour meter / Tachometer  
Coolant Temp. Gauge  
Fuel Gauge

**REAR AXLE**

Heavy Duty Axle w/ Differential Lock  
Planetary Final Drives  
Multiple Wet Disc Brakes

**SAFETY EQUIPMENT**

Four Post ROPS / FOPS  
Deluxe Seat w/retractable Seat Belt  
Spark Arrestor Muffler  
Safety Start Switches  
Electric Key Shut-Off  
Hazard Lamps  
SMV Sign

**LOADER**

Rated Lift Cap. @ Bucket Center 1,102 lbs.  
Rated Breakout 3,967lbs.  
Quick Coupler Standard  
Max. Lift Height 94.5"  
Mechanical Spill Guard

**BACKHOE**

4-Point Rigid Mount Quick Attach  
Bucket Breakout Force 4,211 lbs.  
Dipperstick Breakout Force 2,123 lbs.  
Dig Depth 8'2", (2 SAE)  
Stabilizer Spread-Operating 83.3"  
2 Cylinder Trunion-Type Swing



# B26TL/TLB

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>4WD MODELS</b>				
*** STANDARD TRACTOR WITH STANDARD TIRES ***				
<b>B26</b>	<b>Tractor- Includes ROPS</b> 4 Post ROPS/FOPS & Seat Belt (FCB-26) **Standard Tires Included	K19M976M00	3858 lbs	\$24,970.00
<b>TL500</b>	<b>Front Loader- Required, Must be Configured</b> Rear counter weight is required when using the B26 as a Tractor/Loader Does not include bucket	K4B504B80	1002 lbs	\$5,631.00
<b>BT820</b>	<b>Backhoe</b> Does not include bucket	K7B736B00	1206 lbs	\$9,670.00
<b>BT820V</b>	<b>Backhoe With Auxilary Hydraulic Kit</b> Includes factory installed backhoe auxiliary kit (BTB405) Does not include bucket	K8B543B20	1226 lbs	\$10,679.00

\*Note: You must order a loader bucket for all TL and TLB Packages. For all TLB packages you must order appropriate backhoe buckets.

TIRES AND WHEELS				Additional Price With Tire Option	
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGGESTED LIST PRICE	
<b>STANDARD TIRES</b>					
ABR8726	** F-TIRE 23x8.50-14 R4 Titan Trac Loader	50 lbs	In Base Price	In Base Price	
BR8749	** R-TIRE 12.4-16 R4 Goodyear Sure Grip Lug	108 lbs			
<b>OPTIONS</b>					
ABR8726	F-TIRE 23x8.50-14 R4 Titan Trac Loader	50 lbs	M75M20	Less	-\$94.00
ABR9382	R-TIRE 12.4-16 R1 F-Stone TracFild&Rd TT	93 lbs			
ABR8742	F-TIRE 24x8.50-14 R3 Titan Multi Trac	42 lbs	KMO	Add	\$0.00
ABR8744	R-TIRE 13.6-16 R3 Titan Multi Trac	133 lbs			

\*\* Standard tires

TIRES AND WHEELS (priced per piece)					
ORDER	DESCRIPTION	FACTORY	APPROX.	SUGGESTED LIST	
<b>AG - BIAS REAR</b>					
ABR8726	F-TIRE 23x8.50-14 R4 Titan Trac Loader	K158B40	50 lbs	\$198.00	
BR8749	R-TIRE 12.4-16 R4 Goodyear Sure Grip Lug	K378B40	108 lbs	\$473.00	
ABR8726	F-TIRE 23x8.50-14 R4 Titan Trac Loader	K158B40	50 lbs	\$198.00	
ABR9382	R-TIRE 12.4-16 R1 F-Stone TracFild&Rd TT	K340B80	93 lbs	\$426.00	
ABR8742	F-TIRE 24x8.50-14 R3 Titan Multi Trac	K160B80	42 lbs	\$201.00	
ABR8744	R-TIRE 13.6-16 R3 Titan Multi Trac	K376B00	133 lbs	\$470.00	



# B26TL/TLB

## DEALER INSTALLED ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>STANDARD LOADER</b>				
TL500	Tractor Loader	K4B504B80	1002 lbs	\$5,631.00
<b>LOADER ACCESSORIES</b>				
*Requires a loader bucket for either TL, TLB, or TLB-V Packages				
TL2142	60" HD ROUND BACK BUCKET Struck Cap. (7.8 cu. ft.), Heaped Cap. (9.5 cu. ft.)	K777B60	277 lbs	\$972.00
TL2143	BOLT-ON CUTTING EDGE FOR 60" TL2142 and L2244 Buckets	K197B60	60 lbs	\$247.00
TL2144	66" LIGHT MATERIAL BUCKET Struck Cap. (11.3 cu. ft.), Heaped Cap. (13.8 cu. ft.)	K804B80	329 lbs	\$1,006.00
TL1756	BOLT-ON CUTTING EDGE FOR 66" Light material bucket (TL2144)	K192L00	65 lbs	\$240.00
L2238	PALLET FORK FRAME Requires K9048 36" Pallet Forks	K617L60	165 lbs	\$772.00
K9048	36" PALLET FORKS 2 pieces, 1 set	K371L20	176 lbs	\$464.00
L2237	BALE SPEAR	K585L60	165 lbs	\$732.00
L2244	60" 4-IN-ONE BUCKET Struck Cap. (8.9 cu. ft.), Heaped Cap. (11.07 cu. ft.) TL2141 Required	K1L846L40	450 lbs	\$2,308.00
<b>REMOTE VALVE KIT FOR LOADERS</b>				
TL2141	REMOTE VALVE KIT Includes valve section, hoses, pipes, loader lever control, and attaching hardware.	K786B40	40 lbs	\$983.00
<b>BACKHOE</b>				
BT820	BACKHOE- 8'2" (For TLB Package)	K7B736B00	1206 lbs	\$9,670.00
BT820V	BACKHOE- 8'2" (For TLB-V Package) Includes factory installed backhoe auxiliary hydraulic kit (BTB405)	K8B543B20	1226 lbs	\$10,679.00
L9467	STABILIZER FLIP-PAD SET 2 Sets Required	K113L60	15 lbs	\$142.00
For TLB or TLB-V package, you also must order appropriate backhoe buckets				
<b>BACKHOE BUCKETS</b>				
<b>DIRECT PIN-ON BUCKETS</b>				
BT1961A	12" TRENCHING BUCKET 1.1 cu. ft.	K457B60	67 lbs	\$572.00
BT1963A	18" TRENCHING BUCKET 1.84 cu. ft.	K602B40	85 lbs	\$753.00
BT1964A	24" TRENCHING BUCKET 2.61 cu. ft.	K787B20	104 lbs	\$984.00
<b>QUICK ATTACH COUPLER BUCKETS</b>				
BT1970	QUICK ATTACH COUPLER Includes 2 mounting pins, 1 locking pin and hardware.	K326B40	19 lbs	\$408.00
BT1971	12" TRENCHING BUCKET 1.1 cu. ft.	K549B60	68 lbs	\$687.00
BT1973	18" TRENCHING BUCKET 1.84 cu. ft.	K723B20	151 lbs	\$904.00
BT1974	24" TRENCHING BUCKET 2.61 cu. ft.	K859B20	105 lbs	\$1,074.00
BT1977	BUCKET HANGERS Set of 2 bucket ear blanks. Converts buckets to quick coupler style. Modification to match bucket contour required.	K206B40	33 lbs	\$258.00
<b>REMOTE VALVE KIT FOR BACKHOE MOUNTED ATTACHMENTS</b>				
BTB405	REMOTE VALVE KIT Standard equipment for BT820V Includes right foot operated valve, hoses, pipes, brackets.	K802B40	23 lbs	\$1,003.00
<b>HYDRAULIC THUMB</b>				
BT1975	HYDRAULIC THUMB BT820V or BTB405 Remote Valve Kit Required Compatible with pin-on or quick coupler buckets. Thumb mount bracket factory installed.	K1B004B80	56 lbs	\$1,256.00

**KUBOTA****B26TL/TLB****DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>HYDRAULICS KITS FOR REAR ATTACHMENTS</b>				
B8027	BASE KIT AND 1ST LEVER For 1st Valve B8028 Required	K427B20	16 lbs	\$534.00
B8028	DOUBLE ACTING VALVE SECTION 1st or 2nd Position Requires B8027 or B8030	K212B80	4 lbs	\$266.00
B8029	FLOAT DETENT VALVE SECTION For 2nd Position Only B8030 Required	K268B00	5 lbs	\$335.00
B8030	SECOND POSITION STACKING KIT For 2nd Valve B8027 and B8028 or B8029 Required	K212B80	10 lbs	\$266.00
B8362	TOP-N-TILT KIT Includes Cylinders and Hoses Requires 2 B8028 valve sections and the B3941 3-pt linkage kit.	K632B00	50 lbs	\$790.00
<b>BALLAST BOX</b>				
B8160	BALLAST BOX FOR BX SERIES, B21, AND B26 3-point Linkage Kit is required for all Ballast Box installations	K232B00	101 lbs	\$290.00
<b>OPTIONAL EQUIPMENT</b>				
B3941	3-POINT LINKAGE KIT	K359B20	48 lbs	\$449.00
L8045	FRONT OR REAR WORK LIGHT KIT (2 Per Kit) ROPS frame mount. Maximum 4 lights (2 kits) in total.	K140L00	3 lbs	\$175.00
L8043	HORN KIT	K51L20	1 lbs	\$64.00
B8036	DRAWBAR KIT	K52B80	13 lbs	\$66.00
B8010	SPARK ARRESTOR	K56B00	1 lbs	\$70.00
B8011	BACK-UP ALARM KIT	K72B00	1 lbs	\$90.00
B8012A	TOOL BOX	K80B00	6 lbs	\$100.00
<b>Available from Parts</b>				
70000-73274	BLOCK HEATER (Frost Plug)			(Order from Parts Department)

# KUBOTA

**This page intentionally left blank.**

**KUBOTA****L47TL/TLB**

\*\*\* EQUIPMENT IN STANDARD MACHINE &amp; SPECIFICATIONS \*\*\*

**DIESEL ENGINE**

Model # V2403-CR-E4  
Tier 4 Final Certified  
4 Cyl., 148.5 cu. in.  
47.1 HP Gross (SAE J1995)  
44.7 HP Net (SAE J1349)  
33.0 PTO HP  
@ 2700 Eng. rpm  
Direct Injection  
Charging Output 45 Amps  
12 V - 80 Amp Hour Battery  
Dual Element Air Cleaner w/  
cyclone  
Precleaner

**HYDRAULICS**

Open Center – Gear Type  
Total Pump Capacity 25.0 gpm  
Includes Power Steering  
Front /Rear Remotes 11.8 gpm  
BH Boom Swing Pump 6.6 gpm  
Cat I 3-Point Hitch (Linkage Opt.)  
24" Behind 2756 lbs.  
@ Lift Points 3860 lbs.  
Position Control

**FRONT AXLE**

Bevel Gear, 4WD  
Hydrostatic Power Steering  
Cast Iron - Heavy Duty  
Tread Spacing, Nonadjustable

**DRIVE TRAIN**

HST Plus  
3 Ranges  
Low-Medium-High  
Maximum Travel Speed 14.1  
mph  
Rear Differential Lock  
Mechanical, Multiple Wet Disc  
Brakes  
4 Wheel Drive

**DIMENSIONS**

Transport Length 234"  
Width 71.2"  
Height to ROPS top 95.1"  
Wheelbase 72.5"  
Ground Clearance 14.4"

**FLUID CAPACITY**

Fuel Tank 17.7 gal.  
Crankcase 8.7 qts.  
Engine Coolant 8.7 qts.  
Transmission and  
Hydraulics 12.2 gal.  
Front Axle Case 7.4 qts.

**TIRES AND WHEELS**

Front 27 x 10.50 - 15 R4 6 PLY  
Rear 15-19.5 R4 6 PLY

**LIGHTING**

2 Halogen Headlight / Work Lights  
2 Halogen Rear Work Lights  
2 Tail Lights / Turn Signals

**POWER TAKE OFF**

Hydraulic Independent Rear PTO  
Running 540 rpm @ 2590 Eng.  
RPM  
SAE – 1-3/8, 6 splines

**INSTRUMENTS**

IntelliPanel™  
Lighted Communications Symbols  
Digital Display with Tachometer,  
Travel Speed, PTO Speed,  
Warnings, Maintenance Alerts,  
On-board Diagnostics

**REAR AXLE**

Heavy Duty Axle w/ Differential  
Lock

**SAFETY EQUIPMENT**

Four Post ROPS / FOPS  
Deluxe Seat w/retractable Seat  
Belt  
Safety Start Switches  
Electric Key Shut-Off  
Parking Brake  
SMV Sign

**STANDARD EQUIPMENT**

Four 55 W Halogen Work Lights  
Electronic HST Transmission  
Backhoe Crawling Mode  
Full Flat Floor  
Cast Steel Brake Pedal  
Walk-through Step  
Seat with Arm Rests  
Seat Pivots In Place  
Backup Alarm  
Horn

Slanted Hood & Loader Arms  
2 Lever Style Quick Coupler  
Hydraulic Self-Leveling Loader  
Braceless Loader Frame  
Protected Hydraulic Hoses &  
Pipes  
Bucket Level Indicator  
Boom Lock

Arch Type Backhoe Boom  
Independent Boom Swing Pump  
Protected Hydraulic Hoses &  
Max. Lift Height 113.9"  
Automatic Self-Leveling Valve  
Quick Coupler

**LOADER**

Rated Lift Cap. @ Bucket Center 2,200lbs.  
Rated Breakout 4,531 lbs.  
Max. Lift Height 113.9"  
Automatic Self-Leveling Valve  
Quick Coupler

**BACKHOE**

4-Point Rigid Mount Quick Attach  
Bucket Breakout Force 5,825 lbs.  
Dipperstick Breakout Force 3,779lbs  
Dig Depth 10', (2ft, SAE)  
Stabilizer Spread-Operating 89.3"  
Dedicated Boom Swing Pump  
2-Cylinder Trunion Type Swing





## L47TL/TLB

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>4WD MODELS</b>				
*** STANDARD TRACTOR WITH STANDARD TIRES ***				
L47	<b>Tractor- Includes ROPS</b> 4 Post ROPS/FOPS (FCL-45) & Seat Belt **Standard Tires Included	K29M432M00	3090	\$36,790.00
TL1300	<b>Front Loader- Required, Must be Configured</b> Rear counter weight is required when using the L47 as a Tractor Loader Does not include bucket	K6L352L00	1568 lbs	\$7,940.00
TL1300V	<b>Front Loader With 3rd Function Valve</b> Includes factory installed loader auxiliary hydraulic kit (TL2381) Does not include bucket	K7L148L00	1600 lbs	\$8,935.00
BT1000B	<b>Backhoe</b> Does not include bucket	K10L151L20	2007 lbs	\$12,689.00
BT1000BV	<b>Backhoe With Auxiliary Hydraulic Kit</b> Includes factory installed backhoe auxiliary hydraulic kit (TL2383) Does not include bucket	K11L725L60	2007 lbs	\$14,657.00

\*Note: You must order a loader bucket for all TL and TLB Packages. For all TLB packages you must order appropriate backhoe buckets.

TIRES AND WHEELS				
ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
<b>STANDARD TIRES</b>				
ALR9192	** Front 27 x 10.5 - 15 R4 Titan HD 2000 8PR			
ALR9195	** Rear 15 - 19.5 R4 Titan Trac Loader 6PR	In Base Price		In Base Price
<b>OPTION</b>				
ALR9497	Front 27/10.50LL-15 Galaxy Turf	M251M20	Add	\$314.00
ALR9449	Rear 16.5L-16.1 Turf Tire			

\*\*Standard tires

TIRES AND WHEELS (priced per piece)				
ORDER	DESCRIPTION	FACTORY	APPROX.	SUGGESTED LIST
ALR9192	Front 27 x 10.5 - 15 R4 Titan HD 2000 8PR	K204L00	68 lbs	\$255.00
ALR9195	Rear 15 - 19.5 R4 Titan Trac Loader 6PR	K684L80	267 lbs	\$856.00
ALR9497	Front 27/10.50LL-15 Galaxy Turf	K368L00	70 lbs	\$460.00
ALR9449	Rear 16.5L-16.1 Turf Tire	K646L40	146 lbs	\$808.00



# L47TL/TLB

## DEALER INSTALLED ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>STANDARD LOADER</b>				
TL1300	FRONT LOADER / L47	K6L352L00	1568 lbs	\$7,940.00
TL1300V	FRONT LOADER W/3RD FCTN VLV / L47TLB Includes factory installed loader auxiliary hydraulic kit (TL2381)	K7L148L00	1600 lbs	\$8,935.00
<b>HYDRAULIC QUICK COUPLER KIT</b>				
TL1310	HYD 2-LEVER QUICK HITCH / TL1300 Optional hydraulic front coupler	K1L366L40	118 lbs	\$1,708.00
<b>LOADER ACCESSORIES</b>				
Requires a loader bucket for either TL or TLB package				
TL1765A	72" QC HEAVY DUTY ROUND BACK BKT/L47 Struck Capacity (12.7 cu. ft.) Heaped Capacity (15.5 cu. ft.)	K977L60	336 lbs	\$1,222.00
TL1748A	BOLT ON CUTTING EDGE / TL1765A For 72" L2245 and TL1765A Buckets	K207L20	70 lbs	\$259.00
L2245	72" 4 in 1 BUCKET Struck Capacity (10.9 cu. ft.) Heaped Capacity (13.1 cu. ft.) 21.5" Mouth Opening, 2,000 psi clamping force Requires TL2381 Remote Valve Kit	K1L949L60	675 lbs	\$2,437.00
M1809	Q.A. PALLET FORK FRAME 2 Pieces, 1 Set	K635M20	200 lbs	\$794.00
K9058	42" PALLET FORKS 2 Pieces, 1 Set	K433L60	196 lbs	\$542.00
K9059	48" PALLET FORKS 2 Pieces, 1 Set	K462K40	218 lbs	\$578.00
M1804	QUICK ATTCH BALE SPEAR	K686M40	195 lbs	\$858.00
<b>REMOTE VALVE KIT FOR LOADER ATTACHMENTS</b>				
TL2381	3RD FUNCTION VALVE KIT FOR TL1300 Standard equipment for TL1300V Loader Includes valve section, hoses, pipes, loader lever control, and attaching hardware.	K824L00	40 lbs	\$1,030.00
TL1311	SINGLE LEVER QC/3RD FCTN VLV/TL1300V TL2381 Required	K543L20	3 lbs	\$679.00

**KUBOTA****L47TL/TLB**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>BACKHOE MODELS</b>				
BT1000B	BACKHOE- 10'	K10L151L20	2007 lbs	\$12,689.00
BT1000BV	BACKHOE W/AUX HYD VALVE- 10' Includes factory installed backhoe auxiliary hydraulic kit (TL2383)	K11L725L60	2007 lbs	\$14,657.00
L9467	RUBBER STABILIZER FLIP PAD 2 Sets Required	K113L60	15 lbs	\$142.00
BT2382	STABILIZER CYLINDER COVER KIT	K154L40	18 lbs	\$193.00
<b>For all TLB Packages, you must order appropriate backhoe buckets</b>				
<b>BACKHOE BUCKETS</b>				
<b>DIRECT PIN-ON BUCKETS</b>				
BT3001	12" PIN-ON TRENCHING BUCKET 1.47 cu. ft.	K598L40	109 lbs	\$748.00
BT3002A	16" PIN-ON TRENCHING BUCKET 2.16 cu. ft.	K678L40	130 lbs	\$848.00
BT3003A	18" PIN-ON TRENCHING BUCKET 2.51 cu. ft.	K723L20	141 lbs	\$904.00
BT3004	24" PIN-ON TRENCHING BUCKET 3.6 cu. ft.	K841L60	172 lbs	\$1,052.00
BT3005A	30" PIN-ON TRENCHING BUCKET 4.69 cu. ft.	K970L40	205 lbs	\$1,213.00
BT3006	36" PIN-ON TRENCHING-BUCKET 5.78 cu. ft.	K1L084L80	226 lbs	\$1,356.00
<b>QUICK ATTACH COUPLER BUCKETS</b>				
*COMPATIBLE WITH CE EXCAVATOR BUCKETS				
K7543A	QUICK ATTACH COUPLER / BT1400(V) /BT1000B(V) Includes 2 mounting pins, 1 locking pin and hardware.	K1K162K40	64 lbs	\$1,453.00
K7872A	12" QA TRENCHING BUCKET 2.13 cu. ft.	K995K60	160 lbs	\$1,310.00
K7873A	16" QA TRENCHING BUCKET 2.83 cu. ft.	K1K043K48	185 lbs	\$1,373.00
K7874A	18" QA TRENCHING BUCKET 3.19 cu. ft.	K1K124K04	190 lbs	\$1,479.00
K7875A	24" QA TRENCHING BUCKET 4.25 cu. ft.	K1K346K72	257 lbs	\$1,772.00
K7876	30" Q.A. TRENCHING BUCKET 5.31 cu. ft.	K1K368K00	1 lbs	\$1,800.00
K7983	36" Q.A. BACKHOE BUCKET 9.8 cu. ft.	K1M371M04	270 lbs	\$1,804.00
K7473	36" TILT GRADING BUCKET 3.0 cu. ft.	K4K572K16	1 lbs	\$6,016.00
K7546	36" CEMETERY BUCKET	K1L634L00	265 lbs	\$2,150.00
K7458	36" GR BLADE KX71/KX91/KX033/U35/L47/M62	K1K246K40	270 lbs	\$1,640.00
K9807	BUCKET HANGERS Set of two bucket ear blanks. Converts buckets to quick coupler style. Modification to match bucket contour required.	K307A04	49 lbs	\$404.00
<b>QUICK ATTACH COUPLER BUCKETS</b>				
*KIE VERSION--NOT COMPATIBLE WITH CE EXCAVATOR BUCKETS				
BT4550	QUICK COUPLER Q.A. COUPLER / BT1000 Includes 2 pins, 1 locking pin and hardware	K601L60	55 lbs	\$752.00
BT4552	12" TRENCHING BUCKET 1.47 cu. ft.	K725L60	117 lbs	\$907.00
BT4553	16" TRENCHING BUCKET 2.16 cu. ft.	K767L20	135 lbs	\$959.00
BT4554	18" TRENCHING BUCKET 2.51 cu. ft.	K806L40	144 lbs	\$1,008.00
BT4555	24" TRENCHING BUCKET 3.6 cu. ft.	K952L00	176 lbs	\$1,190.00
BT4557	36" TRENCHING BUCKET 5.78 cu. ft.	K1L213L60	223 lbs	\$1,517.00
<b>REMOTE VALVE KIT FOR BACKHOE MOUNTED ATTACHMENTS</b>				
BT2383	HYDRAULIC VALVE KIT FOR BT1000B Standard equipment for BT1000BV Includes right foot operated valve, hoses, pipes, brackets.	K1L628L80	60 lbs	\$2,036.00

**KUBOTA****L47TL/TLB**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>HYDRAULIC THUMB</b>				
BT4598	HYDRAULIC THUMB KIT HYDRAULIC THUMB (FOR PIN ON BUCKETS and KIE Q.A.) Requires BT1000BV or BT2383 remote valve kit. Compatible with pin-on buckets. Thumb mount bracket factory installed.	K1L852L80	142 lbs	\$2,316.00
K7545A	HYDRAULIC THUMB (FOR Q.C. CE BUCKETS ONLY) Requires BT1000BV or BT2383 remote valve kit. Compatible with K7543A Quick Coupler. Thumb mount bracket factory installed.	K2K697K24	142 lbs	\$3,549.00
<b>BALLAST BOX</b>				
L8170	BALLAST BOX FOR L SERIES, L35, L45, AND L47 3-point Linkage Kit is required for all Ballast Box installations	K442L40	168 lbs	\$553.00
<b>OPTIONAL EQUIPMENT</b>				
L3961	3P HITCH KIT / L39/L45/L47	K464L00	60 lbs	\$580.00
L1321	3 POINT HITCH LINKAGES/STORAGE PANEL	K214L40	21 lbs	\$268.00
L9475	DRAWBAR HITCH	K191L20	36 lbs	\$239.00
L9496G	CLEVIS HITCH L-SERIES	K72L80	8 lbs	\$91.00
L9476A	PLASTIC TOOL BOX/L39/L45/L47/M59/M62	K80L00	10 lbs	\$100.00
L8045	WORK LIGHT KIT FRONT/REAR ROPS frame mounted. (2 per kit) Maximum 4 (2 kits) in total.	K140L00	3 lbs	\$175.00
<b>HYDRAULICS KITS FOR REAR ATTACHMENTS</b> (To be used with Backhoe removed on a Tractor/Loader)				
L9553A	REMOTE VALVE KIT FOR REAR ATTACHMENTS Includes 3 Spool Valve, Mount Bracket, Hoses, Hydraulic Quick-Couplers	K1L171L20	38 lbs	\$1,464.00
L9554A	3 PT TOP and TILT KIT Includes 2 Cylinders, Hoses and Hydraulic Quick Couplers. (Requires L9553A REMOTE VALVE KIT FOR REAR ATTACHMENTS and the L3961 3-PT LINKAGE KIT)	K748L00	42 lbs	\$935.00
<b>AVAILABLE FROM PARTS DEPARTMENT</b>				
70000-00297	Block Heater – Front Plug			(Order from Parts Department)
32822-99554	CCV Heater Kit (CCV-90A)			(Order from Parts Department)

# KUBOTA

**This page intentionally left blank.**

**KUBOTA****M62TL/TLB****\*\*\* EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS \*\*\*****DIESEL ENGINE**

Model # V2403-CR-TE4  
Tier IV Final Certified  
4 Cyl. 148.5 cu. in.  
Turbocharged  
63 Gross HP (SAE J1995)  
59.1 Net HP (SAE J1349)  
46.0 PTO HP  
@ 2700 Engine RPM  
Direct Injection  
Charging output 45 Amps  
12 V – 80 Amp Hour Battery  
Dual Element Air Cleaner

**HYDRAULICS**

Open Center - Gear Type  
Total Pump Capacity 30.9 gpm  
Includes Power Steering  
BH Boom Swing Pump 8.3 gpm  
Front / Rear Remotes 16.0 gpm  
Cat I & II 3-point Hitch (Optional)  
24" Behind 2976 lbs.  
@ Lift Points 3860 lbs.  
Position Control

**FRONT AXLE**

Bevel-Gear, 4 WD  
Hydrostatic Power Steering  
Cast Iron – Heavy Duty  
Tread spacing, Non-adjustable

**DRIVE TRAIN**

HST Plus  
3 Ranges  
Low-Medium-High  
Maximum Travel Speed 15.7 mph  
Rear Differential Lock  
Multiple Wet Disc Brakes  
4 Wheel Drive

**DIMENSIONS**

Transport Length	252.9"
Width	75.0"
Height to ROPS top	102.1"
Wheelbase	80.7"
Ground Clearance	13.8"

**FLUID CAPACITY**

Fuel Tank	17.7 gals.
Crankcase	9.9 qts.
Eng. Coolant	8.7 qts.
Transmission and Hydraulics	12.2 gal.
Front Axle Case	13.2 qts.

**TIRES AND WHEELS**

Front 10 - 16.5 R4 Industrial  
Rear 17.5L - 24 R4 Industrial

**LIGHTING**

2 Halogen Headlight / Work Lights  
2 Halogen Rear Work Lights  
2 Tail Lights / Turn Signals

**POWER TAKE OFF**

Hydraulic Independent Rear PTO  
Running 540 rpm @ 2550 Eng. RPM  
SAE – 1-3/8, 6 splines

**INSTRUMENTS**

IntelliPanel™  
Lighted Communications Symbols  
Digital Display with Tachometer,  
Travel Speed, PTO Speed, Warnings,  
Maintenance Alerts, On-board  
Diagnostics

**REAR AXLE**

Heavy Duty Axle w/ Differential Lock  
Bull-gear final drives  
Multiple Wet Disc Brakes

**SAFETY EQUIPMENT**

Four Post ROPS / FOPS  
Deluxe Seat w/retractable Seat Belt  
Safety Start Switches  
Electric Key Shut-Off  
Parking Brake  
SMV Sign

**STANDARD EQUIPMENT**

Four 55 W Halogen Work Lights  
Electronic HST Transmission  
Backhoe Crawling Mode  
Full Flat Floor  
Cast Steel Brake Pedal  
Walk-through Step  
Seat with Arm Rests  
Seat Pivots In Place  
Backup Alarm & Horn  
Larger Canopy

Slanted Hood & Loader Arms  
2 Lever Style Quick Coupler  
Hydraulic Self-Leveling Loader  
Braceless Loader Frame  
Protected Hydraulic Hoses & Pipes  
Bucket Level Indicator  
Boom Lock

Arch Type Backhoe Boom  
Independent Boom Swing Pump  
Protected Hydraulic Hoses & Pipes  
Thumb Bracket  
Stabilizer Cylinder Cover  
Improved Inching Performance  
High Quality Hydraulic Cylinders  
Tie-down Rings for Transport

**LOADER**

Lift Cap. @ Bucket Center 2,976 lbs.  
Rated Breakout 5,992 lbs.  
Max. Lift Height 126.1"  
Automatic Self-Leveling  
Quick Coupler

**BACKHOE**

4-Point Rigid Mount Quick Attach Backhoe  
Bucket Breakout Force 6,572 lbs.  
Dipperstick Breakout Force 4,657 lbs.  
Max. Dig Depth 14'  
Dedicated Boom Swing Pump  
Stabilizer Spread-Operating 89.3"  
2 Cylinder Trunion-Type Swing  
Steel Flip Pads Standard



# M62TL/TLB

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>4WD MODELS</b>				
<b>*** STANDARD TRACTOR WITH STANDARD TIRES ***</b>				
M62	<b>Tractor- Includes ROPS</b> 4 Post ROPS/FOPS (FCM-59) & Seat Belt **Standard Tires Included	K36M452M80	4300 lbs	\$45,566.00
TL1800	<b>Front Loader- Required, Must be Configured</b> Rear counter weight is required when using the M62 as a Tractor Loader Does not include bucket	K6M773M60	1963 lbs	\$8,467.00
TL1800V	<b>Front Loader With 3rd Function Valve</b> Includes factory assembled loader auxiliary hydraulic kit (TL2384) Does not include bucket	K7M596M80	2018 lbs	\$9,496.00
BT1400	<b>Backhoe</b> Does not include bucket	K14M664M80	2416 lbs	\$18,331.00
BT1400V	<b>Backhoe with Auxiliary Hydraulic Kit</b> Includes factory assembled backhoe auxiliary hydraulic kits (BT2385) Does not include bucket	K15M982M40	2411 lbs	\$19,978.00

\*Note: You must order a loader bucket for all TL and TLB Packages. For all TLB packages you must order appropriate backhoe buckets.

<b>TIRES AND WHEELS</b>					
ORDER CODE		DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>STANDARD TIRES</b>					
ALR6842	**	F-TIRE 10-16.5 R4 Titan HD-2000	In Base Price		In Base Price
ALR6843	**	R-TIRE 17.5L-24 R4 Titan Ind Cont TLB			
<b>OPTION</b>					
ALR6845		F-TIRE 12-16.5 R3 Titan Torc Trac	M16M00	Add	\$20.00
ALR6846		R-TIRE 16.9-24 R3 Titan Torc			

\*\*Standard tires

<b>TIRES AND WHEELS (priced per piece)</b>					
ORDER		DESCRIPTION	FACTORY	APPROX.	SUGGESTED LIST
ALR6842		F-TIRE 10-16.5 R4 Titan HD-2000	K316M00	103 lbs	\$395.00
ALR6843		R-TIRE 17.5L-24 R4 Titan Ind Cont TLB	K760M00	280 lbs	\$950.00
ALR6845		F-TIRE 12-16.5 R3 Titan Torc	K344M80	110 lbs	\$431.00
ALR6846		R-TIRE 16.9-24 R3 Titan Torc	K739M20	266 lbs	\$924.00

**KUBOTA****M62TL/TLB**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>STANDARD LOADER</b>				
TL1800	FRONT LOADER	K6M773M60	1963 lbs	\$8,467.00
TL1800V	FRONT LOADER W/3RD FCTN VALVE Includes factory installed loader auxiliary hydraulic kit (TL2384)	K7M596M80	2018 lbs	\$9,496.00
<b>HYDRAULIC QUICK COUPLER KIT</b>				
TL1810	HYD 2-LEVER QUICK HITCH / TL1800 Optional hydraulic front coupler	K1M378M40	94 lbs	\$1,723.00
<b>QUICK-COUPLER ATTACHMENTS</b>				
TL3421A	84" QC HEAVY DUTY ROUND BACK BKT/M62 Struck Capacity (19.1 cu. ft.) Heaped Capacity (23.57 cu. ft.)	K1M158M40	336 lbs	\$1,448.00
TL3431A	BOLT ON CUTTING EDGE FOR / TL3421A HD Round Back Bucket (TL3421A)	K234M40	81 lbs	\$293.00
M1809	Q.A. PALLET FORK FRAME Requires K9058 or K9059 pallet forks	K635M20	200 lbs	\$794.00
K9058	42" PALLET FORKS (SET OF 2) 2 Pieces, 1 Set	K433L60	196 lbs	\$542.00
K9059	48" PALLET FORKS (SET OF 2) 2 Pieces, 1 Set	K462K40	218 lbs	\$578.00
M1804	QUICK ATTCH BALE SPEAR	K686M40	195 lbs	\$858.00
<b>REMOTE VALVE KIT FOR LOADER MOUNTED ATTACHMENTS</b>				
TL2384	3RD FUNCTION VALVE KIT FOR TL1800 Standard equipment for TL1800V Includes valve section, hoses, pipes, loader lever control, quick couplers, and attaching hardware.	K878M40	60 lbs	\$1,098.00
TL1811	SINGLE LEVER QC/3RD FCTN VLV/TL1800V TL2384 Required	K548M00	12 lbs	\$685.00
<b>BACKHOE</b>				
BT1400	BACKHOE 14' Backhoe without Bucket	K14M664M80	2416 lbs	\$18,331.00
BT1400V	BACKHOE 14' Includes factory assembled backhoe auxiliary hydraulic kit (BT2385)	K15M982M40	2411 lbs	\$19,978.00
L9467	RUBBER STABILIZER FLIP PADS 2 Sets Required	K113L60	15 lbs	\$142.00



**KUBOTA****M62TL/TLB**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>BUCKETS</b>				
<b>DIRECT PIN-ON BUCKETS</b>				
BT2911	12" PIN-ON TRENCHING BUCKET 1.92 cu. ft.	K659L20	147 lbs	\$824.00
BT2912A	16" PIN-ON TRENCHING BACKHOE BUCKET 2.82 cu. ft.	K749L60	140 lbs	\$937.00
BT2913A	18" PIN-ON BACKHOE BUCKET 3.9 cu. ft.	K794L40	151 lbs	\$993.00
BT2914	24" PIN-ON TRENCHING BUCKET 4.73 cu. ft.	K937L60	172 lbs	\$1,172.00
BT2915A	30" PIN-ON TRENCHING BACKHOE BUCKET 6.2 cu. ft.	K1L076L00	205 lbs	\$1,345.00
BT2916	36" PIN-ON TRENCHING-BUCKET 7.67 cu. ft.	K1L192L80	226 lbs	\$1,491.00
<b>QUICK-ATTACH BUCKETS</b>				
<b>*COMPATIBLE WITH CE EXCAVATOR BUCKETS</b>				
K7543A	Q.A. COUPLER / BT1400(V) /BT1000B(V) Includes 2 mounting pins, 1 locking pin and hardware.	K1K162K40	64 lbs	\$1,453.00
K7872A	12" QA TRENCHING BUCKET 2.13 cu. ft.	K995K60	160 lbs	\$1,310.00
K7873A	16" QA TRENCHING BUCKET 2.83 cu. ft.	K1K043K48	185 lbs	\$1,373.00
K7874A	18" QA TRENCHING BUCKET 3.19 cu. ft.	K1K124K04	190 lbs	\$1,479.00
K7875A	24" QA TRENCHING BUCKET 4.25 cu. ft.	K1K346K72	257 lbs	\$1,772.00
K7876A	30" QA TRENCHING BUCKET 5.31 cu. ft.	K1K485K04	265 lbs	\$1,954.00
K7983	36" Q.A. BACKHOE BUCKET 9.8 cu. ft.	K1M371M04	270 lbs	\$1,804.00
K7473A	36" QA TILT GRADING BUCKET 3.0 cu. ft.	K4K572K16	305 lbs	\$6,016.00
K7458A	36" QA BLADE	K1K434K88	270 lbs	\$1,888.00
K7877B	36" Q.A. GRADING BUCKET 6.64 cu. ft.	K1K225K12	230 lbs	\$1,612.00
K7546	36" CEMETERY BUCKET	K1L634L00	265 lbs	\$2,150.00
K7454A	39" QA TILT GRADING BUCKET 4.72 cu. ft.	K5K187K76	185 lbs	\$6,826.00
K7455A	BOE FOR K7454 39" GRADING BUCKET	K158K08	44 lbs	\$208.00
K7547	24" QUICK ATTACH FROST RIPPER	K1L204L80	315 lbs	\$1,506.00
K7557	24" QUICK ATTACH, EXCAVATING RAKE	K2L016L00	300 lbs	\$2,520.00
K9807	BUCKET HANGERS Set of 2 bucket ear blanks. Converts buckets to quick coupler style. Modification to match bucket contour required.	K307A04	49 lbs	\$404.00
<b>QUICK-ATTACH COUPLER BUCKETS</b>				
<b>*KIE VERSION- NOT COMPATIBLE WITH CE EXCAVATOR BUCKETS</b>				
BT4580	QUICK COUPLER FOR BT1200/BT1200V (KIE Buckets Only) Includes 2 mounting pins, 1 locking pin and hardware.	K638M40	55 lbs	\$798.00
BT4582	12" Q.A. TRENCHING BUCKET / M59TLB 1.92 cu. ft.	K772M80	145 lbs	\$966.00
BT4583	16" Q.A. BUCKET FOR BT1200 BACKHOE 2.82 cu. ft.	K814M40	168 lbs	\$1,018.00
BT4584	18" Q.A. TRENCHING BUCKET / M59TLB 3.9 cu. ft.	K856M80	151 lbs	\$1,071.00
BT4585	24" Q.A. TRENCHING BUCKET / M59TLB 4.73 cu. ft.	K1M012M00	140 lbs	\$1,265.00
BT4587	36" Q.A. BUCKET FOR BT1200 BACKHOE 7.67 cu. ft.	K1M288M80	271 lbs	\$1,611.00
BT4581	BUCKET HANGERS Set of 2 bucket ear blanks. Converts buckets to quick coupler style. Modification to match bucket contour required	K280M80	75 lbs	\$351.00
<b>REMOTE VALVE KIT FOR BACKHOE MOUNTED ATTACHMENTS</b>				
BT2385	HYDRAULIC VALVE KIT FOR BT1400 Includes right foot operated valve, hoses, pipes, brackets	K1M612M00	64 lbs	\$2,015.00

**KUBOTA****M62TL/TLB**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>HYDRAULIC THUMB</b>				
BT4599	HYDRAULIC THUMB (FOR PIN ON BUCKETS and KIE Q.A. ONLY) Requires BT1400V or BT2385 Remote Valve Kit. Compatible with pin-on buckets. Thumb mount bracket factory installed.	K1M968M80	157 lbs	\$2,461.00
K7545A	HYDRAULIC THUMB (FOR Q.A. COUPLER CE EXCAVATOR STYLE) Requires BT1400V or BT2385 Remote Valve Kit. Compatible with Quick Coupler buckets. Thumb mount bracket factory installed.	K2K697K24	142 lbs	\$3,549.00
<b>HYDRAULICS KITS FOR REAR ATTACHMENTS</b>				
*To be used with backhoe removed on Tractor/Loader				
TL9407A	TOP-N-TILT KIT FOR M62 TLB Includes cylinders and hoses. Requires the L3995A Rear Remote valve kit. The TL9407A makes use of 2 of the 3 rear remote valves (L3995A). Also requires the L3951 3-PT Linkage Kit.	K1M011M20	44 lbs	\$1,264.00
L3995A	REAR REMOTE VALVE KIT /M59 & M62 TLB Consists of 3 Float Detent Valves, L-Series Style Female Quick Couplers, Quick Couplers mount on Right Side Rear ROPS Post, Three Control Levers directly connected to valves. L3995A valve kit is required for installation of the TL9407A Top-N-Tilt kit.	K2M079M20	60 lbs	\$2,599.00
<b>BALLAST BOX</b>				
M8180	BALLAST BOX FOR L39, L48, M59, M62, AND ALL M-SERIES TRACTORS 3-point Linkage Kit is required for all Ballast Box installations	K564M80	220 lbs	\$706.00
<b>OPTIONAL EQUIPMENT</b>				
L3951	3P LINKAGE KIT / M59/M62	K675M20	86 lbs	\$844.00
M1808	3 POINT HITCH LINKAGES/STORAGE PANEL	K216M00	22 lbs	\$270.00
L9475	DRAWBAR HITCH	K191L20	36 lbs	\$239.00
L9496G	DRAWBAR CLEVIS	K72L80	8 lbs	\$91.00
L9476A	TOOL BOX KIT	K80L00	10 lbs	\$100.00
L8045	AUXILARY WORK LIGHT FOR ROPS FRAME (2 PER KIT)	K140L00	3 lbs	\$175.00
LM8124	WHEEL WEIGHT Max. 3 weight per wheel Set of 2 (103 lbs. each) Requires (1) LM8125A and M8121A for 2nd / 3rd set.	K250M40	206 lbs	\$313.00
LM8125A	BOLT KIT FOR 1ST SET OF LM8124 & M8126A For Pair of LM8124	K59M20	5 lbs	\$74.00
M8121A	BOLT KIT FOR 1ST SET OF LM8124 & M8126A For 2nd / 3rd set of LM8124	K26M40	8 lbs	\$33.00
<b>AVAILABLE FROM PARTS DEPARTMENT</b>				
70000-00297	Block Heater – Front Plug			(Order from Parts Department)
32822-99554	CCV Heater Kit (CCV-90A)			(Order from Parts Department)



**This page intentionally left blank.**



## Loader/Landscaper Series Attachments

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>BALLAST BOX - An optional 3-point Linkage Kit is required for all Ballast Box installations</b>				
B8160	Ballast Box for BX, B Series, B21, and B26 400 lbs. capacity dry sand. The total weight of the ballast box with sand is 500 lbs.	K232B00	101 lbs	\$290.00
L8170	Ballast Box for L Series, L35, L45, and L47 845 lb. capacity dry sand. The total weight of the ballast box with sand is 1000 lb.	K442L40	168 lbs	\$553.00
M8180	Ballast Box for L39, L48, M59, M62 and all M-Series Tractors 1280 lb. capacity dry sand. The total weight of the ballast box with sand is 1500 lb.	K564M80	220 lbs	\$706.00



# Loader/Landscaper Series Attachments

LOADER / LANDSCAPERS SERIES ACCESSORIES/ATTACHMENT CHART

	MODEL	B26	L47	M62
<b>ACCESSORIES</b>	Remote Valve Kit For Rear Attachments	B8027 ①	L9553A	L3995A
	3-point Linkage Kit	B3941	L3961	L3951
	3Pt Top and Tilt Kit	B8039 ①	L9554A ④	TL9407A ⑤
	Backhoe Stabilizer Flip Pad	L9467	L9467	L9467
	Backup Alarm Kit	B8011	(STD)	(STD)
	Block Heater (Front Plug)	70000-73274	70000-00297	70000-00297
	Bolt-on Cutting Edge	TL2143 ⑥	TL1748A ⑥	TL3431A ⑥
	Drawbar Kit	B8036	L9475	L9475
	Drawbar Clevis	N/A	L9496G	L9496G
	Horn Kit	L8043	(STD)	(STD)
	Remote Valve Kit For Backhoe Mounted Attachments	BTB405	BT2383	BT2385
	Remote Valve Kit For Loader Mounted Attachments	TL2141	TL2381	TL2384
	ROPS / FOPS	FCB-26 (STD)	FCL-45 (STD)	FCM-59 (STD)
	Tool Box	B8012	L9476A	L9476A
	Working Light (2) - Front/Rear	L8045 ROPS Frame Mount	L8045 ROPS Frame Mount	L8045 ROPS Frame Mount
	Working Light (2) - Rear	N/A	L8044 Canopy Mount	L8044 Canopy Mount
	<b>ATTACHMENTS</b>	Pallet Forks	L2238 (Frame) ②	M1809 (Frame) ③
Backhoe Quick Attach Coupler		BT1970	K7543	K7543
Ballast Box		B1860	M8180	M8180
Hydraulic Breaker		KXB310Q ⑦	KXB360Q ⑦	KXB460Q ⑦
Rear Blade		B2004	N/A	N/A
Rear Mount Mower		RFM-60	N/A	N/A
Transmission Type		HST (Hydrostatic)	HST Plus	HST Plus

- ① Requires B8028 valve sections.
- ② Requires K9048 36" pallet forks
- ③ Requires K9058 42" or K9059 48" pallet forks
- ④ Requires L9553A 3-spool remote valve kit for rear attachments.
- ⑤ Requires L3995A 3-spool remote valve kit for rear attachments
- ⑥ Replacement cutting edge for heavy-duty round back bucket only
- ⑦ Requires quick attach coupler, remote valve kit for backhoe mounted attachments, hose kit, and bracket