

# KUBOTA

---

## B SERIES

---

### WHOLEGOODS PRICE LIST EFFECTIVE JANUARY 1, 2022

These pages are a complete revision of  
this section of your price book.  
All prices are effective January 1, 2022.

1/1/22 Updated all Pricing

**KUBOTA**

PAGE NUMBER	MODEL	PTO HP	FACTORY NUMBER	SUGGESTED LIST PRICE
7-3	B2401DT	19.4	K10B908B80	\$ 13,636.00
7-3	B2401DTWO	19.4	K10B372B00	\$ 12,965.00
7-5	B2401DTN	19.4	K11B564B00	\$ 14,455.00
7-7	B2301HSD-1	17.5	K12B983B20	\$ 16,229.00
7-7	B2601HSD-1	19.5	K13B880B80	\$ 17,351.00
7-10	B01 Dealer Installed Accessories			
7-11	B01 Front Loaders			
7-12	B01 Front Quick Hitch and Quick Hitch Implements			
7-14	B01 Implements			
7-15	B2320DTWO	18	K9B188B00	\$ 11,485.00
7-15	B2320DT	18	K9B647B20	\$ 12,059.00
7-17	B2320DTWO/DT Dealer Installed Accessories			
7-18	B2320DTWO/DT Front Loaders			
7-19	B2320DTWO/DT Front Quick Hitch and Quick Hitch Implements			
7-21	B2320DTWO/DT Implements			
7-23	B2320DTN-1	18	K10B407B20	\$ 13,009.00
7-25	B2320DTN-1 Dealer Installed Accessories			
7-27	B2650HSD	19.5	K13B464B00	\$ 16,830.00
7-27	B2650HSDC	19.5	K19B629B60	\$ 24,537.00
7-29	B3350HSD	27	K16B645B60	\$ 20,807.00
7-29	B3350HSDC	27	K22B585B60	\$ 28,232.00
7-31	B3350SUHSD	27	K15B687B20	\$ 19,609.00
7-33	B2650/3350 Dealer Installed Accessories			
7-36	B2650/3350 Front Loaders			
7-37	B2650/3350 Front Quick Hitch and Quick Hitch Implements			
7-39	B2650/3350 Implements			
7-41	LX2610SUHSD	19.5	K14B134B40	\$ 17,668.00
7-43	LX2610HSD	19.5	K15B000B80	\$ 18,751.00
7-43	LX2610HSDC	27	K21B680B80	\$ 27,101.00
7-45	LX3310HSD	27	K19B080B00	\$ 23,850.00
7-45	LX3310HSDC	27	K25B231B20	\$ 31,539.00
7-47	LX Series Dealer Installed Accessories			
7-49	LX Series Front Loaders			
7-50	LX Series Front Quick Hitch and Quick Hitch Implements			
7-52	LX Series Implements			

**B Series** **B2401DT/B2401DTWO** **KUBOTA**  
 \*\*\* EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS \*\*\*

**DIESEL ENGINE**

Kubota Indirect Injection  
 3 Cylinder Engine  
 EPA Tier 4 Compliant  
 Charging Output 40 Amps  
 12V – 430 CCA  
 Dual Air Cleaner Element

**EXHAUST EMISSION CONTROL TYPE**

No Exhaust After Treatment Required

**HYDRAULICS / HITCH / DRAWBAR**

Open Center  
 Tandem Pumps Gear Type  
 2.6 gpm Power Steering  
 4.4 gpm Remote/3 Pt. Hitch  
 7.0 gpm Total Hyd. Flow

**3-POINT HITCH & DRAWBAR**

Cat I 3-Point Hitch  
 At lift Point 1653 lbs.  
 24" Behind 1301 lbs.  
 Position Control Valve

**POWER TAKE OFF**

Transmission Driven with  
 Over-Running Clutch  
 Rear PTO – 2 Speeds  
 SAE Std 1 3/8" Six Spline  
 540 rpm @ 2505 Eng. rpm  
 1000 rpm @ 2560 rpm

**TRANSMISSION**

Gear Drive  
 Rear Differential Lock  
 9 Forward Speeds  
 3 Reverse Speeds  
 Wet Disc Brakes

**FRONT AXLE**

Hydrostatic Power Steering  
 Cast Iron (Narrow)  
 Bevel Gear 4WD  
 Tread Spacing - Nonadjustable

**FLUID CAPACITY**

Fuel Tank 6.1 gal.  
 Cooling System 4.1 qts.  
 Crankcase 3.3 qts.  
 Transmission and Hydraulics 3.3 gal.  
 Front Axle 3.4 qts.

**INSTRUMENTS**

Tachometer/Hour meter  
 Oil Pressure  
 Fuel Gauge  
 Coolant Temperature

**SAFETY EQUIPMENT**

2-Post Foldable ROPS w/Retractable  
 Seat Belt  
 Flip-Up PTO Shield  
 Safety Start Switches  
 Electric Key Shut Off  
 Parking Brake  
 SMV Sign

Model Specifications	
<b>B2401DT/DTWO</b>	
SAE Gross HP:	21.9
PTO HP:	19.4
Engine Model:	D1105
Displacement:	68.5 Cu In

**B Series**

**B2401DT/B2401DTWO**



ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
*** STANDARD TRACTOR WITH STANDARD TIRES ***				
B2401DT	4WD Compact Tractor - 2 Post Foldable ROPS	K10B908B80	1348 lbs	\$13,636.00
B2401DTWO	4WD Compact Tractor - 2 Post Foldable ROPS Not Equipped with Front Loader Valve	K10B372B00	1348 lbs	\$12,965.00

B2401		Additional Price With Tire Option			
ORDER	CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGGESTED LIST PRICE
ABR8701*		F-TIRE 6-12 R1 AG Steel Bias CA	28 lbs	In Base Price	In Base Price
ABR8755B*		R-TIRE 9.5-16 R1 Goodyear Dura Torque	76 lbs		
BR8735		F-TIRE 22x8.50-12 R3 B-Stone PillowDiam1	31 lbs	K123B20	Add \$ 154.00
ABR8790		R-TIRE 31x15.5-15 HF-1 Gdyr Xtra Trac	80 lbs		
ABR8727		F-TIRE 23x8.50-12 R3 Sup Turf K500 FenWh	32 lbs	K104B00	Add \$ 130.00
ABR8779		R-TIRE 33x12.5-15 HF-1 Goodyear SofTrac	82 lbs		
ABR8763		F-TIRE 23x8.50-12 R4 Titan Trac Loader	43 lbs	K150B40	Add \$ 188.00
ABR8764		R-TIRE 12-16.5 R4 Titan Trac Loader	103 lbs		
ABR8791		F-TIRE 23X8.50-12 R14T GOODYEAR SST	43 lbs	K166B40	Add \$ 208.00
ABR8792		R-TIRE 12-16.5 R14T GOODYEAR SST	120 lbs		

† See Tire Section for Individual Tire Pricing and Information  
 \* Standard Tires

**TIRES AND WHEELS (priced per piece)**

B2401DT/B2401DTWO		TIRES AND WHEELS (priced per piece)			
ORDER	CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGG. LIST PRICE
<b>AG</b>					
ABR8701*		F-TIRE 6-12 R1 AG Steel Bias CA	28 lbs	B112B80	\$ 141.00
ABR8755B*		R-TIRE 9.5-16 R1 Goodyear Dura Torque	76 lbs	B264B80	\$ 331.00
<b>TURF</b>					
BR8735		F-TIRE 22x8.50-12 R3 B-Stone PillowDiam1	31 lbs	B116B00	\$ 145.00
ABR8790		R-TIRE 31x15.5-15 HF-1 Gdyr Xtra Trac	80 lbs	B323B20	\$ 404.00
<b>TURF</b>					
ABR8727		F-TIRE 23x8.50-12 R3 Sup Turf K500 FenWh	32 lbs	B144B80	\$ 181.00
ABR8779		R-TIRE 33x12.5-15 HF-1 Goodyear SofTrac	82 lbs	B284B80	\$ 356.00
<b>INDUSTRIAL</b>					
ABR8763		F-TIRE 23x8.50-12 R4 Titan Trac Loader	43 lbs	B159B20	\$ 199.00
ABR8764		R-TIRE 12-16.5 R4 Titan Trac Loader	103 lbs	B293B60	\$ 367.00
<b>AG/INDUSTRIAL HYBRID</b>					
ABR8791		F-TIRE 23X8.50-12 R14T GOODYEAR SST	43 lbs	B167B20	\$ 209.00
ABR8792		R-TIRE 12-16.5 R14T GOODYEAR SST	120 lbs	B293B60	\$ 367.00

**B Series** **B2401DTN (Narrow)** **KUBOTA**

\*\*\* EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS \*\*\*

**DIESEL ENGINE**

Kubota Indirect Injection  
 3 Cylinder Engine  
 EPA Tier 4 Compliant  
 Charging Output 40 Amps  
 12V – 430 CCA  
 Dual Air Cleaner Element

**EXHAUST EMISSION CONTROL TYPE**

No Exhaust After Treatment Required

**HYDRAULICS / HITCH / DRAWBAR**

Open Center  
 Tandem Pumps Gear Type  
 2.6 gpm Power Steering  
 4.4 gpm Remote/3 Pt. Hitch  
 7.0 gpm Total Hyd. Flow

**3-POINT HITCH & DRAWBAR**

Cat I 3-Point Hitch  
 At lift Point 1653 lbs.  
 24" Behind 1301 lbs.  
 Position Control Valve

**POWER TAKE OFF**

Transmission Driven with  
 Over-running Clutch  
 Rear PTO – 2 Speed  
 SAE Std 1 3/8" Six Spline  
 540 rpm @ 2505 Eng. rpm  
 1000 rpm @ 2560 Eng. rpm

**TRANSMISSION**

Gear Drive  
 Rear Differential Lock  
 9 Forward Speeds  
 3 Reverse Speeds  
 Wet Disc Brakes

**FRONT AXLE**

Hydrostatic Power Steering  
 Cast Iron (Narrow)  
 Bevel Gear 4WD  
 Tread Spacing - Nonadjustable

**FLUID CAPACITY**

Fuel Tank 6.1 gal.  
 Cooling System 4.1 qts.  
 Crankcase 3.3 qts.  
 Transmission and Hydraulics 3.3 gal.  
 Front Axle 3.4 qts.

**INSTRUMENTS**

Tachometer/Hour meter  
 Oil Pressure  
 Fuel Gauge  
 Coolant Temperature

**SAFETY EQUIPMENT**

2-Post Rigid ROPS w/Retractable  
 Seat Belt  
 Flip-Up PTO Shield  
 Safety Start Switches  
 Electric Key Shut Off  
 Parking Brake  
 SMV Sign

**Model Specifications**

<b><u>B2401 DT Narrow</u></b>	
SAE Gross HP:	21.9
PTO HP:	19.4
Engine Model:	D1105
Displacement:	68.5 Cu In
Tread Width:	Front: 27.8" (overall width 35.4") Rear: 27.6" to 31.3" (overall width 35.4" to 39.1")

**B Series** **B2401DTN (Narrow)** **KUBOTA**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
*** STANDARD TRACTOR WITH STANDARD TIRES ***				
B2401DTN	4WD Compact Tractor (Narrow) - 2 Post Rigid ROPS	K11B564B00	1348 lbs	\$14,455.00

B2401DTN		Additional Price With Tire Option		
TIRES AND WHEELS <sup>†</sup>				
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGGESTED LIST PRICE
BR8762*	F-TIRE 5-12 R1 B-Stone Farm Service Lug	24 lbs	In Base Price	In Base Price
BR8774*	R-TIRE 8-16 R1 BRIDGESTONE FARM SVC	75 lbs		

<sup>†</sup> See Tire Section for Individual Tire Pricing and Information  
 \* Standard Tires

B2401DTN		TIRES AND WHEELS (priced per piece)		
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGG. LIST PRICE
<b>AG</b>				
BR8762*	F-TIRE 5-12 R1 B-Stone Farm Service Lug	24 lbs	B99B20	\$ 124.00
BR8774*	R-TIRE 8-16 R1 BRIDGESTONE FARM SVC	75 lbs	B224B80	\$ 281.00

**B Series** **B2301/B2601** **KUBOTA**  
 \*\*\* EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS \*\*\*

**DIESEL ENGINE**

Kubota Indirect Injection  
 3 Cylinder Engine  
 EPA Tier 4 Compliant  
 Charging Output 14.5 Amps  
 12V – 430 CCA  
 Dual Air Cleaner Element

**TRANSMISSION**

Hydrostatic Drive  
 Rear Differential Lock  
 3 Forward Ranges  
 3 Reverse Ranges  
 Cruise Control  
 Wet Disc Brakes

**SAFETY EQUIPMENT**

2-Post Foldable ROPS w/Retractable  
 Seat Belt  
 Flip-Up PTO Shield  
 Safety Start Switches  
 Electric Key Shut Off  
 Parking Brake  
 SMV Sign

**EXHAUST EMISSION CONTROL TYPE**

No Exhaust After Treatment Required

**FRONT AXLE**

Hydrostatic Power Steering  
 Cast Iron  
 Bevel Gear 4WD  
 Tread Spacing - Nonadjustable

**HYDRAULICS / HITCH / DRAWBAR**

Open Center  
 Tandem Pumps Gear Type  
 3.6 gpm Power Steering  
 4.7 gpm Remote/3 Pt. Hitch  
 8.3 gpm Total Hyd. Flow

**FLUID CAPACITY**

Fuel Tank 6.1 gal.  
 Cooling System 4.0 qts.  
 Crankcase 3.3 qts.  
 Transmission and Hydraulics 4.0 gal.  
 Front Axle 3.7 qts.

**3-POINT HITCH & DRAWBAR**

Cat I 3-Point Hitch  
 At Lift Point 1808 lbs.  
 24" Behind 1411 lbs.  
 Position Control 3-Point Valve

**INSTRUMENTS**

Tachometer/Hour meter  
 Oil Pressure  
 Fuel Gauge  
 Coolant Temperature

**POWER TAKE OFF**

Live Independent with Hydraulic Clutch  
 Rear PTO – 1 Speed  
 SAE Std 1 3/8" Six Spline  
 540 rpm @ 2773 Eng. rpm  
 Mid PTO – 1 Speed  
 2500 rpm @ 2753 Eng. rpm

<b>Model Specifications</b>			
<b>B2301</b>		<b>B2601</b>	
SAE Gross HP:	20.9	SAE Gross HP:	24.3
PTO HP:	17.5	PTO HP:	19.5
Engine Model:	D1005	Engine Model:	1105
Displacement:	61.1 Cu In	Displacement:	68.5 Cu In

**B Series** **B2301HSD-1** **KUBOTA**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

\*\*\* STANDARD TRACTOR WITH STANDARD TIRES \*\*\*

B2301HSD-1	4WD Compact Tractor - 2 Post Foldable ROPS	K12B983B20	1392 lbs	\$16,229.00
------------	--	------------	----------	-------------

B2301		Additional Price With Tire Option			
TIRES AND WHEELS†					
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER		SUGGESTED LIST PRICE
ABR8701*	F-TIRE 6-12 R1 AG Steel Bias CA	28 lbs	In Base Price		In Base Price
ABR8755B*	R-TIRE 9.5-16 R1 Goodyear Dura Torque	76 lbs			
BR8735	F-TIRE 22x8.50-12 R3 B-Stone PillowDiam1	31 lbs	K123B20	Add	\$ 154.00
ABR8790	R-TIRE 31x15.5-15 HF-1 Gdyr Xtra Trac	80 lbs			
ABR8727	F-TIRE 23x8.50-12 R3 Sup Turf K500 FenWh	32 lbs	K104B00	Add	\$ 130.00
ABR8779	R-TIRE 33x12.5-15 HF-1 Goodyear SofTrac	82 lbs			
ABR8763	F-TIRE 23x8.50-12 R4 Titan Trac Loader	43 lbs	K150B40	Add	\$ 188.00
ABR8764	R-TIRE 12-16.5 R4 Titan Trac Loader	103 lbs			
ABR8791	F-TIRE 23X8.50-12 R14T GOODYEAR SST	43 lbs	K166B40	Add	\$ 208.00
ABR8792	R-TIRE 12-16.5 R14T GOODYEAR SST	120 lbs			

† See Tire Section for Individual Tire Pricing and Information  
 \* Standard Tires

**TIRES AND WHEELS (priced per piece)**

B2301HSD		TIRES AND WHEELS (priced per piece)			
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGG. LIST PRICE	
<b>AG</b>					
ABR8701*	F-TIRE 6-12 R1 AG Steel Bias CA	28 lbs	B112B80	\$ 141.00	
ABR8755B*	R-TIRE 9.5-16 R1 Goodyear Dura Torque	76 lbs	B264B80	\$ 331.00	
<b>TURF</b>					
BR8735	F-TIRE 22x8.50-12 R3 B-Stone PillowDiam1	31 lbs	B116B00	\$ 145.00	
ABR8790	R-TIRE 31x15.5-15 HF-1 Gdyr Xtra Trac	80 lbs	B323B20	\$ 404.00	
<b>TURF</b>					
ABR8727	F-TIRE 23x8.50-12 R3 Sup Turf K500 FenWh	32 lbs	B144B80	\$ 181.00	
ABR8779	R-TIRE 33x12.5-15 HF-1 Goodyear SofTrac	82 lbs	B284B80	\$ 356.00	
<b>INDUSTRIAL</b>					
ABR8763	F-TIRE 23x8.50-12 R4 Titan Trac Loader	43 lbs	B159B20	\$ 199.00	
ABR8764	R-TIRE 12-16.5 R4 Titan Trac Loader	103 lbs	B293B60	\$ 367.00	
<b>AG/INDUSTRIAL HYBRID</b>					
ABR8791	F-TIRE 23X8.50-12 R14T GOODYEAR SST	43 lbs	B167B20	\$ 209.00	
ABR8792	R-TIRE 12-16.5 R14T GOODYEAR SST	120 lbs	B293B60	\$ 367.00	



**B Series** **B2601HSD-1** **KUBOTA**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

\*\*\* STANDARD TRACTOR WITH STANDARD TIRES \*\*\*

B2601HSD-1	4WD Compact Tractor - 2 Post Foldable ROPS	K13B880B80	1392 lbs	\$17,351.00
------------	--	------------	----------	-------------

B2601		Additional Price With Tire Option			
TIRES AND WHEELS†					
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER		SUGGESTED LIST PRICE
BR8707A*	F-TIRE 7-12 R1 B-Stone Farm Service Lug	33 lbs	In Base Price		In Base Price
ABR8769*	R-TIRE 11.2-16 R1 Goodyear Dyna Torq II	95 lbs			
BR8735	F-TIRE 22x8.50-12 R3 B-Stone PillowDiam1	31 lbs	K17B60	Add	\$ 22.00
ABR8790	R-TIRE 31x15.5-15 HF-1 Gdyr Xtra Trac	80 lbs			
ABR8727	F-TIRE 23x8.50-12 R3 Sup Turf K500 FenWh	32 lbs	K1B60	Less	\$ (2.00)
ABR8779	R-TIRE 33x12.5-15 HF-1 Goodyear SofTrac	82 lbs			
ABR8701	F-TIRE 6-12 R1 AG Steel Bias CA	28 lbs	K105B60	Less	\$ (132.00)
ABR8755B	R-TIRE 9.5-16 R1 Goodyear Dura Torque	76 lbs			
ABR8763	F-TIRE 23x8.50-12 R4 Titan Trac Loader	43 lbs	K44B80	Add	\$ 56.00
ABR8764	R-TIRE 12-16.5 R4 Titan Trac Loader	103 lbs			
ABR8791	F-TIRE 23X8.50-12 R14T GOODYEAR SST	43 lbs	K60B80	Add	\$ 76.00
ABR8792	R-TIRE 12-16.5 R14T GOODYEAR SST	120 lbs			

† See Tire Section for Individual Tire Pricing and Information  
 \* Standard Tires

**TIRES AND WHEELS (priced per piece)**

B2601HSD		TIRES AND WHEELS (priced per piece)			
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGG. LIST PRICE	
<b>AG</b>					
BR8707A*	F-TIRE 7-12 R1 B-Stone Farm Service Lug	33 lbs	B146B40	\$ 183.00	
ABR8769*	R-TIRE 11.2-16 R1 Goodyear Dyna Torq II	95 lbs	B284B00	\$ 355.00	
<b>TURF</b>					
BR8735	F-TIRE 22x8.50-12 R3 B-Stone PillowDiam1	31 lbs	B116B00	\$ 145.00	
ABR8790	R-TIRE 31x15.5-15 HF-1 Gdyr Xtra Trac	80 lbs	B323B20	\$ 404.00	
<b>TURF</b>					
ABR8727	F-TIRE 23x8.50-12 R3 Sup Turf K500 FenWh	32 lbs	B144B80	\$ 181.00	
ABR8779	R-TIRE 33x12.5-15 HF-1 Goodyear SofTrac	82 lbs	B284B80	\$ 356.00	
<b>AG</b>					
ABR8701	F-TIRE 6-12 R1 AG Steel Bias CA	28 lbs	B112B80	\$ 141.00	
ABR8755B	R-TIRE 9.5-16 R1 Goodyear Dura Torque	76 lbs	B264B80	\$ 331.00	
<b>INDUSTRIAL</b>					
ABR8763	F-TIRE 23x8.50-12 R4 Titan Trac Loader	43 lbs	B159B20	\$ 199.00	
ABR8764	R-TIRE 12-16.5 R4 Titan Trac Loader	103 lbs	B293B60	\$ 367.00	
<b>AG/INDUSTRIAL HYBRID</b>					
ABR8791	F-TIRE 23X8.50-12 R14T GOODYEAR SST	43 lbs	B167B20	\$ 209.00	
ABR8792	R-TIRE 12-16.5 R14T GOODYEAR SST	120 lbs	B293B60	\$ 367.00	

**B Series B2301/B2401/B2601 KUBOTA**

**DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>HYDRAULICS/HITCH/DRAWBAR</b>				
<b>HYDRAULIC REAR REMOTE VALVES (For B2301 and B2601 ONLY, NOT compatible with B2401)</b>				
B1654	Base Kit and 1st Lever Requires B7304 Double Acting Valve	K336B00	7 lbs	\$420.00
B1655	2nd Position Stacking Kit and 2nd Lever Requires B1654, B7304, and a B7304 or B7305	K149B60	3 lbs	\$187.00
B7304	Double Acting Valve Section	K212B80	4 lbs	\$266.00
B7305	FD (Float Detent) Valve Section (2nd Position Only)	K268B00	5 lbs	\$335.00
<b>DRAWBAR</b>				
B6810	Drop Drawbar for B01 Series	K40B80	12 lbs	\$51.00
<b>ROPS ACCESSORIES</b>				
<b>CANOPY</b>				
E1175	Universal Lightweight Quick Attach Canopy Kit Includes Mounting Bracket and Canopy	K460Z00	90 lbs	\$575.00
E1123	Fiberglass Canopy Requires E1124 Mounting Kit	K264Z42	90 lbs	\$339.00
E1124	Fiberglass Canopy Mounting Kit	K147Z42	28 lbs	\$189.00
E1133	Plastic Canopy	K389B60	63 lbs	\$487.00
<b>WORK LIGHTS</b>				
E1176	Universal LED Light Kit (2 Lights w/ Shields) Mounts to Holes in ROPS	K207A20	1 lbs	\$259.00
BX7356A	ROPS-Mount Lights (2), 4-LED for B2301 and B2601 Models Front/Rear Adjustable, 700 Lumen	K182B40	4 lbs	\$228.00
B7335	Rear Working Auxiliary Light (Maximum 1 Light/Tractor)	K79B20	4 lbs	\$99.00
<b>BALLAST</b>				
<b>BALLAST BOX</b>				
B8460	Ballast Box—3-Point Mount	K205B60	404 lbs	\$257.00
WB10	Quick Hitch Compatible Weight Box Additional Liquid Ballast in the Tire is Necessary		(Order From Land Pride)	
<b>FRONT WEIGHT BRACKETS</b>				
BX8064A	Weight Bracket - 5 Weights Not compatible with Front Grill Guards.	K88B00	23 lbs	\$110.00
<b>FRONT SUITCASE WEIGHTS</b>				
BL8069	Suitcase Weight (55 lbs. Each) 3 Weight Max per Standard Tractor Bracket Requires one BL8049 per Weight Requires one BL8013 for all Weight Stacks	K62B40	55 lbs	\$78.00
<b>FRONT WEIGHT BOLT KITS</b>				
BL8049	Weight Bolt Kits - 1 Kit per BL8069	K6B40	1 lbs	\$8.00
BL8013	All Thread Bolt Kit - Required for all weight stacks	K10B40	3 lbs	\$13.00
<b>ADDITIONAL ACCESSORIES</b>				
<b>BLOCK HEATER</b>				
70000-73274	Block Heater		(Order from the Parts Department)	
<b>GRILL GUARD - NON LOADER APPLICATION</b>				
B1670	Grill Guard for Non-Loader Application Not Compatible with B2401DTN	K156B80	25 lbs	\$196.00
<b>HIGH CAPACITY ALTERNATOR KIT</b>				
B7314	40-Amp High-Capacity Alternator Kit	K170B40	8 lbs	\$213.00
<b>REAR WHEEL SPACERS</b>				
B8786	1 3/8" Spacers - Not Compatible with Mid Mount Mowers or B240 NOTE: Not approved for backhoe and mowing applications	K287B20	34 lbs	\$359.00
<b>REPLACEMENT ROPS</b>				
SFB-F24	Replacement ROPS - B2401DT and B2401DTWO	K452B80	115 lbs	\$566.00
SFB-24N	Replacement ROPS - B2401DTN	K345B60	115 lbs	\$432.00
SFB-F26	Replacement ROPS - B2301HSD and B2601HSD	K470B40	115 lbs	\$588.00
<b>SPARK ARRESTING MUFFLER</b>				
70000-01605	Spark Arresting Muffler		(Order from the Parts Department)	
<b>STORAGE COVER</b>				
70000-73732	Storage Cover		(Order from the Parts Department)	

## B Series B2301/B2401/B2601 KUBOTA

### Front End Loaders (excludes B2401DTN)

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
LA435	Front End Loader (Swift-Tach, w/one lever hydro coupler) Includes Mounting Kit, Stand, and Grill Guard Valve is Standard on Tractor(B01-1) Requires Bucket. Not compatible with B2401 Tractors	K2B722B40	646 lbs	\$3,403.00
<b>OPTIONAL LOADER ACCESSORIES</b>				
B1982	Loader Control Valve for B2401DTWO w/ LA435	K648B80	47	\$811.00
B1671	Mechanical Self-Leveling Kit (MSL)	K546B40	96 lbs	\$683.00
B1672	3rd Function Valve Kit Must order hydraulic line quick couplers separately NOTE: Not Compatible with B2401 Models	K728B00	45 lbs	\$910.00
380-149A	3rd Function Valve Kit From Land Pride		(Order From Land Pride)	
B1677	Retro Fit Kit (To Fit LA435 on Non "-1" B01 Models)	K208B80	22 lbs	\$261.00
<b>PIN-ON BUCKETS</b>				
B1674	50" Pin-On Bucket	K338B40	125 lbs	\$423.00
B1675	54" Pin-On Bucket	K420B80	154 lbs	\$526.00
B1676	60" Light Material Pin-On Bucket	K520B00	216 lbs	\$650.00
LA434	Front End Loader Includes Mounting Kit, Stand, and Grill Guard Valve is Standard on Tractor Requires Bucket. Not compatible with B2401 Tractors Requires B1678 if installed on B01-1 models	K2B344B80	646 lbs	\$2,931.00
<b>OPTIONAL LOADER ACCESSORIES</b>				
B1653	3rd Function Valve Kit Must order hydraulic line quick couplers separately	K707B20	45 lbs	\$884.00
380-149A	3rd Function Valve Kit From Land Pride		(Order From Land Pride)	
B1678	Fit up kit for LA434 to B01-1 Models	K209B60	22 lbs	\$262.00
<b>PIN-ON BUCKETS</b>				
B1623	48" Pin-On Bucket	K304B80	125 lbs	\$381.00
B1624	50" Pin-On Bucket	K384B80	125 lbs	\$481.00
B1625	54" Pin-On Bucket	K420B80	125 lbs	\$526.00
B1626	60" Light Material Pin-On Bucket	K520B00	150 lbs	\$650.00
<b>QUICK ATTACH COUPLERS &amp; BUCKETS</b>				
B1673	2 Lever Quick Coupler for LA435	K394B40	78 lbs	\$493.00
B2366	2 Lever Quick Coupler for LA434	K394B40	78 lbs	\$493.00
B2371	54" QA Bucket	K412B80	271 lbs	\$516.00
B2372	60" Light Material QA Bucket	K509B60	247 lbs	\$637.00
<b>QUICK ATTACH PALLET FORK FRAME / PALLET FORKS</b>				
B2376	Pallet Fork Frame 2-Lever QA (Requires K9048)	K580B00	165 lbs	\$725.00
K9048	36" Pallet Forks	K371L20	176 lbs	\$464.00
<b>QUICK ATTACH FRONT LOADER BLADES &amp; ACCESSORIES</b>				
B2672	60" Straight Blade w/Man. Angle (requires B2366)	K1B654B40	475 lbs	\$2,068.00
B2673	72" Straight Blade w/Man. Angle (B2366)	K1B808B80	535 lbs	\$2,261.00
B2766	60" Rubber Cutting Edge	K204B00	49 lbs	\$255.00
B2776	72" Rubber Cutting Edge	K240B00	59 lbs	\$300.00
B2671	Hydraulic Angulation Kit for B2672 & B2673 Requires 3rd Function Valve	K473B60	14 lbs	\$592.00

## B Series B2301/B2401/B2601 KUBOTA

### Front Quick Hitch & Front Quick Hitch Implements (excludes B2401DTN)

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>FRONT QUICK HITCH FRAME &amp; COUPLER</b>				
B3410	4-Port Quick Connect Front Hitch and Sub-Frame For B01-1 and B2401DT (NOT Compatible with B2401DTN) Requires Grill Guard Tilt Kit on Tractors w/ Grill Guard	K1B072B80	250 lbs	\$1,341.00
B2714C	Quick Hitch and Sub-Frame for Non "-1" B2301 & B2601 Models When installing on units without a Loader Sub-Frame, order 2 each of 70060-02159 from Parts.  Mid Mount Mower Decks must be removed to install Hitch. Hitch Brackets can stay in place when MMM Deck is installed.	K1B171B20	223 lbs	\$1,464.00
<b>FRONT QH DRIVELINE/COMPLETION KITS</b>				
<b>B3410 QH KITS</b>				
B3411	Mid PTO Driveline Kit	K667B20	30 lbs	\$834.00
B3412	Grill Guard Tilt Kit	K54B40	5 lbs	\$68.00
BX2842	Completion Kit for BX2816	K109B60	N/A	\$137.00
<b>B2714C QH KITS</b>				
B2798	Mid PTO Driveline Kit. Requires a Front Driveline Kit.	K626B40	21 lbs	\$783.00
BX6751	Front Female Driveline Kit for BX5450	K176B00	5 lbs	\$220.00
BX6752	Front Female Driveline Kit for BX5455HD	K176B00	5 lbs	\$220.00
BX6743	Front Female Driveline Kit for BX2537A	K474B40	17 lbs	\$593.00
<b>FRONT QH MOUNTED ROTARY SWEEPERS AND ACCESSORIES</b>				
<b>B3410 QH MOUNTED ONLY</b>				
BX2814A	60" Heavy Duty Rotary Sweeper with Hyd. Angle Includes Dethatching Wheels Requires Quick Hitch, Mid PTO Driveline Kit, and Loader Control Valve	K2B316X00	480 lbs	\$2,895.00
BX2815	Dust Deflector Kit for BX2814A	K148B00	60 lbs	\$185.00
<b>B2714C QH MOUNTED ONLY</b>				
B2779	60" Rotary Sweeper - Hyd. Angle, 21.5" Wafer Requires Quick Hitch and Mid PTO Driveline Kit	K4B104B80	300 lbs	\$5,131.00
BL2178	Side Caster Wheel Kit for B2779 Recommended for snow removal or lawn dethatching	K417L60	45 lbs	\$522.00
L2168	Rubber Deflector for B2779	K149L60	31 lbs	\$187.00
<b>FRONT QH MOUNTED BLADES AND ACCESSORIES</b>				
<b>B3410 QH MOUNTED ONLY</b>				
BX2812A	60" Blade - Hyd. Angle Requires Quick Hitch and Loader Control Valve	K1B320X80	290 lbs	\$1,651.00
BX2825	Skid Shoes for BX2812A	K134B40	17 lbs	\$168.00
BX2813	60" Rubber Cutting Edge for BX2812A	K204B00	50 lbs	\$255.00
<b>B2714C QH MOUNTED ONLY</b>				
B2765A	60" Blade - Hyd. Angle, Trip Spring Lockout Requires Quick Hitch	K1B544B00	411 lbs	\$1,930.00
B2775	72" Blade - Hyd. Angle Requires Quick Hitch	K1B683B20	535 lbs	\$2,104.00
BX2813	60" Rubber Cutting Edge	K204B00	50 lbs	\$255.00
B2776	72" Rubber Cutting Edge	K240B00	59 lbs	\$300.00

<b>B Series</b>	<b>B2301/B2401/B2601</b>	<b>KUBOTA</b>
-----------------	--------------------------	---------------

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>FRONT QH MOUNTED SNOW BLOWERS &amp; ACCESSORIES (excludes B2401DTN)</b>				
<b>B3410 QH MOUNTED ONLY</b>				
BX2830	48" Two Stage Commercial Snow Blower Hydraulic Rotator and Manual Deflector Requires Quick Hitch, Mid PTO Driveline Kits, and Loader Control Valve	K3B264X80	370 lbs	\$4,081.00
BX2816	50" Two Stage Residential Snow blower Manual Rotator and Deflector Requires Quick Hitch, Mid PTO Driveline Kit, Completion Kit, and Loader Control Valve	K2B048X00	313 lbs	\$2,560.00
BX2822A	55" Two Stage Commercial Snow blower Hydraulic Rotator and Manual Deflector Requires Quick Hitch, Mid PTO Driveline Kits, and Loader Control Valve	K3B481X60	370 lbs	\$4,352.00
BX2818A	Hydraulic Chute Rotation for BX2816	K783B20	11 lbs	\$979.00
BX2819A	Electric Chute Rotation Kit for BX2816	K372B00	5 lbs	\$465.00
BX2820A	Electric Chute Deflector Kit for BX2816 / BX2822A / BX2830	K490B40	6 lbs	\$613.00
BX2821A	Hydraulic Chute Deflector Kit for BX2816 / BX2822A / BX2830	K979B20	21 lbs	\$1,224.00
BX2817	Hard Plastic Shoes and Cutting Edge for BX2816	K231B20	2 lbs	\$289.00
BX2823	Hard Plastic Shoes and Cutting Edge for BX2822A	K241B60	7 lbs	\$302.00
BX2831	Hard Plastic Shoes and Cutting Edge for BX2830	K279B20	20 lbs	\$349.00
GR2714	Drift Cutters for BX2816	K56G58	4 lbs	\$69.00
BX5447	Drift Cutters for BX2822A / BX2830	K78B40	9 lbs	\$98.00
<b>B2714C QH MOUNTED ONLY</b>				
BX5450	50" Two Stage Snowblower Manual Rotator and Deflector Requires Quick Hitch, Mid PTO Driveline Kits, and Front Female Driveline Kit	K1B988X00	313 lbs	\$2,485.00
BX5455HD	55" Two Stage Snowblower, Commercial Grade Hydraulic Rotator and Manual Deflector Requires Quick Hitch, Mid PTO Driveline Kits, and Front Female Driveline Kit	K3B381X60	425 lbs	\$4,227.00
B2781B	51" Two Stage Snowblower Manual Rotator and Deflector Requires Quick Hitch and Mid PTO Driveline Kit	K2B808B80	475 lbs	\$3,511.00
B2782B	63" Two Stage Snowblower Manual Rotator and Deflector Requires Quick Hitch and Mid PTO Driveline Kit	K3B016B00	500 lbs	\$3,770.00
BX5442	Electric Chute Rotation Kit for BX5450	K360B80	7 lbs	\$451.00
BX5443	Electric Chute Deflector Kit for BX5450 & BX5455HD	K474B40	7 lbs	\$593.00
BX5444	Hard Plastic Shoes for BX5450 & BX5455HD	K128B00	2 lbs	\$160.00
BX5445	Hard Plastic Cutting Edge for BX5450	K94B40	2 lbs	\$118.00
BX5446	Hard Plastic Cutting Edge for BX5455HD	K103B20	2 lbs	\$129.00
BX5447	Drift Cutters for BX5455HD	K78B40	9 lbs	\$98.00
GR2714	Drift Cutters for BX5450	K56G58	4 lbs	\$69.00
B2516A	Electric Chute Deflector for B2781B and B2782B	K585B60	9 lbs	\$732.00
B2756	Hydraulic Chute Rotation for B2781B and B2782B	K723B20	20 lbs	\$904.00
BL2666A	Hydraulic Chute Deflector for B2781B and B2782B Requires Hyd. Chute Rotation Kit	K885B60	22 lbs	\$1,107.00
B2786	Side Extension Kit for B2781B and B2782B	K111F20	27 lbs	\$139.00

## B Series B2301/B2401/B2601 KUBOTA

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>MID MOUNT MOWER DECKS &amp; ACCESSORIES (excludes B2401DTN)</b>				
RCK54-32	54" Cutting Width - 3 Blade Finish Mower RH Discharge, Drive Over Deck Design Not Compatible with B8786 Wheel Spacers Requires mounting kit for B2401DT/DTWO	K1B941B60	365 lbs	\$2,427.00
RCK60-32	60" Cutting Width - 3 Blade Finish Mower RH Discharge, Drive Over Deck Design Not Compatible with B8786 Wheel Spacers Requires mounting kit for B2401DT/DTWO	K2B355B20	418 lbs	\$2,944.00
GCK60-30BB	Grass Catcher for B2301 and B2601 3 Bag (9.75 Bushels) Requires Boot Kit	K1B920B00	320 lbs	\$2,400.00
GCK60-76BA	Grass Catcher for B2401 3 Bag (9.75 Bushels) Requires Boot Kit	K1B920B00	270 lbs	\$2,400.00
B3043	Mounting Kit for MMM fit up to B2401	K226B40	15 lbs	\$283.00
B3045A	Boot Kit - 54" Deck	K263B20	25 lbs	\$329.00
B3047A	Boot Kit - 60" Deck	K263B20	31 lbs	\$329.00
<b>BACKHOE &amp; ACCESSORIES (excludes B2401DTN)</b>				
BH70	7' Backhoe - 4 Point Mount Quick Mount/Dismount without Tools Requires Sub-Frame, 3pt Linkage must be removed to mount MMM may remain on the unit, locked in the upper position Not compatible with Grass Catcher	K5B468B00	850 lbs	\$6,835.00
BH1627	BH Sub-Frame for B2301/B2601 Includes Reversible Seat Mechanism	K1B076B00	202 lbs	\$1,345.00
BH4964	BH Sub-Frame for B2401 (Not compatible w/ B2401DTN) Includes Reversible Seat Mechanism	K1B076B00	202 lbs	\$1,345.00
BT1950A	10" Bucket - 3 Teeth	K379B20	63 lbs	\$474.00
BT1951A	12" Bucket - 3 Teeth	K447B20	69 lbs	\$559.00
BT1952A	16" Bucket - 4 Teeth	K591B20	82 lbs	\$739.00
BH1976	Mechanical Thumb - 6 Position	K432B80	51 lbs	\$541.00
BX9468	Rubber Flip Pads for Stabilizers (order 2 per BH)	K113B60	19 lbs	\$142.00
<b>3-POINT REAR MOUNTED IMPLEMENTS &amp; ACCESSORIES</b>				
B2789	51" Two Stage Snow Blower (3-Pt Mount) Requires either Manual or Hydraulic Chute Rotation Kit	K2B614B40	390 lbs	\$3,268.00
BL2665	Manual Chute Rotation Kit	K159B20	11 lbs	\$199.00
B2784A	Hydraulic Chute Rotation Kit Requires a Minimum of 1 Rear Remote	K772B00	14 lbs	\$965.00
BL2666A	Hydraulic Chute Deflector Kit Requires Hydraulic Chute Rotation Kit	K885B60	22 lbs	\$1,107.00
B2516A	Electric Chute Deflector Kit	K585B60	9 lbs	\$732.00
L2177	Side Extension Kit - 5"	K104L80	27 lbs	\$131.00

**B Series B2320DT/B2320DTWO KUBOTA**

\*\*\* EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS \*\*\*

**DIESEL ENGINE**

Kubota Indirect Injection  
 3 Cylinder Engine  
 EPA Tier 4 Compliant  
 Charging Output 14.5 Amps  
 12V – 430 CCA  
 Dual Air Cleaner Element

**EXHAUST EMISSION CONTROL TYPE**

No Exhaust After Treatment Required

**HYDRAULICS / HITCH / DRAWBAR**

Open Center  
 Tandem Pumps Gear Type  
 3.6 gpm Power Steering  
 4.7 gpm Remote/3 Pt. Hitch  
 8.3 gpm Total Hyd. Flow

**3-POINT HITCH & DRAWBAR**

Cat I 3-Point Hitch  
 At lift Point 1356 lbs.  
 24" Behind 1058 lbs.  
 Quarter Inching 3-Point Valve

**POWER TAKE OFF**

Transmission Driven with  
 Over-Running Clutch  
 Rear PTO – 1 Speed  
 SAE Std 1 3/8" Six Spline  
 540 rpm @ 2773 Eng. rpm

**TRANSMISSION**

Gear Drive  
 Rear Differential Lock  
 9 Forward Speeds  
 3 Reverse Speeds  
 Wet Disc Brakes

**FRONT AXLE**

Hydrostatic Power Steering  
 Cast Iron (Narrow)  
 Bevel Gear 4WD  
 Tread Spacing - Nonadjustable

**FLUID CAPACITY**

Fuel Tank 6.9 gal.  
 Cooling System 4.1 qts.  
 Crankcase 3.3 qts.  
 Transmission and Hydraulics 3.7 gal.  
 Front Axle 3.4 qts.

**INSTRUMENTS**

Tachometer/Hour meter  
 Oil Pressure  
 Fuel Gauge  
 Coolant Temperature

**SAFETY EQUIPMENT**

2-Post Rigid ROPS w/Retractable  
 Seat Belt  
 Flip-Up PTO Shield  
 Safety Start Switches  
 Electric Key Shut Off  
 Parking Brake  
 SMV Sign

Model Specifications	
<b>B2320DT/DTWO</b>	
SAE Gross HP:	20.9
PTO HP:	18.0
Engine Model:	D1005
Displacement:	61.1 Cu In

**B Series** **B2320DT/B2320DTWO** **KUBOTA**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
*** STANDARD TRACTOR WITH STANDARD TIRES ***				
B2320DT	4WD Compact Tractor - 2 Post Rigid ROPS	K9B647B20	1348 lbs	\$12,059.00
B2320DTWO	4WD Compact Tractor - 2 Post Rigid ROPS Not Equipped with Front Loader Valve	K9B188B00	1348 lbs	\$11,485.00

B2320DT/B2320DTWO		Additional Price With Tire Option			
TIRES AND WHEELS <sup>†</sup>					
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER		SUGGESTED LIST PRICE
ABR8701*	F-TIRE 6-12 R1 AG Steel Bias CA	28 lbs	In Base Price		In Base Price
ABR8755B*	R-TIRE 9.5-16 R1 Goodyear Dura Torque	76 lbs			
BR8735	F-TIRE 22x8.50-12 R3 B-Stone PillowDiam1	31 lbs	K123B20	Add	\$ 154.00
ABR8790	R-TIRE 31x15.5-15 HF-1 Gdyr Xtra Trac	80 lbs			
ABR8727	F-TIRE 23x8.50-12 R3 Sup Turf K500 FenWh	32 lbs	K104B00	Add	\$ 130.00
ABR8779	R-TIRE 33x12.5-15 HF-1 Goodyear SofTrac	82 lbs			
ABR8763	F-TIRE 23x8.50-12 R4 Titan Trac Loader	43 lbs	K150B40	Add	\$ 188.00
ABR8764	R-TIRE 12-16.5 R4 Titan Trac Loader	103 lbs			

<sup>†</sup> See Tire Section for Individual Tire Pricing and Information  
 \* Standard Tires

B2320DT/B2320DTWO		TIRES AND WHEELS (priced per piece)			
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER		SUGG. LIST PRICE
<b>AG</b>					
ABR8701*	F-TIRE 6-12 R1 AG Steel Bias CA	28 lbs	B112B80	\$	141.00
ABR8755B*	R-TIRE 9.5-16 R1 Goodyear Dura Torque	76 lbs	B264B80	\$	331.00
<b>TURF</b>					
BR8735	F-TIRE 22x8.50-12 R3 B-Stone PillowDiam1	31 lbs	B116B00	\$	145.00
ABR8790	R-TIRE 31x15.5-15 HF-1 Gdyr Xtra Trac	80 lbs	B323B20	\$	404.00
ABR8727	F-TIRE 23x8.50-12 R3 Sup Turf K500 FenWh	32 lbs	B144B80	\$	181.00
ABR8779	R-TIRE 33x12.5-15 HF-1 Goodyear SofTrac	82 lbs	B284B80	\$	356.00
<b>INDUSTRIAL</b>					
ABR8763	F-TIRE 23x8.50-12 R4 Titan Trac Loader	43 lbs	B159B20	\$	199.00
ABR8764	R-TIRE 12-16.5 R4 Titan Trac Loader	103 lbs	B293B60	\$	367.00



# B Series B2320DT/B2320DTWO KUBOTA

## DEALER INSTALLED ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>HYDRAULICS/HITCH/DRAWBAR</b>				
<b>HYDRAULIC REAR REMOTE VALVES</b>				
B7333	1st Position Valve Kit - B2320DTWO Contains Valve and Hoses B2320DTWO also requires (1) 75536-68112 and (2) 75536-68132	K665B60	30 lbs	\$832.00
B7309C	1st Position Valve Kit - B2320DT Contains Valve and Hoses	K704B00	27 lbs	\$880.00
BL7343	2nd Position Kit Requires 1st Position Kit and BL7373 or BL7393	K43B20	1 lbs	\$54.00
BL7353	3rd Position Kit Requires 1st and 2nd Position Kit and BL7373 or BL7393	K43B20	2 lbs	\$54.00
BL7373	3-Position Detent Valve (Not Self Canceling)	K266B40	5 lbs	\$333.00
BL7393	FD (Float Detent) Valve Section	K292B80	6 lbs	\$366.00
<b>ROPS ACCESSORIES</b>				
<b>CANOPY</b>				
E1123	Fiberglass Canopy Requires E1124 Mounting Kit	K264Z42	90 lbs	\$339.00
E1124	Fiberglass Canopy Mounting Kit	K147Z42	28 lbs	\$189.00
E1133	Plastic Canopy	K389B60	63 lbs	\$487.00
<b>REAR WORK LIGHT</b>				
B7335	Rear Working Auxiliary Light (Maximum 1 Light/Tractor)	K79B20	4 lbs	\$99.00
<b>BALLAST</b>				
<b>BALLAST BOX</b>				
B8460	Ballast Box—3-Pont Mount	K205B60	404 lbs	\$257.00
WB10	Quick Hitch Compatible Weight Box Additional Liquid Ballast in the Tire is Necessary		(Order From Land Pride)	
<b>FRONT WEIGHT BRACKETS</b>				
BX8064A	Weight Bracket - 5 Weights Not compatible with Front Grill Guards.	K88B00	23 lbs	\$110.00
<b>FRONT SUITCASE WEIGHTS</b>				
BL8060-1	Suitcase Weight (55 lbs. Each) 3 Weight per Standard Tractor Bracket Requires one BL8062 per Weight	K59B20	55 lbs	\$74.00
<b>FRONT WEIGHT BOLT KITS</b>				
BL8062	Weight Bolt Kits - 1 Kit per BL8060-1	K8B00	1 lbs	\$10.00
<b>ADDITIONAL ACCESSORIES</b>				
<b>BLOCK HEATER</b>				
70000-73274	Block Heater		(Order from the Parts Department)	
<b>GRILL GUARD - NON LOADER APPLICATION</b>				
B1642	Grill Guard for Non-Loader Application	K156B80	14 lbs	\$196.00
<b>HIGH CAPACITY ALTERNATOR KIT</b>				
B7311	40 Amp High Capacity Alternator Kit	K170B40	8 lbs	\$213.00
<b>REPLACEMENT ROPS</b>				
SFB-F292	Replacement ROPS - B2301HSD and B2601HSD	K452B80	150 lbs	\$566.00
<b>SPARK ARRESTING MUFFLER</b>				
70000-01605	Spark Arresting Muffler		(Order from the Parts Department)	
<b>STORAGE COVER</b>				
70000-73732	Storage Cover		(Order from the Parts Department)	

**B Series B2320DT/B2320DTWO KUBOTA**

**Front End Loaders**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>LA304FL</b>				
LA304FL	Front End Loader Includes Mounting Kit, Stand, Grill Guard, and 48" Bucket Valve is Standard on Tractor (Except B2320DTWO)	K2B523B20	646 lbs	\$3,154.00
<b>FRONT END LOADER CONTROL VALVE</b>				
B1980	Loader Control Valve - B2320DTWO only	K609B60	36 lbs	\$762.00
380-149A	3rd Function Valve Kit From Land Pride		(Order From Land Pride)	
<b>PIN-ON BUCKETS</b>				
B1623	48" Pin-On Bucket	K346B40	125 lbs	\$433.00

## B Series B2320DT/B2320DTWO KUBOTA

### Front Quick Hitch & Front Quick Hitch Implements

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>FRONT QUICK HITCH FRAME &amp; COUPLER</b>				
B2733A	Quick Hitch and Sub-Frame Mid Mount Mower Decks must be removed to install Hitch Hitch Brackets can stay in place when MMM Deck is installed	K1B019B20	190 lbs	\$1,274.00
B1980	Front Loader Valve B2320DTWO Models Only	K609B60	36 lbs	\$762.00
<b>FRONT QH DRIVELINE KITS</b>				
B2788	Mid PTO Driveline Kit. Requires Front Driveline Kit.	K416B80	16 lbs	\$521.00
BX2735	Front Male Driveline Kit for BX2537A, BX5450, and BX5455HD	K171B20	7 lbs	\$214.00
B2736	Front Male Driveline Kit for B2779, B2781B, and B2782B	K197B60	7 lbs	\$247.00
<b>FRONT QH MOUNTED ROTARY SWEEPERS &amp; ACCESSORIES</b>				
BX2537A	47" Rotary Sweeper - Man. Angle, 18" Wafer Requires Quick Hitch, Mid PTO Driveline Kit, and Front Female Driveline Kit	K1B895X20	300 lbs	\$2,369.00
B2779	60" Rotary Sweeper - Hyd. Angle, 21.5" Wafer Requires Quick Hitch, Mid PTO Driveline Kit, and Front Female Driveline Kit	K4B104B80	300 lbs	\$5,131.00
BX2737	Side Caster Wheel Kit for BX2537A Recommended for snow removal or lawn dethatching	K251B20	30 lbs	\$314.00
BX2761	Hydraulic Angle Kit for BX2537A	K442B40	13 lbs	\$553.00
BL2178	Side Caster Wheel Kit for B2779 Recommended for snow removal or lawn dethatching	K417L60	45 lbs	\$522.00
L2168	Rubber Deflector for B2779	K149L60	31 lbs	\$187.00
<b>FRONT QH MOUNTED BLADES &amp; ACCESSORIES</b>				
B2765A	60" Blade - Hyd. Angle, Trip Spring Lockout Requires Quick Hitch	K1B544B00	411 lbs	\$1,930.00
B2775	72" Blade - Hyd. Angle Requires Quick Hitch	K1B683B20	535 lbs	\$2,104.00
B2766	60" Rubber Cutting Edge	K204B00	49 lbs	\$255.00
B2776	72" Rubber Cutting Edge	K240B00	59 lbs	\$300.00

<b>B Series</b>	<b>B2320DT/B2320DTWO</b>	<b>KUBOTA</b>
-----------------	--------------------------	---------------

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>FRONT QH MOUNTED SNOW BLOWERS &amp; ACCESSORIES</b>				
BX5450	50" Two Stage Snowblower Manual Rotator and Deflector Requires Quick Hitch, Mid PTO Driveline Kits, and Front Female Driveline Kit	K1B988X00	313 lbs	\$2,485.00
BX5455HD	55" Two Stage Snowblower, Commercial Grade Hydraulic Rotator and Manual Deflector Requires Quick Hitch, Mid PTO Driveline Kits, and Front Female Driveline Kit	K3B381X60	425 lbs	\$4,227.00
B2781B	51" Two Stage Snowblower Manual Rotator and Deflector Requires Quick Hitch and Mid PTO Driveline Kit	K2B808B80	475 lbs	\$3,511.00
B2782B	63" Two Stage Snowblower Manual Rotator and Deflector Requires Quick Hitch and Mid PTO Driveline Kit	K3B016B00	500 lbs	\$3,770.00
BX5441	Hydraulic Chute Rotation for BX5450	K761B60	14 lbs	\$952.00
BX5442	Electric Chute Rotation Kit for BX5450	K360B80	7 lbs	\$451.00
BX5443	Electric Chute Deflector Kit for BX5450 & BX5455HD	K474B40	7 lbs	\$593.00
BX5444	Hard Plastic Shoes for BX5450 & BX5455HD	K128B00	2 lbs	\$160.00
BX5445	Hard Plastic Cutting Edge for BX5450	K94B40	2 lbs	\$118.00
BX5446	Hard Plastic Cutting Edge for BX5455HD	K103B20	2 lbs	\$129.00
BX5447	Drift Cutters for BX5455HD	K78B40	9 lbs	\$98.00
GR2714	Drift Cutters for BX5450	K56G58	4 lbs	\$69.00
B2516A	Electric Chute Deflector for B2781B and B2782B	K585B60	9 lbs	\$732.00
B2756	Hydraulic Chute Rotation for B2781B and B2782B	K723B20	20 lbs	\$904.00
BL2666A	Hydraulic Chute Deflector for B2781B and B2782B Requires Hyd. Chute Rotation Kit	K885B60	22 lbs	\$1,107.00
B2786	Side Extension Kit for B2781B and B2782B	K111F20	27 lbs	\$139.00

## B Series B2320DT/B2320DTWO KUBOTA

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>MID MOUNT MOWER DECKS &amp; ACCESSORIES</b>				
RCK54-29B	54" Cutting Width - 3 Blade Finish Mower RH Discharge, Drive Over Deck Design Not Compatible with B8786 Wheel Spacers	K1B878B40	365 lbs	\$2,348.00
RCK60-29B	60" Cutting Width - 3 Blade Finish Mower RH Discharge, Drive Over Deck Design Not Compatible with B8786 Wheel Spacers	K2B301B60	418 lbs	\$2,877.00
GCK60-76BA	Grass Catcher 3 Bag (9.75 Bushels) Requires Boot Kit	K1B920B00	270 lbs	\$2,400.00
B3045A	Boot Kit - 54" Deck	K263B20	25 lbs	\$329.00
B3047A	Boot Kit - 60" Deck	K263B20	31 lbs	\$329.00
<b>BACKHOE &amp; ACCESSORIES</b>				
BH65	7' Backhoe - 4 Point Mount Quick Mount/Dismount without Tools Requires Sub-Frame, 3pt Linkage must be removed to mount MMM may remain on the unit, locked in the upper position Not compatible with Grass Catcher	K5B288B80	850 lbs	\$6,611.00
BH4965	BH Sub-Frame Includes Reversible Seat Mechanism	K896B80	202 lbs	\$1,121.00
BT1950A	10" Bucket - 3 Teeth	K379B20	63 lbs	\$474.00
BT1951A	12" Bucket - 3 Teeth	K447B20	69 lbs	\$559.00
BT1952A	16" Bucket - 4 Teeth	K591B20	82 lbs	\$739.00
BH1976	Mechanical Thumb - 6 Position	K432B80	51 lbs	\$541.00
BX9468	Rubber Flip Pads for Stabilizers (order 2 per BH)	K113B60	19 lbs	\$142.00
<b>3-POINT REAR MOUNTED IMPLEMENTS &amp; ACCESSORIES</b>				
B2789	51" Two Stage Snow Blower (3-Pt Mount) Requires either Manual or Hydraulic Chute Rotation Kit	K2B614B40	390 lbs	\$3,268.00
BL2665	Manual Chute Rotation Kit	K159B20	11 lbs	\$199.00
B2784A	Hydraulic Chute Rotation Kit Requires a Minimum of 1 Rear Remote	K772B00	14 lbs	\$965.00
BL2666A	Hydraulic Chute Deflector Kit Requires Hydraulic Chute Rotation Kit	K885B60	22 lbs	\$1,107.00
B2516A	Electric Chute Deflector Kit	K585B60	9 lbs	\$732.00
L2177	Side Extension Kit - 5"	K104L80	27 lbs	\$131.00

---

**B Series**

**KUBOTA**

This page intentionally left blank.

**B Series** **B2320DTN-1** **KUBOTA**  
 \*\*\* EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS \*\*\*

**DIESEL ENGINE**

Kubota Indirect Injection  
 3 Cylinder Engine  
 EPA Tier 4 Compliant  
 Charging Output 14.5 Amps  
 12V – 430 CCA  
 Dual Air Cleaner Element

**EXHAUST EMISSION CONTROL TYPE**

No Exhaust After Treatment Required

**HYDRAULICS / HITCH / DRAWBAR**

Open Center  
 Tandem Pumps Gear Type  
 3.6 gpm Power Steering  
 4.7 gpm Remote/3 Pt. Hitch  
 8.3 gpm Total Hyd. Flow

**3-POINT HITCH & DRAWBAR**

Cat I 3-Point Hitch  
 At lift Point 1655 lbs.  
 24" Behind 1300 lbs.  
 Position Control Valve

**POWER TAKE OFF**

Transmission Driven with  
 Over-running Clutch  
 Rear PTO – 1 Speed  
 SAE Std 1 3/8" Six Spline  
 540 rpm @ 2773 Eng. rpm

**TRANSMISSION**

Gear Drive  
 Rear Differential Lock  
 9 Forward Speeds  
 3 Reverse Speeds  
 Wet Disc Brakes

**FRONT AXLE**

Hydrostatic Power Steering  
 Cast Iron (Narrow)  
 Bevel Gear 4WD  
 Tread Spacing - Nonadjustable

**FLUID CAPACITY**

Fuel Tank 6.9 gal.  
 Cooling System 4.1 qts.  
 Crankcase 3.3 qts.  
 Transmission and Hydraulics 3.7 gal.  
 Front Axle 3.4 qts.

**INSTRUMENTS**

Tachometer/Hour meter  
 Oil Pressure  
 Fuel Gauge  
 Coolant Temperature

**SAFETY EQUIPMENT**

2-Post Rigid ROPS w/Retractable  
 Seat Belt  
 Flip-Up PTO Shield  
 Safety Start Switches  
 Electric Key Shut Off  
 Parking Brake  
 SMV Sign

<b>Model Specifications</b>	
<b>B2320DTN</b>	
SAE Gross HP:	20.9
PTO HP:	18
Engine Model:	D1005
Displacement:	61.1 Cu In
Tread Width:	Front: 27.8" (overall width 34.1") Rear: 27.6" to 29.5" (overall width 35.4" to 37.4")

**B Series** **B2320DTN-1** **KUBOTA**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

\*\*\* STANDARD TRACTOR WITH STANDARD TIRES \*\*\*

B2320DTN-1	4WD Compact Tractor (Narrow) - 2 Post Rigid ROPS	K10B407B20	1348 lbs	\$13,009.00
------------	--	------------	----------	-------------

B2320DTN-1		Additional Price With Tire Option			
ORDER	CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGGESTED LIST PRICE
BR8762*		F-TIRE 5-12 R1 B-Stone Farm Service Lug	24 lbs	In Base Price	In Base Price
BR8754A*		R-TIRE 8-16 R1 Bridgestone Farm Svc Lug	62 lbs		
ABR8701		F-TIRE 6-12 R1 AG Steel Bias CA	28 lbs	K1B60	Add \$ 2.00
ABR8753B		F-TIRE 8.3-16 R1 OTR Traction Master	64 lbs		

† See Tire Section for Individual Tire Pricing and Information

\* Standard Tires

B2320DTN-1		TIRES AND WHEELS (priced per piece)			
ORDER	CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGG. LIST PRICE
<b>AG</b>					
BR8762*		F-TIRE 5-12 R1 B-Stone Farm Service Lug	24 lbs	B99B20	\$ 124.00
BR8754A*		R-TIRE 8-16 R1 Bridgestone Farm Svc Lug	62 lbs	B224B80	\$ 281.00
ABR8701		F-TIRE 6-12 R1 AG Steel Bias CA	28 lbs	B112B80	\$ 141.00
ABR8753B		F-TIRE 8.3-16 R1 OTR Traction Master	64 lbs	B212B00	\$ 265.00



<b>B Series</b>	<b>B2320DTN-1</b>	<b>KUBOTA</b>
-----------------	-------------------	---------------

**DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>HYDRAULICS/HITCH/DRAWBAR</b>				
<b>HYDRAULIC REAR REMOTE VALVES</b>				
B7333	1st Position Valve Kit Contains Valve and Hoses B2320DTN-1 also requires (1) 75536-68112 and (2) 75536-68132	K665B60	30 lbs	\$832.00
BL7343	2nd Position Kit Requires 1st Position Kit and BL7373 or BL7393	K43B20	1 lbs	\$54.00
BL7353	3rd Position Kit Requires 1st and 2nd Position Kit and BL7373 or BL7393	K43B20	2 lbs	\$54.00
BL7373	3-Position Detent Valve (Not Self Canceling)	K266B40	5 lbs	\$333.00
BL7393	FD (Float Detent) Valve Section	K292B80	6 lbs	\$366.00
<b>ROPS ACCESSORIES</b>				
<b>CANOPY</b>				
E1123	Fiberglass Canopy Requires E1124 Mounting Kit	K264Z42	90 lbs	\$339.00
E1124	Fiberglass Canopy Mounting Kit	K147Z42	28 lbs	\$189.00
E1133	Plastic Canopy	K389B60	63 lbs	\$487.00
<b>REAR WORK LIGHT</b>				
B7335	Rear Working Auxiliary Light (Maximum 1 Light/Tractor)	K79B20	4 lbs	\$99.00
<b>BALLAST</b>				
<b>BALLAST BOX</b>				
B8160	Ballast Box—3-Point Mount	K206B60	101 lbs	\$257.00
WB10	Quick Hitch Compatible Weight Box Additional Liquid Ballast in the Tire is Necessary		(Order From Land Pride)	
<b>FRONT WEIGHT BRACKETS</b>				
BX8064A	Weight Bracket - 5 Weights Not compatible with Front Grill Guards.	K88B00	23 lbs	\$110.00
<b>FRONT SUITCASE WEIGHTS</b>				
BL8060-1	Suitcase Weight (55 lbs. Each) 3 Weight per Standard Tractor Bracket Requires one BL8062 per Weight	K59B20	55 lbs	\$74.00
<b>FRONT WEIGHT BOLT KITS</b>				
BL8062	Weight Bolt Kits - 1 Kit per BL8060-1	K8B00	1 lbs	\$10.00
<b>REAR WHEEL WEIGHT KITS</b>				
B8048	Rear Wheel Weight for BR8754 Includes 2 Weights and Hardware	K194B22	TBA	\$249.00



**B Series**

**B2320DTN-1**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

**ADDITIONAL ACCESSORIES**

<b>BLOCK HEATER</b>				
70000-73274	Block Heater			(Order from the Parts Department)
<b>GRILL GUARD - NON LOADER APPLICATION</b>				
B1642	Grill Guard for Non-Loader Application	K156B80	14 lbs	\$196.00
<b>HIGH CAPACITY ALTERNATOR KIT</b>				
B7311	40 Amp High Capacity Alternator Kit	K170B40	8 lbs	\$213.00
<b>REPLACEMENT ROPS</b>				
SFB-232N	Replacement ROPS - B2301HSD and B2601HSD	K296B80	115 lbs	\$371.00
<b>SPARK ARRESTING MUFFLER</b>				
70000-01605	Spark Arresting Muffler			(Order from the Parts Department)
<b>STORAGE COVER</b>				
70000-73732	Storage Cover			(Order from the Parts Department)

**3-POINT REAR MOUNTED IMPLEMENTS & ACCESSORIES**

B2789	51" Two Stage Snow Blower (3-Pt Mount) Requires either Manual or Hydraulic Chute Rotation Kit	K2B614B40	390 lbs	\$3,268.00
BL2665	Manual Chute Rotation Kit	K159B20	11 lbs	\$199.00
B2784A	Hydraulic Chute Rotation Kit Requires a Minimum of 1 Rear Remote	K772B00	14 lbs	\$965.00
BL2666A	Hydraulic Chute Deflector Kit Requires Hydraulic Chute Rotation Kit	K885B60	22 lbs	\$1,107.00
B2516A	Electric Chute Deflector Kit	K585B60	9 lbs	\$732.00
L2177	Side Extension Kit - 5"	K104L80	27 lbs	\$131.00



**B Series B2650HSD/B2650HSDC**

\*\*\* EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS \*\*\*

**DIESEL ENGINE**

Kubota Indirect Injection  
 3 Cylinder Engine  
 EPA Tier 4 Compliant  
 Charging Output (ROPS) 14.5 Amps  
 Charging Output (Cab) 60.0 Amps  
 12V - 430 CCA  
 Dual Air Cleaner Element

**EXHAUST EMISSION CONTROL TYPE**

No Exhaust After Treatment Required

**HYDRAULICS / HITCH / DRAWBAR**

Open Center  
 Tandem Pumps Gear Type  
 3.7 gpm Power Steering  
 5.0 gpm Remote/3 Pt. Hitch  
 8.7 gpm Total Hyd. Flow

**3-POINT HITCH & DRAWBAR**

Cat I 3-Point Hitch  
 At Lift Point 2139 lbs.  
 24" Behind 1676 lbs.  
 Position Control 3-Point Valve

**POWER TAKE OFF**

Live Independent with Hydraulic Clutch  
 Rear PTO - 1 Speed  
 SAE Std 1 3/8" Six Spline  
 563 rpm @ 2500 Eng. rpm  
 Mid PTO - 1 Speed  
 2500 rpm @ 2500 Eng. rpm

**TRANSMISSION**

Hydrostatic Drive  
 Rear Differential Lock  
 3 Forward Ranges  
 3 Reverse Ranges  
 Cruise Control  
 Wet Disc Brakes

**FRONT AXLE**

Hydrostatic Power Steering  
 Cast Iron  
 Bevel Gear 4WD  
 Tread Spacing - Nonadjustable

**FLUID CAPACITY**

Fuel Tank (ROPS) 7.1 gal.  
 Fuel Tank (Cab) 7.4 gal  
 Cooling System 4.5 qts.  
 Crankcase 4.2 qts.  
 Transmission and Hydraulics 4.0 gal.  
 Front Axle 5.0 qts.

**INSTRUMENTS**

Tachometer/Hour meter  
 Oil Pressure  
 Fuel Gauge  
 Coolant Temperature

**ROPS FEATURES**

Tilt Steering  
 Cruise Control  
 Deluxe Seat with Arm Rest  
 Telescoping Stabilizers  
 12V Outlet and Cup Holder  
 Integrated Loader Valve and Joystick  
 Toolbox  
 Left Side Step

**CAB FEATURES**

Tilt Steering  
 Cruise Control  
 AC/Heater  
 Deluxe Seat with Armrest  
 Telescoping Stabilizers  
 Ratchet Right Link  
 Front and Rear Wiper  
 12V Outlet and Cup Holder  
 Integrated Loader Valve and Joystick

**SAFETY EQUIPMENT**

2-Post Foldable ROPS w/Retractable  
 Seat Belt  
 Flip-Up PTO Shield  
 Safety Start Switches  
 Electric Key Shut Off  
 Parking Brake  
 SMV Sign

<b>Model Specifications</b>			
<b>B2650HSD ROPS</b>		<b>B2650HSDC CAB</b>	
SAE Gross HP:	24.8	SAE Gross HP:	24.8
PTO HP:	19.5	PTO HP:	19.5
Engine Model:	D1305	Engine Model:	D1305
Displacement:	77.0 Cu In	Displacement:	77.0 Cu In



**B Series B2650HSD/B2650HSDC**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
*** STANDARD TRACTOR WITH STANDARD TIRES ***				
B2650HSD	4WD Compact Tractor - 2 Post Foldable ROPS	K13B464B00	1392 lbs	\$16,830.00
B2650HSDC	4WD Compact Tractor - Cab (ROPS Certified)	K19B629B60	2271 lbs	\$24,537.00

B2650HSD / B2650HSDC		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGGESTED LIST PRICE
BR8707A*	F-TIRE 7-12 R1 B-Stone Farm Service Lug	33 lbs	In Base Price	In Base Price
ABR9382*	R-TIRE 12.4-16 R1 F-Stone TracFild&Rd TT	93 lbs		
ABR8742	F-TIRE 24x8.50-14 R3 Titan Multi Trac	42 lbs	K99B20	Add \$ 124.00
ABR8744	R-TIRE 13.6-16 R3 Titan Multi Trac	133 lbs		
ABR8726	F-TIRE 23x8.50-14 R4 Titan Trac Loader	50 lbs	K99B20	Add \$ 124.00
BR8749	R-TIRE 12.4-16 R4 Goodyear Sure Grip Lug	108 lbs		
ABR8791A	F-TIRE 23X8.50-12 R14T GOODYEAR SST	50 lbs	K236B80	Add \$ 296.00
ABR8647	R-TIRE 14-17.5 R14T GOODYEAR SST	160 lbs		

† See Tire Section for Individual Tire Pricing and Information  
 \* Standard Tires

B2650HSD / B2650HSDC		TIRES AND WHEELS (priced per piece)		
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGG. LIST PRICE
<b>AG</b>				
BR8707A*	F-TIRE 7-12 R1 B-Stone Farm Service Lug	33 lbs	B146B40	\$ 183.00
ABR9382*	R-TIRE 12.4-16 R1 F-Stone TracFild&Rd TT	93 lbs	B340B80	\$ 426.00
ABR8742	F-TIRE 24x8.50-14 R3 Titan Multi Trac	42 lbs	B160B80	\$ 201.00
ABR8744	R-TIRE 13.6-16 R3 Titan Multi Trac	133 lbs	B376B00	\$ 470.00
ABR8726	F-TIRE 23x8.50-14 R4 Titan Trac Loader	50 lbs	B158B40	\$ 198.00
BR8749	R-TIRE 12.4-16 R4 Goodyear Sure Grip Lug	108 lbs	B378B40	\$ 473.00
ABR8791A	F-TIRE 23X8.50-12 R14T GOODYEAR SST	50 lbs	B168B80	\$ 211.00
ABR8647	R-TIRE 14-17.5 R14T GOODYEAR SST	160 lbs	B436B80	\$ 546.00



**B Series B3350HSD/B3350HSDC**

\*\*\* EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS \*\*\*

**DIESEL ENGINE**

Kubota Indirect Injection  
 4 Cylinder Engine  
 EPA Tier 4 Compliant  
 Charging Output (ROPS) 60.0 Amps  
 Charging Output (Cab) 75.0 Amps  
 12V – 430 CCA  
 Dual Air Cleaner Element

**EXHAUST EMISSION CONTROL TYPE**

Diesel Particulate Filter

**HYDRAULICS / HITCH / DRAWBAR**

Open Center  
 Tandem Pumps Gear Type  
 3.7 gpm Power Steering  
 5.0 gpm Remote/3 Pt. Hitch  
 8.7 gpm Total Hyd. Flow

**3-POINT HITCH & DRAWBAR**

Cat I 3-Point Hitch  
 At Lift Point 2139 lbs.  
 24" Behind 1676 lbs.  
 Position Control 3-Point Valve

**POWER TAKE OFF**

Live Independent with Hydraulic Clutch  
 Rear PTO – 1 Speed  
 SAE Std 1 3/8" Six Spline  
 563 rpm @ 2500 Eng. rpm  
 Mid PTO – 1 Speed  
 2500 rpm @ 2500 Eng. rpm

**TRANSMISSION**

Hydrostatic Drive  
 Rear Differential Lock  
 3 Forward Ranges  
 3 Reverse Ranges  
 Cruise Control  
 Wet Disc Brakes

**FRONT AXLE**

Hydrostatic Power Steering  
 Cast Iron  
 Bevel Gear 4WD  
 Tread Spacing - Nonadjustable

**FLUID CAPACITY**

Fuel Tank (ROPS) 7.1 gal.  
 Fuel Tank (Cab) 7.4 gal  
 Cooling System 4.5 qts.  
 Crankcase 5.0 qts.  
 Transmission and Hydraulics 4.0 gal.  
 Front Axle 5.0 qts.

**INSTRUMENTS**

Tachometer/Hour meter  
 Oil Pressure  
 Fuel Gauge  
 Coolant Temperature

**ROPS FEATURES**

Tilt Steering  
 Cruise Control  
 Deluxe Seat with Arm Rest  
 Telescoping Stabilizers  
 12V Outlet and Cup Holder  
 Integrated Loader Valve and Joystick  
 Toolbox  
 Left Side Step

**CAB FEATURES**

Tilt Steering  
 Cruise Control  
 AC/Heater  
 Deluxe Seat with Armrest  
 Telescoping Stabilizers  
 Ratchet Right Link  
 Front and Rear Wiper  
 12V Outlet and Cup Holder  
 Integrated Loader Valve and Joystick

**SAFETY EQUIPMENT**

2-Post Foldable ROPS w/Retractable  
 Seat Belt  
 Flip-Up PTO Shield  
 Safety Start Switches  
 Electric Key Shut Off  
 Parking Brake  
 SMV Sign

<b>Model Specifications</b>			
<b>B3350HSD ROPS</b>		<b>B3350HSDC CAB</b>	
SAE Gross HP:	30.8	SAE Gross HP:	30.8
PTO HP:	27.0	PTO HP:	27.0
Engine Model:	V1505	Engine Model:	V1505
Displacement:	91.5 Cu In	Displacement:	91.5 Cu In



**B Series B3350HSD/B3350HSDC**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
*** STANDARD TRACTOR WITH STANDARD TIRES ***				
B3350HSD	4WD Compact Tractor - 2 Post Foldable ROPS	K16B645B60	1403 lbs	\$20,807.00
B3350HSDC	4WD Compact Tractor - Cab (ROPS Certified)	K22B585B60	2271 lbs	\$28,232.00

B3350HSD / B3350HSDC		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGGESTED LIST PRICE
BR8707A*	F-TIRE 7-12 R1 B-Stone Farm Service Lug	33 lbs	In Base Price	In Base Price
ABR9382*	R-TIRE 12.4-16 R1 F-Stone TracFild&Rd TT	93 lbs		
ABR8742	F-TIRE 24x8.50-14 R3 Titan Multi Trac	42 lbs	K99B20	Add \$ 124.00
ABR8744	R-TIRE 13.6-16 R3 Titan Multi Trac	133 lbs		
ABR8726	F-TIRE 23x8.50-14 R4 Titan Trac Loader	50 lbs	K99B20	Add \$ 124.00
BR8749	R-TIRE 12.4-16 R4 Goodyear Sure Grip Lug	108 lbs		
ABR8767**	F-TIRE 25x8.50-14 R4 Titan Trac Loader	56 lbs	K505B60	Add \$ 632.00
ABR8768**	R-TIRE 15-19.5 R4 Titan Trac Loader	174 lbs		
ABR8791A	F-TIRE 23X8.50-12 R14T GOODYEAR SST	50 lbs	K236B80	Add \$ 296.00
ABR8647	R-TIRE 14-17.5 R14T GOODYEAR SST	160 lbs		
ABR8646**	F-TIRE 25X8.50-14 R14T GOODYEAR SST	45 lbs	K592B00	Add \$ 740.00
ABR8645**	R-TIRE 15-19.5 R14T GOODYEAR SST	180 lbs		

† See Tire Section for Individual Tire Pricing and Information

\* Standard Tires

\*\* Non-Cab Units only, Not Compatible with Mid Mount Mowers, Requires the use of Steering Stop Kit

B3350HSD / B3350HSDC		TIRES AND WHEELS (priced per piece)		
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGG. LIST PRICE
<b>AG</b>				
BR8707A*	F-TIRE 7-12 R1 B-Stone Farm Service Lug	33 lbs	B146B40	\$ 183.00
ABR9382*	R-TIRE 12.4-16 R1 F-Stone TracFild&Rd TT	93 lbs	B340B80	\$ 426.00
ABR8742	F-TIRE 24x8.50-14 R3 Titan Multi Trac	42 lbs	B160B80	\$ 201.00
ABR8744	R-TIRE 13.6-16 R3 Titan Multi Trac	133 lbs	B376B00	\$ 470.00
ABR8726	F-TIRE 23x8.50-14 R4 Titan Trac Loader	50 lbs	B158B40	\$ 198.00
BR8749	R-TIRE 12.4-16 R4 Goodyear Sure Grip Lug	108 lbs	B378B40	\$ 473.00
ABR8767**	F-TIRE 25x8.50-14 R4 Titan Trac Loader	56 lbs	B169B60	\$ 212.00
ABR8768**	R-TIRE 15-19.5 R4 Titan Trac Loader	174 lbs	B570B40	\$ 713.00
ABR8791A	F-TIRE 23X8.50-12 R14T GOODYEAR SST	50 lbs	B168B80	\$ 211.00
ABR8647	R-TIRE 14-17.5 R14T GOODYEAR SST	160 lbs	B436B80	\$ 546.00
ABR8646**	F-TIRE 25X8.50-14 R14T GOODYEAR SST	45 lbs	B180B80	\$ 226.00
ABR8645**	R-TIRE 15-19.5 R14T GOODYEAR SST	180 lbs	B602B40	\$ 753.00



**B Series**

**B3350SUHSD**

\*\*\* EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS \*\*\*

**DIESEL ENGINE**

Kubota Indirect Injection  
 4 Cylinder Engine  
 EPA Tier 4 Compliant  
 Charging Output (ROPS) 60.0 Amps  
 12V – 430 CCA  
 Dual Air Cleaner Element

**EXHAUST EMISSION CONTROL TYPE**

Diesel Particulate Filter

**HYDRAULICS / HITCH / DRAWBAR**

Open Center  
 Tandem Pumps Gear Type  
 3.7 gpm Power Steering  
 5.0 gpm Remote/3 Pt. Hitch  
 8.7 gpm Total Hyd. Flow

**3-POINT HITCH & DRAWBAR**

Cat I 3-Point Hitch  
 At Lift Point 2139 lbs.  
 24" Behind 1676 lbs.  
 Quarter Inching 3-Point Valve

**POWER TAKE OFF**

Live Independent with Hydraulic Clutch  
 Rear PTO – 1 Speed  
 SAE Std 1 3/8" Six Spline  
 563 rpm @ 2500 Eng. rpm

**TRANSMISSION**

Hydrostatic Drive  
 Rear Differential Lock  
 3 Forward Ranges  
 3 Reverse Ranges  
 Cruise Control  
 Wet Disc Brakes

**FRONT AXLE**

Hydrostatic Power Steering  
 Cast Iron  
 Bevel Gear 4WD  
 Tread Spacing - Nonadjustable

**FLUID CAPACITY**

Fuel Tank (ROPS) 7.1 gal.  
 Cooling System 4.5 qts.  
 Crankcase 5.0 qts.  
 Transmission and Hydraulics 4.0 gal.  
 Front Axle 5.0 qts.

**INSTRUMENTS**

Tachometer/Hour meter  
 Oil Pressure  
 Fuel Gauge  
 Coolant Temperature

**ROPS FEATURES**

12V Outlet and Cup Holder  
 Integrated Loader Valve and Joystick  
 Toolbox  
 Left Side Step

**SAFETY EQUIPMENT**

2-Post Foldable ROPS w/Retractable  
 Seat Belt  
 Flip-Up PTO Shield  
 Safety Start Switches  
 Electric Key Shut Off  
 Parking Brake  
 SMV Sign

Model Specifications	
<b>B3350SUHSD ROPS</b>	
SAE Gross HP:	30.8
PTO HP:	27.0
Engine Model:	V1505
Displacement:	91.5 Cu In



**B Series B3350SUHSD**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

\*\*\* STANDARD TRACTOR WITH STANDARD TIRES \*\*\*

B3350SUHSD	4WD Compact Tractor - 2 Post Foldable ROPS	K15B687B20	1743 lbs	\$19,609.00
------------	--	------------	----------	-------------

B3350SUHSD		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGGESTED LIST PRICE
BR8707A*	F-TIRE 7-12 R1 B-Stone Farm Service Lug	33 lbs	In Base Price	In Base Price
ABR9382*	R-TIRE 12.4-16 R1 F-Stone TracFild&Rd TT	93 lbs		
ABR8742	F-TIRE 24x8.50-14 R3 Titan Multi Trac	42 lbs	K99B20	Add \$ 124.00
ABR8744	R-TIRE 13.6-16 R3 Titan Multi Trac	133 lbs		
ABR8726	F-TIRE 23x8.50-14 R4 Titan Trac Loader	50 lbs	K99B20	Add \$ 124.00
BR8749	R-TIRE 12.4-16 R4 Goodyear Sure Grip Lug	108 lbs		
ABR8767**	F-TIRE 25x8.50-14 R4 Titan Trac Loader	56 lbs	K505B60	Add \$ 632.00
ABR8768**	R-TIRE 15-19.5 R4 Titan Trac Loader	174 lbs		
ABR8791A	F-TIRE 23X8.50-12 R14T GOODYEAR SST	50 lbs	K236B80	Add \$ 296.00
ABR8647	R-TIRE 14-17.5 R14T GOODYEAR SST	160 lbs		
ABR8646**	F-TIRE 25X8.50-14 R14T GOODYEAR SST	45 lbs	K592B00	Add \$ 740.00
ABR8645**	R-TIRE 15-19.5 R14T GOODYEAR SST	180 lbs		

† See Tire Section for Individual Tire Pricing and Information  
 \* Standard Tires  
 \*\* Not Compatible with Mid Mount Mowers, Requires the use of Steering Stop Kit

B3350SUHSD		TIRES AND WHEELS (priced per piece)		
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGG. LIST PRICE
<b>AG</b>				
BR8707A*	F-TIRE 7-12 R1 B-Stone Farm Service Lug	33 lbs	B146B40	\$ 183.00
ABR9382*	R-TIRE 12.4-16 R1 F-Stone TracFild&Rd TT	93 lbs	B340B80	\$ 426.00
ABR8742	F-TIRE 24x8.50-14 R3 Titan Multi Trac	42 lbs	B160B80	\$ 201.00
ABR8744	R-TIRE 13.6-16 R3 Titan Multi Trac	133 lbs	B376B00	\$ 470.00
ABR8726	F-TIRE 23x8.50-14 R4 Titan Trac Loader	50 lbs	B158B40	\$ 198.00
BR8749	R-TIRE 12.4-16 R4 Goodyear Sure Grip Lug	108 lbs	B378B40	\$ 473.00
ABR8767**	F-TIRE 25x8.50-14 R4 Titan Trac Loader	56 lbs	B169B60	\$ 212.00
ABR8768**	R-TIRE 15-19.5 R4 Titan Trac Loader	174 lbs	B570B40	\$ 713.00
ABR8791A	F-TIRE 23X8.50-12 R14T GOODYEAR SST	50 lbs	B168B80	\$ 211.00
ABR8647	R-TIRE 14-17.5 R14T GOODYEAR SST	160 lbs	B436B80	\$ 546.00
ABR8646**	F-TIRE 25X8.50-14 R14T GOODYEAR SST	45 lbs	B180B80	\$ 226.00
ABR8645**	R-TIRE 15-19.5 R14T GOODYEAR SST	180 lbs	B602B40	\$ 753.00



**KUBOTA****B Series B2650/3350****DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>HYDRAULICS/HITCH/DRAWBAR</b>				
<b>HYDRAULIC REAR REMOTE VALVES - ROPS MODELS</b>				
B7309C	1st Position Valve Kit Contains Valve and Hoses When installing a B7309C on tractors with Backhoe or 3rd Function Valve, please refer to PIB-2016-011 for additional part needed.	K704B00	27 lbs	\$880.00
BL7343	2nd Position Kit Requires 1st Position Kit and BL7373 or BL7393	K43B20	1 lbs	\$54.00
BL7353	3rd Position Kit Requires 1st and 2nd Position Kit and BL7373 or BL7393	K43B20	2 lbs	\$54.00
BL7373	3-Position Detent Valve (Not Self Canceling)	K266B40	5 lbs	\$333.00
BL7393	FD (Float Detent) Valve Section	K292B80	6 lbs	\$366.00
<b>HYDRAULIC REAR REMOTE VALVES - CAB MODELS</b>				
B7316	Base Kit and 1st Lever - Cab Models Only Requires B7304 Double Acting Valve	K442B40	15 lbs	\$553.00
B7317	2nd Position Stacking Kit and 2nd Lever - Cab Models Only Requires B7316, B7304, and a B7304 or B7305	K241B60	7 lbs	\$302.00
B7304	Double Acting Valve Section	K212B80	4 lbs	\$266.00
B7305	FD (Float Detent) Valve Section (2nd Position Only)	K268B00	5 lbs	\$335.00
<b>3-POINT OPTIONS</b>				
B2677	Telescoping Lower Link End Kit B2650HSD, B3350HSD, and B3350SUHSD Included for Cab models.	K184B80	32 lbs	\$231.00
B2667	Ratchet Type Lift Rod B2650HSD, B3350HSD, and B3350SUHSD Included for Cab models.	K102B40	5 lbs	\$128.00
<b>DRAWBAR</b>				
BL6820	Drop Drawbar for B50/LX/L01 Series	K68B00	17 lbs	\$85.00
<b>ROPS ACCESSORIES</b>				
<b>CANOPY</b>				
E1123	Fiberglass Canopy Requires E1124 Mounting Kit	K264Z42	90 lbs	\$339.00
E1124	Fiberglass Canopy Mounting Kit	K147Z42	28 lbs	\$189.00
E1133	Plastic Canopy	K389B60	63 lbs	\$487.00
<b>REAR WORK LIGHT</b>				
B7335	Rear Working Auxiliary Light (1 Light)	K79B20	4 lbs	\$99.00



**B Series B2650/3350**

**DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>CAB OPTIONS</b>				
<b>HIGH CAPACITY ALTERNATOR KIT</b>				
B2655	90 Amp High Capacity Alternator Kit May be required with some electrical accessories Please see Bulletin PSB-2015-069 for details For B3350 Cab models only.	K410B40	28 lbs	\$513.00
<b>RADIOS</b>				
3 Models	Jensen Radio	(Order from the Parts Department)		
<b>REAR WORK LIGHTS</b>				
B7337	Rear Work Light Kit (2 Lights)	K116B00	3 lbs	\$145.00
<b>BALLAST</b>				
<b>BALLAST BOX</b>				
B8460	Ballast Box—3 pt-Mount	K205B60	404 lbs	\$257.00
WB10	Quick Hitch Compatible Weight Box Additional Liquid Ballast in the Tire is Necessary Not Compatible with ABR8768 & ABR8645	(Order From Land Pride)		
<b>FRONT WEIGHT BRACKETS</b>				
BX8064A	Weight Bracket - 5 Weights Not compatible with Front Grill Guards.	K88B00	23 lbs	\$110.00
<b>FRONT SUITCASE WEIGHTS</b>				
BL8060-1	Suitcase Weight (55 lbs. Each) Requires BX8064A Requires One BL8062 per Weight	K59B20	55 lbs	\$74.00
<b>FRONT WEIGHT BOLT KITS</b>				
BL8062	Weight Bolt Kits - 1 Kit per BL8060-1	K8B00	1 lbs	\$10.00



**B Series B2650/3350**

**DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>ADDITIONAL ACCESSORIES</b>				
<b>ARM REST</b>				
B7358	Arm Rest Kit - B3350SUHSD Only	K68B80	7 lbs	\$86.00
<b>BLOCK HEATER</b>				
70000-73274	Block Heater	(Order from the Parts Department)		
<b>CRUISE CONTROL</b>				
B1015	Cruise Control Kit - B3350SUHSD Only	K39B20	3 lbs	\$49.00
<b>EXTRA LENGTH SEAT BELT</b>				
70002-06605	B2650HSDC and B3350HSDC	(Order from the Parts Department)		
<b>GRILL GUARD - NON LOADER APPLICATION</b>				
B2336A	Grill Guard for Non-Loader Application	K192B80	19 lbs	\$241.00
<b>REAR WHEEL SPACERS</b>				
B8785	1 3/8" Spacers Not Compatible with Mid Mount Mowers	K284B80	39 lbs	\$356.00
<b>REPLACEMENT ROPS</b>				
SFB-F50	Replacement ROPS - B2301HSD and B2601HSD	K470B40	115 lbs	\$588.00
<b>REPLACEMENT CABS (SOME COMPONENTS FROM THE OLD CAB WILL BE NEEDED)</b>				
B7076	Replacement Cab for B2650HSDC	K6B548B00	627 lbs	\$8,185.00
B7075	Replacement Cab for B3350HSDC	K6B589B60	627 lbs	\$8,237.00
<b>SPARK ARRESTING MUFFLER</b>				
70000-01605	Spark Arresting Muffler for B2650HSD and B2650HSDC	(Order from the Parts Department)		
<b>STEERING STOP KITS</b>				
B4573	Steering Stop Kit - B3350HSD and B3350SUHSD Use when ABR8767 Tires are installed	K16B80	1 lbs	\$21.00
<b>FRONT SNOW MASK</b>				
77700-06480	Front Snow Mask	(Order from the Parts Department)		



<b>B Series</b>		<b>B2650/3350</b>		
<b>Front End Loaders</b>				
<b>ORDER CODE</b>	<b>DESCRIPTION</b>	<b>FACTORY NUMBER</b>	<b>APPROX. SHIP WT.</b>	<b>SUGGESTED LIST PRICE</b>
<b>LA534A</b>				
LA534A	Front End Loader Includes Mounting Kit, Stand, Level Indicator, and Grille Guard Valve is Standard on Tractor Requires Bucket	K2B737B60	621 lbs	\$3,422.00
<b>3RD FUNCTION VALVES</b>				
B7302A	3rd Function Valve Kit - Cab Models Must order hydraulic line quick couplers separately	K728B00	43 lbs	\$910.00
B7308A	3rd Function Valve Kit - ROPS Models Must order hydraulic line quick couplers separately	K728B00	43 lbs	\$910.00
380-168A	Third Function Valve Kit from Land Pride		(Order From Land Pride)	
<b>PIN-ON BUCKETS</b>				
B1625	54" Pin-On Bucket	K420B80	125 lbs	\$526.00
B1626	60" Light Material Pin-On Bucket	K520B00	150 lbs	\$650.00
<b>QUICK ATTACH COUPLER &amp; QUICK ATTACH BUCKETS</b>				
B2366	2 Lever Quick Coupler	K394B40	78 lbs	\$493.00
B2324	54" QA Bucket	K378B40	202 lbs	\$473.00
B2356	60" Light Material QA Bucket	K467B20	227 lbs	\$584.00
<b>QUICK ATTACH PALLET FORK FRAME / PALLET FORKS</b>				
B2376	Pallet Fork Frame 2-Lever QA (Requires K9048)	K580B00	165 lbs	\$725.00
K9048	36" Pallet Forks	K371L20	176 lbs	\$464.00
<b>QUICK ATTACH FRONT LOADER BLADES &amp; ACCESSORIES</b>				
B2672	60" Straight Blade w/Man. Angle (requires B2366)	K1B654B40	475 lbs	\$2,068.00
B2673	72" Straight Blade w/Man. Angle (requires B2366)	K1B808B80	535 lbs	\$2,261.00
B2766	60" Rubber Cutting Edge	K204B00	49 lbs	\$255.00
B2776	72" Rubber Cutting Edge	K240B00	59 lbs	\$300.00
B2671	Hydraulic Angulation Kit for B2672 & B2673 Requires 3rd Function Valve	K473B60	14 lbs	\$592.00

**B Series B2650/3350****Front Quick Hitch & Front Quick Hitch Implements**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>FRONT QUICK HITCH FRAME &amp; COUPLER</b>				
B2714C	Quick Hitch and Sub-Frame B2726 required if no FEL Sub-Frame is Installed Mid Mount Mower Decks must be removed to install Hitch Hitch Brackets can stay in place when MMM Deck is installed	K1B171B20	223 lbs	\$1,464.00
B2726	Quick Hitch Support Kit Required for Units without a Front End Loader Sub-Frame	K224B80	32 lbs	\$281.00
<b>FRONT QH DRIVELINE KITS</b>				
B2747	Mid PTO Driveline Kit for B2650HSD and B3350HSD	K626B40	19 lbs	\$783.00
B2793	Mid PTO Driveline Kit for B2650HSDC and B3350HSDC	K626B40	25 lbs	\$783.00
<b>FRONT QH MOUNTED ROTARY SWEEPERS &amp; ACCESSORIES</b>				
B2779	60" Rotary Sweeper - Hyd. Angle, 21.5" Wafer Requires Quick Hitch and Mid PTO Driveline Kit Not Compatible with the B3350SUHD Model	K4B104B80	300 lbs	\$5,131.00
BL2178	Side Caster Wheel Kit Recommended for snow removal or lawn dethatching	K417L60	45 lbs	\$522.00
L2168	Rubber Deflector for B2779	K149L60	31 lbs	\$187.00
<b>FRONT QH MOUNTED BLADES &amp; ACCESSORIES</b>				
B2765A	60" Blade - Hyd. Angle, Trip Spring Lockout Requires Quick Hitch	K1B544B00	411 lbs	\$1,930.00
B2775	72" Blade - Hyd. Angle Requires Quick Hitch	K1B683B20	535 lbs	\$2,104.00
B2766	60" Rubber Cutting Edge	K204B00	49 lbs	\$255.00
B2776	72" Rubber Cutting Edge	K240B00	59 lbs	\$300.00



**B Series B2650/3350**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>FRONT QH MOUNTED SNOWBLOWERS &amp; ACCESSORIES</b>				
B2781B	51" Two Stage Snowblower Manual Rotator and Deflector Requires Quick Hitch and Mid PTO Driveline Kit Not Compatible with the B3350SUHD Model	K2B808B80	475 lbs	\$3,511.00
B2782B	63" Two Stage Snowblower Manual Rotator and Deflector Requires Quick Hitch and Mid PTO Driveline Kit Not Compatible with the B3350SUHD Model	K3B016B00	500 lbs	\$3,770.00
B2516A	Electric Chute Deflector for B2781B and B2782B	K585B60	9 lbs	\$732.00
B2756	Hydraulic Chute Rotation for B2781B and B2782B	K723B20	20 lbs	\$904.00
BL2666A	Hydraulic Chute Deflector for B2781B and B2782B Requires Hyd. Chute Rotation Kit	K885B60	22 lbs	\$1,107.00
B2786	Side Extension Kit for B2781B and B2782B	K111F20	27 lbs	\$139.00

<b>B Series</b>		<b>B2650/3350</b>		
<b>ORDER CODE</b>	<b>DESCRIPTION</b>	<b>FACTORY NUMBER</b>	<b>APPROX. SHIP WT.</b>	<b>SUGGESTED LIST PRICE</b>
<b>MID MOUNT MOWER DECKS &amp; ACCESSORIES</b>				
RCK60-30BB	60" Cutting Width - 3 Blade Finish Mower RH Discharge Not compatible with B8785 Wheel Spacers Not compatible with ABR8768 R4 Tires Not compatible with B3350SUHSD.	K2B549B60	445 lbs	\$3,187.00
RC72-30B	72" Cutting Width - 3 Blade Finish Mower RH Discharge Not Compatible with B8785 Wheel Spacers Not Compatible with ABR8768 R4 Tires Not Compatible with Grass Catcher Not compatible with B3350SUHSD.	K3B209B60	528 lbs	\$4,012.00
GCK60-30BB	Grass Catcher 3 Bag (9.75 Bushels) Requires Boot Kit Not Compatible with RC72-30B	K1B920B00	320 lbs	\$2,400.00
B3046	Boot Kit - 60" Deck	K263B20	31 lbs	\$329.00
70000-02505	Mulching Kit for RCK60-30BA Requires 70000-02507 Left Baffle Kit (1) and 70000-70038 Mulching Blades (3) Not compatible with 72" Mower Deck			(Order from Parts Department)
70000-02507	Left Baffle Kit			(Order from Parts Department)
70000-25041	Mulching Blades (3)			(Order from Parts Department)

<b>BACKHOES &amp; ACCESSORIES</b>				
BH77	7.7' Backhoe - 4 Point Mount Quick Mount/Dismount without Tools Requires Sub-Frame, 3pt Linkage must be removed to mount MMM may remain on the unit, locked in the upper position Not compatible with Grass Catcher	K6B333B60	1077 lbs	\$7,917.00
BH4973	BH Sub-Frame for B2650HSDC and B3350HSDC Includes Fixed Seat	K856B00	202 lbs	\$1,070.00
BH4962	BH Sub-Frame for B2650HSD and B3350HSD Includes Reversible Seat Mechanism	K856B00	243 lbs	\$1,070.00
BH4963A	BH Sub-Frame for B3350SUHSD Includes Reversible Seat Mechanism	K856B00	260 lbs	\$1,070.00
BT1950A	10" Bucket - 3 Teeth	K379B20	63 lbs	\$474.00
BT1951A	12" Bucket - 3 Teeth	K447B20	69 lbs	\$559.00
BT1952A	16" Bucket - 4 Teeth	K591B20	82 lbs	\$739.00
BT1953A	24" Bucket - 5 Teeth	K772B80	118 lbs	\$966.00
BH1976	Mechanical Thumb - 6 Position	K432B80	51 lbs	\$541.00
L9467	Rubber Flip Pads for Stabilizers (order 2 per BH)	K113L60	15 lbs	\$142.00



<b>B Series</b>		<b>B2650/3350</b>		
<b>ORDER CODE</b>	<b>DESCRIPTION</b>	<b>FACTORY NUMBER</b>	<b>APPROX. SHIP WT.</b>	<b>SUGGESTED LIST PRICE</b>
<b>3-POINT MOUNTED IMPLEMENTS &amp; ACCESSORIES</b>				
<b>Rear Mount Snow Blowers</b>				
B2789	51" Two Stage Snow Blower (3-Pt Mount) Requires either Manual or Hydraulic Chute Rotation Kit	K2B614B40	390 lbs	\$3,268.00
BLMX3164	64" Two-Stage Commercial Snowblower Mounts to Category I 3-Point Hitch Requires Manual Chute Rotator or Hydraulic Chute Rotator	K2B802B40	681 lbs	\$3,503.00
<b>REAR MOUNT SNOW BLOWER OPTIONS</b>				
BL2665	Manual Chute Rotator	K159B20	11 lbs	\$199.00
BL6399	Hydraulic Chute Rotator Requires 1 Set of Hydraulic Rear Remote Valves	K723B20	20 lbs	\$904.00
BL2666A	Hydraulic Chute Deflector Kit Requires Hydraulic Chute Rotator Includes Electric Selector Valve	K885B60	22 lbs	\$1,107.00
B2516A	Electric Chute Deflector	K585B60	9 lbs	\$732.00
L2177	Width Extension Kit, adds 5" overall cut	K104L80	27 lbs	\$131.00



**B Series LX2610SUHSD**

\*\*\* EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS \*\*\*

**DIESEL ENGINE**

Kubota Indirect Injection  
 3 Cylinder Engine  
 EPA Tier 4 Compliant  
 Charging Output (ROPS) 40 Amps  
 12V – 430 CCA  
 Dual Air Cleaner Element

**EXHAUST EMISSION CONTROL TYPE**  
 No Exhaust After Treatment Required

**HYDRAULICS / HITCH / DRAWBAR**

Open Center  
 Tandem Pumps Gear Type  
 3.7 gpm Power Steering  
 5.0 gpm Remote/3 Pt. Hitch  
 8.7 gpm Total Hyd. Flow

**3-POINT HITCH & DRAWBAR**

Cat I 3-Point Hitch  
 At Lift Point 2139 lbs.  
 24" Behind 1676 lbs.  
 Position Control Valve

**POWER TAKE OFF**

Live Independent with Hydraulic Clutch  
 Rear PTO – 1 Speed  
 SAE Std 1 3/8" Six Spline  
 540 rpm @ 2398 Eng. rpm

**TRANSMISSION**

Hydrostatic Drive  
 Rear Differential Lock  
 3 Forward Ranges  
 3 Reverse Ranges  
 Wet Disc Brakes

**FRONT AXLE**

Hydrostatic Power Steering  
 Cast Iron  
 Bevel Gear 4WD  
 Tread Spacing - Nonadjustable

**FLUID CAPACITY**

Fuel Tank (ROPS) 7.1 gal.  
 Cooling System 4.5 qts.  
 Crankcase 4.2 qts.  
 Transmission and Hydraulics 4.0 gal.  
 Front Axle 5.0 qts.

**INSTRUMENTS**

Tachometer/Hour meter  
 Oil Pressure  
 Fuel Gauge  
 Coolant Temperature

**ROPS FEATURES**

12V Outlet and Cup Holder  
 Integrated Loader Valve and Joystick  
 Toolbox  
 Left Side Step  
 Rubber Floor Mat  
 Holes in ROPS for mounting kits

**SAFETY EQUIPMENT**

2-Post Foldable ROPS w/Retractable Seat Belt  
 Flip-Up PTO Shield  
 Safety Start Switches  
 Electric Key Shut Off  
 Parking Brake  
 SMV Sign

Model Specifications	
<b>LX2610SUHSD ROPS</b>	
SAE Gross HP:	24.8
PTO HP:	19.5
Engine Model:	D1305
Displacement:	77.0 Cu In



<b>B Series</b>		<b>LX2610SUHSD</b>		
ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE

\*\*\* STANDARD TRACTOR WITH STANDARD TIRES \*\*\*

LX2610SUHSD	4WD Compact Tractor - 2 Post Foldable ROPS	K14B134B40	1786 lbs	\$17,668.00
-------------	--	------------	----------	-------------

LX2610SUHSD		Additional Price With Tire Option			
ORDER	CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGGESTED LIST PRICE
<b>TIRES AND WHEELS†</b>					
<b>AG</b>					
BR8707A*		F-TIRE 7-12 R1 B-Stone Farm Service Lug	33 lbs	In Base Price	In Base Price
ABR9382*		R-TIRE 12.4-16 R1 F-Stone TracFild&Rd TT	93 lbs		
<b>TURF</b>					
ABR8742		F-TIRE 24x8.50-14 R3 Titan Multi Trac	42 lbs	K99B20	Add \$ 124.00
ABR8744		R-TIRE 13.6-16 R3 Titan Multi Trac	133 lbs		
<b>INDUSTRIAL</b>					
ABR8726		F-TIRE 23x8.50-14 R4 Titan Trac Loader	50 lbs	K99B20	Add \$ 124.00
BR8749		R-TIRE 12.4-16 R4 Goodyear Sure Grip Lug	108 lbs		
ABR8767**		F-TIRE 25x8.50-14 R4 Titan Trac Loader	56 lbs	K505B60	Add \$ 632.00
ABR8768**		R-TIRE 15-19.5 R4 Titan Trac Loader	174 lbs		
<b>INDUSTRIAL HYBRID</b>					
ABR8791A		F-TIRE 23X8.50-12 R14T GOODYEAR SST	50 lbs	K236B80	Add \$ 296.00
ABR8647		R-TIRE 14-17.5 R14T GOODYEAR SST	160 lbs		
ABR8646**		F-TIRE 25X8.50-14 R14T GOODYEAR SST	45 lbs	K592B00	Add \$ 740.00
ABR8645**		R-TIRE 15-19.5 R14T GOODYEAR SST	180 lbs		

† See Tire Section for Individual Tire Pricing and Information  
 \* Standard Tires  
 \*\* Not Compatible with Mid Mount Mowers, Requires the use of Steering Stop Kit

LX2610SUHSD		TIRES AND WHEELS (priced per piece)			
ORDER	CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGG. LIST PRICE
<b>AG</b>					
BR8707A*		F-TIRE 7-12 R1 B-Stone Farm Service Lug	33 lbs	B146B40	\$ 183.00
ABR9382*		R-TIRE 12.4-16 R1 F-Stone TracFild&Rd TT	93 lbs	B340B80	\$ 426.00
<b>TURF</b>					
ABR8742		F-TIRE 24x8.50-14 R3 Titan Multi Trac	42 lbs	B160B80	\$ 201.00
ABR8744		R-TIRE 13.6-16 R3 Titan Multi Trac	133 lbs	B376B00	\$ 470.00
<b>INDUSTRIAL</b>					
ABR8726		F-TIRE 23x8.50-14 R4 Titan Trac Loader	50 lbs	B158B40	\$ 198.00
BR8749		R-TIRE 12.4-16 R4 Goodyear Sure Grip Lug	108 lbs	B378B40	\$ 473.00
ABR8767**		F-TIRE 25x8.50-14 R4 Titan Trac Loader	56 lbs	B169B60	\$ 212.00
ABR8768**		R-TIRE 15-19.5 R4 Titan Trac Loader	174 lbs	B570B40	\$ 713.00
<b>INDUSTRIAL HYBRID</b>					
ABR8791A		F-TIRE 23X8.50-12 R14T GOODYEAR SST	50 lbs	B168B80	\$ 211.00
ABR8647		R-TIRE 14-17.5 R14T GOODYEAR SST	160 lbs	B436B80	\$ 546.00
ABR8646**		F-TIRE 25X8.50-14 R14T GOODYEAR SST	45 lbs	B180B80	\$ 226.00
ABR8645**		R-TIRE 15-19.5 R14T GOODYEAR SST	180 lbs	B602B40	\$ 753.00

**B Series**

**LX2610HSD/LX2610HSDC**

\*\*\* EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS \*\*\*

**DIESEL ENGINE**

Kubota Indirect Injection  
 3 Cylinder Engine  
 EPA Tier 4 Compliant  
 Charging Output (ROPS) 40.0 Amps  
 Charging Output (Cab) 60.0 Amps  
 12V – 430 CCA  
 Dual Air Cleaner Element

**EXHAUST EMISSION CONTROL TYPE**

No Exhaust After Treatment Required

**HYDRAULICS / HITCH / DRAWBAR**

Open Center  
 Tandem Pumps Gear Type  
 3.7 gpm Power Steering  
 5.0 gpm Remote/3 Pt. Hitch  
 8.7 gpm Total Hyd. Flow

**3-POINT HITCH & DRAWBAR**

Cat I 3-Point Hitch  
 At Lift Point 2139 lbs.  
 24" Behind 1676 lbs.  
 Position Control 3-Point Valve

**POWER TAKE OFF**

Live Independent with Hydraulic Clutch  
 Rear PTO – 1 Speed  
 SAE Std 1 3/8" Six Spline  
 540 rpm @ 2398 Eng. rpm  
 Mid PTO – 1 Speed  
 2500 rpm @ 2500 Eng. rpm

**TRANSMISSION**

Hydrostatic Drive  
 Rear Differential Lock  
 3 Forward Ranges  
 3 Reverse Ranges  
 Cruise Control  
 Wet Disc Brakes

**FRONT AXLE**

Hydrostatic Power Steering  
 Cast Iron  
 Bevel Gear 4WD  
 Tread Spacing - Nonadjustable

**FLUID CAPACITY**

Fuel Tank (ROPS) 7.1 gal.  
 Fuel Tank (Cab) 8.5 gal  
 Cooling System 4.5 qts.  
 Crankcase 4.2 qts.  
 Transmission and Hydraulics 4.0 gal.  
 Front Axle 5.0 qts.

**INSTRUMENTS**

Tachometer/Hour meter  
 Oil Pressure  
 Fuel Gauge  
 Coolant Temperature

**ROPS FEATURES**

Tilt Steering  
 Cruise Control  
 Deluxe Seat with Arm Rest  
 Rubber Floor Mat  
 12V Outlet and Cup Holder  
 Integrated Loader Valve and Joystick  
 Toolbox  
 Left Side Step  
 Holes in ROPS for mounting kits

**CAB FEATURES**

Kubota-built Factory-Installed CAB  
 Tilt Steering  
 Cruise Control  
 AC/Heater  
 Deluxe Seat with Armrest  
 Telescoping Stabilizers  
 Front LED Work Lights  
 Front and Rear Wiper  
 12V Outlet and Cup Holder  
 Integrated Loader Valve and Joystick

**SAFETY EQUIPMENT**

2-Post Foldable ROPS  
 ROPS Certified CAB  
 Retractable Seat Belt  
 Flip-Up PTO Shield  
 Safety Start Switches  
 Electric Key Shut Off  
 Parking Brake  
 SMV Sign

<b>Model Specifications</b>			
<b>LX2610HSD ROPS</b>		<b>LX2610HSDC CAB</b>	
SAE Gross HP:	24.8	SAE Gross HP:	24.8
PTO HP:	19.5	PTO HP:	19.5
Engine Model:	D1305	Engine Model:	D1305
Displacement:	77.0 Cu In	Displacement:	77.0 Cu In



**B Series LX2610HSD/LX2610HSDC**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
*** STANDARD TRACTOR WITH STANDARD TIRES ***				
LX2610HSD	4WD Compact Tractor - 2 Post Foldable ROPS	K15B000B80	1786 lbs	\$18,751.00
LX2610HSDC	4WD Compact Tractor - Cab (ROPS Certified)	K21B680B80	2293 lbs	\$27,101.00

LX2610HSD / LX2610HSDC		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGGESTED LIST PRICE
<b>TIRES AND WHEELS†</b>				
<b>AG</b>				
BR8707A*	F-TIRE 7-12 R1 B-Stone Farm Service Lug	33 lbs	In Base Price	In Base Price
ABR9382*	R-TIRE 12.4-16 R1 F-Stone TracFild&Rd TT	93 lbs		
<b>TURF</b>				
ABR8742	F-TIRE 24x8.50-14 R3 Titan Multi Trac	42 lbs	K99B20	Add \$ 124.00
ABR8744	R-TIRE 13.6-16 R3 Titan Multi Trac	133 lbs		
<b>INDUSTRIAL</b>				
ABR8726	F-TIRE 23x8.50-14 R4 Titan Trac Loader	50 lbs	K99B20	Add \$ 124.00
BR8749	R-TIRE 12.4-16 R4 Goodyear Sure Grip Lug	108 lbs		
ABR8767**	F-TIRE 25x8.50-14 R4 Titan Trac Loader	56 lbs	K505B60	Add \$ 632.00
ABR8768**	R-TIRE 15-19.5 R4 Titan Trac Loader	174 lbs		
<b>INDUSTRIAL HYBRID</b>				
ABR8791A	F-TIRE 23X8.50-12 R14T GOODYEAR SST	50 lbs	K236B80	Add \$ 296.00
ABR8647	R-TIRE 14-17.5 R14T GOODYEAR SST	160 lbs		
ABR8646**	F-TIRE 25X8.50-14 R14T GOODYEAR SST	45 lbs	K592B00	Add \$ 740.00
ABR8645**	R-TIRE 15-19.5 R14T GOODYEAR SST	180 lbs		

† See Tire Section for Individual Tire Pricing and Information  
 \* Standard Tires  
 \*\* Non-Cab Units only, Not Compatible with Mid Mount Mowers, Requires the use of Steering Stop Kit

LX2610HSD / LX2610HSDC		TIRES AND WHEELS (priced per piece)		
ORDER CODE	DESCRIPTION	Weight	FACTORY NUMBER	SUGG. LIST PRICE
<b>AG</b>				
BR8707A*	F-TIRE 7-12 R1 B-Stone Farm Service Lug	33 lbs	B146B40	\$ 183.00
ABR9382*	R-TIRE 12.4-16 R1 F-Stone TracFild&Rd TT	93 lbs	B340B80	\$ 426.00
<b>TURF</b>				
ABR8742	F-TIRE 24x8.50-14 R3 Titan Multi Trac	42 lbs	B160B80	\$ 201.00
ABR8744	R-TIRE 13.6-16 R3 Titan Multi Trac	133 lbs	B376B00	\$ 470.00
<b>INDUSTRIAL</b>				
ABR8726	F-TIRE 23x8.50-14 R4 Titan Trac Loader	50 lbs	B158B40	\$ 198.00
BR8749	R-TIRE 12.4-16 R4 Goodyear Sure Grip Lug	108 lbs	B378B40	\$ 473.00
ABR8767**	F-TIRE 25x8.50-14 R4 Titan Trac Loader	56 lbs	B169B60	\$ 212.00
ABR8768**	R-TIRE 15-19.5 R4 Titan Trac Loader	174 lbs	B570B40	\$ 713.00
<b>INDUSTRIAL HYBRID</b>				
ABR8791A	F-TIRE 23X8.50-12 R14T GOODYEAR SST	50 lbs	B168B80	\$ 211.00
ABR8647	R-TIRE 14-17.5 R14T GOODYEAR SST	160 lbs	B436B80	\$ 546.00
ABR8646**	F-TIRE 25X8.50-14 R14T GOODYEAR SST	45 lbs	B180B80	\$ 226.00
ABR8645**	R-TIRE 15-19.5 R14T GOODYEAR SST	180 lbs	B602B40	\$ 753.00

**B Series LX3310HSD/LX3310HSDC**

\*\*\* EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS \*\*\*

**DIESEL ENGINE**

Kubota Direct Injection  
 4 Cylinder Engine  
 Turbo Common Rail Electric Fuel Injection  
 EPA Tier 4 Compliant  
 Charging Output (ROPS) 60.0 Amps  
 Charging Output (Cab) 75.0 Amps  
 12V – 430 CCA  
 Dual Air Cleaner Element

**EXHAUST EMISSION CONTROL TYPE**

Diesel Particulate Filter

**HYDRAULICS / HITCH / DRAWBAR**

Open Center  
 Tandem Pumps Gear Type  
 3.7 gpm Power Steering  
 5.0 gpm Remote/3 Pt. Hitch  
 8.7 gpm Total Hyd. Flow

**3-POINT HITCH & DRAWBAR**

Cat I 3-Point Hitch  
 At Lift Point 2139 lbs.  
 24" Behind 1676 lbs.  
 Position Control 3-Point Valve

**POWER TAKE OFF**

Live Independent with Hydraulic Clutch  
 Rear PTO – 1 Speed  
 SAE Std 1 3/8" Six Spline  
 540 rpm @ 2398 Eng. rpm  
 Mid PTO – 1 Speed  
 2500 rpm @ 2500 Eng. rpm

**TRANSMISSION**

Hydrostatic Drive  
 Rear Differential Lock  
 3 Forward Ranges  
 3 Reverse Ranges  
 Cruise Control  
 Wet Disc Brakes

**FRONT AXLE**

Hydrostatic Power Steering  
 Cast Iron  
 Bevel Gear 4WD  
 Tread Spacing - Nonadjustable

**FLUID CAPACITY**

Fuel Tank (ROPS) 8.5 gal.  
 Fuel Tank (Cab) 7.4 gal  
 Cooling System 4.5 qts.  
 Crankcase 5.0 qts.  
 Transmission and Hydraulics 4.0 gal.  
 Front Axle 5.0 qts.

**INSTRUMENTS**

Tachometer/Hour meter  
 Oil Pressure  
 Fuel Gauge  
 Coolant Temperature

**ROPS FEATURES**

Tilt Steering  
 Cruise Control  
 Deluxe Seat with Arm Rest  
 Rubber Floor Mat  
 12V Outlet and Cup Holder  
 Integrated Loader Valve and Joystick  
 Toolbox  
 Left Side Step  
 Holes in ROPS for mounting kits

**CAB FEATURES**

Kubota-built Factory-Installed CAB  
 Tilt Steering  
 Cruise Control  
 AC/Heater  
 LED Front Work Lights  
 Deluxe Seat with Armrest  
 Telescoping Stabilizers  
 Front and Rear Wiper  
 12V Outlet and Cup Holder  
 Integrated Loader Valve and Joystick

**SAFETY EQUIPMENT**

2-Post Foldable ROPS  
 ROPS Certified CAB  
 Retractable Seat Belt  
 Flip-Up PTO Shield  
 Safety Start Switches  
 Electric Key Shut Off  
 Parking Brake  
 SMV Sign

<b>Model Specifications</b>			
<b>LX3310HSD ROPS</b>		<b>LX3310HSDC CAB</b>	
SAE Gross HP:	30.8	SAE Gross HP:	30.8
PTO HP:	27.0	PTO HP:	27.0
Engine Model:	V1505	Engine Model:	V1505
Displacement:	91.4 Cu In	Displacement:	91.5 Cu In

**B Series LX3310HSD/LX3310HSDC**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
*** STANDARD TRACTOR WITH STANDARD TIRES ***				
LX3310HSD	4WD Compact Tractor - 2 Post Foldable ROPS	K19B080B00	1918 lbs	\$23,850.00
LX3310HSDC	4WD Compact Tractor - Cab (ROPS Certified)	K25B231B20	2469 lbs	\$31,539.00

LX3310HSD / LX3310HSDC		Additional Price With Tire Option			
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGGESTED LIST PRICE	
<b>AG</b>					
BR8707A*	F-TIRE 7-12 R1 B-Stone Farm Service Lug	33 lbs	In Base Price	In Base Price	
ABR9382*	R-TIRE 12.4-16 R1 F-Stone TracFild&Rd TT	93 lbs			
<b>TURF</b>					
ABR8742	F-TIRE 24x8.50-14 R3 Titan Multi Trac	42 lbs	K99B20	Add	\$ 124.00
ABR8744	R-TIRE 13.6-16 R3 Titan Multi Trac	133 lbs			
<b>INDUSTRIAL</b>					
ABR8726	F-TIRE 23x8.50-14 R4 Titan Trac Loader	50 lbs	K99B20	Add	\$ 124.00
BR8749	R-TIRE 12.4-16 R4 Goodyear Sure Grip Lug	108 lbs			
ABR8767**	F-TIRE 25x8.50-14 R4 Titan Trac Loader	56 lbs	K505B60	Add	\$ 632.00
ABR8768**	R-TIRE 15-19.5 R4 Titan Trac Loader	174 lbs			
<b>INDUSTRIAL HYBRID</b>					
ABR8791A	F-TIRE 23X8.50-12 R14T GOODYEAR SST	50 lbs	K236B80	Add	\$ 296.00
ABR8647	R-TIRE 14-17.5 R14T GOODYEAR SST	160 lbs			
ABR8646**	F-TIRE 25X8.50-14 R14T GOODYEAR SST	45 lbs	K592B00	Add	\$ 740.00
ABR8645**	R-TIRE 15-19.5 R14T GOODYEAR SST	180 lbs			

† See Tire Section for Individual Tire Pricing and Information  
 \* Standard Tires  
 \*\* Non-Cab Units only, Not Compatible with Mid Mount Mowers, Requires the use of Steering Stop Kit

LX3310HSD / LX3310HSDC		TIRES AND WHEELS (priced per piece)			
ORDER CODE	DESCRIPTION	Weight	FACTORY NUMBER	SUGG. LIST PRICE	
<b>AG</b>					
BR8707A*	F-TIRE 7-12 R1 B-Stone Farm Service Lug	33 lbs	B146B40	\$	183.00
ABR9382*	R-TIRE 12.4-16 R1 F-Stone TracFild&Rd TT	93 lbs	B340B80	\$	426.00
<b>TURF</b>					
ABR8742	F-TIRE 24x8.50-14 R3 Titan Multi Trac	42 lbs	B160B80	\$	201.00
ABR8744	R-TIRE 13.6-16 R3 Titan Multi Trac	133 lbs	B376B00	\$	470.00
<b>INDUSTRIAL</b>					
ABR8726	F-TIRE 23x8.50-14 R4 Titan Trac Loader	50 lbs	B158B40	\$	198.00
BR8749	R-TIRE 12.4-16 R4 Goodyear Sure Grip Lug	108 lbs	B378B40	\$	473.00
ABR8767**	F-TIRE 25x8.50-14 R4 Titan Trac Loader	56 lbs	B169B60	\$	212.00
ABR8768**	R-TIRE 15-19.5 R4 Titan Trac Loader	174 lbs	B570B40	\$	713.00
<b>INDUSTRIAL HYBRID</b>					
ABR8791A	F-TIRE 23X8.50-12 R14T GOODYEAR SST	50 lbs	B168B80	\$	211.00
ABR8647	R-TIRE 14-17.5 R14T GOODYEAR SST	160 lbs	B436B80	\$	546.00
ABR8646**	F-TIRE 25X8.50-14 R14T GOODYEAR SST	45 lbs	B180B80	\$	226.00
ABR8645**	R-TIRE 15-19.5 R14T GOODYEAR SST	180 lbs	B602B40	\$	753.00

<b>B Series</b>		<b>LX2610/LX3310</b>		
<b>DEALER INSTALLED ACCESSORIES</b>				
<b>ORDER CODE</b>	<b>DESCRIPTION</b>	<b>FACTORY NUMBER</b>	<b>APPROX. SHIP WT.</b>	<b>SUGGESTED LIST PRICE</b>
<b>HYDRAULICS/HITCH/DRAWBAR</b>				
<b>POSITION LEVER KITS - ROPS MODELS</b>				
B7362	Base Kit and 1st Lever Requires B7304 Double Acting Valve	K442B40	5 lbs	\$553.00
B7372	2nd Position Stacking Kit and 2nd Lever Requires B7304 valve or B7305 valve Requires B7362 1st Position w/ B7304 Installed to add 2nd Position	K150B40	3 lbs	\$188.00
<b>POSITION LEVER KITS - CAB MODELS</b>				
B7316	Base Kit and 1st Lever Requires B7304 Double Acting Valve	K442B40	15 lbs	\$553.00
B7317	2nd Position Stacking Kit and 2nd Lever Requires B7304 valve or B7305 valve Requires B7362 1st Position w/ B7304 Installed to add 2nd Position	K241B60	7 lbs	\$302.00
<b>HYDRAULIC REAR REMOTE VALVES</b>				
B7304	Double Acting Valve Section	K212B80	4 lbs	\$266.00
B7305	FD (Float Detent) Valve Section (2nd Position Only)	K268B00	5 lbs	\$335.00
<b>3-POINT HITCH</b>				
B2677	Telescoping Lower Link End Kit For LX2610SUHSD, LX2610HSD, and LX3310HSD ROPS Standard on Cab models.	K184B80	32 lbs	\$231.00
B2667	Ratchet Type Lift Rod For ROPS & CAB Models	K102B40	5 lbs	\$128.00
BL6820	Dropdown Drawbar	K68B00	17 lbs	\$85.00
<b>ROPS ACCESSORIES</b>				
<b>CANOPY</b>				
E1175	Universal Lightweight Quick Attach Canopy Kit Includes Mounting Bracket and Canopy	K460Z00	90 lbs	\$575.00
E1123	Fiberglass Canopy Requires E1124 Mounting Kit	K264Z42	90 lbs	\$339.00
E1124	Fiberglass Canopy Mounting Kit	K147Z42	28 lbs	\$189.00
E1133	Plastic Canopy	K389B60	63 lbs	\$487.00
<b>WORK LIGHTS</b>				
E1176	Universal LED Light Kit (2 Lights w/ Light Shields) Mounts to Holes in ROPS	K207A20	6 lbs	\$259.00
B7335	Rear Working Auxiliary Light (1 Light)	K79B20	4 lbs	\$99.00
<b>SU MODEL ACCESSORIES</b>				
B1015	Cruise Control Kit - LX2610SUHSD Only	K39B20	3 lbs	\$49.00
B7358	Arm Rest Kit - LX2610SUHSD Only	K68B80	7 lbs	\$86.00
<b>CAB ACCESSORIES</b>				
<b>REAR WORK LIGHTS</b>				
B7345	Rear LED Work Lights for CAB Models	K176B00	2 lbs	\$220.00
<b>RADIOS</b>				
3 Models	Jensen Radio	(Order from the Parts Department)		

**B Series LX2610/LX3310****DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>BALLAST</b>				
<b>BALLAST BOX</b>				
B8160	Ballast Box - 3 pt-Mount	K205B60	401 lbs	\$257.00
WB10	Quick Hitch Compatible Weight Box Additional Liquid Ballast in the Tire is Necessary Not Compatible with ABR8768 & ABR8645		(Order From Land Pride)	
<b>FRONT WEIGHT BRACKETS</b>				
BX8064A	Weight Bracket - 5 Weights Not compatible with Front Grill Guards.	K88B00	23 lbs	\$110.00
<b>FRONT SUITCASE WEIGHTS</b>				
BL8069	Suitcase Weight (55 lbs. Each) Requires BX8064A Requires One BL8049 per Weight Requires One BL8013 for all weight stacks	K62B40	55 lbs	\$78.00
<b>FRONT WEIGHT BOLT &amp; THREAD KITS</b>				
BL8049	Weight Bolt Kits - 1 Kit per BL8049	K6B40	1 lbs	\$8.00
BL8013	Thread Bolt Kit for All Weight Stacks *Cut Bolt to Length for Stacks Less than 5	K10B40	3 lbs	\$13.00
<b>ADDITIONAL ACCESSORIES</b>				
<b>TIRES &amp; WHEELS KITS</b>				
B4573	Steering Stop Kit - ROPS MODELS Use when ABR8767 or ABR8646 Tires are installed	K16B80	1 lbs	\$21.00
B8785	Rear Wheel Spacers - 1 3/8" Spacers Not Compatible with Mid Mount Mowers	K284B80	39 lbs	\$356.00
<b>GRILL GUARD - NON LOADER APPLICATION</b>				
B2327	Grill Guard for Non-Loader Application	K192B80	58 lbs	\$241.00
<b>REPLACEMENT ROPS</b>				
SFLX-F10	Replacement ROPS - LX ROPS Models	K513B60	148 lbs	\$642.00
<b>REPLACEMENT CABS</b>				
B7083	Replacement Cab for LX2610HSDC	K6B738B40	1125 lbs	\$8,423.00
B7084	Replacement Cab for LX3310HSDC	K6B581B60	1125 lbs	\$8,227.00
<b>BLOCK HEATER</b>				
70000-73274	Block Heater		(Order from the Parts Department)	
<b>SPARK ARRESTING MUFFLER</b>				
70000-01605	Spark Arresting Muffler for LX2610HSD and LX2610HSDC		(Order from the Parts Department)	



<b>B Series</b>		<b>LX2610/LX3310</b>		
<b>Front End Loaders</b>				
<b>ORDER CODE</b>	<b>DESCRIPTION</b>	<b>FACTORY NUMBER</b>	<b>APPROX. SHIP WT.</b>	<b>SUGGESTED LIST PRICE</b>
<b>LA535</b>				
LA535	Front End Loader Includes Mounting Kit, 2-lever quick coupler, Stand, Level Indicator and Grille Guard Valve is Standard on Tractor Requires Bucket	K3B384B80	664 lbs	\$4,231.00
<b>3RD FUNCTION VALVES</b>				
B7369	3rd Function Valve Kit - Cab Models <b>Must order hydraulic line quick couplers separately</b>	K728B00	1 lbs	\$910.00
B7368	3rd Function Valve Kit - ROPS Models <b>Must order hydraulic line quick couplers separately</b>	K728B00	42 lbs	\$910.00
380-344A	Third Function Valve Kit from Land Pride		(Order From Land Pride)	
<b>SWIFT-TACH/ONE-LEVER QUICK COUPLER</b>				
B2386	Swift-tach Kit for ROPS Kit includes One-Lever Quick Coupler	K635B20	127 lbs	\$794.00
B2387	Swift-tach Kit for CAB Kit includes One-Lever Quick Coupler	K716B80	94 lbs	\$896.00
<b>MECHANICAL SELF-LEVELING</b>				
B2377	Mechanical Self-Leveling Kit	K716B80	130 lbs	\$896.00
<b>QUICK ATTACH BUCKETS</b>				
B2371	54" QA Bucket	K412B80	271 lbs	\$516.00
B2372	60" Light Material QA Bucket	K509B60	247 lbs	\$637.00
B2373	Bolt-On Cutting Edge Kit for 54" Bucket	K154B40	40 lbs	\$193.00
<b>QUICK ATTACH PALLET FORK FRAME / PALLET FORKS</b>				
B2376	Pallet Fork Frame 2-Lever QA (Requires K9048)	K580B00	165 lbs	\$725.00
K9048	36" Pallet Forks	K371L20	176 lbs	\$464.00
<b>QUICK ATTACH FRONT LOADER BLADES &amp; ACCESSORIES</b>				
B2672	60" Straight Blade w/Man. Angle	K1B654B40	475 lbs	\$2,068.00
B2673	72" Straight Blade w/Man. Angle	K1B808B80	535 lbs	\$2,261.00
B2766	60" Rubber Cutting Edge	K204B00	49 lbs	\$255.00
B2776	72" Rubber Cutting Edge	K240B00	59 lbs	\$300.00
B2671	Hydraulic Angulation Kit for B2672 & B2673 Requires 3rd Function Valve	K473B60	14 lbs	\$592.00

**B Series****LX2610/LX3310****Front Quick Hitch & Front Quick Hitch Implements**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>FRONT QUICK HITCH FRAME &amp; COUPLER</b>				
LX2940	Quick Hitch and Sub-Frame B2726 required if no FEL Sub-Frame is Installed LX2953 required with any loader installed	K1B178B40	300 lbs	\$1,473.00
LX2953	Hose Holder Kit (Required if Front Loader Installed)	K60B80	5 lbs	\$76.00
B2726	Quick Hitch Support Kit Required for Units without a Front End Loader Sub-Frame	K224B80	32 lbs	\$281.00
<b>FRONT QH DRIVELINE KITS</b>				
LX2941	Mid PTO Driveline Kit for LX2610HSDC and LX3310HSDC	K620B80	30 lbs	\$776.00
LX2942	Mid PTO Driveline Kit for LX2610HSD and LX3310HSD	K620B80	30 lbs	\$776.00
<b>FRONT QH MOUNTED ROTARY SWEEPERS &amp; ACCESSORIES</b>				
LX2950	66" Rotary Sweeper - Hyd. Angle, 24" Wafer Requires Quick Hitch and Mid PTO Driveline Kit Not Compatible with the LX2610SUHD Model	K4B034B40	480 lbs	\$5,043.00
V5269	50/50 Poly and Steel Brush Kit	K493V35	99 lbs	\$715.00
V5250	Side Markers (Flexible Rods)	K22V08	8 lbs	\$32.00
LX2951	Dust Deflector for LX2950	K149B60	20 lbs	\$187.00
<b>FRONT QH MOUNTED BLADES &amp; ACCESSORIES</b>				
LX2954	LX T-Fitting Kit NOTE: Required for use of front hitch snow equipment when optional LA535 MSL Kit (B2377) is installed	K44B00	5 lbs	\$55.00
LX2960	60" Blade - Hyd. Angle, Trip Spring Lockout Requires Quick Hitch	K1B445B60	480 lbs	\$1,807.00
LX2972	72" Blade - Hyd. Angle Requires Quick Hitch	K1B576B80	500 lbs	\$1,971.00
B2766	60" Rubber Cutting Edge	K204B00	49 lbs	\$255.00
B2776	72" Rubber Cutting Edge	K240B00	59 lbs	\$300.00



**B Series LX2610/LX3310**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>FRONT QH MOUNTED SNOWBLOWERS &amp; ACCESSORIES</b>				
<b>RESIDENTIAL SNOW BLOWERS</b>				
LX2963	63" Residential 2-Stage Snow Blower Hydraulic Rotator and Manual Deflector Requires Front Hitch and Mid PTO Driveline Kit Refer to Front Hitch section for add'l kits required if Front Loader installed Not Compatible with the LX2610SUHD Model	K2B873B60	550 lbs	\$3,592.00
<b>COMMERCIAL SNOW BLOWERS</b>				
LX2970	51" Commercial 2-Stage Snowblower Hydraulic Rotator and Manual Deflector Requires Front Hitch and Mid PTO Driveline Kit Refer to Front Hitch section for add'l kits required if Front Loader installed Not Compatible with the LX2610SUHD Model	K3B951B20	605 lbs	\$4,939.00
LX2980	64" Commercial 2-Stage Snowblower Hydraulic Rotator and Manual Deflector Requires Front Hitch and Mid PTO Driveline Kit Refer to Front Hitch section for add'l kits required if Front Loader installed Not Compatible with the LX2610SUHD Model	K4B040B80	635 lbs	\$5,051.00
<b>SNOW BLOWER ACCESSORIES</b>				
BL7522	Hydraulic Chute Deflector for LX2963, LX2970 and LX2980	K827B20	18 lbs	\$1,034.00
BX5447	Drift Cutters for LX2963	K78B40	9 lbs	\$98.00
BL7524	Drift Cutters for LX2970 and LX2980	K79B20	10 lbs	\$99.00
LX2943	Hard Plastic Cutting Edge & Adjustable Skid Shoes for LX2963	K272B80	20 lbs	\$341.00
LX2944	Hard Plastic Cutting Edge & Adjustable Skid Shoes for LX2970	K261B60	20 lbs	\$327.00
LX2945	Hard Plastic Cutting Edge & Adjustable Skid Shoes for LX2980	K272B80	20 lbs	\$341.00
B2799	3" Side Extension Kit for LX2970 and LX2980	K104B80	12 lbs	\$131.00

<b>B Series</b>		<b>LX2610/LX3310</b>		
<b>ORDER CODE</b>	<b>DESCRIPTION</b>	<b>FACTORY NUMBER</b>	<b>APPROX. SHIP WT.</b>	<b>SUGGESTED LIST PRICE</b>
<b>MID MOUNT MOWER DECKS &amp; ACCESSORIES</b>				
RCK60-30BB	60" Cutting Width - 3 Blade Finish Mower, RH Discharge Not compatible with ROPS models' side step <b>LX2610HSD/LX3310HSD side step MUST be removed for compatibility</b> Not compatible with B8785 Wheel Spacers Not compatible with ABR8768 or ABR8645 Tires Not compatible with LX2610SUHSD.	K2B549B60	445 lbs	\$3,187.00
RC72-30BB	72" Cutting Width - 3 Blade Finish Mower RH Discharge Not Compatible with B8785 Wheel Spacers Not Compatible with ABR8768 or ABR8645 Tires Not Compatible with Grass Catcher Not compatible with LX2610SUHSD.	K3B146B40	551 lbs	\$3,933.00
GCK60-30BB	Grass Catcher 3 Bag (9.75 Bushels) Requires Boot Kit Not Compatible with RC72-30BB	K1B920B00	320 lbs	\$2,400.00
B3046	Boot Kit - 60" Deck	K263B20	31 lbs	\$329.00
70000-02505	Mulching Kit for RCK60-30BB Requires 70000-02507 Left Baffle Kit (1) and 70000-70038 Mulching Blades (3) Not compatible with 72" Mower Deck		(Order from Parts Department)	
70000-02507	Left Baffle Kit		(Order from Parts Department)	
70000-25041	Mulching Blades (3)		(Order from Parts Department)	
<b>BACKHOES &amp; ACCESSORIES</b>				
BH77	7.7' Backhoe - 4 Point Mount Quick Mount/Dismount without Tools Requires Sub-Frame, 3pt Linkage must be removed to mount MMM may remain on the unit, locked in the upper position Not compatible with Grass Catcher	K6B333B60	1077 lbs	\$7,917.00
BH4973	BH Sub-Frame for LX2610HSDC and LX3310HSDC Includes Fixed Seat	K856B00	202 lbs	\$1,070.00
BH4966	BH Sub-Frame for LX2610HSD and LX3310HSD Includes Reversible Seat Mechanism	K856B00	240 lbs	\$1,070.00
BH4963A	BH Sub-Frame for LX2610SUHSD MUST ORDER PART #7K507-66570 TO COMPLETE INSTALLATION Includes Reversible Seat Mechanism	K856B00	260 lbs	\$1,070.00
BT1950A	10" Bucket - 3 Teeth	K379B20	63 lbs	\$474.00
BT1951A	12" Bucket - 3 Teeth	K447B20	69 lbs	\$559.00
BT1952A	16" Bucket - 4 Teeth	K591B20	82 lbs	\$739.00
BT1953A	24" Bucket - 5 Teeth	K772B80	118 lbs	\$966.00
BH1976	Mechanical Thumb - 6 Position	K432B80	51 lbs	\$541.00
L9467	Rubber Flip Pads for Stabilizers (order 2 per BH)	K113L60	15 lbs	\$142.00



<b>B Series</b>		<b>LX2610/LX3310</b>		
<b>ORDER CODE</b>	<b>DESCRIPTION</b>	<b>FACTORY NUMBER</b>	<b>APPROX. SHIP WT.</b>	<b>SUGGESTED LIST PRICE</b>

**3-POINT MOUNTED IMPLEMENTS & ACCESSORIES**

<b>Rear Mount Snow Blowers</b>				
B2789	51" Two Stage Snow Blower (3-Pt Mount) Requires either Manual or Hydraulic Chute Rotation Kit	K2B614B40	390 lbs	\$3,268.00
BLMX3164	64" Two-Stage Commercial Snowblower Mounts to Category I 3-Point Hitch Requires Manual Chute Rotator or Hydraulic Chute Rotator	K2B802B40	681 lbs	\$3,503.00
<b>REAR MOUNT SNOW BLOWER OPTIONS</b>				
BL2665	Manual Chute Rotator	K159B20	11 lbs	\$199.00
BL6399	Hydraulic Chute Rotator Requires 1 Set of Hydraulic Rear Remote Valves	K723B20	20 lbs	\$904.00
BL2666A	Hydraulic Chute Deflector Kit Requires Hydraulic Chute Rotator Includes Electric Selector Valve	K885B60	22 lbs	\$1,107.00
B2516A	Electric Chute Deflector	K585B60	9 lbs	\$732.00
L2177	Width Extension Kit, adds 5" overall cut	K104L80	27 lbs	\$131.00