
B SERIES

**WHOLEGOODS PRICE LIST
EFFECTIVE MARCH 1, 2021**

These pages are a complete revision of
this section of your price book.
All prices are effective March 1, 2021.

3/1/21 Updated All Pricing

PAGE NUMBER	MODEL	PTO HP	FACTORY NUMBER	SUGGESTED LIST PRICE
7-3	B2401DT	19.4	K10B304B00	\$ 12,880.00
7-3	B2401DTWO	19.4	K9B797B60	\$ 12,247.00
7-5	B2401DTN	19.4	K10B909B60	\$ 13,637.00
7-7	B2301HSD-1	17.5	K12B260B80	\$ 15,326.00
7-7	B2601HSD-1	19.5	K13B096B00	\$ 16,370.00
7-10	B01 Dealer Installed Accessories			
7-11	B01 Front Loaders			
7-12	B01 Front Quick Hitch and Quick Hitch Implements			
7-14	B01 Implements			
7-15	B2320DTWO	18	K9B157B60	\$ 11,447.00
7-15	B2320DT	18	K9B616B80	\$ 12,021.00
7-17	B2320DTWO/DT Dealer Installed Accessories			
7-18	B2320DTWO/DT Front Loaders			
7-19	B2320DTWO/DT Front Quick Hitch and Quick Hitch Implements			
7-21	B2320DTWO/DT Implements			
7-23	B2320DTN-1	18	K10B370B40	\$ 12,963.00
7-25	B2320DTN-1 Dealer Installed Accessories			
7-27	B2650HSD	19.5	K13B409B60	\$ 16,762.00
7-27	B2650HSDC	19.5	K19B575B20	\$ 24,469.00
7-29	B3350HSD	27	K16B591B20	\$ 20,739.00
7-29	B3350HSDC	27	K22B531B20	\$ 28,164.00
7-31	B3350SUHSD	27	K14B800B00	\$ 18,500.00
7-33	B2650/3350 Dealer Installed Accessories			
7-36	B2650/3350 Front Loaders			
7-37	B2650/3350 Front Quick Hitch and Quick Hitch Implements			
7-39	B2650/3350 Implements			
7-41	LX2610SUHSD	19.5	K13B335B20	\$ 16,669.00
7-43	LX2610HSD	19.5	K14B152B80	\$ 17,691.00
7-43	LX2610HSDC	27	K20B454B40	\$ 25,568.00
7-45	LX3310HSD	27	K18B000B80	\$ 22,501.00
7-45	LX3310HSDC	27	K23B804B00	\$ 29,755.00
7-47	LX Series Dealer Installed Accessories			
7-49	LX Series Front Loaders			
7-50	LX Series Front Quick Hitch and Quick Hitch Implements			
7-52	LX Series Implements			



B Series

B2401DT/B2401DTWO

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota Indirect Injection
 3 Cylinder Engine
 EPA Tier 4 Compliant
 Charging Output 40 Amps
 12V - 430 CCA
 Dual Air Cleaner Element

EXHAUST EMISSION CONTROL TYPE

No Exhaust After Treatment Required

HYDRAULICS / HITCH / DRAWBAR

Open Center
 Tandem Pumps Gear Type
 2.6 gpm Power Steering
 4.4 gpm Remote/3 Pt. Hitch
 7.0 gpm Total Hyd. Flow

3-POINT HITCH & DRAWBAR

Cat I 3-Point Hitch
 At lift Point 1653 lbs.
 24" Behind 1301 lbs.
 Position Control Valve

POWER TAKE OFF

Transmission Driven with
 Over-Running Clutch
 Rear PTO - 2 Speeds
 SAE Std 1 3/8" Six Spline
 540 rpm @ 2505 Eng. rpm
 1000 rpm @ 2560 rpm

TRANSMISSION

Gear Drive
 Rear Differential Lock
 9 Forward Speeds
 3 Reverse Speeds
 Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering
 Cast Iron (Narrow)
 Bevel Gear 4WD
 Tread Spacing - Nonadjustable

FLUID CAPACITY

Fuel Tank 6.1 gal.
 Cooling System 4.1 qts.
 Crankcase 3.3 qts.
 Transmission and Hydraulics 3.3 gal.
 Front Axle 3.4 qts.

INSTRUMENTS

Tachometer/Hour meter
 Oil Pressure
 Fuel Gauge
 Coolant Temperature

SAFETY EQUIPMENT

2-Post Foldable ROPS w/Retractable
 Seat Belt
 Flip-Up PTO Shield
 Safety Start Switches
 Electric Key Shut Off
 Parking Brake
 SMV Sign

Model Specifications	
B2401DT/DTWO	
SAE Gross HP:	21.9
PTO HP:	19.4
Engine Model:	D1105
Displacement:	68.5 Cu In



B Series B2401DT/B2401DTWO

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
*** STANDARD TRACTOR WITH STANDARD TIRES ***				
B2401DT	4WD Compact Tractor - 2 Post Foldable ROPS	K10B304B00	1348 lbs	\$12,880.00
B2401DTWO	4WD Compact Tractor - 2 Post Foldable ROPS Not Equipped with Front Loader Valve	K9B797B60	1348 lbs	\$12,247.00

B2401		Additional Price With Tire Option			
ORDER	CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGGESTED LIST PRICE
TIRES AND WHEELS†					
ABR8701*		F-TIRE 6-12 R1 AG Steel Bias CA	28 lbs	In Base Price	In Base Price
ABR8755B*		R-TIRE 9.5-16 R1 Goodyear Dura Torque	76 lbs		
BR8735		F-TIRE 22x8.50-12 R3 B-Stone PillowDiam1	31 lbs	K116B80	Add \$ 146.00
ABR8790		R-TIRE 31x15.5-15 HF-1 Gdyr Xtra Trac	80 lbs		
ABR8727		F-TIRE 23x8.50-12 R3 Sup Turf K500 FenWh	32 lbs	K86B40	Add \$ 108.00
ABR8779		R-TIRE 33x12.5-15 HF-1 Goodyear SofTrac	82 lbs		
ABR8763		F-TIRE 23x8.50-12 R4 Titan Trac Loader	43 lbs	K129B60	Add \$ 162.00
ABR8764		R-TIRE 12-16.5 R4 Titan Trac Loader	103 lbs		
ABR8791		F-TIRE 23X8.50-12 R14T GOODYEAR SST	43 lbs	K196B80	Add \$ 246.00
ABR8792		R-TIRE 12-16.5 R14T GOODYEAR SST	103 lbs		

† See Tire Section for Individual Tire Pricing and Information
 * Standard Tires

TIRES AND WHEELS (priced per piece)

B2401DT/B2401DTWO		TIRES AND WHEELS (priced per piece)			
ORDER	CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGG. LIST PRICE
AG					
ABR8701*		F-TIRE 6-12 R1 AG Steel Bias CA	28 lbs	B112B80	\$ 141.00
ABR8755B*		R-TIRE 9.5-16 R1 Goodyear Dura Torque	76 lbs	B249B60	\$ 312.00
TURF					
BR8735		F-TIRE 22x8.50-12 R3 B-Stone PillowDiam1	31 lbs	B116B00	\$ 145.00
ABR8790		R-TIRE 31x15.5-15 HF-1 Gdyr Xtra Trac	80 lbs	B304B80	\$ 381.00
TURF					
ABR8727		F-TIRE 23x8.50-12 R3 Sup Turf K500 FenWh	32 lbs	B136B80	\$ 171.00
ABR8779		R-TIRE 33x12.5-15 HF-1 Goodyear SofTrac	82 lbs	B268B80	\$ 336.00
INDUSTRIAL					
ABR8763		F-TIRE 23x8.50-12 R4 Titan Trac Loader	43 lbs	B150B40	\$ 188.00
ABR8764		R-TIRE 12-16.5 R4 Titan Trac Loader	103 lbs	B276B80	\$ 346.00
AG/INDUSTRIAL HYBRID					
ABR8791		F-TIRE 23X8.50-12 R14T GOODYEAR SST	43 lbs	B167B20	\$ 209.00
ABR8792		R-TIRE 12-16.5 R14T GOODYEAR SST	103 lbs	B293B60	\$ 367.00

B Series B2401DTN (Narrow)

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota Indirect Injection
 3 Cylinder Engine
 EPA Tier 4 Compliant
 Charging Output 40 Amps
 12V – 430 CCA
 Dual Air Cleaner Element

EXHAUST EMISSION CONTROL TYPE

No Exhaust After Treatment Required

HYDRAULICS / HITCH / DRAWBAR

Open Center
 Tandem Pumps Gear Type
 2.6 gpm Power Steering
 4.4 gpm Remote/3 Pt. Hitch
 7.0 gpm Total Hyd. Flow

3-POINT HITCH & DRAWBAR

Cat I 3-Point Hitch
 At lift Point 1653 lbs.
 24" Behind 1301 lbs.
 Position Control Valve

POWER TAKE OFF

Transmission Driven with
 Over-running Clutch
 Rear PTO – 2 Speed
 SAE Std 1 3/8" Six Spline
 540 rpm @ 2505 Eng. rpm
 1000 rpm @ 2560 Eng. rpm

TRANSMISSION

Gear Drive
 Rear Differential Lock
 9 Forward Speeds
 3 Reverse Speeds
 Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering
 Cast Iron (Narrow)
 Bevel Gear 4WD
 Tread Spacing - Nonadjustable

FLUID CAPACITY

Fuel Tank 6.1 gal.
 Cooling System 4.1 qts.
 Crankcase 3.3 qts.
 Transmission and Hydraulics 3.3 gal.
 Front Axle 3.4 qts.

INSTRUMENTS

Tachometer/Hour meter
 Oil Pressure
 Fuel Gauge
 Coolant Temperature

SAFETY EQUIPMENT

2-Post Rigid ROPS w/Retractable
 Seat Belt
 Flip-Up PTO Shield
 Safety Start Switches
 Electric Key Shut Off
 Parking Brake
 SMV Sign

Model Specifications

B2401 DT Narrow
 SAE Gross HP: 21.9
 PTO HP: 19.4
 Engine Model: D1105
 Displacement: 68.5 Cu In
 Tread Width: Front: 27.8" (overall width 35.4")
 Rear: 27.6" to 31.3" (overall width 35.4" to 39.1")



B Series B2401DTN (Narrow)

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD TRACTOR WITH STANDARD TIRES ***

B2401DTN	4WD Compact Tractor (Narrow) - 2 Post Rigid ROPS	K10B909B60	1348 lbs	\$13,637.00
----------	--	------------	----------	-------------

B2401DTN		Additional Price With Tire Option		
TIRES AND WHEELS [†]				
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGGESTED LIST PRICE
BR8762*	F-TIRE 5-12 R1 B-Stone Farm Service Lug	24 lbs	In Base Price	In Base Price
BR8774*	R-TIRE 8-16 R1 BRIDGESTONE FARM SVC	62 lbs		

[†] See Tire Section for Individual Tire Pricing and Information
 * Standard Tires

B2401DTN		TIRES AND WHEELS (priced per piece)		
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGG. LIST PRICE
AG				
BR8762*	F-TIRE 5-12 R1 B-Stone Farm Service Lug	24 lbs	B93B60	\$ 117.00
BR8774*	R-TIRE 8-16 R1 BRIDGESTONE FARM SVC	62 lbs	B212B00	\$ 265.00



B Series B2301/B2601

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota Indirect Injection
 3 Cylinder Engine
 EPA Tier 4 Compliant
 Charging Output 14.5 Amps
 12V – 430 CCA
 Dual Air Cleaner Element

TRANSMISSION

Hydrostatic Drive
 Rear Differential Lock
 3 Forward Ranges
 3 Reverse Ranges
 Cruise Control
 Wet Disc Brakes

SAFETY EQUIPMENT

2-Post Foldable ROPS w/Retractable
 Seat Belt
 Flip-Up PTO Shield
 Safety Start Switches
 Electric Key Shut Off
 Parking Brake
 SMV Sign

EXHAUST EMISSION CONTROL TYPE

No Exhaust After Treatment Required

FRONT AXLE

Hydrostatic Power Steering
 Cast Iron
 Bevel Gear 4WD
 Tread Spacing - Nonadjustable

HYDRAULICS / HITCH / DRAWBAR

Open Center
 Tandem Pumps Gear Type
 3.6 gpm Power Steering
 4.7 gpm Remote/3 Pt. Hitch
 8.3 gpm Total Hyd. Flow

FLUID CAPACITY

Fuel Tank 6.1 gal.
 Cooling System 4.0 qts.
 Crankcase 3.3 qts.
 Transmission and Hydraulics 4.0 gal.
 Front Axle 3.7 qts.

3-POINT HITCH & DRAWBAR

Cat I 3-Point Hitch
 At Lift Point 1808 lbs.
 24" Behind 1411 lbs.
 Position Control 3-Point Valve

INSTRUMENTS

Tachometer/Hour meter
 Oil Pressure
 Fuel Gauge
 Coolant Temperature

POWER TAKE OFF

Live Independent with Hydraulic Clutch
 Rear PTO – 1 Speed
 SAE Std 1 3/8" Six Spline
 540 rpm @ 2773 Eng. rpm
 Mid PTO – 1 Speed
 2500 rpm @ 2753 Eng. rpm

Model Specifications			
B2301		B2601	
SAE Gross HP:	20.9	SAE Gross HP:	24.3
PTO HP:	17.5	PTO HP:	19.5
Engine Model:	D1005	Engine Model:	1105
Displacement:	61.1 Cu In	Displacement:	68.5 Cu In



B Series B2301HSD-1

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
*** STANDARD TRACTOR WITH STANDARD TIRES ***				
B2301HSD-1	4WD Compact Tractor - 2 Post Foldable ROPS	K12B260B80	1392 lbs	\$15,326.00

B2301		Additional Price With Tire Option				
TIRES AND WHEELS†						
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER		SUGGESTED LIST PRICE	
ABR8701*	F-TIRE 6-12 R1 AG Steel Bias CA	28 lbs	In Base Price		In Base Price	
ABR8755B*	R-TIRE 9.5-16 R1 Goodyear Dura Torque	76 lbs				
BR8735	F-TIRE 22x8.50-12 R3 B-Stone PillowDiam1	31 lbs	K116B80	Add	\$ 146.00	
ABR8790	R-TIRE 31x15.5-15 HF-1 Gdyr Xtra Trac	80 lbs				
ABR8727	F-TIRE 23x8.50-12 R3 Sup Turf K500 FenWh	32 lbs	K86B40	Add	\$ 108.00	
ABR8779	R-TIRE 33x12.5-15 HF-1 Goodyear SofTrac	82 lbs				
ABR8763	F-TIRE 23x8.50-12 R4 Titan Trac Loader	43 lbs	K129B60	Add	\$ 162.00	
ABR8764	R-TIRE 12-16.5 R4 Titan Trac Loader	103 lbs				
ABR8791	F-TIRE 23X8.50-12 R14T GOODYEAR SST	43 lbs	K196B80	Add	\$ 246.00	
ABR8792	R-TIRE 12-16.5 R14T GOODYEAR SST	103 lbs				

† See Tire Section for Individual Tire Pricing and Information
 * Standard Tires

TIRES AND WHEELS (priced per piece)

B2301HSD		TIRES AND WHEELS (priced per piece)				
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER		SUGG. LIST PRICE	
AG						
ABR8701*	F-TIRE 6-12 R1 AG Steel Bias CA	28 lbs	B112B80		\$ 141.00	
ABR8755B*	R-TIRE 9.5-16 R1 Goodyear Dura Torque	76 lbs	B249B60		\$ 312.00	
TURF						
BR8735	F-TIRE 22x8.50-12 R3 B-Stone PillowDiam1	31 lbs	B116B00		\$ 145.00	
ABR8790	R-TIRE 31x15.5-15 HF-1 Gdyr Xtra Trac	80 lbs	B304B80		\$ 381.00	
TURF						
ABR8727	F-TIRE 23x8.50-12 R3 Sup Turf K500 FenWh	32 lbs	B136B80		\$ 171.00	
ABR8779	R-TIRE 33x12.5-15 HF-1 Goodyear SofTrac	82 lbs	B268B80		\$ 336.00	
INDUSTRIAL						
ABR8763	F-TIRE 23x8.50-12 R4 Titan Trac Loader	43 lbs	B150B40		\$ 188.00	
ABR8764	R-TIRE 12-16.5 R4 Titan Trac Loader	103 lbs	B276B80		\$ 346.00	
AG/INDUSTRIAL HYBRID						
ABR8791	F-TIRE 23X8.50-12 R14T GOODYEAR SST	43 lbs	B167B20		\$ 209.00	
ABR8792	R-TIRE 12-16.5 R14T GOODYEAR SST	103 lbs	B293B60		\$ 367.00	



B Series B2601HSD-1

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD TRACTOR WITH STANDARD TIRES ***

B2601HSD-1	4WD Compact Tractor - 2 Post Foldable ROPS	K13B096B00	1392 lbs	\$16,370.00
------------	--	------------	----------	-------------

B2601		Additional Price With Tire Option			
TIRES AND WHEELS†					
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER		SUGGESTED LIST PRICE
BR8707A*	F-TIRE 7-12 R1 B-Stone Farm Service Lug	33 lbs	In Base Price		In Base Price
ABR8769*	R-TIRE 11.2-16 R1 Goodyear Dyna Torq II	95 lbs			
BR8735	F-TIRE 22x8.50-12 R3 B-Stone PillowDiam1	31 lbs	K28B80	Add	\$ 36.00
ABR8790	R-TIRE 31x15.5-15 HF-1 Gdyr Xtra Trac	80 lbs			
ABR8727	F-TIRE 23x8.50-12 R3 Sup Turf K500 FenWh	32 lbs	K1B60	Less	\$ (2.00)
ABR8779	R-TIRE 33x12.5-15 HF-1 Goodyear SofTrac	82 lbs			
ABR8701	F-TIRE 6-12 R1 AG Steel Bias CA	28 lbs	K88B00	Less	\$ (110.00)
ABR8755B	R-TIRE 9.5-16 R1 Goodyear Dura Torque	76 lbs			
ABR8763	F-TIRE 23x8.50-12 R4 Titan Trac Loader	43 lbs	K41B60	Add	\$ 52.00
ABR8764	R-TIRE 12-16.5 R4 Titan Trac Loader	103 lbs			
ABR8791	F-TIRE 23X8.50-12 R14T GOODYEAR SST	43 lbs	K108B80	Add	\$ 136.00
ABR8792	R-TIRE 12-16.5 R14T GOODYEAR SST	103 lbs			

† See Tire Section for Individual Tire Pricing and Information
 * Standard Tires

TIRES AND WHEELS (priced per piece)

B2601HSD		TIRES AND WHEELS (priced per piece)			
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGG. LIST PRICE	
AG					
BR8707A*	F-TIRE 7-12 R1 B-Stone Farm Service Lug	33 lbs	B138B40	\$ 173.00	
ABR8769*	R-TIRE 11.2-16 R1 Goodyear Dyna Torq II	95 lbs	B268B00	\$ 335.00	
TURF					
BR8735	F-TIRE 22x8.50-12 R3 B-Stone PillowDiam1	31 lbs	B116B00	\$ 145.00	
ABR8790	R-TIRE 31x15.5-15 HF-1 Gdyr Xtra Trac	80 lbs	B304B80	\$ 381.00	
TURF					
ABR8727	F-TIRE 23x8.50-12 R3 Sup Turf K500 FenWh	32 lbs	B136B80	\$ 171.00	
ABR8779	R-TIRE 33x12.5-15 HF-1 Goodyear SofTrac	82 lbs	B268B80	\$ 336.00	
AG					
ABR8701	F-TIRE 6-12 R1 AG Steel Bias CA	28 lbs	B112B80	\$ 141.00	
ABR8755B	R-TIRE 9.5-16 R1 Goodyear Dura Torque	76 lbs	B249B60	\$ 312.00	
INDUSTRIAL					
ABR8763	F-TIRE 23x8.50-12 R4 Titan Trac Loader	43 lbs	B150B40	\$ 188.00	
ABR8764	R-TIRE 12-16.5 R4 Titan Trac Loader	103 lbs	B276B80	\$ 346.00	
AG/INDUSTRIAL HYBRID					
ABR8791	F-TIRE 23X8.50-12 R14T GOODYEAR SST	43 lbs	B167B20	\$ 209.00	
ABR8792	R-TIRE 12-16.5 R14T GOODYEAR SST	103 lbs	B293B60	\$ 367.00	

B Series B2301/B2401/B2601**DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
HYDRAULICS/HITCH/DRAWBAR				
HYDRAULIC REAR REMOTE VALVES (For B2301 and B2601 ONLY, NOT compatible with B2401)				
B1654	Base Kit and 1st Lever Requires B7304 Double Acting Valve	K316B80	7 lbs	\$396.00
B1655	2nd Position Stacking Kit and 2nd Lever Requires B1654, B7304, and a B7304 or B7305	K140B80	3 lbs	\$176.00
B7304	Double Acting Valve Section	K200B80	4 lbs	\$251.00
B7305	FD (Float Detent) Valve Section (2nd Position Only)	K252B80	5 lbs	\$316.00
DRAWBAR				
B6810	Drop Drawbar for B01 Series	K38B40	12 lbs	\$48.00
ROPS ACCESSORIES				
CANOPY				
E1175	Universal Lightweight Quick Attach Canopy Kit Includes Mounting Bracket and Canopy	K460Z00	90 lbs	\$575.00
E1123	Fiberglass Canopy Requires E1124 Mounting Kit	K264Z42	90 lbs	\$339.00
E1124	Fiberglass Canopy Mounting Kit	K147Z42	28 lbs	\$189.00
E1133	Plastic Canopy	K367B20	63 lbs	\$459.00
WORK LIGHTS				
E1176	Universal LED Light Kit (2 Lights w/ Shields) Mounts to Holes in ROPS	K207A20	1 lbs	\$259.00
BX7356A	ROPS-Mount Lights (2), 4-LED for B2301 and B2601 Models Front/Rear Adjustable, 700 Lumen	K167B20	4 lbs	\$209.00
B7335	Rear Working Auxiliary Light (Maximum 1 Light/Tractor)	K74B40	4 lbs	\$93.00
BALLAST				
BALLAST BOX				
B8460	Ballast Box—3-Point Mount	K205B60	404 lbs	\$257.00
WB10	Quick Hitch Compatible Weight Box Additional Liquid Ballast in the Tire is Necessary			(Order From Land Pride)
FRONT WEIGHT BRACKETS				
BX8064A	Weight Bracket - 5 Weights Not compatible with Front Grill Guards.	K83B20	23 lbs	\$104.00
FRONT SUITCASE WEIGHTS				
BL8069	Suitcase Weight (55 lbs. Each) 3 Weight Max per Standard Tractor Bracket Requires one BL8049 per Weight Requires one BL8013 for all Weight Stacks	K59B20	55 lbs	\$74.00
FRONT WEIGHT BOLT KITS				
BL8049	Weight Bolt Kits - 1 Kit per BL8069	K6B40	1 lbs	\$8.00
BL8013	All Thread Bolt Kit - Required for all weight stacks	K9B60	3 lbs	\$12.00
ADDITIONAL ACCESSORIES				
BLOCK HEATER				
70000-73274	Block Heater			(Order from the Parts Department)
GRILL GUARD - NON LOADER APPLICATION				
B1670	Grill Guard for Non-Loader Application Not Compatible with B2401DTN	K144B00	25 lbs	\$180.00
HIGH CAPACITY ALTERNATOR KIT				
B7314	40 Amp High Capacity Alternator Kit	K160B80	8 lbs	\$201.00
REAR WHEEL SPACERS				
B8786	1 3/8" Spacers - Not Compatible with Mid Mount Mowers or B240 NOTE: Not approved for backhoe and mowing applications	K259B20	34 lbs	\$324.00
REPLACEMENT ROPS				
SFB-F24	Replacement ROPS - B2401DT and B2401DTWO	K452B80	115 lbs	\$566.00
SFB-24N	Replacement ROPS - B2401DTN	K345B60	115 lbs	\$432.00
SFB-F26	Replacement ROPS - B2301HSD and B2601HSD	K470B40	115 lbs	\$588.00
SPARK ARRESTING MUFFLER				
70000-01605	Spark Arresting Muffler			(Order from the Parts Department)
STORAGE COVER				
70000-73732	Storage Cover			(Order from the Parts Department)

B Series B2301/B2401/B2601**Front End Loaders (excludes B2401DTN)**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
LA435	Front End Loader (Swift-Tach, w/one lever hydro coupler) Includes Mounting Kit, Stand, and Grill Guard Valve is Standard on Tractor(B01-1/B2401DT Models) Requires Bucket. Not compatible with B2401DTN	K2B497B60	646 lbs	\$3,122.00
OPTIONAL LOADER ACCESSORIES				
B1982	Loader Control Valve for B2401DTWO w/ LA435	K595B20	47	\$744.00
B1671	Mechanical Self-Leveling Kit (MSL)	K501B60	96 lbs	\$627.00
B1672	3rd Function Valve Kit Must order hydraulic line quick couplers separately NOTE: Not Compatible with B2401 Models	K668B00	45 lbs	\$835.00
380-149A	3rd Function Valve Kit From Land Pride		(Order From Land Pride)	
B1677	Retro Fit Kit (To Fit LA435 on Non "-1" B01 Models)	K191B20	22 lbs	\$239.00
PIN-ON BUCKETS				
B1674	50" Pin-On Bucket	K338B40	125 lbs	\$423.00
B1675	54" Pin-On Bucket	K386B40	154 lbs	\$483.00
B1676	60" Light Material Pin-On Bucket	K476B80	216 lbs	\$596.00
LA434	Front End Loader Includes Mounting Kit, Stand, and Grill Guard Valve is Standard on Tractor Requires Bucket. Not compatible with B2401DTN Requires B1678 if installed on B01-1 and B2401 models	K2B344B80	646 lbs	\$2,931.00
OPTIONAL LOADER ACCESSORIES				
B1653	3rd Function Valve Kit Must order hydraulic line quick couplers separately	K648B80	45 lbs	\$811.00
380-149A	3rd Function Valve Kit From Land Pride		(Order From Land Pride)	
B1678	Fit up kit for LA434 to B01-1 Models	K192B00	22 lbs	\$240.00
PIN-ON BUCKETS				
B1623	48" Pin-On Bucket	K304B80	125 lbs	\$381.00
B1624	50" Pin-On Bucket	K352B80	125 lbs	\$441.00
B1625	54" Pin-On Bucket	K386B40	125 lbs	\$483.00
B1626	60" Light Material Pin-On Bucket	K476B80	150 lbs	\$596.00
QUICK ATTACH COUPLERS & BUCKETS				
B1673	2 Lever Quick Coupler for LA435	K361B60	78 lbs	\$452.00
B2366	2 Lever Quick Coupler for LA434	K361B60	78 lbs	\$452.00
B2371	54" QA Bucket	K378B40	271 lbs	\$473.00
B2372	60" Light Material QA Bucket	K467B20	247 lbs	\$584.00
B2373	Bolt-On Cutting Edge Kit for 54" Bucket	K141B60	40 lbs	\$177.00
QUICK ATTACH PALLET FORK FRAME / PALLET FORKS				
B2376	Pallet Fork Frame 2-Lever QA (Requires K9048)	K532B00	165 lbs	\$665.00
K9048	36" Pallet Forks	K340L80	176 lbs	\$426.00
QUICK ATTACH FRONT LOADER BLADES & ACCESSORIES				
B2672	60" Straight Blade w/Man. Angle (requires B2366)	K1B444B80	475 lbs	\$1,806.00
B2673	72" Straight Blade w/Man. Angle (B2366)	K1B581B60	535 lbs	\$1,977.00
B2766	60" Rubber Cutting Edge	K180B00	49 lbs	\$225.00
B2776	72" Rubber Cutting Edge	K211B20	59 lbs	\$264.00
B2671	Hydraulic Angulation Kit for B2672 & B2673 Requires 3rd Function Valve	K418B40	14 lbs	\$523.00

B Series B2301/B2401/B2601**Front Quick Hitch & Front Quick Hitch Implements (excludes B2401DTN)**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
FRONT QUICK HITCH FRAME & COUPLER				
B3410	4-Point Quick Connect Front Hitch and Sub-Frame For B01-1 and B2401DT (NOT Compatible with B2401DTN) Requires Grill Guard Tilt Kit on Tractors w/ Grill Guard	K900B80	250 lbs	\$1,126.00
B2714C	Quick Hitch and Sub-Frame for Non "-1" B2301 & B2601 Models When installing on units without a Loader Sub-Frame, order 2 each of 70060-02159 from Parts. Mid Mount Mower Decks must be removed to install Hitch. Hitch Brackets can stay in place when MMM Deck is installed.	K982B40	223 lbs	\$1,228.00

FRONT QH DRIVELINE/COMPLETION KITS

B3410 QH KITS				
B3411	Mid PTO Driveline Kit	K560B00	30 lbs	\$700.00
B3412	Grill Guard Tilt Kit	K48B00	5 lbs	\$60.00
BX2842	Completion Kit for BX2816	K109B60	N/A	\$137.00
B2714C QH KITS				
B2798	Mid PTO Driveline Kit. Requires a Front Driveline Kit.	K552B80	21 lbs	\$691.00
BX6751	Front Female Driveline Kit for BX5450	K154B40	5 lbs	\$193.00
BX6752	Front Female Driveline Kit for BX5455HD	K154B40	5 lbs	\$193.00
BX6743	Front Female Driveline Kit for BX2537A	K418B40	17 lbs	\$523.00

FRONT QH MOUNTED ROTARY SWEEPERS AND ACCESSORIES

B3410 QH MOUNTED ONLY				
BX2814A	60" Heavy Duty Rotary Sweeper with Hyd. Angle Includes Dethatching Wheels Requires Quick Hitch, Mid PTO Driveline Kit, and Loader Control Valve	K1B968X00	480 lbs	\$2,460.00
BX2815	Dust Deflector Kit for BX2814A	K130B40	60 lbs	\$163.00
B2714C QH MOUNTED ONLY				
B2779	60" Rotary Sweeper - Hyd. Angle, 21.5" Wafer Requires Quick Hitch and Mid PTO Driveline Kit	K3B487B20	300 lbs	\$4,359.00
BL2178	Side Caster Wheel Kit for B2779 Recommended for snow removal or lawn dethatching	K368L80	45 lbs	\$461.00
L2168	Rubber Deflector for B2779	K132L80	31 lbs	\$166.00

FRONT QH MOUNTED BLADES AND ACCESSORIES

B3410 QH MOUNTED ONLY				
BX2812A	60" Blade - Hyd. Angle Requires Quick Hitch and Loader Control Valve	K1B153X60	290 lbs	\$1,442.00
BX2825	Skid Shoes for BX2812A	K116B80	17 lbs	\$146.00
BX2813	60" Rubber Cutting Edge for BX2812A	K179B20	50 lbs	\$224.00
B2714C QH MOUNTED ONLY				
B2765A	60" Blade - Hyd. Angle, Trip Spring Lockout Requires Quick Hitch	K1B350B40	411 lbs	\$1,688.00
B2775	72" Blade - Hyd. Angle Requires Quick Hitch	K1B471B20	535 lbs	\$1,839.00
BX2813	60" Rubber Cutting Edge	K179B20	50 lbs	\$224.00
B2776	72" Rubber Cutting Edge	K211B20	59 lbs	\$264.00

KUBOTA**B Series B2301/B2401/B2601**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
FRONT QH MOUNTED SNOW BLOWERS & ACCESSORIES (excludes B2401DTN)				
B3410 QH MOUNTED ONLY				
BX2830	48" Two Stage Commercial Snow Blower Hydraulic Rotator and Manual Deflector Requires Quick Hitch, Mid PTO Driveline Kits, and Loader Control Valve	K2B764X00	370 lbs	\$3,455.00
BX2816	50" Two Stage Residential Snow blower Manual Rotator and Deflector Requires Quick Hitch, Mid PTO Driveline Kit, Completion Kit, and Loader Control Valve	K1B733X60	313 lbs	\$2,167.00
BX2822A	55" Two Stage Commercial Snow blower Hydraulic Rotator and Manual Deflector Requires Quick Hitch, Mid PTO Driveline Kits, and Loader Control Valve	K2B947X20	370 lbs	\$3,684.00
BX2818A	Hydraulic Chute Rotation for BX2816	K692B00	11 lbs	\$865.00
BX2819A	Electric Chute Rotation Kit for BX2816	K328B00	5 lbs	\$410.00
BX2820A	Electric Chute Deflector Kit for BX2816 / BX2822A / BX2830	K432B80	6 lbs	\$541.00
BX2821A	Hydraulic Chute Deflector Kit for BX2816 / BX2822A / BX2830	K863B20	21 lbs	\$1,079.00
BX2817	Hard Plastic Shoes and Cutting Edge for BX2816	K203B20	2 lbs	\$254.00
BX2823	Hard Plastic Shoes and Cutting Edge for BX2822A	K212B00	7 lbs	\$265.00
BX2831	Hard Plastic Shoes and Cutting Edge for BX2830	K244B80	20 lbs	\$306.00
GR2714	Drift Cutters for BX2816	K48G80	4 lbs	\$61.00
BX5447	Drift Cutters for BX2822A / BX2830	K68B00	9 lbs	\$85.00
B2714C QH MOUNTED ONLY				
BX5450	50" Two Stage Snowblower Manual Rotator and Deflector Requires Quick Hitch, Mid PTO Driveline Kits, and Front Female Driveline Kit	K1B683X20	313 lbs	\$2,104.00
BX5455HD	55" Two Stage Snowblower, Commercial Grade Hydraulic Rotator and Manual Deflector Requires Quick Hitch, Mid PTO Driveline Kits, and Front Female Driveline Kit	K2B861X60	425 lbs	\$3,577.00
B2781B	51" Two Stage Snowblower Manual Rotator and Deflector Requires Quick Hitch and Mid PTO Driveline Kit	K2B377B60	475 lbs	\$2,972.00
B2782B	63" Two Stage Snowblower Manual Rotator and Deflector Requires Quick Hitch and Mid PTO Driveline Kit	K2B552B00	500 lbs	\$3,190.00
BX5442	Electric Chute Rotation Kit for BX5450	K318B40	7 lbs	\$398.00
BX5443	Electric Chute Deflector Kit for BX5450 & BX5455HD	K420B00	7 lbs	\$525.00
BX5444	Hard Plastic Shoes for BX5450 & BX5455HD	K112B80	2 lbs	\$141.00
BX5445	Hard Plastic Cutting Edge for BX5450	K83B20	2 lbs	\$104.00
BX5446	Hard Plastic Cutting Edge for BX5455HD	K91B20	2 lbs	\$114.00
BX5447	Drift Cutters for BX5455HD	K68B00	9 lbs	\$85.00
GR2714	Drift Cutters for BX5450	K48G80	4 lbs	\$61.00
B2516A	Electric Chute Deflector for B2781B and B2782B	K516B80	9 lbs	\$646.00
B2756	Hydraulic Chute Rotation for B2781B and B2782B	K638B40	20 lbs	\$798.00
BL2666A	Hydraulic Chute Deflector for B2781B and B2782B Requires Hyd. Chute Rotation Kit	K780B80	22 lbs	\$976.00
B2786	Side Extension Kit for B2781B and B2782B	K97F60	27 lbs	\$122.00

B Series B2301/B2401/B2601

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
MID MOUNT MOWER DECKS & ACCESSORIES (excludes B2401DTN)				
RCK54-32	54" Cutting Width - 3 Blade Finish Mower RH Discharge, Drive Over Deck Design Not Compatible with B8786 Wheel Spacers Requires mounting kit for B2401DT/DTWO	K1B781B60	365 lbs	\$2,227.00
RCK60-32	60" Cutting Width - 3 Blade Finish Mower RH Discharge, Drive Over Deck Design Not Compatible with B8786 Wheel Spacers Requires mounting kit for B2401DT/DTWO	K2B160B80	418 lbs	\$2,701.00
GCK60-30BB	Grass Catcher for B2301 and B2601 3 Bag (9.75 Bushels) Requires Boot Kit	K1B761B60	320 lbs	\$2,202.00
GCK60-76BA	Grass Catcher for B2401 3 Bag (9.75 Bushels) Requires Boot Kit	K1B761B60	270 lbs	\$2,202.00
B3043	Mounting Kit for MMM fit up to B2401	K208B00	1 lbs	\$260.00
B3045A	Boot Kit - 54" Deck	K241B60	25 lbs	\$302.00
B3047A	Boot Kit - 60" Deck	K241B60	31 lbs	\$302.00

BACKHOE & ACCESSORIES (excludes B2401DTN)

BH70	7' Backhoe - 4 Point Mount Quick Mount/Dismount without Tools Requires Sub-Frame, 3pt Linkage must be removed to mount MMM may remain on the unit, locked in the upper position Not compatible with Grass Catcher	K5B016B80	850 lbs	\$6,271.00
BH1627	BH Sub-Frame for B2301/B2601 Includes Reversible Seat Mechanism	K987B20	202 lbs	\$1,234.00
BH4964	BH Sub-Frame for B2401 (Not compatible w/ B2401DTN) Includes Reversible Seat Mechanism	K987B20	202 lbs	\$1,234.00
BT1950A	10" Bucket - 3 Teeth	K348B00	63 lbs	\$435.00
BT1951A	12" Bucket - 3 Teeth	K410B40	69 lbs	\$513.00
BT1952A	16" Bucket - 4 Teeth	K542B40	82 lbs	\$678.00
BH1976	Mechanical Thumb - 6 Position	K396B80	51 lbs	\$496.00
BX9468	Rubber Flip Pads for Stabilizers (order 2 per BH)	K104B00	19 lbs	\$130.00

3-POINT REAR MOUNTED IMPLEMENTS & ACCESSORIES

B2789	51" Two Stage Snow Blower (3-Pt Mount) Requires either Manual or Hydraulic Chute Rotation Kit	K2B222B40	390 lbs	\$2,778.00
BL2665	Manual Chute Rotation Kit	K140B00	11 lbs	\$175.00
B2784A	Hydraulic Chute Rotation Kit Requires a Minimum of 1 Rear Remote	K681B60	14 lbs	\$852.00
BL2666A	Hydraulic Chute Deflector Kit Requires Hydraulic Chute Rotation Kit	K780B80	22 lbs	\$976.00
B2516A	Electric Chute Deflector Kit	K516B80	9 lbs	\$646.00
L2177	Side Extension Kit - 5"	K92L80	27 lbs	\$116.00

B Series

B2320DT/B2320DTWO

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota Indirect Injection
 3 Cylinder Engine
 EPA Tier 4 Compliant
 Charging Output 14.5 Amps
 12V - 430 CCA
 Dual Air Cleaner Element

EXHAUST EMISSION CONTROL TYPE

No Exhaust After Treatment Required

HYDRAULICS / HITCH / DRAWBAR

Open Center
 Tandem Pumps Gear Type
 3.6 gpm Power Steering
 4.7 gpm Remote/3 Pt. Hitch
 8.3 gpm Total Hyd. Flow

3-POINT HITCH & DRAWBAR

Cat I 3-Point Hitch
 At lift Point 1356 lbs.
 24" Behind 1058 lbs.
 Quarter Inching 3-Point Valve

POWER TAKE OFF

Transmission Driven with
 Over-Running Clutch
 Rear PTO - 1 Speed
 SAE Std 1 3/8" Six Spline
 540 rpm @ 2773 Eng. rpm

TRANSMISSION

Gear Drive
 Rear Differential Lock
 9 Forward Speeds
 3 Reverse Speeds
 Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering
 Cast Iron (Narrow)
 Bevel Gear 4WD
 Tread Spacing - Nonadjustable

FLUID CAPACITY

Fuel Tank 6.9 gal.
 Cooling System 4.1 qts.
 Crankcase 3.3 qts.
 Transmission and Hydraulics 3.7 gal.
 Front Axle 3.4 qts.

INSTRUMENTS

Tachometer/Hour meter
 Oil Pressure
 Fuel Gauge
 Coolant Temperature

SAFETY EQUIPMENT

2-Post Rigid ROPS w/Retractable
 Seat Belt
 Flip-Up PTO Shield
 Safety Start Switches
 Electric Key Shut Off
 Parking Brake
 SMV Sign

Model Specifications

B2320DT/DTWO

SAE Gross HP: 20.9
 PTO HP: 18.0
 Engine Model: D1005
 Displacement: 61.1 Cu In



B Series B2320DT/B2320DTWO

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
*** STANDARD TRACTOR WITH STANDARD TIRES ***				
B2320DT	4WD Compact Tractor - 2 Post Rigid ROPS	K9B616B80	1348 lbs	\$12,021.00
B2320DTWO	4WD Compact Tractor - 2 Post Rigid ROPS Not Equipped with Front Loader Valve	K9B157B60	1348 lbs	\$11,447.00

B2320DT/B2320DTWO		Additional Price With Tire Option			
TIRES AND WHEELS [†]					
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER		SUGGESTED LIST PRICE
ABR8701*	F-TIRE 6-12 R1 AG Steel Bias CA	28 lbs	In Base Price		In Base Price
ABR8755B*	R-TIRE 9.5-16 R1 Goodyear Dura Torque	76 lbs			
BR8735	F-TIRE 22x8.50-12 R3 B-Stone PillowDiam1	31 lbs	K116B80	Add	\$ 146.00
ABR8790	R-TIRE 31x15.5-15 HF-1 Gdyr Xtra Trac	80 lbs			
ABR8727	F-TIRE 23x8.50-12 R3 Sup Turf K500 FenWh	32 lbs	K86B40	Add	\$ 108.00
ABR8779	R-TIRE 33x12.5-15 HF-1 Goodyear SofTrac	82 lbs			
ABR8763	F-TIRE 23x8.50-12 R4 Titan Trac Loader	43 lbs	K129B60	Add	\$ 162.00
ABR8764	R-TIRE 12-16.5 R4 Titan Trac Loader	103 lbs			

[†] See Tire Section for Individual Tire Pricing and Information
 * Standard Tires

B2320DT/B2320DTWO		TIRES AND WHEELS (priced per piece)			
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGG. LIST PRICE	
AG					
ABR8701*	F-TIRE 6-12 R1 AG Steel Bias CA	28 lbs	B112B80	\$ 141.00	
ABR8755B*	R-TIRE 9.5-16 R1 Goodyear Dura Torque	76 lbs	B249B60	\$ 312.00	
TURF					
BR8735	F-TIRE 22x8.50-12 R3 B-Stone PillowDiam1	31 lbs	B116B00	\$ 145.00	
ABR8790	R-TIRE 31x15.5-15 HF-1 Gdyr Xtra Trac	80 lbs	B304B80	\$ 381.00	
ABR8727	F-TIRE 23x8.50-12 R3 Sup Turf K500 FenWh	32 lbs	B136B80	\$ 171.00	
ABR8779	R-TIRE 33x12.5-15 HF-1 Goodyear SofTrac	82 lbs	B268B80	\$ 336.00	
INDUSTRIAL					
ABR8763	F-TIRE 23x8.50-12 R4 Titan Trac Loader	43 lbs	B150B40	\$ 188.00	
ABR8764	R-TIRE 12-16.5 R4 Titan Trac Loader	103 lbs	B276B80	\$ 346.00	

B Series B2320DT/B2320DTWO**DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
HYDRAULICS/HITCH/DRAWBAR				
HYDRAULIC REAR REMOTE VALVES				
B7333	1st Position Valve Kit - B2320DTWO Contains Valve and Hoses B2320DTWO also requires (1) 75536-68112 and (2) 75536-68132	K628B00	30 lbs	\$785.00
B7309C	1st Position Valve Kit - B2320DT Contains Valve and Hoses	K664B00	27 lbs	\$830.00
BL7343	2nd Position Kit Requires 1st Position Kit and BL7373 or BL7393	K40B80	1 lbs	\$51.00
BL7353	3rd Position Kit Requires 1st and 2nd Position Kit and BL7373 or BL7393	K40B80	2 lbs	\$51.00
BL7373	3-Position Detent Valve (Not Self Canceling)	K251B20	5 lbs	\$314.00
BL7393	FD (Float Detent) Valve Section	K276B00	6 lbs	\$345.00
ROPS ACCESSORIES				
CANOPY				
E1123	Fiberglass Canopy Requires E1124 Mounting Kit	K264Z42	90 lbs	\$339.00
E1124	Fiberglass Canopy Mounting Kit	K147Z42	28 lbs	\$189.00
E1133	Plastic Canopy	K367B20	63 lbs	\$459.00
REAR WORK LIGHT				
B7335	Rear Working Auxiliary Light (Maximum 1 Light/Tractor)	K74B40	4 lbs	\$93.00
BALLAST				
BALLAST BOX				
B8460	Ballast-Box—3-Pont-Mount	K205B60	404 lbs	\$257.00
WB10	Quick Hitch Compatible Weight Box Additional Liquid Ballast in the Tire is Necessary		(Order From Land Pride)	
FRONT WEIGHT BRACKETS				
BX8064A	Weight Bracket - 5 Weights Not compatible with Front Grill Guards.	K83B20	23 lbs	\$104.00
FRONT SUITCASE WEIGHTS				
BL8060-1	Suitcase Weight (55 lbs. Each) 3 Weight per Standard Tractor Bracket Requires one BL8062 per Weight	K59B20	55 lbs	\$74.00
FRONT WEIGHT BOLT KITS				
BL8062	Weight Bolt Kits - 1 Kit per BL8060-1	K7B20	1 lbs	\$9.00
ADDITIONAL ACCESSORIES				
BLOCK HEATER				
70000-73274	Block Heater		(Order from the Parts Department)	
GRILL GUARD - NON LOADER APPLICATION				
B1642	Grill Guard for Non-Loader Application	K144B00	14 lbs	\$180.00
HIGH CAPACITY ALTERNATOR KIT				
B7311	40 Amp High Capacity Alternator Kit	K160B80	8 lbs	\$201.00
REPLACEMENT ROPS				
SFB-F292	Replacement ROPS - B2301HSD and B2601HSD	K452B80	150 lbs	\$566.00
SPARK ARRESTING MUFFLER				
70000-01605	Spark Arresting Muffler		(Order from the Parts Department)	
STORAGE COVER				
70000-73732	Storage Cover		(Order from the Parts Department)	

KUBOTA**B Series****B2320DT/B2320DTWO****Front End Loaders**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
LA304FL				
LA304FL	Front End Loader Includes Mounting Kit, Stand, Grill Guard, and 48" Bucket Valve is Standard on Tractor (Except B2320DTWO)	K2B315B20	646 lbs	\$2,894.00
FRONT END LOADER CONTROL VALVE				
B1980	Loader Control Valve - B2320DTWO only	K559B20	36 lbs	\$699.00
380-149A	3rd Function Valve Kit From Land Pride		(Order From Land Pride)	
PIN-ON BUCKETS				
B1623	48" Pin-On Bucket	K317B60	125 lbs	\$397.00

B Series**B2320DT/B2320DTWO****Front Quick Hitch & Front Quick Hitch Implements**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
FRONT QUICK HITCH FRAME & COUPLER				
B2733A	Quick Hitch and Sub-Frame Mid Mount Mower Decks must be removed to install Hitch Hitch Brackets can stay in place when MMM Deck is installed	K856B00	190 lbs	\$1,070.00
B1980	Front Loader Valve B2320DTWO Models Only	K559B20	36 lbs	\$699.00
FRONT QH DRIVELINE KITS				
B2788	Mid PTO Driveline Kit. Requires Front Driveline Kit.	K368B00	16 lbs	\$460.00
BX2735	Front Male Driveline Kit for BX2537A, BX5450, and BX5455HD	K149B60	7 lbs	\$187.00
B2736	Front Male Driveline Kit for B2779, B2781B, and B2782B	K173B60	7 lbs	\$217.00
FRONT QH MOUNTED ROTARY SWEEPERS & ACCESSORIES				
BX2537A	47" Rotary Sweeper - Man. Angle, 18" Wafer Requires Quick Hitch, Mid PTO Driveline Kit, and Front Female Driveline Kit	K1B609X60	300 lbs	\$2,012.00
B2779	60" Rotary Sweeper - Hyd. Angle, 21.5" Wafer Requires Quick Hitch, Mid PTO Driveline Kit, and Front Female Driveline Kit	K3B487B20	300 lbs	\$4,359.00
BX2737	Side Caster Wheel Kit for BX2537A Recommended for snow removal or lawn dethatching	K221B60	30 lbs	\$277.00
BX2761	Hydraulic Angle Kit for BX2537A	K390B40	13 lbs	\$488.00
BL2178	Side Caster Wheel Kit for B2779 Recommended for snow removal or lawn dethatching	K368L80	45 lbs	\$461.00
L2168	Rubber Deflector for B2779	K132L80	31 lbs	\$166.00
FRONT QH MOUNTED BLADES & ACCESSORIES				
B2765A	60" Blade - Hyd. Angle, Trip Spring Lockout Requires Quick Hitch	K1B350B40	411 lbs	\$1,688.00
B2775	72" Blade - Hyd. Angle Requires Quick Hitch	K1B471B20	535 lbs	\$1,839.00
B2766	60" Rubber Cutting Edge	K180B00	49 lbs	\$225.00
B2776	72" Rubber Cutting Edge	K211B20	59 lbs	\$264.00

B Series**B2320DT/B2320DTWO**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
FRONT QH MOUNTED SNOW BLOWERS & ACCESSORIES				
BX5450	50" Two Stage Snowblower Manual Rotator and Deflector Requires Quick Hitch, Mid PTO Driveline Kits, and Front Female Driveline Kit	K1B683X20	313 lbs	\$2,104.00
BX5455HD	55" Two Stage Snowblower, Commercial Grade Hydraulic Rotator and Manual Deflector Requires Quick Hitch, Mid PTO Driveline Kits, and Front Female Driveline Kit	K2B861X60	425 lbs	\$3,577.00
B2781B	51" Two Stage Snowblower Manual Rotator and Deflector Requires Quick Hitch and Mid PTO Driveline Kit	K2B377B60	475 lbs	\$2,972.00
B2782B	63" Two Stage Snowblower Manual Rotator and Deflector Requires Quick Hitch and Mid PTO Driveline Kit	K2B552B00	500 lbs	\$3,190.00
BX5441	Hydraulic Chute Rotation for BX5450	K672B00	14 lbs	\$840.00
BX5442	Electric Chute Rotation Kit for BX5450	K318B40	7 lbs	\$398.00
BX5443	Electric Chute Deflector Kit for BX5450 & BX5455HD	K420B00	7 lbs	\$525.00
BX5444	Hard Plastic Shoes for BX5450 & BX5455HD	K112B80	2 lbs	\$141.00
BX5445	Hard Plastic Cutting Edge for BX5450	K83B20	2 lbs	\$104.00
BX5446	Hard Plastic Cutting Edge for BX5455HD	K91B20	2 lbs	\$114.00
BX5447	Drift Cutters for BX5455HD	K68B00	9 lbs	\$85.00
GR2714	Drift Cutters for BX5450	K48G80	4 lbs	\$61.00
B2516A	Electric Chute Deflector for B2781B and B2782B	K516B80	9 lbs	\$646.00
B2756	Hydraulic Chute Rotation for B2781B and B2782B	K638B40	20 lbs	\$798.00
BL2666A	Hydraulic Chute Deflector for B2781B and B2782B Requires Hyd. Chute Rotation Kit	K780B80	22 lbs	\$976.00
B2786	Side Extension Kit for B2781B and B2782B	K97F60	27 lbs	\$122.00

B Series B2320DT/B2320DTWO

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
MID MOUNT MOWER DECKS & ACCESSORIES				
RCK54-29B	54" Cutting Width - 3 Blade Finish Mower RH Discharge, Drive Over Deck Design Not Compatible with B8786 Wheel Spacers	K1B723B20	365 lbs	\$2,154.00
RCK60-29B	60" Cutting Width - 3 Blade Finish Mower RH Discharge, Drive Over Deck Design Not Compatible with B8786 Wheel Spacers	K2B111B20	418 lbs	\$2,639.00
GCK60-76BA	Grass Catcher 3 Bag (9.75 Bushels) Requires Boot Kit	K1B761B60	270 lbs	\$2,202.00
B3045A	Boot Kit - 54" Deck	K241B60	25 lbs	\$302.00
B3047A	Boot Kit - 60" Deck	K241B60	31 lbs	\$302.00
BACKHOE & ACCESSORIES				
BH65	7' Backhoe - 4 Point Mount Quick Mount/Dismount without Tools Requires Sub-Frame, 3pt Linkage must be removed to mount MMM may remain on the unit, locked in the upper position Not compatible with Grass Catcher	K4B852B00	850 lbs	\$6,065.00
BH4965	BH Sub-Frame Includes Reversible Seat Mechanism	K822B40	202 lbs	\$1,028.00
BT1950A	10" Bucket - 3 Teeth	K348B00	63 lbs	\$435.00
BT1951A	12" Bucket - 3 Teeth	K410B40	69 lbs	\$513.00
BT1952A	16" Bucket - 4 Teeth	K542B40	82 lbs	\$678.00
BH1976	Mechanical Thumb - 6 Position	K396B80	51 lbs	\$496.00
BX9468	Rubber Flip Pads for Stabilizers (order 2 per BH)	K104B00	19 lbs	\$130.00
3-POINT REAR MOUNTED IMPLEMENTS & ACCESSORIES				
B2789	51" Two Stage Snow Blower (3-Pt Mount) Requires either Manual or Hydraulic Chute Rotation Kit	K2B222B40	390 lbs	\$2,778.00
BL2665	Manual Chute Rotation Kit	K140B00	11 lbs	\$175.00
B2784A	Hydraulic Chute Rotation Kit Requires a Minimum of 1 Rear Remote	K681B60	14 lbs	\$852.00
BL2666A	Hydraulic Chute Deflector Kit Requires Hydraulic Chute Rotation Kit	K780B80	22 lbs	\$976.00
B2516A	Electric Chute Deflector Kit	K516B80	9 lbs	\$646.00
L2177	Side Extension Kit - 5"	K92L80	27 lbs	\$116.00



B Series

This page intentionally left blank.

B Series

B2320DTN-1

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota Indirect Injection
 3 Cylinder Engine
 EPA Tier 4 Compliant
 Charging Output 14.5 Amps
 12V - 430 CCA
 Dual Air Cleaner Element

EXHAUST EMISSION CONTROL TYPE

No Exhaust After Treatment Required

HYDRAULICS / HITCH / DRAWBAR

Open Center
 Tandem Pumps Gear Type
 3.6 gpm Power Steering
 4.7 gpm Remote/3 Pt. Hitch
 8.3 gpm Total Hyd. Flow

3-POINT HITCH & DRAWBAR

Cat I 3-Point Hitch
 At lift Point 1655 lbs.
 24" Behind 1300 lbs.
 Position Control Valve

POWER TAKE OFF

Transmission Driven with
 Over-running Clutch
 Rear PTO - 1 Speed
 SAE Std 1 3/8" Six Spline
 540 rpm @ 2773 Eng. rpm

TRANSMISSION

Gear Drive
 Rear Differential Lock
 9 Forward Speeds
 3 Reverse Speeds
 Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering
 Cast Iron (Narrow)
 Bevel Gear 4WD
 Tread Spacing - Nonadjustable

FLUID CAPACITY

Fuel Tank	6.9 gal.
Cooling System	4.1 qts.
Crankcase	3.3 qts.
Transmission and Hydraulics	3.7 gal.
Front Axle	3.4 qts.

INSTRUMENTS

Tachometer/Hour meter
 Oil Pressure
 Fuel Gauge
 Coolant Temperature

SAFETY EQUIPMENT

2-Post Rigid ROPS w/Retractable
 Seat Belt
 Flip-Up PTO Shield
 Safety Start Switches
 Electric Key Shut Off
 Parking Brake
 SMV Sign

Model Specifications	
B2320DTN	
SAE Gross HP:	20.9
PTO HP:	18
Engine Model:	D1005
Displacement:	61.1 Cu In
Tread Width:	Front: 27.8" (overall width 34.1") Rear: 27.6" to 29.5" (overall width 35.4" to 37.4")



B Series B2320DTN-1

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD TRACTOR WITH STANDARD TIRES ***

B2320DTN-1	4WD Compact Tractor (Narrow) - 2 Post Rigid ROPS	K10B370B40	1348 lbs	\$12,963.00
------------	--	------------	----------	-------------

B2320DTN-1		Additional Price With Tire Option			
ORDER	CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGGESTED LIST PRICE
BR8762*		F-TIRE 5-12 R1 B-Stone Farm Service Lug	24 lbs	In Base Price	In Base Price
BR8754A*		R-TIRE 8-16 R1 Bridgestone Farm Svc Lug	62 lbs		
ABR8701		F-TIRE 6-12 R1 AG Steel Bias CA	28 lbs	K14B40	Add \$ 18.00
ABR8753B		F-TIRE 8.3-16 R1 OTR Traction Master	64 lbs		

† See Tire Section for Individual Tire Pricing and Information

* Standard Tires

B2320DTN-1		TIRES AND WHEELS (priced per piece)			
ORDER	CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGG. LIST PRICE
AG					
BR8762*		F-TIRE 5-12 R1 B-Stone Farm Service Lug	24 lbs	B93B60	\$ 117.00
BR8754A*		R-TIRE 8-16 R1 Bridgestone Farm Svc Lug	62 lbs	B212B00	\$ 265.00
ABR8701		F-TIRE 6-12 R1 AG Steel Bias CA	28 lbs	B112B80	\$ 141.00
ABR8753B		F-TIRE 8.3-16 R1 OTR Traction Master	64 lbs	B200B00	\$ 250.00

B Series B2320DTN-1**DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
HYDRAULICS/HITCH/DRAWBAR				
HYDRAULIC REAR REMOTE VALVES				
B7333	1st Position Valve Kit Contains Valve and Hoses B2320DTN-1 also requires (1) 75536-68112 and (2) 75536-68132	K628B00	30 lbs	\$785.00
BL7343	2nd Position Kit Requires 1st Position Kit and BL7373 or BL7393	K40B80	1 lbs	\$51.00
BL7353	3rd Position Kit Requires 1st and 2nd Position Kit and BL7373 or BL7393	K40B80	2 lbs	\$51.00
BL7373	3-Position Detent Valve (Not Self Canceling)	K251B20	5 lbs	\$314.00
BL7393	FD (Float Detent) Valve Section	K276B00	6 lbs	\$345.00
ROPS ACCESSORIES				
CANOPY				
E1123	Fiberglass Canopy Requires E1124 Mounting Kit	K264Z42	90 lbs	\$339.00
E1124	Fiberglass Canopy Mounting Kit	K147Z42	28 lbs	\$189.00
E1133	Plastic Canopy	K367B20	63 lbs	\$459.00
REAR WORK LIGHT				
B7335	Rear Working Auxiliary Light (Maximum 1 Light/Tractor)	K74B40	4 lbs	\$93.00
BALLAST				
BALLAST BOX				
B8160	Ballast Box—3-Point Mount	K206B60	101 lbs	\$257.00
WB10	Quick Hitch Compatible Weight Box Additional Liquid Ballast in the Tire is Necessary		(Order From Land Pride)	
FRONT WEIGHT BRACKETS				
BX8064A	Weight Bracket - 5 Weights Not compatible with Front Grill Guards.	K83B20	23 lbs	\$104.00
FRONT SUITCASE WEIGHTS				
BL8060-1	Suitcase Weight (55 lbs. Each) 3 Weight per Standard Tractor Bracket Requires one BL8062 per Weight	K59B20	55 lbs	\$74.00
FRONT WEIGHT BOLT KITS				
BL8062	Weight Bolt Kits - 1 Kit per BL8060-1	K7B20	1 lbs	\$9.00
REAR WHEEL WEIGHT KITS				
B8048	Rear Wheel Weight for BR8754 Includes 2 Weights and Hardware	K194B22	TBA	\$249.00



B Series

B2320DTN-1

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

ADDITIONAL ACCESSORIES

BLOCK HEATER				
70000-73274	Block Heater			(Order from the Parts Department)
GRILL GUARD - NON LOADER APPLICATION				
B1642	Grill Guard for Non-Loader Application	K144B00	14 lbs	\$180.00
HIGH CAPACITY ALTERNATOR KIT				
B7311	40 Amp High Capacity Alternator Kit	K160B80	8 lbs	\$201.00
REPLACEMENT ROPS				
SFB-232N	Replacement ROPS - B2301HSD and B2601HSD	K296B80	115 lbs	\$371.00
SPARK ARRESTING MUFFLER				
70000-01605	Spark Arresting Muffler			(Order from the Parts Department)
STORAGE COVER				
70000-73732	Storage Cover			(Order from the Parts Department)

3-POINT REAR MOUNTED IMPLEMENTS & ACCESSORIES

B2789	51" Two Stage Snow Blower (3-Pt Mount) Requires either Manual or Hydraulic Chute Rotation Kit	K2B222B40	390 lbs	\$2,778.00
BL2665	Manual Chute Rotation Kit	K140B00	11 lbs	\$175.00
B2784A	Hydraulic Chute Rotation Kit Requires a Minimum of 1 Rear Remote	K681B60	14 lbs	\$852.00
BL2666A	Hydraulic Chute Deflector Kit Requires Hydraulic Chute Rotation Kit	K780B80	22 lbs	\$976.00
B2516A	Electric Chute Deflector Kit	K516B80	9 lbs	\$646.00
L2177	Side Extension Kit - 5"	K92L80	27 lbs	\$116.00

B Series B2650HSD/B2650HSDC

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota Indirect Injection
 3 Cylinder Engine
 EPA Tier 4 Compliant
 Charging Output (ROPS) 14.5 Amps
 Charging Output (Cab) 60.0 Amps
 12V - 430 CCA
 Dual Air Cleaner Element

EXHAUST EMISSION CONTROL TYPE

No Exhaust After Treatment Required

HYDRAULICS / HITCH / DRAWBAR

Open Center
 Tandem Pumps Gear Type
 3.7 gpm Power Steering
 5.0 gpm Remote/3 Pt. Hitch
 8.7 gpm Total Hyd. Flow

3-POINT HITCH & DRAWBAR

Cat I 3-Point Hitch
 At Lift Point 2139 lbs.
 24" Behind 1676 lbs.
 Position Control 3-Point Valve

POWER TAKE OFF

Live Independent with Hydraulic Clutch
 Rear PTO - 1 Speed
 SAE Std 1 3/8" Six Spline
 563 rpm @ 2500 Eng. rpm
 Mid PTO - 1 Speed
 2500 rpm @ 2500 Eng. rpm

TRANSMISSION

Hydrostatic Drive
 Rear Differential Lock
 3 Forward Ranges
 3 Reverse Ranges
 Cruise Control
 Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering
 Cast Iron
 Bevel Gear 4WD
 Tread Spacing - Nonadjustable

FLUID CAPACITY

Fuel Tank (ROPS) 7.1 gal.
 Fuel Tank (Cab) 7.4 gal
 Cooling System 4.5 qts.
 Crankcase 4.2 qts.
 Transmission and Hydraulics 4.0 gal.
 Front Axle 5.0 qts.

INSTRUMENTS

Tachometer/Hour meter
 Oil Pressure
 Fuel Gauge
 Coolant Temperature

ROPS FEATURES

Tilt Steering
 Cruise Control
 Deluxe Seat with Arm Rest
 Telescoping Stabilizers
 12V Outlet and Cup Holder
 Integrated Loader Valve and Joystick
 Toolbox
 Left Side Step

CAB FEATURES

Tilt Steering
 Cruise Control
 AC/Heater
 Deluxe Seat with Armrest
 Telescoping Stabilizers
 Ratchet Right Link
 Front and Rear Wiper
 12V Outlet and Cup Holder
 Integrated Loader Valve and Joystick

SAFETY EQUIPMENT

2-Post Foldable ROPS w/Retractable
 Seat Belt
 Flip-Up PTO Shield
 Safety Start Switches
 Electric Key Shut Off
 Parking Brake
 SMV Sign

Model Specifications

<u>B2650HSD ROPS</u>		<u>B2650HSDC CAB</u>	
SAE Gross HP:	24.8	SAE Gross HP:	24.8
PTO HP:	19.5	PTO HP:	19.5
Engine Model:	D1305	Engine Model:	D1305
Displacement:	77.0 Cu In	Displacement:	77.0 Cu In



B Series B2650HSD/B2650HSDC

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
*** STANDARD TRACTOR WITH STANDARD TIRES ***				
B2650HSD	4WD Compact Tractor - 2 Post Foldable ROPS	K13B409B60	1392 lbs	\$16,762.00
B2650HSDC	4WD Compact Tractor - Cab (ROPS Certified)	K19B575B20	2271 lbs	\$24,469.00

B2650HSD / B2650HSDC		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGGESTED LIST PRICE
BR8707A*	F-TIRE 7-12 R1 B-Stone Farm Service Lug	33 lbs	In Base Price	In Base Price
ABR9382*	R-TIRE 12.4-16 R1 F-Stone TracFild&Rd TT	93 lbs		
ABR8742	F-TIRE 24x8.50-14 R3 Titan Multi Trac	42 lbs	K92B80	Add \$ 116.00
ABR8744	R-TIRE 13.6-16 R3 Titan Multi Trac	133 lbs		
ABR8726	F-TIRE 23x8.50-14 R4 Titan Trac Loader	50 lbs	K92B80	Add \$ 116.00
BR8749	R-TIRE 12.4-16 R4 Goodyear Sure Grip Lug	108 lbs		
ABR8791A	F-TIRE 23X8.50-12 R14T GOODYEAR SST	43 lbs	K222B40	Add \$ 278.00
ABR8647	R-TIRE 14-17.5 R14T GOODYEAR SST	159 lbs		

† See Tire Section for Individual Tire Pricing and Information
 * Standard Tires

B2650HSD / B2650HSDC		TIRES AND WHEELS (priced per piece)		
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGG. LIST PRICE
AG				
BR8707A*	F-TIRE 7-12 R1 B-Stone Farm Service Lug	33 lbs	B138B40	\$ 173.00
ABR9382*	R-TIRE 12.4-16 R1 F-Stone TracFild&Rd TT	93 lbs	B321B60	\$ 402.00
ABR8742	F-TIRE 24x8.50-14 R3 Titan Multi Trac	42 lbs	B152B00	\$ 190.00
ABR8744	R-TIRE 13.6-16 R3 Titan Multi Trac	133 lbs	B354B40	\$ 443.00
ABR8726	F-TIRE 23x8.50-14 R4 Titan Trac Loader	50 lbs	B149B60	\$ 187.00
BR8749	R-TIRE 12.4-16 R4 Goodyear Sure Grip Lug	108 lbs	B356B80	\$ 446.00
ABR8791A	F-TIRE 23X8.50-12 R14T GOODYEAR SST	43 lbs	B159B20	\$ 199.00
ABR8647	R-TIRE 14-17.5 R14T GOODYEAR SST	159 lbs	B412B00	\$ 515.00



B Series B3350HSD/B3350HSDC

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota Indirect Injection
 4 Cylinder Engine
 EPA Tier 4 Compliant
 Charging Output (ROPS) 60.0 Amps
 Charging Output (Cab) 75.0 Amps
 12V - 430 CCA
 Dual Air Cleaner Element

EXHAUST EMISSION CONTROL TYPE

Diesel Particulate Filter

HYDRAULICS / HITCH / DRAWBAR

Open Center
 Tandem Pumps Gear Type
 3.7 gpm Power Steering
 5.0 gpm Remote/3 Pt. Hitch
 8.7 gpm Total Hyd. Flow

3-POINT HITCH & DRAWBAR

Cat I 3-Point Hitch
 At Lift Point 2139 lbs.
 24" Behind 1676 lbs.
 Position Control 3-Point Valve

POWER TAKE OFF

Live Independent with Hydraulic Clutch
 Rear PTO - 1 Speed
 SAE Std 1 3/8" Six Spline
 563 rpm @ 2500 Eng. rpm
 Mid PTO - 1 Speed
 2500 rpm @ 2500 Eng. rpm

TRANSMISSION

Hydrostatic Drive
 Rear Differential Lock
 3 Forward Ranges
 3 Reverse Ranges
 Cruise Control
 Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering
 Cast Iron
 Bevel Gear 4WD
 Tread Spacing - Nonadjustable

FLUID CAPACITY

Fuel Tank (ROPS) 7.1 gal.
 Fuel Tank (Cab) 7.4 gal
 Cooling System 4.5 qts.
 Crankcase 5.0 qts.
 Transmission and Hydraulics 4.0 gal.
 Front Axle 5.0 qts.

INSTRUMENTS

Tachometer/Hour meter
 Oil Pressure
 Fuel Gauge
 Coolant Temperature

ROPS FEATURES

Tilt Steering
 Cruise Control
 Deluxe Seat with Arm Rest
 Telescoping Stabilizers
 12V Outlet and Cup Holder
 Integrated Loader Valve and Joystick
 Toolbox
 Left Side Step

CAB FEATURES

Tilt Steering
 Cruise Control
 AC/Heater
 Deluxe Seat with Armrest
 Telescoping Stabilizers
 Ratchet Right Link
 Front and Rear Wiper
 12V Outlet and Cup Holder
 Integrated Loader Valve and Joystick

SAFETY EQUIPMENT

2-Post Foldable ROPS w/Retractable Seat Belt
 Flip-Up PTO Shield
 Safety Start Switches
 Electric Key Shut Off
 Parking Brake
 SMV Sign

Model Specifications			
B3350HSD ROPS		B3350HSDC CAB	
SAE Gross HP:	30.8	SAE Gross HP:	30.8
PTO HP:	27.0	PTO HP:	27.0
Engine Model:	V1505	Engine Model:	V1505
Displacement:	91.5 Cu In	Displacement:	91.5 Cu In



B Series B3350HSD/B3350HSDC

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
*** STANDARD TRACTOR WITH STANDARD TIRES ***				
B3350HSD	4WD Compact Tractor - 2 Post Foldable ROPS	K16B591B20	1403 lbs	\$20,739.00
B3350HSDC	4WD Compact Tractor - Cab (ROPS Certified)	K22B531B20	2271 lbs	\$28,164.00

B3350HSD / B3350HSDC		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGGESTED LIST PRICE
BR8707A*	F-TIRE 7-12 R1 B-Stone Farm Service Lug	33 lbs	In Base Price	In Base Price
ABR9382*	R-TIRE 12.4-16 R1 F-Stone TracFild&Rd TT	93 lbs		
ABR8742	F-TIRE 24x8.50-14 R3 Titan Multi Trac	42 lbs	K92B80	Add \$ 116.00
ABR8744	R-TIRE 13.6-16 R3 Titan Multi Trac	133 lbs		
ABR8726	F-TIRE 23x8.50-14 R4 Titan Trac Loader	50 lbs	K92B80	Add \$ 116.00
BR8749	R-TIRE 12.4-16 R4 Goodyear Sure Grip Lug	108 lbs		
ABR8767**	F-TIRE 25x8.50-14 R4 Titan Trac Loader	56 lbs	K476B80	Add \$ 596.00
ABR8768**	R-TIRE 15-19.5 R4 Titan Trac Loader	174 lbs		
ABR8791A	F-TIRE 23x8.50-12 R14T GOODYEAR SST	43 lbs	K222B40	Add \$ 278.00
ABR8647	R-TIRE 14-17.5 R14T GOODYEAR SST	159 lbs		
ABR8646**	F-TIRE 25x8.50-14 R14T GOODYEAR SST	45 lbs	K556B80	Add \$ 696.00
ABR8645**	R-TIRE 15-19.5 R14T GOODYEAR SST	159 lbs		

† See Tire Section for Individual Tire Pricing and Information
 * Standard Tires
 ** Non-Cab Units only, Not Compatible with Mid Mount Mowers, Requires the use of Steering Stop Kit

B3350HSD / B3350HSDC		TIRES AND WHEELS (priced per piece)			
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGG. LIST PRICE	
AG					
BR8707A*	F-TIRE 7-12 R1 B-Stone Farm Service Lug	33 lbs	B138B40	\$ 173.00	
ABR9382*	R-TIRE 12.4-16 R1 F-Stone TracFild&Rd TT	93 lbs	B321B60	\$ 402.00	
ABR8742	F-TIRE 24x8.50-14 R3 Titan Multi Trac	42 lbs	B152B00	\$ 190.00	
ABR8744	R-TIRE 13.6-16 R3 Titan Multi Trac	133 lbs	B354B40	\$ 443.00	
ABR8726	F-TIRE 23x8.50-14 R4 Titan Trac Loader	50 lbs	B149B60	\$ 187.00	
BR8749	R-TIRE 12.4-16 R4 Goodyear Sure Grip Lug	108 lbs	B356B80	\$ 446.00	
ABR8767**	F-TIRE 25x8.50-14 R4 Titan Trac Loader	56 lbs	B160B00	\$ 200.00	
ABR8768**	R-TIRE 15-19.5 R4 Titan Trac Loader	174 lbs	B538B40	\$ 673.00	
ABR8791A	F-TIRE 23x8.50-12 R14T GOODYEAR SST	43 lbs	B159B20	\$ 199.00	
ABR8647	R-TIRE 14-17.5 R14T GOODYEAR SST	159 lbs	B412B00	\$ 515.00	
ABR8646**	F-TIRE 25x8.50-14 R14T GOODYEAR SST	45 lbs	B170B40	\$ 213.00	
ABR8645**	R-TIRE 15-19.5 R14T GOODYEAR SST	159 lbs	B568B00	\$ 710.00	

B Series B3350SUHSD

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota Indirect Injection
 4 Cylinder Engine
 EPA Tier 4 Compliant
 Charging Output (ROPS) 60.0 Amps
 12V – 430 CCA
 Dual Air Cleaner Element

EXHAUST EMISSION CONTROL TYPE

Diesel Particulate Filter

HYDRAULICS / HITCH / DRAWBAR

Open Center
 Tandem Pumps Gear Type
 3.7 gpm Power Steering
 5.0 gpm Remote/3 Pt. Hitch
 8.7 gpm Total Hyd. Flow

3-POINT HITCH & DRAWBAR

Cat I 3-Point Hitch
 At Lift Point 2139 lbs.
 24" Behind 1676 lbs.
 Quarter Inching 3-Point Valve

POWER TAKE OFF

Live Independent with Hydraulic Clutch
 Rear PTO – 1 Speed
 SAE Std 1 3/8" Six Spline
 563 rpm @ 2500 Eng. rpm

TRANSMISSION

Hydrostatic Drive
 Rear Differential Lock
 3 Forward Ranges
 3 Reverse Ranges
 Cruise Control
 Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering
 Cast Iron
 Bevel Gear 4WD
 Tread Spacing - Nonadjustable

FLUID CAPACITY

Fuel Tank (ROPS) 7.1 gal.
 Cooling System 4.5 qts.
 Crankcase 5.0 qts.
 Transmission and Hydraulics 4.0 gal.
 Front Axle 5.0 qts.

INSTRUMENTS

Tachometer/Hour meter
 Oil Pressure
 Fuel Gauge
 Coolant Temperature

ROPS FEATURES

12V Outlet and Cup Holder
 Integrated Loader Valve and Joystick
 Toolbox
 Left Side Step

SAFETY EQUIPMENT

2-Post Foldable ROPS w/Retractable
 Seat Belt
 Flip-Up PTO Shield
 Safety Start Switches
 Electric Key Shut Off
 Parking Brake
 SMV Sign

Model Specifications	
B3350SUHSD ROPS	
SAE Gross HP:	30.8
PTO HP:	27.0
Engine Model:	V1505
Displacement:	91.5 Cu In



B Series B3350SUHSD

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD TRACTOR WITH STANDARD TIRES ***

B3350SUHSD	4WD Compact Tractor - 2 Post Foldable ROPS	K14B800B00	1743 lbs	\$18,500.00
------------	--	------------	----------	-------------

B3350SUHSD		Additional Price With Tire Option			
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER		SUGGESTED LIST PRICE
BR8707A*	F-TIRE 7-12 R1 B-Stone Farm Service Lug	33 lbs	In Base Price		In Base Price
ABR9382*	R-TIRE 12.4-16 R1 F-Stone TracFld&Rd TT	93 lbs			
ABR8742	F-TIRE 24x8.50-14 R3 Titan Multi Trac	42 lbs	K92B80	Add	\$ 116.00
ABR8744	R-TIRE 13.6-16 R3 Titan Multi Trac	133 lbs			
ABR8726	F-TIRE 23x8.50-14 R4 Titan Trac Loader	50 lbs	K92B80	Add	\$ 116.00
BR8749	R-TIRE 12.4-16 R4 Goodyear Sure Grip Lug	108 lbs			
ABR8767**	F-TIRE 25x8.50-14 R4 Titan Trac Loader	56 lbs	K476B80	Add	\$ 596.00
ABR8768**	R-TIRE 15-19.5 R4 Titan Trac Loader	174 lbs			
ABR8791A	F-TIRE 23X8.50-12 R14T GOODYEAR SST	43 lbs	K222B40	Add	\$ 278.00
ABR8647	R-TIRE 14-17.5 R14T GOODYEAR SST	159 lbs			
ABR8646**	F-TIRE 25X8.50-14 R14T GOODYEAR SST	45 lbs	K556B80	Add	\$ 696.00
ABR8645**	R-TIRE 15-19.5 R14T GOODYEAR SST	159 lbs			

† See Tire Section for Individual Tire Pricing and Information
 * Standard Tires
 ** Not Compatible with Mid Mount Mowers, Requires the use of Steering Stop Kit

B3350SUHSD		TIRES AND WHEELS (priced per piece)			
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGG. LIST PRICE	
AG					
BR8707A*	F-TIRE 7-12 R1 B-Stone Farm Service Lug	33 lbs	B138B40	\$ 173.00	
ABR9382*	R-TIRE 12.4-16 R1 F-Stone TracFld&Rd TT	93 lbs	B321B60	\$ 402.00	
ABR8742	F-TIRE 24x8.50-14 R3 Titan Multi Trac	42 lbs	B152B00	\$ 190.00	
ABR8744	R-TIRE 13.6-16 R3 Titan Multi Trac	133 lbs	B354B40	\$ 443.00	
ABR8726	F-TIRE 23x8.50-14 R4 Titan Trac Loader	50 lbs	B149B60	\$ 187.00	
BR8749	R-TIRE 12.4-16 R4 Goodyear Sure Grip Lug	108 lbs	B356B80	\$ 446.00	
ABR8767**	F-TIRE 25x8.50-14 R4 Titan Trac Loader	56 lbs	B160B00	\$ 200.00	
ABR8768**	R-TIRE 15-19.5 R4 Titan Trac Loader	174 lbs	B538B40	\$ 673.00	
ABR8791A	F-TIRE 23X8.50-12 R14T GOODYEAR SST	43 lbs	B159B20	\$ 199.00	
ABR8647	R-TIRE 14-17.5 R14T GOODYEAR SST	159 lbs	B412B00	\$ 515.00	
ABR8646**	F-TIRE 25X8.50-14 R14T GOODYEAR SST	45 lbs	B170B40	\$ 213.00	
ABR8645**	R-TIRE 15-19.5 R14T GOODYEAR SST	159 lbs	B568B00	\$ 710.00	



B Series B2650/3350

DEALER INSTALLED ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
HYDRAULICS/HITCH/DRAWBAR				
HYDRAULIC REAR REMOTE VALVES - ROPS MODELS				
B7309C	1st Position Valve Kit Contains Valve and Hoses When installing a B7309C on tractors with Backhoe or 3rd Function Valve, please refer to PIB-2016-011 for additional part needed.	K664B00	27 lbs	\$830.00
BL7343	2nd Position Kit Requires 1st Position Kit and BL7373 or BL7393	K40B80	1 lbs	\$51.00
BL7353	3rd Position Kit Requires 1st and 2nd Position Kit and BL7373 or BL7393	K40B80	2 lbs	\$51.00
BL7373	3-Position Detent Valve (Not Self Canceling)	K251B20	5 lbs	\$314.00
BL7393	FD (Float Detent) Valve Section	K276B00	6 lbs	\$345.00
HYDRAULIC REAR REMOTE VALVES - CAB MODELS				
B7316	Base Kit and 1st Lever - Cab Models Only Requires B7304 Double Acting Valve	K417B60	15 lbs	\$522.00
B7317	2nd Position Stacking Kit and 2nd Lever - Cab Models Only Requires B7316, B7304, and a B7304 or B7305	K228B00	7 lbs	\$285.00
B7304	Double Acting Valve Section	K200B80	4 lbs	\$251.00
B7305	FD (Float Detent) Valve Section (2nd Position Only)	K252B80	5 lbs	\$316.00
3-POINT OPTIONS				
B2677	Telescoping Lower Link End Kit B2650HSD, B3350HSD, and B3350SUHSD Included for Cab models.	K174B40	32 lbs	\$218.00
B2667	Ratchet Type Lift Rod B2650HSD, B3350HSD, and B3350SUHSD Included for Cab models.	K93B60	5 lbs	\$117.00
DRAWBAR				
BL6820	Drop Drawbar for B50/LX/L01 Series	K64B00	17 lbs	\$80.00
ROPS ACCESSORIES				
CANOPY				
E1123	Fiberglass Canopy Requires E1124 Mounting Kit	K264Z42	90 lbs	\$339.00
E1124	Fiberglass Canopy Mounting Kit	K147Z42	28 lbs	\$189.00
E1133	Plastic Canopy	K367B20	63 lbs	\$459.00
REAR WORK LIGHT				
B7335	Rear Working Auxiliary Light (1 Light)	K74B40	4 lbs	\$93.00



B Series B2650/3350

DEALER INSTALLED ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
CAB OPTIONS				
HIGH CAPACITY ALTERNATOR KIT				
B2655	90 Amp High Capacity Alternator Kit May be required with some electrical accessories Please see Bulletin PSB-2015-069 for details For B3350 Cab models only.	K387B20	28 lbs	\$484.00
RADIOS				
3 Models	Jensen Radio	(Order from the Parts Department)		
REAR WORK LIGHTS				
B7337	Rear Work Light Kit (2 Lights)	K109B60	3 lbs	\$137.00
BALLAST				
BALLAST BOX				
B8460	Ballast Box—3-pt-Mount	K205B60	404 lbs	\$257.00
WB10	Quick Hitch Compatible Weight Box Additional Liquid Ballast in the Tire is Necessary Not Compatible with ABR8768 & ABR8645	(Order From Land Pride)		
FRONT WEIGHT BRACKETS				
BX8064A	Weight Bracket - 5 Weights Not compatible with Front Grill Guards.	K83B20	23 lbs	\$104.00
FRONT SUITCASE WEIGHTS				
BL8060-1	Suitcase Weight (55 lbs. Each) Requires BX8064A Requires One BL8062 per Weight	K59B20	55 lbs	\$74.00
FRONT WEIGHT BOLT KITS				
BL8062	Weight Bolt Kits - 1 Kit per BL8060-1	K7B20	1 lbs	\$9.00



B Series B2650/3350

DEALER INSTALLED ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
ADDITIONAL ACCESSORIES				
ARM REST				
B7358	Arm Rest Kit - B3350SUHSD Only	K64B80	7 lbs	\$81.00
BLOCK HEATER				
70000-73274	Block Heater	(Order from the Parts Department)		
CRUISE CONTROL				
B1015	Cruise Control Kit - B3350SUHSD Only	K36B80	3 lbs	\$46.00
EXTRA LENGTH SEAT BELT				
70002-06605	B2650HSDC and B3350HSDC	(Order from the Parts Department)		
GRILL GUARD - NON LOADER APPLICATION				
B2336A	Grill Guard for Non-Loader Application	K176B80	19 lbs	\$221.00
REAR WHEEL SPACERS				
B8785	1 3/8" Spacers Not Compatible with Mid Mount Mowers	K259B20	39 lbs	\$324.00
REPLACEMENT ROPS				
SFB-F50	Replacement ROPS - B2301HSD and B2601HSD	K470B40	115 lbs	\$588.00
REPLACEMENT CABS (SOME COMPONENTS FROM THE OLD CAB WILL BE NEEDED)				
B7076	Replacement Cab for B2650HSDC	K6B548B00	627 lbs	\$8,185.00
B7075	Replacement Cab for B3350HSDC	K6B589B60	627 lbs	\$8,237.00
SPARK ARRESTING MUFFLER				
70000-01605	Spark Arresting Muffler for B2650HSD and B2650HSDC	(Order from the Parts Department)		
STEERING STOP KITS				
B4573	Steering Stop Kit - B3350HSD and B3350SUHSD Use when ABR8767 Tires are installed	K16B00	1 lbs	\$20.00
FRONT SNOW MASK				
77700-06480	Front Snow Mask	(Order from the Parts Department)		



B Series B2650/3350

Front End Loaders

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
LA534A				
LA534A	Front End Loader Includes Mounting Kit, Stand, Level Indicator, and Grille Guard Valve is Standard on Tractor Requires Bucket	K2B737B60	621 lbs	\$3,422.00

SPILL GUARD

B2346	Hydraulic Spill Guard	K459B20	37 lbs	\$574.00
-------	-----------------------	---------	--------	----------

3RD FUNCTION VALVES

B7302A	3rd Function Valve Kit - Cab Models Must order hydraulic line quick couplers separately	K668B00	43 lbs	\$835.00
B7308A	3rd Function Valve Kit - ROPS Models Must order hydraulic line quick couplers separately	K668B00	43 lbs	\$835.00
380-168A	Third Function Valve Kit from Land Pride		(Order From Land Pride)	

PIN-ON BUCKETS

B1625	54" Pin-On Bucket	K386B40	125 lbs	\$483.00
B1626	60" Light Material Pin-On Bucket	K476B80	150 lbs	\$596.00

QUICK ATTACH COUPLER & QUICK ATTACH BUCKETS

B2366	2 Lever Quick Coupler	K361B60	78 lbs	\$452.00
B2324	54" QA Bucket	K378B40	202 lbs	\$473.00
B2356	60" Light Material QA Bucket	K467B20	227 lbs	\$584.00

QUICK ATTACH PALLET FORK FRAME / PALLET FORKS

B2376	Pallet Fork Frame 2-Lever QA (Requires K9048)	K532B00	165 lbs	\$665.00
K9048	36" Pallet Forks	K340L80	176 lbs	\$426.00

QUICK ATTACH FRONT LOADER BLADES & ACCESSORIES

B2672	60" Straight Blade w/Man. Angle (requires B2366)	K1B444B80	475 lbs	\$1,806.00
B2673	72" Straight Blade w/Man. Angle (requires B2366)	K1B581B60	535 lbs	\$1,977.00
B2766	60" Rubber Cutting Edge	K180B00	49 lbs	\$225.00
B2776	72" Rubber Cutting Edge	K211B20	59 lbs	\$264.00
B2671	Hydraulic Angulation Kit for B2672 & B2673 Requires 3rd Function Valve	K418B40	14 lbs	\$523.00

B Series**B2650/3350****Front Quick Hitch & Front Quick Hitch Implements**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
FRONT QUICK HITCH FRAME & COUPLER				
B2714C	Quick Hitch and Sub-Frame B2726 required if no FEL Sub-Frame is Installed Mid Mount Mower Decks must be removed to install Hitch Hitch Brackets can stay in place when MMM Deck is installed	K982B40	223 lbs	\$1,228.00
B2726	Quick Hitch Support Kit Required for Units without a Front End Loader Sub-Frame	K197B60	32 lbs	\$247.00
FRONT QH DRIVELINE KITS				
B2747	Mid PTO Driveline Kit for B2650HSD and B3350HSD	K552B80	19 lbs	\$691.00
B2793	Mid PTO Driveline Kit for B2650HSDC and B3350HSDC	K552B80	25 lbs	\$691.00
FRONT QH MOUNTED ROTARY SWEEPERS & ACCESSORIES				
B2779	60" Rotary Sweeper - Hyd. Angle, 21.5" Wafer Requires Quick Hitch and Mid PTO Driveline Kit Not Compatible with the B3350SUHD Model	K3B487B20	300 lbs	\$4,359.00
BL2178	Side Caster Wheel Kit Recommended for snow removal or lawn dethatching	K368L80	45 lbs	\$461.00
L2168	Rubber Deflector for B2779	K132L80	31 lbs	\$166.00
FRONT QH MOUNTED BLADES & ACCESSORIES				
B2765A	60" Blade - Hyd. Angle, Trip Spring Lockout Requires Quick Hitch	K1B350B40	411 lbs	\$1,688.00
B2775	72" Blade - Hyd. Angle Requires Quick Hitch	K1B471B20	535 lbs	\$1,839.00
B2766	60" Rubber Cutting Edge	K180B00	49 lbs	\$225.00
B2776	72" Rubber Cutting Edge	K211B20	59 lbs	\$264.00

KUBOTA**B Series****B2650/3350**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
FRONT QH MOUNTED SNOWBLOWERS & ACCESSORIES				
B2781B	51" Two Stage Snowblower Manual Rotator and Deflector Requires Quick Hitch and Mid PTO Driveline Kit Not Compatible with the B3350SUHD Model	K2B377B60	475 lbs	\$2,972.00
B2782B	63" Two Stage Snowblower Manual Rotator and Deflector Requires Quick Hitch and Mid PTO Driveline Kit Not Compatible with the B3350SUHD Model	K2B552B00	500 lbs	\$3,190.00
B2516A	Electric Chute Deflector for B2781B and B2782B	K516B80	9 lbs	\$646.00
B2756	Hydraulic Chute Rotation for B2781B and B2782B	K638B40	20 lbs	\$798.00
BL2666A	Hydraulic Chute Deflector for B2781B and B2782B Requires Hyd. Chute Rotation Kit	K780B80	22 lbs	\$976.00
B2786	Side Extension Kit for B2781B and B2782B	K97F60	27 lbs	\$122.00

B Series		B2650/3350		
ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
MID MOUNT MOWER DECKS & ACCESSORIES				
RCK60-30BB	60" Cutting Width - 3 Blade Finish Mower RH Discharge Not compatible with B8785 Wheel Spacers Not compatible with ABR8768 R4 Tires Not compatible with B3350SUHSD.	K2B339B20	445 lbs	\$2,924.00
RC72-30B	72" Cutting Width - 3 Blade Finish Mower RH Discharge Not Compatible with B8785 Wheel Spacers Not Compatible with ABR8768 R4 Tires Not Compatible with Grass Catcher Not compatible with B3350SUHSD.	K2B944B80	528 lbs	\$3,681.00
GCK60-30BB	Grass Catcher 3 Bag (9.75 Bushels) Requires Boot Kit Not Compatible with RC72-30B	K1B761B60	320 lbs	\$2,202.00
B3046	Boot Kit - 60" Deck	K241B60	31 lbs	\$302.00
70000-02505	Mulching Kit for RCK60-30BA Requires 70000-02507 Left Baffle Kit (1) and 70000-70038 Mulching Blades (3) Not compatible with 72" Mower Deck			(Order from Parts Department)
70000-02507	Left Baffle Kit			(Order from Parts Department)
70000-25041	Mulching Blades (3)			(Order from Parts Department)
BACKHOES & ACCESSORIES				
BH77	7.7' Backhoe - 4 Point Mount Quick Mount/Dismount without Tools Requires Sub-Frame, 3pt Linkage must be removed to mount MMM may remain on the unit, locked in the upper position Not compatible with Grass Catcher	K5B810B40	1077 lbs	\$7,263.00
BH4973	BH Sub-Frame for B2650HSDC and B3350HSDC Includes Fixed Seat	K785B60	202 lbs	\$982.00
BH4962	BH Sub-Frame for B2650HSD and B3350HSD Includes Reversible Seat Mechanism	K785B60	243 lbs	\$982.00
BH4963A	BH Sub-Frame for B3350SUHSD Includes Reversible Seat Mechanism	K785B60	260 lbs	\$982.00
BT1950A	10" Bucket - 3 Teeth	K348B00	63 lbs	\$435.00
BT1951A	12" Bucket - 3 Teeth	K410B40	69 lbs	\$513.00
BT1952A	16" Bucket - 4 Teeth	K542B40	82 lbs	\$678.00
BT1953A	24" Bucket - 5 Teeth	K708B80	118 lbs	\$886.00
BH1976	Mechanical Thumb - 6 Position	K396B80	51 lbs	\$496.00
L9467	Rubber Flip Pads for Stabilizers (order 2 per BH)	K104L00	15 lbs	\$130.00

KUBOTA

B Series		B2650/3350		
ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
3-POINT MOUNTED IMPLEMENTS & ACCESSORIES				
Rear Mount Snow Blowers				
B2789	51" Two Stage Snow Blower (3-Pt Mount) Requires either Manual or Hydraulic Chute Rotation Kit	K2B222B40	390 lbs	\$2,778.00
BLMX3164	64" Two-Stage Commercial Snowblower Mounts to Category I 3-Point Hitch Requires Manual Chute Rotator or Hydraulic Chute Rotator	K2B383B20	681 lbs	\$2,979.00
REAR MOUNT SNOW BLOWER OPTIONS				
BL2665	Manual Chute Rotator	K140B00	11 lbs	\$175.00
BL6399	Hydraulic Chute Rotator Requires 1 Set of Hydraulic Rear Remote Valves	K638B40	20 lbs	\$798.00
BL2666A	Hydraulic Chute Deflector Kit Requires Hydraulic Chute Rotator Includes Electric Selector Valve	K780B80	22 lbs	\$976.00
B2516A	Electric Chute Deflector	K516B80	9 lbs	\$646.00
L2177	Width Extension Kit, adds 5" overall cut	K92L80	27 lbs	\$116.00

B Series LX2610SUHSD

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota Indirect Injection
 3 Cylinder Engine
 EPA Tier 4 Compliant
 Charging Output (ROPS) 40 Amps
 12V – 430 CCA
 Dual Air Cleaner Element

EXHAUST EMISSION CONTROL TYPE

No Exhaust After Treatment Required

HYDRAULICS / HITCH / DRAWBAR

Open Center
 Tandem Pumps Gear Type
 3.7 gpm Power Steering
 5.0 gpm Remote/3 Pt. Hitch
 8.7 gpm Total Hyd. Flow

3-POINT HITCH & DRAWBAR

Cat I 3-Point Hitch
 At Lift Point 2139 lbs.
 24" Behind 1676 lbs.
 Position Control Valve

POWER TAKE OFF

Live Independent with Hydraulic Clutch
 Rear PTO – 1 Speed
 SAE Std 1 3/8" Six Spline
 540 rpm @ 2398 Eng. rpm

TRANSMISSION

Hydrostatic Drive
 Rear Differential Lock
 3 Forward Ranges
 3 Reverse Ranges
 Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering
 Cast Iron
 Bevel Gear 4WD
 Tread Spacing - Nonadjustable

FLUID CAPACITY

Fuel Tank (ROPS) 7.1 gal.
 Cooling System 4.5 qts.
 Crankcase 4.2 qts.
 Transmission and Hydraulics 4.0 gal.
 Front Axle 5.0 qts.

INSTRUMENTS

Tachometer/Hour meter
 Oil Pressure
 Fuel Gauge
 Coolant Temperature

ROPS FEATURES

12V Outlet and Cup Holder
 Integrated Loader Valve and Joystick
 Toolbox
 Left Side Step
 Rubber Floor Mat
 Holes in ROPS for mounting kits

SAFETY EQUIPMENT

2-Post Foldable ROPS w/Retractable Seat Belt
 Flip-Up PTO Shield
 Safety Start Switches
 Electric Key Shut Off
 Parking Brake
 SMV Sign

Model Specifications

LX2610SUHSD ROPS

SAE Gross HP: 24.8
 PTO HP: 19.5
 Engine Model: D1305
 Displacement: 77.0 Cu In



B Series		LX2610SUHSD		
ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE

*** STANDARD TRACTOR WITH STANDARD TIRES ***

LX2610SUHSD	4WD Compact Tractor - 2 Post Foldable ROPS	K13B335B20	1786 lbs	\$16,669.00
-------------	--	------------	----------	-------------

LX2610SUHSD		Additional Price With Tire Option			
ORDER	CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGGESTED LIST PRICE
TIRES AND WHEELS†					
AG					
BR8707A*		F-TIRE 7-12 R1 B-Stone Farm Service Lug	33 lbs	In Base Price	In Base Price
ABR9382*		R-TIRE 12.4-16 R1 F-Stone TracFild&Rd TT	93 lbs		
TURF					
ABR8742		F-TIRE 24x8.50-14 R3 Titan Multi Trac	42 lbs	K92B80	Add \$ 116.00
ABR8744		R-TIRE 13.6-16 R3 Titan Multi Trac	133 lbs		
INDUSTRIAL					
ABR8726		F-TIRE 23x8.50-14 R4 Titan Trac Loader	50 lbs	K92B80	Add \$ 116.00
BR8749		R-TIRE 12.4-16 R4 Goodyear Sure Grip Lug	108 lbs		
ABR8767**		F-TIRE 25x8.50-14 R4 Titan Trac Loader	56 lbs	K476B80	Add \$ 596.00
ABR8768**		R-TIRE 15-19.5 R4 Titan Trac Loader	174 lbs		
INDUSTRIAL HYBRID					
ABR8791A		F-TIRE 23x8.50-12 R14T GOODYEAR SST	43 lbs	K222B40	Add \$ 278.00
ABR8647		R-TIRE 14-17.5 R14T GOODYEAR SST	159 lbs		
ABR8646**		F-TIRE 25X8.50-14 R14T GOODYEAR SST	45 lbs	K556B80	Add \$ 696.00
ABR8645**		R-TIRE 15-19.5 R14T GOODYEAR SST	159 lbs		

† See Tire Section for Individual Tire Pricing and Information

* Standard Tires

** Not Compatible with Mid Mount Mowers, Requires the use of Steering Stop Kit

LX2610SUHSD		TIRES AND WHEELS (priced per piece)			
ORDER	CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGG. LIST PRICE
AG					
BR8707A*		F-TIRE 7-12 R1 B-Stone Farm Service Lug	33 lbs	B138B40	\$ 173.00
ABR9382*		R-TIRE 12.4-16 R1 F-Stone TracFild&Rd TT	93 lbs	B321B60	\$ 402.00
TURF					
ABR8742		F-TIRE 24x8.50-14 R3 Titan Multi Trac	42 lbs	B152B00	\$ 190.00
ABR8744		R-TIRE 13.6-16 R3 Titan Multi Trac	133 lbs	B354B40	\$ 443.00
INDUSTRIAL					
ABR8726		F-TIRE 23x8.50-14 R4 Titan Trac Loader	50 lbs	B149B60	\$ 187.00
BR8749		R-TIRE 12.4-16 R4 Goodyear Sure Grip Lug	108 lbs	B356B80	\$ 446.00
ABR8767**		F-TIRE 25x8.50-14 R4 Titan Trac Loader	56 lbs	B160B00	\$ 200.00
ABR8768**		R-TIRE 15-19.5 R4 Titan Trac Loader	174 lbs	B538B40	\$ 673.00
INDUSTRIAL HYBRID					
ABR8791A		F-TIRE 23X8.50-12 R14T GOODYEAR SST	43 lbs	B159B20	\$ 199.00
ABR8647		R-TIRE 14-17.5 R14T GOODYEAR SST	159 lbs	B412B00	\$ 515.00
ABR8646**		F-TIRE 25X8.50-14 R14T GOODYEAR SST	45 lbs	B170B40	\$ 213.00
ABR8645**		R-TIRE 15-19.5 R14T GOODYEAR SST	159 lbs	B568B00	\$ 710.00

B Series LX2610HSD/LX2610HSDC

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota Indirect Injection
 3 Cylinder Engine
 EPA Tier 4 Compliant
 Charging Output (ROPS) 40.0 Amps
 Charging Output (Cab) 60.0 Amps
 12V – 430 CCA
 Dual Air Cleaner Element

EXHAUST EMISSION CONTROL TYPE

No Exhaust After Treatment Required

HYDRAULICS / HITCH / DRAWBAR

Open Center
 Tandem Pumps Gear Type
 3.7 gpm Power Steering
 5.0 gpm Remote/3 Pt. Hitch
 8.7 gpm Total Hyd. Flow

3-POINT HITCH & DRAWBAR

Cat I 3-Point Hitch
 At Lift Point 2139 lbs.
 24" Behind 1676 lbs.
 Position Control 3-Point Valve

POWER TAKE OFF

Live Independent with Hydraulic Clutch
 Rear PTO – 1 Speed
 SAE Std 1 3/8" Six Spline
 540 rpm @ 2398 Eng. rpm
 Mid PTO – 1 Speed
 2500 rpm @ 2500 Eng. rpm

TRANSMISSION

Hydrostatic Drive
 Rear Differential Lock
 3 Forward Ranges
 3 Reverse Ranges
 Cruise Control
 Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering
 Cast Iron
 Bevel Gear 4WD
 Tread Spacing - Nonadjustable

FLUID CAPACITY

Fuel Tank (ROPS) 7.1 gal.
 Fuel Tank (Cab) 8.5 gal
 Cooling System 4.5 qts.
 Crankcase 4.2 qts.
 Transmission and Hydraulics 4.0 gal.
 Front Axle 5.0 qts.

INSTRUMENTS

Tachometer/Hour meter
 Oil Pressure
 Fuel Gauge
 Coolant Temperature

ROPS FEATURES

Tilt Steering
 Cruise Control
 Deluxe Seat with Arm Rest
 Rubber Floor Mat
 12V Outlet and Cup Holder
 Integrated Loader Valve and Joystick
 Toolbox
 Left Side Step
 Holes in ROPS for mounting kits

CAB FEATURES

Kubota-built Factory-Installed CAB
 Tilt Steering
 Cruise Control
 AC/Heater
 Deluxe Seat with Armrest
 Telescoping Stabilizers
 Front LED Work Lights
 Front and Rear Wiper
 12V Outlet and Cup Holder
 Integrated Loader Valve and Joystick

SAFETY EQUIPMENT

2-Post Foldable ROPS
 ROPS Certified CAB
 Retractable Seat Belt
 Flip-Up PTO Shield
 Safety Start Switches
 Electric Key Shut Off
 Parking Brake
 SMV Sign

Model Specifications

<u>LX2610HSD ROPS</u>		<u>LX2610HSDC CAB</u>	
SAE Gross HP:	24.8	SAE Gross HP:	24.8
PTO HP:	19.5	PTO HP:	19.5
Engine Model:	D1305	Engine Model:	D1305
Displacement:	77.0 Cu In	Displacement:	77.0 Cu In



B Series LX2610HSD/LX2610HSDC

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
*** STANDARD TRACTOR WITH STANDARD TIRES ***				
LX2610HSD	4WD Compact Tractor - 2 Post Foldable ROPS	K14B152B80	1786 lbs	\$17,691.00
LX2610HSDC	4WD Compact Tractor - Cab (ROPS Certified)	K20B454B40	2293 lbs	\$25,568.00

LX2610HSD / LX2610HSDC		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGGESTED LIST PRICE
AG				
BR8707A*	F-TIRE 7-12 R1 B-Stone Farm Service Lug	33 lbs	In Base Price	In Base Price
ABR9382*	R-TIRE 12.4-16 R1 F-Stone TracFild&Rd TT	93 lbs		
TURF				
ABR8742	F-TIRE 24x8.50-14 R3 Titan Multi Trac	42 lbs	K92B80	Add \$ 116.00
ABR8744	R-TIRE 13.6-16 R3 Titan Multi Trac	133 lbs		
INDUSTRIAL				
ABR8726	F-TIRE 23x8.50-14 R4 Titan Trac Loader	50 lbs	K92B80	Add \$ 116.00
BR8749	R-TIRE 12.4-16 R4 Goodyear Sure Grip Lug	108 lbs		
ABR8767**	F-TIRE 25x8.50-14 R4 Titan Trac Loader	56 lbs	K476B80	Add \$ 596.00
ABR8768**	R-TIRE 15-19.5 R4 Titan Trac Loader	174 lbs		
INDUSTRIAL HYBRID				
ABR8791A	F-TIRE 23X8.50-12 R14T GOODYEAR SST	43 lbs	K222B40	Add \$ 278.00
ABR8647	R-TIRE 14-17.5 R14T GOODYEAR SST	159 lbs		
ABR8646**	F-TIRE 25X8.50-14 R14T GOODYEAR SST	45 lbs	K556B80	Add \$ 696.00
ABR8645**	R-TIRE 15-19.5 R14T GOODYEAR SST	159 lbs		

† See Tire Section for Individual Tire Pricing and Information
 * Standard Tires
 ** Non-Cab Units only, Not Compatible with Mid Mount Mowers, Requires the use of Steering Stop Kit

LX2610HSD / LX2610HSDC		TIRES AND WHEELS (priced per piece)		
ORDER CODE	DESCRIPTION	Weight	FACTORY NUMBER	SUGG. LIST PRICE
AG				
BR8707A*	F-TIRE 7-12 R1 B-Stone Farm Service Lug	33 lbs	B138B40	\$ 173.00
ABR9382*	R-TIRE 12.4-16 R1 F-Stone TracFild&Rd TT	93 lbs	B321B60	\$ 402.00
TURF				
ABR8742	F-TIRE 24x8.50-14 R3 Titan Multi Trac	42 lbs	B152B00	\$ 190.00
ABR8744	R-TIRE 13.6-16 R3 Titan Multi Trac	133 lbs	B354B40	\$ 443.00
INDUSTRIAL				
ABR8726	F-TIRE 23x8.50-14 R4 Titan Trac Loader	50 lbs	B149B60	\$ 187.00
BR8749	R-TIRE 12.4-16 R4 Goodyear Sure Grip Lug	108 lbs	B356B80	\$ 446.00
ABR8767**	F-TIRE 25x8.50-14 R4 Titan Trac Loader	56 lbs	B160B00	\$ 200.00
ABR8768**	R-TIRE 15-19.5 R4 Titan Trac Loader	174 lbs	B538B40	\$ 673.00
INDUSTRIAL HYBRID				
ABR8791A	F-TIRE 23X8.50-12 R14T GOODYEAR SST	43 lbs	B159B20	\$ 199.00
ABR8647	R-TIRE 14-17.5 R14T GOODYEAR SST	159 lbs	B412B00	\$ 515.00
ABR8646**	F-TIRE 25X8.50-14 R14T GOODYEAR SST	45 lbs	B170B40	\$ 213.00
ABR8645**	R-TIRE 15-19.5 R14T GOODYEAR SST	159 lbs	B568B00	\$ 710.00

B Series

LX3310HSD/LX3310HSDC

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota Direct Injection
 4 Cylinder Engine
 Turbo Common Rail Electric Fuel Injection
 EPA Tier 4 Compliant
 Charging Output (ROPS) 60.0 Amps
 Charging Output (Cab) 75.0 Amps
 12V – 430 CCA
 Dual Air Cleaner Element

EXHAUST EMISSION CONTROL TYPE

Diesel Particulate Filter

HYDRAULICS / HITCH / DRAWBAR

Open Center
 Tandem Pumps Gear Type
 3.7 gpm Power Steering
 5.0 gpm Remote/3 Pt. Hitch
 8.7 gpm Total Hyd. Flow

3-POINT HITCH & DRAWBAR

Cat I 3-Point Hitch
 At Lift Point 2139 lbs.
 24" Behind 1676 lbs.
 Position Control 3-Point Valve

POWER TAKE OFF

Live Independent with Hydraulic Clutch
 Rear PTO – 1 Speed
 SAE Std 1 3/8" Six Spline
 540 rpm @ 2398 Eng. rpm
 Mid PTO – 1 Speed
 2500 rpm @ 2500 Eng. rpm

TRANSMISSION

Hydrostatic Drive
 Rear Differential Lock
 3 Forward Ranges
 3 Reverse Ranges
 Cruise Control
 Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering
 Cast Iron
 Bevel Gear 4WD
 Tread Spacing - Nonadjustable

FLUID CAPACITY

Fuel Tank (ROPS) 8.5 gal.
 Fuel Tank (Cab) 7.4 gal.
 Cooling System 4.5 qts.
 Crankcase 5.0 qts.
 Transmission and Hydraulics 4.0 gal.
 Front Axle 5.0 qts.

INSTRUMENTS

Tachometer/Hour meter
 Oil Pressure
 Fuel Gauge
 Coolant Temperature

ROPS FEATURES

Tilt Steering
 Cruise Control
 Deluxe Seat with Arm Rest
 Rubber Floor Mat
 12V Outlet and Cup Holder
 Integrated Loader Valve and Joystick
 Toolbox
 Left Side Step
 Holes in ROPS for mounting kits

CAB FEATURES

Kubota-built Factory-Installed CAB
 Tilt Steering
 Cruise Control
 AC/Heater
 LED Front Work Lights
 Deluxe Seat with Armrest
 Telescoping Stabilizers
 Front and Rear Wiper
 12V Outlet and Cup Holder
 Integrated Loader Valve and Joystick

SAFETY EQUIPMENT

2-Post Foldable ROPS
 ROPS Certified CAB
 Retractable Seat Belt
 Flip-Up PTO Shield
 Safety Start Switches
 Electric Key Shut Off
 Parking Brake
 SMV Sign

Model Specifications

<u>LX3310HSD ROPS</u>		<u>LX3310HSDC CAB</u>	
SAE Gross HP:	30.8	SAE Gross HP:	30.8
PTO HP:	27.0	PTO HP:	27.0
Engine Model:	V1505	Engine Model:	V1505
Displacement:	91.4 Cu In	Displacement:	91.5 Cu In



B Series LX3310HSD/LX3310HSDC

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
*** STANDARD TRACTOR WITH STANDARD TIRES ***				
LX3310HSD	4WD Compact Tractor - 2 Post Foldable ROPS	K18B000B80	1918 lbs	\$22,501.00
LX3310HSDC	4WD Compact Tractor - Cab (ROPS Certified)	K23B804B00	2469 lbs	\$29,755.00

LX3310HSD / LX3310HSDC		Additional Price With Tire Option			
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER		SUGGESTED LIST PRICE
AG					
BR8707A*	F-TIRE 7-12 R1 B-Stone Farm Service Lug	33 lbs	In Base Price		In Base Price
ABR9382*	R-TIRE 12.4-16 R1 F-Stone TracFild&Rd TT	93 lbs			
TURF					
ABR8742	F-TIRE 24x8.50-14 R3 Titan Multi Trac	42 lbs	K92B80	Add	\$ 116.00
ABR8744	R-TIRE 13.6-16 R3 Titan Multi Trac	133 lbs			
INDUSTRIAL					
ABR8726	F-TIRE 23x8.50-14 R4 Titan Trac Loader	50 lbs	K92B80	Add	\$ 116.00
BR8749	R-TIRE 12.4-16 R4 Goodyear Sure Grip Lug	108 lbs			
ABR8767**	F-TIRE 25x8.50-14 R4 Titan Trac Loader	56 lbs	K476B80	Add	\$ 596.00
ABR8768**	R-TIRE 15-19.5 R4 Titan Trac Loader	174 lbs			
INDUSTRIAL HYBRID					
ABR8791A	F-TIRE 23X8.50-12 R14T GOODYEAR SST	43 lbs	K222B40	Add	\$ 278.00
ABR8647	R-TIRE 14-17.5 R14T GOODYEAR SST	159 lbs			
ABR8646**	F-TIRE 25X8.50-14 R14T GOODYEAR SST	45 lbs	K556B80	Add	\$ 696.00
ABR8645**	R-TIRE 15-19.5 R14T GOODYEAR SST	159 lbs			

† See Tire Section for Individual Tire Pricing and Information
 * Standard Tires
 ** Non-Cab Units only, Not Compatible with Mid Mount Mowers, Requires the use of Steering Stop Kit

LX3310HSD / LX3310HSDC		TIRES AND WHEELS (priced per piece)			
ORDER CODE	DESCRIPTION	Weight	FACTORY NUMBER		SUGG. LIST PRICE
AG					
BR8707A*	F-TIRE 7-12 R1 B-Stone Farm Service Lug	33 lbs	B138B40	\$	173.00
ABR9382*	R-TIRE 12.4-16 R1 F-Stone TracFild&Rd TT	93 lbs	B321B60	\$	402.00
TURF					
ABR8742	F-TIRE 24x8.50-14 R3 Titan Multi Trac	42 lbs	B152B00	\$	190.00
ABR8744	R-TIRE 13.6-16 R3 Titan Multi Trac	133 lbs	B354B40	\$	443.00
INDUSTRIAL					
ABR8726	F-TIRE 23x8.50-14 R4 Titan Trac Loader	50 lbs	B149B60	\$	187.00
BR8749	R-TIRE 12.4-16 R4 Goodyear Sure Grip Lug	108 lbs	B356B80	\$	446.00
ABR8767**	F-TIRE 25x8.50-14 R4 Titan Trac Loader	56 lbs	B160B00	\$	200.00
ABR8768**	R-TIRE 15-19.5 R4 Titan Trac Loader	174 lbs	B538B40	\$	673.00
INDUSTRIAL HYBRID					
ABR8791A	F-TIRE 23X8.50-12 R14T GOODYEAR SST	43 lbs	B159B20	\$	199.00
ABR8647	R-TIRE 14-17.5 R14T GOODYEAR SST	159 lbs	B412B00	\$	515.00
ABR8646**	F-TIRE 25X8.50-14 R14T GOODYEAR SST	45 lbs	B170B40	\$	213.00
ABR8645**	R-TIRE 15-19.5 R14T GOODYEAR SST	159 lbs	B568B00	\$	710.00

B Series LX2610/LX3310**DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
HYDRAULICS/HITCH/DRAWBAR				
POSITION LEVER KITS - ROPS MODELS				
B7362	Base Kit and 1st Lever Requires B7304 Double Acting Valve	K417B60	1 lbs	\$522.00
B7372	2nd Position Stacking Kit and 2nd Lever Requires B7304 valve or B7305 valve Requires B7362 1st Position w/ B7304 Installed to add 2nd Position	K141B60	1 lbs	\$177.00
POSITION LEVER KITS - CAB MODELS				
B7316	Base Kit and 1st Lever Requires B7304 Double Acting Valve	K417B60	15 lbs	\$522.00
B7317	2nd Position Stacking Kit and 2nd Lever Requires B7304 valve or B7305 valve Requires B7362 1st Position w/ B7304 Installed to add 2nd Position	K228B00	7 lbs	\$285.00
HYDRAULIC REAR REMOTE VALVES				
B7304	Double Acting Valve Section	K200B80	4 lbs	\$251.00
B7305	FD (Float Detent) Valve Section (2nd Position Only)	K252B80	5 lbs	\$316.00
3-POINT HITCH				
B2677	Telescoping Lower Link End Kit For LX2610SUHSD, LX2610HSD, and LX3310HSD ROPS Standard on Cab models.	K174B40	32 lbs	\$218.00
B2667	Ratchet Type Lift Rod For ROPS & CAB Models	K93B60	5 lbs	\$117.00
BL6820	Dropdown Drawbar	K64B00	17 lbs	\$80.00
ROPS ACCESSORIES				
CANOPY				
E1175	Universal Lightweight Quick Attach Canopy Kit Includes Mounting Bracket and Canopy	K460Z00	90 lbs	\$575.00
E1123	Fiberglass Canopy Requires E1124 Mounting Kit	K264Z42	90 lbs	\$339.00
E1124	Fiberglass Canopy Mounting Kit	K147Z42	28 lbs	\$189.00
E1133	Plastic Canopy	K367B20	63 lbs	\$459.00
WORK LIGHTS				
E1176	Universal LED Light Kit (2 Lights w/ Light Shields) Mounts to Holes in ROPS	K207A20	6 lbs	\$259.00
B7335	Rear Working Auxiliary Light (1 Light)	K74B40	4 lbs	\$93.00
SU MODEL ACCESSORIES				
B1015	Cruise Control Kit - LX2610SUHSD Only	K36B80	3 lbs	\$46.00
B7358	Arm Rest Kit - LX2610SUHSD Only	K64B80	7 lbs	\$81.00
CAB ACCESSORIES				
REAR WORK LIGHTS				
B7345	Rear LED Work Lights for CAB Models	K166B40	1 lbs	\$208.00
RADIOS				
3 Models	Jensen Radio	(Order from the Parts Department)		



B Series LX2610/LX3310

DEALER INSTALLED ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
BALLAST				
BALLAST BOX				
B8160	Ballast Box—3 pt-Mount	K205B60	401 lbs	\$257.00
WB10	Quick Hitch Compatible Weight Box Additional Liquid Ballast in the Tire is Necessary Not Compatible with ABR8768 & ABR8645		(Order From Land Pride)	
FRONT WEIGHT BRACKETS				
BX8064A	Weight Bracket - 5 Weights Not compatible with Front Grill Guards.	K83B20	23 lbs	\$104.00
FRONT SUITCASE WEIGHTS				
BL8069	Suitcase Weight (55 lbs. Each) Requires BX8064A Requires One BL8049 per Weight Requires One BL8013 for all weight stacks	K59B20	55 lbs	\$74.00
FRONT WEIGHT BOLT & THREAD KITS				
BL8049	Weight Bolt Kits - 1 Kit per BL8049	K6B40	1 lbs	\$8.00
BL8013	Thread Bolt Kit for All Weight Stacks *Cut Bolt to Length for Stacks Less than 5	K9B60	3 lbs	\$12.00
ADDITIONAL ACCESSORIES				
TIRES & WHEELS KITS				
B4573	Steering Stop Kit - ROPS MODELS Use when ABR8767 or ABR8646 Tires are installed	K16B00	1 lbs	\$20.00
B8785	Rear Wheel Spacers - 1 3/8" Spacers Not Compatible with Mid Mount Mowers	K259B20	39 lbs	\$324.00
GRILL GUARD - NON LOADER APPLICATION				
B2327	Grill Guard for Non-Loader Application	K176B80	1 lbs	\$221.00
REPLACEMENT ROPS				
SFLX-F10	Replacement ROPS - LX ROPS Models	K513B60	148 lbs	\$642.00
REPLACEMENT CABS				
B7083	Replacement Cab for LX2610HSDC	K6B738B40	1125 lbs	\$8,423.00
B7084	Replacement Cab for LX3310HSDC	K6B581B60	1125 lbs	\$8,227.00
BLOCK HEATER				
70000-73274	Block Heater		(Order from the Parts Department)	
SPARK ARRESTING MUFFLER				
70000-01605	Spark Arresting Muffler for LX2610HSD and LX2610HSDC		(Order from the Parts Department)	

B Series LX2610/LX3310**Front End Loaders**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
LA535				
LA535	Front End Loader Includes Mounting Kit, 2-lever quick coupler, Stand, Level Indicator and Grille Guard Valve is Standard on Tractor Requires Bucket	K3B105B60	664 lbs	\$3,882.00
SPILL GUARD				
B2346	Hydraulic Spill Guard	K459B20	37 lbs	\$574.00
3RD FUNCTION VALVES				
B7369	3rd Function Valve Kit - Cab Models Must order hydraulic line quick couplers separately	K668B00	1 lbs	\$835.00
B7368	3rd Function Valve Kit - ROPS Models Must order hydraulic line quick couplers separately	K668B00	42 lbs	\$835.00
380-344A	Third Function Valve Kit from Land Pride		(Order From Land Pride)	
SWIFT-TACH/ONE-LEVER QUICK COUPLER				
B2386	Swift-tach Kit for ROPS Kit includes One-Lever Quick Coupler	K582B40	1 lbs	\$728.00
B2387	Swift-tach Kit for CAB Kit includes One-Lever Quick Coupler	K657B60	94 lbs	\$822.00
MECHANICAL SELF-LEVELING				
B2377	Mechanical Self-Leveling Kit	K657B60	130 lbs	\$822.00
QUICK ATTACH BUCKETS				
B2371	54" QA Bucket	K378B40	271 lbs	\$473.00
B2372	60" Light Material QA Bucket	K467B20	247 lbs	\$584.00
B2373	Bolt-On Cutting Edge Kit for 54" Bucket	K141B60	40 lbs	\$177.00
QUICK ATTACH PALLET FORK FRAME / PALLET FORKS				
B2376	Pallet Fork Frame 2-Lever QA (Requires K9048)	K532B00	165 lbs	\$665.00
K9048	36" Pallet Forks	K340L80	176 lbs	\$426.00
QUICK ATTACH FRONT LOADER BLADES & ACCESSORIES				
B2672	60" Straight Blade w/Man. Angle	K1B444B80	475 lbs	\$1,806.00
B2673	72" Straight Blade w/Man. Angle	K1B581B60	535 lbs	\$1,977.00
B2766	60" Rubber Cutting Edge	K180B00	49 lbs	\$225.00
B2776	72" Rubber Cutting Edge	K211B20	59 lbs	\$264.00
B2671	Hydraulic Angulation Kit for B2672 & B2673 Requires 3rd Function Valve	K418B40	14 lbs	\$523.00

B Series**LX2610/LX3310****Front Quick Hitch & Front Quick Hitch Implements**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
FRONT QUICK HITCH FRAME & COUPLER				
LX2940	Quick Hitch and Sub-Frame B2726 required if no FEL Sub-Frame is Installed LX2953 required with any loader installed	K988B80	300 lbs	\$1,236.00
LX2953	Hose Holder Kit (Required if Front Loader Installed)	K53B60	5 lbs	\$67.00
B2726	Quick Hitch Support Kit Required for Units without a Front End Loader Sub-Frame	K197B60	32 lbs	\$247.00
FRONT QH DRIVELINE KITS				
LX2941	Mid PTO Driveline Kit for LX2610HSDC and LX3310HSDC	K548B00	30 lbs	\$685.00
LX2942	Mid PTO Driveline Kit for LX2610HSD and LX3310HSD	K548B00	30 lbs	\$685.00
FRONT QH MOUNTED ROTARY SWEEPERS & ACCESSORIES				
LX2950	66" Rotary Sweeper - Hyd. Angle, 24" Wafer Requires Quick Hitch and Mid PTO Driveline Kit Not Compatible with the LX2610SUHD Model	K3B428B00	480 lbs	\$4,285.00
V5269	50/50 Poly and Steel Brush Kit	K454V30	99 lbs	\$649.00
V5250	Side Markers (Flexible Rods)	K20V30	8 lbs	\$29.00
LX2951	Dust Deflector for LX2950	K132B00	20 lbs	\$165.00
FRONT QH MOUNTED BLADES & ACCESSORIES				
LX2960	60" Blade - Hyd. Angle, Trip Spring Lockout Requires Quick Hitch	K1B326B40	480 lbs	\$1,658.00
LX2972	72" Blade - Hyd. Angle Requires Quick Hitch	K1B446B40	500 lbs	\$1,808.00
B2766	60" Rubber Cutting Edge	K180B00	49 lbs	\$225.00
B2776	72" Rubber Cutting Edge	K211B20	59 lbs	\$264.00



B Series LX2610/LX3310

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
FRONT QH MOUNTED SNOWBLOWERS & ACCESSORIES				
RESIDENTIAL SNOW BLOWERS				
LX2963	63" Residential 2-Stage Snow Blower Hydraulic Rotator and Manual Deflector Requires Front Hitch and Mid PTO Driveline Kit Refer to Front Hitch section for add'l kits required if Front Loader installed Not Compatible with the LX2610SUHD Model	K2B636B00	550 lbs	\$3,295.00
COMMERCIAL SNOW BLOWERS				
LX2970	51" Commercial 2-Stage Snowblower Hydraulic Rotator and Manual Deflector Requires Front Hitch and Mid PTO Driveline Kit Refer to Front Hitch section for add'l kits required if Front Loader installed Not Compatible with the LX2610SUHD Model	K3B624B80	605 lbs	\$4,531.00
LX2980	64" Commercial 2-Stage Snowblower Hydraulic Rotator and Manual Deflector Requires Front Hitch and Mid PTO Driveline Kit Refer to Front Hitch section for add'l kits required if Front Loader installed Not Compatible with the LX2610SUHD Model	K3B707B20	635 lbs	\$4,634.00
SNOW BLOWER ACCESSORIES				
BL7522	Hydraulic Chute Deflector for LX2963, LX2970 and LX2980	K729B60	18 lbs	\$912.00
BX5447	Drift Cutters for LX2963	K68B00	9 lbs	\$85.00
BL7524	Drift Cutters for LX2970 and LX2980	K69B60	10 lbs	\$87.00
LX2943	Hard Plastic Cutting Edge & Adjustable Skid Shoes for LX2963	K239B20	20 lbs	\$299.00
LX2944	Hard Plastic Cutting Edge & Adjustable Skid Shoes for LX2970	K230B40	20 lbs	\$288.00
LX2945	Hard Plastic Cutting Edge & Adjustable Skid Shoes for LX2980	K239B20	20 lbs	\$299.00
B2799	3" Side Extension Kit for LX2970 and LX2980	K92B80	12 lbs	\$116.00

B Series**LX2610/LX3310**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
MID MOUNT MOWER DECKS & ACCESSORIES				
RCK60-30BB	60" Cutting Width - 3 Blade Finish Mower, RH Discharge Not compatible with ROPS models' side step LX2610HSD/LX3310HSD side step MUST be removed for compatibility Not compatible with B8785 Wheel Spacers Not compatible with ABR8768 or ABR8645 Tires Not compatible with LX2610SUHSD.	K2B339B20	445 lbs	\$2,924.00
RC72-30BB	72" Cutting Width - 3 Blade Finish Mower RH Discharge Not Compatible with B8785 Wheel Spacers Not Compatible with ABR8768 or ABR8645 Tires Not Compatible with Grass Catcher Not compatible with LX2610SUHSD.	K2B886B40	551 lbs	\$3,608.00
GCK60-30BB	Grass Catcher 3 Bag (9.75 Bushels) Requires Boot Kit Not Compatible with RC72-30BB	K1B761B60	320 lbs	\$2,202.00
B3046	Boot Kit - 60" Deck	K241B60	31 lbs	\$302.00
70000-02505	Mulching Kit for RCK60-30BB Requires 70000-02507 Left Baffle Kit (1) and 70000-70038 Mulching Blades (3) Not compatible with 72" Mower Deck			(Order from Parts Department)
70000-02507	Left Baffle Kit			(Order from Parts Department)
70000-25041	Mulching Blades (3)			(Order from Parts Department)

BACKHOES & ACCESSORIES

BH77	7.7' Backhoe - 4 Point Mount Quick Mount/Dismount without Tools Requires Sub-Frame, 3pt Linkage must be removed to mount MMM may remain on the unit, locked in the upper position Not compatible with Grass Catcher	K5B810B40	1077 lbs	\$7,263.00
BH4973	BH Sub-Frame for LX2610HSDC and LX3310HSDC Includes Fixed Seat	K785B60	202 lbs	\$982.00
BH4966	BH Sub-Frame for LX2610HSD and LX3310HSD Includes Reversible Seat Mechanism	K785B60	240 lbs	\$982.00
BH4963A	BH Sub-Frame for LX2610SUHSD MUST ORDER PART #7K507-66570 TO COMPLETE INSTALLATION Includes Reversible Seat Mechanism	K785B60	260 lbs	\$982.00
BT1950A	10" Bucket - 3 Teeth	K348B00	63 lbs	\$435.00
BT1951A	12" Bucket - 3 Teeth	K410B40	69 lbs	\$513.00
BT1952A	16" Bucket - 4 Teeth	K542B40	82 lbs	\$678.00
BT1953A	24" Bucket - 5 Teeth	K708B80	118 lbs	\$886.00
BH1976	Mechanical Thumb - 6 Position	K396B80	51 lbs	\$496.00
L9467	Rubber Flip Pads for Stabilizers (order 2 per BH)	K104L00	15 lbs	\$130.00



B Series LX2610/LX3310

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

3-POINT MOUNTED IMPLEMENTS & ACCESSORIES

Rear Mount Snow Blowers				
B2789	51" Two Stage Snow Blower (3-Pt Mount) Requires either Manual or Hydraulic Chute Rotation Kit	K2B222B40	390 lbs	\$2,778.00
BLMX3164	64" Two-Stage Commercial Snowblower Mounts to Category I 3-Point Hitch Requires Manual Chute Rotator or Hydraulic Chute Rotator	K2B383B20	681 lbs	\$2,979.00
REAR MOUNT SNOW BLOWER OPTIONS				
BL2665	Manual Chute Rotator	K140B00	11 lbs	\$175.00
BL6399	Hydraulic Chute Rotator Requires 1 Set of Hydraulic Rear Remote Valves	K638B40	20 lbs	\$798.00
BL2666A	Hydraulic Chute Deflector Kit Requires Hydraulic Chute Rotator Includes Electric Selector Valve	K780B80	22 lbs	\$976.00
B2516A	Electric Chute Deflector	K516B80	9 lbs	\$646.00
L2177	Width Extension Kit, adds 5" overall cut	K92L80	27 lbs	\$116.00