

KUBOTA

B SERIES

WHOLEGOODS PRICE LIST EFFECTIVE April 1, 2022

These pages are a complete revision of
this section of your price book.
All prices are effective April 1, 2022.

4/1/22 Updated all Pricing



PAGE NUMBER	MODEL	PTO HP	FACTORY NUMBER	SUGGESTED LIST PRICE
7-3	B2401DT	19.4	K11B355B20	\$ 14,194.00
7-3	B2401DTWO	19.4	K10B796B80	\$ 13,496.00
7-5	B2401DTN	19.4	K12B026B40	\$ 15,033.00
7-7	B2301HSD-1	17.5	K13B512B00	\$ 16,890.00
7-7	B2601HSD-1	19.5	K14B435B20	\$ 18,044.00
7-10	B01 Dealer Installed Accessories			
7-11	B01 Front Loaders			
7-12	B01 Front Quick Hitch and Quick Hitch Implements			
7-14	B01 Implements			
7-41	LX2610SUHSD	19.5	K14B699B20	\$ 18,374.00
7-43	LX2610HSD	19.5	K15B600B00	\$ 19,500.00
7-43	LX2610HSDC	27	K22B547B20	\$ 28,184.00
7-45	LX3310HSD	27	K19B842B40	\$ 24,803.00
7-45	LX3310HSDC	27	K26B240B00	\$ 32,800.00
7-47	LX Series Dealer Installed Accessories			
7-49	LX Series Front Loaders			
7-50	LX Series Front Quick Hitch and Quick Hitch Implements			
7-52	LX Series Implements			



B Series

B2401DT/B2401DTWO

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota Indirect Injection
 3 Cylinder Engine
 EPA Tier 4 Compliant
 Charging Output 40 Amps
 12V – 430 CCA
 Dual Air Cleaner Element

EXHAUST EMISSION CONTROL TYPE

No Exhaust After Treatment Required

HYDRAULICS / HITCH / DRAWBAR

Open Center
 Tandem Pumps Gear Type
 2.6 gpm Power Steering
 4.4 gpm Remote/3 Pt. Hitch
 7.0 gpm Total Hyd. Flow

3-POINT HITCH & DRAWBAR

Cat I 3-Point Hitch
 At lift Point 1653 lbs.
 24" Behind 1301 lbs.
 Position Control Valve

POWER TAKE OFF

Transmission Driven with
 Over-Running Clutch
 Rear PTO – 2 Speeds
 SAE Std 1 3/8" Six Spline
 540 rpm @ 2505 Eng. rpm
 1000 rpm @ 2560 rpm

TRANSMISSION

Gear Drive
 Rear Differential Lock
 9 Forward Speeds
 3 Reverse Speeds
 Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering
 Cast Iron (Narrow)
 Bevel Gear 4WD
 Tread Spacing - Nonadjustable

FLUID CAPACITY

Fuel Tank 6.1 gal.
 Cooling System 4.1 qts.
 Crankcase 3.3 qts.
 Transmission and Hydraulics 3.3 gal.
 Front Axle 3.4 qts.

INSTRUMENTS

Tachometer/Hour meter
 Oil Pressure
 Fuel Gauge
 Coolant Temperature

SAFETY EQUIPMENT

2-Post Foldable ROPS w/Retractable
 Seat Belt
 Flip-Up PTO Shield
 Safety Start Switches
 Electric Key Shut Off
 Parking Brake
 SMV Sign

Model Specifications	
B2401DT/DTWO	
SAE Gross HP:	21.9
PTO HP:	19.4
Engine Model:	D1105
Displacement:	68.5 Cu In



B Series B2401DT/B2401DTWO

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
*** STANDARD TRACTOR WITH STANDARD TIRES ***				
B2401DT	4WD Compact Tractor - 2 Post Foldable ROPS	K11B355B20	1348 lbs	\$14,194.00
B2401DTWO	4WD Compact Tractor - 2 Post Foldable ROPS Not Equipped with Front Loader Valve	K10B796B80	1348 lbs	\$13,496.00

B2401		Additional Price With Tire Option			
ORDER	CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGGESTED LIST PRICE
BR8701*		F-TIRE 6-12 R1 B-Stone Farm Service Lug	1 lbs	In Base Price	In Base Price
ABR8755B*		R-TIRE 9.5-16 R1 Goodyear Dura Torque	76 lbs		
BR8735		F-TIRE 22x8.50-12 R3 B-Stone PillowDiam1	31 lbs	K118B40	Add \$ 148.00
ABR8790		R-TIRE 31x15.5-15 HF-1 Gdyr Xtra Trac	80 lbs		
ABR8727		F-TIRE 23x8.50-12 R3 Sup Turf K500 FenWh	32 lbs	K97B60	Add \$ 122.00
ABR8779		R-TIRE 33x12.5-15 HF-1 Goodyear SofTrac	82 lbs		
ABR8763		F-TIRE 23x8.50-12 R4 Titan Trac Loader	43 lbs	K147B20	Add \$ 184.00
ABR8764		R-TIRE 12-16.5 R4 Titan Trac Loader	103 lbs		
ABR8791A		F-TIRE 23X8.50-12 R14T GOODYEAR SST	50 lbs	K203B20	Add \$ 254.00
ABR8792A		R-TIRE 12-16.5 R14T GOODYEAR SST	120 lbs		

† See Tire Section for Individual Tire Pricing and Information
 * Standard Tires

TIRES AND WHEELS (priced per piece)

B2401DT/B2401DTWO		TIRES AND WHEELS (priced per piece)			
ORDER	CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGG. LIST PRICE
AG					
BR8701*		F-TIRE 6-12 R1 B-Stone Farm Service Lug	1 lbs	B122B40	\$ 153.00
ABR8755B*		R-TIRE 9.5-16 R1 Goodyear Dura Torque	76 lbs	B275B20	\$ 344.00
TURF					
BR8735		F-TIRE 22x8.50-12 R3 B-Stone PillowDiam1	31 lbs	B120B80	\$ 151.00
ABR8790		R-TIRE 31x15.5-15 HF-1 Gdyr Xtra Trac	80 lbs	B336B00	\$ 420.00
TURF					
ABR8727		F-TIRE 23x8.50-12 R3 Sup Turf K500 FenWh	32 lbs	B150B40	\$ 188.00
ABR8779		R-TIRE 33x12.5-15 HF-1 Goodyear SofTrac	82 lbs	B296B00	\$ 370.00
INDUSTRIAL					
ABR8763		F-TIRE 23x8.50-12 R4 Titan Trac Loader	43 lbs	B165B60	\$ 207.00
ABR8764		R-TIRE 12-16.5 R4 Titan Trac Loader	103 lbs	B305B60	\$ 382.00
AG/INDUSTRIAL HYBRID					
ABR8791A		F-TIRE 23X8.50-12 R14T GOODYEAR SST	50 lbs	B175B20	\$ 219.00
ABR8792A		R-TIRE 12-16.5 R14T GOODYEAR SST	120 lbs	B324B00	\$ 405.00



B Series

B2401DTN (Narrow)

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota Indirect Injection
 3 Cylinder Engine
 EPA Tier 4 Compliant
 Charging Output 40 Amps
 12V – 430 CCA
 Dual Air Cleaner Element

EXHAUST EMISSION CONTROL TYPE

No Exhaust After Treatment Required

HYDRAULICS / HITCH / DRAWBAR

Open Center
 Tandem Pumps Gear Type
 2.6 gpm Power Steering
 4.4 gpm Remote/3 Pt. Hitch
 7.0 gpm Total Hyd. Flow

3-POINT HITCH & DRAWBAR

Cat I 3-Point Hitch
 At lift Point 1653 lbs.
 24" Behind 1301 lbs.

Position Control Valve

POWER TAKE OFF

Transmission Driven with
 Over-running Clutch
 Rear PTO – 2 Speed
 SAE Std 1 3/8" Six Spline
 540 rpm @ 2505 Eng. rpm
 1000 rpm @ 2560 Eng. rpm

TRANSMISSION

Gear Drive
 Rear Differential Lock
 9 Forward Speeds
 3 Reverse Speeds
 Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering
 Cast Iron (Narrow)
 Bevel Gear 4WD
 Tread Spacing - Nonadjustable

FLUID CAPACITY

Fuel Tank 6.1 gal.
 Cooling System 4.1 qts.
 Crankcase 3.3 qts.
 Transmission and Hydraulics 3.3 gal.
 Front Axle 3.4 qts.

INSTRUMENTS

Tachometer/Hour meter
 Oil Pressure
 Fuel Gauge
 Coolant Temperature

SAFETY EQUIPMENT

2-Post Rigid ROPS w/Retractable
 Seat Belt
 Flip-Up PTO Shield
 Safety Start Switches
 Electric Key Shut Off
 Parking Brake
 SMV Sign

Model Specifications

B2401 DT Narrow	
SAE Gross HP:	21.9
PTO HP:	19.4
Engine Model:	D11105
Displacement:	68.5 Cu In
Tread Width:	Front: 27.8" (overall width 35.4") Rear: 27.6" to 31.3" (overall width 35.4" to 39.1")



B Series B2401DTN (Narrow)

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD TRACTOR WITH STANDARD TIRES ***

B2401DTN	4WD Compact Tractor (Narrow) - 2 Post Rigid ROPS	K12B026B40	1348 lbs	\$15,033.00
----------	--	------------	----------	-------------

B2401DTN		Additional Price With Tire Option		
TIRES AND WHEELS [†]				
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGGESTED LIST PRICE
BR8762*	F-TIRE 5-12 R1 B-Stone Farm Service Lug	24 lbs	In Base Price	In Base Price
BR8774*	R-TIRE 8-16 R1 BRIDGESTONE FARM SVC	75 lbs		

[†] See Tire Section for Individual Tire Pricing and Information

* Standard Tires

B2401DTN		TIRES AND WHEELS (priced per piece)		
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGG. LIST PRICE
AG				
BR8762*	F-TIRE 5-12 R1 B-Stone Farm Service Lug	24 lbs	B103B20	\$ 129.00
BR8774*	R-TIRE 8-16 R1 BRIDGESTONE FARM SVC	75 lbs	B233B60	\$ 292.00



B Series

B2301/B2601

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota Indirect Injection
 3 Cylinder Engine
 EPA Tier 4 Compliant
 Charging Output 14.5 Amps
 12V – 430 CCA
 Dual Air Cleaner Element

TRANSMISSION

Hydrostatic Drive
 Rear Differential Lock
 3 Forward Ranges
 3 Reverse Ranges
 Cruise Control
 Wet Disc Brakes

SAFETY EQUIPMENT

2-Post Foldable ROPS w/Retractable
 Seat Belt
 Flip-Up PTO Shield
 Safety Start Switches
 Electric Key Shut Off
 Parking Brake
 SMV Sign

EXHAUST EMISSION CONTROL TYPE

No Exhaust After Treatment Required

FRONT AXLE

Hydrostatic Power Steering
 Cast Iron
 Bevel Gear 4WD
 Tread Spacing - Nonadjustable

HYDRAULICS / HITCH / DRAWBAR

Open Center
 Tandem Pumps Gear Type
 3.6 gpm Power Steering
 4.7 gpm Remote/3 Pt. Hitch
 8.3 gpm Total Hyd. Flow

FLUID CAPACITY

Fuel Tank 6.1 gal.
 Cooling System 4.0 qts.
 Crankcase 3.3 qts.
 Transmission and Hydraulics 4.0 gal.
 Front Axle 3.7 qts.

3-POINT HITCH & DRAWBAR

Cat I 3-Point Hitch
 At Lift Point 1808 lbs.
 24" Behind 1411 lbs.
 Position Control 3-Point Valve

INSTRUMENTS

Tachometer/Hour meter
 Oil Pressure
 Fuel Gauge
 Coolant Temperature

POWER TAKE OFF

Live Independent with Hydraulic Clutch
 Rear PTO – 1 Speed
 SAE Std 1 3/8" Six Spline
 540 rpm @ 2773 Eng. rpm
 Mid PTO – 1 Speed
 2500 rpm @ 2753 Eng. rpm

Model Specifications			
B2301		B2601	
SAE Gross HP:	20.9	SAE Gross HP:	24.3
PTO HP:	17.5	PTO HP:	19.5
Engine Model:	D1005	Engine Model:	1105
Displacement:	61.1 Cu In	Displacement:	68.5 Cu In



B Series B2301HSD-1

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD TRACTOR WITH STANDARD TIRES ***

B2301HSD-1	4WD Compact Tractor - 2 Post Foldable ROPS	K13B512B00	1392 lbs	\$16,890.00
------------	--	------------	----------	-------------

B2301		Additional Price With Tire Option			
TIRES AND WHEELS†					
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER		SUGGESTED LIST PRICE
BR8701*	F-TIRE 6-12 R1 B-Stone Farm Service Lug	1 lbs	In Base Price		In Base Price
ABR8755B*	R-TIRE 9.5-16 R1 Goodyear Dura Torque	76 lbs			
BR8735	F-TIRE 22x8.50-12 R3 B-Stone PillowDiam1	31 lbs	K118B40	Add	\$ 148.00
ABR8790	R-TIRE 31x15.5-15 HF-1 Gdyr Xtra Trac	80 lbs			
ABR8727	F-TIRE 23x8.50-12 R3 Sup Turf K500 FenWh	32 lbs	K97B60	Add	\$ 122.00
ABR8779	R-TIRE 33x12.5-15 HF-1 Goodyear SofTrac	82 lbs			
ABR8763	F-TIRE 23x8.50-12 R4 Titan Trac Loader	43 lbs	K147B20	Add	\$ 184.00
ABR8764	R-TIRE 12-16.5 R4 Titan Trac Loader	103 lbs			
ABR8791A	F-TIRE 23X8.50-12 R14T GOODYEAR SST	50 lbs	K203B20	Add	\$ 254.00
ABR8792A	R-TIRE 12-16.5 R14T GOODYEAR SST	120 lbs			

† See Tire Section for Individual Tire Pricing and Information
 * Standard Tires

TIRES AND WHEELS (priced per piece)

B2301HSD		TIRES AND WHEELS (priced per piece)			
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER		SUGG. LIST PRICE
AG					
BR8701*	F-TIRE 6-12 R1 B-Stone Farm Service Lug	1 lbs	B122B40		\$ 153.00
ABR8755B*	R-TIRE 9.5-16 R1 Goodyear Dura Torque	76 lbs	B275B20		\$ 344.00
TURF					
BR8735	F-TIRE 22x8.50-12 R3 B-Stone PillowDiam1	31 lbs	B120B80		\$ 151.00
ABR8790	R-TIRE 31x15.5-15 HF-1 Gdyr Xtra Trac	80 lbs	B336B00		\$ 420.00
TURF					
ABR8727	F-TIRE 23x8.50-12 R3 Sup Turf K500 FenWh	32 lbs	B150B40		\$ 188.00
ABR8779	R-TIRE 33x12.5-15 HF-1 Goodyear SofTrac	82 lbs	B296B00		\$ 370.00
INDUSTRIAL					
ABR8763	F-TIRE 23x8.50-12 R4 Titan Trac Loader	43 lbs	B165B60		\$ 207.00
ABR8764	R-TIRE 12-16.5 R4 Titan Trac Loader	103 lbs	B305B60		\$ 382.00
AG/INDUSTRIAL HYBRID					
ABR8791A	F-TIRE 23X8.50-12 R14T GOODYEAR SST	50 lbs	B175B20		\$ 219.00
ABR8792A	R-TIRE 12-16.5 R14T GOODYEAR SST	120 lbs	B324B00		\$ 405.00



B Series B2601HSD-1

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD TRACTOR WITH STANDARD TIRES ***

B2601HSD-1	4WD Compact Tractor - 2 Post Foldable ROPS	K14B435B20	1392 lbs	\$18,044.00
------------	--	------------	----------	-------------

B2601		Additional Price With Tire Option			
TIRES AND WHEELS†					
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER		SUGGESTED LIST PRICE
BR8707A*	F-TIRE 7-12 R1 B-Stone Farm Service Lug	33 lbs	In Base Price		In Base Price
ABR8769*	R-TIRE 11.2-16 R1 Goodyear Dyna Torq II	95 lbs			
BR8735	F-TIRE 22x8.50-12 R3 B-Stone PillowDiam1	31 lbs	K19B20	Add	\$ 24.00
ABR8790	R-TIRE 31x15.5-15 HF-1 Gdyr Xtra Trac	80 lbs			
ABR8727	F-TIRE 23x8.50-12 R3 Sup Turf K500 FenWh	32 lbs	K1B60	Less	\$ (2.00)
ABR8779	R-TIRE 33x12.5-15 HF-1 Goodyear SofTrac	82 lbs			
ABR8701	F-TIRE 6-12 R1 AG Steel Bias CA	28 lbs	K108B80	Less	\$ (136.00)
ABR8755B	R-TIRE 9.5-16 R1 Goodyear Dura Torque	76 lbs			
ABR8763	F-TIRE 23x8.50-12 R4 Titan Trac Loader	43 lbs	K48B00	Add	\$ 60.00
ABR8764	R-TIRE 12-16.5 R4 Titan Trac Loader	103 lbs			
ABR8791A	F-TIRE 23X8.50-12 R14T GOODYEAR SST	50 lbs	K104B00	Add	\$ 130.00
ABR8792A	R-TIRE 12-16.5 R14T GOODYEAR SST	120 lbs			

† See Tire Section for Individual Tire Pricing and Information
 * Standard Tires

TIRES AND WHEELS (priced per piece)

B2601HSD		TIRES AND WHEELS (priced per piece)			
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGG. LIST PRICE	
AG					
BR8707A*	F-TIRE 7-12 R1 B-Stone Farm Service Lug	33 lbs	B152B00	\$ 190.00	
ABR8769*	R-TIRE 11.2-16 R1 Goodyear Dyna Torq II	95 lbs	B295B20	\$ 369.00	
TURF					
BR8735	F-TIRE 22x8.50-12 R3 B-Stone PillowDiam1	31 lbs	B120B80	\$ 151.00	
ABR8790	R-TIRE 31x15.5-15 HF-1 Gdyr Xtra Trac	80 lbs	B336B00	\$ 420.00	
TURF					
ABR8727	F-TIRE 23x8.50-12 R3 Sup Turf K500 FenWh	32 lbs	B150B40	\$ 188.00	
ABR8779	R-TIRE 33x12.5-15 HF-1 Goodyear SofTrac	82 lbs	B296B00	\$ 370.00	
AG					
ABR8701	F-TIRE 6-12 R1 AG Steel Bias CA	28 lbs	B117B60	\$ 147.00	
ABR8755B	R-TIRE 9.5-16 R1 Goodyear Dura Torque	76 lbs	B275B20	\$ 344.00	
INDUSTRIAL					
ABR8763	F-TIRE 23x8.50-12 R4 Titan Trac Loader	43 lbs	B165B60	\$ 207.00	
ABR8764	R-TIRE 12-16.5 R4 Titan Trac Loader	103 lbs	B305B60	\$ 382.00	
AG/INDUSTRIAL HYBRID					
ABR8791A	F-TIRE 23X8.50-12 R14T GOODYEAR SST	50 lbs	B175B20	\$ 219.00	
ABR8792A	R-TIRE 12-16.5 R14T GOODYEAR SST	120 lbs	B324B00	\$ 405.00	



B Series		B2301/B2401/B2601		
DEALER INSTALLED ACCESSORIES				
ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
HYDRAULICS/HITCH/DRAWBAR				
HYDRAULIC REAR REMOTE VALVES (For B2301 and B2601 ONLY, NOT compatible with B2401)				
B1654	Base Kit and 1st Lever Requires B7304 Double Acting Valve	K349B60	7 lbs	\$437.00
B1655	2nd Position Stacking Kit and 2nd Lever Requires B1654, B7304, and a B7304 or B7305	K155B20	3 lbs	\$194.00
B7304	Double Acting Valve Section	K221B60	4 lbs	\$277.00
B7305	FD (Float Detent) Valve Section (2nd Position Only)	K278B40	5 lbs	\$348.00
DRAWBAR				
B6810	Drop Drawbar for B01 Series	K42B40	12 lbs	\$53.00
ROPS ACCESSORIES				
CANOPY				
E1175	Universal Lightweight Quick Attach Canopy Kit Includes Mounting Bracket and Canopy	K514Z02	90 lbs	\$659.00
E1123	Fiberglass Canopy Requires E1124 Mounting Kit	K280Z02	90 lbs	\$359.00
E1124	Fiberglass Canopy Mounting Kit	K155Z22	28 lbs	\$199.00
E1133	Plastic Canopy	K404B80	63 lbs	\$506.00
WORK LIGHTS				
E1176	Universal LED Light Kit (2 Lights w/ Shields) Mounts to Holes in ROPS	K215A20	1 lbs	\$269.00
BX7356A	ROPS-Mount Lights (2), 4-LED for B2301 and B2601 Models Front/Rear Adjustable, 700 Lumen	K189B60	4 lbs	\$237.00
B7335	Rear Working Auxiliary Light (Maximum 1 Light/Tractor)	K82B40	4 lbs	\$103.00
BALLAST				
BALLAST BOX				
B8460	Ballast Box—3-Point Mount	K205B60	404 lbs	\$257.00
WB10	Quick Hitch Compatible Weight Box Additional Liquid Ballast in the Tire is Necessary		(Order From Land Pride)	
FRONT WEIGHT BRACKETS				
BX8064A	Weight Bracket - 5 Weights Not compatible with Front Grill Guards.	K91B20	23 lbs	\$114.00
FRONT SUITCASE WEIGHTS				
BL8069	Suitcase Weight (55 lbs. Each) 3 Weight Max per Standard Tractor Bracket Requires one BL8049 per Weight Requires one BL8013 for all Weight Stacks	K64B80	55 lbs	\$81.00
FRONT WEIGHT BOLT KITS				
BL8049	Weight Bolt Kits - 1 Kit per BL8069	K6B40	1 lbs	\$8.00
BL8013	All Thread Bolt Kit - Required for all weight stacks	K11B20	3 lbs	\$14.00
ADDITIONAL ACCESSORIES				
BLOCK HEATER				
70000-73274	Block Heater		(Order from the Parts Department)	
GRILL GUARD - NON LOADER APPLICATION				
B1670	Grill Guard for Non-Loader Application Not Compatible with B2401DTN	K163B20	25 lbs	\$204.00
HIGH CAPACITY ALTERNATOR KIT				
B7314	40-Amp High-Capacity Alternator Kit	K177B60	8 lbs	\$222.00
REAR WHEEL SPACERS				
B8786	1 3/8" Spacers - Not Compatible with Mid Mount Mowers or B240 NOTE: Not approved for backhoe and mowing applications	K298B40	34 lbs	\$373.00
REPLACEMENT ROPS				
SFB-F24	Replacement ROPS - B2401DT and B2401DTWO	K471B20	115 lbs	\$589.00
SFB-24N	Replacement ROPS - B2401DTN	K359B20	115 lbs	\$449.00
SFB-F26	Replacement ROPS - B2301HSD and B2601HSD	K489B60	115 lbs	\$612.00
SPARK ARRESTING MUFFLER				
70000-01605	Spark Arresting Muffler		(Order from the Parts Department)	
STORAGE COVER				
70000-73732	Storage Cover		(Order from the Parts Department)	



B Series B2301/B2401/B2601

Front End Loaders (excludes B2401DTN)

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
LA435	Front End Loader (Swift-Tach, w/one lever hydro coupler) Includes Mounting Kit, Stand, and Grill Guard Valve is Standard on Tractor(B01-1) Requires Bucket. Not compatible with B2401DTN Tractors	K2B831B20	646 lbs	\$3,539.00
OPTIONAL LOADER ACCESSORIES				
B1982	Loader Control Valve for B2401DTWO w/ LA435	K674B40	47	\$843.00
B1671	Mechanical Self-Leveling Kit (MSL)	K568B00	96 lbs	\$710.00
B1672	3rd Function Valve Kit Must order hydraulic line quick couplers separately NOTE: Not Compatible with B2401 Models	K756B80	45 lbs	\$946.00
380-149A	3rd Function Valve Kit From Land Pride		(Order From Land Pride)	
B1677	Retro Fit Kit (To Fit LA435 on Non "-1" B01 Models)	K216B80	22 lbs	\$271.00
PIN-ON BUCKETS				
B1674	50" Pin-On Bucket	K400B00	150 lbs	\$500.00
B1675	54" Pin-On Bucket	K437B60	154 lbs	\$547.00
B1676	60" Light Material Pin-On Bucket	K540B80	216 lbs	\$676.00
LA434	Front End Loader Includes Mounting Kit, Stand, and Grill Guard Valve is Standard on Tractor Requires Bucket. Not compatible with B2401 Tractors Requires B1678 if installed on B01-1 models	K2B438B40	1 lbs	\$3,048.00
OPTIONAL LOADER ACCESSORIES				
B1653	3rd Function Valve Kit Must order hydraulic line quick couplers separately	K735B20	45 lbs	\$919.00
380-149A	3rd Function Valve Kit From Land Pride		(Order From Land Pride)	
B1678	Fit up kit for LA434 to B01-1 Models	K217B60	22 lbs	\$272.00
PIN-ON BUCKETS				
B1623	48" Pin-On Bucket	K360B00	125 lbs	\$450.00
B1624	50" Pin-On Bucket	K400B00	125 lbs	\$500.00
B1625	54" Pin-On Bucket	K437B60	125 lbs	\$547.00
B1626	60" Light Material Pin-On Bucket	K540B80	150 lbs	\$676.00
QUICK ATTACH COUPLERS & BUCKETS				
B1673	2 Lever Quick Coupler for LA435	K410B40	78 lbs	\$513.00
B2366	2 Lever Quick Coupler for LA434	K410B40	78 lbs	\$513.00
B2371	54" QA Bucket	K429B60	271 lbs	\$537.00
B2372	60" Light Material QA Bucket	K529B60	247 lbs	\$662.00
QUICK ATTACH PALLET FORK FRAME / PALLET FORKS				
B2376	Pallet Fork Frame 2-Lever QA (Requires K9048)	K603B20	165 lbs	\$754.00
K9048	36" Pallet Forks	K386L40	176 lbs	\$483.00
QUICK ATTACH FRONT LOADER BLADES & ACCESSORIES				
B2672	60" Straight Blade w/Man. Angle (requires B2366)	K1B720B80	475 lbs	\$2,151.00
B2673	72" Straight Blade w/Man. Angle (B2366)	K1B880B80	535 lbs	\$2,351.00
B2766	60" Rubber Cutting Edge	K212B00	49 lbs	\$265.00
B2776	72" Rubber Cutting Edge	K249B60	59 lbs	\$312.00
B2671	Hydraulic Angulation Kit for B2672 & B2673 Requires 3rd Function Valve	K492B80	14 lbs	\$616.00



B Series B2301/B2401/B2601

Front Quick Hitch & Front Quick Hitch Implements (excludes B2401DTN)

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
FRONT QUICK HITCH FRAME & COUPLER				
B3410	4-Port Quick Connect Front Hitch and Sub-Frame For B01-1 and B2401DT (NOT Compatible with B2401DTN) Requires Grill Guard Tilt Kit on Tractors w/ Grill Guard	K1B116B00	250 lbs	\$1,395.00
B2714C	Quick Hitch and Sub-Frame for Non "-1" B2301 & B2601 Models When installing on units without a Loader Sub-Frame, order 2 each of 70060-02159 from Parts. Mid Mount Mower Decks must be removed to install Hitch. Hitch Brackets can stay in place when MMM Deck is installed.	K1B218B40	223 lbs	\$1,523.00

FRONT QH DRIVELINE/COMPLETION KITS

B3410 QH KITS				
B3411	Mid PTO Driveline Kit	K693B60	30 lbs	\$867.00
B3412	Grill Guard Tilt Kit	K56B80	5 lbs	\$71.00
BX2842	Completion Kit for BX2816	K130B40	14 lbs	\$163.00
B2714C QH KITS				
B2798	Mid PTO Driveline Kit. Requires a Front Driveline Kit.	K651B20	21 lbs	\$814.00
BX6751	Front Female Driveline Kit for BX5450	K183B20	5 lbs	\$229.00
BX6752	Front Female Driveline Kit for BX5455HD	K183B20	5 lbs	\$229.00
BX6743	Front Female Driveline Kit for BX2537A	K493B60	17 lbs	\$617.00

FRONT QH MOUNTED ROTARY SWEEPERS AND ACCESSORIES

B3410 QH MOUNTED ONLY				
BX2814A	60" Heavy Duty Rotary Sweeper with Hyd. Angle Includes Dethatching Wheels Requires Quick Hitch, Mid PTO Driveline Kit, and Loader Control Valve	K2B408X80	480 lbs	\$3,011.00
BX2815	Dust Deflector Kit for BX2814A	K153B60	60 lbs	\$192.00
B2714C QH MOUNTED ONLY				
B2779	60" Rotary Sweeper - Hyd. Angle, 21.5" Wafer Requires Quick Hitch and Mid PTO Driveline Kit	K4B268B80	300 lbs	\$5,336.00
BL2178	Side Caster Wheel Kit for B2779 Recommended for snow removal or lawn dethatching	K434L40	45 lbs	\$543.00
L2168	Rubber Deflector for B2779	K155L20	31 lbs	\$194.00

FRONT QH MOUNTED BLADES AND ACCESSORIES

B3410 QH MOUNTED ONLY				
BX2812A	60" Blade - Hyd. Angle Requires Quick Hitch and Loader Control Valve	K1B373X60	290 lbs	\$1,717.00
BX2825	Skid Shoes for BX2812A	K140B00	17 lbs	\$175.00
BX2813	60" Rubber Cutting Edge for BX2812A	K212B00	50 lbs	\$265.00
B2714C QH MOUNTED ONLY				
B2765A	60" Blade - Hyd. Angle, Trip Spring Lockout Requires Quick Hitch	K1B605B60	411 lbs	\$2,007.00
B2775	72" Blade - Hyd. Angle Requires Quick Hitch	K1B750B40	535 lbs	\$2,188.00
BX2813	60" Rubber Cutting Edge	K212B00	50 lbs	\$265.00
B2776	72" Rubber Cutting Edge	K249B60	59 lbs	\$312.00



B Series B2301/B2401/B2601

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
FRONT QH MOUNTED SNOW BLOWERS & ACCESSORIES (excludes B2401DTN)				
B3410 QH MOUNTED ONLY				
BX2830	48" Two Stage Commercial Snow Blower Hydraulic Rotator and Manual Deflector Requires Quick Hitch, Mid PTO Driveline Kits, and Loader Control Valve	K3B395X20	370 lbs	\$4,244.00
BX2816	50" Two Stage Residential Snow blower Manual Rotator and Deflector Requires Quick Hitch, Mid PTO Driveline Kit, Completion Kit, and Loader Control Valve	K2B129X60	313 lbs	\$2,662.00
BX2822A	55" Two Stage Commercial Snow blower Hydraulic Rotator and Manual Deflector Requires Quick Hitch, Mid PTO Driveline Kits, and Loader Control Valve	K3B620X80	370 lbs	\$4,526.00
BX2818A	Hydraulic Chute Rotation for BX2816	K814B40	11 lbs	\$1,018.00
BX2819A	Electric Chute Rotation Kit for BX2816	K387B20	5 lbs	\$484.00
BX2820A	Electric Chute Deflector Kit for BX2816 / BX2822A / BX2830	K510B40	6 lbs	\$638.00
BX2821A	Hydraulic Chute Deflector Kit for BX2816 / BX2822A / BX2830	K1B018X40	21 lbs	\$1,273.00
BX2817	Hard Plastic Shoes and Cutting Edge for BX2816	K240B80	2 lbs	\$301.00
BX2823	Hard Plastic Shoes and Cutting Edge for BX2822A	K251B20	7 lbs	\$314.00
BX2831	Hard Plastic Shoes and Cutting Edge for BX2830	K290B40	20 lbs	\$363.00
GR2714	Drift Cutters for BX2816	K64G78	4 lbs	\$79.00
BX5447	Drift Cutters for BX2822A / BX2830	K81B60	9 lbs	\$102.00
B2714C QH MOUNTED ONLY				
BX5450	50" Two Stage Snowblower Manual Rotator and Deflector Requires Quick Hitch, Mid PTO Driveline Kits, and Front Female Driveline Kit	K2B067X20	313 lbs	\$2,584.00
BX5455HD	55" Two Stage Snowblower, Commercial Grade Hydraulic Rotator and Manual Deflector Requires Quick Hitch, Mid PTO Driveline Kits, and Front Female Driveline Kit	K3B516X80	425 lbs	\$4,396.00
B2781B	51" Two Stage Snowblower Manual Rotator and Deflector Requires Quick Hitch and Mid PTO Driveline Kit	K2B920B80	475 lbs	\$3,651.00
B2782B	63" Two Stage Snowblower Manual Rotator and Deflector Requires Quick Hitch and Mid PTO Driveline Kit	K3B136B80	500 lbs	\$3,921.00
BX5442	Electric Chute Rotation Kit for BX5450	K375B20	7 lbs	\$469.00
BX5443	Electric Chute Deflector Kit for BX5450 & BX5455HD	K493B60	7 lbs	\$617.00
BX5444	Hard Plastic Shoes for BX5450 & BX5455HD	K132B80	2 lbs	\$166.00
BX5445	Hard Plastic Cutting Edge for BX5450	K98B40	2 lbs	\$123.00
BX5446	Hard Plastic Cutting Edge for BX5455HD	K107B20	2 lbs	\$134.00
BX5447	Drift Cutters for BX5455HD	K81B60	9 lbs	\$102.00
GR2714	Drift Cutters for BX5450	K64G78	4 lbs	\$79.00
B2516A	Electric Chute Deflector for B2781B and B2782B	K608B80	9 lbs	\$761.00
B2756	Hydraulic Chute Rotation for B2781B and B2782B	K752B00	20 lbs	\$940.00
BL2666A	Hydraulic Chute Deflector for B2781B and B2782B Requires Hyd. Chute Rotation Kit	K920B80	22 lbs	\$1,151.00
B2786	Side Extension Kit for B2781B and B2782B	K119F20	27 lbs	\$149.00

KUBOTA**B Series B2301/B2401/B2601**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
MID MOUNT MOWER DECKS & ACCESSORIES (excludes B2401DTN)				
RCK54-32	54" Cutting Width - 3 Blade Finish Mower RH Discharge, Drive Over Deck Design Not Compatible with B8786 Wheel Spacers Requires mounting kit for B2401DT/DTWO	K2B019B20	365 lbs	\$2,524.00
RCK60-32	60" Cutting Width - 3 Blade Finish Mower RH Discharge, Drive Over Deck Design Not Compatible with B8786 Wheel Spacers Requires mounting kit for B2401DT/DTWO	K2B449B60	418 lbs	\$3,062.00
GCK60-30BB	Grass Catcher for B2301 and B2601 3 Bag (9.75 Bushels) Requires Boot Kit	K1B996B80	320 lbs	\$2,496.00
GCK60-76BA	Grass Catcher for B2401 3 Bag (9.75 Bushels) Requires Boot Kit	K1B996B80	270 lbs	\$2,496.00
B3043	Mounting Kit for MMM fit up to B2401	K235B20	15 lbs	\$294.00
B3045A	Boot Kit - 54" Deck	K273B60	25 lbs	\$342.00
B3047A	Boot Kit - 60" Deck	K273B60	31 lbs	\$342.00

BACKHOE & ACCESSORIES (excludes B2401DTN)

BH70	7' Backhoe - 4 Point Mount Quick Mount/Dismount without Tools Requires Sub-Frame, 3pt Linkage must be removed to mount MMM may remain on the unit, locked in the upper position Not compatible with Grass Catcher	K5B686B40	850 lbs	\$7,108.00
BH1627	BH Sub-Frame for B2301/B2601 Includes Reversible Seat Mechanism	K1B119B20	202 lbs	\$1,399.00
BH4964	BH Sub-Frame for B2401 (Not compatible w/ B2401DTN) Includes Reversible Seat Mechanism	K1B119B20	202 lbs	\$1,399.00
BT1950A	10" Bucket - 3 Teeth	K394B40	63 lbs	\$493.00
BT1951A	12" Bucket - 3 Teeth	K464B80	69 lbs	\$581.00
BT1952A	16" Bucket - 4 Teeth	K615B20	82 lbs	\$769.00
BH1976	Mechanical Thumb - 6 Position	K450B40	51 lbs	\$563.00
BX9468	Rubber Flip Pads for Stabilizers (order 2 per BH)	K118B40	19 lbs	\$148.00

3-POINT REAR MOUNTED IMPLEMENTS & ACCESSORIES

B2789	51" Two Stage Snow Blower (3-Pt Mount) Requires either Manual or Hydraulic Chute Rotation Kit	K2B719B20	390 lbs	\$3,399.00
BL2665	Manual Chute Rotation Kit	K165B60	11 lbs	\$207.00
B2784A	Hydraulic Chute Rotation Kit Requires a Minimum of 1 Rear Remote	K803B20	14 lbs	\$1,004.00
BL2666A	Hydraulic Chute Deflector Kit Requires Hydraulic Chute Rotation Kit	K920B80	22 lbs	\$1,151.00
B2516A	Electric Chute Deflector Kit	K608B80	9 lbs	\$761.00
L2177	Side Extension Kit - 5"	K108L80	27 lbs	\$136.00



B Series LX2610SUHSD

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota Indirect Injection
 3 Cylinder Engine
 EPA Tier 4 Compliant
 Charging Output (ROPS) 40 Amps
 12V – 430 CCA
 Dual Air Cleaner Element

EXHAUST EMISSION CONTROL TYPE
 No Exhaust After Treatment Required

HYDRAULICS / HITCH / DRAWBAR

Open Center
 Tandem Pumps Gear Type
 3.7 gpm Power Steering
 5.0 gpm Remote/3 Pt. Hitch
 8.7 gpm Total Hyd. Flow

3-POINT HITCH & DRAWBAR

Cat I 3-Point Hitch
 At Lift Point 2139 lbs.
 24" Behind 1676 lbs.
 Position Control Valve

POWER TAKE OFF

Live Independent with Hydraulic Clutch
 Rear PTO – 1 Speed
 SAE Std 1 3/8" Six Spline
 540 rpm @ 2398 Eng. rpm

TRANSMISSION

Hydrostatic Drive
 Rear Differential Lock
 3 Forward Ranges
 3 Reverse Ranges
 Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering
 Cast Iron
 Bevel Gear 4WD
 Tread Spacing - Nonadjustable

FLUID CAPACITY

Fuel Tank (ROPS) 7.1 gal.
 Cooling System 4.5 qts.
 Crankcase 4.2 qts.
 Transmission and Hydraulics 4.0 gal.
 Front Axle 5.0 qts.

INSTRUMENTS

Tachometer/Hour meter
 Oil Pressure
 Fuel Gauge
 Coolant Temperature

ROPS FEATURES

12V Outlet and Cup Holder
 Integrated Loader Valve and Joystick
 Toolbox
 Left Side Step
 Rubber Floor Mat
 Holes in ROPS for mounting kits

SAFETY EQUIPMENT

2-Post Foldable ROPS w/Retractable
 Seat Belt
 Flip-Up PTO Shield
 Safety Start Switches
 Electric Key Shut Off
 Parking Brake
 SMV Sign

Model Specifications	
LX2610SUHSD ROPS	
SAE Gross HP:	24.8
PTO HP:	19.5
Engine Model:	D1305
Displacement:	77.0 Cu In



B Series		LX2610SUHSD		
ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE

*** STANDARD TRACTOR WITH STANDARD TIRES ***

LX2610SUHSD	4WD Compact Tractor - 2 Post Foldable ROPS	K14B699B20	1786 lbs	\$18,374.00
-------------	--	------------	----------	-------------

LX2610SUHSD		Additional Price With Tire Option			
ORDER	CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGGESTED LIST PRICE
TIRES AND WHEELS†					
AG					
BR8707A*		F-TIRE 7-12 R1 B-Stone Farm Service Lug	33 lbs	In Base Price	In Base Price
ABR9382*		R-TIRE 12.4-16 R1 F-Stone TracFil&Rd TT	93 lbs		
TURF					
ABR8742		F-TIRE 24x8.50-14 R3 Titan Multi Trac	42 lbs	K104B00	Add \$ 130.00
ABR8744		R-TIRE 13.6-16 R3 Titan Multi Trac	133 lbs		
INDUSTRIAL					
ABR8726		F-TIRE 23x8.50-14 R4 Titan Trac Loader	50 lbs	K104B00	Add \$ 130.00
BR8749		R-TIRE 12.4-16 R4 Goodyear Sure Grip Lug	108 lbs		
ABR8767**		F-TIRE 25x8.50-14 R4 Titan Trac Loader	56 lbs	K526B40	Add \$ 658.00
ABR8768**		R-TIRE 15-19.5 R4 Titan Trac Loader	174 lbs		
INDUSTRIAL HYBRID					
ABR8791A		F-TIRE 23X8.50-12 R14T GOODYEAR SST	50 lbs	K246B40	Add \$ 308.00
ABR8647		R-TIRE 14-17.5 R14T GOODYEAR SST	160 lbs		
ABR8646**		F-TIRE 25X8.50-14 R14T GOODYEAR SST	45 lbs	K616B00	Add \$ 770.00
ABR8645**		R-TIRE 15-19.5 R14T GOODYEAR SST	180 lbs		

† See Tire Section for Individual Tire Pricing and Information
 * Standard Tires
 ** Not Compatible with Mid Mount Mowers, Requires the use of Steering Stop Kit

LX2610SUHSD		TIRES AND WHEELS (priced per piece)			
ORDER	CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGG. LIST PRICE
AG					
BR8707A*		F-TIRE 7-12 R1 B-Stone Farm Service Lug	33 lbs	B152B00	\$ 190.00
ABR9382*		R-TIRE 12.4-16 R1 F-Stone TracFil&Rd TT	93 lbs	B354B40	\$ 443.00
TURF					
ABR8742		F-TIRE 24x8.50-14 R3 Titan Multi Trac	42 lbs	B167B20	\$ 209.00
ABR8744		R-TIRE 13.6-16 R3 Titan Multi Trac	133 lbs	B391B20	\$ 489.00
INDUSTRIAL					
ABR8726		F-TIRE 23x8.50-14 R4 Titan Trac Loader	50 lbs	B164B80	\$ 206.00
BR8749		R-TIRE 12.4-16 R4 Goodyear Sure Grip Lug	108 lbs	B393B60	\$ 492.00
ABR8767**		F-TIRE 25x8.50-14 R4 Titan Trac Loader	56 lbs	B176B00	\$ 220.00
ABR8768**		R-TIRE 15-19.5 R4 Titan Trac Loader	174 lbs	B593B60	\$ 742.00
INDUSTRIAL HYBRID					
ABR8791A		F-TIRE 23X8.50-12 R14T GOODYEAR SST	50 lbs	B175B20	\$ 219.00
ABR8647		R-TIRE 14-17.5 R14T GOODYEAR SST	160 lbs	B454B40	\$ 568.00
ABR8646**		F-TIRE 25X8.50-14 R14T GOODYEAR SST	45 lbs	B188B00	\$ 235.00
ABR8645**		R-TIRE 15-19.5 R14T GOODYEAR SST	180 lbs	B626B40	\$ 783.00



B Series LX2610HSD/LX2610HSDC

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota Indirect Injection
 3 Cylinder Engine
 EPA Tier 4 Compliant
 Charging Output (ROPS) 40.0 Amps
 Charging Output (Cab) 60.0 Amps
 12V – 430 CCA
 Dual Air Cleaner Element

EXHAUST EMISSION CONTROL TYPE
 No Exhaust After Treatment Required

HYDRAULICS / HITCH / DRAWBAR
 Open Center
 Tandem Pumps Gear Type
 3.7 gpm Power Steering
 5.0 gpm Remote/3 Pt. Hitch
 8.7 gpm Total Hyd. Flow

3-POINT HITCH & DRAWBAR
 Cat I 3-Point Hitch
 At Lift Point 2139 lbs.
 24" Behind 1676 lbs.
 Position Control 3-Point Valve

POWER TAKE OFF
 Live Independent with Hydraulic Clutch
 Rear PTO – 1 Speed
 SAE Std 1 3/8" Six Spline
 540 rpm @ 2398 Eng. rpm
 Mid PTO – 1 Speed
 2500 rpm @ 2500 Eng. rpm

TRANSMISSION

Hydrostatic Drive
 Rear Differential Lock
 3 Forward Ranges
 3 Reverse Ranges
 Cruise Control
 Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering
 Cast Iron
 Bevel Gear 4WD
 Tread Spacing - Nonadjustable

FLUID CAPACITY

Fuel Tank (ROPS) 7.1 gal.
 Fuel Tank (Cab) 8.5 gal
 Cooling System 4.5 qts.
 Crankcase 4.2 qts.
 Transmission and Hydraulics 4.0 gal.
 Front Axle 5.0 qts.

INSTRUMENTS

Tachometer/Hour meter
 Oil Pressure
 Fuel Gauge
 Coolant Temperature

ROPS FEATURES

Tilt Steering
 Cruise Control
 Deluxe Seat with Arm Rest
 Rubber Floor Mat
 12V Outlet and Cup Holder
 Integrated Loader Valve and Joystick
 Toolbox
 Left Side Step
 Holes in ROPS for mounting kits

CAB FEATURES

Kubota-built Factory-Installed CAB
 Tilt Steering
 Cruise Control
 AC/Heater
 Deluxe Seat with Armrest
 Telescoping Stabilizers
 Front LED Work Lights
 Front and Rear Wiper
 12V Outlet and Cup Holder
 Integrated Loader Valve and Joystick

SAFETY EQUIPMENT

2-Post Foldable ROPS
 ROPS Certified CAB
 Retractable Seat Belt
 Flip-Up PTO Shield
 Safety Start Switches
 Electric Key Shut Off
 Parking Brake
 SMV Sign

Model Specifications			
LX2610HSD ROPS		LX2610HSDC CAB	
SAE Gross HP:	24.8	SAE Gross HP:	24.8
PTO HP:	19.5	PTO HP:	19.5
Engine Model:	D1305	Engine Model:	D1305
Displacement:	77.0 Cu In	Displacement:	77.0 Cu In



B Series LX2610HSD/LX2610HSDC

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
*** STANDARD TRACTOR WITH STANDARD TIRES ***				
LX2610HSD	4WD Compact Tractor - 2 Post Foldable ROPS	K15B600B00	1786 lbs	\$19,500.00
LX2610HSDC	4WD Compact Tractor - Cab (ROPS Certified)	K22B547B20	2293 lbs	\$28,184.00

LX2610HSD / LX2610HSDC		Additional Price With Tire Option			
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER		SUGGESTED LIST PRICE
AG					
BR8707A*	F-TIRE 7-12 R1 B-Stone Farm Service Lug	33 lbs	In Base Price		In Base Price
ABR9382*	R-TIRE 12.4-16 R1 F-Stone TracFild&Rd TT	93 lbs			
TURF					
ABR8742	F-TIRE 24x8.50-14 R3 Titan Multi Trac	42 lbs	K104B00	Add	\$ 130.00
ABR8744	R-TIRE 13.6-16 R3 Titan Multi Trac	133 lbs			
INDUSTRIAL					
ABR8726	F-TIRE 23x8.50-14 R4 Titan Trac Loader	50 lbs	K104B00	Add	\$ 130.00
BR8749	R-TIRE 12.4-16 R4 Goodyear Sure Grip Lug	108 lbs			
ABR8767**	F-TIRE 25x8.50-14 R4 Titan Trac Loader	56 lbs	K526B40	Add	\$ 658.00
ABR8768**	R-TIRE 15-19.5 R4 Titan Trac Loader	174 lbs			
INDUSTRIAL HYBRID					
ABR8791A	F-TIRE 23X8.50-12 R14T GOODYEAR SST	50 lbs	K246B40	Add	\$ 308.00
ABR8647	R-TIRE 14-17.5 R14T GOODYEAR SST	160 lbs			
ABR8646**	F-TIRE 25X8.50-14 R14T GOODYEAR SST	45 lbs	K616B00	Add	\$ 770.00
ABR8645**	R-TIRE 15-19.5 R14T GOODYEAR SST	180 lbs			

† See Tire Section for Individual Tire Pricing and Information

* Standard Tires

** Non-Cab Units only, Not Compatible with Mid Mount Mowers, Requires the use of Steering Stop Kit

LX2610HSD / LX2610HSDC		TIRES AND WHEELS (priced per piece)			
ORDER CODE	DESCRIPTION	Weight	FACTORY NUMBER		SUGG. LIST PRICE
AG					
BR8707A*	F-TIRE 7-12 R1 B-Stone Farm Service Lug	33 lbs	B152B00		\$ 190.00
ABR9382*	R-TIRE 12.4-16 R1 F-Stone TracFild&Rd TT	93 lbs	B354B40		\$ 443.00
TURF					
ABR8742	F-TIRE 24x8.50-14 R3 Titan Multi Trac	42 lbs	B167B20		\$ 209.00
ABR8744	R-TIRE 13.6-16 R3 Titan Multi Trac	133 lbs	B391B20		\$ 489.00
INDUSTRIAL					
ABR8726	F-TIRE 23x8.50-14 R4 Titan Trac Loader	50 lbs	B164B80		\$ 206.00
BR8749	R-TIRE 12.4-16 R4 Goodyear Sure Grip Lug	108 lbs	B393B60		\$ 492.00
ABR8767**	F-TIRE 25x8.50-14 R4 Titan Trac Loader	56 lbs	B176B00		\$ 220.00
ABR8768**	R-TIRE 15-19.5 R4 Titan Trac Loader	174 lbs	B593B60		\$ 742.00
INDUSTRIAL HYBRID					
ABR8791A	F-TIRE 23X8.50-12 R14T GOODYEAR SST	50 lbs	B175B20		\$ 219.00
ABR8647	R-TIRE 14-17.5 R14T GOODYEAR SST	160 lbs	B454B40		\$ 568.00
ABR8646**	F-TIRE 25X8.50-14 R14T GOODYEAR SST	45 lbs	B188B00		\$ 235.00
ABR8645**	R-TIRE 15-19.5 R14T GOODYEAR SST	180 lbs	B626B40		\$ 783.00



B Series

LX3310HSD/LX3310HSDC

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota Direct Injection
 4 Cylinder Engine
 Turbo Common Rail Electric Fuel Injection
 EPA Tier 4 Compliant
 Charging Output (ROPS) 60.0 Amps
 Charging Output (Cab) 75.0 Amps
 12V – 430 CCA
 Dual Air Cleaner Element

EXHAUST EMISSION CONTROL TYPE

Diesel Particulate Filter

HYDRAULICS / HITCH / DRAWBAR

Open Center
 Tandem Pumps Gear Type
 3.7 gpm Power Steering
 5.0 gpm Remote/3 Pt. Hitch
 8.7 gpm Total Hyd. Flow

3-POINT HITCH & DRAWBAR

Cat I 3-Point Hitch
 At Lift Point 2139 lbs.
 24" Behind 1676 lbs.
 Position Control 3-Point Valve

POWER TAKE OFF

Live Independent with Hydraulic Clutch
 Rear PTO – 1 Speed
 SAE Std 1 3/8" Six Spline
 540 rpm @ 2398 Eng. rpm
 Mid PTO – 1 Speed
 2500 rpm @ 2500 Eng. rpm

TRANSMISSION

Hydrostatic Drive
 Rear Differential Lock
 3 Forward Ranges
 3 Reverse Ranges
 Cruise Control
 Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering
 Cast Iron
 Bevel Gear 4WD
 Tread Spacing - Nonadjustable

FLUID CAPACITY

Fuel Tank (ROPS) 8.5 gal.
 Fuel Tank (Cab) 7.4 gal
 Cooling System 4.5 qts.
 Crankcase 5.0 qts.
 Transmission and Hydraulics 4.0 gal.
 Front Axle 5.0 qts.

INSTRUMENTS

Tachometer/Hour meter
 Oil Pressure
 Fuel Gauge
 Coolant Temperature

ROPS FEATURES

Tilt Steering
 Cruise Control
 Deluxe Seat with Arm Rest
 Rubber Floor Mat
 12V Outlet and Cup Holder
 Integrated Loader Valve and Joystick
 Toolbox
 Left Side Step
 Holes in ROPS for mounting kits

CAB FEATURES

Kubota-built Factory-Installed CAB
 Tilt Steering
 Cruise Control
 AC/Heater
 LED Front Work Lights
 Deluxe Seat with Armrest
 Telescoping Stabilizers
 Front and Rear Wiper
 12V Outlet and Cup Holder
 Integrated Loader Valve and Joystick

SAFETY EQUIPMENT

2-Post Foldable ROPS
 ROPS Certified CAB
 Retractable Seat Belt
 Flip-Up PTO Shield
 Safety Start Switches
 Electric Key Shut Off
 Parking Brake
 SMV Sign

Model Specifications			
LX3310HSD ROPS		LX3310HSDC CAB	
SAE Gross HP:	30.8	SAE Gross HP:	30.8
PTO HP:	27.0	PTO HP:	27.0
Engine Model:	V1505	Engine Model:	V1505
Displacement:	91.4 Cu In	Displacement:	91.5 Cu In



B Series LX3310HSD/LX3310HSDC

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
*** STANDARD TRACTOR WITH STANDARD TIRES ***				
LX3310HSD	4WD Compact Tractor - 2 Post Foldable ROPS	K19B842B40	1918 lbs	\$24,803.00
LX3310HSDC	4WD Compact Tractor - Cab (ROPS Certified)	K26B240B00	2469 lbs	\$32,800.00

LX3310HSD / LX3310HSDC		Additional Price With Tire Option			
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER		SUGGESTED LIST PRICE
AG					
BR8707A*	F-TIRE 7-12 R1 B-Stone Farm Service Lug	33 lbs	In Base Price		In Base Price
ABR9382*	R-TIRE 12.4-16 R1 F-Stone TracFild&Rd TT	93 lbs			
TURF					
ABR8742	F-TIRE 24x8.50-14 R3 Titan Multi Trac	42 lbs	K104B00	Add	\$ 130.00
ABR8744	R-TIRE 13.6-16 R3 Titan Multi Trac	133 lbs			
INDUSTRIAL					
ABR8726	F-TIRE 23x8.50-14 R4 Titan Trac Loader	50 lbs	K104B00	Add	\$ 130.00
BR8749	R-TIRE 12.4-16 R4 Goodyear Sure Grip Lug	108 lbs			
ABR8767**	F-TIRE 25x8.50-14 R4 Titan Trac Loader	56 lbs	K526B40	Add	\$ 658.00
ABR8768**	R-TIRE 15-19.5 R4 Titan Trac Loader	174 lbs			
INDUSTRIAL HYBRID					
ABR8791A	F-TIRE 23X8.50-12 R14T GOODYEAR SST	50 lbs	K246B40	Add	\$ 308.00
ABR8647	R-TIRE 14-17.5 R14T GOODYEAR SST	160 lbs			
ABR8646**	F-TIRE 25X8.50-14 R14T GOODYEAR SST	45 lbs	K616B00	Add	\$ 770.00
ABR8645**	R-TIRE 15-19.5 R14T GOODYEAR SST	180 lbs			

† See Tire Section for Individual Tire Pricing and Information
 * Standard Tires
 ** Non-Cab Units only, Not Compatible with Mid Mount Mowers, Requires the use of Steering Stop Kit

LX3310HSD / LX3310HSDC		TIRES AND WHEELS (priced per piece)			
ORDER CODE	DESCRIPTION	Weight	FACTORY NUMBER		SUGG. LIST PRICE
AG					
BR8707A*	F-TIRE 7-12 R1 B-Stone Farm Service Lug	33 lbs	B152B00	\$	190.00
ABR9382*	R-TIRE 12.4-16 R1 F-Stone TracFild&Rd TT	93 lbs	B354B40	\$	443.00
TURF					
ABR8742	F-TIRE 24x8.50-14 R3 Titan Multi Trac	42 lbs	B167B20	\$	209.00
ABR8744	R-TIRE 13.6-16 R3 Titan Multi Trac	133 lbs	B391B20	\$	489.00
INDUSTRIAL					
ABR8726	F-TIRE 23x8.50-14 R4 Titan Trac Loader	50 lbs	B164B80	\$	206.00
BR8749	R-TIRE 12.4-16 R4 Goodyear Sure Grip Lug	108 lbs	B393B60	\$	492.00
ABR8767**	F-TIRE 25x8.50-14 R4 Titan Trac Loader	56 lbs	B176B00	\$	220.00
ABR8768**	R-TIRE 15-19.5 R4 Titan Trac Loader	174 lbs	B593B60	\$	742.00
INDUSTRIAL HYBRID					
ABR8791A	F-TIRE 23X8.50-12 R14T GOODYEAR SST	50 lbs	B175B20	\$	219.00
ABR8647	R-TIRE 14-17.5 R14T GOODYEAR SST	160 lbs	B454B40	\$	568.00
ABR8646**	F-TIRE 25X8.50-14 R14T GOODYEAR SST	45 lbs	B188B00	\$	235.00
ABR8645**	R-TIRE 15-19.5 R14T GOODYEAR SST	180 lbs	B626B40	\$	783.00

KUBOTA**B Series LX2610/LX3310****DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
HYDRAULICS/HITCH/DRAWBAR				
POSITION LEVER KITS - ROPS MODELS				
B7362	Base Kit and 1st Lever Requires B7304 Double Acting Valve	K460B00	5 lbs	\$575.00
B7372	2nd Position Stacking Kit and 2nd Lever Requires B7304 valve or B7305 valve Requires B7362 1st Position w/ B7304 Installed to add 2nd Position	K156B80	3 lbs	\$196.00
POSITION LEVER KITS - CAB MODELS				
B7316	Base Kit and 1st Lever Requires B7304 Double Acting Valve	K460B00	15 lbs	\$575.00
B7317	2nd Position Stacking Kit and 2nd Lever Requires B7304 valve or B7305 valve Requires B7362 1st Position w/ B7304 Installed to add 2nd Position	K251B20	7 lbs	\$314.00
HYDRAULIC REAR REMOTE VALVES				
B7304	Double Acting Valve Section	K221B60	4 lbs	\$277.00
B7305	FD (Float Detent) Valve Section (2nd Position Only)	K278B40	5 lbs	\$348.00
3-POINT HITCH				
B2677	Telescoping Lower Link End Kit For LX2610SUHSD, LX2610HSD, and LX3310HSD ROPS Standard on Cab models.	K192B00	32 lbs	\$240.00
B2667	Ratchet Type Lift Rod For ROPS & CAB Models	K106B40	5 lbs	\$133.00
BL6820	Dropdown Drawbar	K70B40	17 lbs	\$88.00
ROPS ACCESSORIES				
CANOPY				
E1175	Universal Lightweight Quick Attach Canopy Kit Includes Mounting Bracket and Canopy	K514Z02	90 lbs	\$659.00
E1123	Fiberglass Canopy Requires E1124 Mounting Kit	K280Z02	90 lbs	\$359.00
E1124	Fiberglass Canopy Mounting Kit	K155Z22	28 lbs	\$199.00
E1133	Plastic Canopy	K404B80	63 lbs	\$506.00
WORK LIGHTS				
E1176	Universal LED Light Kit (2 Lights w/ Light Shields) Mounts to Holes in ROPS	K215A20	6 lbs	\$269.00
B7335	Rear Working Auxiliary Light (1 Light)	K82B40	4 lbs	\$103.00
SU MODEL ACCESSORIES				
B1015	Cruise Control Kit - LX2610SUHSD Only	K40B80	3 lbs	\$51.00
B7358	Arm Rest Kit - LX2610SUHSD Only	K71B20	7 lbs	\$89.00
CAB ACCESSORIES				
REAR WORK LIGHTS				
B7345	Rear LED Work Lights for CAB Models	K183B20	2 lbs	\$229.00
RADIOS				
3 Models	Jensen Radio	(Order from the Parts Department)		



B Series LX2610/LX3310

DEALER INSTALLED ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
BALLAST				
BALLAST BOX				
B8160	Ballast Box - 3 pt. Mount	K205B60	401 lbs	\$257.00
WB10	Quick Hitch Compatible Weight Box Additional Liquid Ballast in the Tire is Necessary Not Compatible with ABR8768 & ABR8645		(Order From Land Pride)	
FRONT WEIGHT BRACKETS				
BX8064A	Weight Bracket - 5 Weights Not compatible with Front Grill Guards.	K91B20	23 lbs	\$114.00
FRONT SUITCASE WEIGHTS				
BL8069	Suitcase Weight (55 lbs. Each) Requires BX8064A Requires One BL8049 per Weight Requires One BL8013 for all weight stacks	K64B80	55 lbs	\$81.00
FRONT WEIGHT BOLT & THREAD KITS				
BL8049	Weight Bolt Kits - 1 Kit per BL8049	K6B40	1 lbs	\$8.00
BL8013	Thread Bolt Kit for All Weight Stacks *Cut Bolt to Length for Stacks Less than 5	K11B20	3 lbs	\$14.00
ADDITIONAL ACCESSORIES				
TIRES & WHEELS KITS				
B4573	Steering Stop Kit - ROPS MODELS Use when ABR8767 or ABR8646 Tires are installed	K17B60	1 lbs	\$22.00
B8785	Rear Wheel Spacers - 1 3/8" Spacers Not Compatible with Mid Mount Mowers	K296B00	39 lbs	\$370.00
GRILL GUARD - NON LOADER APPLICATION				
B2327	Grill Guard for Non-Loader Application	K200B80	58 lbs	\$251.00
REPLACEMENT ROPS				
SFLX-F10	Replacement ROPS - LX ROPS Models	K534B40	148 lbs	\$668.00
REPLACEMENT CABS				
B7083	Replacement Cab for LX2610HSDC	K7B008B00	1125 lbs	\$8,760.00
B7084	Replacement Cab for LX3310HSDC	K7B050B40	1125 lbs	\$8,813.00
BLOCK HEATER				
70000-73274	Block Heater		(Order from the Parts Department)	
SPARK ARRESTING MUFFLER				
70000-01605	Spark Arresting Muffler for LX2610HSD and LX2610HSDC		(Order from the Parts Department)	

KUBOTA**B Series LX2610/LX3310****Front End Loaders**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
LA535				
LA535	Front End Loader Includes Mounting Kit, 2-lever quick coupler, Stand, Level Indicator and Grille Guard Valve is Standard on Tractor Requires Bucket	K3B520B00	664 lbs	\$4,400.00
3RD FUNCTION VALVES				
B7369	3rd Function Valve Kit - Cab Models Must order hydraulic line quick couplers separately	K756B80	1 lbs	\$946.00
B7368	3rd Function Valve Kit - ROPS Models Must order hydraulic line quick couplers separately	K756B80	42 lbs	\$946.00
380-344A	Third Function Valve Kit from Land Pride		(Order From Land Pride)	
SWIFT-TACH/ONE-LEVER QUICK COUPLER				
B2386	Swift-tach Kit for ROPS Kit includes One-Lever Quick Coupler	K660B80	127 lbs	\$826.00
B2387	Swift-tach Kit for CAB Kit includes One-Lever Quick Coupler	K745B60	94 lbs	\$932.00
MECHANICAL SELF-LEVELING				
B2377	Mechanical Self-Leveling Kit	K745B60	130 lbs	\$932.00
QUICK ATTACH BUCKETS				
B2371	54" QA Bucket	K429B60	271 lbs	\$537.00
B2372	60" Light Material QA Bucket	K529B60	247 lbs	\$662.00
B2373	Bolt-On Cutting Edge Kit for 54" Bucket	K160B80	40 lbs	\$201.00
QUICK ATTACH PALLET FORK FRAME / PALLET FORKS				
B2376	Pallet Fork Frame 2-Lever QA (Requires K9048)	K603B20	165 lbs	\$754.00
K9048	36" Pallet Forks	K386L40	176 lbs	\$483.00
QUICK ATTACH FRONT LOADER BLADES & ACCESSORIES				
B2672	60" Straight Blade w/Man. Angle	K1B720B80	475 lbs	\$2,151.00
B2673	72" Straight Blade w/Man. Angle	K1B880B80	535 lbs	\$2,351.00
B2766	60" Rubber Cutting Edge	K212B00	49 lbs	\$265.00
B2776	72" Rubber Cutting Edge	K249B60	59 lbs	\$312.00
B2671	Hydraulic Angulation Kit for B2672 & B2673 Requires 3rd Function Valve	K492B80	14 lbs	\$616.00

KUBOTA**B Series LX2610/LX3310****Front Quick Hitch & Front Quick Hitch Implements**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
FRONT QUICK HITCH FRAME & COUPLER				
LX2940	Quick Hitch and Sub-Frame B2726 required if no FEL Sub-Frame is Installed LX2953 required with any loader installed	K1B225B60	300 lbs	\$1,532.00
LX2953	Hose Holder Kit (Required if Front Loader Installed)	K63B20	5 lbs	\$79.00
B2726	Quick Hitch Support Kit Required for Units without a Front End Loader Sub-Frame	K233B60	32 lbs	\$292.00
FRONT QH DRIVELINE KITS				
LX2941	Mid PTO Driveline Kit for LX2610HSDC and LX3310HSDC	K645B60	30 lbs	\$807.00
LX2942	Mid PTO Driveline Kit for LX2610HSD and LX3310HSD	K645B60	30 lbs	\$807.00
FRONT QH MOUNTED ROTARY SWEEPERS & ACCESSORIES				
LX2950	66" Rotary Sweeper - Hyd. Angle, 24" Wafer Requires Quick Hitch and Mid PTO Driveline Kit Not Compatible with the LX2610SUHD Model	K4B196B00	480 lbs	\$5,245.00
V5269	50/50 Poly and Steel Brush Kit	K516V81	99 lbs	\$749.00
V5250	Side Markers (Flexible Rods)	K26V91	8 lbs	\$39.00
LX2951	Dust Deflector for LX2950	K155B20	20 lbs	\$194.00
FRONT QH MOUNTED BLADES & ACCESSORIES				
LX2954	LX T-Fitting Kit NOTE: Required for use of front hitch snow equipment when optional LA535 MSL Kit (B2377) is installed	K45B60	5 lbs	\$57.00
LX2960	60" Blade - Hyd. Angle, Trip Spring Lockout Requires Quick Hitch	K1B503B20	480 lbs	\$1,879.00
LX2972	72" Blade - Hyd. Angle Requires Quick Hitch	K1B640B00	500 lbs	\$2,050.00
B2766	60" Rubber Cutting Edge	K212B00	49 lbs	\$265.00
B2776	72" Rubber Cutting Edge	K249B60	59 lbs	\$312.00

KUBOTA**B Series LX2610/LX3310**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
FRONT QH MOUNTED SNOWBLOWERS & ACCESSORIES				
RESIDENTIAL SNOW BLOWERS				
LX2963	63" Residential 2-Stage Snow Blower Hydraulic Rotator and Manual Deflector Requires Front Hitch and Mid PTO Driveline Kit Refer to Front Hitch section for add'l kits required if Front Loader installed Not Compatible with the LX2610SUHD Model	K2B988B80	550 lbs	\$3,736.00
COMMERCIAL SNOW BLOWERS				
LX2970	51" Commercial 2-Stage Snowblower Hydraulic Rotator and Manual Deflector Requires Front Hitch and Mid PTO Driveline Kit Refer to Front Hitch section for add'l kits required if Front Loader installed Not Compatible with the LX2610SUHD Model	K4B109B60	605 lbs	\$5,137.00
LX2980	64" Commercial 2-Stage Snowblower Hydraulic Rotator and Manual Deflector Requires Front Hitch and Mid PTO Driveline Kit Refer to Front Hitch section for add'l kits required if Front Loader installed Not Compatible with the LX2610SUHD Model	K4B202B40	635 lbs	\$5,253.00
SNOW BLOWER ACCESSORIES				
BL7522	Hydraulic Chute Deflector for LX2963, LX2970 and LX2980	K860B00	18 lbs	\$1,075.00
BX5447	Drift Cutters for LX2963	K81B60	9 lbs	\$102.00
BL7524	Drift Cutters for LX2970 and LX2980	K82B40	10 lbs	\$103.00
LX2943	Hard Plastic Cutting Edge & Adjustable Skid Shoes for LX2963	K284B00	20 lbs	\$355.00
LX2944	Hard Plastic Cutting Edge & Adjustable Skid Shoes for LX2970	K272B00	20 lbs	\$340.00
LX2945	Hard Plastic Cutting Edge & Adjustable Skid Shoes for LX2980	K284B00	20 lbs	\$355.00
B2799	3" Side Extension Kit for LX2970 and LX2980	K108B80	12 lbs	\$136.00



B Series LX2610/LX3310

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

MID MOUNT MOWER DECKS & ACCESSORIES

RCK60-30BB	60" Cutting Width - 3 Blade Finish Mower, RH Discharge Not compatible with ROPS models' side step LX2610HSD/LX3310HSD side step MUST be removed for compatibility Not compatible with B8785 Wheel Spacers Not compatible with ABR8768 or ABR8645 Tires Not compatible with LX2610SUHSD.	K2B651B20	445 lbs	\$3,314.00
RC72-30BB	72" Cutting Width - 3 Blade Finish Mower RH Discharge Not Compatible with B8785 Wheel Spacers Not Compatible with ABR8768 or ABR8645 Tires Not Compatible with Grass Catcher Not compatible with LX2610SUHSD.	K3B272B00	551 lbs	\$4,090.00
GCK60-30BB	Grass Catcher 3 Bag (9.75 Bushels) Requires Boot Kit Not Compatible with RC72-30BB	K1B996B80	320 lbs	\$2,496.00
B3046	Boot Kit - 60" Deck	K273B60	31 lbs	\$342.00
70000-02505	Mulching Kit for RCK60-30BB Requires 70000-02507 Left Baffle Kit (1) and 70000-70038 Mulching Blades (3) Not compatible with 72" Mower Deck			(Order from Parts Department)
70000-02506	Mulching Kit for RC72-30BB Requires 70000-02507 Left Baffle Kit (1) and 70000-70038 Mulching Blades (3) Not compatible with 60" Mower Deck			(Order from Parts Department)
70000-02507	Left Baffle Kit			(Order from Parts Department)
70000-25041	Mulching Blades (3)			(Order from Parts Department)

BACKHOES & ACCESSORIES

BH77	7.7' Backhoe - 4 Point Mount Quick Mount/Dismount without Tools Requires Sub-Frame, 3pt Linkage must be removed to mount MMM may remain on the unit, locked in the upper position Not compatible with Grass Catcher	K6B587B20	1077 lbs	\$8,234.00
BH4973	BH Sub-Frame for LX2610HSDC and LX3310HSDC Includes Fixed Seat	K890B40	202 lbs	\$1,113.00
BH4966	BH Sub-Frame for LX2610HSD and LX3310HSD Includes Reversible Seat Mechanism	K890B40	240 lbs	\$1,113.00
BH4963A	BH Sub-Frame for LX2610SUHSD MUST ORDER PART #7K507-66570 TO COMPLETE INSTALLATION Includes Reversible Seat Mechanism	K890B40	260 lbs	\$1,113.00
BT1950A	10" Bucket - 3 Teeth	K394B40	63 lbs	\$493.00
BT1951A	12" Bucket - 3 Teeth	K464B80	69 lbs	\$581.00
BT1952A	16" Bucket - 4 Teeth	K615B20	82 lbs	\$769.00
BT1953A	24" Bucket - 5 Teeth	K804B00	118 lbs	\$1,005.00
BH1976	Mechanical Thumb - 6 Position	K450B40	51 lbs	\$563.00
L9467	Rubber Flip Pads for Stabilizers (order 2 per BH)	K118L40	15 lbs	\$148.00



B Series		LX2610/LX3310		
ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
3-POINT MOUNTED IMPLEMENTS & ACCESSORIES				
Rear Mount Snow Blowers				
B2789	51" Two Stage Snow Blower (3-Pt Mount) Requires either Manual or Hydraulic Chute Rotation Kit	K2B719B20	390 lbs	\$3,399.00
BLMX3164	64" Two-Stage Commercial Snowblower Mounts to Category I 3-Point Hitch Requires Manual Chute Rotator or Hydraulic Chute Rotator	K2B914B40	681 lbs	\$3,643.00
REAR MOUNT SNOW BLOWER OPTIONS				
BL2665	Manual Chute Rotator	K165B60	11 lbs	\$207.00
BL6399	Hydraulic Chute Rotator Requires 1 Set of Hydraulic Rear Remote Valves	K752B00	20 lbs	\$940.00
BL2666A	Hydraulic Chute Deflector Kit Requires Hydraulic Chute Rotator Includes Electric Selector Valve	K920B80	22 lbs	\$1,151.00
B2516A	Electric Chute Deflector	K608B80	9 lbs	\$761.00
L2177	Width Extension Kit, adds 5" overall cut	K108L80	27 lbs	\$136.00