

KUBOTA

L SERIES

WHOLEGOODS PRICE LIST EFFECTIVE March 1, 2021

Please replace all pages of this section of the current price book. These pages are a complete revision of this section. All prices are effective as of March 1, 2021

3/1/2021 Updated Pricing



L SERIES

PAGE NO.	DESCRIPTION	PTO HP	FACTORY NUMBER	SUGGESTED LIST PRICE	
L01 SERIES	8-4 L2501F	20.5	K11B222B40	\$14,028.00	
	8-4 L2501DT	20.5	K12B832B00	\$16,040.00	
	8-4 L2501HST	19.0	K13B832B80	\$17,291.00	
	8-7 L3301F	27.7	K14B369B60	\$17,962.00	
	8-7 L3301DT	27.7	K15B810B40	\$19,763.00	
	8-7 L3301HST	26.2	K16B604B80	\$20,756.00	
	8-10 L3901F	32.1	K15B198B40	\$18,998.00	
	8-10 L3901DT	32.1	K17B503B20	\$21,879.00	
	8-10 L3901HST	30.6	K18B298B40	\$22,873.00	
	8-13 L4701F	39.3	K16B228B00	\$20,285.00	
	8-13 L4701DT	39.3	K21B021B60	\$26,277.00	
	8-13 L4701HST	37.8	K22B182B40	\$27,728.00	
	8-16	L01 Dealer Installed Accessories			
	8-20	L01 Front End Loader			
8-21	L01 Backhoe and Accessories				
8-22	L01 Snowblowers				
GRAND L 60 SERIES	8-23 L3560DT	29.5	K19B332B80	\$24,166.00	
	8-23 L3560GST	29.5	K20B286B40	\$25,358.00	
	8-23 L3560HST	28.0	K20B578B40	\$25,723.00	
	8-24 L3560HSTC	28.0	K27B426B40	\$34,283.00	
	8-25 L3560HST-LE	28.0	K19B342B40	\$24,178.00	
	8-25 L3560HSTC-LE	28.0	K25B138B40	\$31,423.00	
	8-27 L4060DT	34.0	K22B065B60	\$27,582.00	
	8-27 L4060GST	34.0	K23B018B40	\$28,773.00	
	8-27 L4060HST	32.5	K23B333B60	\$29,167.00	
	8-28 L4060HSTC	32.5	K30B180B80	\$37,726.00	
	8-29 L4060HST-LE	32.5	K22B097B60	\$27,622.00	
	8-29 L4060HSTC-LE	32.5	K27B893B60	\$34,867.00	
	8-31 L4760GST	41.0	K27B277B60	\$34,097.00	
	8-31 L4760HST	39.5	K27B582B40	\$34,478.00	
	8-32 L4760HSTC	39.5	K34B429B60	\$43,037.00	
	8-34 L5060GST	44.0	K29B112B00	\$36,390.00	
	8-36 L5460HST	46.5	K29B524B00	\$36,905.00	
	8-37 L5460HSTC	46.5	K36B371B20	\$45,464.00	
	8-39 L6060HST	53.0	K31B100B00	\$38,875.00	
	8-40 L6060HSTC	53.0	K37B946B40	\$47,433.00	
	8-42	Grand L 60 Dealer Installed Accessories			
	8-46	Grand L 60 Front Loaders			
	8-49	Grand L 60 Front Quick Hitch & Front Quick Hitch Implements			
	8-50	Grand L 60 Front QH Mounted Blades and Accessories			
	8-51	Grand L 60 Front QH Mounted Utility Snow Blowers and Accessories			
	8-52	Grand L 60 Front QH Mounted Commercial Snow Blowers and Accessories			
8-53	Grand L 60 Front QH Mounted Rotary Sweepers and Accessories				
8-54	Grand L 60 Front QH Mounted Flail Mower and Accessories				
8-55	Grand L 60 Backhoes and Accessories				
8-57	Grand L 60 Rear Mount Snow Blowers and Accessories				



L SERIES

ASSEMBLY CHARGES

Starting in March 2013, KIE and Lodi assembly operations will offer L3200, L3800, L3301, L3901 and L4701 tractors fully assembled. Initially we will offer only basic tractor assembly with loader installation. All other units offered for tractor and loader will remain to be dealer installed. These assembly units will be shipped together with other assembly M and TLB models.

Dealers in Northern, Southeast, and Central (Eastern District) Division will receive assembled L-Series from our KIE location and will be handled by the same team currently responsible for M-Series assembly.

Dealers in Western and Central (Western District) Divisions will receive assembly tractors from Kubota Tractor Corp. in Lodi, CA.

Assembly fee for L Series Tractor **\$105.00** (tractor assembled with wheel and tires)
Assembly fee for Loader Installation. **\$125.00**

ALL OTHER KITS ARE FIELD INSTALLED ONLY.



L01 Series

L2501 F / DT / HST

***** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS *****

DIESEL ENGINE

Kubota Diesel Engine
 3 Cylinder Engine
 EPA Tier 4 Compliant
 Charging Output 40 Amps
 12V – 490 CCA
 Optional Dual Air Cleaner Element

EXHAUST EMISSION CONTROL TYPE

No Exhaust After Treatment Required

HYDRAULICS / HITCH / DRAWBAR

Open Center
 Tandem Gear Pumps
 10.1 gpm Total Hyd. Flow

3-POINT HITCH & DRAWBAR

Cat I 3-Point Hitch
 At Lift Point 1918 lbs.
 24" Behind 1389 lbs.
 Position Control 3-Point Valve

POWER TAKE OFF

Transmission Driven with
 Over-Running Clutch - F / DT
 Live PTO - HST
 Rear PTO – 1 Speed
 SAE Std 1 3/8" Six Spline
 540 rpm @ 1911 Eng. Rpm - F / DT
 540 rpm @ 2106 Eng. Rpm - HST

TRANSMISSION - F / DT

Sliding Gear Constant Mesh
 Rear Differential Lock
 8 Forward Speeds
 4 Reverse Speeds
 Single-Stage Clutch
 Wet Disc Brakes

TRANSMISSION - HST

Hydrostatic Drive
 Rear Differential Lock
 3 Ranges
 Optional Cruise Control
 Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering
 Tubular Steel Beam 2WD
 Cast Iron with Bevel Gear 4WD
 Tread Spacing - Nonadjustable

FLUID CAPACITY

Fuel Tank	10.0 gal.
Cooling System	6.3 qts.
Crankcase	6.0 qts.
Transmission and Hydraulics	
F	7.1 gal.
DT	7.3 gal.
HST	6.2 gal.
Front Axle	4.8 qts.

INSTRUMENTS

Tachometer/Hour meter
 Oil Pressure
 Fuel Gauge
 Coolant Temperature

FEATURES

Illuminated Instrument Panel
 Steel Hood and Fenders
 Tool Box
 Cup Holder
 Left Hand Fender Grip

SAFETY EQUIPMENT

2-Post Foldable ROPS w/Retractable
 Seat Belt
 Flip-Up PTO Shield
 Safety Start Switches
 Electric Key Shut Off
 Parking Brake
 SMV Sign

Model Specifications			
<u>L2501F 2WD</u>		<u>L2501DT 4WD</u>	
SAE Gross HP:	24.8	SAE Gross HP:	24.8
Engine Net HP:	23.9	Engine Net HP:	23.9
PTO HP:	20.5	PTO HP:	20.5
Engine Model:	D1703	Engine Model:	D1703
Displacement:	100.47 Cu. In.	Displacement:	100.47 Cu. In.
		<u>L2501HST 4WD</u>	
		SAE Gross HP:	24.8
		Engine Net HP:	23.9
		PTO HP:	19
		Engine Model:	D1703
		Displacement:	100.47 Cu. In.



L01 Series

L2501 F

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

L2501F	2WD Compact Tractor - 2 Post Foldable ROPS	K11B222B40	2822 lbs	\$14,028.00
--------	--	------------	----------	-------------

L2501 F		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGG. LIST
TIRES AND WHEELS[†]				
AG				
ALR8865*	F-TIRE 5.00-15 F2 Goodyear Triple Rib	28 lbs		
ALR9494*	R-TIRE 11.2-24 R1 Hi Pwr Lug 2.94"offset	159 lbs		In Base Price
ALR8852A	F-TIRE 7.5L-15 F2 Firestone Guide Grip	68 lbs	B121B60	Add
ALR9494	R-TIRE 11.2-24 R1 Hi Pwr Lug 2.94"offset	159 lbs		\$ 152.00
TURF				
ALR8890A	F-TIRE 23x8.50-12 R3 Titan Multi Trac	36 lbs	B64B00	Add
ALR8804A	R-TIRE 13.6-16 R3 Titan Multi Trac TL	127 lbs		\$ 80.00

[†] See Tire Section for Individual Tire Pricing and Information

* Standard Tires

TIRES AND WHEELS (priced per piece)

L2501 F		TIRES AND WHEELS (priced per piece)		
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGGESTED LIST PRICE
AG				
ALR8865*	F-TIRE 5.00-15 F2 Goodyear Triple Rib	28 lbs	B96B80	\$ 121.00
ALR9494*	R-TIRE 11.2-24 R1 Hi Pwr Lug 2.94"offset	159 lbs	B353B60	\$ 442.00
ALR8852A	F-TIRE 7.5L-15 F2 Firestone Guide Grip	68 lbs	B157B60	\$ 197.00
ALR9494	R-TIRE 11.2-24 R1 Hi Pwr Lug 2.94"offset	159 lbs	B353B60	\$ 442.00
TURF				
ALR8890A	F-TIRE 23x8.50-12 R3 Titan Multi Trac	36 lbs	B134B40	\$ 168.00
ALR8804A	R-TIRE 13.6-16 R3 Titan Multi Trac TL	127 lbs	B348B00	\$ 435.00



L01 Series L2501 DT / HST

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

L2501DT	4WD Compact Tractor - 2 Post Foldable ROPS	K12B832B00	3210 lbs	\$16,040.00
L2501HST	4WD Compact Tractor - 2 Post Foldable ROPS	K13B832B80	3249 lbs	\$17,291.00

L2501 DT/HST		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGG. LIST
TIRES AND WHEELS[†]				
AG				
ALR8866D*	F-TIRE 7.2-16 R1 Goodyear Power Torque	52 lbs		In Base Price
ALR9494*	R-TIRE 11.2-24 R1 Hi Pwr Lug 2.94"offset	159 lbs		
TURF				
ALR8893A	F-TIRE 25x8.50-14 HF-1Goodyear SofTrac	53 lbs	B99B20	Less \$ (124.00)
ALR8804A	R-TIRE 13.6-16 R3 Titan Multi Trac TL	127 lbs		
INDUSTRIAL				
AMR8977A	F-TIRE 27x8.50-15 R4 Titan Trac Lodr TL	48 lbs		Add \$ 662.00
ALR8809	R-TIRE 15-19.5 R4 Trac Ldr 3.6"offset	201 lbs	B529B60	
AG/INDUSTRIAL HYBRID				
ALR8696	F-TIRE 27X8.50-15 R14T GOODYEAR SST	52 lbs	B646B40	Add \$ 808.00
ALR8697	R-TIRE 15-19.5 R14T GOODYEAR SST	159 lbs		

[†] See Tire Section for Individual Tire Pricing and Information

* Standard Tires

TIRES AND WHEELS (priced per piece)

L2501 DT/HST		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGGESTED LIST PRICE
TIRES AND WHEELS (priced per piece)				
AG				
ALR8866D*	F-TIRE 7.2-16 R1 Goodyear Power Torque	52 lbs	B212B80	\$ 266.00
ALR9494*	R-TIRE 11.2-24 R1 Hi Pwr Lug 2.94"offset	159 lbs	B353B60	\$ 442.00
TURF				
ALR8893A	F-TIRE 25x8.50-14 HF-1Goodyear SofTrac	53 lbs	B168B80	\$ 211.00
ALR8804A	R-TIRE 13.6-16 R3 Titan Multi Trac TL	127 lbs	B348B00	\$ 435.00
INDUSTRIAL				
AMR8977A	F-TIRE 27x8.50-15 R4 Titan Trac Lodr TL	48 lbs	B204B00	\$ 255.00
ALR8809	R-TIRE 15-19.5 R4 Trac Ldr 3.6"offset	201 lbs	B627B20	\$ 784.00
AG/INDUSTRIAL HYBRID				
ALR8696	F-TIRE 27X8.50-15 R14T GOODYEAR SST	52 lbs	B224B80	\$ 281.00
ALR8697	R-TIRE 15-19.5 R14T GOODYEAR SST	159 lbs	B664B80	\$ 831.00



L01 Series

L3301 F / DT / HST

***** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS *****

DIESEL ENGINE

Kubota Common Rail Direct Injection
 3 Cylinder Engine
 EPA Tier 4 Compliant
 Charging Output 40 Amps
 12V – 580 CCA
 Optional Dual Air Cleaner Element
 Electronic Throttle

EXHAUST EMISSION CONTROL TYPE

Diesel Particulate Filter

HYDRAULICS / HITCH / DRAWBAR

Open Center
 Tandem Gear Pumps
 10.1 gpm Total Hyd. Flow

3-POINT HITCH & DRAWBAR

Cat I 3-Point Hitch
 At lift Point 1998 lbs.
 24" Behind 1435 lbs.
 Position Control 3-Point Valve

POWER TAKE OFF

Transmission Driven with
 Over-Running Clutch - F / DT
 Live PTO - HST
 Rear PTO – 1 Speed
 SAE Std 1 3/8" Six Spline
 540 rpm @ 2430 Eng. Rpm - F / DT
 540 rpm @ 2580 Eng. Rpm - HST

TRANSMISSION - F / DT

Synchro Shuttle with Sliding Gear
 Rear Differential Lock
 8 Forward Speeds
 8 Reverse Speeds
 Single-Stage Clutch
 Wet Disc Brakes

TRANSMISSION - HST

Hydrostatic Drive
 Rear Differential Lock
 3 Ranges
 Optional Cruise Control
 Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering
 Tubular Steel Beam 2WD
 Cast Iron with Bevel Gear 4WD
 Tread Spacing - Nonadjustable

FLUID CAPACITY

Fuel Tank	11.1 gal.
Cooling System	6.3 qts.
Crankcase	7.1 qts.
Transmission and Hydraulics	
F	7.4 gal.
DT	7.5 gal.
HST	6.2 gal.
Front Axle	4.8 qts.

INSTRUMENTS

Tachometer/Hour meter
 Oil Pressure
 Fuel Gauge
 Coolant Temperature

FEATURES

Illuminated Instrument Panel
 Steel Hood and Fenders
 Tool Box
 Cup Holder
 Left Hand Fender Grip
 Default to Auto Regen; w/ Parked and
 Inhibit Buttons for DPF

SAFETY EQUIPMENT

2-Post Foldable ROPS w/Retractable
 Seat Belt
 Flip-Up PTO Shield
 Safety Start Switches
 Electric Key Shut Off
 Parking Brake
 SMV Sign

Model Specifications			
<u>L3301F 2WD</u>		<u>L3301DT 4WD</u>	
SAE Gross HP:	33.0	SAE Gross HP:	33.0
Engine Net HP:	31.4	Engine Net HP:	31.4
PTO HP:	27.7	PTO HP:	27.7
Engine Model:	D1803	Engine Model:	D1803
Displacement:	111.4 Cu. In.	Displacement:	111.4 Cu. In.
		<u>L3301HST 4WD</u>	
		SAE Gross HP:	33.0
		Engine Net HP:	31.4
		PTO HP:	26.2
		Engine Model:	D1803
		Displacement:	111.4 Cu. In.



L01 Series

L3301 F

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

L3301F	2WD Compact Tractor - 2 Post Foldable ROPS	K14B369B60	2158 lbs	\$17,962.00
--------	--	------------	----------	-------------

L3301 F		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGG. LIST
TIRES AND WHEELS[†]				
AG				
ALR8865*	F-TIRE 5.00-15 F2 Goodyear Triple Rib	28 lbs		
ALR9494*	R-TIRE 11.2-24 R1 Hi Pwr Lug 2.94"offset	159 lbs		In Base Price
ALR8852A	F-TIRE 7.5L-15 F2 Firestone Guide Grip	68 lbs	B121B60	Add
ALR9494	R-TIRE 11.2-24 R1 Hi Pwr Lug 2.94"offset	159 lbs		\$ 152.00
TURF				
ALR8890A	F-TIRE 23x8.50-12 R3 Titan Multi Trac	36 lbs	B64B00	Add
ALR8804A	R-TIRE 13.6-16 R3 Titan Multi Trac TL	127 lbs		\$ 80.00

[†] See Tire Section for Individual Tire Pricing and Information

* Standard Tires

TIRES AND WHEELS (priced per piece)

L3301 F		SUGGESTED LIST PRICE		
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGGESTED LIST PRICE
TIRES AND WHEELS (priced per piece)				
AG				
ALR8865*	F-TIRE 5.00-15 F2 Goodyear Triple Rib	28 lbs	B96B80	\$ 121.00
ALR9494*	R-TIRE 11.2-24 R1 Hi Pwr Lug 2.94"offset	159 lbs	B353B60	\$ 442.00
ALR8852A	F-TIRE 7.5L-15 F2 Firestone Guide Grip	68 lbs	B157B60	\$ 197.00
ALR9494	R-TIRE 11.2-24 R1 Hi Pwr Lug 2.94"offset	159 lbs	B353B60	\$ 442.00
TURF				
ALR8890A	F-TIRE 23x8.50-12 R3 Titan Multi Trac	36 lbs	B134B40	\$ 168.00
ALR8804A	R-TIRE 13.6-16 R3 Titan Multi Trac TL	127 lbs	B348B00	\$ 435.00



L01 Series L3301 DT / HST

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

L3301DT	4WD Compact Tractor - 2 Post Foldable ROPS	K15B810B40	2308 lbs	\$19,763.00
L3301HST	4WD Compact Tractor - 2 Post Foldable ROPS	K16B604B80	2322 lbs	\$20,756.00

L3301 DT/HST		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGG. LIST
TIRES AND WHEELS[†]				
AG				
ALR8866D*	F-TIRE 7.2-16 R1 Goodyear Power Torque	52 lbs		In Base Price
ALR9494*	R-TIRE 11.2-24 R1 Hi Pwr Lug 2.94"offset	159 lbs		
TURF				
ALR8893A	F-TIRE 25x8.50-14 HF-1Goodyear SofTrac	53 lbs	B99B20	Less \$ (124.00)
ALR8804A	R-TIRE 13.6-16 R3 Titan Multi Trac TL	127 lbs		
INDUSTRIAL				
AMR8977A	F-TIRE 27x8.50-15 R4 Titan Trac Lodr TL	48 lbs	B529B60	Add \$ 662.00
ALR8809	R-TIRE 15-19.5 R4 Trac Ldr 3.6"offset	201 lbs		
AG/INDUSTRIAL HYBRID				
ALR8696	F-TIRE 27X8.50-15 R14T GOODYEAR SST	52 lbs	B646B40	Add \$ 808.00
ALR8697	R-TIRE 15-19.5 R14T GOODYEAR SST	159 lbs		

[†] See Tire Section for Individual Tire Pricing and Information

* Standard Tires

TIRES AND WHEELS (priced per piece)

L3301 DT/HST		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGG. LIST PRICE
TIRES AND WHEELS (priced per piece)				
AG				
ALR8866D*	F-TIRE 7.2-16 R1 Goodyear Power Torque	52 lbs	B212B80	\$ 266.00
ALR9494*	R-TIRE 11.2-24 R1 Hi Pwr Lug 2.94"offset	159 lbs	B353B60	\$ 442.00
TURF				
ALR8893A	F-TIRE 25x8.50-14 HF-1Goodyear SofTrac	53 lbs	B168B80	\$ 211.00
ALR8804A	R-TIRE 13.6-16 R3 Titan Multi Trac TL	127 lbs	B348B00	\$ 435.00
INDUSTRIAL				
AMR8977A	F-TIRE 27x8.50-15 R4 Titan Trac Lodr TL	48 lbs	B204B00	\$ 255.00
ALR8809	R-TIRE 15-19.5 R4 Trac Ldr 3.6"offset	201 lbs	B627B20	\$ 784.00
AG/INDUSTRIAL HYBRID				
ALR8696	F-TIRE 27X8.50-15 R14T GOODYEAR SST	52 lbs	B224B80	\$ 281.00
ALR8697	R-TIRE 15-19.5 R14T GOODYEAR SST	159 lbs	B664B80	\$ 831.00



L01 Series

L3901 F / DT / HST

***** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS *****

DIESEL ENGINE

Kubota Common Rail Direct Injection
 3 Cylinder Engine
 EPA Tier 4 Compliant
 Charging Output 40 Amps
 12V – 580 CCA
 Optional Dual Air Cleaner Element
 Electronic Throttle

EXHAUST EMISSION CONTROL TYPE

Diesel Particulate Filter

HYDRAULICS / HITCH / DRAWBAR

Open Center
 Tandem Gear Pumps
 10.1 gpm Total Hyd. Flow

3-POINT HITCH & DRAWBAR

Cat I 3-Point Hitch
 At lift Point 1998 lbs.
 24" Behind 1435 lbs.
 Position Control 3-Point Valve

POWER TAKE OFF

Mechanically Operated with
 Dual Stage Clutch - F/DT
 Mechanically Operated with
 Single Stage Clutch - HST
 Rear PTO – 1 Speed
 SAE Std 1 3/8" Six Spline
 540 rpm @ 2425 Eng. Rpm - F / DT
 540 rpm @ 2580 Eng. Rpm - HST

TRANSMISSION - F / DT

Synchro Shuttle with Sliding Gear
 Rear Differential Lock
 8 Forward Speeds
 4 Reverse Speeds
 Dual Stage Clutch
 Wet Disc Brakes

TRANSMISSION - HST

Hydrostatic Drive
 Rear Differential Lock
 3 Ranges
 Optional Cruise Control
 Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering
 Tubular Steel Beam 2WD
 Cast Iron with Bevel Gear 4WD
 Tread Spacing - Nonadjustable

FLUID CAPACITY

Fuel Tank	11.1 gal.
Cooling System	6.3 qts.
Crankcase	7.1 qts.
Transmission and Hydraulics	
F	7.4 gal.
DT	7.5 gal.
HST	6.2 gal.
Front Axle	4.8 qts.

INSTRUMENTS

Tachometer/Hour meter
 Oil Pressure
 Fuel Gauge
 Coolant Temperature

FEATURES

Illuminated Instrument Panel
 Steel Hood and Fenders
 Tool Box
 Cup Holder
 Left Hand Fender Grip
 Default to Auto Regen; w/ Parked and
 Inhibit Buttons for DPF

SAFETY EQUIPMENT

2-Post Foldable ROPS w/Retractable
 Seat Belt
 Flip-Up PTO Shield
 Safety Start Switches
 Electric Key Shut Off
 Parking Brake
 SMV Sign

Model Specifications

L3901F 2WD		L3901DT 2WD		L3901HST 2WD	
SAE Gross HP:	37.5	SAE Gross HP:	37.5	SAE Gross HP:	37.5
Engine Net HP:	36.3	Engine Net HP:	36.3	Engine Net HP:	36.3
PTO HP:	32.1	PTO HP:	32.1	PTO HP:	30.6
Engine Model:	D1803	Engine Model:	D1803	Engine Model:	D1803
Displacement:	111.4 Cu. In.	Displacement:	111.4 Cu. In.	Displacement:	111.4 Cu. In.



L01 Series

L3901 F

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

L3901F	2WD Compact Tractor - 2 Post Foldable ROPS	K15B198B40	2198 lbs	\$18,998.00
--------	--	------------	----------	-------------

L3901F		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGG. LIST
TIRES AND WHEELS[†]				
AG				
ALR8865*	F-TIRE 5.00-15 F2 Goodyear Triple Rib	28 lbs		
ALR9494*	R-TIRE 11.2-24 R1 Hi Pwr Lug 2.94"offset	159 lbs		In Base Price
ALR8852A	F-TIRE 7.5L-15 F2 Firestone Guide Grip	68 lbs	B121B60	Add
ALR9494	R-TIRE 11.2-24 R1 Hi Pwr Lug 2.94"offset	159 lbs		\$ 152.00
TURF				
ALR8890A	F-TIRE 23x8.50-12 R3 Titan Multi Trac	36 lbs	B64B00	Add
ALR8804A	R-TIRE 13.6-16 R3 Titan Multi Trac TL	127 lbs		\$ 80.00

[†] See Tire Section for Individual Tire Pricing and Information

* Standard Tires

TIRES AND WHEELS (priced per piece)

L3901F		SUGG. LIST PRICE		
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGG. LIST PRICE
TIRES AND WHEELS (priced per piece)				
AG				
ALR8865*	F-TIRE 5.00-15 F2 Goodyear Triple Rib	28 lbs	B96B80	\$ 121.00
ALR9494*	R-TIRE 11.2-24 R1 Hi Pwr Lug 2.94"offset	159 lbs	B353B60	\$ 442.00
ALR8852A	F-TIRE 7.5L-15 F2 Firestone Guide Grip	68 lbs	B157B60	\$ 197.00
ALR9494	R-TIRE 11.2-24 R1 Hi Pwr Lug 2.94"offset	159 lbs	B353B60	\$ 442.00
TURF				
ALR8890A	F-TIRE 23x8.50-12 R3 Titan Multi Trac	36 lbs	B134B40	\$ 168.00
ALR8804A	R-TIRE 13.6-16 R3 Titan Multi Trac TL	127 lbs	B348B00	\$ 435.00



L01 Series L3901 DT / HST

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

L3901DT	4WD Compact Tractor - 2 Post Foldable ROPS	K17B503B20	2343 lbs	\$21,879.00
L3901HST	4WD Compact Tractor - 2 Post Foldable ROPS	K18B298B40	2381 lbs	\$22,873.00

L3901 DT/HST		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGG. LIST
TIRES AND WHEELS[†]				
AG				
ALR8866D*	F-TIRE 7.2-16 R1 Goodyear Power Torque	52 lbs		In Base Price
ALR9494*	R-TIRE 11.2-24 R1 Hi Pwr Lug 2.94"offset	159 lbs		
TURF				
ALR8893A	F-TIRE 25x8.50-14 HF-1Goodyear SofTrac	53 lbs	B99B20	Less \$ (124.00)
ALR8804A	R-TIRE 13.6-16 R3 Titan Multi Trac TL	127 lbs		
INDUSTRIAL				
AMR8977A	F-TIRE 27x8.50-15 R4 Titan Trac Lodr TL	48 lbs	B529B60	Add \$ 662.00
ALR8809	R-TIRE 15-19.5 R4 Trac Ldr 3.6"offset	201 lbs		
AG/INDUSTRIAL HYBRID				
ALR8696	F-TIRE 27X8.50-15 R14T GOODYEAR SST	52 lbs	B646B40	Add \$ 808.00
ALR8697	R-TIRE 15-19.5 R14T GOODYEAR SST	159 lbs		

[†] See Tire Section for Individual Tire Pricing and Information

* Standard Tires

TIRES AND WHEELS (priced per piece)

L3901 DT/HST		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGG. LIST PRICE
TIRES AND WHEELS (priced per piece)				
AG				
ALR8866D*	F-TIRE 7.2-16 R1 Goodyear Power Torque	52 lbs	B212B80	\$ 266.00
ALR9494*	R-TIRE 11.2-24 R1 Hi Pwr Lug 2.94"offset	159 lbs	B353B60	\$ 442.00
TURF				
ALR8893A	F-TIRE 25x8.50-14 HF-1Goodyear SofTrac	53 lbs	B168B80	\$ 211.00
ALR8804A	R-TIRE 13.6-16 R3 Titan Multi Trac TL	127 lbs	B348B00	\$ 435.00
INDUSTRIAL				
AMR8977A	F-TIRE 27x8.50-15 R4 Titan Trac Lodr TL	48 lbs	B204B00	\$ 255.00
ALR8809	R-TIRE 15-19.5 R4 Trac Ldr 3.6"offset	201 lbs	B627B20	\$ 784.00
AG/INDUSTRIAL HYBRID				
ALR8696	F-TIRE 27X8.50-15 R14T GOODYEAR SST	52 lbs	B224B80	\$ 281.00
ALR8697	R-TIRE 15-19.5 R14T GOODYEAR SST	159 lbs	B664B80	\$ 831.00



L01 Series

L4701 F / DT / HST

***** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS *****

DIESEL ENGINE

Kubota Common Rail Direct Injection
 4 Cylinder Engine
 EPA Tier 4 Compliant
 Charging Output 40 Amps
 12V – 600 CCA
 Dual Air Cleaner Element
 Electronic Throttle

EXHAUST EMISSION CONTROL TYPE

Diesel Particulate Filter

HYDRAULICS / HITCH / DRAWBAR

Open Center
 Tandem Gear Pumps
 13.5 gpm Total Hyd. Flow

3-POINT HITCH & DRAWBAR

Cat I 3-Point Hitch
 At lift Point 2870 lbs.
 24" Behind 2310 lbs.
 Position Control 3-Point Valve

POWER TAKE OFF

Live Independent with Hydraulic Clutch
 Rear PTO – 1 Speed
 SAE Std 1 3/8" Six Spline
 540 rpm @ 2475 Eng. Rpm - F / DT
 540 rpm @ 2640 Eng. Rpm - HST
 Electric over Hydraulic PTO Switch - HST

TRANSMISSION - F / DT

Synchro Shuttle with Constant Mesh
 Rear Differential Lock
 8 Forward Speeds
 4 Reverse Speeds
 Single-Stage Clutch
 Wet Disc Brakes

TRANSMISSION - HST

Hydrostatic Drive
 Rear Differential Lock
 3 Ranges
 Cruise Control
 Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering
 Tubular Steel Beam 2WD
 Cast Iron with Bevel Gear 4WD
 Tread Spacing - Nonadjustable

FLUID CAPACITY

Fuel Tank 13.5 gal.
 Cooling System 6.9 qts.
 Crankcase 8.7 qts.
 Transmission and Hydraulics 10.6 gal.
 Front Axle 6.9 qts.

INSTRUMENTS

Tachometer/Hour meter
 Oil Pressure
 Fuel Gauge
 Coolant Temperature

FEATURES

Illuminated Instrument Panel
 Steel Hood and Fenders
 Tool Box
 Cup Holder
 Left Hand Fender Grip
 Default to Auto Regen; w/ Parked and Inhibit Buttons for DPF

SAFETY EQUIPMENT

2-Post Foldable ROPS w/Retractable
 Seat Belt
 Flip-Up PTO Shield
 Safety Start Switches
 Electric Key Shut Off
 Parking Brake
 SMV Sign

Model Specifications

L4701F 2WD		L4701DT 2WD		L4701HST 2WD	
SAE Gross HP:	47.3	SAE Gross HP:	47.3	SAE Gross HP:	47.3
Engine Net HP:	44.8	Engine Net HP:	44.8	Engine Net HP:	44.8
PTO HP:	39.3	PTO HP:	39.3	PTO HP:	37.8
Engine Model:	V2403	Engine Model:	V2403	Engine Model:	V2403
Displacement:	148.5 Cu. In.	Displacement:	148.5 Cu. In.	Displacement:	148.5 Cu. In.



L01 Series L4701 F

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

L4701F	2WD Compact Tractor - 2 Post Foldable ROPS	K16B228B00	2760 lbs	\$20,285.00
--------	--	------------	----------	-------------

L4701F		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGG. LIST
TIRES AND WHEELS[†]				
AG				
ALR8852A*	F-TIRE 7.5L-15 F2 Firestone Guide Grip	68 lbs		
ALR6811B*	R-TIRE 14.9-24 R1 Firestone (SAT) II	221 lbs		In Base Price
TURF				
ALR8868	F-TIRE 27x8.50-15 R3 Goodyear SofTrac	53 lbs	B361B60	Add \$ 452.00
ALR6803	R-TIRE 44x18-20 R3 Titan MultiTrac 6stud	229 lbs		
ALR6828**	F-TIRE 27x10.50-15 R3 TITAN MULTI-TRA	70 lbs	B497B60	Add \$ 622.00
ALR6803	R-TIRE 44x18-20 R3 Titan MultiTrac 6stud	229 lbs		

[†] See Tire Section for Individual Tire Pricing and Information

* Standard Tires

**Flip the steering cylinder shields over for tire side wall clearance.

TIRES AND WHEELS (priced per piece)

L4701F		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGG. LIST PRICE
TIRES AND WHEELS (priced per piece)				
AG				
ALR8852A*	F-TIRE 7.5L-15 F2 Firestone Guide Grip	68 lbs	B157B60	\$ 197.00
ALR6811B*	R-TIRE 14.9-24 R1 Firestone (SAT) II	221 lbs	B532B80	\$ 666.00
TURF				
ALR8868	F-TIRE 27x8.50-15 R3 Goodyear SofTrac	53 lbs	B180B80	\$ 226.00
ALR6803	R-TIRE 44x18-20 R3 Titan MultiTrac 6stud	229 lbs	B690B40	\$ 863.00
ALR6828**	F-TIRE 27x10.50-15 R3 TITAN MULTI-TRA	70 lbs	B248B80	\$ 311.00
ALR6803	R-TIRE 44x18-20 R3 Titan MultiTrac 6stud	229 lbs	B690B40	\$ 863.00

* Standard Tires

**Flip the steering cylinder shields over for tire side wall clearance.



L01 Series L4701 DT / HST

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

*** STANDARD MACHINE ***

L4701DT	4WD Compact Tractor - 2 Post Foldable ROPS	K21B021B60	2760 lbs	\$26,277.00
L4701HST	4WD Compact Tractor - 2 Post Foldable ROPS	K22B182B40	2840 lbs	\$27,728.00

L4701 DT/HST		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGG. LIST
TIRES AND WHEELS†				
AG				
ABR8753B*	F-TIRE 8.3-16 R1 OTR Traction Master	64 lbs		
ALR6811B*	R-TIRE 14.9-24 R1 Firestone (SAT) II	221 lbs		In Base Price
TURF				
ALR6828	F-TIRE 27x10.50-15 R3 TITAN MULTI-TRA	70 lbs	B412B80	Add \$ 516.00
ALR6803	R-TIRE 44x18-20 R3 Titan MultiTrac 6stud	229 lbs		
ALR6818A	F-TIRE LSW305R343 R3 Titan Grizz LSW 430	70 lbs	B582B40	Add \$ 728.00
ALR6817	R-TIRE LSW610R470 R3 Grizz LSW 430 6stud	227 lbs		
INDUSTRIAL				
ALR8869A	F-TIRE 10-16.5 R4 Titan Trac Loader	81 lbs	B440B00	Add \$ 550.00
ALR6807	R-TIRE 17.5L-24 R4 TITAN INDUSTRIAL	259 lbs		

† See Tire Section for Individual Tire Pricing and Information
 * Standard Tires

TIRES AND WHEELS (priced per piece)

L4701 DT/HST		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGG. LIST PRICE
TIRES AND WHEELS (priced per piece)				
AG				
ABR8753B*	F-TIRE 8.3-16 R1 OTR Traction Master	64 lbs	B200B00	\$ 250.00
ALR6811B*	R-TIRE 14.9-24 R1 Firestone (SAT) II	221 lbs	B532B80	\$ 666.00
TURF				
ALR6828	F-TIRE 27x10.50-15 R3 TITAN MULTI-TRA	70 lbs	B248B80	\$ 311.00
ALR6803	R-TIRE 44x18-20 R3 Titan MultiTrac 6stud	229 lbs	B690B40	\$ 863.00
ALR6818A	F-TIRE LSW305R343 R3 Titan Grizz LSW 430	70 lbs	B294B40	\$ 368.00
ALR6817	R-TIRE LSW610R470 R3 Grizz LSW 430 6stud	227 lbs	B729B60	\$ 912.00
INDUSTRIAL				
ALR8869A	F-TIRE 10-16.5 R4 Titan Trac Loader	81 lbs	B294B40	\$ 368.00
ALR6807	R-TIRE 17.5L-24 R4 TITAN INDUSTRIAL	259 lbs	B658B40	\$ 823.00



L01 Series L2501 / L3301 / L3901 / L4701

DEALER INSTALLED ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
HYDRAULICS/HITCH/DRAWBAR				
HYDRAULIC REAR REMOTE VALVES - L2501 (DISCONTINUED & REPLACED WITH NEW "A" VERSION)				
L7334	Base Kit and 1st Lever Includes Spring Center Valve If <u>no</u> Loader, Adapter Kit required If Backhoe, Hose Section and 90 Degree Fitting are required	K570L40	22 lbs	\$713.00
L7364	2nd Position Stacking Kit and 2nd Lever Requires Base Kit Requires Float or Detent Valve	K68L00	2 lbs	\$85.00
L7384	3rd Position Stacking Kit and 3rd Lever Requires Base Kit and 2nd Position Kit Requires Float or Detent Valve	K64L00	2 lbs	\$80.00
L7374	DV (Detent Valve), Not Self-Canceling (3-Position)	K405L60	8 lbs	\$507.00
L7354	FD (Float Detent) Valve Section (4-Position)	K440L80	1 lbs	\$551.00
ADAPTER KIT				
L7344	Adapter Kit for Non-Loader Applications Requires Base Kit	K118L40	6 lbs	\$148.00
ADDITIONAL REQUIREMENTS				
77700-03896	Hose Section	(Order from the Parts Department)		
77700-03851	90 Degree Fitting	(Order from the Parts Department)		
HYDRAULIC REAR REMOTE VALVES - L2501/L3301/L3901				
L7211B	Base Kit and 1st Lever Requires Spring Center or Float or Self-Canceling Detent Valve Not compatible with previous non "A" version valves If <u>no</u> Loader, Adapter Kit required If Backhoe, Bulkhead Bracket and Hose Extension are required	K566L40	25 lbs	\$708.00
L7212A	2nd Position Stacking Kit and 2nd Lever Requires Base Kit Not compatible with previous non "A" version valves Requires Spring Center or Float or Self-Canceling Detent Valve	K281L60	6 lbs	\$352.00
L7213A	3rd Position Stacking Kit and 3rd Lever Requires Base Kit and 2nd Position Kit Not compatible with previous non "A" version valves Requires Spring Center or Float or Self-Canceling Detent Valve	K281L60	6 lbs	\$352.00
L7231A	Spring Center Valve, No Detent	K148L80	4 lbs	\$186.00
L7232A	FD (Float Detent) Valve Section (4-Position)	K271L20	5 lbs	\$339.00
L7233A	SCD (Self-Canceling Detent) Valve Section	K306L40	6 lbs	\$383.00
L7234A	Locking Detent Valve	K272L00	6 lbs	\$340.00
ADAPTER KIT				
L7344A	Adapter Kit for Non-Loader Applications Requires Base Kit	K109L60	5 lbs	\$137.00
ADDITIONAL REQUIREMENTS				
77700-10635	Bulkhead Bracket	(Order from the Parts Department)		
77700-03798	Bulkhead Bracket Mount (Not compatible with "A" Version)	(Order from the Parts Department)		
77700-10636	Hose Extension 2 per valve section	(Order from the Parts Department)		



L01 Series L2501 / L3301 / L3901 / L4701

DEALER INSTALLED ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
HYDRAULICS/HITCH/DRAWBAR				
HYDRAULIC REAR REMOTE VALVES - L4701, OPTION 1: NOT COMPATIBLE WITH DRAFT CONTROL				
L7221A	Base Kit and 1st Lever Requires Spring Center or Float or Self-Canceling Detent Valve Not compatible with Draft Control Kit	K480L00	17 lbs	\$600.00
L7222	2nd Position Stacking Kit and 2nd Lever Requires Base Kit Requires Spring Center or Float or Self-Canceling Detent Valve Not compatible with Draft Control Kit	K264L00	6 lbs	\$330.00
L7223	3rd Position Stacking Kit and 3rd Lever Requires Base Kit and 2nd Position Kit Requires Spring Center or Float or Self-Canceling Detent Valve Not compatible with Draft Control Kit	K264L00	6 lbs	\$330.00
L7231A	Spring Center Valve, No Detent Not compatible with Draft Control Kit	K148L80	4 lbs	\$186.00
L7232A	FD (Float Detent) Valve Section (4-Position) Not compatible with Draft Control Kit	K271L20	5 lbs	\$339.00
L7233A	SCD (Self-Canceling Detent) Valve Section Not compatible with Draft Control Kit	K306L40	6 lbs	\$383.00
L7234A	Locking Detent Valve Not compatible with Draft Control Kit	K272L00	6 lbs	\$340.00
HYDRAULIC REAR REMOTE VALVES - L4701, OPTION 2: COMPATIBLE WITH DRAFT CONTROL				
L8560	Base Kit and 1st Lever Requires Double Acting Valve If Backhoe, Stays, Bolts, Hose and Manual are required	K428L80	16 lbs	\$536.00
L8562A	2nd Position Stacking Kit and 2nd Lever Requires Base Kit Requires Double Acting or Float Detent Valve	K208L00	8 lbs	\$260.00
L8563A	3rd Position Stacking Kit and 3rd Lever Requires Base Kit and 2nd Position Kit Requires Double Acting or Float Detent Valve	K208L00	8 lbs	\$260.00
L8303	Double Acting Valve	K200L80	4 lbs	\$251.00
L8304	FD (Float Detent) Valve Section (4-Position)	K252L80	4 lbs	\$316.00
ADDITIONAL REQUIREMENTS				
-	Stays	(Order from the Parts Department)		
-	Bolts	(Order from the Parts Department)		
-	Hose	(Order from the Parts Department)		

KUBOTA**L01 Series L2501 / L3301 / L3901 / L4701****DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
HYDRAULICS/HITCH/DRAWBAR				
DRAFT CONTROL				
L8311C	Draft Control Kit for L4701 only Not Compatible with L2221A, L2222, L2223 Rear Remote Lever Kits	K386L40	25 lbs	\$483.00
DRAWBAR OPTIONS				
BL6820	Drop Drawbar for L2501 / L3301 / L3901	K64B00	17 lbs	\$ 80.00
L6830	Drop Drawbar for L4701	K76L80	22 lbs	\$ 96.00
L9496G	Drawbar Clevis	K62L40	8 lbs	\$78.00
LMX6800	Clevis Kit for L-MX Drop Drawbars	K41A60	7 lbs	\$52.00
TELESCOPING STABILIZERS				
L8430	Telescopic Stabilizers for L2501 / L3301 / L3901 Standard for L4701	K146L40	13 lbs	\$183.00
TOP-N-TILT KIT				
L8372	Top-N-Tilt Kit Requires 2 Double Acting Remote Hydraulic Valves Not Compatible with Backhoe	K632L80	44 lbs	\$791.00
ROPS ACCESSORIES				
CANOPY				
E1133	Plastic Canopy	K367B20	63 lbs	\$459.00
E1134	Fiberglass Canopy Requires Mounting Kit	K327M20	63 lbs	\$409.00
E1136	Fiberglass Canopy Mounting Kit	K161M60	29 lbs	\$202.00
FRONT WORK LIGHT				
E1138	Front Work Light Kit for Fiberglass Canopy Includes 2 Lights	K131A20	3 lbs	\$164.00
REAR WORK LIGHT				
L8327	Rear Work Light Kit (1 Light)	K71L20	4 lbs	\$89.00
BALLAST				
BALLAST BOX				
L8170	Ballast Box - 3-Point Mount Up to 1000 lbs of total weight with sand	K388L80	168 lbs	\$486.00
FRONT WEIGHT BRACKETS				
MX8068	Weight Bracket - up to 7 Weights, Standard for 2WD models Requires 1 BL8014 for all weight stacks of BL8069 Not Compatible with Grill Guard installed	K80M00	29 lbs	\$100.00
FRONT SUITCASE WEIGHTS				
BL8069	Suitcase Weight (55 lbs. Each) Requires 1 BL8049 Bolt Kit per Every Weight MAX 4 Weights Allowed w/ Grill Guard	K59B20	55 lbs	\$74.00
FRONT WEIGHT BOLT KITS				
BL8049	Weight Bolt Kit - 1 Kit Per Every BL8069 Weight	K6B40	N/A	\$8.00
BL8014	Thread Bolt & Spacing Kit 1 Required on MX8068 When Stacking BL8069 Weights	K23B20	N/A	\$29.00
REAR WHEEL WEIGHTS				
L8066A	Rear Wheel Weight Set (64 lbs. Each), 2 per set 3 Weight per Wheel Not Compatible with Turf Tires or ALR8809 Tire Combinations. Not Compatible with ALR8697 R14 Tire Combinations. Requires one Weight Bolt Kit	K104L80	128 lbs	\$131.00
REAR WEIGHT BOLT KITS				
L8067A	Weight Bolt Kits - 1 Kit allows up to 3 Weights per Side	K27L20	5 lbs	\$34.00



L01 Series L2501 / L3301 / L3901 / L4701

DEALER INSTALLED ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
ADDITIONAL ACCESSORIES				
BLOCK HEATER				
70000-00297	Block Heater			(Order from the Parts Department)
CRUISE CONTROL				
L8455	Cruise Control Kit for L2501/L3301/L3901 HST Models only	K171L20	11 lbs	\$214.00
GRILL GUARD				
L2258	Grill Guard for Loader and Non-Loader Application for L2501 / L3301 / L3901 only	K272L80	53 lbs	\$341.00
MX2268	Grill Guard for Loader and Non-Loader Application for L4701 only	K224M80	62 lbs	\$281.00
HEATER KIT				
TC620-99212	CCV Heater Kit for L3301 / L3901			(Order from the Parts Department)
TC630-99212	CCV Heater Kit for L4701			(Order from the Parts Department)
REAR WHEEL SPACERS				
L8787	Wheel Spacer Kit for L3301 / L3901 / L2501 Includes 2 Wheel Spacers (1.0 inch wide each) for a total tread increase of 2 inches Requires Stud Bolt (12), Hex Nut (8), and Lock Washer (8) Original rim hardware will be re-used.	K195L20	20 lbs	\$244.00
01517-61660	Stud Bolt (12)			(Order through the Parts Department)
02076-50160	Hex Nut (8)			(Order through the Parts Department)
04512-60160	Lock Washer (8)			(Order through the Parts Department)
REPLACEMENT ROPS				
SFL-F380	Replacement ROPS for L2501	K470L40	150 lbs	\$588.00
SFL-F390	Replacement ROPS for L3301 / L3901	K470L40	207 lbs	\$588.00
SFL-F470	Replacement ROPS for L4701	K636L80	207 lbs	\$796.00
SEAT BELT KIT				
70002-06605	Extra Length Seat Belt Kit			(Order from the Parts Department)

KUBOTA**L01 Series****L2501 / L3301 / L3901 / L4701****FRONT LOADERS**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
FRONT END LOADER				
LA525	Front End Loader - Heavy Duty for L2501 / L3301 / L3901 Includes Mounting Kit, Valve, Grill Guard, Hydraulic Block and 2-Lever Type Quick Coupler Requires Bucket	K3L643L20	876 lbs	\$4,554.00
LA525FL	Front End Loader - Heavy Duty for L2501 / L3301 / L3901 Includes Mounting Kit, Valve, Grill Guard, and 60" Bucket Cylinder and Hoses are Pre-Installed Bucket is not returnable	K3L680L00	990 lbs	\$4,600.00
PIN-ON BUCKETS				
L2242	60" Pin-On Bucket	K427L20	200 lbs	\$534.00
QUICK ATTACH COUPLER & BUCKETS				
L2216	2-Lever Type Quick Coupler - Replacement	K368L80	90 lbs	\$461.00
L2256	66" Square Back QA Bucket	K521L60	212 lbs	\$652.00
L2130	Bucket Level Indicator	K53L60	5 lbs	\$67.00
QUICK ATTACH PALLET FORKS				
L2237	Bale Spear, 2-Lever Quick Coupler	K537L60	165 lbs	\$672.00
L2238	Pallet Fork Frame, 2-Lever Quick Coupler Requires Pallet Forks	K566L40	165 lbs	\$708.00
K9048	36" Pallet Forks	K340L80	176 lbs	\$426.00
LA765	Front End Loader - Heavy Duty for L4701 Includes Mounting Kit, Valve, Grill Guard, and 2-Lever Type Quick Coupler Requires Bucket	K4L216L80	1019 lbs	\$5,271.00
QUICK ATTACH COUPLER & BUCKETS				
L2235A	72" Square Back QA Bucket	K577L60	346 lbs	\$722.00
L2236	72" Light Material QA Bucket	K543L20	323 lbs	\$679.00
L2296	72" Heavy Duty QA Bucket Requires Bolt On Cutting Edge	K896L00	400 lbs	\$1,120.00
TL1748	Bolt On Cutting Edge for 72" HD Bucket	K190L40	70 lbs	\$238.00
L2130	Bucket Level Indicator	K53L60	5 lbs	\$67.00
QUICK ATTACH PALLET FORKS				
L2237	Bale Spear, 2-Lever Quick Coupler	K537L60	165 lbs	\$672.00
L2238	Pallet Fork Frame, 2-Lever Quick Coupler Requires Pallet Forks	K566L40	165 lbs	\$708.00
K9048	36" Pallet Forks	K340L80	176 lbs	\$426.00
OPTIONAL FRONT LOADER KITS				
380-152A	3rd Function Valve Kit from Land Pride			(Order from Land Pride)

KUBOTA**L01 Series****L2501 / L3301 / L3901 / L4701****BACKHOES AND ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
BACKHOES AND ACCESSORIES				
Requires a Front End Loader to be mounted when Backhoe is attached.				
BH77	4-Pt. Mounted Quick Attach Backhoe for L2501 / L3301 / L3901 Requires Sub Frame Kit (Includes Seat) Not Compatible with Top-N-Tilt Kits Not Compatible with Cab Model	K5B810B40	1077 lbs	\$7,263.00
SUB FRAME KITS				
BH4988	Sub frame Kit for L2501 / L3301 / L3901 Requires Front End Loader	K630L40	213 lbs	\$788.00
PIN-ON BUCKETS				
BT1950A	10" Bucket — 3 Teeth	K348B00	63 lbs	\$435.00
BT1951A	12" Bucket — 3 Teeth	K410B40	69 lbs	\$513.00
BT1952A	16" Bucket — 4 Teeth	K542B40	82 lbs	\$678.00
BT1953A	24" Bucket — 5 Teeth	K708B80	118 lbs	\$886.00
BACKHOE ACCESSORIES				
BH1976	6 Position Mechanical Thumb	K396B80	51 lbs	\$496.00
L9467	Rubber Stabilizer Flip Pads Two required per Backhoe	K104L00	15 lbs	\$130.00
<hr/>				
BH92	4-Pt. Mounted Quick Attach Backhoe for L4701 Requires Sub Frame Kit and Front Loader Not Compatible with Top-N-Tilt Kits	K6L566L40	1696 lbs	\$8,208.00
SUB FRAME KITS				
BH4946	Sub frame Kit for L4701	K952L80	330 lbs	\$1,191.00
PIN-ON BUCKETS				
BT3001	12" Bucket — 3 Teeth	K548L80	109 lbs	\$686.00
BT3002A	16" Bucket — 3 Teeth	K622L40	130 lbs	\$778.00
BT3003A	18" Bucket — 4 Teeth	K663L20	141 lbs	\$829.00
BT3004	24" Bucket — 5 Teeth	K772L00	172 lbs	\$965.00
BT3005A	30" Bucket — 6 Teeth	K890L40	205 lbs	\$1,113.00
BT3006	36" Bucket — 7 Teeth	K995L20	226 lbs	\$1,244.00
QUICK ATTACH COUPLER & BUCKETS				
BT4550	Quick Coupler for BH92	K552L00	55 lbs	\$690.00
BT4552	12" Bucket	K665L60	117 lbs	\$832.00
BT4553	16" Bucket	K704L00	135 lbs	\$880.00
BT4554	18" Bucket	K740L00	144 lbs	\$925.00
BT4555	24" Bucket	K873L60	176 lbs	\$1,092.00
BT4557	36" Bucket	K1L113L60	223 lbs	\$1,392.00
BACKHOE ACCESSORIES				
BH4948	Hydraulic Valve Kit	K736L00	23 lbs	\$920.00
BT4598	Hydraulic Thumb Requires Hydraulic Valve Kit	K1L700L00	142 lbs	\$2,125.00
BH4949	6 Position Mechanical Thumb	K746L40	141 lbs	\$933.00
L9467	Rubber Stabilizer Flip Pads Two required per Backhoe	K104L00	15 lbs	\$130.00



L01 Series L2501 / L3301 / L3901 / L4701

SNOW BLOWERS

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
REAR MOUNT SNOW BLOWERS AND ACCESSORIES				
REAR MOUNT SNOW BLOWER				
BLMX3164	64" Two-Stage Commercial Snowblower Mounts to Category I 3-Point Hitch Requires Manual Chute Rotator or Hydraulic Chute Rotator	K2B383B20	681 lbs	\$2,979.00
LMX3174	74" Two-Stage Commercial Snowblower Mounts to Category I, II, & III 3-Point Hitches Requires Manual Chute Rotator or Hydraulic Chute Rotator	K3L005L60	760 lbs	\$3,757.00
REAR MOUNT SNOW BLOWER OPTIONS				
BL2665	Manual Chute Rotator	K140B00	11 lbs	\$175.00
BL6399	Hydraulic Chute Rotator Requires 1 Set of Hydraulic Rear Remote Valves	K638B40	20 lbs	\$798.00
BL2666A	Hydraulic Chute Deflector Kit Requires Hydraulic Chute Rotator Includes Electric Selector Valve	K780B80	22 lbs	\$976.00
B2516A	Electric Chute Deflector	K516B80	9 lbs	\$646.00
L2177	Width Extension Kit, adds 5" overall cut	K92L80	27 lbs	\$116.00



Grand L 60 Series L3560 DT / GST / HST

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota Common Rail Direct Injection
 3 Cylinder Engine
 EPA Tier 4 Compliant
 Charging Output 40 Amps
 12V – 582 CCA
 Dual Air Cleaner Element

EXHAUST EMISSION CONTROL TYPE

Diesel Particulate Filter

HYDRAULICS / HITCH / DRAWBAR

Open Center
 Tandem Gear Pumps
 Total Hyd. Flow:
 DT / GST - 13.2 gpm
 HST - 12.8 gpm

3-POINT HITCH & DRAWBAR

Cat I 3-Point Hitch
 At Lift Point 3748 lbs.
 24" Behind 2646 lbs.
 Position Control 3-Point Valve

POWER TAKE OFF

Live Independent with Hydraulic Clutch
 Rear PTO – 1 Speed
 SAE Std 1 3/8" Six Spline
 540 rpm @ 2550 Eng. Rpm

TRANSMISSION - DT

4 Speed Manual w/Synchro Main
 and Synchro Shuttle
 Rear Differential Lock
 2 Range Hi-Lo
 8 Forward Speeds
 8 Reverse Speeds
 Single-Stage Clutch
 Wet Disc Brakes

TRANSMISSION - GST

Glide Shift w/Synchro Shuttle
 Rear Differential Lock
 12 Forward Speeds
 8 Reverse Speeds
 Single-Stage Clutch
 Wet Disc Brakes

TRANSMISSION - HST

Hydrostatic Drive - HST PLUS
 Rear Differential Lock
 3 Ranges
 Cruise Control
 Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering
 Cast Iron with Bevel Gear 4WD
 Tread Spacing - Nonadjustable

FLUID CAPACITY

Fuel Tank 13.5 gal.
 Cooling System 7.9 qts.
 Crankcase 7.1 qts.
 Transmission and
 Hydraulics 11.1 gal.
 Front Axle 6.9 qts.

INSTRUMENTS

Tachometer/Hour meter
 Digital Read for Speed, MPH, PTO
 Speeds, Diagnostics Systems
 and DPF System
 Lighted Communications Symbols
 Warning Symbols
 HST Mode Selection

FEATURES

High Back Adj. Swivel Seat w/Deluxe
 Suspension w/Arm Rests
 Illuminated Instrument Panel
 Large, Flat Operator's Station
 Tilt Steering
 Wide, Anti-Slip Step
 ISO Mounted Platform
 Telescoping Lower Links
 2 Tier Halogen Head Lights
 4 Position Loader Valve
 Steel Hood and Fenders
 Cup Holder

HST-SPECIFIC FEATURES

Auto Throttle Advance
 Hydro Dual Speed (H-DS)
 HST Response Control
 Throttle-Up Switch

SAFETY EQUIPMENT

2-Post Foldable ROPS w/Retractable
 Seat Belt
 Flip-Up PTO Shield
 Safety Start Switches
 Turn Signals / Hazard Lights
 Electric Key Shut Off
 Parking Brake
 SMV Sign

Model Specifications					
<u>L3560DT 4WD</u>		<u>L3560GST 4WD</u>		<u>L3560HST 4WD</u>	
SAE Gross HP:	37.0	SAE Gross HP:	37.0	SAE Gross HP:	37.0
Engine Net HP:	35.0	Engine Net HP:	35.0	Engine Net HP:	35.0
PTO HP:	29.5	PTO HP:	29.5	PTO HP:	28
Engine Model:	D1803	Engine Model:	D1803	Engine Model:	D1803
Displacement:	111.4 Cu. In.	Displacement:	111.4 Cu. In.	Displacement:	111.4 Cu. In.



Grand L 60 Series L3560HSTC

***** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS *****

DIESEL ENGINE

Kubota Common Rail Direct Injection
 3 Cylinder Engine
 EPA Tier 4 Compliant
 Charging Output 60 Amps
 12V – 582 CCA
 Dual Air Cleaner Element

EXHAUST EMISSION CONTROL TYPE

Diesel Particulate Filter

HYDRAULICS / HITCH / DRAWBAR

Open Center
 Tandem Gear Pumps
 12.8 gpm Total Hyd. Flow

3-POINT HITCH & DRAWBAR

Cat I 3-Point Hitch
 At Lift Point 3748 lbs.
 24" Behind 2646 lbs.
 Position Control 3-Point Valve

POWER TAKE OFF

Live Independent with Hydraulic Clutch
 Rear PTO – 1 Speed
 SAE Std 1 3/8" Six Spline
 540 rpm @ 2550 Eng. Rpm
 Electric over Hydraulic PTO Switch

TRANSMISSION

Hydrostatic Drive - HST PLUS
 Rear Differential Lock
 3 Forward Ranges
 3 Reverse Ranges
 Cruise Control
 Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering
 Cast Iron with Bevel Gear 4WD
 Tread Spacing - Nonadjustable

FLUID CAPACITY

Fuel Tank 13.5 gal.
 Cooling System 7.9 qts.
 Crankcase 7.1 qts.
 Transmission and
 Hydraulics 11.1 gal.
 Front Axle 6.9 qts.

INSTRUMENTS

Tachometer/Hour meter
 Digital Read for Speed, MPH, PTO
 Speeds, Diagnostics Systems
 and DPF System
 Lighted Communications Symbols
 Warning Symbols
 HST Mode Selection

FEATURES

High Back Adj. Swivel Seat w/Deluxe
 Suspension w/Arm Rests
 Illuminated Instrument Panel
 Large, Flat Operator's Station
 Tilt Steering
 Wide, Anti-Slip Step
 ISO Mounted Platform
 Telescoping Lower Links
 2 Front Work Lights
 2 Tier Halogen Head Lights
 4 Position Loader Valve
 Steel Hood and Fenders
 Cup Holder
 Auto Throttle Advance
 Hydro Dual Speed (H-DS)
 HST Response Control
 Throttle-Up Switch
 Front Wiper w/Washer
 Interior Light
 AC/Heater with Internal/External
 Ventilation
 Speakers and Radio Pre-Wired
 Horn

SAFETY EQUIPMENT

ROPS Certified Cab w/Retractable
 Seat Belt
 Flip-Up PTO Shield
 Safety Start Switches
 Turn Signals / Hazard Lights
 Electric Key Shut Off
 Parking Brake
 SMV Sign

Model Specifications	
L3560HSTC 4WD	
SAE Gross HP:	37.0
Engine Net HP:	35.0
PTO HP:	28.0
Engine Model:	D1803
Displacement:	111.4 Cu. In.



Grand L 60 Series L3560HST-LE / L3560HSTC-LE

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota Common Rail Direct Injection
 3 Cylinder Engine
 EPA Tier 4 Compliant
 Charging Output 60 Amps
 12V – 582 CCA
 Dual Air Cleaner Element

EXHAUST EMISSION CONTROL TYPE

Diesel Particulate Filter

HYDRAULICS / HITCH / DRAWBAR

Open Center
 Tandem Gear Pumps
 12.8 gpm Total Hyd. Flow

3-POINT HITCH & DRAWBAR

Cat I 3-Point Hitch
 At Lift Point 3748 lbs.
 24" Behind 2646 lbs.
 Position Control 3-Point Valve

POWER TAKE OFF

Live Independent with Hydraulic Clutch
 Rear PTO – 1 Speed
 SAE Std 1 3/8" Six Spline
 540 rpm @ 2550 Eng. Rpm
 Electric over Hydraulic PTO Switch

TRANSMISSION

Hydrostatic Drive - HST PLUS
 Rear Differential Lock
 3 Forward Ranges
 3 Reverse Ranges
 Wet Disc Brakes
 Auto Throttle Advance
 Hydro Dual Speed (H-DS)
 HST Response Control
 Throttle-Up Switch

FRONT AXLE

Hydrostatic Power Steering
 Cast Iron with Bevel Gear 4WD
 Tread Spacing - Nonadjustable

FLUID CAPACITY

Fuel Tank 13.5 gal.
 Cooling System 7.9 qts.
 Crankcase 7.1 qts.
 Transmission and
 Hydraulics 11.1 gal.
 Front Axle 6.9 qts.

INSTRUMENTS

Tachometer/Hour meter
 Digital Read for Speed, MPH, PTO
 Speeds, Diagnostics Systems
 and DPF System
 Lighted Communications Symbols
 Warning Symbols
 HST Mode Selection

ROPS FEATURES

High Back Adj. Swivel Seat w/Deluxe
 Suspension w/Arm Rests
 Illuminated Instrument Panel
 Large, Flat Operator's Station
 Tilt Steering
 Wide, Anti-Slip Step
 ISO Mounted Platform
 Check Chains
 Telescoping Lower Links
 2 Tier Halogen Head Lights
 4 Position Loader Valve
 Steel Hood and Fenders
 Cup Holder

CAB FEATURES

High Back Adj. Swivel Seat w/Deluxe
 Suspension w/Arm Rests
 Illuminated Instrument Panel
 Large, Flat Operator's Station
 Tilt Steering
 Wide, Anti-Slip LH Step Only
 ISO Mounted Platform
 Telescoping Stabilizers & Lower Links
 2 Tier Halogen Head Lights
 4 Position Loader Valve
 Steel Hood and Fenders
 Cup Holder
 Front Wiper w/Washer
 Interior Light
 AC/Heater w/ Internal/External
 Ventilation
 Speakers and Radio Pre-Wired
 Horn

SAFETY EQUIPMENT

ROPS Certified Cab w/Retractable
 Seat Belt
 Flip-Up PTO Shield
 Safety Start Switches
 Turn Signals / Hazard Lights
 Electric Key Shut Off
 Parking Brake
 SMV Sign
 Rear View Mirror

Model Specifications	Model Specifications
<u>L3560HST-LE 4WD</u>	<u>L3560HSTC-LE 4WD</u>
SAE Gross HP: 37.0	SAE Gross HP: 37.0
Engine Net HP: 35.0	Engine Net HP: 35.0
PTO HP: 28.0	PTO HP: 28.0
Engine Model: D1803	Engine Model: D1803
Displacement: 111.4 Cu. In.	Displacement: 111.4 Cu. In.



Grand L 60 Series L3560 DT / GST / HST / HSTC

DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
*** STANDARD MACHINE ***			
L3560DT	4WD Compact Tractor - 2 Post Foldable ROPS	K19B332B80	3210 lbs \$24,166.00
L3560GST	4WD Compact Tractor - 2 Post Foldable ROPS	K20B286B40	3249 lbs \$25,358.00
L3560HST	4WD Compact Tractor - 2 Post Foldable ROPS	K20B578B40	3249 lbs \$25,723.00
L3560HSTC	4WD Compact Tractor - ROPS Certified Factory Cab	K27B426B40	3512 lbs \$34,283.00
L3560HST-LE	4WD Compact Tractor - 4WD HST ROPS Limited Tractor	K19B342B40	3249 lbs \$24,178.00
L3560HSTC-LE	4WD Compact Tractor - 4WD HST Cab Limited Tractor	K25B138B40	3512 lbs \$31,423.00

L3560 DT/GST/HST/HSTC/HSTC-LE				Additional Price With Tire Option	
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER		SUGG. LIST
TIRES AND WHEELS[†]					
AG					
ALR8866D*	F-TIRE 7.2-16 R1 Goodyear Power Torque	52 lbs			In Base Price
ALR8821B*	R-TIRE 12.4-24 R1 Firestone (SAT) II	156 lbs			
TURF					
ALR8868	F-TIRE 27x8.50-15 R3 Goodyear SofTrac	53 lbs	B22B40	Add	\$ 28.00
LR6801	R-TIRE 355/80D20 B-Stone Pillow Diam 1	188 lbs			
ALR6813	F-TIRE 29x12.50-15 R3 Titan Multi Trac	78 lbs	B544B00	Add	\$ 680.00
ALR6803	R-TIRE 44x18-20 R3 Titan MultiTrac 6stud	229 lbs			
ALR8898	F-TIRE 27x10.50-15 R3 Turf Sp Armstg Whl	70 lbs	B819B20	Add	\$ 1,024.00
ALR6804	R-TIRE 41x18LL-16.1 R3 Galaxy Turf Spcl	132 lbs			
INDUSTRIAL					
ALR8869A	F-TIRE 10-16.5 R4 Titan Trac Loader	81 lbs	B515B20	Add	\$ 644.00
ALR8855	R-TIRE 420/70-24 R4 F-Stone All Trc Util	235 lbs			

[†] See Tire Section for Individual Tire Pricing and Information

* Standard Tires

TIRES AND WHEELS (priced per piece)

L3560 DT / GST / HST / HSTC				
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGG. LIST PRICE
TIRES AND WHEELS (priced per piece)				
AG				
ALR8866D*	F-TIRE 7.2-16 R1 Goodyear Power Torque	52 lbs	B212B80	\$ 266.00
ALR8821B*	R-TIRE 12.4-24 R1 Firestone (SAT) II	156 lbs	B473B60	\$ 592.00
TURF				
ALR8868	F-TIRE 27x8.50-15 R3 Goodyear SofTrac	53 lbs	B180B80	\$ 226.00
LR6801	R-TIRE 355/80D20 B-Stone Pillow Diam 1	188 lbs	B516B80	\$ 646.00
ALR6813	F-TIRE 29x12.50-15 R3 Titan Multi Trac	78 lbs	B268B00	\$ 335.00
ALR6803	R-TIRE 44x18-20 R3 Titan MultiTrac 6stud	229 lbs	B690B40	\$ 863.00
ALR8898	F-TIRE 27x10.50-15 R3 Turf Sp Armstg Whl	70 lbs	B321B60	\$ 402.00
ALR6804	R-TIRE 41x18LL-16.1 R3 Galaxy Turf Spcl	132 lbs	B774B40	\$ 968.00
INDUSTRIAL				
ALR8869A	F-TIRE 10-16.5 R4 Titan Trac Loader	81 lbs	B294B40	\$ 368.00
ALR8855	R-TIRE 420/70-24 R4 F-Stone All Trc Util	235 lbs	B649B60	\$ 812.00



Grand L 60 Series L4060 DT / GST / HST

***** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS *****

DIESEL ENGINE

Kubota Common Rail Direct Injection
 4 Cylinder Engine
 EPA Tier 4 Compliant
 Charging Output 40 Amps
 12V – 582 CCA
 Dual Air Cleaner Element

EXHAUST EMISSION CONTROL TYPE

Diesel Particulate Filter

HYDRAULICS / HITCH / DRAWBAR

Open Center
 Tandem Gear Pumps
 Total Hyd. Flow:
 DT / GST - 14.7 gpm
 HST - 14.1 gpm

3-POINT HITCH & DRAWBAR

Cat I 3-Point Hitch
 At Lift Point 3858 lbs.
 24" Behind 2756 lbs.
 Position Control 3-Point Valve

POWER TAKE OFF

Live Independent with Hydraulic Clutch
 Rear PTO – 1 Speed
 SAE Std 1 3/8" Six Spline
 540 rpm @ 2550 Eng. Rpm
 Electric over Hydraulic PTO Switch

TRANSMISSION, DT

4 Speed Manual w/Synchro Main
 and Synchro Shuttle
 Rear Differential Lock
 2 Range Hi-Lo
 8 Forward Speeds
 8 Reverse Speeds
 Single-Stage Clutch
 Wet Disc Brakes

TRANSMISSION, GST

Glide Shift w/Synchro Shuttle
 Rear Differential Lock
 12 Forward Speeds
 8 Reverse Speeds
 Single-Stage Clutch
 Wet Disc Brakes

TRANSMISSION, HST

Hydrostatic Drive - HST PLUS
 Rear Differential Lock
 3 Ranges
 Cruise Control
 Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering
 Bevel Gear 4WD
 Tread Spacing - Nonadjustable

FLUID CAPACITY

Fuel Tank 13.5 gal.
 Cooling System 7.9 qts.
 Crankcase 8.7 qts.
 Transmission and
 Hydraulics 11.4 gal.
 Front Axle 6.9 qts.

INSTRUMENTS

Tachometer/Hour meter
 Digital Read for Speed, MPH, PTO
 Speeds, Diagnostics Systems
 and DPF System
 Lighted Communications Symbols
 Warning Symbols
 HST Mode Selection

FEATURES

High Back Adj. Swivel Seat w/Deluxe
 Suspension w/Arm Rests
 Illuminated Instrument Panel
 Large, Flat Operator's Station
 Tilt Steering
 Wide, Anti-Slip Step
 ISO Mounted Platform
 Telescoping Lower Links
 2 Tier Halogen Head Lights
 4 Position Loader Valve
 Steel Hood and Fenders
 Cup Holder

HST-SPECIFIC FEATURES

Auto Throttle Advance
 Hydro Dual Speed (H-DS)
 HST Response Control
 Throttle-Up Switch

SAFETY EQUIPMENT

2-Post Foldable ROPS w/Retractable
 Seat Belt
 Flip-Up PTO Shield
 Safety Start Switches
 Turn Signals / Hazard Lights
 Electric Key Shut Off
 Parking Brake
 SMV Sign

Model Specifications					
L4060DT 4WD		L4060GST 4WD		L4060HST 4WD	
SAE Gross HP:	42.0	SAE Gross HP:	42.0	SAE Gross HP:	42.0
Engine Net HP:	40.0	Engine Net HP:	40.0	Engine Net HP:	40.0
PTO HP:	34.0	PTO HP:	34.0	PTO HP:	32.5
Engine Model:	V2403	Engine Model:	V2403	Engine Model:	V2403
Displacement:	148.5 Cu. In.	Displacement:	148.5 Cu. In.	Displacement:	148.5 Cu. In.



Grand L 60 Series L4060HSTC

***** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS *****

DIESEL ENGINE

Kubota Common Rail Direct Injection
 4 Cylinder Engine
 EPA Tier 4 Compliant
 Charging Output 60 Amps
 12V – 582 CCA
 Dual Air Cleaner Element

EXHAUST EMISSION CONTROL TYPE

Diesel Particulate Filter

HYDRAULICS / HITCH / DRAWBAR

Open Center
 Tandem Gear Pumps
 14.1 gpm Total Hyd. Flow

3-POINT HITCH & DRAWBAR

Cat I 3-Point Hitch
 At Lift Point 3858 lbs.
 24" Behind 2756 lbs.
 Position Control 3-Point Valve

POWER TAKE OFF

Live Independent with Hydraulic Clutch
 Rear PTO – 1 Speed
 SAE Std 1 3/8" Six Spline
 540 rpm @ 2550 Eng. Rpm
 Electric over Hydraulic PTO Switch

TRANSMISSION

Hydrostatic Drive - HST PLUS
 Rear Differential Lock
 3 Ranges
 Cruise Control
 Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering
 Cast Iron with Bevel Gear 4WD
 Tread Spacing - Nonadjustable

FLUID CAPACITY

Fuel Tank 13.5 gal.
 Cooling System 7.9 qts.
 Crankcase 8.7 qts.
 Transmission and
 Hydraulics 11.4 gal.
 Front Axle 6.9 qts.

INSTRUMENTS

Tachometer/Hour meter
 Digital Read for Speed, MPH, PTO
 Speeds, Diagnostics Systems
 and DPF System
 Lighted Communications Symbols
 Warning Symbols
 HST Mode Selection

FEATURES

High Back Adj. Swivel Seat w/Deluxe
 Suspension w/Arm Rests
 Illuminated Instrument Panel
 Large, Flat Operator's Station
 Tilt Steering
 Wide, Anti-Slip Step
 ISO Mounted Platform
 Telescoping Lower Links
 2 Front Work Lights
 2 Tier Halogen Head Lights
 4 Position Loader Valve
 Steel Hood and Fenders
 Cup Holder
 Auto Throttle Advance
 Hydro Dual Speed (H-DS)
 HST Response Control
 Throttle-Up Switch
 Front Wiper w/Washer
 Interior Light
 AC/Heater with Internal/External
 Ventilation
 Speakers and Radio Pre-Wired
 Horn

SAFETY EQUIPMENT

ROPS Certified Cab w/Retractable
 Seat Belt
 Flip-Up PTO Shield
 Safety Start Switches
 Turn Signals / Hazard Lights
 Electric Key Shut Off
 Parking Brake
 SMV Sign

Model Specifications	
L4060HSTC 4WD	
SAE Gross HP:	42.0
Engine Net HP:	40.0
PTO HP:	32.5
Engine Model:	V2403
Displacement:	148.5 Cu. In.



Grand L 60 Series L4060HST-LE / L4060HSTC-LE

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota Common Rail Direct Injection
 4 Cylinder Engine
 EPA Tier 4 Compliant
 Charging Output 60 Amps
 12V – 582 CCA
 Dual Air Cleaner Element

EXHAUST EMISSION CONTROL TYPE

Diesel Particulate Filter

HYDRAULICS / HITCH / DRAWBAR

Open Center
 Tandem Gear Pumps
 14.1 gpm Total Hyd. Flow

3-POINT HITCH & DRAWBAR

Cat I 3-Point Hitch
 At Lift Point 3858 lbs.
 24" Behind 2756 lbs.
 Position Control 3-Point Valve

POWER TAKE OFF

Live Independent with Hydraulic Clutch
 Rear PTO – 1 Speed
 SAE Std 1 3/8" Six Spline
 540 rpm @ 2550 Eng. Rpm
 Electric over Hydraulic PTO Switch

TRANSMISSION

Hydrostatic Drive - HST PLUS
 Rear Differential Lock
 3 Forward Ranges
 3 Reverse Ranges
 Wet Disc Brakes
 Auto Throttle Advance
 Hydro Dual Speed (H-DS)
 HST Response Control
 Throttle-Up Switch

FRONT AXLE

Hydrostatic Power Steering
 Cast Iron with Bevel Gear 4WD
 Tread Spacing - Nonadjustable

FLUID CAPACITY

Fuel Tank 13.5 gal.
 Cooling System 7.9 qts.
 Crankcase 8.7 qts.
 Transmission and Hydraulics 11.4 gal.
 Front Axle 6.9 qts.

INSTRUMENTS

Tachometer/Hour meter
 Digital Read for Speed, MPH, PTO
 Speeds, Diagnostics Systems
 and DPF System
 Lighted Communications Symbols
 Warning Symbols
 HST Mode Selection

ROPS FEATURES

High Back Adj. Swivel Seat w/Deluxe
 Suspension w/Arm Rests
 Illuminated Instrument Panel
 Large, Flat Operator's Station
 Tilt Steering
 Wide, Anti-Slip Step
 ISO Mounted Platform
 Check Chains
 Telescoping Lower Links
 2 Tier Halogen Head Lights
 4 Position Loader Valve
 Steel Hood and Fenders
 Cup Holder

CAB FEATURES

High Back Adj. Swivel Seat w/Deluxe
 Suspension w/Arm Rests
 Illuminated Instrument Panel
 Large, Flat Operator's Station
 Tilt Steering
 Wide, Anti-Slip LH Step Only
 ISO Mounted Platform
 Telescoping Stabilizers & Lower Links
 2 Tier Halogen Head Lights
 4 Position Loader Valve
 Steel Hood and Fenders
 Cup Holder
 Front Wiper w/Washer
 Interior Light
 AC/Heater w/ Internal/External
 Ventilation
 Speakers and Radio Pre-Wired
 Horn

SAFETY EQUIPMENT

ROPS Certified Cab w/Retractable
 Seat Belt
 Flip-Up PTO Shield
 Safety Start Switches
 Turn Signals / Hazard Lights
 Electric Key Shut Off
 Parking Brake
 SMV Sign
 Rear View Mirror

Model Specifications	Model Specifications
L4060HST-LE 4WD	L4060HSTC-LE 4WD
SAE Gross HP: 42.0	SAE Gross HP: 42.0
Engine Net HP: 40.0	Engine Net HP: 40.0
PTO HP: 32.5	PTO HP: 32.5
Engine Model: V2403	Engine Model: V2403
Displacement: 148.5 Cu. In.	Displacement: 148.5 Cu. In.



Grand L 60 Series L4060 DT / GST / HST / HSTC

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
*** STANDARD MACHINE ***				
L4060DT	4WD Compact Tractor - 2 Post Foldable ROPS	K22B065B60	3324 lbs	\$27,582.00
L4060GST	4WD Compact Tractor - 2 Post Foldable ROPS	K23B018B40	3346 lbs	\$28,773.00
L4060HST	4WD Compact Tractor - 2 Post Foldable ROPS	K23B333B60	3346 lbs	\$29,167.00
L4060HSTC	4WD Compact Tractor - ROPS Certified Factory Cab	K30B180B80	3743 lbs	\$37,726.00
L4060HST-LE	4WD Compact Tractor - 4WD HST ROPS Limited Tractor	K22B097B60	3346 lbs	\$27,622.00
L4060HSTC-LE	4WD Compact Tractor - 4WD HST Cab Limited Tractor	K27B893B60	3743 lbs	\$34,867.00

L4060 DT / GST / HST / HSTC				
TIRES AND WHEELS [†]				Additional Price With Tire Option
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGG. LIST
AG				
ABR8753B*	F-TIRE 8.3-16 R1 OTR Traction Master	64 lbs		In Base Price
ALR6809B*	R-TIRE 14.9-24 R1 Titan Hi Power Lug TL	231 lbs		
TURF				
ALR6813	F-TIRE 29x12.50-15 R3 Titan Multi Trac	78 lbs	B451B20	Add \$ 564.00
ALR6803	R-TIRE 44x18-20 R3 Titan MultiTrac 6stud	229 lbs		
ALR8898	F-TIRE 27x10.50-15 R3 Turf Sp Armstg Whl	70 lbs	B726B40	Add \$ 908.00
ALR6804	R-TIRE 41x18LL-16.1 R3 Galaxy Turf Spcl	132 lbs		
ALR8868	F-TIRE 27x8.50-15 R3 Goodyear SofTrac	53 lbs	B70B40	Less \$ (88.00)
LR6801	R-TIRE 355/80D20 B-Stone Pillow Diam 1	188 lbs		
INDUSTRIAL				
ALR8869A	F-TIRE 10-16.5 R4 Titan Trac Loader	81 lbs	B440B00	Add \$ 550.00
ALR6807	R-TIRE 17.5L-24 R4 TITAN INDUSTRIAL	259 lbs		

[†] See Tire Section for Individual Tire Pricing and Information
 * Standard Tires

TIRES AND WHEELS (priced per piece)

L4060 DT / GST / HST / HSTC				
TIRES AND WHEELS (priced per piece)				
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGG. LIST PRICE
AG				
ABR8753B*	F-TIRE 8.3-16 R1 OTR Traction Master	64 lbs	B200B00	\$ 250.00
ALR6809B*	R-TIRE 14.9-24 R1 Titan Hi Power Lug TL	231 lbs	B532B80	\$ 666.00
TURF				
ALR6813	F-TIRE 29x12.50-15 R3 Titan Multi Trac	78 lbs	B268B00	\$ 335.00
ALR6803	R-TIRE 44x18-20 R3 Titan MultiTrac 6stud	229 lbs	B690B40	\$ 863.00
ALR8898	F-TIRE 27x10.50-15 R3 Turf Sp Armstg Whl	70 lbs	B321B60	\$ 402.00
ALR6804	R-TIRE 41x18LL-16.1 R3 Galaxy Turf Spcl	132 lbs	B774B40	\$ 968.00
ALR8868	F-TIRE 27x8.50-15 R3 Goodyear SofTrac	53 lbs	B180B80	\$ 226.00
LR6801	R-TIRE 355/80D20 B-Stone Pillow Diam 1	188 lbs	B516B80	\$ 646.00
INDUSTRIAL				
ALR8869A	F-TIRE 10-16.5 R4 Titan Trac Loader	81 lbs	B294B40	\$ 368.00
ALR6807	R-TIRE 17.5L-24 R4 TITAN INDUSTRIAL	259 lbs	B658B40	\$ 823.00



Grand L 60 Series L4760 GST / HST

***** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS *****

DIESEL ENGINE

Kubota Common Rail Direct Injection
 4 Cylinder Engine
 EPA Tier 4 Compliant
 Charging Output 40 Amps
 12V – 582 CCA
 Dual Air Cleaner Element

EXHAUST EMISSION CONTROL TYPE

Diesel Particulate Filter

HYDRAULICS / HITCH / DRAWBAR

Open Center
 Tandem Gear Pumps
 DT / GST - 14.7 gpm
 HST - 14.1 gpm

3-POINT HITCH & DRAWBAR

Cat I 3-Point Hitch
 At Lift Point 3858 lbs.
 24" Behind 2956 lbs.
 Position Control 3-Point Valve

POWER TAKE OFF

Live Independent with Hydraulic Clutch
 Rear PTO – 1 Speed
 SAE Std 1 3/8" Six Spline
 540 rpm @ 2550 Eng. Rpm
 Electric over Hydraulic PTO Switch

TRANSMISSION, GST

Glide Shift w/Synchro Shuttle
 Rear Differential Lock
 12 Forward Speeds
 8 Reverse Speeds
 Single-Stage Clutch
 Wet Disc Brakes

TRANSMISSION, HST

Hydrostatic Drive - HST PLUS
 Rear Differential Lock
 3 Ranges
 Cruise Control
 Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering
 Cast Iron with Bevel Gear 4WD
 Tread Spacing - Nonadjustable

FLUID CAPACITY

Fuel Tank 13.5 gal.
 Cooling System 7.9 qts.
 Crankcase 8.7 qts.
 Transmission and Hydraulics 11.4 gal.
 Front Axle 9.5 qts.

INSTRUMENTS

Tachometer/Hour meter
 Digital Read for Speed, MPH, PTO
 Speeds, Diagnostics Systems
 and DPF System
 Lighted Communications Symbols
 Warning Symbols
 HST Mode Selection

FEATURES

High Back Adj. Swivel Seat w/Deluxe
 Suspension w/Arm Rests
 Illuminated Instrument Panel
 Large, Flat Operator's Station
 Tilt Steering
 Wide, Anti-Slip Step
 ISO Mounted Platform
 Telescoping Lower Links
 2 Tier Halogen Head Lights
 4 Position Loader Valve
 Steel Hood and Fenders
 Cup Holder

HST-SPECIFIC FEATURES

Auto Throttle Advance
 Hydro Dual Speed (H-DS)
 HST Response Control
 Throttle-Up Switch

SAFETY EQUIPMENT

2-Post Foldable ROPS w/Retractable
 Seat Belt
 Flip-Up PTO Shield
 Safety Start Switches
 Turn Signals / Hazard Lights
 Electric Key Shut Off
 Parking Brake
 SMV Sign

Model Specifications			
<u>L4760GST 4WD</u>		<u>L4760HST 4WD</u>	
SAE Gross HP:	49.0	SAE Gross HP:	49.0
Engine Net HP:	47.0	Engine Net HP:	47.0
PTO HP:	41.0	PTO HP:	39.5
Engine Model:	V2403	Engine Model:	V2403
Displacement:	148.5 Cu. In.	Displacement:	148.5 Cu. In.



Grand L 60 Series L4760HSTC

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota Common Rail Direct Injection
 4 Cylinder Engine
 EPA Tier 4 Compliant
 Charging Output 60 Amps
 12V – 582 CCA
 Dual Air Cleaner Element

EXHAUST EMISSION CONTROL TYPE

Diesel Particulate Filter

HYDRAULICS / HITCH / DRAWBAR

Open Center
 Tandem Gear Pumps
 14.1 gpm Total Hyd. Flow

3-POINT HITCH & DRAWBAR

Cat I 3-Point Hitch
 At Lift Point 3858 lbs.
 24" Behind 2956 lbs.
 Position Control 3-Point Valve

POWER TAKE OFF

Live Independent with Hydraulic Clutch
 Rear PTO – 1 Speed
 SAE Std 1 3/8" Six Spline
 540 rpm @ 2550 Eng. Rpm
 Electric over Hydraulic PTO Switch

TRANSMISSION

Hydrostatic Drive - HST PLUS PLUS
 Rear Differential Lock
 3 Speed Ranges
 Cruise Control
 Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering
 Cast Iron with Bevel Gear 4WD
 Tread Spacing - Nonadjustable

FLUID CAPACITY

Fuel Tank 13.5 gal.
 Cooling System 7.9 qts.
 Crankcase 8.7 qts.
 Transmission and
 Hydraulics 11.4 gal.
 Front Axle 6.9 qts.

INSTRUMENTS

Tachometer/Hour meter
 Digital Read for Speed, MPH, PTO
 Speeds, Diagnostics Systems
 and DPF System
 Lighted Communications Symbols
 Warning Symbols
 HST Mode Selection

FEATURES

High Back Adj. Swivel Seat w/Deluxe
 Suspension w/Arm Rests
 Illuminated Instrument Panel
 Large, Flat Operator's Station
 Tilt Steering
 Wide, Anti-Slip Step
 ISO Mounted Platform
 Telescoping Lower Links
 2 Front Work Lights
 2 Tier Halogen Head Lights
 4 Position Loader Valve
 Steel Hood and Fenders
 Cup Holder
 Auto Throttle Advance
 Hydro Dual Speed (H-DS)
 HST Response Control
 Throttle-Up Switch
 Front Wiper w/Washer
 Interior Light
 AC/Heater with Internal/External
 Ventilation
 Speakers and Radio Pre-Wired
 Horn

SAFETY EQUIPMENT

ROPS Certified Cab w/Retractable
 Seat Belt
 Flip-Up PTO Shield
 Safety Start Switches
 Turn Signals / Hazard Lights
 Electric Key Shut Off
 Parking Brake
 SMV Sign

Model Specifications	
L4760HSTC 4WD	
SAE Gross HP:	49.0
Engine Net HP:	47.0
PTO HP:	39.5
Engine Model:	V2403
Displacement:	148.5 Cu. In.



Grand L 60 Series L4760 GST / HST / HSTC

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
*** STANDARD MACHINE ***				
L4760GST	4WD Compact Tractor - 2 Post Foldable ROPS	K27B277B60	3430 lbs	\$34,097.00
L4760HST	4WD Compact Tractor - 2 Post Foldable ROPS	K27B582B40	3430 lbs	\$34,478.00
L4760HSTC	4WD Compact Tractor - ROPS Certified Factory Cab	K34B429B60	3752 lbs	\$43,037.00

L4760 GST / HST / HSTC				
TIRES AND WHEELS [†]				Additional Price With Tire Option
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGG. LIST
AG				
ABR8753B*	F-TIRE 8.3-16 R1 OTR Traction Master	64 lbs		
ALR6809B*	R-TIRE 14.9-24 R1 Titan Hi Power Lug TL	231 lbs		In Base Price
TURF				
ALR8708	F-TIRE 29x12.50-15 R3 Titan Turf	83 lbs	B508B80	Add \$ 636.00
ALR6803	R-TIRE 44x18-20 R3 Titan MultiTrac 6stud	229 lbs		
ALR6818A	F-TIRE LSW305R343 R3 Titan Grizz LSW 430	70 lbs	B582B40	Add \$ 728.00
ALR6817	R-TIRE LSW610R470 R3 Grizz LSW 430 6stud	227 lbs		
INDUSTRIAL				
ALR8869A	F-TIRE 10-16.5 R4 Titan Trac Loader	81 lbs	B440B00	Add \$ 550.00
ALR6807	R-TIRE 17.5L-24 R4 TITAN INDUSTRIAL	259 lbs		

[†] See Tire Section for Individual Tire Pricing and Information
 * Standard Tires

TIRES AND WHEELS (priced per piece)

L4760 GST / HST / HSTC				
TIRES AND WHEELS (priced per piece)				
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGG. LIST PRICE
AG				
ABR8753B*	F-TIRE 8.3-16 R1 OTR Traction Master	64 lbs	B200B00	\$ 250.00
ALR6809B*	R-TIRE 14.9-24 R1 Titan Hi Power Lug TL	231 lbs	B532B80	\$ 666.00
TURF				
ALR8708	F-TIRE 29x12.50-15 R3 Titan Turf	83 lbs	B296B80	\$ 371.00
ALR6803	R-TIRE 44x18-20 R3 Titan MultiTrac 6stud	229 lbs	B690B40	\$ 863.00
ALR6818A	F-TIRE LSW305R343 R3 Titan Grizz LSW 430	70 lbs	B294B40	\$ 368.00
ALR6817	R-TIRE LSW610R470 R3 Grizz LSW 430 6stud	227 lbs	B729B60	\$ 912.00
INDUSTRIAL				
ALR8869A	F-TIRE 10-16.5 R4 Titan Trac Loader	81 lbs	B294B40	\$ 368.00
ALR6807	R-TIRE 17.5L-24 R4 TITAN INDUSTRIAL	259 lbs	B658B40	\$ 823.00



Grand L 60 Series L5060GST

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota Common Rail Direct Injection
 4 Cylinder Engine
 EPA Tier 4 Compliant
 Turbocharged Engine
 Charging Output 45 Amps
 12V – 582 CCA
 Dual Air Cleaner Element

EXHAUST EMISSION CONTROL TYPE

Diesel Particulate Filter

HYDRAULICS / HITCH / DRAWBAR

Open Center
 Tandem Gear Pumps
 14.7 gpm Total Hyd. Flow

3-POINT HITCH & DRAWBAR

Cat I 3-Point Hitch
 At Lift Point 3858 lbs.
 24" Behind 2956 lbs.
 Position Control 3-Point Valve

POWER TAKE OFF

Live Independent with Hydraulic Clutch
 Rear PTO – 1 Speed
 SAE Std 1 3/8" Six Spline
 540 rpm @ 2550 Eng. Rpm
 Electric over Hydraulic PTO Switch

TRANSMISSION, GST

Glide Shift w/Synchro Shuttle
 Rear Differential Lock
 12 Forward Speeds
 8 Reverse Speeds
 Single-Stage Clutch
 Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering
 Cast Iron with Bevel Gear 4WD
 Tread Spacing - Nonadjustable

FLUID CAPACITY

Fuel Tank 13.5 gal.
 Cooling System 8.7 qts.
 Crankcase 9.9 qts.
 Transmission and
 Hydraulics 11.9 gal.
 Front Axle 9.5 qts.

INSTRUMENTS

Tachometer/Hour meter
 Digital Read for Speed, MPH, PTO
 Speeds, Diagnostics Systems
 and DPF System
 Lighted Communications Symbols
 Warning Symbols

FEATURES

High Back Adj. Swivel Seat w/Deluxe
 Suspension w/Arm Rests
 Illuminated Instrument Panel
 Large, Flat Operator's Station
 Tilt Steering
 Wide, Anti-Slip Step
 ISO Mounted Platform
 Telescoping Lower Links
 2 Tier Halogen Head Lights
 4 Position Loader Valve
 Steel Hood and Fenders
 Cup Holder

SAFETY EQUIPMENT

2-Post Foldable ROPS w/Retractable
 Seat Belt
 Flip-Up PTO Shield
 Safety Start Switches
 Turn Signals / Hazard Lights
 Electric Key Shut Off
 Parking Brake
 SMV Sign

Model Specifications	
L5060GST 4WD	
SAE Gross HP:	52.0
Engine Net HP:	50.0
PTO HP:	44
Engine Model:	V2403
Displacement:	148.5 Cu. In.



Grand L 60 Series L5060GST

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
*** STANDARD MACHINE ***				
L5060GST	4WD Compact Tractor - 2 Post Foldable ROPS	K29B112B00	3514 lbs	\$36,390.00

L5060GST		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGG. LIST
TIRES AND WHEELS[†]				
AG				
AMXR8860A*	F-TIRE 9.5-16 R1 Gdyr Dura Torque 6stud	78 lbs	In Base Price	In Base Price
AMXR8861*	R-TIRE 14.9-26 Titan Hi Power Lug TL	254 lbs		
AMXR8860A	F-TIRE 9.5-16 R1 Gdyr Dura Torque 6stud	78 lbs	In Base Price	In Base Price
AMXR8813A	R-TIRE 13.6-28 R1 Titan Hi Trac Lug TL	242 lbs		
TURF				
ALR8708	F-TIRE 29x12.50-15 R3 Titan Turf	83 lbs	B120B00	Add \$ 150.00
ALR6802	R-TIRE 44x18-20 R3 Titan MultiTrac 8stud	221 lbs		
ALR6818A	F-TIRE LSW305R343 R3 Titan Grizz LSW 430	70 lbs	B193B60	Add \$ 242.00
ALR6819	R-TIRE LSW610R470 R3 Grizz LSW 430 8stud	227 lbs		
INDUSTRIAL				
ALR8869A	F-TIRE 10-16.5 R4 Titan Trac Loader	81 lbs	B180B80	Add \$ 226.00
AMXR8862	R-TIRE 17.5L-24 R4 Titan Ind Cont TL	257 lbs		

[†] See Tire Section for Individual Tire Pricing and Information
 * Standard Tires

TIRES AND WHEELS (priced per piece)

L5060GST		TIRES AND WHEELS (priced per piece)		
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGG. LIST PRICE
AG				
AMXR8860A*	F-TIRE 9.5-16 R1 Gdyr Dura Torque 6stud	78 lbs	B231B20	\$ 289.00
AMXR8861*	R-TIRE 14.9-26 Titan Hi Power Lug TL	254 lbs	B696B00	\$ 870.00
AMXR8860A	F-TIRE 9.5-16 R1 Gdyr Dura Torque 6stud	78 lbs	B231B20	\$ 289.00
AMXR8813A	R-TIRE 13.6-28 R1 Titan Hi Trac Lug TL	242 lbs	B696B00	\$ 870.00
TURF				
ALR8708	F-TIRE 29x12.50-15 R3 Titan Turf	83 lbs	B296B80	\$ 371.00
ALR6802	R-TIRE 44x18-20 R3 Titan MultiTrac 8stud	221 lbs	B690B40	\$ 863.00
ALR6818A	F-TIRE LSW305R343 R3 Titan Grizz LSW 430	70 lbs	B294B40	\$ 368.00
ALR6819	R-TIRE LSW610R470 R3 Grizz LSW 430 8stud	227 lbs	B729B60	\$ 912.00
INDUSTRIAL				
ALR8869A	F-TIRE 10-16.5 R4 Titan Trac Loader	81 lbs	B294B40	\$ 368.00
AMXR8862	R-TIRE 17.5L-24 R4 Titan Ind Cont TL	257 lbs	B723B20	\$ 904.00



Grand L 60 Series L5460HST

***** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS *****

DIESEL ENGINE

Kubota Common Rail Direct Injection
 4 Cylinder Engine
 EPA Tier 4 Compliant
 Turbocharged Engine
 Charging Output 45 Amps
 12V – 582 CCA
 Dual Air Cleaner Element

EXHAUST EMISSION CONTROL TYPE

Diesel Particulate Filter

HYDRAULICS / HITCH / DRAWBAR

Open Center
 Tandem Gear Pumps
 14.1 gpm Total Hyd. Flow

3-POINT HITCH & DRAWBAR

Cat I & II 3-Point Hitch
 At Lift Point 3858 lbs.
 24" Behind 2956 lbs.
 Position Control 3-Point Valve

POWER TAKE OFF

Live Independent with Hydraulic Clutch
 Rear PTO – 1 Speed
 SAE Std 1 3/8" Six Spline
 540 rpm @ 2550 Eng. Rpm
 Electric over Hydraulic PTO Switch

TRANSMISSION, HST

Hydrostatic Drive - HST PLUS
 Rear Differential Lock
 3 Speed Ranges
 Cruise Control
 Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering
 Cast Iron with Bevel Gear 4WD
 Tread Spacing - Nonadjustable

FLUID CAPACITY

Fuel Tank 13.5 gal.
 Cooling System 8.7 qts.
 Crankcase 9.9 qts.
 Transmission and Hydraulics 11.9 gal.
 Front Axle 9.5 qts.

INSTRUMENTS

Tachometer/Hour meter
 Digital Read for Speed, MPH, PTO
 Speeds, Diagnostics Systems
 and DPF System
 Lighted Communications Symbols
 Warning Symbols
 HST Mode Selection

FEATURES

High Back Adj. Swivel Seat w/Deluxe
 Suspension w/Arm Rests
 Illuminated Instrument Panel
 Large, Flat Operator's Station
 Tilt Steering
 Wide, Anti-Slip Step
 ISO Mounted Platform
 Telescoping Lower Links
 2 Tier Halogen Head Lights
 4 Position Loader Valve
 Steel Hood and Fenders
 Cup Holder
 Auto Throttle Advance, HST
 Hydro Dual Speed (H-DS), HST
 HST Response Control
 Throttle-Up Switch

SAFETY EQUIPMENT

2-Post Foldable ROPS w/Retractable
 Seat Belt
 Flip-Up PTO Shield
 Safety Start Switches
 Turn Signals / Hazard Lights
 Electric Key Shut Off
 Parking Brake
 SMV Sign

Model Specifications	
L5460HST 4WD	
SAE Gross HP:	56.0
Engine Net HP:	54.0
PTO HP:	46.5
Engine Model:	V2403
Displacement:	148.5 Cu. In.



Grand L 60 Series L5460HSTC

***** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS *****

DIESEL ENGINE

Kubota Common Rail Direct Injection
 4 Cylinder Engine
 EPA Tier 4 Compliant
 Turbocharged Engine
 Charging Output 60 Amps
 12V – 582 CCA
 Dual Air Cleaner Element

EXHAUST EMISSION CONTROL TYPE

Diesel Particulate Filter

HYDRAULICS / HITCH / DRAWBAR

Open Center
 Tandem Gear Pumps
 14.1 gpm Total Hyd. Flow

3-POINT HITCH & DRAWBAR

Cat I & II 3-Point Hitch
 At Lift Point 3858 lbs.
 24" Behind 2956 lbs.
 Position Control 3-Point Valve

POWER TAKE OFF

Live Independent with Hydraulic Clutch
 Rear PTO – 1 Speed
 SAE Std 1 3/8" Six Spline
 540 rpm @ 2550 Eng. Rpm
 Electric over Hydraulic PTO Switch

TRANSMISSION

Hydrostatic Drive - HST PLUS
 Rear Differential Lock
 3 Speed Ranges
 Cruise Control
 Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering
 Cast Iron with Bevel Gear 4WD
 Tread Spacing - Nonadjustable

FLUID CAPACITY

Fuel Tank 13.5 gal.
 Cooling System 8.7 qts.
 Crankcase 9.9 qts.
 Transmission and Hydraulics 11.9 gal.
 Front Axle 9.5 qts.

INSTRUMENTS

Tachometer/Hour meter
 Digital Read for Speed, MPH, PTO
 Speeds, Diagnostics Systems
 and DPF System
 Lighted Communications Symbols
 Warning Symbols
 HST Mode Selection

FEATURES

High Back Adj. Swivel Seat w/Deluxe
 Suspension w/Arm Rests
 Illuminated Instrument Panel
 Large, Flat Operator's Station
 Tilt Steering
 Wide, Anti-Slip Step
 ISO Mounted Platform
 Telescoping Lower Links
 2 Front Work Lights
 2 Tier Halogen Head Lights
 4 Position Loader Valve
 Steel Hood and Fenders
 Cup Holder
 Auto Throttle Advance
 Hydro Dual Speed (H-DS)
 HST Response Control
 Throttle-Up Switch
 Front Wiper w/Washer
 Interior Light
 AC/Heater with Internal/External
 Ventilation
 Speakers and Radio Pre-Wired
 Horn

SAFETY EQUIPMENT

ROPS Certified Cab w/Retractable
 Seat Belt
 Flip-Up PTO Shield
 Safety Start Switches
 Turn Signals / Hazard Lights
 Electric Key Shut Off
 Parking Brake
 SMV Sign

Model Specifications	
L5460HSTC 4WD	
SAE Gross HP:	56.0
Engine Net HP:	54.0
PTO HP:	46.5
Engine Model:	V2403
Displacement:	148.5 Cu. In.



Grand L 60 Series L5460 HST / HSTC

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
*** STANDARD MACHINE ***				
L5460HST	4WD Compact Tractor - 2 Post Foldable ROPS	K29B524B00	3514 lbs	\$36,905.00
L5460HSTC	4WD Compact Tractor - ROPS Certified Factory Cab	K36B371B20	3911 lbs	\$45,464.00

L5460 HST / HSTC				
TIRES AND WHEELS [†]				Additional Price With Tire Option
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGG. LIST
AG				
AMXR8860A*	F-TIRE 9.5-16 R1 Gdyr Dura Torque 6stud	78 lbs		
AMXR8861*	R-TIRE 14.9-26 Titan Hi Power Lug TL	254 lbs		In Base Price
AMXR8860A	F-TIRE 9.5-16 R1 Gdyr Dura Torque 6stud	78 lbs		
AMXR8813A	R-TIRE 13.6-28 R1 Titan Hi Trac Lug TL	242 lbs		In Base Price
TURF				
ALR8708	F-TIRE 29x12.50-15 R3 Titan Turf	83 lbs	B120B00	Add \$ 150.00
ALR6802	R-TIRE 44x18-20 R3 Titan MultiTrac 8stud	221 lbs		
ALR6818A	F-TIRE LSW305R343 R3 Titan Grizz LSW 430	70 lbs	B193B60	Add \$ 242.00
ALR6819	R-TIRE LSW610R470 R3 Grizz LSW 430 8stud	227 lbs		
INDUSTRIAL				
ALR8869A	F-TIRE 10-16.5 R4 Titan Trac Loader	81 lbs	B180B80	Add \$ 226.00
AMXR8862	R-TIRE 17.5L-24 R4 Titan Ind Cont TL	257 lbs		

[†] See Tire Section for Individual Tire Pricing and Information
 * Standard Tires

TIRES AND WHEELS (priced per piece)

L5460 HST / HSTC				
TIRES AND WHEELS (priced per piece)				
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGG. LIST PRICE
AG				
AMXR8860A*	F-TIRE 9.5-16 R1 Gdyr Dura Torque 6stud	78 lbs	B231B20	\$ 289.00
AMXR8861*	R-TIRE 14.9-26 Titan Hi Power Lug TL	254 lbs	B696B00	\$ 870.00
AMXR8860A	F-TIRE 9.5-16 R1 Gdyr Dura Torque 6stud	78 lbs	B231B20	\$ 289.00
AMXR8813A	R-TIRE 13.6-28 R1 Titan Hi Trac Lug TL	242 lbs	B696B00	\$ 870.00
TURF				
ALR8708	F-TIRE 29x12.50-15 R3 Titan Turf	83 lbs	B296B80	\$ 371.00
ALR6802	R-TIRE 44x18-20 R3 Titan MultiTrac 8stud	221 lbs	B690B40	\$ 863.00
ALR6818A	F-TIRE LSW305R343 R3 Titan Grizz LSW 430	70 lbs	B294B40	\$ 368.00
ALR6819	R-TIRE LSW610R470 R3 Grizz LSW 430 8stud	227 lbs	B729B60	\$ 912.00
INDUSTRIAL				
ALR8869A	F-TIRE 10-16.5 R4 Titan Trac Loader	81 lbs	B294B40	\$ 368.00
AMXR8862	R-TIRE 17.5L-24 R4 Titan Ind Cont TL	257 lbs	B723B20	\$ 904.00



Grand L 60 Series L6060HST

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota Common Rail Direct Injection
 4 Cylinder Engine
 EPA Tier 4 Compliant
 Turbocharged Engine
 Charging Output 45 Amps
 12V – 582 CCA
 Dual Air Cleaner Element

EXHAUST EMISSION CONTROL TYPE

Diesel Particulate Filter

HYDRAULICS / HITCH / DRAWBAR

Open Center
 Tandem Gear Pumps
 14.1 gpm Total Hyd. Flow

3-POINT HITCH & DRAWBAR

Cat I & II 3-Point Hitch
 At Lift Point 3858 lbs.
 24" Behind 2956 lbs.
 Position Control 3-Point Valve

POWER TAKE OFF

Live Independent with Hydraulic Clutch
 Rear PTO – 1 Speed
 SAE Std 1 3/8" Six Spline
 540 rpm @ 2550 Eng. Rpm
 Electric over Hydraulic PTO Switch

TRANSMISSION, HST

Hydrostatic Drive - HST PLUS
 Rear Differential Lock
 3 Forward Ranges
 3 Reverse Ranges
 Cruise Control
 Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering
 Cast Iron with Bevel Gear 4WD
 Tread Spacing - Nonadjustable

FLUID CAPACITY

Fuel Tank 13.5 gal.
 Cooling System 8.7 qts.
 Crankcase 9.9 qts.
 Transmission and
 Hydraulics 11.9 gal.
 Front Axle 9.5 qts.

INSTRUMENTS

Tachometer/Hour meter
 Digital Read for Speed, MPH, PTO
 Speeds, Diagnostics Systems
 and DPF System
 Lighted Communications Symbols
 Warning Symbols
 HST Mode Selection

FEATURES

High Back Adj. Swivel Seat w/Deluxe
 Suspension w/Arm Rests
 Illuminated Instrument Panel
 Large, Flat Operator's Station
 Tilt Steering
 Wide, Anti-Slip Step
 ISO Mounted Platform
 Telescoping Lower Links
 2 Tier Halogen Head Lights
 4 Position Loader Valve
 Steel Hood and Fenders
 Cup Holder
 Auto Throttle Advance, HST
 Hydro Dual Speed (H-DS), HST
 HST Response Control
 Throttle-Up Switch

SAFETY EQUIPMENT

2-Post Foldable ROPS w/Retractable
 Seat Belt
 Flip-Up PTO Shield
 Safety Start Switches
 Turn Signals / Hazard Lights
 Electric Key Shut Off
 Parking Brake
 SMV Sign

Model Specifications	
L6060HST 4WD	
SAE Gross HP:	62.0
Engine Net HP:	60.0
PTO HP:	53
Engine Model:	V2403
Displacement:	148.5 Cu. In.



Grand L 60 Series L6060HSTC

***** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS *****

DIESEL ENGINE

Kubota Common Rail Direct Injection
 4 Cylinder Engine
 EPA Tier 4 Compliant
 Turbocharged Engine
 Charging Output 60 Amps
 12V – 582 CCA

Dual Air Cleaner Element

EXHAUST EMISSION CONTROL TYPE

Diesel Particulate Filter

HYDRAULICS / HITCH / DRAWBAR

Open Center
 Tandem Gear Pumps
 14.1 gpm Total Hyd. Flow

3-POINT HITCH & DRAWBAR

Cat I & II 3-Point Hitch
 At Lift Point 3858 lbs.
 24" Behind 2956 lbs.
 Position Control 3-Point Valve

POWER TAKE OFF

Live Independent with Hydraulic Clutch
 Rear PTO – 1 Speed
 SAE Std 1 3/8" Six Spline
 540 rpm @ 2550 Eng. Rpm
 Electric over Hydraulic PTO Switch

TRANSMISSION

Hydrostatic Drive - HST PLUS
 Rear Differential Lock
 3 Speed Ranges
 Cruise Control
 Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering
 Cast Iron with Bevel Gear 4WD
 Tread Spacing - Nonadjustable

FLUID CAPACITY

Fuel Tank 13.5 gal.
 Cooling System 8.7 qts.
 Crankcase 9.9 qts.
 Transmission and Hydraulics 11.9 gal.
 Front Axle 9.5 qts.

INSTRUMENTS

Tachometer/Hour meter
 Digital Read for Speed, MPH, PTO
 Speeds, Diagnostics Systems
 and DPF System
 Lighted Communications Symbols
 Warning Symbols
 HST Mode Selection

FEATURES

High Back Adj. Swivel Seat w/Deluxe
 Suspension w/Arm Rests
 Illuminated Instrument Panel
 Large, Flat Operator's Station
 Tilt Steering
 Wide, Anti-Slip Step
 ISO Mounted Platform
 Telescoping Lower Links
 2 Front Work Lights
 2 Tier Halogen Head Lights
 4 Position Loader Valve
 Steel Hood and Fenders
 Cup Holder
 Auto Throttle Advance
 Hydro Dual Speed (H-DS)
 HST Response Control
 Throttle-Up Switch
 Front Wiper w/Washer
 Interior Light
 AC/Heater with Internal/External
 Ventilation
 Speakers and Radio Pre-Wired
 Horn

SAFETY EQUIPMENT

ROPS Certified Cab w/Retractable
 Seat Belt
 Flip-Up PTO Shield
 Safety Start Switches
 Turn Signals / Hazard Lights
 Electric Key Shut Off
 Parking Brake
 SMV Sign

Model Specifications	
L6060HSTC 4WD	
SAE Gross HP:	62.0
Engine Net HP:	60.0
PTO HP:	53.0
Engine Model:	V2403
Displacement:	148.5 Cu. In.



Grand L 60 Series L6060 HST / HSTC

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
*** STANDARD MACHINE ***				
L6060HST	4WD Compact Tractor - 2 Post Foldable ROPS	K31B100B00	3536 lbs	\$38,875.00
L6060HSTC	4WD Compact Tractor - ROPS Certified Factory Cab	K37B946B40	3911 lbs	\$47,433.00

L6060 HST / HSTC				
TIRES AND WHEELS [†]				Additional Price With Tire Option
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGG. LIST
AG				
AMXR8860A*	F-TIRE 9.5-16 R1 Gdyr Dura Torque 6stud	78 lbs		
AMXR8861*	R-TIRE 14.9-26 Titan Hi Power Lug TL	254 lbs		In Base Price
AMXR8860A	F-TIRE 9.5-16 R1 Gdyr Dura Torque 6stud	78 lbs		
AMXR8813A	R-TIRE 13.6-28 R1 Titan Hi Trac Lug TL	242 lbs		In Base Price
TURF				
ALR8708	F-TIRE 29x12.50-15 R3 Titan Turf	83 lbs	B120B00	Add \$ 150.00
ALR6802	R-TIRE 44x18-20 R3 Titan MultiTrac 8stud	221 lbs		
ALR6818A	F-TIRE LSW305R343 R3 Titan Grizz LSW 430	70 lbs	B193B60	Add \$ 242.00
ALR6819	R-TIRE LSW610R470 R3 Grizz LSW 430 8stud	227 lbs		
INDUSTRIAL				
ALR8869A	F-TIRE 10-16.5 R4 Titan Trac Loader	81 lbs	B180B80	Add \$ 226.00
AMXR8862	R-TIRE 17.5L-24 R4 Titan Ind Cont TL	257 lbs		

[†] See Tire Section for Individual Tire Pricing and Information

* Standard Tires

TIRES AND WHEELS (priced per piece)

L6060 HST / HSTC				
TIRES AND WHEELS (priced per piece)				
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGG. LIST PRICE
AG				
AMXR8860A*	F-TIRE 9.5-16 R1 Gdyr Dura Torque 6stud	78 lbs	B231B20	\$ 289.00
AMXR8861*	R-TIRE 14.9-26 Titan Hi Power Lug TL	254 lbs	B696B00	\$ 870.00
AMXR8860A	F-TIRE 9.5-16 R1 Gdyr Dura Torque 6stud	78 lbs	B231B20	\$ 289.00
AMXR8813A	R-TIRE 13.6-28 R1 Titan Hi Trac Lug TL	242 lbs	B696B00	\$ 870.00
TURF				
ALR8708	F-TIRE 29x12.50-15 R3 Titan Turf	83 lbs	B296B80	\$ 371.00
ALR6802	R-TIRE 44x18-20 R3 Titan MultiTrac 8stud	221 lbs	B690B40	\$ 863.00
ALR6818A	F-TIRE LSW305R343 R3 Titan Grizz LSW 430	70 lbs	B294B40	\$ 368.00
ALR6819	R-TIRE LSW610R470 R3 Grizz LSW 430 8stud	227 lbs	B729B60	\$ 912.00
INDUSTRIAL				
ALR8869A	F-TIRE 10-16.5 R4 Titan Trac Loader	81 lbs	B294B40	\$ 368.00
AMXR8862	R-TIRE 17.5L-24 R4 Titan Ind Cont TL	257 lbs	B723B20	\$ 904.00

KUBOTA**Grand L 60 Series L3560 / L4060 / L4760 / L5060 / L5460 / L6060****DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
HYDRAULICS/HITCH/DRAWBAR				
HYDRAULIC REAR REMOTE VALVES				
L8398	Base Kit and 1st Lever for ROPS models Requires Double Acting or Float Detent Valve Section	K490L40	20 lbs	\$613.00
L8396	Base Kit and 1st Lever for CAB models Requires Double Acting or Float Detent Valve Section	K490L40	16 lbs	\$613.00
L8393	2nd Position Stacking Kit and 2nd Lever Requires Base Kit Requires Double Acting or Float Detent Valve Section	K264L80	9 lbs	\$331.00
L8394	3rd Position Stacking Kit and 3rd Lever Requires Base Kit and 2nd Position Kit Requires Double Acting or Float Detent Valve Section	K264L80	8 lbs	\$331.00
L8308	Double Acting Valve Section	K200L80	4 lbs	\$251.00
L8309	FD (Float Detent) Valve Section	K252L80	4 lbs	\$316.00
DRAFT CONTROL				
L8395	Draft Control Kit for all L60 series	K468L80	28 lbs	\$586.00
DRAWBAR OPTIONS				
L9496G	Drawbar Clevis	K62L40	8 lbs	\$78.00
LMX6800	Clevis Kit for L-MX Drop Drawbars	K41A60	7 lbs	\$52.00
L6830	Drop Drawbar for L4701/L3560	K76L80	22 lbs	\$96.00
L6840	Drop Drawbar for L4060/L4760	K76L80	22 lbs	\$96.00
L6850	Drop Drawbar for L5060-L6060	K76L80	22 lbs	\$96.00
L8325	Swinging Drawbar	K121L60	20 lbs	\$152.00
HYDRAULIC DIVERTER VALVE				
L8397	Hydraulic Diverter Kit Enables standard loader to be used as 2 rear hydraulic remotes Spool 1: 4-Position spool with 1st stage standard non-regenerative & 2nd stage regenerative Spool 2: 4-Position spool with detent float Not Compatible with Front Loader or Rear Hydraulic Valves	K469L60	17 lbs	\$587.00
TOP-N-TILT KIT				
L8388A	Top-N-Tilt Kit Requires 2 Double Acting Remote Hydraulic Valves Not Compatible with Backhoe	K728L80	41 lbs	\$911.00



Grand L 60 Series L3560 / L4060 / L4760 / L5060 / L5460 / L6060

DEALER INSTALLED ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
CAB ACCESSORIES				
DEFOGGER KITS				
L8340	Defogger Kit, Rear Window Requires High Amp Alternator Kit	K235L20	28 lbs	\$294.00
L8381	Defogger Kit, Corner Windows Requires High Amp Alternator Kit	K256L80	18 lbs	\$321.00
ALTERNATOR KITS				
L5533	High Amp Alternator Kit for L3560	K387L20	15 lbs	\$484.00
L5534	High Amp Alternator Kit for L4060 / L4760 / L5460 / L6060	K387L20	15 lbs	\$484.00
RADIO				
Jensen Radios	3 Radios Available	(Order from the Parts Department)		
REAR WIPER KIT				
L8364	Rear Wiper Kit	K120L00	3 lbs	\$150.00
REAR WORK LIGHT				
L8333	Rear Work Light Kit, 2 Lights	K109L60	3 lbs	\$137.00
FRONT WORK LIGHT				
L8380	Front Work Light Kit - L60-LE Models	K109L60	3 lbs	\$137.00
SIDE MIRROR KIT				
MX6801	Side Mirror Kit L60-LE / MX CAB	K108M80	1 lbs	\$136.00
ROPS ACCESSORIES				
CANOPY				
E1133	Plastic Canopy	K367B20	63 lbs	\$459.00
E1134	Fiberglass Canopy Requires Mounting Bracket Kit	K327M20	63 lbs	\$409.00
E1136	Mounting Bracket Kit	K161M60	29 lbs	\$202.00
FRONT WORK LIGHT				
E1138	Front Work Light Kit for Fiberglass Canopy Includes 2 Lights	K131A20	3 lbs	\$164.00
REAR WORK LIGHT				
L8329	Rear Work Light Kit, 1 Light	K74L40	4 lbs	\$93.00

KUBOTA**Grand L 60 Series L3560 / L4060 / L4760 / L5060 / L5460 / L6060****DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
BALLAST				
BALLAST BOX				
L8170	Ballast Box - 3-Point Mount Up to 1000 lbs of total weight with sand	K388L80	168 lbs	\$486.00
FRONT WEIGHT BRACKETS				
MX8068	Weight Bracket - up to 7 Weights Requires 1 BL8014 for all weight stacks of BL8069 Not Compatible with Grill Guard or Front Hitch installed	K80M00	29 lbs	\$100.00
FRONT SUITCASE WEIGHTS				
BL8069	Suitcase Weight (55 lbs. Each) Requires 1 BL8049 Bolt Kit per Every Weight MAX 4 Weights Allowed w/ Grill Guard	K59B20	55 lbs	\$74.00
FRONT WEIGHT BOLT KITS				
BL8049	Weight Bolt Kit - 1 Kit Per Every BL8069 Weight	K6B40	N/A	\$8.00
BL8014	Thread Bolt & Spacing Kit 1 Required on MX8068 When Stacking BL8069 Weights	K23B20	N/A	\$29.00
REAR WHEEL WEIGHTS & BOLT KITS				
L8066A	Rear Wheel Weight (64 lbs. Each), set of 2 Weights for all L3560 / L4060 / L4760 models 3 Weight per Standard Tractor Bracket Not Compatible with Turf Tires Requires one Weight Bolt Kit per Set	K104L80	128 lbs	\$131.00
L8067A	Weight Bolt Kits - 1 Kit per Rear Wheel Weight for all L3560 / L4060 / L4760 models	K27L20	5 lbs	\$34.00
LM8124	Rear Wheel Weight (103 lbs. Each), set of 2 Weights for all L5060 / L5460 / L6060 models 3 Weight per Standard Tractor Bracket Not Compatible with Turf Tires Requires one Weight Bolt Kit per Set	K236M00	206 lbs	\$295.00
LM8125A	Weight Bolt Kits - 1 Kit per Rear Wheel Weight for all L5060 / L5460 / L6060 models For first set of Rear Wheel Weights	K56M00	5 lbs	\$70.00
M8121A	Weight Bolt Kits - 1 Kit per Rear Wheel Weight for all L5060 / L5460 / L6060 models For 2nd and 3rd set of Rear Wheel Weights	K24M80	8 lbs	\$31.00
ADDITIONAL ACCESSORIES				
AIR RIDE SEAT				
L6023	Air Ride Seat for ROPS models Disables stationary PTO feature and swivel seat capability	K732L00	77 lbs	\$915.00
L6026	Air Ride Seat for CAB models Disables stationary PTO feature and swivel seat capability	K732L00	77 lbs	\$915.00
BLOCK HEATER				
70000-00297	Block Heater	(Order from the Parts Department)		
CREEP SPEED KIT				
L8382	Creep Speed Kit for all L60 series, except HST models	K504L00	24 lbs	\$630.00



Grand L 60 Series L3560 / L4060 / L4760 / L5060 / L5460 / L6060

DEALER INSTALLED ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
ADDITIONAL ACCESSORIES				
GRILL GUARD - NON LOADER APPLICATION				
L2257	Grill Guard for Non-Loader Application	K224L80	61 lbs	\$281.00
MID PTO KITS				
L8387	Mid PTO Kit for all L60 series ROPS models require Internal Gear Kit	K315L20	20 lbs	\$394.00
L8316	Mid PTO Internal Gear Kit for L60 ROPS models Standard for Cab models Requires Mid PTO Kit	K208L00	19 lbs	\$260.00
REPLACEMENT CABS				
L8392	Replacement Cab for L3560HSTC	K7L004L80	850 lbs	\$8,756.00
L8391	Replacement Cab for L4060HSTC / L4760HSTC	K7L004L80	850 lbs	\$8,756.00
L8390	Replacement Cab for L5460HSTC / L6060HSTC	K7L004L80	850 lbs	\$8,756.00
REPLACEMENT ROPS				
SFL-F356A	Replacement ROPS for L3560DT/GST/HST	K636L80	227 lbs	\$796.00
SFL-F476A	Replacement ROPS for L4060DT/GST/HST and L4760GST/HST	K636L80	218 lbs	\$796.00
SFL-F606A	Replacement ROPS for L5060GST, L5460HST, and L6060HST models	K636L80	218 lbs	\$796.00
SEAT BELT KIT				
70002-06605	Extra Length Seat Belt Kit	(Order from the Parts Department)		



Grand L 60 Series L3560 / L4060 / L4760 / L5060 / L5460 / L6060

FRONT LOADERS

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

FRONT END LOADER AND ACCESSORIES

LA555	Front End Loader for L3560 only Includes Mounting Kit, 2-Lever Quick Coupler, Bucket Level Indicator, and Grill Guard Loader Valve is Standard Equipment on all Grand L60 Tractors Requires Bucket Not Compatible with BH92	K3L202L40	1124 lbs	\$4,003.00
3RD FUNCTION VALVE L2247	3rd Function Valve Must order hydraulic line quick couplers separately.	K752L00	55 lbs	\$940.00
QUICK ATTACH COUPLER & BUCKETS				
L2256	66" Square Back QA Bucket	K521L60	212 lbs	\$652.00
L2236	72" Light Material QA Bucket	K543L20	323 lbs	\$679.00
L2244	60" 4-in-1 Bucket Requires 3rd Function Valve	K1L693L60	450 lbs	\$2,117.00
QUICK ATTACH PALLET FORKS				
L2237	Bale Spear, 2-Lever Quick Coupler	K537L60	165 lbs	\$672.00
L2238	Pallet Fork Frame, 2 Lever Quick Coupler Requires Pallet Forks	K566L40	165 lbs	\$708.00
K9048	36" Pallet Forks	K340L80	176 lbs	\$426.00

KUBOTA**Grand L 60 Series L3560 / L4060 / L4760 / L5060 / L5460 / L6060**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
FRONT END LOADER AND ACCESSORIES				
LA805	Front End Loader for L3560 / L4060 Includes Mounting Kit, Valve, and Grill Guard, and 2-Lever Type Quick Coupler Loader Valve is Standard Equipment on all Grand L60 Tractors Requires Bucket Loader must be installed to use Backhoe.	K3L827L20	1124 lbs	\$4,784.00
QUICK ATTACH COUPLER & BUCKETS				
L2235A	72" Square Back QA Bucket	K577L60	346 lbs	\$722.00
L2236	72" Light Material QA Bucket	K543L20	323 lbs	\$679.00
L2244	60" 4-in-1 Bucket Requires 3rd Function Valve	K1L693L60	450 lbs	\$2,117.00
L2245	72" 4-in-1 Bucket Requires 3rd Function Valve	K1L788L80	675 lbs	\$2,236.00
L2296	72" Heavy Duty QA Bucket Requires Bolt On Cutting Edge	K896L00	400 lbs	\$1,120.00
TL1748	Bolt On Cutting Edge	K190L40	70 lbs	\$238.00
QUICK ATTACH PALLET FORKS				
L2237	Bale Spear, 2-Lever Quick Coupler	K537L60	165 lbs	\$672.00
L2238	Pallet Fork Frame, 2 Lever Quick Coupler Requires Pallet Forks	K566L40	165 lbs	\$708.00
K9048	36" Pallet Forks	K340L80	176 lbs	\$426.00
HYDRAULIC 2-LEVER QUICK COUPLER				
L2270	Hydraulic 2-Lever Quick Coupler Parts Required IF L2270 and L2265 ordered instead of L2272: 7J292-84240, 7J416-68180, 7J292-35220, 7J292-35430	K1L253L60	116	\$1,567.00
THIRD FUNCTION VALVE				
L2265	3rd Function Control Valve for Hydraulic Loader Implements (for 3rd Function <u>or</u> Hydraulic 2-Lever Coupler Must order hydraulic line quick couplers separately	K752L00	25	\$940.00
L2272	3rd Function Control Valve & Hydraulic 2-Lever Quick Coupler (L2270)	K2L004L80	143	\$2,506.00
HYDRAULIC SPILL GUARD				
L2261	Hydraulic Spill Guard, anti-spill feature for buckets	K501L60	38	\$627.00
LOADER HOSE QUICK COUPLER				
L2260	3rd Function Hose Quick Coupler	K498L40	11	\$623.00
L2252	Single Lever Hose Quick Coupler for Loader hoses (4 Hoses)	K581L60	17	\$727.00
L2262	Single Lever Hose Quick Coupler for Loader, 3rd Function Control Valve, and Hydraulic 2-Lever Quick Coupler (8 Hoses)	K748L80	116	\$936.00



Grand L 60 Series L3560 / L4060 / L4760 / L5060 / L5460 / L6060

FRONT LOADERS

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
FRONT END LOADER AND ACCESSORIES				
LA1055	Front End Loader for L4760 / L5060 / L5460 / L6060 Includes Mounting Kit, Valve, Grill Guard, and 2-Lever Type Quick Coupler Loader Valve is Standard Equipment on all Grand L60 Tractors Requires Bucket	K4L178L40	1124 lbs	\$5,223.00
QUICK ATTACH COUPLER & BUCKETS				
L2235A	72" Square Back QA Bucket	K577L60	346 lbs	\$722.00
L2236	72" Light Material QA Bucket	K543L20	323 lbs	\$679.00
L2245	72" 4-in-1 Bucket Requires 3rd Function Valve	K1L788L80	675 lbs	\$2,236.00
L2296	72" Heavy Duty QA Bucket Requires Bolt On Cutting Edge	K896L00	400 lbs	\$1,120.00
TL1748	Bolt On Cutting Edge	K190L40	70 lbs	\$238.00
QUICK ATTACH PALLET FORKS				
L2237	Bale Spear, 2-Lever Quick Coupler	K537L60	165 lbs	\$672.00
L2238	Pallet Fork Frame, 2 Lever Quick Coupler Requires Pallet Forks	K566L40	165 lbs	\$708.00
K9048	36" Pallet Forks	K340L80	176 lbs	\$426.00
HYDRAULIC 2-LEVER QUICK COUPLER				
L2270	Hydraulic 2-Lever Quick Coupler Parts Required IF L2270 and L2265 ordered instead of L2272: 7J292-84240, 7J416-68180, 7J292-35220, 7J292-35430	K1L253L60	116	\$1,567.00
THIRD FUNCTION VALVE				
L2265	3rd Function Control Valve for Hydraulic Loader Implements (for 3rd Function <u>or</u> Hydraulic 2-Lever Coupler Must order hydraulic line quick couplers separately.	K752L00	25	\$940.00
L2272	3rd Function Control Valve & Hydraulic 2-Lever Quick Coupler (L2270)	K2L004L80	143	\$2,506.00
HYDRAULIC SPILL GUARD				
L2271	Hydraulic Spill Guard, anti-spill feature for buckets	K501L60	38	\$627.00
LOADER HOSE QUICK COUPLER				
L2260	3rd Function Hose Quick Coupler	K498L40	11	\$623.00
L2252	Single Lever Hose Quick Coupler for Loader hoses (4 Hoses)	K581L60	17	\$727.00
L2262	Single Lever Hose Quick Coupler for Loader, 3rd Function Control Valve, and Hydraulic 2-Lever Quick Coupler (8 Hoses)	K748L80	116	\$936.00



Grand L 60 Series L3560 / L4060 / L4760 / L5060 / L5460 / L6060

FRONT QUICK HITCH & FRONT QUICK HITCH IMPLEMENTS

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

FRONT QUICK HITCH FRAME & COUPLER

L4455A	Manual-Hitch Does not include Driveline Completion Kit Not compatible with Grille Guards or Front Weight Bracket Installation of the L4456 GPR is advised but not required	K1L769L60	550 lbs	\$2,212.00
L4554A	Auto-Hitch - Equipped with Auto Module Includes 4 Cylinder Driveline Completion Kit For 3 cylinder models, also order Part #70001-00623 do not order the entire 3 Cylinder Driveline Competition Kit (L4483) Not compatible with Grille Guards or Front Weight Bracket Installation of the L4456 GPR is advised but not required	K7L073L60	720 lbs	\$8,842.00

FRONT QH DRIVELINE KITS

L4483	Driveline Completion Kit - 3 Cylinder Engine for L3560 Tractor	K646L40	34 lbs	\$808.00
L4484	Driveline Completion Kit - 4 Cylinder Engine for L4060 and larger tractors Included in L4554A Auto Hitch Kit	K646L40	34 lbs	\$808.00

FRONT QH OPTIONS

L4472	Auto Module Upgrade Kit Upgrades the K1 Manual Hitch to a K3 Auto Hitch	K4L643L20	160 lbs	\$5,804.00
L4456	GPR - Ground Pressure Relief System Requires L4449 install on L4455(A) Manual Hitch	K1L539L20	66 lbs	\$1,924.00
L4449	GPR Hose Kit & Control Box Requires install L4456 (GPR) on L4455(A) Manual Hitch	K345L60	22 lbs	\$432.00
L4481	Lower Grill Guard Front Support for Grill Buar and Quick Hitch Co-installation Required loader grill guard or L2257 kit for non-loader application.	K94L40	30 lbs	\$118.00



Grand L 60 Series L3560 / L4060 / L4760 / L5060 / L5460 / L6060

FRONT QH MOUNTED BLADES AND ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
FRONT BLADES				
L4466	60" Front Blade for L3560 only Includes Hyd. Lift and Angle Requires Quick Hitch Requires Blade Completion Kit for installation on L4554(A) Hitch	K1L901L60	500 lbs	\$2,377.00
L4476	72" Front Blade for all Grand L60 Models Includes Hyd. Lift and Angle Requires Quick Hitch Requires Blade Completion Kit for installation on L4554(A) Hitch	K2L020L00	555 lbs	\$2,525.00
L2172B	72" Front Blade for all Grand L60 Models Includes Hyd. Lift and Angle Requires Quick Hitch and L4446 Adapter Kit Requires Blade Completion Kit for installation on L4554(A) Hitch	K1L622L40	485 lbs	\$2,028.00
L4486	84" Front Blade, Hyd. Lift and Angle Includes Hyd. Lift and Angle Requires Quick Hitch Requires Blade Completion Kit for installation on L4554(A) Hitch	K2L322L40	590 lbs	\$2,903.00
L2184A	84" Front Blade, Hyd. Lift and Angle Includes Hyd. Lift and Angle Requires Quick Hitch and L4446 Adapter Kit Requires Blade Completion Kit for installation on L4554(A) Hitch	K1L966L40	570 lbs	\$2,458.00
FRONT ADAPTER/COMPLETION KIT				
L4446	Blade Adapter Kit	K516L80	83 lbs	\$646.00
L4482	Completion Kit - Full Auto-Hitch Required for use of blades on L4554A Full Auto-Hitch	K692L00	22 lbs	\$865.00
FRONT BLADE OPTIONS				
B2766	60" Front Blade Rubber Cutting Edge	K180B00	49 lbs	\$225.00
B2776	72" Front Blade Rubber Cutting Edge	K211B20	59 lbs	\$264.00
L2777	84" Front Blade Rubber Cutting Edge	K231L20	60 lbs	\$289.00



Grand L 60 Series L3560 / L4060 / L4760 / L5060 / L5460 / L6060

FRONT QH MOUNTED UTILITY SNOW BLOWERS AND ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
FRONT QH MOUNTED UTILITY SNOW BLOWERS AND ACCESSORIES				
UTILITY SNOW BLOWERS				
L4469	64" Two-Stage Utility Snowblower for L3560 only Requires Completion Kit, Quick Hitch, Driveline Kit, and Mid PTO Kit	K4L010L40	532 lbs	\$5,013.00
L4479	74" Two-Stage Utility Snowblower for all Grand L60 Models Requires Completion Kit, Quick Hitch, Driveline Kit, and Mid PTO Kit	K4L383L20	916 lbs	\$5,479.00
L2194A	62" Two-Stage Utility Snowblower for L3560 only Requires L4445 Adapter Kit, Quick Hitch, Driveline Kit, Completion Kit, and Mid PTO Kit	K4L212L80	812 lbs	\$5,266.00
L2195A	72" Two-Stage Utility Snowblower for L4060 - L6060 Models Requires: L4445 Adapter Kit, Quick Hitch, Driveline Kit, Completion Kit, and Mid PTO Kit	K4L570L40	896 lbs	\$5,713.00
UTILITY SNOW BLOWER COMPLETION KITS				
L4431	Completion Kit for Utility Snow Blower with L4455(A) Hitch Includes Drive Line Half and Hyd. Hoses	K227L20	14 lbs	\$284.00
L4432	Completion Kit for Utility Snow Blower with L4554(A) Hitch Includes Auto Module, Hyd. Cylinder for Chute Deflector, Hyd. Hoses, and PTO Coupler	K984L00	35 lbs	\$1,230.00
UTILITY SNOW BLOWER OPTIONS				
L2177	Width Extension Kit, adds 5" overall cut	K92L80	27 lbs	\$116.00
BL2666A	Hydraulic Chute Deflector Kit Includes Electric Selector Valve	K780B80	22 lbs	\$976.00
L4445	Snowblower Adapter Kit Required to convert L2194A or LA2195A	K397L60	60 lbs	\$497.00



Grand L 60 Series L3560 / L4060 / L4760 / L5060 / L5460 / L6060

FRONT QH MOUNTED COMMERCIAL SNOW BLOWERS AND ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
FRONT QH MOUNTED COMMERCIAL SNOW BLOWERS AND ACCESSORIES				
COMMERCIAL SNOW BLOWERS				
L4474	74" Commercial Snowblower for L4060-L6060 Models Includes Hyd. Chute Deflector and Chute Rotation Motor Requires Snowblower Completion Kit, Quick Hitch, Driveline Kit, and Mid PTO Kit	K6L697L60	1280 lbs	\$8,372.00
L4485	80" Commercial Snowblower for L4060-L6060 Models Includes Hyd. Chute Deflector and Chute Rotation Motor Requires Snowblower Completion Kit, Quick Hitch, Driveline Kit, and Mid PTO Kit	K6L872L00	1320 lbs	\$8,590.00
COMMERCIAL SNOW BLOWER COMPLETION KITS				
L4433	Completion Kit for Comm. Snow Blower with L4455(A) Hitch Includes Drive Line Half and Hyd. Hoses	K227L20	20 lbs	\$284.00
L4434	Completion Kit for Comm. Snow Blower with L4554(A) Hitch Includes Auto Module, Hyd. Cylinder for Chute Deflector, Hyd. Hoses, and PTO Coupler	K760L00	35 lbs	\$950.00
COMMERCIAL SNOW BLOWER OPTIONS				
L2470	74" Teflon Cutting Edge for Commercial Snowblowers	K244L80	15 lbs	\$306.00
L2471	80" Teflon Cutting Edge for Commercial Snowblowers	K273L60	16 lbs	\$342.00



Grand L 60 Series L3560 / L4060 / L4760 / L5060 / L5460 / L6060

FRONT QH MOUNTED ROTARY SWEEPERS AND ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
FRONT QH MOUNTED ROTARY SWEEPERS AND ACCESSORIES				
ROTARY SWEEPERS				
L4467	60" Rotary Broom w/ 22" Diameter for L3560 only Power Angle Standard, Includes Hitch Lift Limiter Requires Quick-Hitch, Driveline Kit, Completion Kit, and Mid PTO Kit	K3L356L00	460 lbs	\$4,195.00
L4477	72" Rotary Broom w/ 22" Diameter for all Grand L60 Models Power Angle Standard, Includes Hitch Lift Limiter Requires Quick-Hitch, Driveline Kit, Completion Kit, and Mid PTO Kit	K3L906L40	550 lbs	\$4,883.00
ROTARY SWEEPER COMPLETION KIT				
L4488	Completion Kit for Rotary Sweeper with L4455(A) Hitch Includes Drive Line Half and Hyd. Hoses	K352L00	20 lbs	\$440.00
L4475	Completion Kit for Rotary Sweeper with L4554(A) Hitch Includes Auto Module, Hyd. Hoses, and PTO Coupler	K748L80	22 lbs	\$936.00
ROTARY SWEEPER OPTIONS				
BL2178	Side Caster Wheel	K368L80	45 lbs	\$461.00
L2168	60" Rubber Dust Deflector	K132L80	31 lbs	\$166.00
L2169	72" Rubber Dust Deflector	K156L00	36 lbs	\$195.00



Grand L 60 Series L3560 / L4060 / L4760 / L5060 / L5460 / L6060

FRONT QH MOUNTED FLAIL MOWER AND ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
FRONT QH MOUNTED FLAIL MOWER AND ACCESSORIES				
FRONT FLAIL MOWER				
L4457	72" Front Flail Mower for L4060 - L6060 Models Includes Y-Knives Requires Quick Hitch, Completion Kit, Driveline Kit, and Mid PTO Kit	K6L657L60	1400 lbs	\$8,322.00
FLAIL MOWER COMPLETION KITS				
L4448	Completion Kit for Flail Mower with L4455(A) Hitch Includes Drive Line Half and Hyd. Hoses	K256L80	20 lbs	\$321.00
L4458	Completion Kit for Flail Mower with L4554(A) Hitch Includes Auto Module, Hyd. Hoses, and PTO Coupler	K547L20	20 lbs	\$684.00
FRONT FLAIL MOWER OPTIONS				
L4437	Replacement Y-Knife Set, Includes 68 Knives	K408L00	380 lbs	\$510.00
L4438	Replacement Hammer Knife Set, Includes 34 Knives	K524L80	380 lbs	\$656.00
L4439	Replacement Duck Foot Knife Set, Includes 34 Knives	K448L00	380 lbs	\$560.00



Grand L 60 Series L3560 / L4060 / L4760 / L5060 / L5460 / L6060

BACKHOES AND ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

BACKHOES AND ACCESSORIES

REQUIRES A FRONT END LOADER TO BE MOUNTED WHEN BACKHOE IS ATTACHED

BACKHOE				
BH77	4-Pt. Mounted Quick Attach Backhoe for L3560 ROPS only Requires Sub Frame Kit, Includes Seat Not Compatible with Top-N-Tilt Kits Not Compatible with Cab Model	K5B810B40	1077 lbs	\$7,263.00
SUB FRAME KITS				
BH4985	Subframe Kit for L3560 ROPS Models only Requires LA555 Loader	K1L036L80	292 lbs	\$1,296.00
BACKHOE BUCKETS				
BT1950A	10" Bucket - 3 Teeth	K348B00	63 lbs	\$435.00
BT1951A	12" Bucket - 3 Teeth	K410B40	69 lbs	\$513.00
BT1952A	16" Bucket - 4 Teeth	K542B40	82 lbs	\$678.00
BT1953A	24" Bucket - 5 Teeth	K708B80	118 lbs	\$886.00
BACKHOE ACCESSORIES				
BH1976	6 Position Mechanical Thumb	K396B80	51 lbs	\$496.00
L9467	Rubber Stabilizer Flip Pads Two required per Backhoe	K104L00	15 lbs	\$130.00

KUBOTA**Grand L 60 Series L3560 / L4060 / L4760 / L5060 / L5460 / L6060****BACKHOES AND ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

BACKHOES AND ACCESSORIES**REQUIRES A FRONT END LOADER TO BE MOUNTED WHEN BACKHOE IS ATTACHED**

BACKHOE				
BH92	4-Pt. Mounted Quick Attach Backhoe for all Grand L60 Models Requires Sub Frame Kit and Mounting Kit Not Compatible with Top-N-Tilt Kits	K6L566L40	1696 lbs	\$8,208.00
SUB FRAME KITS				
BH4987	Mounting Kit for L3560 ROPS Models Requires LA805 Loader and BH4999	K276L80	55 lbs	\$346.00
BH4983	Mounting Kit for L3560 Cab Models Requires LA805 Loader and BH4999	K444L00	292 lbs	\$555.00
BH4989	Mounting Kit for L4060 - L6060 ROPS Models Requires LA805/LA1055 Loader and BH4999	K304L80	67 lbs	\$381.00
BH4982	Mounting Kit for L4060 - L6060 Cab Models Requires LA805/LA1055 Loader and BH4999 NOTE: For L6060HSTC, also order (QTY: 2) 7K500-16650 for installation	K471L20	196 lbs	\$589.00
BH4999	Subframe Kit for all Grand L60 Models	K788L00	345 lbs	\$985.00
BACKHOE PIN-ON BUCKETS				
BT3001	12" Bucket	K548L80	109 lbs	\$686.00
BT3002A	16" Bucket	K622L40	130 lbs	\$778.00
BT3003A	18" Bucket	K663L20	141 lbs	\$829.00
BT3004	24" Bucket	K772L00	172 lbs	\$965.00
BT3005A	30" Bucket	K890L40	205 lbs	\$1,113.00
BT3006	36" Bucket	K995L20	226 lbs	\$1,244.00
BACKHOE QUICK COUPLER & QUICK COUPLER BUCKETS				
BT4550	BH92 Quick Coupler	K552L00	55 lbs	\$690.00
BT4552	12" Bucket	K665L60	117 lbs	\$832.00
BT4553	16" Bucket	K704L00	135 lbs	\$880.00
BT4554	18" Bucket	K740L00	144 lbs	\$925.00
BT4555	24" Bucket	K873L60	176 lbs	\$1,092.00
BT4557	36" Bucket	K1L113L60	223 lbs	\$1,392.00
BACKHOE ACCESSORIES				
BH4948	Hydraulic Valve Kit	K736L00	23 lbs	\$920.00
BT4598	Hydraulic Thumb Requires BH4948 Valve Kit	K1L700L00	142 lbs	\$2,125.00
BH4949	6 Position Mechanical Thumb	K746L40	141 lbs	\$933.00
L9467	Rubber Stabilizer Flip Pads Two required per Backhoe	K104L00	15 lbs	\$130.00



Grand L 60 Series L3560 / L4060 / L4760 / L5060 / L5460 / L6060

REAR MOUNT SNOW BLOWERS AND ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
REAR MOUNT SNOW BLOWERS AND ACCESSORIES				
REAR MOUNT SNOW BLOWER				
BLMX3164	64" Two-Stage Commercial Snowblower Mounts to Category I 3-Point Hitch Requires Manual Rotator Chute or Hydraulic Chute Rotator	K2B383B20	681 lbs	\$2,979.00
LMX3174	74" Two-Stage Commercial Snowblower Mounts to Category I, II, and III 3-Point Hitch Requires Manual Rotator Chute or Hydraulic Chute Rotator	K3L005L60	760 lbs	\$3,757.00
REAR MOUNT SNOW BLOWER OPTIONS				
BL2665	Manual Chute Rotator	K140B00	11 lbs	\$175.00
BL6399	Hydraulic Chute Rotator Requires 1 Set of Hyd. Rear Remote Valves	K638B40	20 lbs	\$798.00
BL2666A	Hydraulic Chute Deflector Kit Includes Electric Selector Valve Requires Hydraulic Chute Rotator	K780B80	22 lbs	\$976.00
B2516A	Electric Chute Deflector	K516B80	9 lbs	\$646.00
L2177	Width Extension Kit, adds 5" overall cut	K92L80	27 lbs	\$116.00