

---

**M SERIES**

---

## WHOLEGOODS PRICE LIST

Effective Jun 21, 2022

Please replace all pages of this section of the current price book. These pages are a complete revision of this section. All prices are effective as of June 8th, 2022.

6/8/2022      Removed M4011

**M SERIES**

PAGE	MODEL	PTO H.P.	FACTORY NUMBER	SUGGESTED LIST PRICE
9-4	MX5400F	47	K20M788M00	\$25,985.00
9-4	MX5400DT	47	K25M582M40	\$31,978.00
9-4	MX5400DTC	47	K32M676M80	\$40,846.00
9-4	MX5400HST	47	K26M996M00	\$33,745.00
9-4	MX5400HSTC	47	K34M090M40	\$42,613.00
9-4	MX6000HST	52	K28M382M40	\$35,478.00
9-4	MX6000HSTC	52	K35M476M80	\$44,346.00
9-13	M5660SUH	50	K24M133M60	\$30,167.00
9-13	M5660SUHD	50	K28M316M80	\$35,396.00
9-23	M6060HFC	56	K34M829M60	\$43,537.00
9-23	M6060HD	56	K30M478M40	\$38,098.00
9-23	M6060HDC	56	K38M180M00	\$47,725.00
9-23	M7060HFC	64	K36M970M40	\$46,213.00
9-23	M7060HD	64	K32M658M40	\$40,823.00
9-23	M7060HDC	64	K40M360M80	\$50,451.00
9-23	M7060HD12	64	K34M662M40	\$43,328.00
9-23	M7060HDC12	64	K42M364M00	\$52,955.00
9-34	M4D-061HDC12	52	K46M112M80	\$57,641.00
9-34	M4-071HDC12	60	K45M045M60	\$56,307.00
9-34	M4D-071HDC12	60	K47M812M00	\$59,765.00
9-42	M5-091HF-1	60	K40M610M40	\$50,763.00
9-42	M5-091HFC-1	76	K49M700M00	\$62,125.00
9-42	M5-111HF-1	89	K43M331M20	\$54,164.00
9-42	M5-111HFC-1	89	K52M420M80	\$65,526.00
9-42	M5-091HD-1	76	K45M043M20	\$56,304.00
9-42	M5-091HD12-1	76	K46M179M20	\$57,724.00
9-42	M5-091HDC-1	76	K54M132M80	\$67,666.00
9-42	M5-091HDC12-1	76	K55M268M80	\$69,086.00
9-42	M5-111HD-1	89	K47M764M00	\$59,705.00
9-42	M5-111HD12-1	89	K47M764M00	\$61,125.00
9-42	M5-111HDC-1	89	K56M853M60	\$71,067.00
9-42	M5-111HDC12-1	89	K57M989M60	\$72,487.00
9-42	M5-111HDC24-1	89	K60M949M60	\$76,187.00
9-54	M5L-111-SN	89	K53M669M60	\$67,087.00
9-61	M4N-071HD12	61	K42M876M00	\$53,595.00
9-61	M5N-091HD12	78	K50M950M40	\$63,688.00
9-61	M5N-091HD24	75	K52M850M40	\$66,063.00
9-61	M5N-111HD12	91	K57M524M00	\$71,905.00
9-61	M5N-111HD24	88	K59M424M00	\$74,280.00

**M SERIES**

PAGE	MODEL	PTO H.P.	FACTORY NUMBER	SUGGESTED LIST PRICE
9-61	M4N-071HDC12	61	K53M368M80	\$66,711.00
9-61	M5N-091HDC12	78	K59M160M80	\$73,951.00
9-61	M5N-091HDC24	75	K61M060M80	\$76,326.00
9-61	M5N-111HDC12	91	K65M734M40	\$82,168.00
9-61	M5N-111HDC24	88	K67M634M40	\$84,543.00
9-67	M5N-091HDC12PC	88	K68M755M20	\$85,944.00
9-71	M6-101DTC-F	82	K75M248M80	\$94,061.00
9-71	M6-111DTC-F	92	K78M564M00	\$98,205.00
9-80	M6S-111SHF	95	K51M324M00	\$64,155.00
9-80	M6S-111SHC	95	K58M288M80	\$72,861.00
9-80	M6S-111SHD	95	K56M838M40	\$71,048.00
9-80	M6S-111SDS2	95	K60M730M80	\$74,365.00
9-80	M6S-111SHDC	95	K63M599M20	\$79,499.00
9-80	M6S-111SHDC2	95	K64M093M60	\$80,117.00
9-80	M6S-111SDSC	95	K65M758M40	\$82,198.00
9-80	M6S-111SDSC2	95	K66M252M80	\$82,816.00
9-88	M6-131DTC-F	104	K85M674M40	\$107,093.00
9-88	M6-141DTC-F	114	K91M029M60	\$113,787.00
9-88	M6-141DTSC-F	114	K100M428M80	\$125,536.00
9-96	M6H-101SHD	84	K61M184M00	\$76,480.00
9-100	M6L-111SDS	95	K56M436M80	\$70,546.00
9-100	M6L-111SDS2	95	K57M097M60	\$71,372.00
9-105	M Series Snowblowers			

Assembly Charges	Assembly Fee
All ROPS/ Cab Model Tractor	\$ 260.00
Assembly Fee includes basic assembly of tractor including wheels, or cab, front and rear weights	
All optional hydraulic remote valves and/or flow control valves, order assembled on the tractor	\$ 70.00
All optional hydraulic lever kits ordered and assemble on the tractor	\$ 70.00
Single Cylinder 3-point Lift Assist Kit	\$ 60.00
Dual Cylinder 3-point Lift Cylinder Kit	\$ 110.00
Loader Assembly Charges	\$ 125.00

**ALL OTHER KITS ARE FIELD INSTALLED ONLY.**

**MX SERIES**

**MX5400/MX6000**

\*\*\* EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS \*\*\*

**DIESEL ENGINE**

Kubota V2403 Direct Injection  
 2.4L (148.6 cu. in.) 4 Cyl  
 EPA Tier 4 Final Compliant  
 Turbo Common Rail Electronic Fuel Injection  
 Alternator- 45 Amp ROPS / 60 Amp CAB  
 12V 600 (ROPS) / 650 (CAB) CCA Battery

**EXHAUST EMISSION CONTROL TYPE**

DPF System (Diesel Particulate Filter)

**HYDRAULICS / HITCH / DRAWBAR**

Open Center Gear Pump  
 Max. Flow @ Rated Engine Speed: 2700 RPM  
 Power Steering: 4.9 gpm  
 Impl. Flow: 9.5 gpm  
 Total Flow: 14.4 gpm

**REMOTE VALVES**

Optional (3) valves Float Detent,  
 Double Acting

**3 POINT HITCH & DRAWBAR**

Cat I/ II 3-Point Hitch  
 @ Lift Points: 2870 lbs  
 (ASAE)@24" Behind: 2310 lbs  
 2WD Model - Rigid Lower Links  
 4WD Model - Telescoping Lower Links  
 2WD Model - Turn Buckle Stabilizers  
 4WD Model - Telescoping Stabilizers

**POWER TAKE OFF**

Live-Independent Hyd. PTO  
 SAE 1 3/8" Six Spline  
 540 RPM @ 2700 Eng. RPM

**FRONT AXLE**

Hydrostatic Power Steering  
 2WD: Tubular Steel Telescopic  
 4WD: Cast Iron, Bevel Gear

**TRANSMISSION - F / DT**

4-Speed Partially Synchronized  
 8F/8R Two Range  
 Clutch - Dry  
 Mechanical Wet Disc Brakes  
 Rear Differential Lock

**TRANSMISSION - HST**

3 Range Low/Med/High  
 Cruise Control Standard  
 Mechanical Wet Disc Brakes  
 Left Side Brake Pedals  
 Rear Differential Lock

**FLUID CAPACITY**

Fuel Tank Capacity (ROPS): 13.5 gal  
 Fuel Tank Capacity (CAB): 11.9 gal  
 Cooling System: 6.9 qts.  
 Crankcase w/ Filter: 7.4 qts.  
 Hydraulics/Trans: 11.6 gal.

**INSTRUMENTS**

Tachometer/Hour meter  
 Fuel Gauge meter  
 Coolant Temperature meter  
 Warning Symbols

**TIRES AND WHEELS**

2WD: Front 7.5L x 15 R1  
 Rear 14.9 x 26 R1  
 4WD: Front 9.5L x 16 R1  
 Rear 14.9 x 26 R1

**LIGHTING**

2 Headlights - Tail Lights  
 2 Hazard Flasher Lights w/ Turn Signals  
 2 Front Work Lights -CAB ONLY

**ROPS OPERATOR PLATFORM**

Semi-Flat Deck with Hanging Pedals  
 Rubber Floor Mat  
 High Back Seat with Adjustable Suspension  
 Color Coded Controls  
 Stationary PTO Switch  
 Cup Holder

**CAB OPERATOR PLATFORM**

Semi-Flat Deck with Hanging Pedals  
 Rubber Floor Mat  
 High Back Seat with Adjustable Suspension  
 Tilt-Steering  
 Color Coded Controls  
 Stationary PTO Switch  
 Cup Holder  
 Interior Light  
 Internal Rearview Mirror  
 Front Wiper w/ Washer  
 A/C & Heater  
 Speakers & Radio Pre-Wired  
 Left & Right-Hand Door  
 Left Hand Step  
 Horn

**SAFETY EQUIPMENT**

2 Post Foldable ROPS  
 ROPS Certified CAB  
 Retractable Seat Belt  
 Flip-Up PTO Shield  
 Safety Start Switches:  
 Shuttle Lever Neutral  
 PTO Off  
 Electric Key Shut Off  
 Parking Brake  
 Turn Signals  
 SMV Sign

Model Specifications		
<b>MX5400 F/DT</b>	<b>MX5400 HST</b>	<b>MX6000</b>
SAE Gross HP: 55.5	SAE Gross HP: 57.0	SAE Gross HP: 63.4
Engine Net HP: 53.0	Engine Net HP: 53.8	Engine Net HP: 59.5
Max. PTO HP: 46.5	Max. PTO HP: 46.5	Max. PTO HP: 51.7

**MX Series MX5400/MX6000**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

**2WD MODELS**

\*\*\* STANDARD TRACTOR WITH STANDARD TIRES \*\*\*

<b>MX5400F</b>	<b>2WD Utility 2 Post Foldable ROPS Tractor</b>	K20M788M00	3474 lbs	\$25,985.00
----------------	---	------------	----------	-------------

MX5400F 2WD		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGGESTED LIST PRICE
<b>TIRES AND WHEELS†</b>				
<b>STANDARD TIRE - BIAS REAR</b>				
ALR8852A*	F-TIRE 7.5L-15 F2 Firestone Guide Grip	68 lbs	In Base Price	In Base Price
AMXR8861*	R-TIRE 14.9-26 Titan Hi Power Lug TL	254 lbs		
<b>AG - BIAS REAR</b>				
ALR8852A	F-TIRE 7.5L-15 F2 Firestone Guide Grip	68 lbs	MM0	Add \$0.00
AMXR8813A	R-TIRE 13.6-28 R1 Titan Hi Trac Lug TL	242 lbs		
AMXR8789A	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	75 lbs	M206M40	Add \$258.00
AMXR8861	R-TIRE 14.9-26 Titan Hi Power Lug TL	254 lbs		
AMXR8789A	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	75 lbs	M206M40	Add \$258.00
AMXR8813A	R-TIRE 13.6-28 R1 Titan Hi Trac Lug TL	242 lbs		
<b>TURF</b>				
AMXR8837	F-TIRE 29x12.50-15 R3 Ttn MultiTrac6stud	73 lbs	M220M80	Add \$276.00
ALR6802	R-TIRE 44x18-20 R3 Titan MultiTrac 8stud	221 lbs		
ALR6818A	Ⓢ F-TIRE LSW305R343 R3 Titan Grizz LSW 430	70 lbs	M377M60	Add \$472.00
ALR6819	R-TIRE LSW610R470 R3 Grizz LSW 430 8stud	227 lbs		

† See Tire Section for Individual Tire Pricing and Information

\* Standard Tires

Ⓢ For field installation, order (12) Spring Washers 04512-60140 from Parts.

MX5400F 2WD		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGGESTED LIST PRICE
<b>TIRES AND WHEELS (priced per piece)</b>				
<b>AG - BIAS REAR</b>				
ALR8852A*	F-TIRE 7.5L-15 F2 Firestone Guide Grip	68 lbs	K173L60	\$217.00
AMXR8861*	R-TIRE 14.9-26 Titan Hi Power Lug TL	254 lbs	K767M20	\$959.00
ALR8852A	F-TIRE 7.5L-15 F2 Firestone Guide Grip	68 lbs	K173L60	\$217.00
AMXR8813A	R-TIRE 13.6-28 R1 Titan Hi Trac Lug TL	242 lbs	K767M20	\$959.00
AMXR8789A	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	75 lbs	K276M80	\$346.00
AMXR8861	R-TIRE 14.9-26 Titan Hi Power Lug TL	254 lbs	K767M20	\$959.00
AMXR8789A	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	75 lbs	K276M80	\$346.00
AMXR8813A	R-TIRE 13.6-28 R1 Titan Hi Trac Lug TL	242 lbs	K767M20	\$959.00
<b>TURF</b>				
AMXR8837	F-TIRE 29x12.50-15 R3 Ttn MultiTrac6stud	73 lbs	K289M60	\$362.00
ALR6802	R-TIRE 44x18-20 R3 Titan MultiTrac 8stud	221 lbs	K761L60	\$952.00
ALR6818A	F-TIRE LSW305R343 R3 Titan Grizz LSW 430	70 lbs	K324L80	\$406.00
ALR6819	R-TIRE LSW610R470 R3 Grizz LSW 430 8stud	227 lbs	K804L80	\$1,006.00

**MX Series MX5400/MX6000**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>4WD MODELS</b>				
*** STANDARD TRACTOR WITH STANDARD TIRES ***				
MX5400DT	4WD Utility 2 Post Foldable ROPS	K25M582M40	3716 lbs	\$31,978.00
MX5400DTC	4WD Utility Cab Tractor, Gear Transmission	K32M676M80	4251 lbs	\$40,846.00
MX5400HST	4WD Utility 2 Post Foldable ROPS, HST Transmission	K26M996M00	3734 lbs	\$33,745.00
MX5400HSTC	4WD Utility Cab Tractor, HST Transmission	K34M090M40	4268 lbs	\$42,613.00
MX6000HST	4WD Utility 2 Post Foldable ROPS, HST Transmission	K28M382M40	3734 lbs	\$35,478.00
MX6000HSTC	4WD Utility Cab Tractor, HST Transmission	K35M476M80	4268 lbs	\$44,346.00

MX5400 / MX6000 4WD		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGGESTED LIST PRICE
<b>TIRES AND WHEELS†</b>				
<b>STANDARD TIRE - BIAS REAR</b>				
AMXR8860A*	F-TIRE 9.5-16 R1 Gdyr Dura Torque 6stud	78 lbs	In Base Price	In Base Price
AMXR8861*	R-TIRE 14.9-26 Titan Hi Power Lug TL	254 lbs		
<b>AG - BIAS REAR</b>				
AMXR8860A	F-TIRE 9.5-16 R1 Gdyr Dura Torque 6stud	78 lbs	MM0	Add \$0.00
AMXR8813A	R-TIRE 13.6-28 R1 Titan Hi Trac Lug TL	242 lbs		
<b>INDUSTRIAL</b>				
AMXR8828	F-TIRE 12-16.5 R4 Titan HD-2000	117 lbs	K232M00	Add \$290.00
AMXR8862A	R-TIRE TITN 17.5L-24 8PLY R4	257 lbs		
<b>TURF</b>				
ALR8708	F-TIRE 29x12.50-15 R3 Titan Turf	83 lbs	K97M60	Add \$122.00
ALR6802	R-TIRE 44x18-20 R3 Titan MultiTrac 8stud	221 lbs		
ALR6818A	Ⓢ F-TIRE LSW305R343 R3 Titan Grizz LSW 430	70 lbs	K216M00	Add \$270.00
ALR6819	R-TIRE LSW610R470 R3 Grizz LSW 430 8stud	227 lbs		
<b>R14 Ag/Industrial Hybrid</b>				
AMXR8896	F-TIRE 300/70R16.5 R14T 116A8 GDYR	117 lbs	K710M40	Add \$980.00
AMXR8897	R-TIRE 440/80R24 R14T 135A8 GDYR	257 lbs		

† See Tire Section for Individual Tire Pricing and Information  
 \* Standard Tires  
 Ⓢ For field installation, order (12) Spring Washers 04512-60140 from Parts

MX5400 / MX6000 4WD		FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>TIRES AND WHEELS (priced per piece)</b>				
ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>AG - BIAS REAR</b>				
AMXR8860A*	F-TIRE 9.5-16 R1 Gdyr Dura Torque 6stud	K254M40	78 lbs	\$318.00
AMXR8861*	R-TIRE 14.9-26 Titan Hi Power Lug TL	K767M20	254 lbs	\$959.00
AMXR8860A	F-TIRE 9.5-16 R1 Gdyr Dura Torque 6stud	K254M40	78 lbs	\$318.00
AMXR8813A	R-TIRE 13.6-28 R1 Titan Hi Trac Lug TL	K767M20	242 lbs	\$959.00
<b>INDUSTRIAL</b>				
AMXR8828	F-TIRE 12-16.5 R4 Titan HD-2000	K316M80	117 lbs	\$396.00
AMXR8862A	R-TIRE TITN 17.5L-24 8PLY R4	K820M80	257 lbs	\$1,026.00
<b>TURF</b>				
ALR8708	F-TIRE 29x12.50-15 R3 Titan Turf	K308L80	83 lbs	\$386.00
ALR6802	R-TIRE 44x18-20 R3 Titan MultiTrac 8stud	K761L60	221 lbs	\$952.00
ALR6818A	F-TIRE LSW305R343 R3 Titan Grizz LSW 430	K324L80	70 lbs	\$406.00
ALR6819	R-TIRE LSW610R470 R3 Grizz LSW 430 8stud	K804L80	227 lbs	\$1,006.00
<b>R14 Ag/Industrial Hybrid</b>				
AMXR8896	F-TIRE 300/70R16.5 R14T 116A8 GDYR	K355M20	117 lbs	\$444.00
AMXR8897	R-TIRE 440/80R24 R14T 135A8 GDYR	K1M058M40	257 lbs	\$1,323.00

**MX SERIES MX5400/MX6000**

**DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>HYDRAULICS/HITCH/DRAWBAR</b>				
<b>HYDRAULIC REAR REMOTE VALVES</b>				
<b>STANDARD NON-CONTINUOUS FLOW VALVES</b>				
L8303	Double Acting Valve, no Detents Required for 1 <sup>st</sup> Position Lever Kit compatible with 2 <sup>nd</sup> and 3 <sup>rd</sup> Position Lever Kits	K221L60	4 lbs	\$277.00
L8304	Float Detent Valve, Required 2 <sup>nd</sup> Position Lever Kit Not compatible with 1 <sup>st</sup> or 3 <sup>rd</sup> Position Lever Kits	K278L40	4 lbs	\$348.00
<b>ROPS STANDARD NON-CONTINUOUS FLOW VALVE LEVER KITS</b>				
MX6881	1 <sup>st</sup> Position Lever Kit for ROPS, includes Base Kit and 1 <sup>st</sup> Lever Requires Double Acting Valve Not compatible with Float Detent Valve	K464M80	7 lbs	\$581.00
MX6882	2 <sup>nd</sup> Position Lever Kit for ROPS, includes Stacking Kit and 2 <sup>nd</sup> Lever Requires Double Acting OR Float Detent Valve	K230M40	3 lbs	\$288.00
MX6883	3 <sup>rd</sup> Position Lever Kit for ROPS, includes Stacking Kit and 3 <sup>rd</sup> Lever Requires Double Acting Flow Valve Not compatible with Float Detent Flow Valve	K230M40	4 lbs	\$288.00
<b>CAB STANDARD NON-CONTINUOUS FLOW VALVE LEVER KITS</b>				
MX6891	1 <sup>st</sup> Position Lever Kit for Cab, includes Base Kit and 1 <sup>st</sup> Lever Requires Double Acting Valve Not compatible with Float Detent Valve	K464M80	15 lbs	\$581.00
MX6892	2 <sup>nd</sup> Position Lever Kit for Cab, includes Stacking Kit and 2 <sup>nd</sup> Lever Requires Double Acting OR Float Detent Valve	K230M40	7 lbs	\$288.00
MX6893	3 <sup>rd</sup> Position Lever Kit for Cab, includes Stacking Kit and 3 <sup>rd</sup> Lever Requires Double Acting Flow Valve Not compatible with Float Detent Flow Valve	K230M40	4 lbs	\$288.00
<b>HITCH/DRAWBAR OPTIONS</b>				
<b>3-POINT TELESCOPIC LINK / STABILIZER KIT</b>				
MX9495	Telescopic Link Ends and Stabilizer Kit Optional for 2WD models, Standard on 4WD models	K356M80	81 lbs	\$446.00
<b>DRAFT CONTROL</b>				
MX6884	Draft Control (ROPS ONLY) Not Compatible with Detent Valves	K429M60	11 lbs	\$537.00
MX6894	Draft Control (CAB ONLY) Not Compatible with Detent Valves	K581M60	12 lbs	\$727.00
<b>DRAWBAR CLEVIS</b>				
MX9490	Drawbar Clevis	K76M00	8 lbs	\$95.00
MX6860	Drop Drawbar for MX Series	K111M20	29 lbs	\$139.00
<b>TRAILER CONNECTOR</b>				
MX6880	7PIN CONNECTOR KIT MX5400/MX6000 ROPS	K99M20	2 lbs	\$124.00
MX6890	7PIN CONNECTOR KT MX5400/MX6000 CAB	K128M00	2 lbs	\$160.00
<b>TOP-N-TILT KIT</b>				
L8388A	Top (Cylinder) and Tilt (Cylinder) Kit Not Compatible with BH92 Backhoe	K804L00	41 lbs	\$1,005.00

**MX SERIES MX5400/MX6000****DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>ROPS ACCESSORIES</b>				
<b>CANOPY</b>				
E1134	Deluxe Fiberglass Canopy (ROPS Models) Requires E1136 Mounting Kit	K360M80	63 lbs	\$451.00
E1136	Mounting Kit Includes Brackets/Hardware/Instructions	K178M40	29 lbs	\$223.00
E1138	Work Light Set for Canopy (Optional 2-lights)	K136A80	3 lbs	\$171.00
<b>ARMREST KIT</b>				
ZG1341	SEAT ARM REST KIT	K51A20	8 lbs	\$64.00
<b>CCV HEATER</b>				
MX6812	CCV HEATER KIT MX5400/MX6000 ROPS	K461M60	3 lbs	\$577.00
<b>WORK LIGHT KITS</b>				
E1176	Universal LED Work Light Kit (2 Lights)	K215A20	6 lbs	\$269.00
<b>CAB ACCESSORIES</b>				
<b>CCV HEATER</b>				
MX6813	CCV HEATER KIT MX5400/MX6000 CAB	K461M60	1 lbs	\$577.00
<b>CAB ACCESSORIES</b>				
MX6801	SIDE MIRROR KIT L60-LE /	K120M00	4 lbs	\$150.00
MX6895	REAR DEFOGGER MX5400/MX6000 CAB Requires Higher Amp Alternator Kit	K261M60	13 lbs	\$327.00
MX6802	130A ALTERNATOR KT MX5400/MX6000 CAB	K388M00	9 lbs	\$485.00
L8364	Rear Wiper Kit	K132L00	3 lbs	\$165.00
ZG1341	SEAT ARM REST KIT	K51A20	8 lbs	\$64.00
L6026	Air Ride Seat (requires wire harness)	K807L20	77 lbs	\$1,009.00
MX6027	Wire Harness for Air Ride Seat (required)	K28M80	3 lbs	\$36.00
L8333	Rear Work Light Kit, (2 Lights)	K120L80	3	\$151.00
<b>BALLAST</b>				
<b>BALLAST BOX</b>				
L8170	Ballast Box - 3-Point Mount Up to 1000 lbs of total weight with sand	K460L00	168 lbs	\$575.00
<b>FRONT WEIGHT BRACKETS</b>				
MX8068	Weight Bracket Able to hold up to 7 Front Suitcase Weights Standard on 2WD Model, Not compatible with Grill Guard	K88M00	29 lbs	\$110.00
<b>FRONT SUITCASE WEIGHTS</b>				
BL8069	Suitcase Weight (55 lbs.) Requires Weight Bracket, Bolt Kit, and All Thread Kit	K64B80	55 lbs	\$81.00
<b>FRONT WEIGHT BOLT/BAR KITS</b>				
BL8049	Bolt/Bar Kit - Weight(s) One Bolt/Bar Kit per 1 Weight	K6B40	1 lbs	\$8.00
<b>ALL THREAD BOLT KITS</b>				
BL8013	All Thread Kit for Grill Guard	K11B20	3 lbs	\$14.00
BL8014	All Thread Kit for Weight Bracket	K25B60	5 lbs	\$32.00



**ADDITIONAL ACCESSORIES**

<b>BLOCK HEATER</b>				
70000-00297	Block Heater			(Order from Parts Department)
<b>GRILL GUARD</b>				
MX2268A	Grill Guard Kit for Loader and Non-Loader (hold 4 ft. Wts) Applications with LA1065A Loader, standard with Loader	K262M40	70 lbs	\$328.00
<b>RADIATOR HEATER</b>				
70000-82500	Radiator Heater			(Order from Parts Department)
<b>REPLACEMENT ROPS</b>				
SFMX-60	Replacement ROPS - Field Installation Required			(Order from Parts Department)
<b>REPLACEMENT CAB</b>				
MX6889	Replacement Cab DT Model - Field Installation Required			(Order from Parts Department)
MX6899	Replacement Cab HST - Field Installation Required			(Order from Parts Department)

**REAR WHEEL WEIGHTS**

LM8124	Rear Wheel Weight (103 lbs. each) Set of 2 Weights, Maximum of 3 Sets Requires Bolt Kit Not Compatible with Turf Tires	K260M80	206 lbs	\$326.00
<b>REAR WHEEL WEIGHT BOLT KITS</b>				
LM8125A	Bolt Kit for LM8124 Weight One Kit per Weight Set	K61M60	5 lbs	\$77.00
M8121A	Bolt Kit for 2nd and 3rd Set of Rear Wheel Weights One Kit per Weight Set	K27M20	8 lbs	\$34.00

**MX SERIES MX5400/MX6000**

**Front End Loaders**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

**FRONT END LOADER**

LA1065A	Front End Loader Includes Mounting Kit, Parking Stands, 2-Lever QA Coupler, and Grill Guard DOES NOT INCLUDE VALVE, BUCKET or ROD LEVEL INDICATOR, must be ordered separately	K4M012M00	1322 lbs	\$5,015.00
<b>LOADER VALVE</b>				
MX2131	Loader Valve for ROPS	K704M80	46	\$881.00
MX2132	Loader Valve for CAB	K704M80	72	\$881.00

**LOADER ACCESSORIES**

<b>LOADER LEVEL INDICATOR</b>				
MX2140	Bucket/Attachment Level Indicator (Rod Type)	K68M00	7 lbs	\$85.00
<b>THIRD FUNCTION - ROPS ONLY</b>				
380-312A	3rd Function Valve w/ Flat-Faced Coupler Kit from Land Pride			(Order from Land Pride)
380-331A	3rd Function Valve w/ Pioneer Coupler Kit from Land Pride			(Order from Land Pride)
<b>THIRD FUNCTION - CAB ONLY</b>				
380-311A	3rd Function Valve w/ Flat-Faced Coupler Kit from Land Pride			(Order from Land Pride)
380-330A	3rd Function Valve w/ Pioneer Coupler Kit from Land Pride			(Order from Land Pride)

**BUCKETS & ACCESSORIES**

<b>BUCKETS / CUTTING EDGES ALL 2-LEVER TYPE QA</b>				
L2296	72" Quick Attach Heavy Duty Round Back Bucket	K1L016L00	400 lbs	\$1,270.00
L2236	72" Quick Attach Light Material Bucket	K616L00	323 lbs	\$770.00
L2235A	72" Quick Attach Square Back Bucket	K654L40	346 lbs	\$818.00
<b>BUCKET ACCESSORIES</b>				
TL1748	72" Bolt-on Reversible Cutting Edge for Heavy Duty Round Back Bucket	K215L20	70 lbs	\$269.00
<b>BALE SPEARS</b>				
L2237	Bale Spear 2 Lever Type QA	K608L80	165 lbs	\$761.00

**PALLET FORK FRAME / PALLET FORKS**

L2238	Pallet Fork Frame 2 Lever QA Requires Pallet Forks	K642L40	165 lbs	\$803.00
K9048	36" Pallet Forks	K386L40	176 lbs	\$483.00
K9058	42" Pallet Forks	K451L20	196 lbs	\$564.00

**MX SERIES**

**MX5400/MX6000**

**Backhoes**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>BACKHOE &amp; ACCESSORIES</b>				
BH92	Backhoe, 9 ft. digging depth NOT COMPATIBLE WITH CAB MODELS Requires Mounting Kit and Bucket	K7L444L00	1696 lbs	\$9,305.00
<b>BACKHOE MOUNTING KIT</b>				
BH4978	Backhoe Subframe Kit for ROPS	K1M201M60	292 lbs	\$1,502.00
<b>BACKHOE ACCESSORIES</b>				
BH4949	6-Position Mechanical Thumb	K846L40	141 lbs	\$1,058.00
BT4598	Hydraulic Thumb Requires Valve Kit	K1L927L20	142 lbs	\$2,409.00
BH4948	Hydraulic Thumb Valve Kit	K834L40	23 lbs	\$1,043.00
BT4550	Quick Coupler	K625L60	55 lbs	\$782.00
<b>RUBBER FLIP PADS</b>				
L9467	Rubber Flip Pad - 2 Required per Order	K118L40	15 lbs	\$148.00

**PIN-ON TYPE BUCKETS**

BT3001	12" Bucket (1.19 cu. ft. Struck / 1.47 cu. ft. Heaped)	K622L40	109 lbs	\$778.00
BT3002A	16" Bucket (1.67 cu. ft. Struck / 2.16 cu. ft. Heaped)	K705L60	130 lbs	\$882.00
BT3003A	18" Bucket (1.91 cu. ft. Struck / 2.51 cu. ft. Heaped)	K752L00	141 lbs	\$940.00
BT3004	24" Bucket (2.63 cu. ft. Struck / 3.60 cu. ft. Heaped)	K875L20	172 lbs	\$1,094.00
BT3005A	30" Bucket (3.34 cu. ft. Struck / 4.69 cu. ft. Heaped)	K1L009L60	205 lbs	\$1,262.00
BT3006	36" Bucket (4.06 cu. ft. Struck / 5.78 cu. ft. Heaped)	K1L128L00	226 lbs	\$1,410.00

**QUICK COUPLER TYPE BUCKETS**

BT4552	12" Bucket (1.19 cu. ft. Struck / 1.47 cu. ft. Heaped) Requires Quick Coupler	K754L40	117 lbs	\$943.00
BT4553	16" Bucket (1.67 cu. ft. Struck / 2.16 cu. ft. Heaped) Requires Quick Coupler	K797L60	135 lbs	\$997.00
BT4554	18" Bucket (1.91 cu. ft. Struck / 2.51 cu. ft. Heaped) Requires Quick Coupler	K838L40	144 lbs	\$1,048.00
BT4555	24" Bucket (2.63 cu. ft. Struck / 3.60 cu. ft. Heaped) Requires Quick Coupler	K990L40	176 lbs	\$1,238.00
BT4557	36" Bucket (4.06 cu. ft. Struck / 5.78 cu. ft. Heaped) Requires Quick Coupler	K1L262L40	223 lbs	\$1,578.00

---

**MX SERIES**

**MX5400/MX6000**

---

**Approved Attachments**

---

See Website for Landpride Attachments List

**M60 SERIES**

**M5660SUH/M5660SUHD**

\*\*\* EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS \*\*\*

**DIESEL ENGINE**

Kubota V2403 Direct Injection  
 2.4L (148.5 cu. in.) 4 Cyl  
 EPA Tier 4 Final Compliant  
 Common Rail Electronic Fuel Injection  
 Electronic Engine Management  
 Constant rpm Management  
 Turbocharged  
 45 Amp Alternator ROPS  
 12V 600 CCA Battery

**EXHAUST EMISSION CONTROL TYPE**

DPF System (Diesel Particulate Filter)

**HYDRAULICS / HITCH / DRAWBAR**

Open Center Gear Pump  
 Max. Flow @ Rated Engine Speed: 2600 rpm  
     Power Steering: 6.1 gpm  
     Impl. Flow: 10.6 gpm  
     Total Flow: 16.5 gpm

**REMOTE VALVES**

(1) SCD (Self Canceling Detent)

**3 POINT HITCH & DRAWBAR**

Cat II/ 3-point Hitch  
     @ Lift Points: 4189 lbs  
     (ASAE)@24" Behind: 3307 lbs  
 Telescoping Lower Links  
 Telescoping Stabilizers  
 Swinging Drawbar - Straight

**POWER TAKE OFF (540)**

Live-Independent Hyd. PTO  
 SAE 1 3/8" Six Spline  
 540 rpm @ 2295 Eng. rpm  
 540/540E Economy PTO Optional  
 Provides 540 PTO @ 1942 Eng. rpm

**TRANSMISSION**

Eight Speed  
 Fully Synchronized Transmission  
 8F/ 8R Hydraulic-Shuttle  
 Planetary Final Drives  
 Rear Differential Lock

**FRONT AXLE**

Hydrostatic Power Steering  
 2WD: Tubular Steel Beam Telescoping  
 4WD: Cast Iron, Bevel Gear 55 Deg

**FLUID CAPACITY**

Fuel Tank Capacity: 17.2 gal.  
 Cooling System: 8.5 qts.  
 Crankcase: 7.6 qts.  
 Hydraulics/Trans: 50.7 qts.  
 Front Axle 4WD: 6.9 qts.

**INSTRUMENTS**

Tachometer/Hour meter  
 Oil Pressure  
 Fuel Gauge  
 Coolant Temperature

**TIRES AND WHEELS**

2WD: Front 6.50 x 16 F2  
     Rear 14.9 x 28 R1  
 4WD: Front 8.3 x 24 R1  
     Rear 14.9 x 28 R1

**OPERATOR PLATFORM**

Semi-Flat Deck with Hanging Pedals  
 High Back Seat with  
     Adjustable Suspension  
 Color Coded Controls  
 Cup Holder

**LIGHTING**

2 Headlights - Tail lights  
 2 Hazard Flasher Lights w/  
     Turn Signals

**SAFETY EQUIPMENT**

2-post, ROPS Certified  
 Retractable Seat belt  
 Flip-Up PTO Shield  
 Safety Start Switches:  
 Shuttle Lever Neutral  
 PTO Off  
 Electric Key Shut Off  
 Parking Brake  
 Turn Signals  
 SMV Sign

Model Specifications	
<b>M5660SUH 2WD</b>	<b>M5660SUHD 4WD</b>
SAE Gross HP: 57.9	SAE Gross HP: 57.9
Engine Net HP: 56	Engine Net HP: 56
Max. PTO HP: 50	Max. PTO HP: 50

**M60 Series M5660SUH/M5660SUHD**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

**2WD MODELS**

\*\*\*STANDARD TRACTOR WITH STANDARD TIRES\*\*\*

M5660SUH	2WD Utility 2 Post Foldable ROPS Tractor	K24M133M60	4189 lbs	\$30,167.00
----------	--	------------	----------	-------------

<b>M5660SUH 2WD</b>		<b>Additional Price with Tire Option</b>		
<b>TIRES AND WHEELS†</b>				

ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGGESTED LIST PRICE
------------	-------------	-------------	----------------	----------------------

**STANDARD TIRES**

AMXR8789*	F-TIRE 9.5L-15 F2 BKT Pro Rib	75 lbs	MM0	Add	In Base Price
AMR8901B*	R-TIRE 14.9-28 R1 Firestone (SAT) II	255 lbs			

**AG - BIAS REAR**

AMXR8789*	F-TIRE 9.5L-15 F2 BKT Pro Rib	75 lbs	MM0	Add	\$0.00
AMR8901B*	R-TIRE 14.9-28 R1 Firestone (SAT) II	255 lbs			

AMXR8789	F-TIRE 9.5L-15 F2 BKT Pro Rib	75 lbs	K462M40	Add	\$578.00
AMR8913B	R-TIRE 16.9-28 R1 Firestone (SAT) II	299 lbs			

AMXR8789	F-TIRE 9.5L-15 F2 BKT Pro Rib	75 lbs	K1K449M60	Add	\$1,812.00
AMR8565 ②③	R-TIRE 14.9-28 R1 F-STONE SAT II/CST	600 lbs			

**AG - RADIAL REAR**

AMXR8789	F-TIRE 9.5L-15 F2 BKT Pro Rib	75 lbs	K2M286M40	Add	\$2,858.00
AMR8570 ②③	R-TIRE 420/70R28 R1W Alliance Farm Pro70 Cast	650 lbs			

AMXR8789	F-TIRE 9.5L-15 F2 BKT Pro Rib	75 lbs	K436M80	Add	\$546.00
AMR8577	R-TIRE 420/70R28 R1W Alliance Farm Pro70	300 lbs			

**INDUSTRIAL**

AMXR8789	F-TIRE 9.5L-15 F2 BKT Pro Rib	75 lbs	K137M60	Add	\$172.00
ALR8917	R-TIRE 16.9-24 R4 Titan Ind Tractor Lug	267 lbs			

**TURF**

ALR8708	F-TIRE 29x12.50-15 R3 Titan Turf	83 lbs	K160M00	Add	\$200.00
AMR8979 ①	R-TIRE 21.5L-16.1 R3 Firestone Turf&Fld	245 lbs			

ALR6818A	F-TIRE LSW305R343 R3 Titan Grizz LSW 430	70 lbs	K510M40	Add	\$638.00
AMR8541 ④	R-TIRE LSW570-648 R3 Grizz LSW S.TF 5.75	261 lbs			

† See Tire Section for Individual Tire Pricing and Information

\* Standard Tires

- ① Not approved for Backhoe applications.
- ② Recommended for loader applications, increases base weight by approx. 600 lbs.
- ③ Requires (16) qty - 3A111-97810 Shoulder Lug Nuts for Field Installation
- ④ Requires (12) - (04512-60140) spring washers

**M60 Series M5660SUH/M5660SUHD**

M5660SUH 2WD				
TIRES AND WHEELS (priced per piece)				
ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>STANDARD TIRES</b>				
AMXR8789	F-TIRE 9.5L-15 F2 BKT Pro Rib	K256M00	75 lbs	\$320.00
AMR8901B	R-TIRE 14.9-28 R1 Firestone (SAT) II	K795M20	255 lbs	\$994.00
<b>AG - BIAS REAR</b>				
AMXR8789	F-TIRE 9.5L-15 F2 BKT Pro Rib	K256M00	75 lbs	\$320.00
AMR8901B	R-TIRE 14.9-28 R1 Firestone (SAT) II	K795M20	255 lbs	\$994.00
AMXR8789	F-TIRE 9.5L-15 F2 BKT Pro Rib	K256M00	75 lbs	\$320.00
AMR8913B	R-TIRE 16.9-28 R1 Firestone (SAT) II	K1M026M40	299 lbs	\$1,283.00
AMXR8789	F-TIRE 9.5L-15 F2 BKT Pro Rib	K256M00	75 lbs	\$320.00
AMR8565	②③ R-TIRE 14.9-28 R1 F-STONE SAT II/CST	K1M520M00	600 lbs	\$1,900.00
<b>AG - RADIAL</b>				
AMXR8789	F-TIRE 9.5L-15 F2 BKT Pro Rib	K256M00	75 lbs	\$320.00
AMR8570	②③ R-TIRE 420/70R28 R1W ALLIANCE 370 Cast	K1M938M40	650 lbs	\$2,423.00
AMXR8789	F-TIRE 9.5L-15 F2 BKT Pro Rib	K256M00	75 lbs	\$320.00
AMR8577	R-TIRE 420/70R28 R1W ALLIANCE 370	K1M013M60	300 lbs	\$1,267.00
<b>TURF</b>				
ALR8708	F-TIRE 29x12.50-15 R3 Titan Turf	K308L80	83 lbs	\$386.00
AMR8979	① R-TIRE 21.5L-16.1 R3 Firestone Turf&Fld	K822M40	245 lbs	\$1,028.00
ALR6818A	④ F-TIRE LSW305R343 R3 Titan Grizz LSW 430	K324L80	70 lbs	\$406.00
AMR8541	R-TIRE LSW570-648 R3 Grizz LSW S.TF 5.75	K981M60	261 lbs	\$1,227.00
<b>INDUSTRIAL</b>				
AMXR8789	F-TIRE 9.5L-15 F2 BKT Pro Rib	K256M00	75 lbs	\$320.00
ALR8917	R-TIRE 16.9-24 R4 Titan Ind Tractor Lug	K864L00	267 lbs	\$1,080.00

\* Standard Tires

- ① Not approved for Backhoe applications.
- ② Recommended for loader applications, increases base weight by approx. 600 lbs.
- ③ Requires (16) qty - 3A111-97810 Shoulder Lug Nuts for Field Installation
- ④ Requires (12) - (04512-60140) spring washers

**M60 Series M5660SUH/M5660SUHD**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

**4WD MODELS**

\*\*\*STANDARD TRACTOR WITH STANDARD TIRES\*\*\*

M5660SUHD	4WD Utility 2 Post Foldable ROPS Tractor	K28M316M80	4387	\$35,396.00
-----------	--	------------	------	-------------

M5660SUH 4WD		Additional Price with Tire Option		
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGGESTED LIST PRICE
<b>TIRES AND WHEELS†</b>				
<b>STANDARD TIRES</b>				
AMR8553*	F-TIRE 9.50-22 R1 Alliance 324	136 lbs	MM0	Add
AMR8901B*	R-TIRE 14.9-28 R1 Firestone (SAT) II	255 lbs		In Base Price
<b>AG - BIAS (Front may be Radial)</b>				
AMR8553*	F-TIRE 9.50-22 R1 Alliance 324	136 lbs	MM0	Add
AMR8901B*	R-TIRE 14.9-28 R1 Firestone (SAT) II	255 lbs		\$0.00
AMR8553	F-TIRE 9.50-22 R1 Alliance 324	136 lbs	K1K449M60	Add
AMR8565	②③ R-TIRE 14.9-28 R1 F-STONE SAT II/CST	600 lbs		\$1,812.00
AMR8564	F-TIRE 280/85R20 R1W F-TIRE ASSEMBLY	150 lbs	K280M00	Add
AMR8901B	R-TIRE 14.9-28 R1 Firestone (SAT) II	255 lbs		\$350.00
AMR8564	F-TIRE 280/85R20 R1W F-TIRE ASSEMBLY	150 lbs	K1K729M60	Add
AMR8565	②③ R-TIRE 14.9-28 R1 F-STONE SAT II/CST	600 lbs		\$2,162.00
<b>AG - RADIAL</b>				
AMR8564	F-TIRE 280/85R20 R1W F-TIRE ASSEMBLY	150 lbs	K716M80	Add
AMR8577	R-TIRE 420/70R28 R1W ALLIANCE 370	300 lbs		\$896.00
AMR8564	F-TIRE 280/85R20 R1W F-TIRE ASSEMBLY	150 lbs	K2K566M40	Add
AMR8570	②③ R-TIRE 420/70R28 R1W ALLIANCE 370 Cast	650 lbs		\$3,208.00
<b>INDUSTRIAL</b>				
AMR8797	F-TIRE 14-17.5 R4 WITH 0.55" INSET	168 lbs	K414M40	Add
ALR8917	R-TIRE 16.9-24 R4 Titan Ind Tractor Lug	267 lbs		\$518.00
<b>TURF</b>				
AMR8576	F-TIRE 31X13.5-15 R3 MULTI-TRAC TURF	92 lbs	K328M00	Less
AMR8979	① R-TIRE 21.5L-16.1 R3 Firestone Turf&Fld	245 lbs		(\$410.00)
AMR8526	F-TIRE LSW305-521R3 Grizz LSW Soft Turf	113 lbs	K222M40	Add
AMR8541	R-TIRE LSW570-648 R3 Grizz LSW S.TF 5.75	261 lbs		\$278.00

- † See Tire Section for Individual Tire Pricing and Information
- \* Standard Tires
- ① Not approved for Backhoe applications.
- ② Recommended for loader applications, increases base weight by approx. 600 lbs.
- ③ Requires (16) qty - 3A111-97810 Shoulder Lug Nuts for Field Installation



**M60 Series M5660SUH/M5660SUHD**

M5660SUHD 4WD				
TIRES AND WHEELS (priced per piece)				
ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
<b>AG - BIAS REAR</b>				
AMR8553*	F-TIRE 9.5-22 R1	K474M40	136 lbs	\$593.00
AMR8901B*	R-TIRE 14.9-28 R1 Firestone (SAT) II	K795M20	255 lbs	\$994.00
AMR8553	F-TIRE 9.5-22 R1	K474M40	136 lbs	\$593.00
AMR8565	②③ R-TIRE 14.9-28 R1 F-STONE SAT II/CST	K1M520M00	600 lbs	\$1,900.00
AMR8564	F-TIRE 280/85R20 R1W F-TIRE ASSEMBLY	K614M40	150 lbs	\$768.00
AMR8901B	R-TIRE 14.9-28 R1 Firestone (SAT) II	K795M20	255 lbs	\$994.00
AMR8564	F-TIRE 280/85R20 R1W F-TIRE ASSEMBLY	K614M40	150 lbs	\$768.00
AMR8565	②③ R-TIRE 14.9-28 R1 F-STONE SAT II/CST	K1M520M00	600 lbs	\$1,900.00
<b>AG - RADIAL</b>				
AMR8564	F-TIRE 280/85R20 R1W F-TIRE ASSEMBLY	K614M40	150 lbs	\$768.00
AMR8577	R-TIRE 420/70R28 R1W ALLIANCE 370	K1M013M60	300 lbs	\$1,267.00
AMR8564	F-TIRE 280/85R20 R1W F-TIRE ASSEMBLY	K614M40	150 lbs	\$768.00
AMR8570	②③ R-TIRE 420/70R28 R1W ALLIANCE 370 Cast	K1M938M40	650 lbs	\$2,423.00
<b>TURF</b>				
AMR8576	F-TIRE 31X13.5-15 R3 MULTI-TRAC TURF	K283M20	92 lbs	\$354.00
AMR8979	① R-TIRE 21.5L-16.1 R3 Firestone Turf&Fld	K822M40	245 lbs	\$1,028.00
AMR8526	F-TIRE LSW305-521R3 Grizz LSW Soft Turf	K399M20	113 lbs	\$499.00
AMR8541	R-TIRE LSW570-648 R3 Grizz LSW S.TF 5.75	K981M60	261 lbs	\$1,227.00
<b>INDUSTRIAL</b>				
AMR8797	F-TIRE 14-17.5 R4 WITH 0.55" INSET	K612M80	168 lbs	\$766.00
ALR8917	R-TIRE 16.9-24 R4 Titan Ind Tractor Lug	K864L00	267 lbs	\$1,080.00

\* Standard Tires

- ① Not approved for Backhoe applications.
- ② Recommended for loader applications, increases base weight by approx. 600 lbs.
- ③ Requires (16) qty - 3A111-97810 Shoulder Lug Nuts for Field Installation

**M60 Series M5660SUH/M5660SUHD****DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>HYDRAULICS/HITCH/DRAWBAR</b>				
<b>HYDRAULIC REAR REMOTE VALVES</b>				
M7610	SCD (Self Canceling Detent)	K644M80	13 lbs	\$806.00
M7611	FD (Float Detent)	K636M80	11 lbs	\$796.00
<b>REMOTE VALVE LEVER KITS</b>				
M7692	2nd Position Lever Kit	K130M40	4 lbs	\$163.00
M7693	3rd Position Lever Kit	K130M40	3 lbs	\$163.00
<b>DRAWBAR CLEVIS</b>				
M9534	Drawbar Clevis	K78M40	12 lbs	\$98.00
<b>TRANSMISSION</b>				
<b>DUAL SPEED PTO KITS</b>				
M7690	540/540E Economy PTO	K949M60	72 lbs	\$1,187.00
<b>FRONT &amp; REAR AXLE</b>				
<b>FRONT FENDER KIT (SWIVEL TYPE)</b>				
M9290	Fender Mounting Kit Requires Plastic Fenders Not Compatible with Loader Applications Not Compatible with 2WD Tractors	K726M40	68 lbs	\$908.00
M9208	Plastic Fenders Includes two 14.9" wide Fenders Requires two (2) part # 3C294-43300 Pre-Drilled Front Wheel Case Supports Requires Fender Mounting Kit	K101M60	7 lbs	\$127.00
<b>WIDE ROW FRONT AXLE KIT</b>				
35564-62820	Tie Rod End Extension, Requires 2 Not Compatible with Loader Applications (SUH 2WD Only)		(Order from Parts Department)	
<b>REAR AXLE SPACER KIT</b>				
M9564	Rear Axle Space Kit, adds 2 inches per side Provides 72" spacing with Ag Tires	K799M20	52 lbs	\$999.00
<b>ROPS ACCESSORIES</b>				
<b>CANOPY</b>				
E1134	Deluxe Fiberglass Canopy (ROPS Models) Requires Mounting Kit	K360M80	63 lbs	\$451.00
E1136	Mounting Kit	K178M40	29 lbs	\$223.00
E1138	Work Light Set for Canopy (Optional 2-lights)	K136A80	3 lbs	\$171.00
<b>REAR WORK LIGHT</b>				
M7630	Rear Working Auxiliary Light (Maximum 1 Light/Tractor)	K79M20	3 lbs	\$99.00

**M60 SERIES M5660SUH/M5660SUHD**

**DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>BALLAST</b>				
<b>FRONT WEIGHT BRACKETS</b>				
M8070	Weight Bumper (85 lbs.) Includes Mounting Bolt Kit Up to 8 Front Suitcase Weights Not Compatible with Loader	K289M60	95 lbs	\$362.00
M8075	Weight Bumper (230 lbs. each), Optional Up to 10 Front Suitcase Weights Requires Bolt Kit Requires Bolt/Bar Kit to mount weights Not Compatible with Loader	K368M00	223 lbs	\$460.00
M1875A	Front Weight Bracket (59 lbs) for Loader application Requires Bolt/Bar Kit to mount weights Up to 7 Front Suitcase Weights Loader must be detached.	K203M20	63 lbs	\$254.00
M1059	Front Weight Bracket Kit for Loader Application Requires Bolt/Bar Kit to mount weights Up to 8 Front Suitcase Weights Loader must be detached	K144M80	57 lbs	\$181.00
<b>FRONT SUITCASE WEIGHTS</b>				
M8079	Suitcase Weight Requires Front Weight Bumper and Bolt/Bar Kit	K94M40	102 lbs	\$118.00
<b>FRONT WEIGHT BOLT/BAR KITS</b>				
M8076	Front Bumper Bolt Kit for M8075	K53M60	4 lbs	\$67.00
M8074A	Bolt/Bar Kit for M1875A and M8070 One Kit per 8 Front Suitcase Weights	K57M60	8 lbs	\$72.00
M8073A	Bolt/Bar Kit for M8075 One Kit per 10 Front Suitcase Weights	K60M00	10 lbs	\$75.00

**M60 SERIES M5660SUH/M5660SUHD**

**DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>BALLAST</b>				
<b>REAR WEIGHT WEIGHTS</b>				
LM8124	Rear Wheel Weight (103 lbs. each) Set of 2, Requires Rear Wheel Bolt Kit Maximum of 3 Sets on Steel Dish Wheels Maximum of 2 Sets on Cast Dish Wheels Use with 24" or 26" Wheels Not Compatible with Turf Tires	K260M80	206 lbs	\$326.00
M8126A	Wheel Weight Kit (164 lbs. each) Set of 2, Requires Rear Wheel Bolt Kit Maximum of 3 Sets on Steel Dish Wheels Maximum of 2 Sets on Cast Dish Wheels Use with 28" Wheels	K289M60	328 lbs	\$362.00
<b>REAR WHEEL WEIGHT BOLT KITS</b>				
M8119B	Bolt Kit for 1st Wheel Weight Kit on Cast Dish Wheels	K24M80	6 lbs	\$31.00
LM8125A	Bolt Kit to 1st Wheel Weight Kit on Steel Dish Wheels	K61M60	5 lbs	\$77.00
M8127B	Bolt Kit use for 2nd and 3rd Set of M8126A Weights Required for 2nd & 3rd Set on ALL Steel Dish Wheels Required for 2nd Set on Cast Dish Wheels	K23M20	6 lbs	\$29.00
M8121A	Bolt Kit for 2nd and 3rd Set of LM8124 Weights One Bolt Kit per Weight Set	K27M20	8 lbs	\$34.00
<b>BALLAST BOX</b>				
M8180	Ballast Box - 3-Point Mount 1280 lbs Capacity with Dry Sand (13 cu. ft.)	K587M20	220 lbs	\$734.00

**ADDITIONAL ACCESSORIES**

<b>BLOCK HEATER</b>				
70000-00297	Block Heater			(Order from Parts Department)
<b>FLOOR MAT</b>				
3C001-55062	Rubber Floor Mat Order (7) 67955-51340 fasteners for mounting			(Order from Parts Department)
<b>GRILL GUARD</b>				
M1876A	Grill Guard Kit Compatible with M8075 Front Bumper Weight	K188M00	57 lbs	\$235.00
<b>ARMREST KIT</b>				
ZG1341	Arm rest Kit	K51A20	8 lbs	\$64.00
<b>HAND GRIP</b>				
T1060-29470	Hand Grip RH			(Order from Parts Department)
<b>REPLACEMENT ROPS</b>				
SFM-F70SUH	Replacement ROPS - Field Installation Required	K877M60	175 lbs	\$1,097.00

**M60 SERIES M5660SUH/M5660SUHD**

**DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>FRONT END LOADER</b>				
LA1154SU	Front Loader (2 Lever Type Quick Coupler) Includes Mounting Kit, Loader Valve and Joystick, Parking Stands, and 2 Lever QA Coupler DOES NOT INCLUDE BUCKET or GRILL GUARD, must be ordered separately	K5M470M40	1330 lbs	\$6,838.00
<b>LOADER ACCESSORY KITS</b>				
<b>3RD FUNCTION VALVE</b>				
M7949	3rd Function Valve	K886M40	56 lbs	\$1,108.00
<b>BUCKETS / CUTTING EDGES ALL 2-Lever Type QA</b>				
M1811	72" 2 Lever Quick Attach	K656M80	400 lbs	\$821.00
M1815	84" Bucket High Capacity, 2 Lever QA For Light Material Use	K876M80	400 lbs	\$1,096.00
L2245	72" 4-in-1 Bucket Requires 3rd Function	K2L027L20	675 lbs	\$2,534.00
M9247	72" Hay Grapple Bucket 4 Tines, 2-Hyd. Cylinders, 2 Lever Quick Coupler Requires 3rd Function Valve Requires 2-Hyd. 1/2" QA couplers, .375 fittings (Obtain Locally, i.e. Pioneer, Parker, or Flat Face)	K3M348M00	1090 lbs	\$4,185.00
<b>BUCKET ACCESSORIES</b>				
M1057	Bucket Tine Kit for 72" 2 Lever QA Bucket	K260M80	79 lbs	\$326.00
<b>BALE SPEARS</b>				
M1804	Bale Spear 2 Lever Type QA	K713M60	195 lbs	\$892.00
<b>PALLET FORK FRAME / PALLET FORKS</b>				
M1809	Pallet Fork Frame 2 Lever QA Requires 42" or 48" Forks	K660M80	200 lbs	\$826.00
K9058	42" Pallet Forks	K451L20	196 lbs	\$564.00
K9059	48" Pallet Forks	K480K80	218 lbs	\$601.00

---

**M60 SERIES**

**M5660SUH/M5660SUHD**

---

**Approved Attachments**

See Website for Landpride Attachments List

**M60 SERIES**

**M6060/M7060**

\*\*\* EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS \*\*\*

**DIESEL ENGINE**

Kubota V3307 Direct Injection  
 3.3L (203 cu. in.) 4 Cyl  
 EPA Tier 4 Emission Certified  
 Common Rail Electronic Fuel Injection  
 Electronic Engine Management  
 Constant RPM Management  
 Turbocharged  
 45 Amp Alternator - ROPS  
 60 Amp Alternator - Cab  
 12V 700 CCA Battery

**EXHAUST EMISSION CONTROL TYPE**

DPF System (Diesel Particulate Filter)

**HYDRAULICS / HITCH / DRAWBAR**

Open Center Gear Pump  
 Max. Flow @ Rated Engine Speed: 2600 RPM  
 Power Steering: 6.1 gpm  
 Impl. Flow: 11.0 gpm  
 Impl. Flow, 12 Speed: 16.2 gpm  
 Total Flow: 17.1 gpm  
 Total Flow , 12 Speed: 22.3 gpm

**REMOTE VALVES**

(1) SCD (Self Canceling Detent)

**3 POINT HITCH & DRAWBAR**

Cat I/II 3-Point Hitch  
 @ Lift Points: 4190 lbs  
 (ASAE)@24" Behind: 3307 lbs  
 Telescoping Lower Links  
 Telescoping Stabilizers  
 Swinging Drawbar - Straight

**POWER TAKE OFF**

Live-Independent Hyd. PTO  
 SAE 1 3/8" Six Spline  
 540 RPM @ 2295 Eng. RPM  
 540/540E Economy PTO Optional (12 Speed Standard)  
 Provides 540 PTO @ 1942 Eng. RPM

**TRANSMISSION**

Fully Synchronized Transmission  
 8F/ 8R or 12F / 12R Hydraulic-Shuttle  
 Planetary Final Drives  
 Rear Differential Lock

**FRONT AXLE**

Hydrostatic Power Steering  
 2WD: Tubular Steel Beam Telescoping  
 4WD: Cast Iron, Bevel Gear 55 Deg

**FLUID CAPACITY**

Fuel Tank Capacity ROPS: 18.5 gal  
 Fuel Tank Capacity Cab: 23.8 gal  
 Cooling System: 8.5 qts  
 Crankcase: 11.6 qts  
 Hydraulics/Trans: 59.2 qts  
 Front Axle 4WD: 5.8 qts

**INSTRUMENTS**

Tachometer/Hour meter  
 Oil Pressure  
 Fuel Gauge  
 Coolant Temperature

**TIRES AND WHEELS**

2WD: Front 9.5L x 15 F2  
 Rear 16.9 x 28 R1  
 4WD: Front 9.5 x 24 R1  
 Rear 16.9 x 28 R1

**OPERATOR PLATFORM**

Semi-Flat Deck with Hanging Pedals  
 High Back Seat with Adjustable  
 Suspension  
 Color Coded Controls  
 Cup Holder

**Cab (Ultra Grand Cab)**

Integral factory ROPS Certified  
 Flat Deck  
 Suspension Seat w/ Retractable  
 Seat Belt and Armrests  
 Dual Level Air Conditioning & Heater  
 Front Wiper w/ Washer - 2 Speed  
 Radio Ready, includes 2 Speakers  
 Antenna and Wiring Harness  
 2 Doors, Frameless all glass  
 Left & Right Side Steps  
 Sun Visor  
 Tilt Steering Wheel  
 Interior Dome Light  
 Accessory Plug 12V -15 Amp  
 Cup Holder  
 Ashtray  
 Horn

**LIGHTING**

2 Headlights - Tail lights  
 2 Hazard Flasher Lights w/  
 Turn Signals

**CAB LIGHTING**

2 Front Work Lights  
 2 Rear Work Lights

**SAFETY EQUIPMENT**

2 Post, ROPS Certified  
 Retractable Seat Belt  
 Flip-Up PTO Shield  
 Safety Start Switches:  
 Shuttle Lever Neutral  
 PTO - OPC Alarm 10 Sec.  
 Electric Key Shut Off  
 Parking Brake  
 Turn Signals  
 SMV Sign

Model Specifications	
M6060	M7060
SAE Gross HP: 66.4	SAE Gross HP: 74.3
Engine Net HP: 64.1	Engine Net HP: 71.9
Max . PTO HP: 56	Max . PTO HP: 64

**M60 Series M6060**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

**2WD MODELS**

\*\*\*STANDARD TRACTOR WITH STANDARD TIRES\*\*\*

M6060HFC	2WD Utility Cab Tractor	K34M829M60	5226 lbs	\$43,537.00
----------	-------------------------	------------	----------	-------------

<b>M6060HFC 2WD</b>		<b>Additional Price With Tire Option</b>		
---------------------	--	--	--	--

ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGGESTED LIST PRICE
------------	-------------	-------------	----------------	----------------------

<b>STANDARD TIRES</b>					
AMXR8789A*	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	75 lbs	MM0	Add	In Base Price
AMR8913B*	R-TIRE 16.9-28 R1 Firestone (SAT) II	299 lbs			

**AG - BIAS REAR**

AMXR8789A*	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	75 lbs	MM0	Add	\$0.00
AMR8913B*	R-TIRE 16.9-28 R1 Firestone (SAT) II	299 lbs			

AMXR8789A	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	75 lbs	K987M20	Add	\$1,234.00
AMR8565	R-TIRE 14.9-28 R1 F-STONE SAT II/CST	600 lbs			

AMXR8789A	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	75 lbs	K462M40	Less	(\$578.00)
AMR8901B	R-TIRE 14.9-28 R1 Firestone (SAT) II	255 lbs			

**TURF**

ALR8708	F-TIRE 29x12.50-15 R3 Titan Turf	83 lbs	K344M00	Less	(\$430.00)
AMR8979	R-TIRE 21.5L-16.1 R3 Firestone Turf&Fld	245 lbs			

AMR8545	F-TIRE 27x9.50-15 HF-1 Gdyr Terra Rib	65 lbs	K470M40	Less	(\$588.00)
AMR8979	R-TIRE 21.5L-16.1 R3 Firestone Turf&Fld	245 lbs			

ALR6818A	F-TIRE LSW305R343 R3 Titan Grizz LSW 430	70 lbs	K6M40	Add	\$8.00
AMR8541	R-TIRE LSW570-648 R3 Grizz LSW S.TF 5.75	261 lbs			

**TIRES AND WHEELS (priced per piece)**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
------------	-------------	----------------	-------------	----------------------

**AG - BIAS REAR**

AMXR8789*	F-TIRE 9.5L-15 F2 BKT Pro Rib	K256M00	75 lbs	\$320.00
-----------	-------------------------------	---------	--------	----------

AMR8913B*	R-TIRE 16.9-28 R1 Firestone (SAT) II	K1M026M40	299 lbs	\$1,283.00
-----------	--------------------------------------	-----------	---------	------------

AMXR8789A	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	K276M80	75 lbs	\$346.00
-----------	---------------------------------------	---------	--------	----------

AMR8565	R-TIRE 14.9-28 R1 F-STONE SAT II/CST	K1M520M00	600 lbs	\$1,900.00
---------	--------------------------------------	-----------	---------	------------

AMXR8789A	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	K276M80	75 lbs	\$346.00
-----------	---------------------------------------	---------	--------	----------

AMR8901B	R-TIRE 14.9-28 R1 Firestone (SAT) II	K795M20	255 lbs	\$994.00
----------	--------------------------------------	---------	---------	----------

**AG - RADIAL REAR**

**TURF**

ALR8708	F-TIRE 29x12.50-15 R3 Titan Turf	K308L80	83 lbs	\$386.00
---------	----------------------------------	---------	--------	----------

AMR8979	R-TIRE 21.5L-16.1 R3 Firestone Turf&Fld	K822M40	245 lbs	\$1,028.00
---------	---	---------	---------	------------

AMR8545	F-TIRE 27x9.50-15 HF-1 Gdyr Terra Rib	K245M60	65 lbs	\$307.00
---------	---------------------------------------	---------	--------	----------

AMR8979	R-TIRE 21.5L-16.1 R3 Firestone Turf&Fld	K822M40	245 lbs	\$1,028.00
---------	---	---------	---------	------------

AMXR8789	F-TIRE 9.5L-15 F2 BKT Pro Rib	K256M00	75 lbs	\$320.00
----------	-------------------------------	---------	--------	----------

AMR8938	R-TIRE 18.4-26 R3 (ANS) 17mm holes	K1M060M80	310 lbs	\$1,326.00
---------	------------------------------------	-----------	---------	------------

ALR6818A	F-TIRE LSW305R343 R3 Titan Grizz LSW 430	K324L80	70 lbs	\$406.00
----------	--	---------	--------	----------

AMR8541	R-TIRE LSW570-648 R3 Grizz LSW S.TF 5.75	K981M60	261 lbs	\$1,227.00
---------	--	---------	---------	------------

† See Tire Section for Individual Tire Pricing and Information  
 \* Standard tires.  
 \*\* Subject to Availability  
 ① Recommended for loader applications, increases base weight by approx. 600 lbs.  
 ② Requires 16 Shoulder Lug Nuts, order (16) 3A111-97810 Shoulder Lug Nuts for Field Installation from Parts Department.  
 ③ Not approved for Backhoe applications.  
 ④ For field installation, requires (12) 36500-49410 Spring Washers from Parts Department.



**M60 Series M7060**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

**2WD MODELS**

\*\*\*STANDARD TRACTOR WITH STANDARD TIRES\*\*\*

M7060HFC	2WD Utility Cab Tractor	K36M970M40	5248	\$46,213.00
----------	-------------------------	------------	------	-------------

**M7060HFC 2WD**

TIRES AND WHEELS†				Additional Price With Tire Option	
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGGESTED LIST PRICE	

**STANDARD TIRES**

AMXR8789*	F-TIRE 9.5L-15 F2 BKT Pro Rib	75 lbs			
AMR8932D*	R-TIRE 16.9-30 R1 DuraTorq 17mm holes	341 lbs	MM0	Add	In Base Price

**AG - BIAS REAR**

AMXR8789*	F-TIRE 9.5L-15 F2 BKT Pro Rib	75 lbs			
AMR8932D*	R-TIRE 16.9-30 R1 DuraTorq 17mm holes	341 lbs	MM0	Add	\$0.00

AMXR8789	F-TIRE 9.5L-15 F2 BKT Pro Rib	75 lbs			
AMR8935D	①② R-TIRE 16.9-30 R1 Gdyr DuraTorq Cast	618 lbs	K1K004M80	Add	\$1,256.00

AMR8980B	F-TIRE 10.00-16 F2 Champ Guide Grip TL	91 lbs			
AMR8932D	R-TIRE 16.9-30 R1 DuraTorq 17mm holes	341 lbs	K78M40	Add	\$98.00

AMR8980B	F-TIRE 10.00-16 F2 Champ Guide Grip TL	91 lbs			
AMR8935D	①② R-TIRE 16.9-30 R1 Gdyr DuraTorq Cast	618 lbs	K1K083M20	Add	\$1,354.00

**TURF**

AMXR8789	F-TIRE 9.5L-15 F2 BKT Pro Rib	75 lbs			
AMR8938	R-TIRE 18.4-26 R3 (ANS) 17mm holes	310 lbs	K41M60	Add	\$52.00

AMR8545	F-TIRE 27x9.50-15 HF-1 Gdyr Terra Rib	65 lbs			
AMR8979	③④ R-TIRE 21.5L-16.1 R3 Firestone Turf&Fld	245 lbs	K456M00	Less	(\$570.00)

ALR8708	F-TIRE 29x12.50-15 R3 Titan Turf	83 lbs			
AMR8979	③④ R-TIRE 21.5L-16.1 R3 Firestone Turf&Fld	245 lbs	K329M60	Less	(\$412.00)

ALR6818A	F-TIRE LSW305R343 R3 Titan Grizz LSW 430	70 lbs			
AMR8541	④ R-TIRE LSW570-648 R3 Grizz LSW S.TF 5.75	261 lbs	K20M80	Add	\$26.00

**TIRES AND WHEELS (priced per piece)**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
------------	-------------	----------------	-------------	----------------------

**AG - BIAS REAR**

AMXR8789*	F-TIRE 9.5L-15 F2 BKT Pro Rib		K256M00	75 lbs	\$320.00
AMR8932D*	R-TIRE 16.9-30 R1 DuraTorq 17mm holes		K1M040M00	341 lbs	\$1,300.00

AMXR8789	F-TIRE 9.5L-15 F2 BKT Pro Rib		K256M00	75 lbs	\$320.00
AMR8935D	①② R-TIRE 16.9-30 R1 Gdyr DuraTorq Cast		K1M542M40	618 lbs	\$1,928.00

AMR8980B	F-TIRE 10.00-16 F2 Champ Guide Grip TL		K295M20	91 lbs	\$369.00
AMR8932D	R-TIRE 16.9-30 R1 DuraTorq 17mm holes		K1M040M00	341 lbs	\$1,300.00

AMR8980B	F-TIRE 10.00-16 F2 Champ Guide Grip TL		K295M20	91 lbs	\$369.00
AMR8935D	①② R-TIRE 16.9-30 R1 Gdyr DuraTorq Cast		K1M542M40	618 lbs	\$1,928.00

**TURF**

AMXR8789	F-TIRE 9.5L-15 F2 BKT Pro Rib		K256M00	75 lbs	\$320.00
AMR8938	R-TIRE 18.4-26 R3 (ANS) 17mm holes		K1M060M80	310 lbs	\$1,326.00

AMR8545	F-TIRE 27x9.50-15 HF-1 Gdyr Terra Rib		K245M60	65 lbs	\$307.00
AMR8979	③④ R-TIRE 21.5L-16.1 R3 Firestone Turf&Fld		K822M40	245 lbs	\$1,028.00

ALR8708	F-TIRE 29x12.50-15 R3 Titan Turf		K308L80	83 lbs	\$386.00
AMR8979	③④ R-TIRE 21.5L-16.1 R3 Firestone Turf&Fld		K822M40	245 lbs	\$1,028.00

ALR6818A	F-TIRE LSW305R343 R3 Titan Grizz LSW 430		K324L80	70 lbs	\$406.00
AMR8541	④ R-TIRE LSW570-648 R3 Grizz LSW S.TF 5.75		K981M60	261 lbs	\$1,227.00

† See Tire Section for Individual Tire Pricing and Information  
 \* Standard tires.  
 ① Recommended for loader applications, increases base weight by approx. 600 lbs.  
 ② For field installation of Cast Iron Dish, requires 16 Shoulder Lug Nuts, order (16) 3A111-97810 Shoulder Lug Nuts from Parts Department.  
 ③ Not approved for Backhoe applications.  
 ④ For field installation, requires (12) 36500-49410 Spring Washers from Parts Department.

**M60 Series M6060**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

**4WD MODELS**  
\*\*\*STANDARD TRACTOR WITH STANDARD TIRES\*\*\*

M6060HD	4WD Utility 2 Post Foldable ROPS Tractor	K30M478M40	5358 lbs	\$38,098.00
M6060HDC	4WD Utility Cab Tractor	K38M180M00	5358 lbs	\$47,725.00

M6060 4WD		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGGESTED LIST PRICE
<b>TIRES AND WHEELS†</b>				
<b>STANDARD TIRES</b>				
AMR8955C*	F-TIRE 9.5-24 R1 Goodyear Dura Torque	130 lbs	MM0	Add
AMR8901B*	R-TIRE 14.9-28 R1 Firestone (SAT) II	255 lbs		In Base Price
<b>AG - BIAS REAR</b>				
AMR8955C*	F-TIRE 9.5-24 R1 Goodyear Dura Torque	130 lbs	MM0	Add
AMR8901B*	R-TIRE 14.9-28 R1 Firestone (SAT) II	255 lbs		\$0.00
AMR8955C	F-TIRE 9.5-24 R1 Goodyear Dura Torque	130 lbs	K462M40	Add
AMR8913B	R-TIRE 16.9-28 R1 Firestone (SAT) II	299 lbs		\$578.00
AMR8955C	F-TIRE 9.5-24 R1 Goodyear Dura Torque	130 lbs	K1M449M60	Add
AMR8565	①③ R-TIRE 14.9-28 R1 F-STONE SAT II/CST	600 lbs		\$1,812.00
<b>AG - RADIAL REAR</b>				
AMR8586	F-TIRE 320/85R20 R1W ALCE FRMPRO	166 lbs	K699M20	Add
AMR8577	R-TIRE 420/70R28 R1W ALLIANCE 370	300 lbs		\$874.00
AMR8586	F-TIRE 320/85R20 R1W ALCE FRMPRO	166 lbs	K2K548M80	Add
AMR8570	①③ R-TIRE 420/70R28 R1W ALLIANCE 370 Cast	650 lbs		\$3,186.00
<b>TURF</b>				
AMR8526	② F-TIRE LSW305-521R3 Grizz LSW Soft Turf	113 lbs	K342M40	Add
AMR8541	R-TIRE LSW570-648 R3 Grizz LSW S.TF 5.75	261 lbs		\$428.00
<b>INDUSTRIAL</b>				
AMR8808	F-TIRE 12.5/80-18 I3 Ttn Contrac 8stud	159 lbs	K534M40	Add
ALR8917	R-TIRE 16.9-24 R4 Titan Ind Tractor Lug	267 lbs		\$668.00

TIRES AND WHEELS (priced per piece)				
ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
<b>AG - BIAS REAR</b>				
AMR8955C*	F-TIRE 9.5-24 R1 Goodyear Dura Torque	K414M40	130 lbs	\$518.00
AMR8901B*	R-TIRE 14.9-28 R1 Firestone (SAT) II	K795M20	255 lbs	\$994.00
AMR8955C	F-TIRE 9.5-24 R1 Goodyear Dura Torque	K414M40	130 lbs	\$518.00
AMR8913B	R-TIRE 16.9-28 R1 Firestone (SAT) II	K1M026M40	299 lbs	\$1,283.00
AMR8955C	F-TIRE 9.5-24 R1 Goodyear Dura Torque	K414M40	130 lbs	\$518.00
AMR8565	①③ R-TIRE 14.9-28 R1 F-STONE SAT II/CST	K1M520M00	600 lbs	\$1,900.00
<b>AG - RADIAL REAR</b>				
AMR8586	F-TIRE 320/85R20 R1W ALCE FRMPRO	K545M60	166 lbs	\$682.00
AMR8577	R-TIRE 420/70R28 R1W ALLIANCE 370	K1M013M60	300 lbs	\$1,267.00
AMR8586	F-TIRE 320/85R20 R1W ALCE FRMPRO	K545M60	166 lbs	\$682.00
AMR8570	①③ R-TIRE 420/70R28 R1W ALLIANCE 370 Cast	K1M938M40	650 lbs	\$2,423.00
<b>TURF</b>				
AMR8526	② F-TIRE LSW305-521R3 Grizz LSW Soft Turf	K399M20	113 lbs	\$499.00
AMR8541	R-TIRE LSW570-648 R3 Grizz LSW S.TF 5.75	K981M60	261 lbs	\$1,227.00
<b>INDUSTRIAL</b>				
AMR8808	F-TIRE 12.5/80-18 I3 Ttn Contrac 8stud	K612M80	159 lbs	\$766.00
ALR8917	R-TIRE 16.9-24 R4 Titan Ind Tractor Lug	K864L00	267 lbs	\$1,080.00

† See Tire Section for Individual Tire Pricing and Information  
 \* Standard tires.  
 ① Recommended for loader applications, increases base weight by approx. 600 lbs.  
 ② For field installation, requires (12) 04512-60140 Spring Washers from Parts Department.  
 ③ Requires (16) qty - 3A111-97810 Shoulder Lug Nuts for Field Installation

**M60 Series M7060**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>4WD MODELS</b>				
<b>***STANDARD TRACTOR WITH STANDARD TIRES***</b>				
M7060HD	4WD Utility 2 Post Foldable ROPS Tractor	K32M658M40	5027 lbs	\$40,823.00
M7060HDC	4WD Utility Cab Tractor	K40M360M80	5380 lbs	\$50,451.00
M7060HD12	4WD Utility 2 Post Foldable ROPS Tractor	K34M662M40	5027 lbs	\$43,328.00
M7060HDC12	4WD Utility Cab Tractor	K42M364M00	5380 lbs	\$52,955.00

**M7060 4WD**

**Additional Price With Tire Option**

ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGGESTED LIST PRICE
------------	-------------	-------------	----------------	----------------------

**STANDARD TIRES**

AMR8955C*	F-TIRE 9.5-24 R1 Goodyear Dura Torque	130 lbs	MM0	Add	In Base Price
AMR8932D*	R-TIRE 16.9-30 R1 DuraTorq 17mm holes	341 lbs			

**AG - BIAS REAR**

AMR8955C*	F-TIRE 9.5-24 R1 Goodyear Dura Torque	130 lbs	MM0	Add	\$0.00
AMR8932D*	R-TIRE 16.9-30 R1 DuraTorq 17mm holes	341 lbs			

AMR8955C	F-TIRE 9.5-24 R1 Goodyear Dura Torque	130 lbs	K1K004M80	Add	\$1,256.00
AMR8935D ①③	R-TIRE 16.9-30 R1 Gdyr DuraTorq Cast	618 lbs			

MR8956	F-TIRE 9.50-20 R1 B-Stone Farm Svc Lug M	98 lbs	K601M60	Less	(\$752.00)
MR8924B	R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.8"	263 lbs			

**AG - RADIAL REAR**

AMR8605	F-TIRE LSW320/70R24 GDYR OPTI R1W	220 lbs	K334M40	Add	\$418.00
AMR8616A	RT TITN 420/75R34 142D R1W 8BOLT	460 lbs			

AMR8605	F-TIRE LSW320/70R24 GDYR OPTI R1W	220 lbs	K2M876M80	Add	\$3,596.00
AMR8640 ①⑤	R-TIRE LSW 420/75R34 GDYR OPTI R1W CST	949 lbs			

AMR8586	F-TIRE 320/85R20 R1W ALCE FRMPRO	166 lbs	M227M20	Add	\$284.00
AMR8588	R-TIRE 420/85R30 RIW ALCE FRMPRO	400 lbs			

**TURF**

AMR8536	F-TIRE 29x12.50-15 R3 Ttn MultiTrac8stud	77 lbs	K700M80	Less	(\$876.00)
AMR8979 ②	R-TIRE 21.5L-16.1 R3 Firestone Turf&Fld	245 lbs			

MR8954B	F-TIRE 9.50-24 R3 Gdyr All Weather TL	113 lbs	K72M00	Add	\$90.00
AMR8938	R-TIRE 18.4-26 R3 (ANS) 17mm holes	310 lbs			

AMR8526 ④	F-TIRE LSW305-521R3 Grizz LSW Soft Turf	113 lbs	K147M20	Less	(\$184.00)
AMR8541	R-TIRE LSW570-648 R3 Grizz LSW S.TF 5.75	261 lbs			

**INDUSTRIAL**

AMR8797	F-TIRE 14-17.5 R4 WITH 0.55" INSET	168 lbs	K44M80	Add	\$56.00
ALR8917	R-TIRE 16.9-24 R4 Titan Ind Tractor Lug	267 lbs			

**AG/INDUSTRIAL HYBRID**

AMR8040	F-TIRE LSW320/70R24 GDYR R14T	195 lbs	M520M00	Add	\$650.00
AMR8047A	RT TITN 420/75R34 142D R14T 8 BOLT	422 lbs			

AMR8040	F-TIRE LSW320/70R24 GDYR R14T	195 lbs	K3M144M00	Add	\$3,930.00
AMR8089	RT TITN 420/75R34 142D R14T CST 8BLT	949 lbs			

† See Tire Section for Individual Tire Pricing and Information  
 \* Standard tires.  
 ① Recommended for loader applications, increases base weight by approx. 600-1100 lbs.  
 ② Not approved for Backhoe applications.  
 ③ Requires (16) qty - 3A111-97810 Shoulder Lug Nuts for Field Installation  
 ④ For field installation, requires (16) 04512-60140 Spring Washers from Parts Department.  
 ⑤ For field installation, requires (16) [33251-49170] Lug Nuts from Parts Department.

**M60 Series**

**M7060**

TIRES AND WHEELS (priced per piece)				
ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
<b>AG - BIAS REAR</b>				
AMR8955C*	F-TIRE 9.5-24 R1 Goodyear Dura Torque	K414M40	130 lbs	\$518.00
AMR8932D*	R-TIRE 16.9-30 R1 DuraTorq 17mm holes	K1M040M00	341 lbs	\$1,300.00
AMR8955C	F-TIRE 9.5-24 R1 Goodyear Dura Torque	K414M40	130 lbs	\$518.00
AMR8935D	①③ R-TIRE 16.9-30 R1 Gdyr DuraTorq Cast	K1M542M40	618 lbs	\$1,928.00
MR8956	F-TIRE 9.50-20 R1 B-Stone Farm Svc Lug M	K309M60	98 lbs	\$387.00
MR8924B	R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.8"	K844M00	263 lbs	\$1,055.00
<b>AG - RADIAL REAR</b>				
AMR8605	⑤ F-TIRE LSW320/70R24 GDYR OPTI R1W	K537M60	220 lbs	\$672.00
AMR8616A	RT TITN 420/75R34 142D R1W 8BOLT	K1M084M00	460 lbs	\$1,355.00
AMR8605	F-TIRE LSW320/70R24 GDYR OPTI R1W	K537M60	220 lbs	\$672.00
AMR8640	①④⑥ R-TIRE LSW 420/75R34 GDYR OPTI R1W CST	K2M355M20	949 lbs	\$2,944.00
AMR8586	F-TIRE 320/85R20 R1W ALCE FRMPRO	K545M60	166 lbs	\$682.00
AMR8588	R-TIRE 420/85R30 RIW ALCE FRMPRO	K1M022M40	400 lbs	\$1,278.00
<b>TURF</b>				
AMR8536	F-TIRE 29x12.50-15 R3 Ttn MultiTrac8stud	K281M60	77 lbs	\$352.00
AMR8979	② R-TIRE 21.5L-16.1 R3 Firestone Turf&Fld	K822M40	245 lbs	\$1,028.00
MR8954B	F-TIRE 9.50-24 R3 Gdyr All Weather TL	K429M60	113 lbs	\$537.00
AMR8938	R-TIRE 18.4-26 R3 (ANS) 17mm holes	K1M060M80	310 lbs	\$1,326.00
AMR8526	④ F-TIRE LSW305-521R3 Grizz LSW Soft Turf	K399M20	113 lbs	\$499.00
AMR8541	R-TIRE LSW570-648 R3 Grizz LSW S.TF 5.75	K981M60	261 lbs	\$1,227.00
<b>INDUSTRIAL</b>				
AMR8797	F-TIRE 14-17.5 R4 WITH 0.55" INSET	K612M80	168 lbs	\$766.00
ALR8917	R-TIRE 16.9-24 R4 Titan Ind Tractor Lug	K864L00	267 lbs	\$1,080.00
<b>AG/INDUSTRIAL HYBRID</b>				
AMR8040	F-TIRE LSW320/70R24 GDYR R14T	K574M40	195 lbs	\$718.00
AMR8047A	RT TITN 420/75R34 142D R14T 8 BOLT	K1M140M00	422 lbs	\$1,425.00
AMR8040	F-TIRE LSW320/70R24 GDYR R14T	K574M40	195 lbs	\$718.00
AMR8089	RT TITN 420/75R34 142D R14T CST 8BLT	K2M452M00	949 lbs	\$3,065.00

- \* Standard tires.
- ① Recommended for loader applications, increases base weight by approx. 600-1100 lbs.
- ② Not approved for Backhoe applications.
- ③ Requires (16) qty - 3A111-97810 Shoulder Lug Nuts for Field Installation
- ④ For field installation, requires (16) 04512-60140 Spring Washers from Parts Department.
- ⑤ Steering Stops must be adjusted if 60" centers are required.  
 For field installation, requires (16) [33251-49170] Lug Nuts from Parts Department.

**M60 Series M6060/M7060**

**DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>HYDRAULICS/HITCH/DRAWBAR</b>				
<b>HYDRAULIC REAR REMOTE VALVES</b>				
M7604	SCD (Self Canceling Detent) for ROPS	K644M80	13 lbs	\$806.00
M7605	FD (Float Detent) for ROPS	K636M80	11 lbs	\$796.00
M7610	SCD (Self Canceling Detent) for CAB	K644M80	13 lbs	\$806.00
M7611	FD (Float Detent) for CAB	K636M80	11 lbs	\$796.00
<b>REMOTE VALVE LEVER KITS</b>				
M7607	2nd Position Lever Kit for ROPS	K130M40	3 lbs	\$163.00
M7608	3rd Position Lever Kit for ROPS	K130M40	5 lbs	\$163.00
M7687	2nd Position Lever Kit for Cab	K130M40	4 lbs	\$163.00
M7688	3rd Position Lever Kit for Cab	K130M40	3 lbs	\$163.00
<b>DRAWBAR CLEVIS</b>				
M9594	Drawbar Clevis	K64M80	10 lbs	\$81.00
<b>DROP DRAWBAR</b>				
M9201	Drop Drawbar	K115M20	21 lbs	\$144.00
<b>TRANSMISSION</b>				
<b>CREEP SPEED KITS</b>				
M7691	Creep Speed Cassette Type for 8-Speed Transmission	K627M20	15 lbs	\$784.00
M7680	Creep Speed Cassette Type for 12-Speed Transmission	K627M20	15 lbs	\$784.00
<b>DUAL SPEED PTO KITS</b>				
M7690	540/540E Economy PTO	K949M60	72 lbs	\$1,187.00
<b>FRONT &amp; REAR AXLE</b>				
<b>FRONT FENDER KIT (SWIVEL TYPE)</b>				
M9290	Fender Mounting Kit Requires Plastic Fenders Not Compatible with Loader Applications Not Compatible with 2WD Tractors Requires two (2) part # 3C294-43300 Pre-Drilled Front Wheel Case Supports	K726M40	68 lbs	\$908.00
M9208	Plastic Fenders Includes two 14.9" wide Fenders Requires Fender Mounting Kit	K101M60	7 lbs	\$127.00
<b>REAR AXLE SPACER KIT</b>				
M9564	Rear Axle Space Kit, adds 2 inches per side Provides 72" spacing with Ag Tires	K799M20	52 lbs	\$999.00

**M60 Series M6060/M7060**

**DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

**ROPS ACCESSORIES**

<b>CANOPY</b>				
E1134	Deluxe Fiberglass Canopy (ROPS Models) Requires Mounting Kit	K360M80	63 lbs	\$451.00
E1136	Mounting Kit	K178M40	29 lbs	\$223.00
E1138	Work Light Set for Canopy (Optional 2-lights)	K136A80	3 lbs	\$171.00
<b>DOWN EXHAUST PIPE KIT</b>				
M7956	Pipe Kit	K308M80	19 lbs	\$386.00
<b>HIGH CAPACITY ALTERNATOR KIT</b>				
M7965	100 Amp High Capacity Alternator Kit	K470M40	10 lbs	\$588.00
<b>REAR WORK LIGHT</b>				
M7630	Rear Working Auxiliary Light for ROPS Maximum 1 Light per Tractor	K79M20	3 lbs	\$99.00

**CAB ACCESSORIES**

M7649	Rear Window Wiper Kit	K216M80	4 lbs	\$271.00
M9270	Air Ride Seat Suspension Kit Requires Wire Harness (M9205)	K512M00	49 lbs	\$640.00
M9205	Air Ride Seat Wire Harness	K19M20	1 lbs	\$24.00
M7698	Elec-Defogger Kit and 100 Amp Alternator	K716M00	60 lbs	\$895.00
M7964	Mid Mount Work Light Kit Requires High Capacity Alternator Kit	K320M80	8 lbs	\$401.00
3C581-97010	Monitor Bracket, Universal Type	(Order from Parts Department)		
77700-01098	12V/3-Pin 30 Amp Coupler Pigtail, 12" Long	(Order from Parts Department)		
<b>HIGH CAPACITY ALTERNATOR KIT</b>				
M7965	100 Amp High Capacity Alternator Kit	K470M40	10 lbs	\$588.00
<b>JENSEN RADIO OPTIONS</b>				
77700-04753	Radio, AM/FM/WB/AUX	(Order from Parts Department)		
77700-04754	Radio, AM/FM/WB/AUX/USB/IPOD/SAT	(Order from Parts Department)		
77700-04755	Radio, AM/FM/WB/AUX/USB/IPOD/SAT/CD/Bluetooth	(Order from Parts Department)		

**ADDITIONAL ACCESSORIES**

<b>BLOCK HEATER</b>				
70000-73274	Block Heater	(Order from Parts Department)		
M3197	CCV Heater KT M6060/7060 CAB US	K578M40	22 lbs	\$723.00
<b>GRILL GUARD</b>				
M6872	Grill Guard Kit Compatible with M8075 front bumper weight Not Compatible with M1875A front weight bracket	K225M60	57 lbs	\$282.00
<b>REPLACEMENT CAB</b>				
M7034	Replacement Ultra Grand Cab 8 speed - Field Installation Required	K7M764M80	1000 lbs	\$9,706.00
M7035	Replacement Ultra Grand Cab 12 speed - Field Installation Required	K7M764M80	1000 lbs	\$9,706.00
<b>REPLACEMENT ROPS</b>				
SFM-F70A	Replacement ROPS - Field Installation Required	(Order from Parts Department)		

**KubotaNOW TELEMATICS**

<b>Each order will require the DCU6700 modem and wiring harness as listed below:</b>				
DCU6700	AT&T Telematics Modem	K317A68	1 lbs	\$418.00
M6713	M Series Telematics Harness	K79M20	1 lbs	\$99.00
<b>KubotaNOW Telematics Service includes a three (3) year term with a Dealer Net cost of \$399 and a total list price of \$525</b>				
<b>As of November 2nd, KubotaNOW will be available for Dealer Owned and Dealer Rental Fleet Machines.</b>				

**M60 Series M6060/M7060**

**DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>BALLAST</b>				
<b>FRONT WEIGHT BRACKETS</b>				
M8075	Front Weight Bumper (230 lbs. each) Standard for 2WD models Requires Bolt Kit Up to 10 Front Suitcase Weights	K368M00	223 lbs	\$460.00
<b>FRONT SUITCASE WEIGHTS</b>				
M8079	Suitcase Weight Requires Front Weight Bumper and Bolt/Bar Kit Not Compatible with Loader	K94M40	102 lbs	\$118.00
<b>FRONT WEIGHT BOLT/BAR KITS</b>				
M8076	Front Bumper Bolt Kit for M8075 Standard on 2WD Models	K53M60	4 lbs	\$67.00
M8073A	Bolt/Bar Kit for M8075 One Kit per 10 Front Suitcase Weights	K60M00	10 lbs	\$75.00
<b>REAR WHEEL WEIGHTS</b>				
LM8124	Rear Wheel Weight Kit (103 lbs. each) Set of 2, Requires Rear Wheel Bolt Kit Maximum of 3 Sets on Steel Dish Wheels Maximum of 2 Sets on Cast Dish Wheels Use with 24" or 26" Steel Dish Wheels Not Compatible with Turf Tires	K260M80	206 lbs	\$326.00
M8126A	Rear Wheel Weight Kit (164 lbs. each) Set of 2, Requires Rear Wheel Bolt Kit Maximum of 3 Sets on Steel Dish Wheels Maximum of 2 Sets on Cast Dish Wheels Use with 28", 30", and 34" Wheels	K289M60	328 lbs	\$362.00
<b>REAR WHEEL WEIGHT BOLT KITS</b>				
M8119B	Bolt Kit for 1st Wheel Weight Kit on Cast Dish Wheels	K24M80	6 lbs	\$31.00
LM8125A	Bolt Kit for 1st Wheel Weight Kit on Steel Dish Wheels	K61M60	5 lbs	\$77.00
M8127B	Bolt Kit for 2nd and 3rd Set of M8126A Weights Required for 2nd & 3rd Set on ALL Steel Dish Wheels Required for 2nd Set on Cast Dish Wheels	K23M20	6 lbs	\$29.00
M8121A	Bolt Kit for 2nd and 3rd Set of LM8124 Weights One Bolt Kit per Weight Set	K27M20	8 lbs	\$34.00
<b>BALLAST BOX</b>				
M8180	Ballast Box - 3-Point Mount 1280 lbs. Capacity with Dry Sand (13 cu. ft.)	K587M20	220 lbs	\$734.00

**M60 Series****M6060/M7060****FRONT END LOADER**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

**FRONT END LOADER**

LA1154A	Front Loader (2 Lever Type Quick Coupler) Includes Mounting Kit, Parking Stands, Quick Coupler and Grill Guard DOES NOT INCLUDE VALVE, BUCKET must be ordered separately	K4M745M60	1543 lbs	\$5,932.00
---------	---	-----------	----------	------------

**VALVE KITS**

M7995	Standard Valve Kit for ROPS	K938M40	75 lbs	\$1,173.00
M7996	Standard Valve Kit for Cab	K938M40	81 lbs	\$1,173.00
M7998	Hydraulic Self-Leveling Valve Kit for ROPS	K1M774M40	101 lbs	\$2,218.00
M7999	Hydraulic Self-Leveling Valve Kit for Cab	K1M774M40	92 lbs	\$2,218.00

**LOADER ACCESSORY KITS**

<b>3RD FUNCTION VALVE</b>				
M7991	3rd Function Valve Kit for ROPS	K886M40	61 lbs	\$1,108.00
M7992	3rd Function Valve Kit for Cab	K886M40	62 lbs	\$1,108.00
<b>SHOCKLESS RIDE</b>				
M7993	KSR (Kubota Shockless Ride) Accumulator	K574M40	47 lbs	\$718.00
<b>QUICK CONNECT</b>				
M1869	Hydraulic Quick Connect Single Lever	K665M60	22 lbs	\$832.00

**QA BUCKETS & ACCESSORIES**

M1811	72" 2 Lever QA Bucket	K656M80	400 lbs	\$821.00
M1815	84" Bucket High Capacity, 2 Lever QA For Light Material Use	K876M80	400 lbs	\$1,096.00
L2245	72" 4-in-1 Bucket Requires 3rd Function Valve	K2L027L20	675 lbs	\$2,534.00
M9247	72" Hay Grapple Bucket 4 Tines, 2-Hyd. Cylinders, 2 Lever QA Coupler Requires 3rd Function Valve Requires 2- Hyd. 1/2" QA couplers, .375 fittings (Obtain Locally, i.e. Pioneer, Parker, or Flat Face)	K3M348M00	1090 lbs	\$4,185.00
<b>BUCKET ACCESSORIES</b>				
M1057	Bucket Tine Kit for 72" 2 Lever QA Bucket	K260M80	79 lbs	\$326.00
<b>BALE SPEARS</b>				
M1804	Bale Spear 2 Lever Type QA	K713M60	195 lbs	\$892.00

**PALLET FORM FRAME / PALLET FORKS**

M1809	Pallet Fork Frame 2 Lever QA Requires 42" or 48" Forks	K660M80	200 lbs	\$826.00
K9058	42" Pallet Forks	K451L20	196 lbs	\$564.00
K9059	48" Pallet Forks	K480K80	218 lbs	\$601.00



---

**M60 SERIES**

**M6060/M7060**

---

**Approved Attachments**

See Website for Landpride Attachments List

**M4 SERIES**

**M4 Standard and Deluxe**

\*\*\* EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS \*\*\*

**DIESEL ENGINE**

Kubota V3307 Direct Injection  
 3.3L (203 cu. in.) 4 Cyl  
 EPA Tier 4 Emission Certified  
 Common Rail Electronic Fuel Injection  
 Electronic Engine Management  
 Constant RPM Management  
 Turbocharged  
 130 Amp Alternator  
 12V 900 CCA Battery

**EXHAUST EMISSION CONTROL TYPE**

DPF System (Diesel Particulate Filter)

**HYDRAULICS / HITCH / DRAWBAR**

Open Center Gear Pump  
 Max. Flow @ Rated Engine Speed: 2400 RPM  
 Power Steering: 6.3 gpm  
 Impl. Flow: 16.7 gpm  
 Total Flow

**REMOTE VALVES**

M4 Standard (1) SCD (Self Canceling Detent)

M4 Deluxe (2) SCD (Self Canceling Detent) FD (Floating Detent)

**3 POINT HITCH & DRAWBAR**

Cat I/II 3-Point Hitch  
 @ Lift Points: 4189  
 (ASAE)@24" Behind: 3307  
 Telescoping Lower Links  
 Telescoping Stabilizers  
 Swinging Drawbar - Straight

**POWER TAKE OFF**

Live-Independent Hyd. PTO  
 SAE 1 3/8" Six Spline  
 540 RPM @ 2160 Eng. RPM  
 540/540E Economy Optional on Standard Model  
 Provides 540 PTO @ 1828 Eng. RPM

**TRANSMISSION**

Fully Synchronized Transmission  
 12F / 12R Electro Hydraulic-Shuttle  
 Electronic De-clutch Button  
 Planetary Final Drives  
 Rear Differential Lock

**FRONT AXLE**

Hydrostatic Power Steering  
 4WD: Cast Iron, Bevel Gear 55 Deg

**FLUID CAPACITY**

Fuel Tank Capacity Cab: 23.8 gal  
 Cooling System: 10.6 qts  
 Crankcase: 12.7 qts  
 Hydraulics/Trans: 50.8 qts  
 Front Axle 4WD: 5.8 qts

**INSTRUMENTS**

Tachometer/Hour meter  
 Oil Pressure  
 Fuel Gauge  
 Coolant Temperature

**TIRES AND WHEELS**

4WD: Front 320/70R24  
 Rear 420/75R34

**CAB (Ultra Grand Cab Category II)**

Category 2 Pressurized  
 Flat Deck  
 Suspension Seat w/ Retractable  
 Seat Belt and Adjustable Armrests  
 Adjustable backrest and headrest  
 Dual Level Air Conditioning & Heater  
 Front Wiper w/ Washer - 2 Speed  
 Radio Ready, includes 2 Speakers  
 Antenna and Wiring Harness  
 2 Doors, Frameless all glass  
 Left & Right Side Steps  
 High Visibility Roof Panel  
 Sun Visor  
 Tilt Steering Wheel  
 Interior Dome Light  
 Accessory Plug 12V -15 Amp  
 Cup Holder  
 Ashtray  
 Horn  
 Interior Console Light

**LIGHTING**

2 Headlights - Tail lights  
 2 Hazard Flasher Lights w/  
 Turn Signals

**CAB LIGHTING**

Standard: Halogen  
 Deluxe: LED

2 Front Work Lights  
 2 Rear Work Lights

**SAFETY EQUIPMENT**

Backup Alarm Ready  
 Beacon Light Ready  
 Retractable Seat Belt  
 Flip-Up PTO Shield  
 Safety Start Switches:  
 Shuttle Lever Neutral  
 PTO - OPC Alarm 10 Sec.  
 Electric Key Shut Off  
 Parking Brake  
 Turn Signals  
 SMV Sign  
 Deluxe: Electric 4wd Engagment

Model Specifications	
M4-061	M4-071
SAE Gross HP: 66.4	SAE Gross HP: 74.3
Engine Net HP: 60.9	Engine Net HP: 68.7
Max . PTO HP: 52	Max . PTO HP: 60

**M4 Series M4 Standard and Deluxe**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

**4WD MODELS**

\*\*\*STANDARD TRACTOR WITH STANDARD TIRES\*\*\*

M4D-061HDC12	4WD Deluxe Utility Cab Tractor	K46M112M80	5027 lbs	\$57,641.00
M4-071HDC12	4WD Utility Cab Tractor	K45M045M60	5380 lbs	\$56,307.00
M4D-071HDC12	4WD Deluxe Utility Cab Tractor	K47M812M00	5027 lbs	\$59,765.00

M4 Series		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGGESTED LIST PRICE
<b>TIRES AND WHEELS†</b>				
<b>STANDARD TIRES</b>				
AMR8605*	⑥ F-TIRE LSW320/70R24 GDYR OPTI R1W	220 lbs	MM0	Add
AMR8616A*	③ RT TITN 420/75R34 142D R1W 8BOLT	460 lbs		In Base Price
<b>AG - BIAS REAR</b>				
AMR8955C	F-TIRE 9.5-24 R1 Goodyear Dura Torque	130 lbs	M334M40	Less
AMR8932D	R-TIRE 16.9-30 R1 DuraTorq 17mm holes	341 lbs		-\$418.00
AMR8955C	F-TIRE 9.5-24 R1 Goodyear Dura Torque	130 lbs	M670M40	Add
AMR8935D	⑤ R-TIRE 16.9-30 R1 Gdyr DuraTorq Cast	618 lbs		\$838.00
MR8956	F-TIRE 9.50-20 R1 B-Stone Farm Svc Lug M	98 lbs	M936M00	Less
MR8924B	R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.8"	263 lbs		-\$1,170.00
<b>AG - RADIAL REAR</b>				
AMR8605*	⑥ F-TIRE LSW320/70R24 GDYR OPTI R1W	220 lbs	MM0	Add
AMR8616A*	③ RT TITN 420/75R34 142D R1W 8BOLT	460 lbs		\$0.00
AMR8605	⑥ F-TIRE LSW320/70R24 GDYR OPTI R1W	220 lbs	K2M542M40	Add
AMR8640	①④ R-TIRE LSW 420/75R34 GDYR OPTI R1W CST	949 lbs		\$3,178.00
<b>TURF</b>				
AMR8536	F-TIRE 29x12.50-15 R3 Ttn MultiTrac8stud	77 lbs	K1M035M20	Less
AMR8979	R-TIRE 21.5L-16.1 R3 Firestone Turf&Fld	245 lbs		-\$1,294.00
MR8954B	F-TIRE 9.50-24 R3 Gdyr All Weather TL	113 lbs	M262M40	Less
AMR8938	R-TIRE 18.4-26 R3 (ANS) 17mm holes	310 lbs		-\$328.00
AMR8526	③ F-TIRE LSW305-521R3 Grizz LSW Soft Turf	113 lbs	M481M60	Less
AMR8541	R-TIRE LSW570-648 R3 Grizz LSW S.TF 5.75	261 lbs		-\$602.00
<b>INDUSTRIAL</b>				
AMR8797	F-TIRE 14-17.5 R4 WITH 0.55" INSET	168 lbs	M289M60	Less
ALR8917	R-TIRE 16.9-24 R4 Titan Ind Tractor Lug	267 lbs		-\$362.00
<b>AG/INDUSTRIAL HYBRID</b>				
AMR8040	F-TIRE LSW320/70R24 GDYR R14T	195 lbs	M185M60	Add
AMR8047A	RT TITN 420/75R34 142D R14T 8 BOLT	422 lbs		\$232.00
AMR8040	F-TIRE LSW320/70R24 GDYR R14T	195 lbs	K2M809M60	Add
AMR8089	RT TITN 420/75R34 142D R14T CST 8BLT	949 lbs		\$3,512.00

† See Tire Section for Individual Tire Pricing and Information

\* Standard tires.

- ① Recommended for loader applications, increases base weight by approx. 1100 lbs.
- ③ For field installation, requires (16) 04512-60140 Spring Washers from Parts Department.
- ④ For field installation, requires (16) [33251-49170] Lug Nuts from Parts Department.
- ⑤ Requires (16) qty - 3A111-97810 Shoulder Lug Nuts for Field Installation
- ⑥ Steering Stops must be adjusted if 60" centers are required.

**M4 Series**

**M4 Standard and Deluxe**

TIRES AND WHEELS (priced per piece)					
ORDER CODE	DESCRIPTION		FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
<b>AG - BIAS REAR</b>					
AMR8955C	F-TIRE 9.5-24 R1 Goodyear Dura Torque	130 lbs	K414M40	130 lbs	\$518.00
AMR8932D	R-TIRE 16.9-30 R1 DuraTorq 17mm holes	341 lbs	K1M040M00	341 lbs	\$1,300.00
AMR8955C	F-TIRE 9.5-24 R1 Goodyear Dura Torque	130 lbs	K414M40	130 lbs	\$518.00
AMR8935D	R-TIRE 16.9-30 R1 Gdyr DuraTorq Cast	618 lbs	K1M542M40	618 lbs	\$1,928.00
MR8956	F-TIRE 9.50-20 R1 B-Stone Farm Svc Lug M	98 lbs	K309M60	98 lbs	\$387.00
MR8924B	R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.8"	263 lbs	K844M00	263 lbs	\$1,055.00
<b>AG - RADIAL REAR</b>					
AMR8605*	F-TIRE LSW320/70R24 GDYR OPTI R1W	220 lbs	K537M60	220 lbs	\$672.00
AMR8616A*	RT TITN 420/75R34 142D R1W 8BOLT	460 lbs	K1M084M00	460 lbs	\$1,355.00
AMR8605	F-TIRE LSW320/70R24 GDYR OPTI R1W	220 lbs	K537M60	220 lbs	\$672.00
AMR8640	R-TIRE LSW 420/75R34 GDYR OPTI R1W CST	949 lbs	K2M355M20	949 lbs	\$2,944.00
<b>TURF</b>					
AMR8536	F-TIRE 29x12.50-15 R3 Ttn MultiTrac8stud	77 lbs	K281M60	77 lbs	\$352.00
AMR8979	R-TIRE 21.5L-16.1 R3 Firestone Turf&Fld	245 lbs	K822M40	245 lbs	\$1,028.00
MR8954B	F-TIRE 9.50-24 R3 Gdyr All Weather TL	113 lbs	K429M60	113 lbs	\$537.00
AMR8938	R-TIRE 18.4-26 R3 (ANS) 17mm holes	310 lbs	K1M060M80	310 lbs	\$1,326.00
AMR8526	F-TIRE LSW305-521R3 Grizz LSW Soft Turf	113 lbs	K399M20	113 lbs	\$499.00
AMR8541	R-TIRE LSW570-648 R3 Grizz LSW S.TF 5.75	261 lbs	K981M60	261 lbs	\$1,227.00
<b>INDUSTRIAL</b>					
AMR8797	F-TIRE 14-17.5 R4 WITH 0.55" INSET	168 lbs	K612M80	168 lbs	\$766.00
ALR8917	R-TIRE 16.9-24 R4 Titan Ind Tractor Lug	267 lbs	K864L00	267 lbs	\$1,080.00
<b>AG/INDUSTRIAL HYBRID</b>					
AMR8040	F-TIRE LSW320/70R24 GDYR R14T	195 lbs	K574M40	195 lbs	\$718.00
AMR8047A	RT TITN 420/75R34 142D R14T 8 BOLT	422 lbs	K1M140M00	422 lbs	\$1,425.00
AMR8040	F-TIRE LSW320/70R24 GDYR R14T	195 lbs	K574M40	195 lbs	\$718.00
AMR8089	RT TITN 420/75R34 142D R14T CST 8BLT	949 lbs	K2M452M00	949 lbs	\$3,065.00

\* Standard tires.

- ① Recommended for loader applications, increases base weight by approx. 1100 lbs.
- ③ For field installation, requires (16) 04512-60140 Spring Washers from Parts Department.
- ④ For field installation, requires (16) [33251-49170] Lug Nuts from Parts Department.
- ⑤ Requires (16) qty - 3A111-97810 Shoulder Lug Nuts for Field Installation
- ⑥ Steering Stops must be adjusted if 60" centers are required.

**M4 Series M4 Standard and Deluxe****DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>HYDRAULICS/HITCH/DRAWBAR</b>				
<b>HYDRAULIC REAR REMOTE VALVES</b>				
M7610	SCD (Self Canceling Detent)	K644M80	13 lbs	\$806.00
M7611	FD (Float Detent)	K636M80	11 lbs	\$796.00
M9585	Flow Control Valve Kit (FC)	K465M60	8 lbs	\$582.00
M9595	Flow Control + SCD Valve (FC + SCD)	K968M00	18 lbs	\$1,210.00
<b>REMOTE VALVE LEVER KITS</b>				
M7352	2nd Position Lever Kit for Standard Cab	K130M40	4 lbs	\$163.00
M7355	3rd Position Lever Kit	K130M40	3 lbs	\$163.00
<b>DRAWBAR CLEVIS</b>				
M9594	Drawbar Clevis	K64M80	10 lbs	\$81.00
<b>DROP DRAWBAR</b>				
M9201	Drop Drawbar	K115M20	21 lbs	\$144.00
<b>TRANSMISSION</b>				
<b>CREEP SPEED KITS</b>				
M9131	Creep Speed Cassette Type	K898M40	22 lbs	\$1,123.00
<b>DUAL SPEED PTO KITS</b>				
M7357	540/540E Economy PTO for Standard	K949M60	72 lbs	\$1,187.00
M7367	PTO Change Lever Kit (in Cab) for Standard	K69M60	1 lbs	\$87.00
<b>FRONT &amp; REAR AXLE</b>				
<b>FRONT FENDER KIT (SWIVEL TYPE)</b>				
M9290	Fender Mounting Kit Requires Plastic Fenders Not Compatible with Loader Applications	K726M40	68 lbs	\$908.00
M9208	Plastic Fenders Includes two 14.9" wide Fenders Requires Fender Mounting Kit	K101M60	7 lbs	\$127.00
<b>REAR FENDER EXTENSION KIT</b>				
M9204	Rear Fender Extension Kit for M4 Series Tractors	K332M00	22 lbs	\$415.00
<b>REAR AXLE SPACER KIT</b>				
M9564	Rear Axle Space Kit, adds 2 inches per side Provides 72" spacing with Ag Tires	K799M20	52 lbs	\$999.00

**M4 Series****M4 Standard and Deluxe****DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>CAB ACCESSORIES</b>				
M7649	Rear Window Wiper Kit	K216M80	4 lbs	\$271.00
M9129	Instructor Seat Kit for Standard Model	K516M80	23 lbs	\$646.00
M9270	Air Ride Seat Suspension Kit Requires Wire Harness (M9205)	K512M00	49 lbs	\$640.00
M9205	Air Ride Seat Wire Harness	K19M20	1 lbs	\$24.00
M7387	Elec-Defogger Kit	K460M00	60 lbs	\$575.00
M9128	Interior Rear View Mirror	K40M00	2 lbs	\$50.00
M7366	Mid Mount Halogen Work Light Kit for Standard	K320M80	7 lbs	\$401.00
M7377	Mid Mount LED Work Light for Deluxe	K465M60	7 lbs	\$582.00
3C581-97010	Monitor Bracket, Universal Type	(Order from Parts Department)		
77700-01098	12V/3-Pin 30 Amp Coupler Pigtail, 12" Long	(Order from Parts Department)		
<b>JENSEN RADIO OPTIONS</b>				
77700-04753	Radio, AM/FM/WB/AUX	(Order from Parts Department)		
77700-04754	Radio, AM/FM/WB/AUX/USB/IPOD/SAT	(Order from Parts Department)		
77700-04755	Radio, AM/FM/WB/AUX/USB/IPOD/SAT/CD/Bluetooth	(Order from Parts Department)		

**ADDITIONAL ACCESSORIES**

<b>BLOCK HEATER</b>				
70000-73274	Block Heater	(Order from Parts Department)		
<b>CCV Heater</b>				
3B731-99660	CCV Heater	(Order from Parts Department)		
<b>Backup Alarm</b>				
77700-10536	Backup Alarm Kit	(Order from Parts Department)		
<b>Beacon Light</b>				
77700-10723	LED Beacon Light Kit	(Order from Parts Department)		
<b>GRILL GUARD</b>				
M6872	Grill Guard Kit (Standard with Loader) Compatible with M8075 front bumper weight Not Compatible with M1875A front weight bracket	K225M60	57 lbs	\$282.00
<b>EXTERNAL 3 POINT</b>				
M7375	External 3 Point Bracket Kit	K92M00	3 lbs	\$115.00
M7385	External 3 Point Contoller and Wire Kit	K129M60	4 lbs	\$162.00
<b>REPLACEMENT CAB</b>				
M7077	Replacement Cab	K7M764M80	1000 lbs	\$9,706.00

**KubotaNOW TELEMATICS**

Each order will require the DCU6700 modem and wiring harness as listed below:

DCU6700	AT&T Telematics Modem	K317A68	1 lbs	\$418.00
M6712	M Series Telematics Harness	K118M40	1 lbs	\$148.00

**KubotaNOW Telematics Service includes a three (3) year term  
with a Dealer Net cost of \$399 and a total list price of \$525**

**As of November 2nd, KubotaNOW will be available for Dealer Owned and Dealer Rental Fleet Machines.**

**M4 Series M4 Standard and Deluxe**

**DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>BALLAST</b>				
<b>FRONT WEIGHT BUMPER</b>				
M8075	Front Weight Bumper (230 lbs. each) Requires Bolt Kit Up to 10 Front Suitcase Weights	K368M00	223 lbs	\$460.00
M1875A	Front Weight Bracket Kit Not Compatible with Loader	K203M20	63 lbs	\$254.00
<b>FRONT SUITCASE WEIGHTS</b>				
M8079	Suitcase Weight (105 lbs. Each) Requires Front Weight Bumper and Bolt/Bar Kit	K94M40	102 lbs	\$118.00
<b>FRONT WEIGHT BOLT/BAR KITS</b>				
M8076	Front Bumper Bolt Kit for M8075	K53M60	4 lbs	\$67.00
M8073A	Bolt/Bar Kit for M8075 One Kit per 10 Front Suitcase Weights	K60M00	10 lbs	\$75.00
<b>REAR WHEEL WEIGHTS</b>				
LM8124	Rear Wheel Weight Kit (103 lbs. each) Set of 2, Requires Rear Wheel Bolt Kit Maximum of 3 Sets on Steel Dish Wheels Maximum of 2 Sets on Cast Dish Wheels Use with 24" or 26" Steel Dish Wheels Not Compatible with Turf Tires	K260M80	206 lbs	\$326.00
M8126A	Rear Wheel Weight Kit (164 lbs. each) Set of 2, Requires Rear Wheel Bolt Kit Maximum of 3 Sets on Steel Dish Wheels Maximum of 2 Sets on Cast Dish Wheels Use with 28", 30", and 34" Wheels	K289M60	328 lbs	\$362.00
<b>REAR WHEEL WEIGHT BOLT KITS</b>				
M8119B	Bolt Kit for 1st Set of M8126A Weights on Cast	K24M80	6 lbs	\$31.00
LM8125A	Bolt Kit for 1st Wheel Weight Kit on Steel Dish Wheels	K61M60	5 lbs	\$77.00
M8127B	Bolt Kit for 2nd and 3rd Set of M8126A Weights Required for 2nd & 3rd Set on ALL Steel Dish Wheels Required for 2nd Set on Cast Dish Wheels	K23M20	6 lbs	\$29.00
M8121A	Bolt Kit for 2nd and 3rd Set of LM8124 Weights One Bolt Kit per Weight Set	K27M20	8 lbs	\$34.00
<b>BALLAST BOX</b>				
M8180	Ballast Box - 3-Point Mount 1280 lbs. Capacity with Dry Sand (13 cu. ft.)	K587M20	220 lbs	\$734.00

**M4 Series****M4 Standard and Deluxe****FRONT END LOADER**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

**FRONT END LOADER**

LA1154A	Front Loader (2 Lever Type Quick Coupler) Includes Mounting Kit, Parking Stands, Quick Coupler, and Grill Guard DOES NOT INCLUDE VALVE or BUCKET must be ordered separately	K4M745M60	1543 lbs	\$5,932.00
---------	--	-----------	----------	------------

**VALVE KITS**

M6870	Standard Valve Kit for Cab	K938M40	81 lbs	\$1,173.00
M6874	Hydraulic Self-Leveling Valve Kit for Cab	K1M774M40	92 lbs	\$2,218.00

**LOADER ACCESSORY KITS**

<b>3RD FUNCTION VALVE</b>				
M6873	3rd Function Valve Kit for Cab	K886M40	62 lbs	\$1,108.00
<b>SHOCKLESS RIDE</b>				
M6871	KSR (Kubota Shockless Ride) Accumulator	K574M40	47 lbs	\$718.00
<b>QUICK CONNECT</b>				
M1869	Hydraulic Quick Connect Single Lever	K665M60	22 lbs	\$832.00

**QA BUCKETS & ACCESSORIES**

M1811	72" 2 Lever QA Bucket	K656M80	400 lbs	\$821.00
M1815	84" Bucket High Capacity, 2 Lever QA For Light Material Use	K876M80	400 lbs	\$1,096.00
L2245	72" 4-in-1 Bucket Requires 3rd Function Valve	K2L027L20	675 lbs	\$2,534.00
M9247	72" Hay Grapple Bucket 4 Tines, 2-Hyd. Cylinders, 2 Lever QA Coupler Requires 3rd Function Valve Requires 2- Hyd. 1/2" QA couplers, .375 fittings (Obtain Locally, i.e. Pioneer, Parker, or Flat Face)	K3M348M00	1090 lbs	\$4,185.00
<b>BUCKET ACCESSORIES</b>				
M1057	Bucket Tine Kit for 72" 2 Lever QA Bucket	K260M80	79 lbs	\$326.00
<b>BALE SPEARS</b>				
M1804	Bale Spear 2 Lever Type QA	K713M60	195 lbs	\$892.00

**PALLET FORM FRAME / PALLET FORKS**

M1809	Pallet Fork Frame 2 Lever QA Requires 42" or 48" Forks	K660M80	200 lbs	\$826.00
K9058	42" Pallet Forks	K451L20	196 lbs	\$564.00
K9059	48" Pallet Forks	K480K80	218 lbs	\$601.00



---

**M4 Series**

**M4 Standard and Deluxe**

---

**APPROVED ATTACHMENTS**

See Website for Landpride Attachments List

**M5 SERIES**

**M5-091/M5-111**

\*\*\* EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS \*\*\*

**DIESEL ENGINE**

Kubota V3800 Direct Injection  
3.8L (230 cu. in.) 4 Cyl  
EPA Tier 4 Final Compliant  
Common Rail Electronic Fuel Injection  
Electronic Engine Management  
Turbocharged  
w/Wastegate and Intercooled  
60 Amp Alternator - ROPS  
80 Amp Alternator - Cab  
12V 900 CCA Battery

**EXHAUST EMISSION CONTROL TYPE**

DPF System (Diesel Particulate Filter)  
SCR System

**HYDRAULICS / HITCH / DRAWBAR**

Open Center Gear Pump  
Max. Flow @ Rated Engine Speed  
ROPS: 2400 rpm  
Cab: 2600 rpm  
Power Steering: 5.4 gpm  
Impl. Flow - ROPS: 15.9 gpm  
Impl. Flow - Cab: 17.0 gpm  
total Flow - ROPS: 21.3 gpm  
Total Flow - Cab: 23.1 gpm

**REMOTE VALVES**

(1) SCD (Self Canceling Detent)  
(1) FD (Float Detent) on -1 models (2 Total Standard)

**3 Point Hitch & Drawbar**

Cat II 3-Point Hitch  
8 Speed Models  
@ Lift Points: 7055 lbs  
(ASAE)@ 24" Behind: 5181 lbs  
12/24 Speed Models  
@ Lift Points: 8600 lbs  
(ASAE)@ 24" Behind: 7275 lbs  
2 External Lift Cylinders  
Telescoping Lower Links  
Stabilizers  
Swinging Drawbar - Straight

**POWER TAKE OFF**

Live-Independent Hyd. PTO  
SAE 1 3/8" Six Spline  
540 RPM @ 2205 Eng. RPM  
540 RPM @ 2035 Eng. RPM - 12/24 speed  
540E\* @ 1519 Eng. RPM

**Transmission/PTO**

8F/8R Two Range, 4-Speed  
12F/12R Two Range, 6-Speed  
540/540E  
24F/24R Two Range, 6-Speed Hi/Lo  
540/540E  
24 speed on M5-111 only  
Electronic 4WD Function  
Electro-Hydraulic Shuttle Shift  
Clutch - Multi-Plate Wet  
Planetary Final Drives  
Hydraulic Wet Disc Brakes

**FRONT AXLE**

Hydrostatic Power Steering  
2WD: Tubular Steel Beam Telescoping  
4WD: Cast Iron, Bevel Gear 55 Deg  
Planetary Final Drives  
Adjustable (Rim) Tread Spacing

**FLUID CAPACITY**

Fuel Tank Capacity: 27.7 gal  
DEF Tank Capacity: 3.2 gal  
Cooling System: 11 qts  
Crankcase: 11.3 qts  
Hydraulics/Trans: 15.85 gal

**INSTRUMENTS**

LCD readout for MPH and PTO rpm  
RPM Memory  
Tachometer/Hour meter  
Oil Pressure  
Fuel Gauge  
Coolant Temperature  
Gear Speed Digital Light Indicator  
Digital Light Indicator F/R Direction

**TIRES AND WHEELS**

Front 12.4-24  
Rear 18.4-30

**Ultra Grand Cab II**

4-Post, ROPS Certified  
RH & LH Doors  
Tinted Glass Doors and Windows  
In-Roof Window  
Tilt Steering Wheel  
Dual Level Air Conditioning & Heater  
Front and Wiper w/ Washer  
Front Sun Visor  
Retractable Seat belt  
LH & RH Side Mirrors  
Radio Ready Cab  
Steps, Left and Right Side  
Interior Dome Light  
12V - 30-Amp 2 Wire Coupler  
12V - 3 Pin 30-Amp Coupler  
12V - Outlet  
Cup Holder  
Instructor Seat Ready  
Horn

**LIGHTING**

2 Headlights - Tail lights  
4 Hazard Flasher Lights w/ Turn Signals  
2 Grill Mounted Worklights  
2 Front Cab Halogen Worklights  
2 Rear Halogen Worklights

**SAFETY EQUIPMENT**

Flip-Up PTO Shield  
Safety Start Switches  
Electric Key Shut Off  
Parking Brake  
Turn Signals  
SMV Sign  
7-Pin Electrical Trailer Connector

\* if equipped 12/24 Standard

Model Specifications			
<b>M5-091</b>		<b>M5-111</b>	
SAE Gross HP:	92.5	SAE Gross HP:	105.6
Engine Net HP:	85.5	Engine Net HP:	100
Max . PTO HP:	76	Max . PTO HP:	89

**M5 SERIES**

**M5-091/M5-111**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>2WD MODELS</b>				
<b>***STANDARD TRACTOR WITH STANDARD TIRES***</b>				
M5-091HF-1	2WD Utility 2 Post Foldable ROPS Tractor	K40M610M40	6482 lbs	\$50,763.00
M5-091HFC-1	2WD Utility Ultra Grand Cab II Tractor	K49M700M00	6482 lbs	\$62,125.00
M5-111HF-1	2WD Utility 2 Post Foldable ROPS Tractor	K43M331M20	6482 lbs	\$54,164.00
M5-111HFC-1	2WD Utility Ultra Grand Cab II Tractor	K52M420M80	6482 lbs	\$65,526.00

M5-091/ M5-111 2WD		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGGESTED LIST PRICE
<b>TIRES AND WHEELS†</b>				
<b>STANDARD TIRES</b>				
AMR8961A*	F-TIRE 7.5-18 F2 Titan Tru Trac TT	68 lbs	MM0	Add
AMR8530B*	R-TIRE 18.4-30 R1W GDYR OPTITRAC	393 lbs		In Base Price
<b>AG - BIAS REAR</b>				
AMR8961A*	F-TIRE 7.5-18 F2 Titan Tru Trac TT	68 lbs	MM0	Add
AMR8530B*	R-TIRE 18.4-30 R1W GDYR OPTITRAC	393 lbs		\$0.00
AMR8980B	F-TIRE 10.00-16 F2 Champ Guide Grip TL	91 lbs	M169M60	Add
AMR8530B	R-TIRE 18.4-30 R1W GDYR OPTITRAC	393 lbs		\$212.00
AMXR8789	F-TIRE 9.5L-15 F2 BKT Pro Rib	75 lbs	M180M80	Less
AMR8522A	R-TIRE 18.4-26 R1 ALLIANCE 324	346 lbs		(\$226.00)
<b>AG - RADIAL REAR</b>				
AMR8961A	F-TIRE 7.5-18 F2 Titan Tru Trac TT	68 lbs	M441M60	Add
AMR8531A	R-TIRE 460/85R30 R1W GDYR OPTRAC	429 lbs		\$552.00
AMR8980B	F-TIRE 10.00-16 F2 Champ Guide Grip TL	91 lbs	M611M20	Add
AMR8531A	R-TIRE 460/85R30 R1W GDYR OPTRAC	429 lbs		\$764.00
AMR8961A	F-TIRE 7.5-18 F2 Titan Tru Trac TT	68 lbs	K1M448M00	Add
AMR8514B	R-TIRE 460/85R30 R1W GDYR OPTRAC CAST	1027 lbs		\$1,810.00
AMR8980B	F-TIRE 10.00-16 F2 Champ Guide Grip TL	91 lbs	K1M617M60	Add
AMR8514B	R-TIRE 460/85R30 R1W GDYR OPTRAC CAST	1027 lbs		\$2,022.00
AMR8980B	F-TIRE 10.00-16 F2 Champ Guide Grip TL	91 lbs	M776M00	Add
AMR8537A	R-TIRE 420/85R34 R1W ALLIANCE 385 RADIAL	342 lbs		\$970.00
AMR8980B	F-TIRE 10.00-16 F2 Champ Guide Grip TL	91 lbs	K2M702M40	Add
AMR9258B	R-TIRE 420/85R34 GY OPT R1W CAST	910 lbs		\$3,378.00
<b>TURF</b>				
AMXR8789	F-TIRE 9.5L-15 F2 BKT Pro Rib	75 lbs	M40M00	Less
AMR8521	R-TIRE 18.4-26 R3 (ANS) 19mm holes	301 lbs		(\$50.00)
AMR8545	F-TIRE 27x9.50-15 HF-1 Gdyr Terra Rib	65 lbs	M201M60	Less
AMR8546	R-TIRE 19.5L-24 R3 F-Stone Ind Turf&Fld	289 lbs		(\$252.00)
<b>INDUSTRIAL</b>				
AMXR8789	F-TIRE 9.5L-15 F2 BKT Pro Rib	75 lbs	M257M60	Less
AMR8532	R-TIRE 19.5L-24 R4 Titan Ind Trac Lug	304 lbs		(\$322.00)

† See Tire Section for Individual Tire Pricing and Information  
\* Standard tires

**M5 SERIES**

**M5-091/M5-111**

<b>TIRES AND WHEELS (priced per piece)</b>				
<b>ORDER CODE</b>	<b>DESCRIPTION</b>	<b>FACTORY NUMBER</b>	<b>WEIGHT EACH</b>	<b>SUGGESTED LIST PRICE</b>
<b>AG - BIAS REAR</b>				
AMR8961A*	F-TIRE 7.5-18 F2 Titan Tru Trac TT	K210M40	68 lbs	\$263.00
AMR8530B*	R-TIRE 18.4-30 R1W GDYR OPTITRAC	K1M172M80	393 lbs	\$1,466.00
AMR8980B	F-TIRE 10.00-16 F2 Champ Guide Grip TL	K295M20	91 lbs	\$369.00
AMR8530B	R-TIRE 18.4-30 R1W GDYR OPTITRAC	K1M172M80	393 lbs	\$1,466.00
AMXR8789	F-TIRE 9.5L-15 F2 BKT Pro Rib	K256M00	75 lbs	\$320.00
AMR8522A	R-TIRE 18.4-26 R1 ALLIANCE 324	K1M036M80	346 lbs	\$1,296.00
<b>AG - RADIAL REAR</b>				
AMR8961A	F-TIRE 7.5-18 F2 Titan Tru Trac TT	K210M40	68 lbs	\$263.00
AMR8531A	R-TIRE 460/85R30 R1W GDYR OPTRAC	K1M393M60	429 lbs	\$1,742.00
AMR8980B	F-TIRE 10.00-16 F2 Champ Guide Grip TL	K295M20	91 lbs	\$369.00
AMR8531A	R-TIRE 460/85R30 R1W GDYR OPTRAC	K1M393M60	429 lbs	\$1,742.00
AMR8961A	F-TIRE 7.5-18 F2 Titan Tru Trac TT	K210M40	68 lbs	\$263.00
AMR8514B	R-TIRE 460/85R30 R1W GDYR OPTRAC CAST	K1M896M80	1027 lbs	\$2,371.00
AMR8980B	F-TIRE 10.00-16 F2 Champ Guide Grip TL	K295M20	91 lbs	\$369.00
AMR8514B	R-TIRE 460/85R30 R1W GDYR OPTRAC CAST	K1M896M80	1027 lbs	\$2,371.00
AMR8980B	F-TIRE 10.00-16 F2 Champ Guide Grip TL	K295M20	91 lbs	\$369.00
AMR8537A	R-TIRE 420/85R34 R1W ALLIANCE 385 RADIAL	K1M476M00	342 lbs	\$1,845.00
AMR8980B	F-TIRE 10.00-16 F2 Champ Guide Grip TL	K295M20	91 lbs	\$369.00
AMR9258B	R-TIRE 420/85R34 GY OPT R1W CAST	K2M439M20	910 lbs	\$3,049.00
<b>TURF</b>				
AMXR8789	F-TIRE 9.5L-15 F2 BKT Pro Rib	K256M00	75 lbs	\$320.00
AMR8521	R-TIRE 18.4-26 R3 (ANS) 19mm holes	K1M107M20	301 lbs	\$1,384.00
AMR8545	F-TIRE 27x9.50-15 HF-1 Gdyr Terra Rib	K245M60	65 lbs	\$307.00
AMR8546	R-TIRE 19.5L-24 R3 F-Stone Ind Turf&Fld	K1M036M80	289 lbs	\$1,296.00
<b>INDUSTRIAL</b>				
AMXR8789	F-TIRE 9.5L-15 F2 BKT Pro Rib	K256M00	75 lbs	\$320.00
AMR8532	R-TIRE 19.5L-24 R4 Titan Ind Trac Lug	K998M40	304 lbs	\$1,248.00

\* Standard tires

**M5 SERIES M5-091/M5-111**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>4WD MODELS</b>				
***STANDARD TRACTOR WITH STANDARD TIRES***				
M5-091HD-1	4WD Utility 2 Post Foldable ROPS Tractor	K45M043M20	6900 lbs	\$56,304.00
M5-091HD12-1	4WD Utility 2 Post Foldable ROPS, 12 Speed 540/540E	K46M179M20	6900 lbs	\$57,724.00
M5-091HDC-1	4WD Utility Ultra Grand Cab II	K54M132M80	6900 lbs	\$67,666.00
M5-091HDC12-1	4WD Utility Ultra Grand Cab II, 12 Speed 540/540E	K55M268M80	6900 lbs	\$69,086.00
M5-111HD-1	4WD Utility 2 Post Foldable ROPS Tractor	K47M764M00	6900 lbs	\$59,705.00
M5-111HD12-1	4WD Utility 2 Post Foldable ROPS, 12 Speed 540/540E	K48M900M00	6900 lbs	\$61,125.00
M5-111HDC-1	4WD Utility Ultra Grand Cab II	K56M853M60	6900 lbs	\$71,067.00
M5-111HDC12-1	4WD Utility Ultra Grand Cab II, 12 Speed 540/540E	K57M989M60	6900 lbs	\$72,487.00
M5-111HDC24-1	4WD Utility Ultra Grand Cab II, 24 Speed 540/540E	K60M949M60	6900 lbs	\$76,187.00

M5-091/ M5-111 4WD		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGGESTED LIST PRICE
<b>TIRES AND WHEELS†</b>				
<b>STANDARD TIRES</b>				
AMR8556B*	F-TIRE 12.4-24 R1W GDYR OPTITRAC	193 lbs	MM0	Add
AMR8530B*	R-TIRE 18.4-30 R1W GDYR OPTITRAC	393 lbs		
<b>AG - BIAS REAR</b>				
AMR8556B*	F-TIRE 12.4-24 R1W GDYR OPTITRAC	193 lbs	MM0	Add
AMR8530B*	R-TIRE 18.4-30 R1W GDYR OPTITRAC	393 lbs		
AMR8538	F-TIRE 12.5/80-18 Titan Trac Impl 422	147 lbs	K838M40	Less
AMR8523A	R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.5"	265 lbs		
MR8957	F-TIRE 9.50-22 R1 Farm Svc Lug M 8stud	123 lbs	K1K033M60	Less
AMR8523A	R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.5"	265 lbs		
AMR8555A	F-TIRE 11.2-24 R1 Firestone (SAT) II WAF	163 lbs	K228M80	Less
AMR8933	R-TIRE 16.9-30 R1 DuraTorq 19mm holes	348 lbs		
AMR8555A	F-TIRE 11.2-24 R1 Firestone (SAT) II WAF	163 lbs	K731M20	Add
AMR8935D	R-TIRE 16.9-30 R1 Gdyr DuraTorq Cast	618 lbs		
<b>AG - RADIAL REAR</b>				
AMR8557A	F-TIRE 320/85R24 R1W GDYR OPTRAC	220 lbs	K792M00	Add
AMR8531A	R-TIRE 460/85R30 R1W GDYR OPTRAC	429 lbs		
AMR8557A	F-TIRE 320/85R24 R1W GDYR OPTRAC	220 lbs	K1K798M40	Add
AMR8514B	R-TIRE 460/85R30 R1W GDYR OPTRAC CAST	1027 lbs		
AMR8557A	F-TIRE 320/85R24 R1W GDYR OPTRAC	220 lbs	M956M80	Add
AMR8537A	R-TIRE 420/85R34 R1W ALLIANCE 385 RADIAL	342 lbs		
AMR8557A	F-TIRE 320/85R24 R1W GDYR OPTRAC	220 lbs	K2M883M20	Add
AMR9258B	R-TIRE 420/85R34 GY OPT R1W CAST	910 lbs		
<b>INDUSTRIAL</b>				
AMR8808	F-TIRE 12.5/80-18 I3 Ttn Contrac 8stud	159 lbs	K244M80	Less
AMR8532	R-TIRE 19.5L-24 R4 Titan Ind Trac Lug	304 lbs		
<b>TERRAIN KING</b>				
AMR8557A	F-TIRE 320/85R24 R1W GDYR OPTRAC	220 lbs	K1K798M40	Add
AMR8514B	R-TIRE 460/85R30 R1W GDYR OPTRAC CAST	1027 lbs		

† See Tire Section for Individual Tire Pricing and Information

\* Standard tires

Ⓢ Not Compatible for Loader Applications

**M5 SERIES**

**M5-091/M5-111**

TIRES AND WHEELS (priced per piece)				
ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
<b>AG - BIAS REAR</b>				
AMR8556B*	F-TIRE 12.4-24 R1W GDYR OPTITRAC	K560M80	193 lbs	\$701.00
AMR8530B*	R-TIRE 18.4-30 R1W GDYR OPTITRAC	K1M172M80	393 lbs	\$1,466.00
AMR8538	F-TIRE 12.5/80-18 Titan Trac Impl 422	K470M40	147 lbs	\$588.00
AMR8523A	R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.5"	K844M00	265 lbs	\$1,055.00
MR8957	① F-TIRE 9.50-22 R1 Farm Svc Lug M 8stud	K372M80	123 lbs	\$466.00
AMR8523A	R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.5"	K844M00	265 lbs	\$1,055.00
AMR8555A	F-TIRE 11.2-24 R1 Firestone (SAT) II WAF	K556M80	163 lbs	\$696.00
AMR8933	R-TIRE 16.9-30 R1 DuraTorq 19mm holes	K1M062M40	348 lbs	\$1,328.00
AMR8555A	F-TIRE 11.2-24 R1 Firestone (SAT) II WAF	K556M80	163 lbs	\$696.00
AMR8935D	R-TIRE 16.9-30 R1 Gdyr DuraTorq Cast	K1M542M40	618 lbs	\$1,928.00
<b>AG - RADIAL REAR</b>				
AMR8557A	F-TIRE 320/85R24 R1W GDYR OPTRAC	K736M00	220 lbs	\$920.00
AMR8531A	R-TIRE 460/85R30 R1W GDYR OPTRAC	K1M393M60	429 lbs	\$1,742.00
AMR8557A	F-TIRE 320/85R24 R1W GDYR OPTRAC	K736M00	220 lbs	\$920.00
AMR8514B	R-TIRE 460/85R30 R1W GDYR OPTRAC CAST	K1M896M80	1027 lbs	\$2,371.00
AMR8557A	F-TIRE 320/85R24 R1W GDYR OPTRAC	K736M00	220 lbs	\$920.00
AMR8537A	R-TIRE 420/85R34 R1W ALLIANCE 385 RADIAL	K1M476M00	342 lbs	\$1,845.00
AMR8557A	F-TIRE 320/85R24 R1W GDYR OPTRAC	K736M00	220 lbs	\$920.00
AMR9258B	R-TIRE 420/85R34 GY OPT R1W CAST	K2M439M20	910 lbs	\$3,049.00
<b>INDUSTRIAL</b>				
AMR8808	F-TIRE 12.5/80-18 I3 Ttn Contrac 8stud	K612M80	159 lbs	\$766.00
AMR8532	R-TIRE 19.5L-24 R4 Titan Ind Trac Lug	K998M40	304 lbs	\$1,248.00
<b>TERRAIN KING</b>				
AMR8557A	F-TIRE 320/85R24 R1W GDYR OPTRAC	K736M00	220 lbs	\$920.00
AMR8514B	R-TIRE 460/85R30 R1W GDYR OPTRAC CAST	K1M896M80	1027 lbs	\$2,371.00

\* Standard tires

① Not compatible for Loader applications.

**M5 SERIES****M5-091/M5-111****DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
<b>HYDRAULICS/HITCH/DRAWBAR</b>				
<b>HYDRAULIC REAR REMOTE VALVES - 2ND AND 3RD POSITION</b>				
M7604	SCD (Self Canceling Detent) for ROPS	K644M80	13 lbs	\$806.00
M7605	FD (Float Detent) for ROPS	K636M80	11 lbs	\$796.00
M7610	SCD (Self Canceling Detent) for Cab	K644M80	13 lbs	\$806.00
M7611	FD (Float Detent) for Cab	K636M80	11 lbs	\$796.00
<b>REMOTE VALVE LEVER KITS</b>				
M9112	2nd Position Lever Kit for ROPS (Standard on -1 Models)	K140M80	3 lbs	\$176.00
M9113	3rd Position Lever Kit for ROPS	K140M80	5 lbs	\$176.00
M9114	2nd Position Lever Kit for Cab (Standard on -1 Models)	K140M80	3 lbs	\$176.00
M9116	3rd Position Lever Kit for Cab	K140M80	5 lbs	\$176.00
<b>FLOW CONTROL VALVES</b>				
M9585	Flow Control Valve	K465M60	8 lbs	\$582.00
M9595	Flow Control Valve with SCD Valve For Valve-to-Valve Operation Requires 2nd Lever Kit for ROPS or 2nd Lever Kit for Cab models	K968M00	18 lbs	\$1,210.00
<b>3-POINT LIFT ASSIST KIT</b>				
M7651	High Capacity Lift Cylinders Standard on 12 and 24 speed models	K895M20	49 lbs	\$1,119.00
<b>DRAWBAR CLEVIS</b>				
M9594	Drawbar Clevis	K64M80	10 lbs	\$81.00
<b>TRANSMISSION</b>				
<b>CREEP SPEED KIT</b>				
M9131	Creep Speed Cassette Type	K898M40	22 lbs	\$1,123.00
<b>DUAL SPEED PTO KITS</b>				
M7619A	540/540E Economy PTO. Requires Lever kit for Cab models.	K949M60	123 lbs	\$1,187.00
M9132	In-Cab Economy PTO Lever for Cab Inside cab control is recommended for ease of user operation, it replaces the outside control lever.	K69M60	4 lbs	\$87.00
M7623A	540/1000 RPM PTO Kit- 1000@2389 RPM Not compatible with 540 Economy PTO	K1M076M80	123 lbs	\$1,346.00
<b>FRONT &amp; REAR AXLE</b>				
<b>FRONT FENDER KIT (SWIVEL TYPE)</b>				
M9290	Fender Mounting Kit Requires Plastic Fenders Not Compatible with Loader Applications Not Compatible with 2WD Tractors Requires two (2) part # 3C294-43300 Pre-Drilled Front Wheel Case Supports	K726M40	68 lbs	\$908.00
M9208	Plastic Fenders Includes two 14.9" wide Fenders Requires Fender Mounting Kit	K101M60	7 lbs	\$127.00
<b>WIDE ROW FRONT AXLE KIT</b>				
M8595A	80" Wide Row Front Axle Kit Not Compatible with Loader Applications	K575M20	225 lbs	\$719.00
<b>REAR AXLE SPACER KIT</b>				
M7647	Rear Axle Space kit adds 2 inches per side	K880M00	44 lbs	\$1,100.00

**M5 SERIES****M5-091/M5-111****DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
------------	-------------	----------------	-------------	----------------------

**ROPS ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
<b>CANOPY</b>				
E1134	Deluxe Fiberglass Canopy (ROPS Models) Requires Mounting Kit	K360M80	63 lbs	\$451.00
E1136	Mounting Kit	K178M40	29 lbs	\$223.00
E1138	Work Light Set for Canopy (optional 2-lights)	K136A80	3 lbs	\$171.00
<b>DOWN EXHAUST PIPE KIT ROPS</b>				
M9141	Pipe Kit	K519M20	30 lbs	\$649.00
<b>HIGH CAPACITY ALTERNATOR KIT</b>				
M9133	80 Amp High Capacity Alternator Kit for ROPS	K445M60	10 lbs	\$557.00
<b>REAR WORK LIGHT</b>				
M7630	Rear Working Auxiliary Light (Maximum 1 Light/Tractor)	K79M20	3 lbs	\$99.00

**CAB ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
M7649	Rear Window Wiper Kit	K216M80	4 lbs	\$271.00
M9119	Elec-Defogger Kit Requires 130 Amp Alternator	K732M80	66 lbs	\$916.00
M9117	Mid Mount Work Light Kit Requires High Capacity Alternator Kit	K110M40	3 lbs	\$138.00
M9128	Interior Rear View Mirror	K40M00	2 lbs	\$50.00
M9270	Air Ride Seat Suspension Kit Requires Wire Harness (M9205)	K512M00	49 lbs	\$640.00
M9205	Air Ride Seat Wire Harness	K19M20	1 lbs	\$24.00
M9129	Instructors Seat	K516M80	23 lbs	\$646.00
77700-01098	12V/3-Pin 30 Amp Coupler Pigtail, 12" Long			(Order from Parts Department)
<b>HIGH CAPACITY ALTERNATOR KIT</b>				
M9134	130 Amp High Capacity Alternator Kit for Cab	K724M80	10 lbs	\$906.00
<b>REAR FENDER EXTENSIONS</b>				
M9207	PLASTIC REAR FENDER EXTENSION - M5 CAB	K312M80	22 lbs	\$391.00
<b>JENSEN RADIO OPTIONS</b>				
77700-04753	Radio, AM/FM/WB/AUX			(Order from Parts Department)
77700-04754	Radio, AM/FM/WB/AUX/USB/IPOD/SAT			(Order from Parts Department)
77700-04755	Radio, AM/FM/WB/AUX/USB/IPOD/SATCD/Bluetooth			(Order from Parts Department)



**M5 SERIES****M5-091/M5-111****DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
<b>BALLAST</b>				
<b>FRONT WEIGHT BRACKETS</b>				
M8075	Front Weight Bracket (230 lbs. each) Standard on 2WD Models Requires Front Bumper Bolt Kit Up to 10 Front Suitcase Weights Not Compatible with Loader Compatible with Grill Guard	K368M00	223 lbs	\$460.00
M1875A	Front Weight Bracket (59 lbs. each) Requires Bolt/Bar Kit Up to 7 Front Suitcase Weights Loader must be detached Not Compatible with Grill Guard	K203M20	63 lbs	\$254.00
<b>FRONT SUITCASE WEIGHTS</b>				
M8079	Suitcase Weight Requires Front Weight bracket and Bolt/Bar Kit	K94M40	102 lbs	\$118.00
<b>FRONT WEIGHT BOLT/BAR KITS</b>				
M8076	Front Bumper Bolt Kit for M8075 Standard on 2WD Models	K53M60	4 lbs	\$67.00
M8073A	Bolt/Bar Kit for M8075	K60M00	10 lbs	\$75.00
M8074A	Bolt/Bar Kit for M1875A	K57M60	8 lbs	\$72.00
<b>REAR WHEEL WEIGHTS</b>				
LM8124	Rear Wheel Weight Kit (103 lbs. each) Set of 2, Requires Rear Wheel Bolt Kit Maximum of 3 Sets on Steel Dish Wheels Maximum of 2 Sets on Cast Dish Wheels Use with 24" or 26" Wheels	K260M80	206 lbs	\$326.00
M8126A	Rear Wheel Weight Kit (164 lbs. each) Set of 2, Requires Rear Wheel Bolt Kit Maximum of 3 Sets on Steel Dish Wheels Maximum of 2 Sets on Cast Dish Wheels Use with 28", 30", or 34" Wheels	K289M60	328 lbs	\$362.00
<b>REAR WHEEL WEIGHT BOLT KITS</b>				
M8119B	Bolt Kit for 1st Wheel Weight Kit on Cast Dish Wheels	K24M80	6 lbs	\$31.00
LM8125A	Bolt Kit for 1st Wheel Weight Kit on Steel Dish Wheels	K61M60	5 lbs	\$77.00
M8127B	Bolt Kit for 2nd and 3rd Set of M8126A Weights Required for 2nd & 3rd Set on ALL Steel Dish Wheels Required for 2nd Set on Cast Dish Wheels	K23M20	6 lbs	\$29.00
M8121A	Bolt Kit for 2nd and 3rd Set of LM8124 Weights One Bolt Kit per Weight Set	K27M20	8 lbs	\$34.00

**M5 SERIES**

**M5-091/M5-111**

**DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
------------	-------------	----------------	-------------	----------------------

**ADDITIONAL ACCESSORIES**

<b>BLOCK HEATER</b>				
70000-73274	Block Heater			(Order from Parts Department)
<b>EXTREME COLD WEATHER KIT</b>				
3B291-99660	CCV Heater Kit for Extreme Cold Weather (ROPS)			(Order from Parts Department)
3B791-99660	CCV Heater Kit for Extreme Cold Weather (CAB)			(Order from Parts Department)
<b>GRILL GUARD</b>				
M6909	Grill Guard Kit Compatible with Front Weight Bumper	K207M20	62 lbs	\$259.00
<b>REPLACEMENT CAB</b>				
M7985	8 & 12 Speed Replacement Cab - Field Installation Required	K7M764M80	1157 lbs	\$9,706.00
M7986	24 Speed Replacement Cab - Field Installation Required	K7M764M80	1157 lbs	\$9,706.00
<b>REPLACEMENT ROPS</b>				
SFM-FM5111	Replacement ROPS for M5 Standard ROPS Tractors	K698M40	79 lbs	\$873.00
<b>BACKUP ALARM</b>				
M7552	M5 Cab Backup Alarm Kit	K145M60	2 lbs	\$182.00
<b>BEACON LIGHT</b>				
M7572	M5 Cab Beacon Light Kit	K264M80	4 lbs	\$331.00
<b>EXTERNAL 3 POINT</b>				
M4570	External 3 Point Adjustment Kit Required Control Knob/ Cable Assembly	K172M00	6 lbs	\$215.00
M7385	Control Knob/ Cable Assembly	K129M60	4 lbs	\$162.00

**KubotaNOW TELEMATICS**

Each order will require the DCU6700 modem and wiring harness as listed below:

DCU6700	AT&T Telematics Modem	K317A68	1 lbs	\$418.00
M6712	M Series Telematics Harness	K118M40	1 lbs	\$148.00

**KubotaNOW Telematics Service includes a three (3) year term  
 with a Dealer Net cost of \$399 and a total list price of \$525**

**As of November 2nd, KubotaNOW will be available for Dealer Owned and Dealer Rental Fleet Machines.**

**M5 SERIES****M5-091/M5-111****FRONT END LOADER**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
------------	-------------	----------------	-------------	----------------------

**FRONT END LOADER**

LA1854	Front End Loader (2 Lever Type Quick Coupler) Includes Mounting Kit and Stand DOES NOT INCLUDE VALVE OR BUCKET, must be ordered separately	K5M369M60	1859 lbs	\$6,712.00
--------	--	-----------	----------	------------

**VALVE KITS**

M6901	Standard Valve Kit for ROPS	K958M40	90 lbs	\$1,198.00
M6902	Standard Valve Kit for Cab	K958M40	82 lbs	\$1,198.00
M6903	Hydraulic Self-Leveling Valve Kit for ROPS	K1M773M60	101 lbs	\$2,217.00
M6904	Hydraulic Self-Leveling Valve Kit for Cab	K1M810M40	92 lbs	\$2,263.00

**LOADER ACCESSORY KITS**

<b>LOADER ACCESSORY KITS</b>				
M6905	Standard 3rd Function Valve Kit for ROPS	K1M139M20	61 lbs	\$1,424.00
M6906	Standard 3rd Function Valve Kit for Cab	K1M139M20	62 lbs	\$1,424.00
M6907	Hydraulic Self-Leveling 3rd Function Valve Kit for ROPS	K1M171M20	61 lbs	\$1,464.00
M6908	Hydraulic Self-Leveling 3rd Function Valve Kit for Cab	K1M171M20	68 lbs	\$1,464.00
<b>LOADER ACCESSORIES KITS</b>				
M6910	KSR (Kubota Shockless Ride) Accumulator	K636M00	33 lbs	\$795.00
M6911	Hydraulic Quick Connect Single Lever	K756M80	22 lbs	\$946.00

**QA BUCKETS & ACCESSORIES**

M1811	72" Round Back Bucket	K656M80	400 lbs	\$821.00
M1815	84" Round Back High Capacity, Light Material Bucket	K876M80	400 lbs	\$1,096.00
M1816	84" Round Back Bucket	K836M00	400 lbs	\$1,045.00
M1285	84" Bucket Tine Kit (Includes 9 Tines and Hardware)	K416M80	90 lbs	\$521.00
M1886	96" Bucket	K928M00	610 lbs	\$1,160.00
M1287	96" Bucket Tine Kit (Includes 10 Tines and Hardware)	K463M20	200 lbs	\$579.00
M1896	96" Square Back High Capacity, Light Material Bucket	K1M023M20	610 lbs	\$1,279.00
M9248	84" Hay Grapple Bucket 4 Tines, 2-Hyd. Cylinder, 2-Lever QA Requires 3rd Function Valve Requires 2-Hyd. 1/2" QA couplers, .375" fittings (Obtain Locally, i.e. Pioneer, Parker, or Flat Face)	K3M682M40	1240 lbs	\$4,603.00
M9249	90" Hay Grapple Bucket 4 Tines, 2-Hyd. Cylinder, 2-Lever QA Requires 3rd Function Valve Requires 2-Hyd. 1/2" QA couplers, .375" fittings (Obtain Locally, i.e. Pioneer, Parker, or Flat Face)	K3M905M60	1500 lbs	\$4,882.00
<b>BUCKET ACCESSORIES</b>				
M1057	Bucket Tine Kit for 72" 2 Lever QA Bucket	K260M80	79 lbs	\$326.00
<b>BALE SPEARS</b>				
M1804	Bale Spear 2 Lever Type QA	K713M60	195 lbs	\$892.00

**PALLET FORK FRAME / PALLET FORKS**

M1809	Pallet Fork Frame 2 Lever QA Requires 42" or 48" Forks	K660M80	200 lbs	\$826.00
K9058	42" Pallet Forks	K451L20	196 lbs	\$564.00
K9059	48" Pallet Forks	K480K80	218 lbs	\$601.00

**M5 SERIES****M5-091/M5-111****FRONT END LOADER**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
------------	-------------	----------------	-------------	----------------------

**EURO COUPLER**

M1803	Euro Type Coupler	K394M40	210 lbs	\$493.00
-------	-------------------	---------	---------	----------

**EURO COUPLER TYPE****EURO BUCKET / BUCKET TINE KITS / GRAPPLE BUCKETS**

M1816E	84" Euro QA Bucket	K976M00	400 lbs	\$1,220.00
M1285	84" Bucket Tine Kit	K416M80	90 lbs	\$521.00
M1886E	96" Euro QA Bucket	K1M412M00	610 lbs	\$1,765.00
M1287	96" Bucket Tine Kit	K463M20	200 lbs	\$579.00
M1896E	96" Euro QA, Light Material Bucket	K1M530M40	610 lbs	\$1,913.00
M9243E	84" Euro QA type Bale Grapple Bucket 4 Tines, 2-Hyd. Cylinders, 2 Lever QA 2-Lever QA coupler Requires 3rd Function Valve Requires 2-Hyd. 1/2" QA couplers, .375" fittings (Obtain Locally, i.e. Pioneer, Parker, or Flat Face)	K3M931M20	1235 lbs	\$4,914.00
M9223E	96" Euro QA type Bale Grapple Bucket Four tine, 2-cylinder grapple 2-Lever QA coupler Requires 3rd Function Valve Requires 2-Hyd. 1/2" QA couplers, .375" fittings (Obtain Locally, i.e. Pioneer, Parker, or Flat Face)	K4M238M40	1300 lbs	\$5,298.00

**EURO BALE SPEARS**

M1817E	Bale Spear Quick Coupler, Euro QA	K802M40	200 lbs	\$1,003.00
--------	-----------------------------------	---------	---------	------------

**EURO PALLET FORK FRAME / PALLET FORKS**

M1819E	Pallet Fork Frame, Euro QA Requires 42" or 48" Forks	K740M80	200 lbs	\$926.00
K9058	42" Pallet Forks	K451L20	196 lbs	\$564.00
K9059	48" Pallet Forks	K480K80	218 lbs	\$601.00

---

**M5 SERIES**

**M5-091/M5-111**

---

**Approved Attachments**

See Website for Landpride Attachments List

**M5 SERIES**

**M5L-111 Low Profile**

\*\*\* EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS \*\*\*

**DIESEL ENGINE**

Kubota V3800 Direct Injection  
 3.8L (230 cu. in.) 4 Cyl  
 EPA Tier 4 Final Compliant  
 Common Rail Electronic Fuel Injection  
 Electronic Engine Management  
 Turbocharged  
 w/Wastegate and Intercooled  
 60 Amp Alternator - ROPS  
 12V 900 CCA Battery

**EXHAUST EMISSION CONTROL TYPE**

DPF System (Diesel Particulate Filter)  
 SCR System

**HYDRAULICS / HITCH / DRAWBAR**

Open Center Gear Pump  
 Max. Flow @ Rated Engine Speed  
 ROPS: 2400 RPM  
 Power Steering: 5.6 gpm  
 Impl. Flow - ROPS: 15.7 gpm  
 Total Flow - ROPS: 21.3 gpm

**REMOTE VALVES**

(2) SCD (Self Canceling Detent)

**3 POINT HITCH & DRAWBAR**

Cat II 3-Point Hitch  
 @ Lift Points: 7055 lbs  
 (ASAE)@ 24" Behind: 5181 lbs  
 2 External Lift Cylinders  
 Telescoping Lower Links  
 Stabilizers  
 Swinging Drawbar - Straight

**POWER TAKE OFF**

Live-Independent Hyd. PTO  
 SAE 1 3/8" Six Spline  
 540 RPM @ 2035 Eng. RPM  
 540E @ 1519 Eng. RPM

Model Specifications	
<b>M5L-111</b>	
SAE Gross HP:	105.6
SAE Gross HP:	100
Max. PTO HP:	89

**TRANSMISSION**

12F/12R Two Range, 6-Speed  
 Electro-Hydraulic Shuttle Shift  
 Clutch - Multi-Plate Wet  
 Planetary Final Drives  
 Hydraulic Wet Disk Brakes

**FRONT AXLE**

Hydrostatic Power Steering  
 4WD: Cast Iron, Bevel Gear 55 Deg  
 Limited Slip Differential  
 Adjustable (Rim) Tread Spacing

**FLUID CAPACITY**

Fuel Tank Capacity: 24.3 gal  
 DEF Tank Capacity: 3.2 gal  
 Cooling System: 11 qts  
 Crankcase: 11.3 qts  
 Hydraulics/Trans: 15.84 gal

**INSTRUMENTS**

LCD readout for MPH and PTO rpm  
 RPM Memory  
 Tachometer/Hour meter  
 Oil Pressure  
 Fuel Gauge  
 Coolant Temperature  
 Gear Speed Digital Light Indicator  
 Digital Light Indicator F/R Direction

**TIRES AND WHEELS**

Front  
 Rear

**OPERATOR STATION**

Tilt Steering Wheel  
 Retractable Seat belt  
 12V - Outlet  
 Cup Holder

**LIGHTING**

2 Headlights - Tail lights  
 4 Hazard Flasher Lights w/ Turn Signals  
 2 Grill Mounted Worklights

**SAFETY EQUIPMENT**

Flip-Up PTO Shield  
 Safety Start Switches  
 Electric Key Shut Off  
 Parking Brake  
 Turn Signals  
 SMV Sign  
 7-Pin Electrical Trailer Connector

**M5 SERIES**

**M5L-111 Low Profile**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
***STANDARD TRACTOR WITH STANDARD TIRES***				
M5L-111-SN	4WD Low Profile Utility 2 Post Telescopic ROPS Tractor	K53M669M60	6900 lbs	\$67,087.00

M5L-111-SN		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGGESTED LIST PRICE
<b>TIRES AND WHEELS†</b>				
<b>STANDARD TIRES</b>				
MR8956*	F-TIRE 9.50-20 R1 B-Stone Farm Svc Lug M	98 lbs	MM0	Add
AMR8523A*	R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.5"	265 lbs		In Base Price
<b>AG - BIAS REAR</b>				
MR8956*	F-TIRE 9.50-20 R1 B-Stone Farm Svc Lug M	98 lbs	MM0	Add
AMR8523A*	R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.5"	265 lbs		\$0.00
AMR8538	F-TIRE 12.5/80-18 Titan Trac Impl 422	147 lbs	K321M60	Add
AMR8523A	R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.5"	265 lbs		\$402.00
AMR8955C	F-TIRE 9.5-24 R1 Goodyear Dura Torque	130 lbs	K595M20	Add
AMR8522A	R-TIRE 18.4-26 R1 ALLIANCE 324	346 lbs		\$744.00
<b>AG - RADIAL REAR</b>				
AMR8643	F-TIRE 340/65R18 R1W MCHLN MULTIBIB	169 lbs	K1K480M00	Add
AMR8661	R-TIRE 480/65R24 R1W MCHLN MLTBIB	300 lbs		\$1,850.00
AMR8643	F-TIRE 340/65R18 R1W MCHLN MULTIBIB	169 lbs	K2K606M40	Add
AMR8690	R-TIRE 480/65R24 R1W MCHLN MLTBIB CST	660 lbs		\$3,258.00
<b>TURF/FLOTATION</b>				
AMR8567	F-TR 400/60-15.5 ALLIANCE I-2 FLOAT	128 lbs	K764M80	Add
AMR8580	R-TR 600/50-22.5 ALLIANCE I-2 FLOAT	367 lbs		\$956.00
<b>INDUSTRIAL</b>				
AMR8808	F-TIRE 12.5/80-18 I3 Ttn Contrac 8stud	159 lbs	K915M20	Add
AMR8532	R-TIRE 19.5L-24 R4 Titan Ind Trac Lug	304 lbs		\$1,144.00

\* Standard Tires  
 † Requires Rear Fender Kit M9469  
 ‡ Only 2 weights can be mounted per side.

TIRES AND WHEELS (priced per piece)				
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGGESTED LIST PRICE
<b>AG - BIAS REAR</b>				
MR8956*	F-TIRE 9.50-20 R1 B-Stone Farm Svc Lug M	98 lbs	K309M60	\$387.00
AMR8523A*	R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.5"	265 lbs	K844M00	\$1,055.00
AMR8538	F-TIRE 12.5/80-18 Titan Trac Impl 422	147 lbs	K470M40	\$588.00
AMR8523A	R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.5"	265 lbs	K844M00	\$1,055.00
AMR8955C	F-TIRE 9.5-24 R1 Goodyear Dura Torque	130 lbs	K414M40	\$518.00
AMR8522A	R-TIRE 18.4-26 R1 ALLIANCE 324	346 lbs	K1M036M80	\$1,296.00
<b>AG - RADIAL REAR</b>				
AMR8643	F-TIRE 340/65R18 R1W MCHLN MULTIBIB	169 lbs	K684M80	\$856.00
AMR8661	R-TIRE 480/65R24 R1W MCHLN MLTBIB	300 lbs	K1M208M80	\$1,511.00
AMR8643	F-TIRE 340/65R18 R1W MCHLN MULTIBIB	169 lbs	K684M80	\$856.00
AMR8690	R-TIRE 480/65R24 R1W MCHLN MLTBIB CST	660 lbs	K1M772M00	\$2,215.00
<b>TURF/FLOTATION</b>				
AMR8567	F-TR 400/60-15.5 ALLIANCE I-2 FLOAT	128 lbs	K452M00	\$565.00
AMR8580	R-TR 600/50-22.5 ALLIANCE I-2 FLOAT	367 lbs	K1M084M00	\$1,355.00
<b>INDUSTRIAL</b>				
AMR8808	F-TIRE 12.5/80-18 I3 Ttn Contrac 8stud	159 lbs	K612M80	\$766.00
AMR8532	R-TIRE 19.5L-24 R4 Titan Ind Trac Lug	304 lbs	K998M40	\$1,248.00

\* Standard Tires  
 † Requires Rear Fender Kit M9469  
 ‡ Only 2 weights can be mounted per side.

**M5 SERIES****M5L-111 Low Profile****DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
------------	-------------	----------------	-------------	----------------------

**HYDRAULICS/HITCH/DRAWBAR**

<b>HYDRAULIC REAR REMOTE VALVES - 2ND AND 3RD POSITION</b>				
M7610	SCD (Self Canceling Detent)	K644M80	13 lbs	\$806.00
M7611	FD (Float Detent)	K636M80	11 lbs	\$796.00
<b>REMOTE VALVE LEVER KITS</b>				
M7699	3rd Position Lever Kit	K130M40	5 lbs	\$163.00
<b>FLOW CONTROL VALVES</b>				
M9585	Flow Control Valve	K465M60	8 lbs	\$582.00
M9595	Flow Control Valve with SCD Valve For Simultaneous Valve Operation Replaces 1st SCD valve must be removed from tractor.	K968M00	18 lbs	\$1,210.00
<b>3-POINT LIFT ASSIST KIT</b>				
M7651	High Capacity Lift Cylinders	K895M20	49 lbs	\$1,119.00
<b>DRAWBAR CLEVIS</b>				
M9594	Drawbar Clevis	K64M80	10 lbs	\$81.00

**TRANSMISSION**

<b>CREEP SPEED KIT</b>				
M9131	Creep Speed Cassette Type	K898M40	22 lbs	\$1,123.00
<b>DUAL SPEED PTO KITS</b>				
M7623A	540/1000 RPM PTO Kit- 1000@2389 RPM	K1M076M80	123 lbs	\$1,346.00

**FRONT & REAR AXLE**

<b>FRONT FENDER KIT (SWIVEL TYPE)</b>				
M9290	Fender Mounting Kit Requires Plastic Fenders Requires two (2) part # 3C294-43300 Pre-Drilled Front Wheel Case Supports Not Compatible with Loader Applications Not Compatible with AMR8567 Flotation Tires	K726M40	68 lbs	\$908.00
M9208	Plastic Fenders Includes two 14.9" wide Fenders Requires Fender Mounting Kit	K101M60	7 lbs	\$127.00
<b>REAR AXLE SPACER KIT</b>				
M7647	Rear Axle Spacer Kit adds 2 inches per side Provides 80" spacing with Ag Tires	K880M00	44 lbs	\$1,100.00
<b>REAR FENDER KITS</b>				
M9196	Replacement Steel Fenders (Complete Set) Order individual replacement components though parts	K1M581M60	160 lbs	\$1,977.00
M9469	Raises Steel Fender up 2 inches. Required if 26" wheel is used.	K35M20	4 lbs	\$44.00
M9194	8 Inch Steel extension. For use on AMR8580 or AMR8532 when full tire coverage is needed	K291M20	39 lbs	\$364.00

**ROPS ACCESSORIES**

<b>CANOPY</b>				
E1134	Deluxe Fiberglass Canopy (ROPS Models) Requires Mounting Kit	K360M80	63 lbs	\$451.00
E1136	Mounting Kit	K178M40	29 lbs	\$223.00
E1138	Work Light Set for Canopy (optional 2-lights)	K136A80	3 lbs	\$171.00
<b>HIGH CAPACITY ALTERNATOR KIT</b>				
M9133	80 Amp High Capacity Alternator Kit for ROPS	K445M60	10 lbs	\$557.00
<b>REAR WORK LIGHT</b>				
M7672	Rear Working Auxiliary Light (Maximum 1 Light/Tractor)	K94M40	4 lbs	\$118.00



**M5 SERIES****M5L-111 Low Profile****DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
<b>BALLAST</b>				
<b>FRONT WEIGHT BRACKETS</b>				
M8075	Front Weight Bracket (230 lbs. each) Requires Front Bumper Bolt Kit Up to 10 Front Suitcase Weights Not Compatible with Loader	K368M00	223 lbs	\$460.00
M1875A	Front Weight Bracket (59 lbs. each) Requires Bolt/Bar Kit Up to 7 Front Suitcase Weights Loader must be detached, not compatible with grill guard	K203M20	63 lbs	\$254.00
<b>FRONT SUITCASE WEIGHTS</b>				
M8079	Suitcase Weight Requires Front Weight Bumper and Bolt/Bar Kit	K94M40	102 lbs	\$118.00
<b>FRONT WEIGHT BOLT/BAR KITS</b>				
M8076	Front Bumper Bolt Kit for M8075	K53M60	4 lbs	\$67.00
M8073A	Bolt/Bar Kit for M8075	K60M00	10 lbs	\$75.00
M8074A	Bolt/Bar Kit for M1875A	K57M60	8 lbs	\$72.00
<b>REAR WHEEL WEIGHTS</b>				
LM8124	Rear Wheel Weight Kit (103 lbs. each) Set of 2, Requires Rear Wheel Bolt Kit Maximum of 3 Sets on Steel Dish Wheels Maximum of 2 Sets on Cast Dish Wheels Use with 24" or 26" Wheels	K260M80	206 lbs	\$326.00
<b>REAR WHEEL WEIGHT BOLT KITS</b>				
LM8125A	Bolt Kit for 1st Wheel Weight Kit on Steel Dish Wheels	K61M60	5 lbs	\$77.00
M8121A	Bolt Kit for 2nd and 3rd Set of LM8124 Weights One Bolt Kit per Weight Set	K27M20	8 lbs	\$34.00

**ADDITIONAL ACCESSORIES**

<b>BLOCK HEATER</b>				
70000-73274	Block Heater			(Order from the Parts Department)
<b>REPLACEMENT ROPS</b>				
SFM-T95L	Replacement ROPS	K788M80	300 lbs	\$986.00
<b>GRILL GUARD</b>				
M6909	Grill Guard Kit	K207M20	62 lbs	\$259.00

**KubotaNOW TELEMATICS**

<b>Each order will require the DCU6700 modem and wiring harness as listed below:</b>				
DCU6700	AT&T Telematics Modem	K317A68	1 lbs	\$418.00
M6712	M Series Telematics Harness	K118M40	1 lbs	\$148.00
<b>KubotaNOW Telematics Service includes a three (3) year term with a Dealer Net cost of \$399 and a total list price of \$525</b>				
<b>As of November 2nd, KubotaNOW will be available for Dealer Owned and Dealer Rental Fleet Machines.</b>				

**M5 SERIES****M5L-111 Low Profile****FRONT END LOADER**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
------------	-------------	----------------	-------------	----------------------

**FRONT END LOADER**

LA1854	Front End Loader (2 Lever Type Quick Coupler) Includes Mounting Kit and Stand DOES NOT INCLUDE VALVE OR BUCKET, must be ordered separately	K5M369M60	1859 lbs	\$6,712.00
--------	--	-----------	----------	------------

**VALVE KITS**

M6931	Standard Valve Kit for ROPS	K1M001M60	75 lbs	\$1,252.00
M6932	Hydraulic Self-Leveling Valve Kit for ROPS	K1M840M00	101 lbs	\$2,300.00

**LOADER ACCESSORY KITS**

<b>THIRD FUNCTION VALVES</b>				
M6905	Standard 3rd Function Valve Kit for ROPS Requires Add-on Kit	K1M139M20	61 lbs	\$1,424.00
M6907	Hydraulic Self-Leveling 3rd Function Valve Kit for ROPS Requires Add-on Kit	K1M171M20	61 lbs	\$1,464.00
M6933	Add-on Kit for 3rd Function Valve	K184M80	4 lbs	\$231.00
<b>LOADER ACCESSORIES KITS</b>				
M6910	KSR (Kubota Shockless Ride) Accumulator	K636M00	33 lbs	\$795.00
M6911	Hydraulic Quick Connect Single Lever	K756M80	22 lbs	\$946.00

**QA BUCKETS & ACCESSORIES**

M1811	72" Round Back Bucket	K656M80	400 lbs	\$821.00
M1815	84" Round Back High Capacity, Light Material Bucket	K876M80	400 lbs	\$1,096.00
M1816	84" Round Back Bucket	K836M00	400 lbs	\$1,045.00
<b>BUCKET ACCESSORIES</b>				
M1057	Bucket Tine Kit for 72" 2 Lever QA Bucket	K260M80	79 lbs	\$326.00
M1285	84" Bucket Tine Kit (Includes 9 Tines and Hardware)	K416M80	90 lbs	\$521.00
<b>BALE SPEARS</b>				
M1804	Bale Spear 2 Lever Type QA	K713M60	195 lbs	\$892.00

**PALLET FORK FRAME / PALLET FORKS**

M1809	Pallet Fork Frame 2 Lever QA Requires 42" or 48" Forks	K660M80	200 lbs	\$826.00
K9058	42" Pallet Forks	K451L20	196 lbs	\$564.00
K9059	48" Pallet Forks	K480K80	218 lbs	\$601.00

**M5 SERIES****M5L-111 Low Profile****FRONT END LOADER**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGG. LIST FACT. NO.
------------	-------------	----------------	-------------	----------------------

**EURO COUPLER**

M1803	Euro Type Coupler	K394M40	210 lbs	\$493.00
-------	-------------------	---------	---------	----------

**EURO COUPLER TYPE****EURO BUCKET / BUCKET TINE KITS / GRAPPLE BUCKETS**

M1816E	84" Euro QA Bucket	K976M00	400 lbs	\$1,220.00
M1285	84" Bucket Tine Kit	K416M80	90 lbs	\$521.00

**EURO BALE SPEARS**

M1817E	Bale Spear Quick Coupler, Euro QA	K802M40	200 lbs	\$1,003.00
--------	-----------------------------------	---------	---------	------------

**EURO PALLET FORK FRAME / PALLET FORKS**

M1819E	Pallet Fork Frame, Euro QA Requires 42" or 48" Forks	K740M80	200 lbs	\$926.00
K9058	42" Pallet Forks	K451L20	196 lbs	\$564.00
K9059	48" Pallet Forks	K480K80	218 lbs	\$601.00

---

**M5 SERIES**

**M5L-111 Low Profile**

---

**Approved Attachments**

See Website for Landpride Attachments List

**M4N/M5N SERIES**

**M4N-071/M5N-091/M5N-111 Narrow**

\*\*\* EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS \*\*\*

**DIESEL ENGINE**

Kubota V3800 Direct Injection  
 3.8L (230 cu. in.) 4 Cyl  
 EPA Tier 4 Final Compliant  
 Common Rail Electronic Fuel Injection  
 Electronic Engine Management  
 Turbocharged  
 w/Wastegate and Intercooled  
 100/80 Amp Alternator - M4N/M5N  
 12V 900 CCA Battery

**EXHAUST EMISSION CONTROL TYPE**

DPF System (Diesel Particulate Filter)  
 SCR System M5 only

**HYDRAULICS / HITCH / DRAWBAR**

Open Center Gear Pump  
 Max. Flow @ Rated Engine Speed  
     M4N: 2400 RPM  
     M5N - ROPS/Cab: 2400/2600 RPM  
 Power Steering:  
 M4N/M5N ROPS: 6.3 gpm  
     M5N Cab: 6.8 gpm  
 Impl. Flow-M4N: 16.7 gpm  
 M4N/M5N ROPS: 16.7 gpm  
     M5N Cab: 18.1 gpm  
 Total Flow-M4N 23.0 gpm  
 M4N/M5N ROPS: 23.0 gpm  
     M5N Cab: 24.9 gpm

**REMOTE VALVES**

(2) SCD (Self Canceling Detent) w/ flow control  
 Optional FD (Float Detent) w/ flow control  
 Max 5 valves

**3 POINT HITCH & DRAWBAR**

Cat II 3-Point Hitch  
     @ Lift Points: 5071 lbs  
     (ASAE)@ 24" Behind: 3307 lbs  
 2 External Lift Cylinders  
 Easy Adjust Stabilizers  
 Drawbar - Straight

**POWER TAKE OFF**

Live-Independent Hyd. PTO  
 SAE 1 3/8" Six Spline  
     540 RPM @ 2385 Eng. RPM  
     540E\* @ 1735 Eng. RPM

**TRANSMISSION**

12F/12R Two Range, 6-Speed  
 Electro-Hydraulic Shuttle Shift  
 Clutch - Multi-Plate Wet  
 Planetary Final Drives  
 Hydraulic Wet Disk Brakes  
 24F/24R Two Range,  
 6-Speed with HiLo  
 Declutch button on Shift knob

**FRONT AXLE**

Hydrostatic Power Steering  
 4WD: Cast Iron, Bevel Gear 55 Deg  
 Bi Speed Turn  
 Adjustable (Rim) Tread Spacing

**FLUID CAPACITY**

Fuel Tank Capacity: 20.1 gal  
 DEF Tank Capacity: 3.2 gal  
 Cooling System: 11 gal  
 Crankcase: 11.3 qts  
 Hydraulics/Trans: 13.7 gal  
 Hydraulics/Front Axle 2.1 gal

**INSTRUMENTS**

LCD readout for MPH and PTO rpm  
 RPM Memory  
 Tachometer/Hour meter  
 Oil Pressure  
 Fuel Gauge  
 Coolant Temperature  
 Gear Speed Digital Light Indicator  
 Digital Light Indicator F/R Direction

**TIRES AND WHEELS**

Front 8.0 x 16 R1  
 Rear 12.4 x 24 R1

**CAB FEATURES**

Integral Factory ROPS Certified  
 Flat Deck  
 Mechanical Suspension Seat, Vinyl  
 Retractable Seat belt  
 Tinted Glass  
 Dual Level Air Conditioning & Heater  
 Front Wiper w/ Washer - 2 Speed  
 Radio Ready, includes 2-speakers,  
     antenna, and wiring harness.  
 Left and Right Side Exterior Mirror  
 2 - Front Halogen Work Lights  
 2 - Rear Halogen Work Lights  
 2 Doors, Frameless all glass  
 Left Side Step  
 Tilt Steering Wheel  
 Interior Dome Light  
 Accessory Plug 12V - 15 Amp and  
     12 Volt 3-Pin 30-amp coupler  
     12 Volt - Outlet  
 Hard Mount location right center post  
 Horn  
 Cup Holder

**ROPS FEATURES**

Mid Mount Foldable ROPS  
 Mechanical Suspension Seat  
 Retractable Seat Belt  
 Tilt Steering

**LIGHTING**

2 Headlights - Tail lights  
 4 Hazard Flasher Lights w/ Turn Signals  
 2 Grill Mounted Worklights

**SAFETY EQUIPMENT**

Flip-Up PTO Shield  
 Safety Start Switches  
     Electric Key Shut Off  
     PTO OFF  
     Shuttle Lever Neutral  
 Parking Brake  
 Turn Signals  
 SMV Sign  
 7-Pin Electrical Trailer Connector

Model Specifications		
M4N-071	M5N-091	M5N-111
SAE Gross HP: 73	SAE Gross HP: 94	SAE Gross HP: 107
Engine Net HP: 70	Engine Net HP: 87	Engine Net HP: 100
Max . PTO HP: 61	Max . PTO HP: 78-12 speed 75-24 speed	Max . PTO HP: 91-12 speed 88-24 speed

**M5N Series M4N-071/M5N-091/M5N-111 ROPS**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
***STANDARD TRACTOR WITH STANDARD TIRES***				
M4N-071HD12	4WD Narrow Specialty ROPS Tractor 12 Speed	K42M876M00	5038 lbs	\$53,595.00
M5N-091HD12	4WD Narrow Specialty ROPS Tractor 12 Speed	K50M950M40	5346 lbs	\$63,688.00
M5N-091HD24	4WD Narrow Specialty ROPS Tractor 24 Speed	K52M850M40	5346 lbs	\$66,063.00
M5N-111HD12	4WD Narrow Specialty ROPS Tractor 12 Speed	K57M524M00	5346 lbs	\$71,905.00
M5N-111HD24	4WD Narrow Specialty ROPS Tractor 24 Speed	K59M424M00	5346 lbs	\$74,280.00

**M4N/M5N Narrow**

**TIRES AND WHEELS† Additional Price With Tire Option**

ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGGESTED LIST PRICE
<b>STANDARD TIRES</b>				
AMR8539A*	F-TIRE 8-16 R1 Titan Hi Traction Lug	60 lbs	MM0	Add In Base Price
AMR8975D*	R-TIRE 12.4-24 R1W GY OPTITRAC TL	171 lbs		
<b>AG - BIAS REAR</b>				
AMR8539A*	F-TIRE 8-16 R1 Titan Hi Traction Lug	60 lbs	MM0	Add \$0.00
AMR8975D*	R-TIRE 12.4-24 R1W GY OPTITRAC TL	171 lbs		
AMR8539A MR8918	F-TIRE 8-16 R1 Titan Hi Traction Lug R-TIRE 18.4-16.1 R1 Goodyear TSG	60 lbs 189 lbs	K595M20	Add \$744.00
<b>AG - RADIAL REAR</b>				
AMR8539A AMR8503B	F-TIRE 8-16 R1 Titan Hi Traction Lug R-TIRE 320/85R24 R1W G DYR Optitrac	60 lbs 206 lbs	M369M60	Add \$462.00
AMR8534A AMR8504B	F-TIRE 9.5-16 R1 Gdyr Dura Torque 8stud RT TITAN 380/85R24 R1W STL	77 lbs 288 lbs	K1K366M40	Add \$1,708.00
AMR8534A AMR8505B	F-TIRE 9.5-16 R1 Gdyr Dura Torque 8stud RT TITAN 380/85R24 R1W CAST	77 lbs 621 lbs	K2M486M40	Add \$3,108.00
AMR8543 AMR8506	F-TIRE 280/70R18 R1W Gdyr Optitrac DT812 R-TIRE 480/65R24 R1W Radial 9000 Cast	126 lbs 664 lbs	K3K412M80	Add \$4,266.00
<b>INDUSTRIAL</b>				
AMR8542A AMR8584	F-TIRE 27-8.50-15 Titan Trac Loader R-TIRE 320/85R20 R1W Kleber Traker	51 lbs 169 lbs	M420M80	Add \$526.00

**TIRES AND WHEELS (priced per piece)**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
<b>AG - BIAS REAR</b>				
AMR8539A*	F-TIRE 8-16 R1 Titan Hi Traction Lug	K208M00	60 lbs	\$260.00
AMR8975D*	R-TIRE 12.4-24 R1W GY OPTITRAC TL	K536M00	171 lbs	\$670.00
AMR8539A MR8918	F-TIRE 8-16 R1 Titan Hi Traction Lug R-TIRE 18.4-16.1 R1 Goodyear TSG	K208M00 K833M60	60 lbs 189 lbs	\$260.00 \$1,042.00
<b>AG - RADIAL REAR</b>				
AMR8539A AMR8503B	F-TIRE 8-16 R1 Titan Hi Traction Lug R-TIRE 320/85R24 R1W G DYR Optitrac	K208M00 K720M80	60 lbs 206 lbs	\$260.00 \$901.00
AMR8534A AMR8504B	F-TIRE 9.5-16 R1 Gdyr Dura Torque 8stud RT TITAN 380/85R24 R1W STL	K340M00 K1M087M20	77 lbs 288 lbs	\$425.00 \$1,359.00
AMR8534A AMR8505B	F-TIRE 9.5-16 R1 Gdyr Dura Torque 8stud RT TITAN 380/85R24 R1W CAST	K340M00 K1M647M20	77 lbs 621 lbs	\$425.00 \$2,059.00
AMR8543 AMR8506	F-TIRE 280/70R18 R1W Gdyr Optitrac DT812 R-TIRE 480/65R24 R1W Radial 9000 Cast	K644M00 K1M806M40	126 lbs 664 lbs	\$805.00 \$2,258.00
<b>INDUSTRIAL</b>				
AMR8542A AMR8584	F-TIRE 27-8.50-15 Titan Trac Loader R-TIRE 320/85R20 R1W Kleber Traker	K233M60 K720M80	51 lbs 169 lbs	\$292.00 \$901.00

† See Tire Section for Individual Tire Pricing and Information  
\* Standard Tires  
Ⓢ Requires 16 Lug nuts part #35707-49170 for field installation.

**M5N Series M4N-071/M5N-091/M5N-111 ROPS**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
***STANDARD TRACTOR WITH STANDARD TIRES***				
M4N-071HDC12	4WD Narrow Specialty Cab Tractor 12 Speed	K53M368M80	6900 lbs	\$66,711.00
M5N-091HDC12	4WD Narrow Specialty Cab Tractor 12 Speed	K59M160M80	6900 lbs	\$73,951.00
M5N-091HDC24	4WD Narrow Specialty Cab Tractor 24 Speed	K61M060M80	7033 lbs	\$76,326.00
M5N-111HDC12	4WD Narrow Specialty Cab Tractor 12 Speed	K65M734M40	7033 lbs	\$82,168.00
M5N-111HDC24	4WD Narrow Specialty Cab Tractor 24 Speed	K67M634M40	7033 lbs	\$84,543.00

M4N/M5N Narrow		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGGESTED LIST PRICE
<b>TIRES AND WHEELS†</b>				
<b>STANDARD TIRES</b>				
AMR8539A*	F-TIRE 8-16 R1 Titan Hi Traction Lug	60 lbs	MM0	Add
AMR8975D*	R-TIRE 12.4-24 R1W GY OPTITRAC TL	171 lbs		In Base Price
<b>AG - BIAS REAR</b>				
AMR8539A*	F-TIRE 8-16 R1 Titan Hi Traction Lug	60 lbs	MM0	Add
AMR8975D*	R-TIRE 12.4-24 R1W GY OPTITRAC TL	171 lbs		\$0.00
<b>AG - RADIAL REAR</b>				
AMR8539A	F-TIRE 8-16 R1 Titan Hi Traction Lug	60 lbs	K369M60	Add
AMR8503B	R-TIRE 320/85R24 R1W GDYR Optitrac	206 lbs		\$462.00
AMR8534A	F-TIRE 9.5-16 R1 Gdyr Dura Torque 8stud	77 lbs	K1M366M40	Add
AMR8504B	RT TITAN 380/85R24 R1W STL	288 lbs		\$1,708.00
AMR8534A	F-TIRE 9.5-16 R1 Gdyr Dura Torque 8stud	77 lbs	K2M486M40	Add
AMR8505B	Ⓢ RT TITAN 380/85R24 R1W CAST	621 lbs		\$3,108.00
AMR8543	F-TIRE 280/70R18 R1W Gdyr Optitrac DT812	126 lbs	K3M412M80	Add
AMR8506	R-TIRE 480/65R24 R1W Radial 9000 Cast	664 lbs		\$4,266.00
<b>INDUSTRIAL</b>				
AMR8542A	F-TIRE 27-8.50-15 Titan Trac Loader	51 lbs	K420M80	Add
AMR8584	R-TIRE 320/85R20 R1W Kleber Traker	169 lbs		\$526.00

TIRES AND WHEELS (priced per piece)				
ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
<b>AG - BIAS REAR</b>				
AMR8539A*	F-TIRE 8-16 R1 Titan Hi Traction Lug	K208M00	60 lbs	\$260.00
AMR8975D*	R-TIRE 12.4-24 R1W GY OPTITRAC TL	K536M00	171 lbs	\$670.00
<b>AG - RADIAL REAR</b>				
AMR8539A	F-TIRE 8-16 R1 Titan Hi Traction Lug	K208M00	60 lbs	\$260.00
AMR8503B	R-TIRE 320/85R24 R1W GDYR Optitrac	K720M80	206 lbs	\$901.00
AMR8534A	F-TIRE 9.5-16 R1 Gdyr Dura Torque 8stud	K340M00	77 lbs	\$425.00
AMR8504B	RT TITAN 380/85R24 R1W STL	K1M087M20	288 lbs	\$1,359.00
AMR8534A	F-TIRE 9.5-16 R1 Gdyr Dura Torque 8stud	K340M00	77 lbs	\$425.00
AMR8505B	Ⓢ RT TITAN 380/85R24 R1W CAST	K1M647M20	621 lbs	\$2,059.00
AMR8543	F-TIRE 280/70R18 R1W Gdyr Optitrac DT812	K644M00	126 lbs	\$805.00
AMR8506	R-TIRE 480/65R24 R1W Radial 9000 Cast	K1M806M40	664 lbs	\$2,258.00
<b>INDUSTRIAL</b>				
AMR8542A	F-TIRE 27-8.50-15 Titan Trac Loader	K233M60	51 lbs	\$292.00
AMR8584	R-TIRE 320/85R20 R1W Kleber Traker	K720M80	169 lbs	\$901.00

† See Tire Section for Individual Tire Pricing and Information  
 \* Standard Tires  
 Ⓢ Requires 16 Lug nuts part #35707-49170 for field installation.

**M4N/M5N SERIES**

**M4N-071/M5N-091/M5N-111 Narrow**

**DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
<b>HYDRAULICS/HITCH/DRAWBAR</b>				
<b>HYDRAULIC REAR REMOTE VALVES - 3RD, 4TH, AND 5TH POSITION</b>				
M8136	SCD (Self Canceling Detent) w/ Flow Control	K968M80	22 lbs	\$1,211.00
M8137	FD (Float Detent) w/ Flow Control	K968M80	22 lbs	\$1,211.00
M8138	Single Double Valve w/ Flow Control	K1M163M20	13 lbs	\$1,454.00
<b>REMOTE VALVE LEVER KITS</b>				
M8139	3rd Position Lever Kit Cab	K140M80	5 lbs	\$176.00
M8232	3rd Position Lever Kit ROPS	K140M80	5 lbs	\$176.00
M8149	4th Position Lever Kit Cab	K140M80	5 lbs	\$176.00
M8233	4th Position Lever Kit ROPS	K140M80	5 lbs	\$176.00
M8150	5th Position Lever Kit Cab	K140M80	5 lbs	\$176.00
M8234	5th Position Lever Kit ROPS	K140M80	5 lbs	\$176.00
<b>FRONT HYDRAULIC COUPLERS</b>				
M8151	1st Position Front Hydraulic Coupler Kit Cab	K645M60	71 lbs	\$807.00
M8235	1st Position Front Hydraulic Coupler Kit ROPS	K645M60	9 lbs	\$807.00
M8152	2nd Position Front Hydraulic Coupler Kit Cab	K334M40	20 lbs	\$418.00
M8236	2nd Position Front Hydraulic Coupler Kit ROPS	K334M40	9 lbs	\$418.00
M8153	3rd Position Front Hydraulic Coupler Kit Cab	K334M40	20 lbs	\$418.00
M8237	3rd Position Front Hydraulic Coupler Kit ROPS	K334M40	9 lbs	\$418.00
M8154	4th Position Front Hydraulic Coupler Kit Cab	K334M40	20 lbs	\$418.00
M8157	5th Position Front Hydraulic Coupler Kit Cab	K334M40	20 lbs	\$418.00
<b>OTHER HYDRAULIC ACCESSORIES</b>				
M8158	Front Case Drain Coupler Kit Cab Requires 1st Position Front Hydraulic Coupler Kit	K107M20	5 lbs	\$134.00
M8238	Front Case Drain Coupler Kit ROPS Requires 1st Position Front Hydraulic Coupler Kit	K107M20	9 lbs	\$134.00
M8159	Rear Case Drain Coupler Kit	K107M20	1 lbs	\$134.00
<b>DRAWBAR CLEVIS</b>				
M9594	Drawbar Clevis	K64M80	10 lbs	\$81.00
<b>TRANSMISSION</b>				
<b>CREEP SPEED KIT</b>				
M9131	Creep Speed Cassette Type	K898M40	22 lbs	\$1,123.00
<b>FRONT &amp; REAR AXLE</b>				
M9564	Rear Axle Spacer Kit	K799M20	52 lbs	\$999.00



**M4N/M5N SERIES****M4N-071/M5N-091/M5N-111 Narrow****DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
<b>CAB ACCESSORIES</b>				
<b>REAR WIPER AND DEFOGGER</b>				
M8167	Rear Window Defogger Kit	K493M60	46 lbs	\$617.00
M6944	Rear Wiper and Washer Kit	K132M80	4 lbs	\$166.00
77700-01098	12V/3-Pin 30 Amp Coupler Pigtail, 12" Long (Cab only)			(Order from Parts Department)
<b>HIGH CAPACITY ALTERNATOR KIT</b>				
M8168	130 Amp High Capacity Alternator Kit for M4N Cab Model	K725M60	10 lbs	\$907.00
M9143	130 Amp High Capacity Alternator Kit for M5N Cab Model	K724M80	10 lbs	\$906.00
<b>AIR RIDE SEAT</b>				
M9154	Air Ride Seat for Cab models only	K813M60	75 lbs	\$1,017.00
<b>JENSEN RADIO OPTIONS</b>				
77700-04753	Radio, AM/FM/WB/AUX (Also Requires 77700-05298 radio bracket)			(Order from Parts Department)
77700-04754	Radio, AM/FM/WB/AUX/USB/IPOD/SAT (Also Requires 77700-05298 radio bracket)			(Order from Parts Department)
77700-04755	Radio, AM/FM/WB/AUX/USB/IPOD/SATCD/Bluetooth (Also Requires 77700-05298 radio bracket)			(Order from Parts Department)
77700-05298	Radio Bracket for L40 and narrow series tractor			(Order from Parts Department)
<b>REPLACEMENT CAB</b>				
M5552	Replacement Cab for M4N/M5N 12/24 Speed- Field Installation Required	K7M875M20	1047 lbs	\$9,844.00
<b>ROPS ACCESSORIES</b>				
<b>REAR WORK LIGHT KIT</b>				
M9543	One Light (Maximum 1 Light/Tractor) - ROPS	K100M00	3 lbs	\$125.00

**M4N/M5N SERIES**

**M4N-071/M5N-091/M5N-111 Narrow**

**DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
<b>BALLAST</b>				
<b>FRONT WEIGHT BRACKETS</b>				
M1839	Front Weight Bracket Standard on 2WD Models Requires Front Bumper Bolt Kit Up to 10 Front Suitcase Weights	K392M00	92 lbs	\$490.00
<b>FRONT SUITCASE WEIGHTS</b>				
M8079	Suitcase Weight Requires Front Weight Bumper and Bolt/Bar Kit	K94M40	102 lbs	\$118.00
<b>FRONT WEIGHT BOLT/BAR KITS</b>				
M8073A	Bolt/Bar Kit (Mounts up to 10 weights)	K60M00	10 lbs	\$75.00
<b>REAR WHEEL WEIGHTS</b>				
LM8124	Rear Wheel Weight Kit (103 lbs. each) Set of 2, Requires Rear Wheel Bolt Kit Maximum of 3 Sets on Steel Dish Wheels Maximum of 2 Sets on Cast Dish Wheels Use with 24", 26", or 28" Wheels	K260M80	206 lbs	\$326.00
<b>REAR WHEEL WEIGHT BOLT KITS</b>				
LM8125A	Bolt Kit for 1st Wheel Weight Kit on Steel Dish Wheels	K61M60	5 lbs	\$77.00
M8121A	Bolt Kit for 2nd and 3rd Set of LM8124 Weights One Bolt Kit per Weight Set	K27M20	8 lbs	\$34.00

**ADDITIONAL ACCESSORIES**

<b>BLOCK HEATER</b>				
70000-73274	Block Heater			(Order from the Parts Department)
<b>Replacement ROPS</b>				
SFM-FM4N071	M4N Replacement ROPS	K724M80	230 lbs	\$906.00
SFM-FM5N111	M5N Replacement ROPS	K767M20	265 lbs	\$959.00
<b>Grill Guard</b>				
M6909	Grill Guard Kit for M5N Cab models only	K207M20	62 lbs	\$259.00
M1876A	Grill Guard Kit for M4N Cab Models only Both Grill Guards interfere with Foldable ROPS models.	K188M00	57 lbs	\$235.00

**KubotaNOW TELEMATICS**

<b>Each order will require the DCU6700 modem and wiring harness as listed below:</b>				
DCU6700	AT&T Telematics Modem	K317A68	1 lbs	\$418.00
M6712	M Series Telematics Harness	K118M40	1 lbs	\$148.00
<b>KubotaNOW Telematics Service includes a three (3) year term with a Dealer Net cost of \$399 and a total list price of \$525</b>				
<b>As of November 2nd, KubotaNOW will be available for Dealer Owned and Dealer Rental Fleet Machines.</b>				

**M5 SERIES**

**M5N-091HDC12PC Narrow Power Krawler**

\*\*\* EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS \*\*\*

**DIESEL ENGINE**

Kubota V3800 Direct Injection  
 3.8L (230 cu. in.) 4 Cyl  
 EPA Tier 4 Final Compliant  
 Common Rail Electronic Fuel Injection  
 Electronic Engine Management  
 Turbocharged  
 w/Wastegate and Intercooled  
 80 Amp Alternator - Cab  
 12V 900 CCA Battery

**EXHAUST EMISSION CONTROL TYPE**

DPF System (Diesel Particulate Filter)  
 SCR System M5 only

**HYDRAULICS / HITCH / DRAWBAR**

Open Center Gear Pump  
 Max. Flow @ Rated Engine Speed

M5 Cab: 2600 RPM  
 Power Steering: M5 - 6.8  
 Impl. Flow: 18.1  
 M4N/M5N ROPS: 16.7 gpm  
 Total Flow: 24.9

**REMOTE VALVES**

(2) SCD (Self Canceling Detent) w/ flow control  
 Optional FD (Float Detent) w/ flow control  
 Max 5 valves

**3 Point Hitch & Drawbar**

Cat II 3-Point Hitch  
 @ Lift Points: 5071 lbs  
 (ASAE)@ 24" Behind: 3307 lbs  
 2 External Lift Cylinders  
 Easy Adjust Stabilizers  
 Drawbar - Straight

**POWER TAKE OFF**

Live-Independent Hyd. PTO  
 SAE 1 3/8" Six Spline  
 540 RPM @ 2385 Eng. RPM  
 540E\* @ 1735 Eng. RPM

Model Specifications
<b>M5N-091HDC12PC</b>
SAE Gross HP: 94
Engine Net HP: ->88
Max . PTO HP: 78

**TRANSMISSION**

12F/12R Two Range, 6-Speed  
 Electro-Hydraulic Shuttle Shift  
 Clutch - Multi-Plate Wet  
 Planetary Final Drives  
 Hydraulic Wet Disk Brakes

**FRONT AXLE**

Hydrostatic Power Steering  
 4WD: Cast Iron, Bevel Gear 55 Deg  
 Planetary Final Drives  
 Adjustable (Rim) Tread Spacing

**FLUID CAPACITY**

Fuel Tank Capacity: 20.1 gal  
 DEF Tank Capacity: 3.2 gal  
 Cooling System: 11 qts  
 Crankcase: 11.3 qts  
 Hydraulics/Trans: 13.7 gal  
 Hydraulics/Front Axle 2.1 gal

**INSTRUMENTS**

LCD readout for MPH and PTO rpm  
 RPM Memory  
 Tachometer/Hour meter  
 Oil Pressure  
 Fuel Gauge  
 Coolant Temperature  
 Gear Speed Digital Light Indicator  
 Digital Light Indicator F/R Direction

**TIRES AND WHEELS**

Front 8.0 x 16 R1  
 Track

**CAB FEATURES**

Integral Factory ROPS Certified  
 Flat Deck  
 Mechanical Suspension Seat, Vinyl  
 Retractable Seat belt  
 Tinted Glass  
 Dual Level Air Conditioning & Heater  
 Front Wiper w/ Washer - 2 Speed  
 Radio Ready, includes 2-speakers,  
 antenna, and wiring harness.  
 Left and Right Side Exterior Mirror  
 2 - Front Halogen Work Lights  
 2 - Rear Halogen Work Lights  
 2 Doors, Frameless all glass  
 Left Side Step  
 Tilt Steering Wheel  
 Interior Dome Light  
 Accessory Plug 12V - 15 Amp and  
 12 Volt 3-Pin 30-amp coupler  
 12 Volt - Outlet  
 Hard Mount location right center post  
 Horn  
 Cup Holder

**LIGHTING**

2 Headlights - Tail lights  
 4 Hazard Flasher Lights w/ Turn Signals  
 2 Grill Mounted Worklights

**SAFETY EQUIPMENT**

Flip-Up PTO Shield  
 Safety Start Switches  
 Electric Key Shut Off  
 PTO OFF  
 Shuttle Lever Neutral  
 Parking Brake  
 Turn Signals  
 SMV Sign  
 7-Pin Electrical Trailer Connector

**M5 Series M5N-091HDC12PC Narrow Power Krawler**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
***STANDARD TRACTOR WITH STANDARD TIRES***				
M5N-091HDC12PC	4WD Narrow Specialty Cab Tractor 12 Speed	K68M755M20	6900 lbs	\$85,944.00

M5N Narrow Power Krawler		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGG. LIST PRICE
<b>AG - BIAS REAR</b>				
AMR8534A*	F-TIRE 9.5-16 R1 Gdyr Dura Torque 8stud Rear Power Krawler Track System 11.8" Track	77 lbs	MM0	In Base Price
<b>AG - RADIAL REAR</b>				
AMR8543	F-TIRE 280/70R18 R1W Gdyr Optitrac DT812 Rear Power Krawler Track System 11.8" Track	126 lbs	K608M00 Add	\$760.00

TIRES AND WHEELS (priced per piece)				
ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGG. LIST PRICE
<b>AG - BIAS REAR</b>				
AMR8534A*	F-TIRE 9.5-16 R1 Gdyr Dura Torque 8stud Rear Power Krawler Track System 11.8" Track	K340M00	77 lbs	\$425.00
<b>AG - RADIAL REAR</b>				
AMR8543	F-TIRE 280/70R18 R1W Gdyr Optitrac DT812 Rear Power Krawler Track System 11.8" Track	K644M00	126 lbs	\$805.00

\* Standard Tires

**M5 SERIES**

**M5N-091HDC12PC Narrow Power Krawler**

**DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
<b>HYDRAULICS/HITCH/DRAWBAR</b>				
<b>HYDRAULIC REAR REMOTE VALVES - 3RD, 4TH, AND 5TH POSITION</b>				
M8136	SCD (Self Canceling Detent) w/ Flow Control	K968M80	22 lbs	\$1,211.00
M8137	FD (Float Detent) w/ Flow Control	K968M80	22 lbs	\$1,211.00
M8138	Single Double Valve w/ Flow Control	K1M163M20	13 lbs	\$1,454.00
<b>REMOTE VALVE LEVER KITS</b>				
M8139	3rd Position Lever Kit	K140M80	5 lbs	\$176.00
M8149	4th Position Lever Kit	K140M80	5 lbs	\$176.00
M8150	5th Position Lever Kit	K140M80	5 lbs	\$176.00
<b>FRONT HYDRAULIC COUPLERS</b>				
M8151	1st Position Front Hydraulic Coupler Kit	K645M60	71 lbs	\$807.00
M8152	2nd Position Front Hydraulic Coupler Kit	K334M40	20 lbs	\$418.00
M8153	3rd Position Front Hydraulic Coupler Kit	K334M40	20 lbs	\$418.00
M8154	4th Position Front Hydraulic Coupler Kit	K334M40	20 lbs	\$418.00
M8157	5th Position Front Hydraulic Coupler Kit	K334M40	20 lbs	\$418.00
<b>OTHER HYDRAULIC ACCESSORIES</b>				
M8158	Front Case Drain Coupler Kit Requires 1st Position Front Hydraulic Coupler Kit	K107M20	5 lbs	\$134.00
M8159	Rear Case Drain Coupler Kit	K107M20	1 lbs	\$134.00
<b>DRAWBAR CLEVIS</b>				
M9594	Drawbar Clevis	K64M80	10 lbs	\$81.00
<b>TRANSMISSION</b>				
<b>CREEP SPEED KIT</b>				
M9131	Creep Speed Cassette Type	K898M40	22 lbs	\$1,123.00

**M5 SERIES**

**M5N-091HDC12PC Narrow Power Krawler**

**DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
<b>CAB ACCESSORIES</b>				
<b>REAR WIPER AND DEFOGGER</b>				
M8167	Rear Window Defogger Kit	K493M60	46 lbs	\$617.00
M6944	Rear Wiper and Washer Kit	K132M80	4 lbs	\$166.00
77700-01098	12V/3-Pin 30 Amp Coupler Pigtail, 12" Long (Cab only)	(Order from Parts Department)		
<b>HIGH CAPACITY ALTERNATOR KIT</b>				
M9143	130 Amp High Capacity Alternator Kit for M5N Cab Model	K724M80	10 lbs	\$906.00
<b>AIR RIDE SEAT</b>				
M9154	Air Ride Seat for Cab models only	K813M60	75 lbs	\$1,017.00
<b>JENSEN RADIO OPTIONS</b>				
77700-04753	Radio, AM/FM/WB/AUX (Also Requires 77700-05298 radio bracket)	(Order from Parts Department)		
77700-04754	Radio, AM/FM/WB/AUX/USB/IPOD/SAT (Also Requires 77700-05298 radio bracket)	(Order from Parts Department)		
77700-04755	Radio, AM/FM/WB/AUX/USB/IPOD/SATCD/Bluetooth (Also Requires 77700-05298 radio bracket)	(Order from Parts Department)		
77700-05298	Radio Bracket for L40 and narrow series tractor	(Order from Parts Department)		
<b>REPLACEMENT CAB</b>				
M5553	Replacement Cab for M5N-PC	K7M875M20	1047 lbs	\$9,844.00

**BALLAST**

<b>FRONT WEIGHT BRACKETS</b>				
M1839	Front Weight Bracket (230 lbs. each) Standard on 2WD Models Requires Front Bumper Bolt Kit Up to 10 Front Suitcase Weights	K392M00	92 lbs	\$490.00
<b>FRONT SUITCASE WEIGHTS</b>				
M8079	Suitcase Weight Requires Front Weight Bumper and Bolt/Bar Kit	K94M40	102 lbs	\$118.00
<b>FRONT WEIGHT BOLT/BAR KITS</b>				
M8073A	Bolt/Bar Kit (Mounts up to 10 weights)	K60M00	10 lbs	\$75.00

**ADDITIONAL ACCESSORIES**

<b>BLOCK HEATER</b>				
70000-73274	Block Heater	(Order from the Parts Department)		
<b>GRILL GUARD</b>				
M6909	Grill Guard Kit	K207M20	62 lbs	\$259.00

**KubotaNOW TELEMATICS**

<b>Each order will require the DCU6700 modem and wiring harness as listed below:</b>				
DCU6700	AT&T Telematics Modem	K317A68	1 lbs	\$418.00
M6712	M Series Telematics Harness	K118M40	1 lbs	\$148.00
<b>KubotaNOW Telematics Service includes a three (3) year term with a Dealer Net cost of \$399 and a total list price of \$525</b>				
<b>As of November 2nd, KubotaNOW will be available for Dealer Owned and Dealer Rental Fleet Machines.</b>				

**M6 SERIES**

**M6-101/M6-111**

\*\*\* EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS \*\*\*

**DIESEL ENGINE**

Kubota V3800 Direct Injection  
 3.8L (230 cu. In.) 4 Cyl  
 EPA Tier 4 Final Compliant  
 Common Rail Electronic Fuel Injection  
 Electronic Engine Management  
 Turbocharged  
 w/Wastegate and Intercooled  
 Fuel Tank Capacity: 50.2 Gal  
 130 Amp Alternator  
 12V 900 CCA Battery

**EXHAUST EMISSION CONTROL TYPE**

DPF System (Diesel Particulate Filter)  
 SCR System  
 DEF Tank Capacity: 4.2 Gal

**HYDRAULICS / HITCH / DRAWBAR**

Open Center Gear Pump  
 Max. Flow @ Rated Engine Speed  
 Power Steering: 16.1 gpm  
 Implement Flow: 18.7 gpm  
 Total Flow: 34.8 gpm

**REMOTE VALVES**

Remote Valves w/Individual Flow Control  
 (1) SCD (Self Canceling Detent)  
 (1) FD (Float Detent)  
 In-Cab Flow Control Adjustment

**3 POINT HITCH & DRAWBAR**

Cat II 3-point Hitch  
 @ Lift Points: 8598 lbs  
 @ 24" Behind: 6834 lbs  
 2 External Lift Cylinders  
 Electronic Position and Draft Control  
 Telescoping Lower Links  
 Stabilizers  
 Swinging Drawbar - Straight

**POWER TAKE OFF (540/1000)**

Live-Independent Hyd. PTO  
 SAE 1 3/8" Six Spline  
 540 rpm @ 2405 Eng. rpm  
 SAE 1 3/8" Twenty-One Spline  
 1000 rpm @ 2389 Eng. rpm

**TRANSMISSION**

24F/24R Intelli-Shift  
 Three Range, 8-Speed Semi-Powershift  
 Auto Shift Mode - Field & Road  
 Auto 4WD Function  
 Electro-Hydraulic Shuttle Shift  
 Electro-Hydraulic Front & Rear Diff. Lock  
 Clutch - Multi Plate Wet  
 Planetary Final Drives  
 Hydraulic Wet Disc Brakes

**FRONT AXLE**

Hydrostatic Power Steering  
 4WD: Cast Iron, Bevel Gear Type  
 Bi-Speed Turn Feature  
 Planetary Final Drives  
 Adj. (Rim) Tread Spacing

**FLUID CAPACITY**

Cooling System: 11.3 qts  
 Crankcase: 10.5 qts  
 Hydraulics/Trans: 17.2 gal

**INSTRUMENTS**

LCD readout for MPH and PTO rpm  
 26 Mode LCD Readout  
 Tachometer/Hour meter  
 Oil Pressure  
 Fuel Gauge  
 Coolant Temperature  
 Gear Speed Digital Light Indicator  
 Digital Light Indicator F/R Direction

**TIRES AND WHEELS**

Front 12.4R24 Radial / Steel Waffle  
 Rear 18.4R30 Radial/Cast Iron

**GRAND-X CAB**

4-post, ROPS Certified  
 RH & LH Doors  
 Tinted Glass Doors and Windows  
 In-roof window/vent  
 Tilt and Telescoping Steering Wheel  
 Deluxe Air Ride Seat  
 Dual Level Air Conditioning & Heater  
 Front and Rear Wiper/Washer  
 Front Sun Visor  
 Rear View Mirror  
 LH & RH Telescoping Side Mirrors  
 Radio Ready Cab  
 Steps, Left and Right Side  
 Interior Dome Light  
 12V - 30-Amp 2 Wire Coupler  
 12V - 3 Pin 30-Amp Coupler  
 12V - Outlet  
 Cup Holder  
 Instructor Seat Ready  
 Horn

**LIGHTING**

2 Headlights - Tail lights  
 4 Hazard Flasher Lights w/ Turn Signals  
 2 Grille Mounted Worklights  
 2 Front Cab Halogen Worklights  
 2 Rear Halogen Worklights

**SAFETY EQUIPMENT**

Flip-Up PTO Shield  
 Safety Start Switches  
 Electric Key Shut Off  
 Parking Brake  
 Turn Signals  
 SMV Sign  
 7-Pin Electrical Trailer Connector

Model Specifications	
<b>M6-101</b>	<b>M6-111</b>
SAE Gross HP: 104.5 HP	SAE Gross HP: 114.1 HP
Engine Net HP: 97.1 HP	Engine Net HP: 106.8 HP
Max . PTO HP: 82.0 HP	Max . PTO HP: 92.0 HP
@ 2600 Engine RPM	@ 2600 Engine RPM

**M6 Series M6-101/M6-111**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
***STANDARD TRACTOR WITH STANDARD TIRES***				
M6-101DTC-F	4WD Farm Tractor w/Factory Cab (A/C)	K75M248M80	9601 lbs	\$94,061.00
M6-111DTC-F	4WD Farm Tractor w/Factory Cab (A/C)	K78M564M00	9789 lbs	\$98,205.00

M6-101DTC-F/M6-111DTC-F		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGGESTED LIST PRICE
<b>TIRES AND WHEELS†</b>				
<b>STANDARD TIRES</b>				
AMR8557A**	F-TIRE 320/85R24 R1W GDYR OPTRAC	220 lbs	MM0	Add In Base Price
AMR8514B**	R-TIRE 460/85R30 R1W GDYR OPTRAC CAST	1027 lbs		
<b>AG - BIAS REAR</b>				
AMR8558C	F-TIRE 13.6-24 R1 Dyna Torque II TL WAF	206 lbs	M646M40	Add \$808.00
AMR9246C	R-TIRE 18.4-34 R1 F-Stone(SAT)II CRC Cst	1000 lbs		
AMR8558C	F-TIRE 13.6-24 R1 Dyna Torque II TL WAF	206 lbs	K1M345M60	Less (\$1,682.00)
AMR9244D	R-TIRE 18.4-34 R1 8-PLY BIAS SAT II	441 lbs		
<b>AG - RADIAL REAR</b>				
AMR8557A	F-TIRE 320/85R24 R1W GDYR OPTRAC	220 lbs	K1M006M40	Less (\$1,258.00)
AMR8531A	R-TIRE 460/85R30 R1W GDYR OPTRAC	429 lbs		
AMR8557A**	F-TIRE 320/85R24 R1W GDYR OPTRAC	220 lbs	MM0	Add \$0.00
AMR8514B**	R-TIRE 460/85R30 R1W GDYR OPTRAC CAST	1027 lbs		
AMR8559A	F-TIRE 340/85R24 R1W GY OPTITRAC	290 lbs	K1M408M00	Add \$1,760.00
AMR9256C	R-TIRE 460/85R34 R1W GY OPTITRAC CAST	1020 lbs		
AMR8559A	F-TIRE 340/85R24 R1W GY OPTITRAC	290 lbs	M310M40	Less (\$388.00)
AMR9254D	R-TIRE 460/85R34 R1W GY OPTITRAC	540 lbs		
AMR8556B	F-TIRE 12.4-24 R1W GDYR OPTITRAC	193 lbs	M803M20	Less (\$1,004.00)
AMR9257B	R-TIRE 420/85R34 R1W ALLIANCE 385 RADIAL	380 lbs		
AMR8556B	F-TIRE 12.4-24 R1W GDYR OPTITRAC	193 lbs	M734M40	Add \$918.00
AMR9258B	R-TIRE 420/85R34 GY OPT R1W CAST	910 lbs		
<b>AG/INDUSTRIAL HYBRID</b>				
AMR9304	F-TIRE LSW 340/70R28 GY R14	290 lbs	K2M572M80	Add \$3,216.00
AMR9308	R-TIRE LSW 460/75R38 GY R14 CAST	1072 lbs		
<b>TERRAIN KING</b>				
AMR9304	F-TIRE LSW 340/70R28 GY R14	290 lbs	K2M974M40	Add \$3,718.00
AMR9284TK	R-TIRE LSW 460/75R38 GY R14 CAST TK	1080 lbs		
AMR8559A	F-TIRE 340/85R24 R1W GY OPTITRAC	290 lbs	K1M465M60	Add \$1,832.00
AMR9280TKA	R-TIRE 460/85R34 R1W GY OPT CAST TK	1010 lbs		

† See Tire Section for Individual Tire Pricing and Information  
 \*\* Standard Tires for M6-101DTC-F & M6-111DTC-F  
 \* Available only on M6-101DTC-F



**M6 Series**

**M6-101/M6-111**

**Individual Tire Pricing**

M6-101DTC-F/M6-111DTC-F				
TIRES AND WHEELS (priced per piece)				
ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
<b>AG - BIAS REAR</b>				
AMR8558C	F-TIRE 13.6-24 R1 Dyna Torque II TL WAF	K631M20	206 lbs	\$789.00
AMR9246C	R-TIRE 18.4-34 R1 F-Stone(SAT)II CRC Cst	K2M324M80	1000 lbs	\$2,906.00
AMR8558C	F-TIRE 13.6-24 R1 Dyna Torque II TL WAF	K631M20	206 lbs	\$789.00
AMR9244D	R-TIRE 18.4-34 R1 8-PLY BIAS SAT II	K1M328M80	441 lbs	\$1,661.00
<b>AG - RADIAL REAR</b>				
AMR8557A	F-TIRE 320/85R24 R1W GDYR OPTRAC	K736M00	220 lbs	\$920.00
AMR8531A	R-TIRE 460/85R30 R1W GDYR OPTRAC	K1M393M60	429 lbs	\$1,742.00
AMR8557A**	F-TIRE 320/85R24 R1W GDYR OPTRAC	K736M00	220 lbs	\$920.00
AMR8514B**	R-TIRE 460/85R30 R1W GDYR OPTRAC CAST	K1M896M80	1027 lbs	\$2,371.00
AMR8559A	F-TIRE 340/85R24 R1W GY OPTITRAC	K881M60	290 lbs	\$1,102.00
AMR9256C	R-TIRE 460/85R34 R1W GY OPTITRAC CAST	K2M455M20	1020 lbs	\$3,069.00
AMR8559A	F-TIRE 340/85R24 R1W GY OPTITRAC	K881M60	290 lbs	\$1,102.00
AMR9254D	R-TIRE 460/85R34 R1W GY OPTITRAC	K1M596M00	540 lbs	\$1,995.00
AMR8556B	F-TIRE 12.4-24 R1W GDYR OPTITRAC	K560M80	193 lbs	\$701.00
AMR9257B	R-TIRE 420/85R34 R1W ALLIANCE 385 RADIAL	K1M670M40	380 lbs	\$2,088.00
AMR8556B	F-TIRE 12.4-24 R1W GDYR OPTITRAC	K560M80	193 lbs	\$701.00
AMR9258B	R-TIRE 420/85R34 GY OPT R1W CAST	K2M439M20	910 lbs	\$3,049.00
<b>AG/INDUSTRIAL HYBRID</b>				
AMR9304	F-TIRE LSW 340/70R28 GY R14	K1M255M20	290 lbs	\$1,569.00
AMR9308	R-TIRE LSW 460/75R38 GY R14 CAST	K2M664M00	1072 lbs	\$3,330.00
<b>TERRAIN KING</b>				
AMR9304	F-TIRE LSW 340/70R28 GY R14	K1M255M20	290 lbs	\$1,569.00
AMR9284TK	R-TIRE LSW 460/75R38 GY R14 CAST TK	K2M864M80	1080 lbs	\$3,581.00
AMR8559A	F-TIRE 340/85R24 R1W GY OPTITRAC	K881M60	290 lbs	\$1,102.00
AMR9280TKA	R-TIRE 460/85R34 R1W GY OPT CAST TK	K2M484M00	1010 lbs	\$3,105.00

† See Tire Section for Individual Tire Pricing and Information  
 \*\* Standard Tires for M6-101DTC-F & M6-111DTC-F  
 \* Available only on M6-101DTC-F

**M6 SERIES****M6-101/M6-111****DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
<b>HYDRAULICS/HITCH/DRAWBAR</b>				
<b>HYDRAULIC REAR REMOTE VALVES - 3RD POSITION</b>				
M7683A	SCD Valve with Built-In Flow Control	K760M00	22 lbs	\$950.00
M7684A	FD Valve with Built-In Flow Control	K768M00	20 lbs	\$960.00
<b>REMOTE VALVE LEVER KITS FOR DELUXE VALVES</b>				
M7629	3rd Position Lever Kit	K203M20	5 lbs	\$254.00
M7686	4th Position Lever Kit	K203M20	3 lbs	\$254.00
<b>3-POINT LIFT ASSIST KIT</b>				
M9122	High Capacity Lift Cylinders Provides 9,447 Lbs. lift capacity	K930M40	55 lbs	\$1,163.00
<b>3-POINT FENDER SWITCH</b>				
M9237	Right hand fender switch for 3-point hitch	K40M80	1 lbs	\$51.00
<b>DROP DRAWBAR</b>				
M9227	Drop Drawbar - 4.5" Drop	K186M40	55 lbs	\$233.00
<b>DRAWBAR CLEVIS</b>				
M9289	Drawbar Clevis for standard Flat Drawbar	K205M60	13 lbs	\$257.00
M9217	Drawbar Clevis for M9227 Drop Drawbar	K205M60	20 lbs	\$257.00
<b>TRANSMISSION</b>				
<b>CREEP SPEED KIT</b>				
M9127	One kit, Cassette type Requires dealer installation.	K898M40	39 lbs	\$1,123.00
<b>FRONT AXLE</b>				
<b>FRONT FENDER KIT (Swivel Type)</b>				
M9290	Fender Mounting Kit, (Requires M9208) Not compatible with Loader Applications	K726M40	68 lbs	\$908.00
M9208	Plastic Fenders (Includes 2 Fenders) 14.9" wide Requires Fender Mounting Kit	K101M60	7 lbs	\$127.00
<b>WIDE ROW FRONT AXLE KIT</b>				
M9282	80" Wide Row Front Axle Kit Not compatible with Loader Applications	K1M138M40	76 lbs	\$1,423.00
<b>AUDIO ACCESSORIES</b>				
<b>Jensen Radio options</b>				
77700-04753	RADIO, AM/FM/WB/AUX			(Order from Parts Department)
77700-04754	RADIO, AM/FM/WB/AUX/USB/IPOD/SAT			(Order from Parts Department)
77700-04755	RADIO, AM/FM/WB/AUX/USB/IPOD/SATCD/Bluetooth			(Order from Parts Department)
*Mounting bracket is shipped with the tractor in the cab, black pouch. The plastic cover plate that is removed becomes the radio cover ring, remove the plastic center cover piece, and reinstall the cover ring.				

**M6 SERIES**

**M6-101/M6-111**

**DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
<b>CAB ACCESSORIES</b>				
M1145	Retractable Rear Sunshade	K212M00	5 lbs	\$265.00
M9118	Rear Defogger Kit	K361M60	46 lbs	\$452.00
M9121A	Instructor Seat w/Seat belt Dealer installed or installed by KTC with tractor order	K431M20	14 lbs	\$539.00
M9144	Monitor Bracket	K112M00	4 lbs	\$140.00
77700-01098	12V/3-Pin 30 Amp Coupler Pigtail, 12" Long (Order from Parts Department)			
M9229	Mid Mount Work Light Kit (Two Lights) Each light mounts to Cab grab handle.	K133M60	4 lbs	\$167.00
M1352	Rear Mount Work Light Kit (Two Lights)	K148M80	5 lbs	\$186.00
M9206	PLASTIC REAR FENDER EXTENSION - M6	K312M80	1 lbs	\$391.00
<b>REPLACEMENT CAB</b> M6937	Replacement Cab - Field installation required. Attachment system, lights, electrical harness, glass, control levers, roof and headliner, dash tower, steering column, and pedals are included. Note: Transfer components as needed.	K14M436M80	1000 lbs	\$18,046.00

**BALLAST**

<b>FRONT SUITCASE WEIGHTS</b>				
M9126	Weight Bracket	K391M20	96 lbs	\$489.00
M8079	One Weight Requires M9126 Bracket and M9275 Bolt Kit. Maximum 12 Weights.	K94M40	102 lbs	\$118.00
M9275A	Bolt/Bar Kit - Weight(s) One Bolt/Bar Kit per 1-12 M8079 Weights	K56M80	14 lbs	\$71.00
<b>REAR WHEEL WEIGHTS</b>				
M8126A	Rear Wheel Weights, set of 2 (164 lbs. each) *Requires M8119B or LM8125A *Limit 3 sets on Steel Dish Wheels *Limit 2 sets on Cast Dish Wheels	K289M60	328 lbs	\$362.00
M8119B	Bolt Kit for 1st set M8126A on Cast Dish Wheels.	K24M80	6 lbs	\$31.00
LM8125A	Bolt Kit for 1st set M8126A on Steel Dish Wheels	K61M60	5 lbs	\$77.00
M8127B	Bolt Kit for 2nd and 3rd Wheel Weight Sets *Required for 2nd & 3rd set on ALL Steel Dish *Required for 2nd set on Cast Dish Wheels	K23M20	6 lbs	\$29.00

**M6 SERIES**

**M6-101/M6-111**

**DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
------------	-------------	----------------	-------------	----------------------

**ADDITIONAL ACCESSORIES**

<b>FUEL TANK GUARD KIT</b> M6913	Heavy Duty Metal Fuel Tank Guard Kit	K281M60	14 lbs	\$352.00
<b>BACKUP ALARM</b> M7562	M6 Backup Alarm Kit	K145M60	2 lbs	\$182.00
<b>BEACON LIGHT</b> M7582	M6 Beacon Light Kit	K264M80	4 lbs	\$331.00
<b>BLOCK HEATER</b> 70000-73274	Block Heater	(Order from the Parts Department)		
<b>FUEL CAP</b> 77700-06358	Locking Fuel Cap Only Fits M6-101 Prior to SN 10627 Only Fits M6-111 Prior to SN 11656	(Order from the Parts Department)		

**KubotaNOW TELEMATICS**

<b>Each order will require the DCU6700 modem and wiring harness as listed below:</b>				
DCU6700	AT&T Telematics Modem	K317A68	1 lbs	\$418.00
M6712	M Series Telematics Harness	K118M40	1 lbs	\$148.00
<b>KubotaNOW Telematics Service includes a three (3) year term with a Dealer Net cost of \$399 and a total list price of \$525</b>				
<b>As of November 2nd, KubotaNOW will be available for Dealer Owned and Dealer Rental Fleet Machines.</b>				

**FRONT END LOADER**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
------------	-------------	----------------	-------------	----------------------

**LA1955 LOADER - For M6-101/M6-111**

LA1955	FRONT LOADER (QA) 2-Lever Quick Attach Loader Includes Mounting Kit and Stand <u>Does not include</u> valve, grille guard, or bucket.	K5M997M60	1859 lbs	\$7,497.00
--------	--	-----------	----------	------------

**VALVE KITS**

M6916	Loader Valve Kit (Standard)	K1M128M00	75 lbs	\$1,410.00
M6928	Loader Valve Kit (Hydraulic Self Leveling)	K1M928M00	101 lbs	\$2,410.00
M6921	3rd Function Valve Kit for Standard Loader Valve	K1M224M80	61 lbs	\$1,531.00
M6923	3rd Function Valve Kit for Hyd Self Leveling Loader Valve	K1M224M80	61 lbs	\$1,531.00

**LOADER ACCESSORIES KITS**

M6919	KSR Accumulator	K668M00	36 lbs	\$835.00
M6927	Hydraulic Quick Connect Single Lever	K785M60	22 lbs	\$982.00

**GRILLE GUARD**

M6934	Grill Guard	K266M40	108 lbs	\$333.00
-------	-------------	---------	---------	----------

**BUCKETS / BUCKET TINE KITS / GRAPPLE BUCKETS (All 2-Lever Type QA)**

M1815	84" Rd Back High Capacity, Light Material Bucket	K876M80	400 lbs	\$1,096.00
M1816	84" Rd Back Bucket	K836M00	400 lbs	\$1,045.00
M1285	84" Bucket Tine Kit (includes 9 Tines and hardware)	K416M80	90 lbs	\$521.00
M1886	96" Bucket	K928M00	610 lbs	\$1,160.00
M1287	96" Bucket Tine Kit (includes 10 Tines and hardware)	K463M20	200 lbs	\$579.00
M1896	96" Sq Back, High Capacity, Light Material Bucket	K1M023M20	610 lbs	\$1,279.00
M9248	84" HAY GRAPPLE BUCKET Four tine, 2-cylinder grapple 2-Lever QA coupler Requires M6921 for Std. Valve Requires M6923 for Self Leveling Valve Requires two Hyd. 1/2" quick couplers w/0.375" fittings	K3M682M40	1240 lbs	\$4,603.00
M9249	90" HAY GRAPPLE BUCKET Four tine, 2-cylinder grapple 2-Lever QA coupler Requires M6921 for Std. Valve Requires M6923 for Self Leveling Valve Requires two Hyd. 1/2" quick couplers w/0.375" fittings	K3M905M60	1500 lbs	\$4,882.00

**BALE SPEARS**

M1804	Bale Spear 2-Lever Type QA	K713M60	195 lbs	\$892.00
-------	----------------------------	---------	---------	----------

**PALLET FORK FRAME / PALLET FORKS**

M1809	Pallet Fork Frame 2-Lever Type QA (Requires 42" or 48" Forks)	K660M80	200 lbs	\$826.00
K9058	42" Pallet Forks, 2750 lb @ 24" Forward Load Rating.	K451L20	196 lbs	\$564.00
K9059	48" Pallet Forks, 2750 lb @ 24" Forward Load Rating.	K480K80	218 lbs	\$601.00

**M6 SERIES****M6-101/M6-111****FRONT END LOADER**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
<b>LA1955E EURO LOADER - For M6-101/M6-111</b>				
LA1955E	FRONT LOADER (EURO TYPE QA COUPLER) Euro Quick Attach Loader Includes Mounting Kit and Stand <u>Does not include</u> valve, grill guard, or bucket.	K5M997M60	1859 lbs	\$7,497.00
<b>VALVE KITS</b>				
M6916	Loader Valve kit (Standard)	K1M128M00	75 lbs	\$1,410.00
M6928	Loader Valve kit (Hydraulic Self Leveling)	K1M928M00	101 lbs	\$2,410.00
M6921	3rd Function Valve Kit for Standard Loader Valve Requires M1967E	K1M224M80	61 lbs	\$1,531.00
M6923	3rd Function Valve Kit for Hyd Self Leveling Loader Valve Requires M1967E	K1M224M80	61 lbs	\$1,531.00
M1967E	Hose Extension Kit, required for M6921 or M6923	K220M00	13 lbs	\$275.00
<b>LOADER ACCESSORIES KITS</b>				
M6919	KSR (Kubota Shockless Ride) Accumulator	K668M00	36 lbs	\$835.00
M6927	Hydraulic Quick Connect Single Lever	K785M60	22 lbs	\$982.00
<b>GRILL GUARD KITS</b>				
M6934	Grill Guard	K266M40	108 lbs	\$333.00
<b>BUCKET / BUCKET TINE KITS / GRAPPLE BUCKETS</b>				
M1816E	84" EURO QA Bucket	K976M00	400 lbs	\$1,220.00
M1285	84" Bucket Tine Kit	K416M80	90 lbs	\$521.00
M1886E	96" EURO QA Bucket	K1M412M00	610 lbs	\$1,765.00
M1287	96" Bucket Tine Kit	K463M20	200 lbs	\$579.00
M1896E	96" EURO QA Light Material Bucket	K1M530M40	610 lbs	\$1,913.00
M9243E	84" EURO QA type Bale Grapple Bucket Four tine, 2-cylinder grapple 2-Lever QA coupler Requires M6921 for Std. Valve Requires M6923 for Self Leveling Valve Requires two Hyd. 1/2" quick couplers w/0.375" fittings	K3M931M20	1235 lbs	\$4,914.00
M9223E	96" EURO QA type Bale Grapple Bucket Four tine, 2-cylinder grapple 2-Lever QA coupler Requires M6921 for Std. Valve Requires M6923 for Self Leveling Valve Requires two Hyd. 1/2" quick couplers w/0.375" fittings	K4M238M40	1300 lbs	\$5,298.00
<b>BALE SPEARS</b>				
M1817E	Bale Spear Quick Coupler, Euro QA	K802M40	200 lbs	\$1,003.00
<b>PALLET FORK FRAME / PALLET FORKS</b>				
M1819E	Pallet Fork Frame, Euro QA (Requires 42" or 48" Forks)	K740M80	200 lbs	\$926.00
K9058	42" Pallet Forks, 2750 lb @ 24" Forward Load Rating.	K451L20	196 lbs	\$564.00
K9059	48" Pallet Forks, 2750 lb @ 24" Forward Load Rating.	K480K80	218 lbs	\$601.00

---

**M6 SERIES**

**M6-101/M6-111**

---

**Approved Attachments**

See Website for Landpride Attachments List

**M6S SERIES**

**M6S-111 Midsize Utility Tractors**

\*\*\* EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS \*\*\*

**DIESEL ENGINE**

Kubota V3800 Direct Injection  
 3.8L (230 cu. in.) 4 Cyl  
 EPA Tier 4 Final Compliant  
 Common Rail Electronic Fuel Injection  
 Electronic Engine Management  
 Turbocharged  
 w/Wastegate and Intercooled  
 12V 900 CCA Battery  
 Charging Output 80 amps Cab

**EXHAUST EMISSION CONTROL TYPE**

DPF System (Diesel Particulate Filter)  
 SCR System

**HYDRAULICS / HITCH / DRAWBAR**

Open Center Gear Pump  
 Max. Flow @ Rated Engine Speed  
     Cab: 2600 RPM  
     Power Steering: 12.9 gpm  
 Impl. Flow - Cab: 17.6 gpm  
 Total Flow - Cab: 30.5 gpm

**REMOTE VALVES**

(1) SCD (Self Canceling Detent)  
 (1) FD (Float Detent)

**3 Point Hitch & Drawbar**

Cat II 3-Point Hitch  
     @ Lift Points: 4960 lbs  
     (ASAE)@ 24" Behind: 3858 lbs  
 Telescoping Lower Links  
 Telescoping Stabilizers  
 Swinging Drawbar

**POWER TAKE OFF**

Live-Independent Hyd. PTO  
 SAE 1 3/8" Six Spline  
     540 RPM @ 2405 Eng. RPM  
 SAE 1-38" Twenty-One Spline  
     1000 RPM @ 2389 Eng. RPM  
 Optional 540/1000 standard on  
 2 speed PTO Model

Model Specifications
<b>M6S-111</b>
SAE Gross HP: 114
Engine Net HP: 105
Max. PTO HP: 95

**Transmission**

16F/16R or 32F/32R Swing Shift Plus  
 Shuttle Shift: Electric Hydraulic  
 Main Shift: 8-Speed synchronized  
     w/swing shift  
 Range Shift: 2-Speed Constant Mesh  
 Dual Speed: 2-Speed power shift  
 Clutch - Multi-Plate Wet  
 Planetary Final Drives  
 Hydraulic Wet Dish Brakes

**FRONT AXLE**

Hydrostatic Power Steering  
 2WD: Steel Adjustable  
 4WD: Cast Iron, Bevel Gear 55 Deg  
 Mechanical Differential Lock  
 Adjustable (Rim) Tread Spacing

**FLUID CAPACITY**

Fuel Tank Capacity: 46.2 gal  
 DEF Tank Capacity: 3.2 gal  
 Cooling System: 2.5 gal  
 Crankcase: 2.8 gal  
 Hydraulics/Trans: 15.8 gal  
 Front Axle case: 1.9 gal  
 Bevel Gear case: 0.9 gal

**INSTRUMENTS**

LCD Display:  
 Shuttle position, DEF gauge,  
 Clock, Travel Speed, PTO RPM,  
 Hour Meter, Trip Meter,  
 Fuel Consumption, PM Level, RPM Memory  
 Oil Pressure  
 Fuel Gauge  
 Coolant Temperature  
 Swing Shift H/L Digital Light Indicator  
 4WD Indicator  
 Water Separator Light

**TIRES AND WHEELS**

Front: See following pages for combinations noted as standard  
 Rear: See following pages for combinations noted as standard

**Cab Features**

Tilt Steering Wheel  
 Retractable Seat belt  
 12V - Outlet  
 Cup Holder  
 Cloth Suspension Seat  
 Side view mirrors  
 Front wiper and washer

**LIGHTING**

2 Headlights - Tail lights  
 4 Hazard Flasher Lights w/ Turn Signals  
 2 Grill Mounted Worklights  
 2 Cab Mounted Worklights  
 2 Rear Cab Mounted Worklights

**SAFETY EQUIPMENT**

Flip-Up PTO Shield  
 Safety Start Switches  
 Electric Key Shut Off  
 Parking Brake  
 Turn Signals  
 SMV Sign  
 7-Pin Electrical Trailer Connector



**M6S Series M6S-111 Midsize Utility Tractors**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
***STANDARD TRACTOR WITH STANDARD TIRES***				
M6S-111SHF	2WD Farm Tractor ROPS	K51M324M00	6834 lbs	\$64,155.00
M6S-111SHC	2WD Farm Tractor w/Factory Cab (A/C)	K58M288M80	9789 lbs	\$72,861.00

M6S-111 2WD		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGGESTED LIST PRICE
<b>TIRES AND WHEELS†</b>				
<b>STANDARD TIRES</b>				
AMR8980B*	F-TIRE 10.00-16 F2 Champ Guide Grip TL	91 lbs	MM0	Add In Base Price
AMR9244D*	R-TIRE 18.4-34 R1 8-PLY BIAS SAT II	441 lbs		
<b>AG - BIAS REAR</b>				
AMR8980B*	F-TIRE 10.00-16 F2 Champ Guide Grip TL	91 lbs	MM0	Add \$0.00
AMR9244D*	R-TIRE 18.4-34 R1 8-PLY BIAS SAT II	441 lbs		
AMR8980B	F-TIRE 10.00-16 F2 Champ Guide Grip TL	91 lbs	K1M992M00	Add \$2,490.00
AMR9246C ①	R-TIRE 18.4-34 R1 F-Stone(SAT)II CRC Cst	1000 lbs		
<b>AG - RADIAL REAR</b>				
AMR8980B	F-TIRE 10.00-16 F2 Champ Guide Grip TL	91 lbs	K534M40	Add \$668.00
AMR9254D	R-TIRE 460/85R34 R1W GY OPTITRAC	540 lbs		
AMR8980B	F-TIRE 10.00-16 F2 Champ Guide Grip TL	91 lbs	K2M252M80	Add \$2,816.00
AMR9256C ①	R-TIRE 460/85R34 R1W GY OPTITRAC CAST	1020 lbs		
AMXR8789A	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	75 lbs	K646M40	Add \$808.00
AMR9257B	R-TIRE 420/85R34 R1W ALLIANCE 385 RADIAL	380 lbs		
AMXR8789A	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	75 lbs	K2M184M00	Add \$2,730.00
AMR9258B ①	R-TIRE 420/85R34 GY OPT R1W CAST	910 lbs		
AMR8980B	F-TIRE 10.00-16 F2 Champ Guide Grip TL	91 lbs	K1K136M00	Add \$1,420.00
AMR8514B ①	R-TIRE 460/85R30 R1W GDYR OPTRAC CAST	1027 lbs		

TIRES AND WHEELS (priced per piece)				
ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
<b>AG - BIAS REAR</b>				
AMR8980B*	F-TIRE 10.00-16 F2 Champ Guide Grip TL	K295M20	91 lbs	\$369.00
AMR9244D*	R-TIRE 18.4-34 R1 8-PLY BIAS SAT II	K1M328M80	441 lbs	\$1,661.00
AMR8980B	F-TIRE 10.00-16 F2 Champ Guide Grip TL	K295M20	91 lbs	\$369.00
AMR9246C ①	R-TIRE 18.4-34 R1 F-Stone(SAT)II CRC Cst	K2M324M80	1000 lbs	\$2,906.00
<b>AG - RADIAL REAR</b>				
AMR8980B	F-TIRE 10.00-16 F2 Champ Guide Grip TL	K295M20	91 lbs	\$369.00
AMR9254D	R-TIRE 460/85R34 R1W GY OPTITRAC	K1M596M00	540 lbs	\$1,995.00
AMR8980B	F-TIRE 10.00-16 F2 Champ Guide Grip TL	K295M20	91 lbs	\$369.00
AMR9256C ①	R-TIRE 460/85R34 R1W GY OPTITRAC CAST	K2M455M20	1020 lbs	\$3,069.00
AMXR8789A	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	K276M80	75 lbs	\$346.00
AMR9257B	R-TIRE 420/85R34 R1W ALLIANCE 385 RADIAL	K1M670M40	380 lbs	\$2,088.00
AMXR8789A	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	K276M80	75 lbs	\$346.00
AMR9258B ①	R-TIRE 420/85R34 GY OPT R1W CAST	K2M439M20	910 lbs	\$3,049.00
AMR8980B	F-TIRE 10.00-16 F2 Champ Guide Grip TL	K295M20	91 lbs	\$369.00
AMR8514B ①	R-TIRE 460/85R30 R1W GDYR OPTRAC CAST	K1M896M80	1027 lbs	\$2,371.00

\* Standard Tires  
① Recommended for loader applications, increases base weight by approximately 600 lbs.

**M6S Series M6S-111 Midsize Utility Tractors**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
***STANDARD TRACTOR WITH STANDARD TIRES***				
M6S-111SHD	4WD Farm Tractor ROPS 540 PTO	K56M838M40	8466 lbs	\$71,048.00
M6S-111SDS2	4WD Farm Tractor ROPS 540/1000 PTO With Swing Shft Plus	K60M730M80	8466 lbs	\$74,365.00
M6S-111SHDC	4WD Farm Tractor w/Factory Cab (A/C)	K63M599M20	9789 lbs	\$79,499.00
M6S-111SHDC2	4WD Farm Tractor w/Factory Cab (A/C) 540/1000 rpm PTO	K64M093M60	9789 lbs	\$80,117.00
M6S-111SDSC	4WD Farm Tractor w/Factory Cab (A/C) With Swing Shift Plus	K65M758M40	9789 lbs	\$82,198.00
M6S-111SDSC2	4WD Farm Tractor w/Factory Cab (A/C) 540/1000 rpm PTO with Swing Shift Plus	K66M252M80	9789 lbs	\$82,816.00

M6S-111 4WD		Additional Price With Tire Option			
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER		SUGGESTED LIST PRICE
<b>TIRES AND WHEELS†</b>					
<b>STANDARD TIRES</b>					
AMR8559A	F-TIRE 340/85R24 R1W GY OPTITRAC	290 lbs	In Base Price	Add	In Base Price
AMR9254D	R-TIRE 460/85R34 R1W GY OPTITRAC	540 lbs			
<b>AG - BIAS REAR</b>					
AMR8558C	F-TIRE 13.6-24 R1 Dyna Torque II TL WAF	206 lbs	M956M80	Add	\$1,196.00
AMR9246C	R-TIRE 18.4-34 R1 F-Stone(SAT)II CRC Cst	1000 lbs			
AMR8558C	F-TIRE 13.6-24 R1 Dyna Torque II TL WAF	206 lbs	K1M035M20	Less	(\$1,294.00)
AMR9244D	R-TIRE 18.4-34 R1 8-PLY BIAS SAT II	441 lbs			
AMR8556B	F-TIRE 12.4-24 R1W GDYR OPTITRAC	193 lbs	K1M488M00	Less	(\$1,860.00)
AMR8530B	R-TIRE 18.4-30 R1W GDYR OPTITRAC	393 lbs			
<b>AG - RADIAL REAR</b>					
AMR8559A	F-TIRE 340/85R24 R1W GY OPTITRAC	290 lbs	MM0	Add	\$0.00
AMR9254D	R-TIRE 460/85R34 R1W GY OPTITRAC	540 lbs			
AMR8559A	F-TIRE 340/85R24 R1W GY OPTITRAC	290 lbs	K1M718M40	Add	\$2,148.00
AMR9256C	R-TIRE 460/85R34 R1W GY OPTITRAC CAST	1020 lbs			
AMR8557A	F-TIRE 320/85R24 R1W GDYR OPTRAC	220 lbs	M310M40	Add	\$388.00
AMR8514B	R-TIRE 460/85R30 R1W GDYR OPTRAC CAST	1027 lbs			
AMR8557A	F-TIRE 320/85R24 R1W GDYR OPTRAC	220 lbs	M142M40	Less	(\$178.00)
AMR9257B	R-TIRE 420/85R34 R1W ALLIANCE 385 RADIAL	380 lbs			
AMR8557A	F-TIRE 320/85R24 R1W GDYR OPTRAC	220 lbs	K1M395M20	Add	\$1,744.00
AMR9258B	R-TIRE 420/85R34 GY OPT R1W CAST	910 lbs			
<b>AG - RADIAL R14 Tires</b>					
AMR9304	F-TIRE LSW 340/70R28 GY R14	290 lbs	K2M883M20	Add	\$3,604.00
AMR9308	R-TIRE LSW 460/75R38 GY R14 CAST	1072 lbs			
<b>INDUSTRIAL TIRES</b>					
AMR8797	F-TIRE 14-17.5 R4 WITH 0.55" INSET	168 lbs	K915M20	Add	\$1,144.00
AMR8532	R-TIRE 19.5L-24 R4 Titan Ind Trac Lug	304 lbs			
<b>TERRAIN KING</b>					
AMR9304	F-TIRE LSW 340/70R28 GY R14	290 lbs	K2M974M40	Add	\$4,106.00
AMR9284TK	R-TIRE LSW 460/75R38 GY R14 CAST TK	1080 lbs			
AMR8559A	F-TIRE 340/85R24 R1W GY OPTITRAC	290 lbs	K1M465M60	Add	\$2,220.00
AMR9280TKA	R-TIRE 460/85R34 R1W GY OPT CAST TK	1010 lbs			

\* Standard Tires

† Recommended for loader applications, increases base weight by approximately 600 lbs.

**M6S Series**

**M6S-111 Midsize Utility Tractors**

M6S-111 4WD				
TIRES AND WHEELS (priced per piece)				
ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGG. LIST PRICE
<b>AG - BIAS REAR</b>				
AMR8558C*	F-TIRE 13.6-24 R1 Dyna Torque II TL WAF	K631M20	206 lbs	\$789.00
AMR9246C*	R-TIRE 18.4-34 R1 F-Stone(SAT)II CRC Cst	K2M324M80	1000 lbs	\$2,906.00
AMR8558C	F-TIRE 13.6-24 R1 Dyna Torque II TL WAF	K631M20	206 lbs	\$789.00
AMR9244D	① R-TIRE 18.4-34 R1 8-PLY BIAS SAT II	K1M328M80	441 lbs	\$1,661.00
AMR8556B	F-TIRE 12.4-24 R1W GDYR OPTITRAC	K560M80	193 lbs	\$701.00
AMR8530B	R-TIRE 18.4-30 R1W GDYR OPTITRAC	K1M172M80	393 lbs	\$1,466.00
<b>AG - RADIAL REAR</b>				
AMR8559A	F-TIRE 340/85R24 R1W GY OPTITRAC	K881M60	290 lbs	\$1,102.00
AMR9254D	R-TIRE 460/85R34 R1W GY OPTITRAC	K1M596M00	540 lbs	\$1,995.00
AMR8559A	F-TIRE 340/85R24 R1W GY OPTITRAC	K881M60	290 lbs	\$1,102.00
AMR9256C	① R-TIRE 460/85R34 R1W GY OPTITRAC CAST	K2M455M20	1020 lbs	\$3,069.00
AMR8557A	F-TIRE 320/85R24 R1W GDYR OPTRAC	K736M00	220 lbs	\$920.00
AMR8514B	R-TIRE 460/85R30 R1W GDYR OPTRAC CAST	K1M896M80	1027 lbs	\$2,371.00
AMR8557A	F-TIRE 320/85R24 R1W GDYR OPTRAC	K736M00	220 lbs	\$920.00
AMR9257B	R-TIRE 420/85R34 R1W ALLIANCE 385 RADIAL	K1M670M40	380 lbs	\$2,088.00
AMR8557A	F-TIRE 320/85R24 R1W GDYR OPTRAC	K736M00	220 lbs	\$920.00
AMR9258B	① R-TIRE 420/85R34 GY OPT R1W CAST	K2M439M20	910 lbs	\$3,049.00
<b>AG - RADIAL R4 Tires</b>				
AMR8797	F-TIRE 14-17.5 R4 WITH 0.55" INSET	K612M80	168 lbs	\$766.00
AMR8532	R-TIRE 19.5L-24 R4 Titan Ind Trac Lug	K998M40	304 lbs	\$1,248.00
<b>AG - RADIAL R14 Tires</b>				
AMR9304	F-TIRE LSW 340/70R28 GY R14	K1M255M20	290 lbs	\$1,569.00
AMR9308	R-TIRE LSW 460/75R38 GY R14 CAST	K2M664M00	1072 lbs	\$3,330.00
<b>TERRAIN KING</b>				
AMR9304	F-TIRE LSW 340/70R28 GY R14	K1M255M20	290 lbs	\$1,569.00
AMR9284TK	R-TIRE LSW 460/75R38 GY R14 CAST TK	K2M864M80	1080 lbs	\$3,581.00
AMR8559A	F-TIRE 340/85R24 R1W GY OPTITRAC	K881M60	290 lbs	\$1,102.00
AMR9280TKA	R-TIRE 460/85R34 R1W GY OPT CAST TK	K2M484M00	1010 lbs	\$3,105.00

\* Standard Tires

① Recommended for loader applications, increases base weight by approximately 600 lbs.

**M6S SERIES M6S-111 Midsize Utility Tractors**

**DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
<b>HYDRAULICS/HITCH/DRAWBAR</b>				
<b>HYDRAULIC REAR REMOTE VALVES - 3RD POSITION</b>				
M9517A	SCD (Self Canceling Detent)	K644M00	14 lbs	\$805.00
M9669A	FD (Float Detent)	K636M00	12 lbs	\$795.00
<b>REMOTE VALVE LEVER KITS</b>				
M7653A	3rd Position Lever Kit - ROPS Only	K130M40	5 lbs	\$163.00
M7659A	3rd Position Lever Kit - Cab Only	K130M40	3 lbs	\$163.00
<b>FLOW CONTROL VALVES</b>				
M9585	Flow Control Valve	K465M60	8 lbs	\$582.00
M9587	Flow Control Valve with SCD Valve For Simultaneous Valve Operation Replaces 1st SCD valve must be removed from tractor.	K968M00	20 lbs	\$1,210.00
<b>3-POINT LIFT ASSIST KIT</b>				
M9269B	High Capacity Lift Cylinders	K866M40	194 lbs	\$1,083.00
<b>DROP DRAWBAR</b>				
M9227	Drop Drawbar 4" drop	K186M40	55 lbs	\$233.00
<b>DRAWBAR CLEVIS</b>				
M9289	Drawbar Clevis for Flat Drawbar	K205M60	13 lbs	\$257.00
M9217	Drawbar Clevis for Drop Drawbar	K205M60	20 lbs	\$257.00

**TRANSMISSION**

<b>CREEP SPEED KIT</b>				
M9293B	Creep Speed Cassette Type	K690M40	43 lbs	\$863.00
<b>DUAL SPEED PTO KITS</b>				
M6951	540/1000 RPM PTO Kit- 1000@2389 RPM 1-3/8" 21 Spline Shaft included *Not applicable for M6S-111SDS2 Models	K930M40	103 lbs	\$1,163.00

**FRONT & REAR AXLE**

<b>FRONT FENDER KIT (SWIVEL TYPE)</b>				
M9290	Fender Mounting Kit Requires Plastic Fenders Requires two (2) part # 3C294-43300 Pre-Drilled Front Wheel Case Supports Not compatible with Loader Applications Not compatible with AMR8567 Flotation Tires	K726M40	68 lbs	\$908.00
M9208	Plastic Fenders Includes two 14.9" wide Fenders Requires Fender Mounting Kit	K101M60	7 lbs	\$127.00
<b>Wide Axle Kit</b>				
M9282	80" 4WD Wide Front Axle Kit Not approved for loader applications	K1M138M40	76 lbs	\$1,423.00

**M6S SERIES****M6S-111 Midsize Utility Tractors****DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
<b>ROPS ACCESSORIES</b>				
E1134	Deluxe Fiberglass Canopy for ROPS	K360M80	63 lbs	\$451.00
E1136	Mounting Bracket Kit for E1134	K178M40	29 lbs	\$223.00
E1138	Work Light Kit (set of 2 lights) For E1134 Canopy	K136A80	3 lbs	\$171.00
M9551	Rear Work Light Kit (1 light, Max 1 per tractor)	K78M40	3 lbs	\$98.00
<b>Replacement ROPS</b>				
SFM-FM6S111	Replacement ROPS for M6S-111/M6H-111	K1M283M20	99999 lbs	\$1,604.00

**CAB ACCESSORIES**

M7661	Rear Window Wiper Kit	K216M80	4 lbs	\$271.00
M1476	Elec-Defogger Kit	K500M80	63 lbs	\$626.00
M9270	Air Ride Seat Suspension Kit Requires Wire Harness (M9205)	K512M00	49 lbs	\$640.00
M9205	Air Ride Seat Wire Harness	K19M20	1 lbs	\$24.00
77700-01098	12V/3-Pin 30 Amp Coupler Pigtail, 12" Long			(Order from Parts Department)
<b>HIGH CAPACITY ALTERNATOR KIT</b>				
M6950	100 Amp High Capacity Alternator Kit for Cab	K403M20	10 lbs	\$504.00
<b>JENSEN RADIO OPTIONS</b>				
77700-04753	Radio, AM/FM/WB/AUX			(Order from Parts Department)
77700-04754	Radio, AM/FM/WB/AUX/USB/IPOD/SAT			(Order from Parts Department)
77700-04755	Radio, AM/FM/WB/AUX/USB/IPOD/SATCD/Bluetooth			(Order from Parts Department)
<b>REPLACEMENT CAB</b>				
M6956	Replacement Cab - Field installation required.	K10M364M80	1,000lbs	\$12,956.00

**BALLAST**

<b>FRONT SUITCASE WEIGHTS</b>				
M8079	Suitcase Weight 12 Max	K94M40	102 lbs	\$118.00
<b>FRONT WEIGHT BOLT/BAR KITS</b>				
M9275A	Bolt/Bar Kit	K56M80	14 lbs	\$71.00
<b>REAR WHEEL WEIGHTS</b>				
M8126A	Rear Wheel Weight Kit (164 lbs. each) Set of 2, Requires Rear Wheel Bolt Kit Maximum of 3 Sets on Steel Dish Wheels Maximum of 2 Sets on Cast Dish Wheels	K289M60	328 lbs	\$362.00
<b>REAR WHEEL WEIGHT BOLT KITS</b>				
LM8125A	Bolt Kit for 1st Wheel Weight Kit on Steel Dish Wheels	K61M60	5 lbs	\$77.00
M8119B	Bolt Kit for 1st Wheel Weight Kit on Cast Dish Wheels	K24M80	6 lbs	\$31.00
M8127A	Bolt Kit for 2nd and 3rd Set of Weights One Bolt Kit per Weight Set	K17M60	1 lbs	\$22.00
<b>REAR 3-POINT BALLAST</b>				
M8180	Ballast Box	K587M20	220 lbs	\$734.00

**ADDITIONAL ACCESSORIES**

<b>BLOCK HEATER</b>				
70000-73274	Block Heater			(Order from Parts Department)
<b>FUEL TANK GUARD</b>				
M6942	Heavy Duty Fuel Tank Guard Kit for ROPS	K260M80	18 lbs	\$326.00
M6952	Heavy Duty Fuel Tank Guard Kit for Cab	K260M80	18 lbs	\$326.00
<b>GRILL GUARD</b>				
M8147	Grill Guard Kit	K229M60	61 lbs	\$287.00

**KubotaNOW TELEMATICS**

<b>Each order will require the DCU6700 modem and wiring harness as listed below:</b>				
DCU6700	AT&T Telematics Modem	K317A68	1 lbs	\$418.00
M6712	M Series Telematics Harness	K118M40	1 lbs	\$148.00
<b>KubotaNOW Telematics Service includes a three (3) year term with a Dealer Net cost of \$399 and a total list price of \$525</b>				
<b>As of November 2nd, KubotaNOW will be available for Dealer Owned and Dealer Rental Fleet Machines.</b>				

**M6S SERIES****M6S-111 Midsize Utility Tractors****FRONT END LOADER**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
------------	-------------	----------------	-------------	----------------------

**FRONT END LOADER**

LA1944A	Front End Loader (2 Lever Type Quick Coupler) Includes Mounting Kit and Stand DOES NOT INCLUDE VALVE OR BUCKET, must be ordered separately	K5M544M80	1859 lbs	\$6,931.00
---------	--	-----------	----------	------------

**VALVE KITS**

M6955	Standard Valve Kit - ROPS	K990M40	75 lbs	\$1,238.00
M6953	Hydraulic Self-Leveling Valve Kit - ROPS	K2M009M60	111 lbs	\$2,512.00
M8143	Standard Valve Kit - Cab	K1M158M40	75 lbs	\$1,448.00
M8144	Hydraulic Self-Leveling Valve Kit - Cab	K2M009M60	101 lbs	\$2,512.00

**LOADER ACCESSORY KITS****THIRD FUNCTION VALVES**

M6954	Standard 3rd Function Valve Kit - ROPS	K1M198M40	56 lbs	\$1,498.00
M8146	Standard 3rd Function Valve Kit - Cab	K1M198M40	96 lbs	\$1,498.00

**LOADER ACCESSORIES KITS**

M8145	KSR (Kubota Shockless Ride) Accumulator	K644M00	38 lbs	\$805.00
M1553A	Hydraulic Quick Connect Single Lever	K785M60	21 lbs	\$982.00

**QA BUCKETS & ACCESSORIES**

M1811	72" Round Back Bucket	K656M80	400 lbs	\$821.00
M1815	84" Round Back High Capacity, Light Material Bucket	K876M80	400 lbs	\$1,096.00
M1816	84" Round Back Bucket	K836M00	400 lbs	\$1,045.00
M1886	96" Square Back Bucket	K928M00	610 lbs	\$1,160.00
M1896	96" Square Back High Capacity Bucket	K1M023M20	610 lbs	\$1,279.00

**BUCKET ACCESSORIES**

M1057	Bucket Tine Kit for 72" Bucket	K260M80	79 lbs	\$326.00
M1285	Bucket Tine Kit for 84" Bucket	K416M80	90 lbs	\$521.00
M1287	Bucket Tine Kit for 96" Bucket	K463M20	200 lbs	\$579.00

**BALE SPEARS**

M1804	Bale Spear 2 Lever Type QA	K713M60	195 lbs	\$892.00
-------	----------------------------	---------	---------	----------

**PALLET FORK FRAME / PALLET FORKS**

M1809	Pallet Fork Frame 2 Lever QA Requires 42" or 48" Forks	K660M80	200 lbs	\$826.00
K9058	42" Pallet Forks	K451L20	196 lbs	\$564.00
K9059	48" Pallet Forks	K480K80	218 lbs	\$601.00

---

**M6S SERIES**

**M6S-111 Midsize Utility Tractors**

---

**Approved Attachments**

See Website for Landpride Attachments List

**M6 SERIES**

**M6-131/M6-141**

\*\*\* EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS \*\*\*

**DIESEL ENGINE**

Kubota V6108 Direct Injection  
 6.1L (374 cu. In.) 4 Cyl  
 EPA Tier 4 Final Compliant  
 Common Rail Electronic Fuel Injection  
 Electronic Engine Management  
 Turbocharged  
 w/Wastegate and Intercooled  
 Fuel Tank Capacity: 50.2 Gal  
 130 Amp Alternator  
 12V 1090 CCA Battery

**EXHAUST EMISSION CONTROL TYPE**

DPF System (Diesel Particulate Filter)  
 SCR System  
 DEF Tank Capacity: 4.2 Gal

**HYDRAULICS / HITCH / DRAWBAR**

Open Center Gear Pump  
 Max. Flow @ Rated Engine Speed  
 Power Steering: 14.6 gpm  
 Implement Flow: 20.4 gpm  
 Total Flow: 35.0 gpm

**REMOTE VALVES**

Remote Valves w/Individual Flow Control  
 (1) SCD (Self Canceling Detent)  
 (1) FD (Float Detent)  
 In-Cab Flow Control Adjustment

**3 POINT HITCH & DRAWBAR**

Cat II 3-point Hitch  
 @ Lift Points: 8598 lbs  
 @ 24" Behind: 6834 lbs  
 2 External Lift Cylinders  
 Electronic Position and Draft Control  
 Telescoping Lower Links  
 Stabilizers  
 Swinging Drawbar - 4.5" Drop

**POWER TAKE OFF (540/1000)**

Live-Independent Hyd. PTO  
 SAE 1 3/8" Six Spline  
 540 rpm @ 1994 Eng. rpm  
 SAE 1 3/8" Twenty-One Spline  
 1000 rpm @ 2050 Eng. rpm

**TRANSMISSION**

24F/24R Intelli-Shift  
 Three Range, 8-Speed Semi-Powershift  
 Auto Shift Mode - Field & Road  
 Auto 4WD Function  
 Electro-Hydraulic Shuttle Shift  
 Electro-Hydraulic Front & Rear Diff. Lock  
 Clutch - Multi Plate Wet  
 Planetary Final Drives  
 Hydraulic Wet Disc Brakes

**FRONT AXLE**

Hydrostatic Power Steering  
 4WD: Cast Iron, Bevel Gear Type  
 Bi-Speed Turn Feature  
 Planetary Final Drives  
 Adj. (Rim) Tread Spacing

**M6-141DTSC-F**

Electronic Controlled Hydraulic  
 Front Axle Suspension System

**FLUID CAPACITY**

Cooling System: 15.4 qts  
 Crankcase: 14.6 qts  
 Hydraulics/Trans: 17.2 gal

**INSTRUMENTS**

LCD readout for MPH and PTO rpm  
 26 Mode LCD Readout  
 Tachometer/Hour meter  
 Oil Pressure  
 Fuel Gauge  
 Coolant Temperature  
 Gear Speed Digital Light Indicator  
 Digital Light Indicator F/R Direction

**TIRES AND WHEELS**

Front 14.9R24 Radial / Steel Waffle  
 Rear 480/80R38 Radial/Cast Iron

**GRAND-X CAB**

4-post, ROPS Certified  
 RH & LH Doors  
 Tinted Glass Doors and Windows  
 In-roof window/vent  
 Tilt and Telescoping Steering Wheel  
 Deluxe Air Ride Seat  
 Dual Level Air Conditioning & Heater  
 Front and Rear Wiper/Washer  
 Front Sun Visor  
 Rear View Mirror  
 LH & RH Telescoping Side Mirrors  
 Radio Ready Cab  
 Steps, Left and Right Side  
 Interior Dome Light  
 12V - 30-Amp 2 Wire Coupler  
 12V - 3 Pin 30-Amp Coupler  
 12V - Outlet  
 Cup Holder  
 Instructor Seat Ready  
 Horn

**LIGHTING**

2 Headlights - Tail lights  
 4 Hazard Flasher Lights w/ Turn Signals  
 2 Grill Mounted Worklights  
 2 Front Cab Halogen Worklights  
 2 Rear Halogen Worklights

**SAFETY EQUIPMENT**

Flip-Up PTO Shield  
 Safety Start Switches  
 Electric Key Shut Off  
 Parking Brake  
 Turn Signals  
 SMV Sign  
 7-Pin Electrical Trailer Connector

Model Specifications	
<b>M6-131</b>	<b>M6-141</b>
SAE Gross HP: 131.6 HP	SAE Gross HP: 141.4 HP
Engine Net HP: 123.2 HP	Engine Net HP: 133.0 HP
Max . PTO HP: 104.0 HP	Max . PTO HP: 114.0 HP
@ 2200 Engine RPM	@ 2200 Engine RPM



**M6 Series M6-131/M6-141**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
***STANDARD TRACTOR WITH STANDARD TIRES***				
M6-131DTC-F	4WD Farm Tractor w/Factory Cab (A/C)	K85M674M40	10945 lbs	\$107,093.00
M6-141DTC-F	4WD Farm Tractor w/Factory Cab (A/C)	K91M029M60	10945 lbs	\$113,787.00
M6-141DTSC-F	4WD Farm Tractor w/Factory Cab (A/C) With Suspended Front Axle	K100M428M80	11387 lbs	\$125,536.00

M6-131DTC-F/M6-141DTC-F		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGGESTED LIST PRICE
<b>TIRES AND WHEELS†</b>				
<b>STANDARD TIRES</b>				
AMR8560A*	F-TIRE 380/85R24 R1W GY OPTITRAC WAF	300 lbs	MM0	Add In Base Price
AMR8571A*	R-TIRE 460/85R38 R1W GY OPTITRAC CAST	1080 lbs		
<b>AG - RADIAL REAR</b>				
AMR8560A*	F-TIRE 380/85R24 R1W GY OPTITRAC WAF	300 lbs	MM0	Add \$0.00
AMR8571A*	R-TIRE 460/85R38 R1W GY OPTITRAC CAST	1080 lbs		
AMR8547	F-TIRE 420/70R24 Gdyr R1W Optitrac DT812	220 lbs	K1M63M80	Add \$1,114.00
AMR9225	R-TIRE 520/70R38 R1W OptracDT812 CastRC	965 lbs		
AMR8560A	F-TIRE 380/85R24 R1W GY OPTITRAC WAF	300 lbs	M680M00	Less (\$850.00)
AMR8989A	R-TIRE 460/85R38 R1W GY OPT PAVT CAST	1080 lbs		
<b>MICHELIN TIRES</b>				
AMR8517	F-TIRE 14.9R24 R1W MICHELIN AGRIBIB	280 lbs	M697M60	Less (\$872.00)
AMR8581	R-TIRE 18.4R38 R1W MICHELIN AGRIBIB CAST	1060 lbs		
<b>TERRAIN KING</b>				
AMR8560A	F-TIRE 380/85R24 R1W GY OPTITRAC WAF	300 lbs	MM0	Add \$0.00
AMR9282TKA	R-TIRE 460/85R38 R1W GY OPT CAST TK	1100 lbs		
AMR8471	FT TITN 380/70R28 136D R14T STL 8BLT	314 lbs	K2M637M80	Add \$4,622.00
AMR8473TK	RT TITN 460/75R42 R14T CAST 8BLT TK	1080 lbs		
<b>AG/INDUSTRIAL HYBRID</b>				
AMR8471	FT TITN 380/70R28 136D R14T STL 8BLT	314 lbs	K3M686M40	Add \$4,608.00
AMR8474	RT TITN 460/75R42 150D R14T CST 8BLT	1027 lbs		

**Individual Tire Pricing**

M6-131/M6-141		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGGESTED LIST PRICE
<b>TIRES AND WHEELS (priced per piece)</b>				
<b>AG - RADIAL REAR</b>				
AMR8560A*	F-TIRE 380/85R24 R1W GY OPTITRAC WAF	300 lbs	K2M805M60	\$1,135.00
AMR8571A*	R-TIRE 460/85R38 R1W GY OPTITRAC CAST	1080 lbs		
AMR8547	F-TIRE 420/70R24 Gdyr R1W Optitrac DT812	220 lbs	K2M620M00	\$1,329.00
AMR9225	R-TIRE 520/70R38 R1W OptracDT812 CastRC	965 lbs		
AMR8560A	F-TIRE 380/85R24 R1W GY OPTITRAC WAF	300 lbs	K2M465M60	\$1,135.00
AMR8989A	R-TIRE 460/85R38 R1W GY OPT PAVT CAST	1080 lbs		
<b>Michelin Tires</b>				
AMR8517	F-TIRE 14.9R24 R1W MICHELIN AGRIBIB	280 lbs	K2M480M00	\$1,106.00
AMR8581	R-TIRE 18.4R38 R1W MICHELIN AGRIBIB CAST	1060 lbs		
<b>TERRAIN KING</b>				
AMR8560A	F-TIRE 380/85R24 R1W GY OPTITRAC WAF	300 lbs	K2M805M60	\$1,135.00
AMR9282TKA	R-TIRE 460/85R38 R1W GY OPT CAST TK	1100 lbs		
AMR8471	FT TITN 380/70R28 136D R14T STL 8BLT	314 lbs	K3M709M30	\$1,654.00
AMR8473TK	RT TITN 460/75R42 R14T CAST 8BLT TK	1080 lbs		
<b>AG/INDUSTRIAL HYBRID</b>				
AMR8471	FT TITN 380/70R28 136D R14T STL 8BLT	314 lbs	K4M233M60	\$1,654.00
AMR8474	RT TITN 460/75R42 150D R14T CST 8BLT	1027 lbs		

\* Standard Tires

**M6 Series****M6-131/M6-141****DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>HYDRAULICS/HITCH/DRAWBAR</b>				
<b>HYDRAULIC REAR REMOTE VALVES - 3RD and 4th Position</b>				
M7683A	SCD Valve with Built-In Flow Control	K760M00	22 lbs	\$950.00
M7684A	FD Valve with Built-In Flow Control	K768M00	20 lbs	\$960.00
<b>REMOTE VALVE LEVER KITS FOR DELUXE VALVES</b>				
M7629	3rd Position Lever Kit	K203M20	5 lbs	\$254.00
M7686	4th Position Lever Kit	K203M20	3 lbs	\$254.00
<b>3-POINT LIFT ASSIST KIT</b>				
M9122	High Capacity Lift Cylinder Kit Provides 9,447 Lbs. lift capacity	K930M40	55 lbs	\$1,163.00
<b>3-POINT FENDER SWITCH</b>				
M9237	Right hand fender switch for 3-point hitch	K40M80	1 lbs	\$51.00
<b>DROP DRAWBAR</b>				
3F440-89120	Flat Drawbar			(Order from Parts Department)
<b>DRAWBAR CLEVIS</b>				
M9289	Drawbar Clevis for Flat Drawbar	K205M60	13 lbs	\$257.00
M9217	Drawbar Clevis for Drop Drawbar	K205M60	20 lbs	\$257.00
<b>TRANSMISSION</b>				
<b>CREEP SPEED KIT</b>				
M9127	One kit, Cassette type Requires dealer installation.	K898M40	39 lbs	\$1,123.00
<b>FRONT AXLE</b>				
<b>FRONT FENDER KIT (Swivel Type)</b>				
M9290	Fender Mounting Kit, (Requires M9208 or M9209)	K726M40	68 lbs	\$908.00
M9208	Plastic Fenders (Includes 2 Fenders) 14.9" wide For 13.6" or 14.9" Width Front Tires Requires Fender Mounting Kit	K101M60	7 lbs	\$127.00
M9209	Plastic Fenders (Includes 2 Fenders) 17.3" wide For 420mm Width Front Tires Requires Fender Mounting Kit	K120M80	9 lbs	\$151.00
<b>FRONT FENDER KIT (Rigid type)</b>				
M9298A	Fender Mounting Kit	K382M40	92 lbs	\$478.00
M9297A	Plastic Fender Kit (Includes 2 Fenders) Requires M9298A Bracket Kit	K98M40	11 lbs	\$123.00
<b>60" FRONT AXLE KIT</b>				
M6930	60" Tread Front Axle Conversion Kit	K398M40	102 lbs	\$498.00
<b>WIDE ROW FRONT AXLE KIT</b>				
M9783	80" Wide Row Front Axle Kit Not compatible with Loader Applications	K1M178M40	102 lbs	\$1,473.00
<b>Jensen Radio options</b>				
77700-04753	RADIO, AM/FM/WB/AUX			(Order from Parts Department)
77700-04754	RADIO, AM/FM/WB/AUX/USB/IPOD/SAT			(Order from Parts Department)
77700-04755	RADIO, AM/FM/WB/AUX/USB/IPOD/SAT/CD/Bluetooth			(Order from Parts Department)
*Mounting bracket is shipped with the tractor in the cab, black pouch. The plastic cover plate that is removed becomes the radio cover ring, remove the plastic center cover piece, and reinstall the cover ring.				

**M6 Series****M6-131/M6-141****DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>CAB ACCESSORIES</b>				
M1145	Retractable Rear Sunshade	K212M00	5 lbs	\$265.00
M9118	Rear Defogger Kit	K361M60	46 lbs	\$452.00
M9121A	Instructor Seat w/Seat belt Dealer installed or installed by KTC with tractor order	K431M20	14 lbs	\$539.00
M9144	Monitor Bracket	K112M00	4 lbs	\$140.00
77700-01098	12V/3-Pin 30 Amp Coupler Pigtail, 12" Long (Order from Parts Department)			
M9229	Mid Mount Work Light Kit (Two Lights) Each light mounts to Cab grab handle	K133M60	4 lbs	\$167.00
M1352	Rear Mount Work Light Kit (Two Lights)	K148M80	5 lbs	\$186.00
M9206	PLASTIC REAR FENDER EXTENSION - M6	K312M80	1 lbs	\$391.00
<b>REPLACEMENT CAB</b>				
M6935	Standard Replacement Cab - Field installation required. Attachment system, lights, electrical harness, glass, control levers, roof and headliner, dash tower, steering column, and pedals are included. Note: Transfer components as needed.	K14M016M80	1000 lbs	\$17,521.00
M6936	Front Suspension Model Replacement Cab - Field installation required. Attachment system, lights, electrical harness, glass, control levers, roof and headliner, dash tower, steering column, and pedals are included. Note: Transfer components as needed.	K14M436M80	1000 lbs	\$18,046.00
<b>BALLAST</b>				
<b>FRONT WEIGHT BRACKETS</b>				
M9126	Weight Bracket - 12 Weight Bracket Requires M9275 Bolt/Bar Kit	K391M20	96 lbs	\$489.00
M6914	Weight Bracket - 16 Weight Bracket Requires M6915 Bolt/Bar kit	K502M40	95 lbs	\$628.00
<b>FRONT SUITCASE WEIGHTS</b>				
M8079	One Weight	K94M40	102 lbs	\$118.00
<b>FRONT WEIGHT BOLT/BAR KITS</b>				
M9275A	Bolt/Bar Kit - Weight(s) One Bolt/Bar Kit per 1-12 M8079 Weights	K56M80	14 lbs	\$71.00
M6915A	Bolt/Bar Kit - Weight(s) One Bolt/Bar Kit per 1-16 M8079 Weights	K74M40	12 lbs	\$93.00
<b>REAR WHEEL WEIGHTS</b>				
M8126A	Rear Wheel Weights, set of 2 (164 lbs. each) *Requires M8119B or LM8125A *Limit 3 sets on Steel Dish Wheels *Limit 2 sets on Cast Iron Wheels ** Not Compatible with AMR8989 PAVT wheels	K289M60	328 lbs	\$362.00
<b>REAR WHEEL WEIGHT BOLT KITS</b>				
M8119B	Bolt Kit for 1st set M8126A on Cast Dish Wheels.	K24M80	6 lbs	\$31.00
LM8125A	Bolt Kit for 1st set M8126A on Steel Dish Wheels	K61M60	5 lbs	\$77.00
M8127B	Bolt Kit for 2nd and 3rd Wheel Weight Sets *Required for 2nd & 3rd set on ALL Steel Dish *Required for 2nd set on Cast Dish Wheels	K23M20	6 lbs	\$29.00

**M6 Series**

**M6-131/M6-141**

**DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>ADDITIONAL ACCESSORIES</b>				
<b>GRILL GUARD</b>				
M6934	Grill Guard - Compatible with M9126 Weight Bracket	K266M40	108 lbs	\$333.00
M6912	Grill Guard - Compatible with M6914 Weight Bracket	K344M00	61 lbs	\$430.00
<b>FUEL TANK GUARD KIT</b>				
M6913	Heavy Duty Metal Fuel Tank Guard Kit	K281M60	14 lbs	\$352.00
<b>BACKUP ALARM</b>				
M7562	M6 Backup Alarm Kit	K145M60	2 lbs	\$182.00
<b>BEACON LIGHT</b>				
M7582	M6 Beacon Light Kit	K264M80	4 lbs	\$331.00
<b>BLOCK HEATER</b>				
70000-73274	Block Heater	(Order from the Parts Department)		
<b>FUEL CAP</b>				
77700-06358	Locking Fuel Cap Approved only for M6-131 Previous of SN 11361 Approved only for M6-141 Previous of SN 12496	(Order from the Parts Department)		

**KubotaNOW TELEMATICS**

<b>Each order will require the DCU6700 modem and wiring harness as listed below:</b>				
DCU6700	AT&T Telematics Modem	K317A68	1 lbs	\$418.00
M6712	M Series Telematics Harness	K118M40	1 lbs	\$148.00
<b>KubotaNOW Telematics Service includes a three (3) year term with a Dealer Net cost of \$399 and a total list price of \$525</b>				
<b>As of November 2nd, KubotaNOW will be available for Dealer Owned and Dealer Rental Fleet Machines.</b>				

**M6 Series****M6-131/M6-141****Front End Loaders**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>LA2255 LOADER - For M6-131/M6-141</b>				
LA2255	FRONT LOADER (QA) 2-Lever Quick Attach Loader Includes Mounting Kit and Stand Does not include valve, grill guard, or bucket.	K7M296M80	1859 lbs	\$9,121.00
<b>VALVE KITS</b>				
M6917	Loader Valve Kit (Standard)	K1M128M00	75 lbs	\$1,410.00
M6929	Loader Valve Kit (Hydraulic Self Leveling)	K1M979M20	117 lbs	\$2,474.00
M6921	3rd Function Valve Kit for Standard Loader Valve	K1M224M80	61 lbs	\$1,531.00
M6923	3rd Function Valve Kit for Hyd Self Leveling Loader Valve	K1M224M80	61 lbs	\$1,531.00
<b>LOADER ACCESSORIES KITS</b>				
M6919	KSR Accumulator	K668M00	36 lbs	\$835.00
M6927	Hydraulic Quick Connect Single Lever	K785M60	22 lbs	\$982.00
<b>GRILL GUARD</b>				
M6934	Grill Guard - Compatible with M9126 Weight Bracket	K266M40	108 lbs	\$333.00
M6912	Grill Guard - Compatible with M6914 Weight Bracket	K344M00	61 lbs	\$430.00
<b>BUCKETS / BUCKET TINE KITS / GRAPPLE BUCKETS (All 2-Lever Type QA)</b>				
M1815	84" Rd Back High Capacity, Light Material Bucket	K876M80	400 lbs	\$1,096.00
M1816	84" Rd Back Bucket	K836M00	400 lbs	\$1,045.00
M1285	84" Bucket Tine Kit (includes 9 Tines and hardware)	K416M80	90 lbs	\$521.00
M1886	96" Bucket	K928M00	610 lbs	\$1,160.00
M1287	96" Bucket Tine Kit (includes 10 Tines and hardware)	K463M20	200 lbs	\$579.00
M1896	96" Sq Back, High Capacity, Light Material Bucket	K1M023M20	610 lbs	\$1,279.00
M9248	84" HAY GRAPPLE BUCKET Four tine, 2-cylinder grapple 2-Lever QA coupler Requires M6921 for Std. Valve Requires M6923 for Self Leveling Valve Requires two Hyd. 1/2" quick couplers w/0.375" fittings	K3M682M40	1240 lbs	\$4,603.00
M9249	90" HAY GRAPPLE BUCKET Four tine, 2-cylinder grapple 2-Lever QA coupler Requires M6921 for Std. Valve Requires M6923 for Self Leveling Valve Requires two Hyd. 1/2" quick couplers w/0.375" fittings	K3M905M60	1500 lbs	\$4,882.00
<b>BALE SPEARS</b>				
M1804	Bale Spear 2-Lever Type QA	K713M60	195 lbs	\$892.00
<b>PALLET FORK FRAME / PALLET FORKS</b>				
M1809	Pallet Fork Frame 2-Lever Type QA (Requires 42" or 48" Forks)	K660M80	200 lbs	\$826.00
K9058	42" Pallet Forks, 2750 lb @ 24"	K451L20	196 lbs	\$564.00
K9059	48" Pallet Forks, 2750 lb @ 24"	K480K80	218 lbs	\$601.00

**M6 Series****M6-131/M6-141****Front End Loaders**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>LA2255E EURO LOADER - For M6-131/M6-141</b>				
LA2255E	FRONT LOADER (EURO TYPE QA COUPLER) Euro Quick Attach Loader Includes Mounting Kit and Stand <u>Does not include</u> valve, grill guard, or bucket.	K7M296M80	1859 lbs	\$9,121.00
<b>VALVE KITS</b>				
M6917	Loader Valve Kit (Standard)	K1M128M00	75 lbs	\$1,410.00
M6929	Loader Valve Kit (Hydraulic Self Leveling)	K1M979M20	117 lbs	\$2,474.00
M6921	3rd Function Valve Kit for Standard Loader Valve Requires M1997E	K1M224M80	61 lbs	\$1,531.00
M6923	3rd Function Valve Kit for Hyd Self Leveling Loader Valve Requires M1997E	K1M224M80	61 lbs	\$1,531.00
M1997E	Hose Extension Kit, required for M6921 or M6923	K220M00	13 lbs	\$275.00
<b>LOADER ACCESSORIES KITS</b>				
M6919	KSR (Kubota Shockless Ride) Accumulator	K668M00	36 lbs	\$835.00
M6927	Hydraulic Quick Connect Single Lever	K785M60	22 lbs	\$982.00
<b>GRILL GUARD KITS</b>				
M6934	Grill Guard - Compatible with M9126 Weight Bracket	K266M40	108 lbs	\$333.00
M6912	Grill Guard - Compatible with M6914 Weight Bracket	K344M00	61 lbs	\$430.00
<b>BUCKET / BUCKET TINE KITS / GRAPPLE BUCKETS</b>				
M1816E	84" EURO QA Bucket	K976M00	400 lbs	\$1,220.00
M1285	84" Bucket Tine Kit	K416M80	90 lbs	\$521.00
M1886E	96" EURO QA Bucket	K1M412M00	610 lbs	\$1,765.00
M1287	96" Bucket Tine Kit	K463M20	200 lbs	\$579.00
M1896E	96" EURO QA Light Material Bucket	K1M530M40	610 lbs	\$1,913.00
M9243E	84" EURO QA type Bale Grapple Bucket Four tine, 2-cylinder grapple 2-Lever QA coupler Requires M6921 for Std. Valve Requires M6923 for Self Leveling Valve Requires two Hyd. 1/2" quick couplers w/0.375" fittings	K3M931M20	1235 lbs	\$4,914.00
M9223E	96" EURO QA type Bale Grapple Bucket Four tine, 2-cylinder grapple 2-Lever QA coupler Requires M6921 for Std. Valve Requires M6923 for Self Leveling Valve Requires two Hyd. 1/2" quick couplers w/0.375" fittings	K4M238M40	1300 lbs	\$5,298.00
<b>BALE SPEARS</b>				
M1817E	Bale Spear Quick Coupler, Euro QA	K802M40	200 lbs	\$1,003.00
<b>PALLET FORK FRAME / PALLET FORKS</b>				
M1819E	Pallet Fork Frame, Euro QA (Requires 42" or 48" Forks)	K740M80	200 lbs	\$926.00
K9058	42" Pallet Forks, 2750 lb @ 24" Forward Load Rating.	K451L20	196 lbs	\$564.00
K9059	48" Pallet Forks, 2750 lb @ 24" Forward Load Rating.	K480K80	218 lbs	\$601.00

---

**M6 Series**

**M6-131/M6-141**

---

**Approved Attachments**

See Website for Landpride Attachments List

**M6 SERIES M6H-101 High Clearance ROPS Tractor**

\*\*\* EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS \*\*\*

**DIESEL ENGINE**

Kubota V3800 Direct Injection  
 3.8L (230 cu. in.) 4 Cyl  
 EPA Tier 4 Final Compliant  
 Common Rail Electronic Fuel Injection  
 Electronic Engine Management  
 Turbocharged  
 w/Wastegate and Intercooled  
 12V 900 CCA Battery  
 80 Amp Alternator

**EXHAUST EMISSION CONTROL TYPE**

DPF System (Diesel Particulate Filter)  
 SCR System

**HYDRAULICS / HITCH / DRAWBAR**

Open Center Gear Pump  
 Max. Flow @ Rated Engine Speed  
 Power Steering: 12.9 gpm  
 Impl. Flow: 17.6 gpm  
 Total Flow: 30.5 gpm

**REMOTE VALVES**

(1) SCD (Self Canceling Detent)  
 (1) FD (Float Detent)

**3 POINT HITCH & DRAWBAR**

Cat II 3-Point Hitch  
 @ Lift Points: 4960 lbs  
 @ 24" Behind: 3858 lbs  
 Telescoping Lower Links  
 Telescoping Stabilizers  
 Swinging Drawbar

**POWER TAKE OFF**

Live-Independent Hyd. PTO  
 SAE 1-3/8" Six Spline  
 540 RPM @ 2405 Eng. RPM

**TRANSMISSION**

24F/24R Swing Shift w/creep  
 Electro-Hydraulic Shuttle Shift  
 4 Speed Synchronized Gears  
 3 Speed Hi/Lo/Creep Main Range  
 Clutch - Multi-Plate Wet  
 Planetary Final Drives  
 Hydraulic Wet Disc Brakes

**FRONT AXLE**

Hydrostatic Power Steering  
 4WD Models: Cast Iron, Bevel Gear  
 Mechanical Differential Lock  
 Adjustable (Rim) Tread Spacing

**FLUID CAPACITY**

Fuel Tank Capacity: 46.2 gal  
 DEF Tank Capacity: 3.2 gal  
 Cooling System: 2.8 gal  
 Crankcase: 2.8 gal  
 Hydraulics/Trans: 16.6 gal  
 Front Axle Case: 1.9 gal  
 Bevel Gear Case: 0.9 gal

**INSTRUMENTS**

LCD Display:  
 Shuttle Position, DEF gauge,  
 Clock, Travel Speed, PTO RPM,  
 Hour Meter, Trip Meter,  
 Fuel Consumption, PM Level, RPM Memory  
 Oil Pressure  
 Fuel Gauge  
 Coolant Temperature  
 Swing Shift H/L Digital Light Indicator  
 4WD Indicator  
 Water Separator Light

**ROPS FEATURES**

2-Post Foldable ROPS  
 Retractable Seat belt  
 Tilt Steering Wheel  
 Cup Holder

**LIGHTING**

2 Headlights - Tail lights  
 2 Hazard Flasher Lights w/ Turn Signals  
 2 Grill Mounted Worklights

**SAFETY EQUIPMENT**

Flip-Up PTO Shield  
 Safety Start Switches  
 Electric Key Shut Off  
 Parking Brake  
 Turn Signals  
 SMV Sign  
 7-Pin Electrical Trailer Connector

Model Specifications
<b>M6H-101</b>
SAE Gross HP: 104
Engine Net HP: 97
Max. PTO HP: 84

**TIRES AND WHEELS**

Front: See following pages for combinations noted as standard  
 Rear : See following pages for combinations noted as standard



**M6 Series M6H-101 High Clearance ROPS Tractor**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
***HIGH CLEARANCE TRACTOR WITH STANDARD TIRES***				
M6H-101SHD	4WD Farm Tractor ROPS	K61M184M00	9789 lbs	\$76,480.00

M6H-101		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGGESTED LIST PRICE
<b>TIRES AND WHEELS†</b>				
<b>STANDARD TIRES</b>				
AMR8793*	R-TIRE 13.6-38 R1 Alliance 304	128 lbs	MM0	Add In Base Price
AMR8793*	R-TIRE 13.6-38 R1 Alliance 304	128 lbs		
<b>AG - BIAS REAR</b>				
AMR8793*	R-TIRE 13.6-38 R1 Alliance 304	128 lbs	MM0	Add \$0.00
AMR8793*	R-TIRE 13.6-38 R1 Alliance 304	128 lbs		
AMR8796	F-TIRE 13.6 -38 R2 TITAN SPECIAL SERVICE	232 lbs	K3K411M20	Add \$4,264.00
AMR8796	F-TIRE 13.6 -38 R2 TITAN SPECIAL SERVICE	232 lbs		
AMR9487	F-TIRE 230/95R48 R1W GY OPTITRAC	517 lbs	K2K736M00	Add \$3,420.00
AMR9493	R-TIRE 230/95R48 R1W GY OPTITRAC	517 lbs		
AMR8794	R-TIRE 12.4R46 R1 Alliance Row Crop 350	424 lbs	K3K148M80	Add \$3,936.00
AMR8794	R-TIRE 12.4R46 R1 Alliance Row Crop 350	424 lbs		

\* Standard tires.

**Individual Tire Pricing**

M6H-101		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGGESTED LIST PRICE
<b>TIRES AND WHEELS (priced per piece)</b>				
AMR8793*	R-TIRE 13.6-38 R1 Alliance 304	128 lbs	K1M134M40	\$1,418.00
AMR8793*	R-TIRE 13.6-38 R1 Alliance 304	128 lbs		
AMR8796	F-TIRE 13.6 -38 R2 TITAN SPECIAL SERVICE	232 lbs	K1M987M20	\$2,484.00
AMR8796	F-TIRE 13.6 -38 R2 TITAN SPECIAL SERVICE	232 lbs		
AMR9487	F-TIRE 230/95R48 R1W GY OPTITRAC	517 lbs	K1M818M40	\$2,273.00
AMR9493	R-TIRE 230/95R48 R1W GY OPTITRAC	517 lbs		
AMR8794	R-TIRE 12.4R46 R1 Alliance Row Crop 350	424 lbs	K1M921M60	\$2,402.00
AMR8794	R-TIRE 12.4R46 R1 Alliance Row Crop 350	424 lbs		

† See Tire Section for Individual Tire Pricing and Information

\* Standard Tires

**M6 Series M6H-101 High Clearance ROPS Tractor****DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>HYDRAULICS/HITCH/DRAWBAR</b>				
<b>HYDRAULIC REAR REMOTE VALVES - 3RD POSITION</b>				
M9517A	SCD (Self Canceling Detent)	K644M00	14 lbs	\$805.00
M9669A	FD (Float Detent)	K636M00	12 lbs	\$795.00
<b>REMOTE VALVE LEVER KITS</b>				
M7653A	3rd Position Lever Kit	K130M40	5 lbs	\$163.00
<b>FLOW CONTROL VALVES</b>				
M9585	Flow Control Valve	K465M60	8 lbs	\$582.00
M9587	Flow Control Valve with SCD Valve For Simultaneous Valve Operation Replaces 1st SCD valve must be removed from tractor.	K968M00	20 lbs	\$1,210.00
M9269B	3-pt Lift Assist Kit - Dual Cylinder	K866M40	194 lbs	\$1,083.00
<b>DRAWBAR CLEVIS</b>				
M9289	Drawbar Clevis for Flat Drawbar	K205M60	13 lbs	\$257.00
M9217	Drawbar Clevis for Drop Drawbar	K205M60	20 lbs	\$257.00
<b>TRANSMISSION &amp; PTO</b>				
<b>DUAL SPEED PTO KITS</b>				
M6951	540/1000 RPM PTO Kit SAE 1-3/8" Twenty-One Spline 1000 RPM @ 2389 Eng. RPM Requires 35893-79320 PTO Cover Bracket	K930M40	103 lbs	\$1,163.00
<b>FRONT &amp; REAR AXLE</b>				
<b>Wide Axle Kit</b>				
M9698	80" 4WD Wide Front & Rear Axle Kit	K1M015M20	225 lbs	\$1,269.00

**M6 Series M6H-101 High Clearance ROPS Tractor**

**DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>OPERATORS STATION ACCESSORIES</b>				
E1134	Deluxe Fiberglass Canopy for ROPS	K360M80	63 lbs	\$451.00
E1136	Mounting Bracket Kit for E1134	K178M40	29 lbs	\$223.00
E1138	Work Light Kit (set of 2 lights) For E1134 Canopy	K136A80	3 lbs	\$171.00
M9551	Rear Work Light Kit (1 light, Max 1 per tractor)	K78M40	3 lbs	\$98.00

**BALLAST**

<b>FRONT SUITCASE WEIGHTS</b>				
M8079	Suitcase Weight (105 lbs. each) 10 Max. Requires M8073A Bolt/Bar Kit	K94M40	102 lbs	\$118.00
<b>FRONT WEIGHT BOLT/BAR KIT</b>				
M8073A	Bolt/Bar Kit	K60M00	10 lbs	\$75.00

**ADDITIONAL ACCESSORIES**

<b>BLOCK HEATER</b>				
70000-73274	Block Heater		(Order from the Parts Department)	
<b>FUEL TANK GUARD</b>				
M6942	Heavy Duty Fuel Tank Guard Kit	K260M80	18 lbs	\$326.00

**KubotaNOW TELEMATICS**

<b>Each order will require the DCU6700 modem and wiring harness as listed below:</b>				
DCU6700	AT&T Telematics Modem	K317A68	1 lbs	\$418.00
M6712	M Series Telematics Harness	K118M40	1 lbs	\$148.00
<b>KubotaNOW Telematics Service includes a three (3) year term with a Dealer Net cost of \$399 and a total list price of \$525</b>				
<b>As of November 2nd, KubotaNOW will be available for Dealer Owned and Dealer Rental Fleet Machines.</b>				

**M6 SERIES M6L-111 Low Profile ROPS Tractor**

\*\*\* EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS \*\*\*

**DIESEL ENGINE**

Kubota V3800 Direct Injection  
 3.8L (230 cu. in.) 4 Cyl  
 EPA Tier 4 Final Compliant  
 Common Rail Electronic Fuel Injection  
 Electronic Engine Management  
 Turbocharged  
 w/Wastegate and Intercooled  
 12V 900 CCA Battery  
 Charging Output 80 amps

**EXHAUST EMISSION CONTROL TYPE**

DPF System (Diesel Particulate Filter)  
 SCR System

**HYDRAULICS / HITCH / DRAWBAR**

Open Center Gear Pump  
 Max. Flow @ Rated Engine Speed  
 Power Steering: 12.9 gpm  
 Impl. Flow: 17.6 gpm  
 Total Flow: 30.5 gpm

**REMOTE VALVES**

(1) SCD (Self Canceling Detent)  
 (1) FD (Float Detent)

**3 Point Hitch & Drawbar**

Cat II 3-Point Hitch  
 @ Lift Points: 4960 lbs  
 @ 24" Behind: 3858 lbs  
 Telescoping Lower Links  
 Telescoping Stabilizers  
 Swinging Drawbar

**POWER TAKE OFF**

Live-Independent Hyd. PTO  
 SAE 1-3/8" Six Spline  
 540 RPM @ 2405 Eng. RPM  
 SAE 1-3/8" Twenty-One Spline  
 1000 RPM @ 2389 Eng. RPM  
 540/1000 Standard on  
 M6L-111SDS2 model

Model Specifications
<b>M6L-111</b>
SAE Gross HP: 114
Engine Net HP: 105
Max. PTO HP: 95

**TRANSMISSION**

32F/32R Swing Shift Plus  
 Electro-Hydraulic Shuttle Shift  
 4 Speed Synchronized Gears  
 w/Hi/Lo- Swing Shift Plus  
 2 Speed Hi/Lo Main Range  
 Clutch - Multi-Plate Wet  
 Planetary Final Drives  
 Hydraulic Wet Disc Brakes

**FRONT AXLE**

Hydrostatic Power Steering  
 4WD Models: Cast Iron, Bevel Gear  
 Mechanical Differential Lock  
 Adjustable (Rim) Tread Spacing

**FLUID CAPACITY**

Fuel Tank Capacity: 46.2 gal  
 DEF Tank Capacity: 3.2 gal  
 Cooling System: 2.8 gal  
 Crankcase: 2.8 gal  
 Hydraulics/Trans: 15.8 gal  
 Front Axle Case: 1.9 gal  
 Bevel Gear Case: 0.9 gal

**INSTRUMENTS**

LCD Display:  
 Shuttle Position, DEF gauge,  
 Clock, Travel Speed, PTO RPM,  
 Hour Meter, Trip Meter,  
 Fuel Consumption, PM Level, RPM Memory  
 Oil Pressure  
 Fuel Gauge  
 Coolant Temperature  
 Swing Shift H/L Digital Light Indicator  
 4WD Indicator  
 Water Separator Light

**TIRES AND WHEELS**

Front: See following pages for combinations noted as standard  
 Rear : See following pages for combinations noted as standard

**ROPS FEATURES**

2-Post Foldable ROPS  
 Mechanical Suspension Seat  
 Retractable Seat belt  
 Tilt Steering Wheel  
 Cup Holder  
 Steel Rear Fenders  
 Steel RH Operators Station Guard

**LIGHTING**

2 Headlights - Tail lights  
 2 Hazard Flasher Lights w/ Turn Signals  
 2 Grill Mounted Worklights

**SAFETY EQUIPMENT**

Flip-Up PTO Shield  
 Safety Start Switches  
 Electric Key Shut Off  
 Parking Brake  
 Turn Signals  
 SMV Sign  
 7-Pin Electrical Trailer Connector

**M6 Series M6L-111 Low Profile ROPS Tractor**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
***LOW PROFILE TRACTOR WITH STANDARD TIRES***				
M6L-111SDS	4WD Farm Tractor ROPS With Swing Shift Plus with 540 PTO	K56M436M80	9789 lbs	\$70,546.00
M6L-111SDS2	4WD Farm Tractor ROPS With Swing Shift Plus & 540/1000 PTO	K57M097M60	9789 lbs	\$71,372.00

M6L-111		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGGESTED LIST PRICE
<b>TIRES AND WHEELS†</b>				
<b>STANDARD TIRES</b>				
MR8956*	F-TIRE 9.50-20 R1 B-Stone Farm Svc Lug M	98 lbs	MM0	Add
AMR8523A*	R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.5"	265 lbs		In Base Price
<b>AG - BIAS</b>				
MR8956*	F-TIRE 9.50-20 R1 B-Stone Farm Svc Lug M	98 lbs	MM0	Add
AMR8523A*	R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.5"	265 lbs		\$0.00
AMR8538	F-TIRE 12.5/80-18 Titan Trac Impl 422	147 lbs	K321M60	Add
AMR8523A	R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.5"	265 lbs		\$402.00
AMR8955C	F-TIRE 9.5-24 R1 Goodyear Dura Torque	130 lbs	K595M20	Add
AMR8522A	R-TIRE 18.4-26 R1 ALLIANCE 324	346 lbs		\$744.00
<b>AG - Radials</b>				
AMR8643	F-TIRE 340/65R18 R1W MCHLN MULTIBIB	169 lbs	K1K480M00	Add
AMR8661	R-TIRE 480/65R24 R1W MCHLN MLTBIB	300 lbs		\$1,850.00
AMR8643	F-TIRE 340/65R18 R1W MCHLN MULTIBIB	169 lbs	K2K606M40	Add
AMR8690	R-TIRE 480/65R24 R1W MCHLN MLTBIB CST	660 lbs		\$3,258.00
<b>Floation Tires</b>				
AMR8567	F-TR 400/60-15.5 ALLIANCE I-2 FLOAT	128 lbs	K764M80	Add
AMR8580	R-TR 600/50-22.5 ALLIANCE I-2 FLOAT	367 lbs		\$956.00
<b>Industrial Tires</b>				
AMR8797	F-TIRE 14-17.5 R4 WITH 0.55" INSET	168 lbs	K915M20	Add
AMR8532	R-TIRE 19.5L-24 R4 Titan Ind Trac Lug	304 lbs		\$1,144.00

\* Standard tires.

□ Only 2 weights can be mounted per side.

**Individual Tire Pricing**

M6L-111		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGGESTED LIST PRICE
<b>TIRES AND WHEELS (priced per piece)</b>				
MR8956*	F-TIRE 9.50-20 R1 B-Stone Farm Svc Lug M	98 lbs	K309M60	\$387.00
AMR8523A*	R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.5"	265 lbs	K844M00	\$1,055.00
AMR8538	F-TIRE 12.5/80-18 Titan Trac Impl 422	147 lbs	K470M40	\$588.00
AMR8523A	R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.5"	265 lbs	K844M00	\$1,055.00
AMR8955C	F-TIRE 9.5-24 R1 Goodyear Dura Torque	130 lbs	K414M40	\$518.00
AMR8522A	R-TIRE 18.4-26 R1 ALLIANCE 324	346 lbs	K1M036M80	\$1,296.00
AMR8643	F-TIRE 340/65R18 R1W MCHLN MULTIBIB	169 lbs	K684M80	\$856.00
AMR8661	R-TIRE 480/65R24 R1W MCHLN MLTBIB	300 lbs	K1M208M80	\$1,511.00
AMR8643	F-TIRE 340/65R18 R1W MCHLN MULTIBIB	169 lbs	K684M80	\$856.00
AMR8690	R-TIRE 480/65R24 R1W MCHLN MLTBIB CST	660 lbs	K1M772M00	\$2,215.00
AMR8567	F-TR 400/60-15.5 ALLIANCE I-2 FLOAT	128 lbs	K452M00	\$665.00
AMR8580	R-TR 600/50-22.5 ALLIANCE I-2 FLOAT	367 lbs	K1M084M00	\$1,355.00
AMR8797	F-TIRE 14-17.5 R4 WITH 0.55" INSET	168 lbs	K612M80	\$766.00
AMR8532	R-TIRE 19.5L-24 R4 Titan Ind Trac Lug	304 lbs	K998M40	\$1,248.00

† See Tire Section for Individual Tire Pricing and Information

\* Standard Tires

**M6 Series M6L-111 Low Profile ROPS Tractor****DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>HYDRAULICS/HITCH/DRAWBAR</b>				
<b>HYDRAULIC REAR REMOTE VALVES - 3RD POSITION</b>				
M9517A	SCD (Self Canceling Detent)	K644M00	14 lbs	\$805.00
M9669A	FD (Float Detent)	K636M00	12 lbs	\$795.00
<b>REMOTE VALVE LEVER KITS</b>				
M7653A	3rd Position Lever Kit	K130M40	5 lbs	\$163.00
<b>FLOW CONTROL VALVES</b>				
M9585	Flow Control Valve	K465M60	8 lbs	\$582.00
M9587	Flow Control Valve with SCD Valve For Simultaneous Valve Operation Replaces 1st SCD valve must be removed from tractor.	K968M00	20 lbs	\$1,210.00
<b>3-POINT LIFT ASSIST KIT</b>				
M7660A	High Capacity Lift Assist Cylinder	K434M40	90 lbs	\$543.00
<b>DROP DRAWBAR</b>				
M9227	Drop Drawbar 4" drop	K186M40	55 lbs	\$233.00
<b>DRAWBAR CLEVIS</b>				
M9289	Drawbar Clevis for Flat Drawbar	K205M60	13 lbs	\$257.00
M9217	Drawbar Clevis for Drop Drawbar	K205M60	20 lbs	\$257.00
<b>TRANSMISSION &amp; PTO</b>				
<b>CREEP SPEED KIT</b>				
M9293B	Creep Speed Cassette Type	K690M40	43 lbs	\$863.00
M6951	540/1000 RPM PTO Kit 1-3/8" 21 Spline Shaft Included *Not applicable for M6L-111SDS2 Models	K930M40	103 lbs	\$1,163.00
<b>FRONT &amp; REAR AXLE</b>				
<b>Wide Axle Kit</b>				
M9282	80" 4WD Wide Front Axle Kit Not approved for loader applications	K1M138M40	76 lbs	\$1,423.00
<b>REAR FENDER KITS</b>				
M9159	Steel Fenders (Complete Set) Standard on tractor Order individual replacement components though parts	K1M772M80	45 lbs	\$2,216.00
M9169	Steel Fender Extension Kit, 6" per fender	K299M20	45 lbs	\$374.00
M9488	Steel Fender Spacer Kit - Required with AMR8522A Tires	K82M40	10 lbs	\$103.00

**M6 Series M6L-111 Low Profile ROPS Tractor****DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>OPERATORS STATION ACCESSORIES</b>				
E1134	Deluxe Fiberglass Canopy for ROPS	K360M80	63 lbs	\$451.00
E1136	Mounting Bracket Kit for E1134	K178M40	29 lbs	\$223.00
E1138	Work Light Kit (set of 2 lights) For E1134 Canopy	K136A80	3 lbs	\$171.00
M9551	Rear Work Light Kit (1 light, Max 1 per tractor)	K78M40	3 lbs	\$98.00

**BALLAST**

<b>FRONT SUITCASE WEIGHTS</b>				
M8079	Suitcase Weight 12 Max. Requires Front Weight Bumper and Bolt/Bar Kit	K94M40	102 lbs	\$118.00
<b>FRONT WEIGHT BOLT/BAR KITS</b>				
M9275A	Bolt/Bar Kit	K56M80	14 lbs	\$71.00
<b>REAR WHEEL WEIGHTS</b>				
LM8124	Rear Wheel Weight Kit (164 lbs. each) Set of 2, Requires Rear Wheel Bolt Kit Maximum of 3 Sets on Steel Dish Wheels Maximum of 2 Sets on Cast Dish Wheels	K260M80	206 lbs	\$326.00
<b>REAR WHEEL WEIGHT BOLT KITS</b>				
LM8125A	Bolt Kit for 1st Wheel Weight Kit on Steel Dish Wheels	K61M60	5 lbs	\$77.00
M8121A	Bolt Kit for 2nd and 3rd Set of Weights One Bolt Kit per Weight Set	K27M20	8 lbs	\$34.00
<b>REAR 3-POINT BALLAST</b>				
M8180	Ballast Box	K587M20	220 lbs	\$734.00

**ADDITIONAL ACCESSORIES**

<b>BLOCK HEATER</b>				
70000-73274	Block Heater			(Order from the Parts Department)
<b>FUEL TANK GUARD</b>				
M6942	Heavy Duty Fuel Tank Guard Kit	K260M80	18 lbs	\$326.00
<b>Replacement ROPS</b>				
SFM-FM6L111	Replacement ROPS for M6L-111	K1M283M20	99999 lbs	\$1,604.00
<b>GRILL GUARD</b>				
M8147	Grill Guard Kit	K229M60	61 lbs	\$287.00

**KubotaNOW TELEMATICS**

<b>Each order will require the DCU6700 modem and wiring harness as listed below:</b>				
DCU6700	AT&T Telematics Modem	K317A68	1 lbs	\$418.00
M6712	M Series Telematics Harness	K118M40	1 lbs	\$148.00
<b>KubotaNOW Telematics Service includes a three (3) year term with a Dealer Net cost of \$399 and a total list price of \$525</b>				
<b>As of November 2nd, KubotaNOW will be available for Dealer Owned and Dealer Rental Fleet Machines.</b>				

**M6 Series M6L-111 Low Profile ROPS Tractor****FRONT END LOADER**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

**FRONT END LOADER**

LA1944A	Front End Loader (2 Lever Type Quick Coupler) Includes Mounting Kit and Stand DOES NOT INCLUDE VALVE OR BUCKET, must be ordered separately	K5M544M80	1859 lbs	\$6,931.00
---------	--	-----------	----------	------------

**VALVE KITS**

M6955	Standard Valve Kit for ROPS	K990M40	75 lbs	\$1,238.00
M6953	Hydraulic Self-Leveling Valve Kit for ROPS	K2M009M60	111 lbs	\$2,512.00

**LOADER ACCESSORY KITS**

<b>THIRD FUNCTION VALVES</b>				
M6954	3rd Function Valve Kit for ROPS	K1M198M40	56 lbs	\$1,498.00

<b>LOADER ACCESSORIES KITS</b>				
M8145	KSR (Kubota Shockless Ride) Accumulator	K644M00	38 lbs	\$805.00
M1553A	Hydraulic Quick Connect Single Lever	K785M60	21 lbs	\$982.00

**QA BUCKETS & ACCESSORIES**

M1811	72" Round Back Bucket	K656M80	400 lbs	\$821.00
M1815	84" Round Back High Capacity, Light Material Bucket	K876M80	400 lbs	\$1,096.00
M1816	84" Round Back Bucket	K836M00	400 lbs	\$1,045.00
M1886	96" Square Back Bucket	K928M00	610 lbs	\$1,160.00
M1896	96" Square Back High Capacity Bucket	K1M023M20	610 lbs	\$1,279.00
<b>BUCKET ACCESSORIES</b>				
M1057	Bucket Tine Kit for 72" Bucket	K260M80	79 lbs	\$326.00
M1285	Bucket Tine Kit for 84" Bucket	K416M80	90 lbs	\$521.00
M1287	Bucket Tine Kit for 96" Bucket	K463M20	200 lbs	\$579.00
<b>BALE SPEARS</b>				
M1804	Bale Spear 2 Lever Type QA	K713M60	195 lbs	\$892.00

**PALLET FORK FRAME / PALLET FORKS**

M1809	Pallet Fork Frame 2 Lever QA Requires 42" or 48" Forks	K660M80	200 lbs	\$826.00
K9058	42" Pallet Forks	K451L20	196 lbs	\$564.00
K9059	48" Pallet Forks	K480K80	218 lbs	\$601.00



**SNOWBLOWERS**

**TRACTOR SNOWBLOWER MATCHING CHART**

SNOWBLOWER	BLMX3164	LMX3174	M2684
<b>TRACTOR</b>			
All MX Series	X	X	
All M60 Series			X
All M5 & M8560/M9960			X
All M6S and M108S			X
All M6 and M-GX			X

## Snowblowers

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>THREE POINT MOUNTED SNOWBLOWER</b>				
<b>B/L Series</b>				
BLMX3164	SNOWBLOWER 3-Point 64" cutting width dedicated 2 stage, 540 rpm PTO, two stage, with 24" impeller, 15" diameter auger and 30.5" cutting height. Requires BL2665 Manual chute rotation kit or BL6399 Hydraulic chute rotation kit.	K2B914B40	681 lbs	\$3,643.00
BL2665	MANUAL CRANK ROTATION KIT Includes crank, hardware and instructions.	K165B60	11 lbs	\$207.00
BL2666A	① HYDRAULIC CHUTE DEFLECTOR for BLMX3164 and LMX3174 with Electric Selector Valve Kit	K920B80	22 lbs	\$1,151.00
BL6399	HYDRAULIC CRANK ROTATION KIT Includes Hydraulic orbital motor, hoses, couplers and instructions.	K752B00	20 lbs	\$940.00
L2177	SIDE EXTENSION KIT (Optional for BLMX3164 and LMX3174) Includes 2, Bolt on Side Extensions, hardware and Instructions Cutting width is increased by 5", to 79".	K108L80	27 lbs	\$136.00
LMX3174	SNOWBLOWER 3-Point 74" cutting width 540 rpm PTO, two stage, with 24" impeller, 15" diameter auger and 26" cutting height Requires BL2665 Manual chute rotation kit or BL6399 Hydraulic chute rotation kit. Maximum 55 PTO Horsepower	K3L675L20	760 lbs	\$4,594.00
B2516A	ELECTRIC CHUTE DEFLECTOR KIT. for BLMX3164 and LMX3174 Includes Electric chute deflector, hardware, wire harness and instructions.	K608B80	9 lbs	\$761.00
<b>M Series</b>				
M2684	① SNOWBLOWER 3-Point 84" cutting width, 540 rpm PTO, 2 stage with 27.25" Impeller, 20" diameter Auger, 35" cutting height. Hydraulic chute rotation is standard.	K4M989M60	890 lbs	\$6,237.00

- ① Requires single section rear hydraulic remote valve on tractor.
- ② Requires two (2) auxiliary remote valves when equipped with the 3-Part Chute with Hydraulic Deflection (M2894).
- ③ Requires two (2) auxiliary remote valves when equipped with the 2-Part Chute (M2893 and Hydraulic Deflectio for 2-Part Chute.

**Snowblowers**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>ACCESSORIES</b>				
M2686	HYDRAULIC CHUTE DEFLECTOR KIT (Requires 2nd rear remote Hyd. outlet)	K330M40	21 lbs	\$413.00
M2893	Two-Part chute with Manual Deflection	K480M00	139 lbs	\$600.00
M2894	Three-Part Chute with Hydraulic Deflection <b>***Requires one additional auxiliary remote valve***</b>			
M2895	Drift Cutters	K272M80	50 lbs	\$341.00
M2896	Heavy Duty Cutting Edge	K211M20	60 lbs	\$264.00
M2897	Heavy Duty Skid Shoes	K256M00	52 lbs	\$320.00
M2898	Second Auger Kit	K900M80	208 lbs	\$1,126.00
M2899	Hydraulic Chute Deflector Kit for 2-Part Chute Application: M2892/M2992 equipped with 2-Part Chute (M2893) <b>***Requires one additional auxiliary remote valve***</b>	K254M40	21 lbs	\$318.00