

---

**M SERIES**

---

---

**KUBOTA**

---

## WHOLEGOODS PRICE LIST

Effective Feb 02, 2022

Please replace all pages of this section of the current price book. These pages are a complete revision of this section. All prices are effective as of June 9th, 2021.

2/2/2022 Added AMR8473TK Tires  
Tire Price changes

**M SERIES**



PAGE	MODEL	PTO H.P.	FACTORY NUMBER	SUGGESTED LIST PRICE
9-4	MX4800F*	41	K17M725M60	\$22,351.00
9-4	MX4800DT*	41	K21M972M00	\$27,465.00
9-4	MX4800HST*	39	K23M254M40	\$29,068.00
9-4	MX5200F*	46	K19M601M60	\$24,696.00
9-4	MX5200DT*	46	K24M211M20	\$30,264.00
9-4	MX5200HST*	44	K25M570M40	\$31,963.00
9-4	MX5800HST*	50	K26M904M80	\$33,631.00
9-12	MX5400F	47	K19M988M80	\$25,180.00
9-12	MX5400DT	47	K24M598M40	\$30,748.00
9-12	MX5400DTC	47	K31M420M00	\$39,275.00
9-12	MX5400HST	47	K25M957M60	\$32,447.00
9-12	MX5400HSTC	47	K32M779M20	\$40,974.00
9-12	MX6000HST	52	K27M291M20	\$34,114.00
9-12	MX6000HSTC	52	K34M112M80	\$42,641.00
9-21	M5660SUH	50	K23M206M40	\$28,936.00
9-21	M5660SUHD	50	K27M228M00	\$33,439.00
9-32	M6060HFC	56	K33M491M20	\$41,186.00
9-32	M6060HD	56	K29M306M40	\$36,181.00
9-32	M6060HDC	56	K36M712M00	\$45,438.00
9-32	M7060HFC	64	K35M548M80	\$43,776.00
9-32	M7060HD	64	K31M402M40	\$38,213.00
9-32	M7060HDC	64	K38M808M00	\$47,470.00
9-32	M7060HD12	64	K33M328M80	\$40,621.00
9-32	M7060HDC12	64	K40M734M40	\$49,878.00
9-44	M4D-061HDC12	52	K44M339M20	\$53,982.00
9-44	M4-071HDC12	60	K43M312M80	\$52,699.00
9-44	M4D-071HDC12	60	K45M972M80	\$56,024.00
9-52	M5-091HFC-1	76	K47M789M60	\$58,867.00
9-52	M5-111HF-1	89	K41M665M60	\$51,212.00
9-52	M5-111HFC-1	89	K50M405M60	\$62,137.00
9-52	M5-091HD-1	76	K43M311M20	\$52,427.00
9-52	M5-091HD12-1	76	K44M404M00	\$53,793.00
9-52	M5-091HDC-1	76	K52M051M20	\$63,352.00
9-52	M5-091HDC12-1	76	K53M144M00	\$64,718.00
9-52	M5-111HD-1	89	K45M927M20	\$55,697.00
9-52	M5-111HD12-1	89	K45M927M20	\$57,063.00
9-52	M5-111HDC-1	89	K54M667M20	\$66,622.00
9-52	M5-111HDC12-1	89	K55M760M00	\$67,988.00
9-52	M5-111HDC24-1	89	K58M605M60	\$71,545.00
9-65	M5L-111-SN	89	K51M410M00	\$62,289.00
9-72	M4N-071HD12	61	K41M226M40	\$52,201.00
9-72	M5N-091HD12	78	K48M990M40	\$61,906.00
9-72	M5N-091HD24	75	K50M817M60	\$64,190.00
9-72	M5N-111HD12	91	K55M311M20	\$69,807.00
9-72	M5N-111HD24	88	K57M138M40	\$72,091.00

**M SERIES**



PAGE	MODEL	PTO H.P.	FACTORY NUMBER	SUGGESTED LIST PRICE
9-72	M4N-071HDC12	61	K51M316M00	\$64,813.00
9-72	M5N-091HDC12	78	K56M884M80	\$71,774.00
9-72	M5N-091HDC24	75	K58M712M00	\$74,058.00
9-72	M5N-111HDC12	91	K63M205M60	\$79,675.00
9-72	M5N-111HDC24	88	K65M032M80	\$81,959.00
9-72	M5N-091HDC12PC	88	K66M111M20	\$84,277.00
9-82	M6-101DTC-F	82	K72M355M20	\$86,570.00
9-82	M6-111DTC-F	92	K75M543M20	\$90,555.00
9-90	M6S-111SHF	95	K49M350M40	\$60,240.00
9-90	M6S-111SHC	95	K56M047M20	\$68,611.00
9-90	M6S-111SHD	95	K54M652M80	\$64,816.00
9-90	M6S-111SDS2	95	K58M395M20	\$68,005.00
9-90	M6S-111SHDC	95	K61M153M60	\$72,942.00
9-90	M6S-111SHDC2	95	K61M628M80	\$73,536.00
9-90	M6S-111SDSC	95	K63M229M60	\$75,537.00
9-90	M6S-111SDSC2	95	K63M704M80	\$76,131.00
9-98	M6-131DTC-F	104	K82M378M40	\$96,503.00
9-98	M6-141DTC-F	114	K87M528M00	\$102,940.00
9-98	M6-141DTSC-F	114	K96M565M60	\$114,237.00
9-106	M6H-101SHD	84	K58M829M60	\$70,541.00
9-110	M6L-111SDS	95	K54M168M80	\$65,385.00
9-110	M6L-111SDS2	95	K54M804M00	\$66,179.00
9-115	M Series Snowblowers			

Assembly Charges	Assembly Fee
All ROPS/ Cab Model Tractor	\$ 260.00
Assembly Fee includes basic assembly of tractor including wheels, or cab, front and rear weights	
All optional hydraulic remote valves and/or flow control valves, order assembled on the tractor	\$ 70.00
All optional hydraulic lever kits ordered and assemble on the tractor	\$ 70.00
Single Cylinder 3-point Lift Assist Kit	\$ 60.00
Dual Cylinder 3-point Lift Cylinder Kit	\$ 110.00
Loader Assembly Charges	\$ 125.00
<b>ALL OTHER KITS ARE FIELD INSTALLED ONLY.</b>	

**MX Series**

**MX4800/MX5200/MX5800**



\*\*\* EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS \*\*\*

**DIESEL ENGINE**

Kubota V2403 Direct Injection  
 2.4L (148.5 cu. in.) 4 Cyl  
 EPA Tier 4 Final Compliant  
 Common Rail Electronic Fuel Injection  
 45 Amp Alternator ROPS  
 12V 600 CCA Battery

**EXHAUST EMISSION CONTROL TYPE**

DPF System (Diesel Particulate Filter)

**HYDRAULICS / HITCH / DRAWBAR**

Open Center Gear Pump  
 Max. Flow @ Rated Engine Speed: 2700 RPM  
 Power Steering: 4.9 gpm  
 Impl. Flow: 9.5 gpm  
 Total Flow: 14.4 gpm

**REMOTE VALVES**

Optional (3) valves Float Detent,  
 Detent or Spring Center

**3 POINT HITCH & DRAWBAR**

Cat I / II 3-Point Hitch  
 @ Lift Points: 2870 lbs  
 (ASAE) @ 24" Behind: 2310 lbs  
 2WD & MX4800 4WD Model - Rigid Lower Links  
 4WD Model - Telescoping Lower Links  
 2WD & MX4800 4WD Model - Turn Buckle Stabilizers  
 4WD Model - Telescoping Stabilizers

**POWER TAKE OFF**

Live-Independent Hyd. PTO  
 SAE 1 3/8" Six Spline  
 540 RPM @ 2700 Eng. RPM

**TRANSMISSION - F / DT**

4-Speed Partially Synchronized  
 8F/8R Two Range  
 Clutch - Dry  
 Mechanical Wet Disc Brakes  
 Rear Differential Lock

**TRANSMISSION - HST**

3 Range Low/Med/High  
 Cruise Control Standard  
 Mechanical Wet Disc Brakes  
 Left Side Brake Pedals  
 Rear Differential Lock

**FRONT AXLE**

Hydrostatic Power Steering  
 2WD: Tubular Steel Telescopic  
 4WD: Cast Iron, Bevel Gear

**FLUID CAPACITY**

Fuel Tank Capacity: 13.5 gal.  
 Cooling System: 6.9 qts.  
 Crankcase: 8.7 qts.  
 Hydraulics/Trans: 11.6 gal.  
 Front Axle 4WD: 8.9 qts.

**INSTRUMENTS**

Tachometer/Hour meter  
 Oil Pressure  
 Fuel Gauge  
 Coolant Temperature

**TIRES AND WHEELS**

2WD: Front 7.5L x 15 R1  
 Rear 14.9 x 26 R1  
 4WD: Front 9.5L x 16 R1  
 Rear 14.9 x 26 R1

**OPERATOR PLATFORM**

Semi-Flat Deck with Hanging Pedals  
 High Back Seat with Adjustable Suspension  
 Color Coded Controls  
 Cup Holder

**LIGHTING**

2 Headlights - Tail Lights  
 2 Hazard Flasher Lights w/ Turn Signals

**SAFETY EQUIPMENT**

2 Post, ROPS Certified  
 Retractable Seat Belt  
 Flip-Up PTO Shield  
 Safety Start Switches:  
 Shuttle Lever Neutral  
 PTO Off  
 Electric Key Shut Off  
 Parking Brake  
 Turn Signals  
 SMV Sign

Model Specifications		
MX4800	MX5200	MX5800
SAE Gross HP: 49.3	SAE Gross HP: 54.7	SAE Gross HP: 61.4
Engine Net HP: 46.9	Engine Net HP: 52.1	Engine Net HP: 57.5
Max. PTO HP F/DT: 40.5	Max. PTO HP F/DT: 45.7	Max. PTO HP: 50.2
Max. PTO HP HST: 39.0	Max. PTO HP HST: 44.2	



**MX Series** **MX4800/MX5200/MX5800** **KUBOTA**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

**2WD MODELS**

\*\*\* STANDARD TRACTOR WITH STANDARD TIRES \*\*\*

<b>MX4800F</b>	<b>2WD Utility 2 Post Foldable ROPS Tractor</b>	K17M725M60	3474 lbs	\$22,157.00
<b>MX5200F</b>	<b>2WD Utility 2 Post Foldable ROPS Tractor</b>	K19M601M60	1 lbs	\$24,502.00

MX4800F/ MX5200F 2WD		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGGESTED LIST PRICE
<b>TIRES AND WHEELS†</b>				
<b>STANDARD TIRES</b>				
ALR8852A*	F-TIRE 7.5L-15 F2 Firestone Guide Grip	68 lbs	In Base Price	In Base Price
AMXR8861*	R-TIRE 14.9-26 Titan Hi Power Lug TL	254 lbs		
<b>AG - BIAS REAR</b>				
AMXR8789A	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	75 lbs	K198M40	Add \$248.00
AMXR8861	R-TIRE 14.9-26 Titan Hi Power Lug TL	254 lbs		
ALR8852A	F-TIRE 7.5L-15 F2 Firestone Guide Grip	68 lbs	MM0	Add \$0.00
AMXR8813A	R-TIRE 13.6-28 R1 Titan Hi Trac Lug TL	242 lbs		
AMXR8789A	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	75 lbs	K198M40	Add \$248.00
AMXR8813A	R-TIRE 13.6-28 R1 Titan Hi Trac Lug TL	242 lbs		
<b>TURF</b>				
AMXR8837	F-TIRE 29x12.50-15 R3 Ttn MultiTrac6stud	73 lbs	K211M20	Add \$264.00
ALR6802	R-TIRE 44x18-20 R3 Titan MultiTrac 8stud	221 lbs		
ALR6818A	Ⓞ F-TIRE LSW305R343 R3 Titan Grizz LSW 430	70 lbs	K361M60	Add \$452.00
ALR6819	R-TIRE LSW610R470 R3 Grizz LSW 430 8stud	227 lbs		

† See Tire Section for Individual Tire Pricing and Information

\* Standard Tires

Ⓞ For field installation, order (12) Spring Washers 04512-60140 from Parts.

MX4800F/ MX5200F 2WD		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGGESTED LIST PRICE
<b>TIRES AND WHEELS (priced per piece)</b>				
<b>AG - BIAS REAR</b>				
ALR8852A*	F-TIRE 7.5L-15 F2 Firestone Guide Grip	68 lbs	K167L20	\$209.00
AMXR8861*	R-TIRE 14.9-26 Titan Hi Power Lug TL	254 lbs	K737M60	\$922.00
AMXR8789A	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	75 lbs	K266M40	\$333.00
AMXR8861	R-TIRE 14.9-26 Titan Hi Power Lug TL	254 lbs	K737M60	\$922.00
ALR8852A	F-TIRE 7.5L-15 F2 Firestone Guide Grip	68 lbs	K167L20	\$209.00
AMXR8813A	R-TIRE 13.6-28 R1 Titan Hi Trac Lug TL	242 lbs	K737M60	\$922.00
AMXR8789A	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	75 lbs	K266M40	\$333.00
AMXR8813A	R-TIRE 13.6-28 R1 Titan Hi Trac Lug TL	242 lbs	K737M60	\$922.00
<b>TURF</b>				
AMXR8837	F-TIRE 29x12.50-15 R3 Ttn MultiTrac6stud	73 lbs	K278M40	\$348.00
ALR6802	R-TIRE 44x18-20 R3 Titan MultiTrac 8stud	221 lbs	K732L00	\$915.00
ALR6818A	F-TIRE LSW305R343 R3 Titan Grizz LSW 430	70 lbs	K312L00	\$390.00
ALR6819	R-TIRE LSW610R470 R3 Grizz LSW 430 8stud	227 lbs	K773L60	\$967.00

**MX Series**

**MX4800/MX5200/MX5800**



ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>4WD MODELS</b>				
*** STANDARD TRACTOR WITH STANDARD TIRES ***				
MX4800DT	4WD Utility 2 Post Foldable ROPS	K21M972M00	3474 lbs	\$27,465.00
MX4800HST	4WD Utility 2 Post Foldable ROPS, HST Transmission	K23M254M40	3474 lbs	\$29,068.00
MX5200DT	4WD Utility 2 Post Foldable ROPS	K24M211M20	3474 lbs	\$30,264.00
MX5200HST	4WD Utility 2 Post Foldable ROPS, HST Transmission	K25M570M40	3474 lbs	\$31,963.00
MX5800HST	4WD Utility 2 Post Foldable ROPS, HST Transmission	K26M904M80	3474 lbs	\$33,631.00

M4800 / MX5200 / MX5800 4WD				
TIRES AND WHEELS <sup>†</sup>				Additional Price With Tire Option
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGGESTED LIST PRICE
<b>STANDARD TIRES</b>				
AMXR8860A*	F-TIRE 9.5-16 R1 Gdyr Dura Torque 6stud	78 lbs	In Base Price	In Base Price
AMXR8861*	R-TIRE 14.9-26 Titan Hi Power Lug TL	254 lbs		
<b>AG - BIAS REAR</b>				
AMXR8860A	F-TIRE 9.5-16 R1 Gdyr Dura Torque 6stud	78 lbs	MM0	Add \$0.00
AMXR8813A	R-TIRE 13.6-28 R1 Titan Hi Trac Lug TL	242 lbs		
<b>INDUSTRIAL</b>				
AMXR8828	F-TIRE 12-16.5 R4 Titan HD-2000	117 lbs	K224M00	Add \$280.00
AMXR8862A	R-TIRE TITN 17.5L-24 8PLY R4	257 lbs		
<b>TURF</b>				
ALR8708	F-TIRE 29x12.50-15 R3 Titan Turf	83 lbs	K92M80	Add \$116.00
ALR6802	R-TIRE 44x18-20 R3 Titan MultiTrac 8stud	221 lbs		
ALR6818A	Ⓞ F-TIRE LSW305R343 R3 Titan Grizz LSW 430	70 lbs	K206M40	Add \$258.00
ALR6819	R-TIRE LSW610R470 R3 Grizz LSW 430 8stud	227 lbs		

<sup>†</sup> See Tire Section for Individual Tire Pricing and Information

\* Standard Tires

Ⓞ For field installation, order (12) Spring Washers 04512-60140 from Parts

M4800 / MX5200 / MX5800 4WD				
TIRES AND WHEELS (priced per piece)				
ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>AG - BIAS REAR</b>				
AMXR8860A*	F-TIRE 9.5-16 R1 Gdyr Dura Torque 6stud	K244M80	78 lbs	\$306.00
AMXR8861*	R-TIRE 14.9-26 Titan Hi Power Lug TL	K737M60	254 lbs	\$922.00
AMXR8860A	F-TIRE 9.5-16 R1 Gdyr Dura Torque 6stud	K244M80	78 lbs	\$306.00
AMXR8813A	R-TIRE 13.6-28 R1 Titan Hi Trac Lug TL	K737M60	242 lbs	\$922.00
<b>INDUSTRIAL</b>				
AMXR8828	F-TIRE 12-16.5 R4 Titan HD-2000	K304M80	117 lbs	\$381.00
AMXR8862A	R-TIRE TITN 17.5L-24 8PLY R4	K789M60	257 lbs	\$987.00
<b>TURF</b>				
ALR8708	F-TIRE 29x12.50-15 R3 Titan Turf	K296L80	83 lbs	\$371.00
ALR6802	R-TIRE 44x18-20 R3 Titan MultiTrac 8stud	K732L00	221 lbs	\$915.00
ALR6818A	F-TIRE LSW305R343 R3 Titan Grizz LSW 430	K312L00	70 lbs	\$390.00
ALR6819	R-TIRE LSW610R470 R3 Grizz LSW 430 8stud	K773L60	227 lbs	\$967.00

**MX SERIES****MX4800/MX5200/MX5800****KUBOTA****DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>HYDRAULICS/HITCH/DRAWBAR</b>				
<b>HYDRAULIC REAR REMOTE VALVES</b>				
<b>STANDARD NON-CONTINUOUS FLOW VALVES</b>				
L8303	Double Acting Valve, no Detents Required for 1 <sup>st</sup> Position Lever Kit compatible with 2 <sup>nd</sup> and 3 <sup>rd</sup> Position Lever Kits	K212L80	4 lbs	\$266.00
L8304	Float Detent Valve, Required 2 <sup>nd</sup> Position Lever Kit Not compatible with 1 <sup>st</sup> or 3 <sup>rd</sup> Position Lever Kits	K268L00	4 lbs	\$335.00
<b>STANDARD NON-CONTINUOUS FLOW VALVE LEVER KITS</b>				
MX8451	1 <sup>st</sup> Position Lever Kit, includes Base Kit and 1 <sup>st</sup> Lever Requires Double Acting Flow Valve Not compatible with Float Detent Valve	K447M20	14 lbs	\$559.00
MX8452	2 <sup>nd</sup> Position Lever Kit, includes Stacking Kit and 2 <sup>nd</sup> Lever Requires Double Acting OR Float Detent Flow Valve	K221M60	7 lbs	\$277.00
MX8453	3 <sup>rd</sup> Position Lever Kit, includes Stacking Kit and 3 <sup>rd</sup> Lever Requires Double Acting Flow Valve Not compatible with Float Detent Flow Valve	K221M60	7 lbs	\$277.00
<b>CONTINUOUS FLOW DETENTING VALVES</b>				
MX5141	Locking Detent Valve and Hose Kit	K397M60	8 lbs	\$497.00
MX5151	Float Detent Valve and Hose Kit Only for 2nd or 3rd Position	K461M60	8 lbs	\$577.00
MX5161	Standard 3-Way Spring Center Valve and Hose Kit	K326M40	7 lbs	\$408.00
MX5171	Lever Guide	K31M20	2 lbs	\$39.00
<b>CONTINUOUS FLOW REMOTE VALVE LEVER KITS</b>				
MX5111	1st Position Remote Base Kit Requires Valve and Hose Kit and Lever Guide Not Compatible with Non-Continuous Flow Valves	K428M80	8 lbs	\$536.00
MX5121	2nd Position Rear Remote Stacking Kit Requires Valve and Hose Kit Not Compatible with Non-Continuous Flow Valves	K145M60	3 lbs	\$182.00
MX5131	3rd Position Rear Remote Stacking Kit Requires Valve and Hose Kit Not Compatible with Non-Continuous Flow Valves	K145M60	4 lbs	\$182.00
<b>HITCH/DRAWBAR OPTIONS</b>				
<b>3-POINT TELESCOPIC LINK / STABILIZER KIT</b>				
MX9495	Telescopic Link Ends and Stabilizer Kit Optional for 2WD and MX4800, Standard on MX5200 and MX5800 4WD models	K343M20	81 lbs	\$429.00
<b>DRAFT CONTROL</b>				
L8311C	Draft Control Not Compatible with Detent Valves	K409L60	25 lbs	\$512.00
<b>DRAWBAR CLEVIS</b>				
MX9490	Drawbar Clevis	K72M80	8 lbs	\$91.00
MX6860	Drop Drawbar for MX Series	K107M20	29 lbs	\$134.00
LMX6800	Clevis Kit for L-MX Drop Drawbars	K41A60	7 lbs	\$52.00
<b>TOP-N-TILT KIT</b>				
L8388A	Top (Cylinder) and Tilt (Cylinder) Kit Not Compatible with BH92 Backhoe	K772L80	41 lbs	\$966.00

**MX SERIES**

**MX4800/MX5200/MX5800**

**KUBOTA**

**DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

**ROPS ACCESSORIES**

<b>CANOPY</b>				
E1134	Deluxe Fiberglass Canopy (ROPS Models) Requires E1136 Mounting Kit	K347M20	63 lbs	\$434.00
E1136	Mounting Kit Includes Brackets/Hardware/Instructions	K171M20	29 lbs	\$214.00
E1138	Work Light Set for Canopy (Optional 2-lights)	K131A20	3 lbs	\$164.00
<b>REAR WORK LIGHT</b>				
M9551	Rear Working Auxiliary Light (Maximum 1 Light/Tractor)	K75M20	3 lbs	\$94.00

**BALLAST**

<b>BALLAST BOX</b>				
L8170	Ballast Box - 3-Point Mount Up to 1000 lbs of total weight with sand	K442L40	168 lbs	\$553.00
<b>FRONT WEIGHT BRACKETS</b>				
MX8068	Weight Bracket Able to hold up to 7 Front Suitcase Weights Standard on 2WD Model, Not compatible with Grill Guard	K84M80	29 lbs	\$106.00
<b>FRONT SUITCASE WEIGHTS</b>				
BL8060-1	Suitcase Weight (55 lbs.) Requires Weight Bracket and Bolt Kit	K59B20	55 lbs	\$74.00
<b>FRONT WEIGHT BOLT/BAR KITS</b>				
BL8060B	Bolt/Bar Kit - Weight(s) One Bolt/Bar Kit per 1 Weight	K1B60	lbs	\$2.00

**ADDITIONAL ACCESSORIES**

<b>BLOCK HEATER</b>				
70000-00297	Block Heater			(Order from Parts Department)
<b>ARMREST KIT</b>				
ZG1341	Arm rest Kit	K49A60	8 lbs	\$62.00
<b>GRILL GUARD</b>				
MX2268	Grill Guard Kit for Loader and Non-Loader (hold 4 frt. Wts) Applications with LA1065 Loader, standard with Loader	K224M80	62 lbs	\$281.00
<b>RADIATOR HEATER</b>				
70000-82500	Radiator Heater			(Order from Parts Department)
<b>REPLACEMENT ROPS</b>				
SFMX-F52	Replacement ROPS - Field Installation Required			(Order from Parts Department)

**REAR WHEEL WEIGHTS**

LM8124	Rear Wheel Weight (103 lbs. each) Set of 2 Weights, Maximum of 3 Sets Requires Bolt Kit Not Compatible with Turf Tires	K250M40	206 lbs	\$313.00
<b>REAR WHEEL WEIGHT BOLT KITS</b>				
LM8125A	Bolt Kit for LM8124 Weight One Kit per Weight Set	K59M20	5 lbs	\$74.00
M8121A	Bolt Kit for 2nd and 3rd Set of Rear Wheel Weights One Kit per Weight Set	K26M40	8 lbs	\$33.00

**MX SERIES****MX4800/MX5200/MX5800****KUBOTA****Front End Loaders**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

**FRONT END LOADER**

LA1065	Front End Loader Includes Mounting Kit, Loader Valve, Parking Stands, 2-Lever QA Coupler, and Grill Guard DOES NOT INCLUDE BUCKET or ROD LEVEL INDICATOR, must be ordered separately	K3M944M00	1 lbs	\$4,930.00
--------	---	-----------	-------	------------

**LOADER ACCESSORIES**

<b>LOADER LEVEL INDICATOR</b>				
MX2140	Bucket/Attachment Level Indicator (Rod Type)	K65M60	7 lbs	\$82.00
<b>THIRD FUNCTION</b>				
380-166A	3rd Function Valve Kit from Land Pride		(Order from Land Pride)	

**BUCKETS & ACCESSORIES**

<b>BUCKETS / CUTTING EDGES ALL 2-LEVER TYPE QA</b>				
L2296	72" Quick Attach Heavy Duty Round Back Bucket	K976L80	400 lbs	\$1,221.00
L2236	72" Quick Attach Light Material Bucket	K592L00	323 lbs	\$740.00
L2235A	72" Quick Attach Square Back Bucket	K629L60	346 lbs	\$787.00
<b>BUCKET ACCESSORIES</b>				
TL1748	72" Bolt-on Reversible Cutting Edge for Heavy Duty Round Back Bucket	K207L20	70 lbs	\$259.00
<b>BALE SPEARS</b>				
L2237	Bale Spear 2 Lever Type QA	K585L60	165 lbs	\$732.00

**PALLET FORK FRAME / PALLET FORKS**

L2238	Pallet Fork Frame 2 Lever QA Requires Pallet Forks	K617L60	165 lbs	\$772.00
K9048	36" Pallet Forks	K371L20	176 lbs	\$464.00
K9058	42" Pallet Forks	K433L60	196 lbs	\$542.00

**MX SERIES****MX4800/MX5200/MX5800****KUBOTA****Backhoes**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>BACKHOE &amp; ACCESSORIES</b>				
BH92	Backhoe, 9 ft. digging depth Requires Mounting Kit and Bucket	K7L157L60	1696 lbs	\$8,947.00
<b>BACKHOE MOUNTING KIT</b>				
BH4978	Backhoe Subframe Kit	K1M155M20	292 lbs	\$1,444.00
<b>BACKHOE ACCESSORIES</b>				
BH4949	6-Position Mechanical Thumb	K813L60	141 lbs	\$1,017.00
BT4598	Hydraulic Thumb Requires Valve Kit	K1L852L80	142 lbs	\$2,316.00
BH4948	Hydraulic Thumb Valve Kit	K802L40	23 lbs	\$1,003.00
BT4550	Quick Coupler	K601L60	55 lbs	\$752.00
<b>RUBBER FLIP PADS</b>				
L9467	Rubber Flip Pad - 2 Required per Order	K113L60	15 lbs	\$142.00
<b>PIN-ON TYPE BUCKETS</b>				
BT3001	12" Bucket (1.19 cu. ft. Struck / 1.47 cu. ft. Heaped)	K598L40	109 lbs	\$748.00
BT3002A	16" Bucket (1.67 cu. ft. Struck / 2.16 cu. ft. Heaped)	K678L40	130 lbs	\$848.00
BT3003A	18" Bucket (1.91 cu. ft. Struck / 2.51 cu. ft. Heaped)	K723L20	141 lbs	\$904.00
BT3004	24" Bucket (2.63 cu. ft. Struck / 3.60 cu. ft. Heaped)	K841L60	172 lbs	\$1,052.00
BT3005A	30" Bucket (3.34 cu. ft. Struck / 4.69 cu. ft. Heaped)	K970L40	205 lbs	\$1,213.00
BT3006	36" Bucket (4.06 cu. ft. Struck / 5.78 cu. ft. Heaped)	K1L084L80	226 lbs	\$1,356.00
<b>QUICK COUPLER TYPE BUCKETS</b>				
BT4552	12" Bucket (1.19 cu. ft. Struck / 1.47 cu. ft. Heaped) Requires Quick Coupler	K725L60	117 lbs	\$907.00
BT4553	16" Bucket (1.67 cu. ft. Struck / 2.16 cu. ft. Heaped) Requires Quick Coupler	K767L20	135 lbs	\$959.00
BT4554	18" Bucket (1.91 cu. ft. Struck / 2.51 cu. ft. Heaped) Requires Quick Coupler	K806L40	144 lbs	\$1,008.00
BT4555	24" Bucket (2.63 cu. ft. Struck / 3.60 cu. ft. Heaped) Requires Quick Coupler	K952L00	176 lbs	\$1,190.00
BT4557	36" Bucket (4.06 cu. ft. Struck / 5.78 cu. ft. Heaped) Requires Quick Coupler	K1L213L60	223 lbs	\$1,517.00

---

**MX SERIES**

**MX4800/MX5200/MX5800**

**KUBOTA**

---

**Approved Attachments**

See Website for Landpride Attachments List

**MX SERIES**

**MX5400/MX6000**

**KUBOTA**

\*\*\* EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS \*\*\*

**DIESEL ENGINE**

Kubota V2403 Direct Injection  
 2.4L (148.6 cu. in.) 4 Cyl  
 EPA Tier 4 Final Compliant  
 Turbo Common Rail Electronic Fuel Injection  
 Alternator- 45 Amp ROPS / 60 Amp CAB  
 12V 600 (ROPS) / 650 (CAB) CCA Battery

**EXHAUST EMISSION CONTROL TYPE**

DPF System (Diesel Particulate Filter)

**HYDRAULICS / HITCH / DRAWBAR**

Open Center Gear Pump  
 Max. Flow @ Rated Engine Speed: 2700 RPM  
 Power Steering: 4.9 gpm  
 Impl. Flow: 9.5 gpm  
 Total Flow: 14.4 gpm

**REMOTE VALVES**

Optional (3) valves Float Detent,  
 Double Acting

**3 POINT HITCH & DRAWBAR**

Cat I / II 3-Point Hitch  
 @ Lift Points: 2870 lbs  
 (ASAE)@24" Behind: 2310 lbs  
 2WD Model - Rigid Lower Links  
 4WD Model - Telescoping Lower Links  
 2WD Model - Turn Buckle Stabilizers  
 4WD Model - Telescoping Stabilizers

**POWER TAKE OFF**

Live-Independent Hyd. PTO  
 SAE 1 3/8" Six Spline  
 540 RPM @ 2700 Eng. RPM

**FRONT AXLE**

Hydrostatic Power Steering  
 2WD: Tubular Steel Telescopic  
 4WD: Cast Iron, Bevel Gear

**TRANSMISSION - F / DT**

4-Speed Partially Synchronized  
 8F/8R Two Range  
 Clutch - Dry  
 Mechanical Wet Disc Brakes  
 Rear Differential Lock

**TRANSMISSION - HST**

3 Range Low/Med/High  
 Cruise Control Standard  
 Mechanical Wet Disc Brakes  
 Left Side Brake Pedals  
 Rear Differential Lock

**FLUID CAPACITY**

Fuel Tank Capacity (ROPS): 13.5 gal  
 Fuel Tank Capacity (CAB): 11.9 gal  
 Cooling System: 6.9 qts.  
 Crankcase w/ Filter: 7.4 qts.  
 Hydraulics/Trans: 11.6 gal.

**INSTRUMENTS**

Tachometer/Hour meter  
 Fuel Gauge meter  
 Coolant Temperature meter  
 Warning Symbols

**TIRES AND WHEELS**

2WD: Front 7.5L x 15 R1  
 Rear 14.9 x 26 R1  
 4WD: Front 9.5L x 16 R1  
 Rear 14.9 x 26 R1

**LIGHTING**

2 Headlights - Tail Lights  
 2 Hazard Flasher Lights w/ Turn Signals  
 2 Front Work Lights -CAB ONLY

**ROPS OPERATOR PLATFORM**

Semi-Flat Deck with Hanging Pedals  
 Rubber Floor Mat  
 High Back Seat with Adjustable Suspension  
 Color Coded Controls  
 Stationary PTO Switch  
 Cup Holder

**CAB OPERATOR PLATFORM**

Semi-Flat Deck with Hanging Pedals  
 Rubber Floor Mat  
 High Back Seat with Adjustable Suspension  
 Tilt-Steering  
 Color Coded Controls  
 Stationary PTO Switch  
 Cup Holder  
 Interior Light  
 Internal Rearview Mirror  
 Front Wiper w/ Washer  
 A/C & Heater  
 Speakers & Radio Pre-Wired  
 Left & Right-Hand Door  
 Left Hand Step  
 Horn

**SAFETY EQUIPMENT**

2 Post Foldable ROPS  
 ROPS Certified CAB  
 Retractable Seat Belt  
 Flip-Up PTO Shield  
 Safety Start Switches:  
 Shuttle Lever Neutral  
 PTO Off  
 Electric Key Shut Off  
 Parking Brake  
 Turn Signals  
 SMV Sign

Model Specifications		
<u>MX5400 F/DT</u>	<u>MX5400 HST</u>	<u>MX6000</u>
SAE Gross HP: 55.5	SAE Gross HP: 57.0	SAE Gross HP: 63.4
Engine Net HP: 53.0	Engine Net HP: 53.8	Engine Net HP: 59.5
Max. PTO HP: 46.5	Max. PTO HP: 46.5	Max. PTO HP: 51.7



**MX Series**

**MX5400/MX6000**



ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

**2WD MODELS**

\*\*\* STANDARD TRACTOR WITH STANDARD TIRES \*\*\*

<b>MX5400F</b>	<b>2WD Utility 2 Post Foldable ROPS Tractor</b>	K19M988M80	3474 lbs	\$24,986.00
----------------	---	------------	----------	-------------

MX5400F 2WD		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGGESTED LIST PRICE
<b>TIRES AND WHEELS<sup>†</sup></b>				
<b>STANDARD TIRE - BIAS REAR</b>				
ALR8852A*	F-TIRE 7.5L-15 F2 Firestone Guide Grip	68 lbs	In Base Price	In Base Price
AMXR8861*	R-TIRE 14.9-26 Titan Hi Power Lug TL	254 lbs		
<b>AG - BIAS REAR</b>				
ALR8852A	F-TIRE 7.5L-15 F2 Firestone Guide Grip	68 lbs	MM0	Add \$0.00
AMXR8813A	R-TIRE 13.6-28 R1 Titan Hi Trac Lug TL	242 lbs		
AMXR8789A	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	75 lbs	M198M40	Add \$248.00
AMXR8861	R-TIRE 14.9-26 Titan Hi Power Lug TL	254 lbs		
AMXR8789A	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	75 lbs	M198M40	Add \$248.00
AMXR8813A	R-TIRE 13.6-28 R1 Titan Hi Trac Lug TL	242 lbs		
<b>TURF</b>				
AMXR8837	F-TIRE 29x12.50-15 R3 Ttn MultiTrac6stud	73 lbs	M211M20	Add \$264.00
ALR6802	R-TIRE 44x18-20 R3 Titan MultiTrac 8stud	221 lbs		
ALR6818A	Ⓢ F-TIRE LSW305R343 R3 Titan Grizz LSW 430	70 lbs	M361M60	Add \$452.00
ALR6819	R-TIRE LSW610R470 R3 Grizz LSW 430 8stud	227 lbs		

<sup>†</sup> See Tire Section for Individual Tire Pricing and Information  
 \* Standard Tires

Ⓢ For field installation, order (12) Spring Washers 04512-60140 from Parts.

MX5400F 2WD		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGGESTED LIST PRICE
<b>TIRES AND WHEELS (priced per piece)</b>				
<b>AG - BIAS REAR</b>				
ALR8852A*	F-TIRE 7.5L-15 F2 Firestone Guide Grip	68 lbs	K167L20	\$209.00
AMXR8861*	R-TIRE 14.9-26 Titan Hi Power Lug TL	254 lbs	K737M60	\$922.00
ALR8852A	F-TIRE 7.5L-15 F2 Firestone Guide Grip	68 lbs	K167L20	\$209.00
AMXR8813A	R-TIRE 13.6-28 R1 Titan Hi Trac Lug TL	242 lbs	K737M60	\$922.00
AMXR8789A	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	75 lbs	K266M40	\$333.00
AMXR8861	R-TIRE 14.9-26 Titan Hi Power Lug TL	254 lbs	K737M60	\$922.00
AMXR8789A	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	75 lbs	K266M40	\$333.00
AMXR8813A	R-TIRE 13.6-28 R1 Titan Hi Trac Lug TL	242 lbs	K737M60	\$922.00
<b>TURF</b>				
AMXR8837	F-TIRE 29x12.50-15 R3 Ttn MultiTrac6stud	73 lbs	K278M40	\$348.00
ALR6802	R-TIRE 44x18-20 R3 Titan MultiTrac 8stud	221 lbs	K732L00	\$915.00
ALR6818A	F-TIRE LSW305R343 R3 Titan Grizz LSW 430	70 lbs	K312L00	\$390.00
ALR6819	R-TIRE LSW610R470 R3 Grizz LSW 430 8stud	227 lbs	K773L60	\$967.00

**MX Series**

**MX5400/MX6000**



ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>4WD MODELS</b>				
*** STANDARD TRACTOR WITH STANDARD TIRES ***				
MX5400DT	4WD Utility 2 Post Foldable ROPS	K24M598M40	3716 lbs	\$30,748.00
MX5400DTC	4WD Utility Cab Tractor, Gear Transmission	K31M420M00	4251 lbs	\$39,275.00
MX5400HST	4WD Utility 2 Post Foldable ROPS, HST Transmission	K25M957M60	3734 lbs	\$32,447.00
MX5400HSTC	4WD Utility Cab Tractor, HST Transmission	K32M779M20	4268 lbs	\$40,974.00
MX6000HST	4WD Utility 2 Post Foldable ROPS, HST Transmission	K27M291M20	3734 lbs	\$34,114.00
MX6000HSTC	4WD Utility Cab Tractor, HST Transmission	K34M112M80	4268 lbs	\$42,641.00

MX5400 / MX6000 4WD		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGGESTED LIST PRICE
<b>TIRES AND WHEELS†</b>				
<b>STANDARD TIRE - BIAS REAR</b>				
AMXR8860A*	F-TIRE 9.5-16 R1 Gdyr Dura Torque 6stud	78 lbs	In Base Price	In Base Price
AMXR8861*	R-TIRE 14.9-26 Titan Hi Power Lug TL	254 lbs		
<b>AG - BIAS REAR</b>				
AMXR8860A	F-TIRE 9.5-16 R1 Gdyr Dura Torque 6stud	78 lbs	MM0	Add \$0.00
AMXR8813A	R-TIRE 13.6-28 R1 Titan Hi Trac Lug TL	242 lbs		
<b>INDUSTRIAL</b>				
AMXR8828	F-TIRE 12-16.5 R4 Titan HD-2000	117 lbs	K224M00	Add \$280.00
AMXR8862A	R-TIRE TITN 17.5L-24 8PLY R4	257 lbs		
<b>TURF</b>				
ALR8708	F-TIRE 29x12.50-15 R3 Titan Turf	83 lbs	K92M80	Add \$116.00
ALR6802	R-TIRE 44x18-20 R3 Titan MultiTrac 8stud	221 lbs		
ALR6818A	Ⓞ F-TIRE LSW305R343 R3 Titan Grizz LSW 430	70 lbs	K206M40	Add \$258.00
ALR6819	R-TIRE LSW610R470 R3 Grizz LSW 430 8stud	227 lbs		
<b>R14 Ag/Industrial Hybrid</b>				
AMXR8896	F-TIRE 300/70R16.5 R14T 116A8 GDYR	117 lbs	K710M40	Add \$942.00
AMXR8897	R-TIRE 440/80R24 R14T 135A8 GDYR	257 lbs		

† See Tire Section for Individual Tire Pricing and Information  
 \* Standard Tires  
 Ⓞ For field installation, order (12) Spring Washers 04512-60140 from Parts

MX5400 / MX6000 4WD		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGGESTED LIST PRICE
<b>TIRES AND WHEELS (priced per piece)</b>				
<b>AG - BIAS REAR</b>				
AMXR8860A*	F-TIRE 9.5-16 R1 Gdyr Dura Torque 6stud		K244M80	78 lbs \$306.00
AMXR8861*	R-TIRE 14.9-26 Titan Hi Power Lug TL		K737M60	254 lbs \$922.00
AMXR8860A	F-TIRE 9.5-16 R1 Gdyr Dura Torque 6stud		K244M80	78 lbs \$306.00
AMXR8813A	R-TIRE 13.6-28 R1 Titan Hi Trac Lug TL		K737M60	242 lbs \$922.00
<b>INDUSTRIAL</b>				
AMXR8828	F-TIRE 12-16.5 R4 Titan HD-2000		K304M80	117 lbs \$381.00
AMXR8862A	R-TIRE TITN 17.5L-24 8PLY R4		K789M60	257 lbs \$987.00
<b>TURF</b>				
ALR8708	F-TIRE 29x12.50-15 R3 Titan Turf		K296L80	83 lbs \$371.00
ALR6802	R-TIRE 44x18-20 R3 Titan MultiTrac 8stud		K732L00	221 lbs \$915.00
ALR6818A	F-TIRE LSW305R343 R3 Titan Grizz LSW 430		K312L00	70 lbs \$390.00
ALR6819	R-TIRE LSW610R470 R3 Grizz LSW 430 8stud		K773L60	227 lbs \$967.00
<b>R14 Ag/Industrial Hybrid</b>				
AMXR8896	F-TIRE 300/70R16.5 R14T 116A8 GDYR		K341M60	117 lbs \$427.00
AMXR8897	R-TIRE 440/80R24 R14T 135A8 GDYR		K1M017M60	257 lbs \$1,272.00

**MX SERIES****MX5400/MX6000****KUBOTA****DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>HYDRAULICS/HITCH/DRAWBAR</b>				
<b>HYDRAULIC REAR REMOTE VALVES</b>				
<b>STANDARD NON-CONTINUOUS FLOW VALVES</b>				
L8303	Double Acting Valve, no Detents Required for 1 <sup>st</sup> Position Lever Kit compatible with 2 <sup>nd</sup> and 3 <sup>rd</sup> Position Lever Kits	K212L80	4 lbs	\$266.00
L8304	Float Detent Valve, Required 2 <sup>nd</sup> Position Lever Kit Not compatible with 1 <sup>st</sup> or 3 <sup>rd</sup> Position Lever Kits	K268L00	4 lbs	\$335.00
<b>ROPS STANDARD NON-CONTINUOUS FLOW VALVE LEVER KITS</b>				
MX6881	1 <sup>st</sup> Position Lever Kit for ROPS, includes Base Kit and 1 <sup>st</sup> Lever Requires Double Acting Valve Not compatible with Float Detent Valve	K447M20	7 lbs	\$559.00
MX6882	2 <sup>nd</sup> Position Lever Kit for ROPS, includes Stacking Kit and 2 <sup>nd</sup> Lever Requires Double Acting OR Float Detent Valve	K221M60	3 lbs	\$277.00
MX6883	3 <sup>rd</sup> Position Lever Kit for ROPS, includes Stacking Kit and 3 <sup>rd</sup> Lever Requires Double Acting Flow Valve Not compatible with Float Detent Flow Valve	K221M60	4 lbs	\$277.00
<b>CAB STANDARD NON-CONTINUOUS FLOW VALVE LEVER KITS</b>				
MX6891	1 <sup>st</sup> Position Lever Kit for Cab, includes Base Kit and 1 <sup>st</sup> Lever Requires Double Acting Valve Not compatible with Float Detent Valve	K447M20	15 lbs	\$559.00
MX6892	2 <sup>nd</sup> Position Lever Kit for Cab, includes Stacking Kit and 2 <sup>nd</sup> Lever Requires Double Acting OR Float Detent Valve	K221M60	7 lbs	\$277.00
MX6893	3 <sup>rd</sup> Position Lever Kit for Cab, includes Stacking Kit and 3 <sup>rd</sup> Lever Requires Double Acting Flow Valve Not compatible with Float Detent Flow Valve	K221M60	4 lbs	\$277.00
<b>HITCH/DRAWBAR OPTIONS</b>				
<b>3-POINT TELESCOPIC LINK / STABILIZER KIT</b>				
MX9495	Telescopic Link Ends and Stabilizer Kit Optional for 2WD models, Standard on 4WD models	K343M20	81 lbs	\$429.00
<b>DRAFT CONTROL</b>				
MX6884	Draft Control (ROPS ONLY) Not Compatible with Detent Valves	K412M80	11 lbs	\$516.00
MX6894	Draft Control (CAB ONLY) Not Compatible with Detent Valves	K559M20	12 lbs	\$699.00
<b>DRAWBAR CLEVIS</b>				
MX9490	Drawbar Clevis	K72M80	8 lbs	\$91.00
MX6860	Drop Drawbar for MX Series	K107M20	29 lbs	\$134.00
<b>TRAILER CONNECTOR</b>				
MX6880	7PIN CONNECTOR KIT MX5400/MX6000 ROPS	K95M20	2 lbs	\$119.00
MX6890	7PIN CONNECTOR KT MX5400/MX6000 CAB	K123M20	2 lbs	\$154.00
<b>TOP-N-TILT KIT</b>				
L8388A	Top (Cylinder) and Tilt (Cylinder) Kit Not Compatible with BH92 Backhoe	K772L80	41 lbs	\$966.00

**MX SERIES****MX5400/MX6000****KUBOTA****DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>ROPS ACCESSORIES</b>				
<b>CANOPY</b>				
E1134	Deluxe Fiberglass Canopy (ROPS Models) Requires E1136 Mounting Kit	K347M20	63 lbs	\$434.00
E1136	Mounting Kit Includes Brackets/Hardware/Instructions	K171M20	29 lbs	\$214.00
E1138	Work Light Set for Canopy (Optional 2-lights)	K131A20	3 lbs	\$164.00
<b>ARMREST KIT</b>				
ZG1341	SEAT ARM REST KIT	K49A60	8 lbs	\$62.00
<b>CCV HEATER</b>				
MX6812	CCV HEATER KIT MX5400/MX6000 ROPS	K444M00	3 lbs	\$555.00
<b>WORK LIGHT KITS</b>				
E1176	Universal LED Work Light Kit (2 Lights)	K207A20	6 lbs	\$259.00
<b>CAB ACCESSORIES</b>				
<b>CCV HEATER</b>				
MX6813	CCV HEATER KIT MX5400/MX6000 CAB	K444M00	1 lbs	\$555.00
<b>CAB ACCESSORIES</b>				
MX6801	SIDE MIRROR KIT L60-LE /	K115M20	4 lbs	\$144.00
MX6895	REAR DEFOGGER MX5400/MX6000 CAB Requires Higher Amp Alternator Kit	K251M20	13 lbs	\$314.00
MX6802	130A ALTERNATOR KT MX5400/MX6000 CAB	K372M80	9 lbs	\$466.00
L8364	Rear Wiper Kit	K127L20	3 lbs	\$159.00
ZG1341	SEAT ARM REST KIT	K49A60	8 lbs	\$62.00
L6026	Air Ride Seat (requires wire harness)	K776L00	77 lbs	\$970.00
MX6027	Wire Harness for Air Ride Seat (required)	K28M00	3 lbs	\$35.00
L8333	Rear Work Light Kit, (2 Lights)	K116L00	3	\$145.00
<b>BALLAST</b>				
<b>BALLAST BOX</b>				
L8170	Ballast Box - 3-Point Mount Up to 1000 lbs of total weight with sand	K442L40	168 lbs	\$553.00
<b>FRONT WEIGHT BRACKETS</b>				
MX8068	Weight Bracket Able to hold up to 7 Front Suitcase Weights Standard on 2WD Model, Not compatible with Grill Guard	K84M80	29 lbs	\$106.00
<b>FRONT SUITCASE WEIGHTS</b>				
BL8069	Suitcase Weight (55 lbs.) Requires Weight Bracket, Bolt Kit, and All Thread Kit	K62B40	55 lbs	\$78.00
<b>FRONT WEIGHT BOLT/BAR KITS</b>				
BL8049	Bolt/Bar Kit - Weight(s) One Bolt/Bar Kit per 1 Weight	K6B40	1 lbs	\$8.00
<b>ALL THREAD BOLT KITS</b>				
BL8013	All Thread Kit for Grill Guard	K10B40	3 lbs	\$13.00
BL8014	All Thread Kit for Weight Bracket	K24B80	5 lbs	\$31.00



**ADDITIONAL ACCESSORIES**

<b>BLOCK HEATER</b>				
70000-00297	Block Heater			(Order from Parts Department)
<b>GRILL GUARD</b>				
MX2268A	Grill Guard Kit for Loader and Non-Loader (hold 4 frt. Wts) Applications with LA1065A Loader, standard with Loader	K252M00	70 lbs	\$315.00
<b>RADIATOR HEATER</b>				
70000-82500	Radiator Heater			(Order from Parts Department)
<b>REPLACEMENT ROPS</b>				
SFMX-60	Replacement ROPS - Field Installation Required			(Order from Parts Department)
<b>REPLACEMENT CAB</b>				
MX6889	Replacement Cab DT Model - Field Installation Required			(Order from Parts Department)
MX6899	Replacement Cab HST - Field Installation Required			(Order from Parts Department)

**REAR WHEEL WEIGHTS**

LM8124	Rear Wheel Weight (103 lbs. each) Set of 2 Weights, Maximum of 3 Sets Requires Bolt Kit Not Compatible with Turf Tires	K250M40	206 lbs	\$313.00
<b>REAR WHEEL WEIGHT BOLT KITS</b>				
LM8125A	Bolt Kit for LM8124 Weight One Kit per Weight Set	K59M20	5 lbs	\$74.00
M8121A	Bolt Kit for 2nd and 3rd Set of Rear Wheel Weights One Kit per Weight Set	K26M40	8 lbs	\$33.00

**MX SERIES****MX5400/MX6000****KUBOTA****Front End Loaders**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>FRONT END LOADER</b>				
LA1065A	Front End Loader Includes Mounting Kit, Parking Stands, 2-Lever QA Coupler, and Grill Guard DOES NOT INCLUDE VALVE, BUCKET or ROD LEVEL INDICATOR, must be ordered separately	K3M857M60	1322 lbs	\$4,822.00
<b>LOADER VALVE</b>				
MX2131	Loader Valve for ROPS	K677M60	46	\$847.00
MX2132	Loader Valve for CAB	K677M60	72	\$847.00
<b>LOADER ACCESSORIES</b>				
<b>LOADER LEVEL INDICATOR</b>				
MX2140	Bucket/Attachment Level Indicator (Rod Type)	K65M60	7 lbs	\$82.00
<b>THIRD FUNCTION - ROPS ONLY</b>				
380-312A	3rd Function Valve w/ Flat-Faced Coupler Kit from Land Pride		(Order from Land Pride)	
380-331A	3rd Function Valve w/ Pioneer Coupler Kit from Land Pride		(Order from Land Pride)	
<b>THIRD FUNCTION - CAB ONLY</b>				
380-311A	3rd Function Valve w/ Flat-Faced Coupler Kit from Land Pride		(Order from Land Pride)	
380-330A	3rd Function Valve w/ Pioneer Coupler Kit from Land Pride		(Order from Land Pride)	
<b>BUCKETS &amp; ACCESSORIES</b>				
<b>BUCKETS / CUTTING EDGES ALL 2-LEVER TYPE QA</b>				
L2296	72" Quick Attach Heavy Duty Round Back Bucket	K976L80	400 lbs	\$1,221.00
L2236	72" Quick Attach Light Material Bucket	K592L00	323 lbs	\$740.00
L2235A	72" Quick Attach Square Back Bucket	K629L60	346 lbs	\$787.00
<b>BUCKET ACCESSORIES</b>				
TL1748	72" Bolt-on Reversible Cutting Edge for Heavy Duty Round Back Bucket	K207L20	70 lbs	\$259.00
<b>BALE SPEARS</b>				
L2237	Bale Spear 2 Lever Type QA	K585L60	165 lbs	\$732.00
<b>PALLET FORK FRAME / PALLET FORKS</b>				
L2238	Pallet Fork Frame 2 Lever QA Requires Pallet Forks	K617L60	165 lbs	\$772.00
K9048	36" Pallet Forks	K371L20	176 lbs	\$464.00
K9058	42" Pallet Forks	K433L60	196 lbs	\$542.00

**MX SERIES****MX5400/MX6000****KUBOTA****Backhoes**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>BACKHOE &amp; ACCESSORIES</b>				
BH92	Backhoe, 9 ft. digging depth NOT COMPATIBLE WITH CAB MODELS Requires Mounting Kit and Bucket	K7L157L60	1696 lbs	\$8,947.00
<b>BACKHOE MOUNTING KIT</b>				
BH4978	Backhoe Subframe Kit for ROPS	K1M155M20	292 lbs	\$1,444.00
<b>BACKHOE ACCESSORIES</b>				
BH4949	6-Position Mechanical Thumb	K813L60	141 lbs	\$1,017.00
BT4598	Hydraulic Thumb Requires Valve Kit	K1L852L80	142 lbs	\$2,316.00
BH4948	Hydraulic Thumb Valve Kit	K802L40	23 lbs	\$1,003.00
BT4550	Quick Coupler	K601L60	55 lbs	\$752.00
<b>RUBBER FLIP PADS</b>				
L9467	Rubber Flip Pad - 2 Required per Order	K113L60	15 lbs	\$142.00
<b>PIN-ON TYPE BUCKETS</b>				
BT3001	12" Bucket (1.19 cu. ft. Struck / 1.47 cu. ft. Heaped)	K598L40	109 lbs	\$748.00
BT3002A	16" Bucket (1.67 cu. ft. Struck / 2.16 cu. ft. Heaped)	K678L40	130 lbs	\$848.00
BT3003A	18" Bucket (1.91 cu. ft. Struck / 2.51 cu. ft. Heaped)	K723L20	141 lbs	\$904.00
BT3004	24" Bucket (2.63 cu. ft. Struck / 3.60 cu. ft. Heaped)	K841L60	172 lbs	\$1,052.00
BT3005A	30" Bucket (3.34 cu. ft. Struck / 4.69 cu. ft. Heaped)	K970L40	205 lbs	\$1,213.00
BT3006	36" Bucket (4.06 cu. ft. Struck / 5.78 cu. ft. Heaped)	K1L084L80	226 lbs	\$1,356.00
<b>QUICK COUPLER TYPE BUCKETS</b>				
BT4552	12" Bucket (1.19 cu. ft. Struck / 1.47 cu. ft. Heaped) Requires Quick Coupler	K725L60	117 lbs	\$907.00
BT4553	16" Bucket (1.67 cu. ft. Struck / 2.16 cu. ft. Heaped) Requires Quick Coupler	K767L20	135 lbs	\$959.00
BT4554	18" Bucket (1.91 cu. ft. Struck / 2.51 cu. ft. Heaped) Requires Quick Coupler	K806L40	144 lbs	\$1,008.00
BT4555	24" Bucket (2.63 cu. ft. Struck / 3.60 cu. ft. Heaped) Requires Quick Coupler	K952L00	176 lbs	\$1,190.00
BT4557	36" Bucket (4.06 cu. ft. Struck / 5.78 cu. ft. Heaped) Requires Quick Coupler	K1L213L60	223 lbs	\$1,517.00

---

**MX SERIES**

**MX5400/MX6000**

**KUBOTA**

---

**Approved Attachments**

See Website for Landpride Attachments List

---



**M60 SERIES**

**M5660SUH/M5660SUHD**



\*\*\* EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS \*\*\*

**DIESEL ENGINE**

Kubota V2403 Direct Injection  
 2.4L (148.5 cu. in.) 4 Cyl  
 EPA Tier 4 Final Compliant  
 Common Rail Electronic Fuel Injection  
 Electronic Engine Management  
 Constant rpm Management  
 Turbocharged  
 45 Amp Alternator ROPS  
 12V 600 CCA Battery

**EXHAUST EMISSION CONTROL TYPE**

DPF System (Diesel Particulate Filter)

**HYDRAULICS / HITCH / DRAWBAR**

Open Center Gear Pump  
 Max. Flow @ Rated Engine Speed: 2600 rpm  
     Power Steering: 6.1 gpm  
     Impl. Flow: 10.6 gpm  
     Total Flow: 16.5 gpm

**REMOTE VALVES**

(1) SCD (Self Canceling Detent)

**3 POINT HITCH & DRAWBAR**

Cat II/I 3-point Hitch  
     @ Lift Points: 4189 lbs  
     (ASAE)@24" Behind: 3307 lbs  
 Telescoping Lower Links  
 Telescoping Stabilizers  
 Swinging Drawbar - Straight

**POWER TAKE OFF (540)**

Live-Independent Hyd. PTO  
 SAE 1 3/8" Six Spline  
 540 rpm @ 2295 Eng. rpm  
 540/540E Economy PTO Optional  
 Provides 540 PTO @ 1942 Eng. rpm

**TRANSMISSION**

Eight Speed  
 Fully Synchronized Transmission  
 8F/ 8R Hydraulic-Shuttle  
 Planetary Final Drives  
 Rear Differential Lock

**FRONT AXLE**

Hydrostatic Power Steering  
 2WD: Tubular Steel Beam Telescoping  
 4WD: Cast Iron, Bevel Gear 55 Deg

**FLUID CAPACITY**

Fuel Tank Capacity: 17.2 gal.  
 Cooling System: 8.5 qts.  
 Crankcase: 7.6 qts.  
 Hydraulics/Trans: 50.7 qts.  
 Front Axle 4WD: 6.9 qts.

**INSTRUMENTS**

Tachometer/Hour meter  
 Oil Pressure  
 Fuel Gauge  
 Coolant Temperature

**TIRES AND WHEELS**

2WD: Front 6.50 x 16 F2  
     Rear 14.9 x 28 R1  
 4WD: Front 8.3 x 24 R1  
     Rear 14.9 x 28 R1

**OPERATOR PLATFORM**

Semi-Flat Deck with Hanging Pedals  
 High Back Seat with  
     Adjustable Suspension  
 Color Coded Controls  
 Cup Holder

**LIGHTING**

2 Headlights - Tail lights  
 2 Hazard Flasher Lights w/  
     Turn Signals

**SAFETY EQUIPMENT**

2-post, ROPS Certified  
 Retractable Seat belt  
 Flip-Up PTO Shield  
 Safety Start Switches:  
     Shuttle Lever Neutral  
     PTO Off  
     Electric Key Shut Off  
 Parking Brake  
 Turn Signals  
 SMV Sign

Model Specifications	
<b>M5660SUH 2WD</b>	<b>M5660SUHD 4WD</b>
SAE Gross HP: 57.9	SAE Gross HP: 57.9
Engine Net HP: 56	Engine Net HP: 56
Max. PTO HP: 50	Max. PTO HP: 50

**M60 Series M5660SUH/M5660SUHD** **KUBOTA**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

**2WD MODELS**  
 \*\*\*STANDARD TRACTOR WITH STANDARD TIRES\*\*\*

M5660SUH	2WD Utility 2 Post Foldable ROPS Tractor	K23M206M40	4189 lbs	\$29,008.00
----------	--	------------	----------	-------------

<b>M5660SUH 2WD</b>	<b>Additional Price with Tire Option</b>
---------------------	--

ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGGESTED LIST PRICE
------------	-------------	-------------	----------------	----------------------

<b>STANDARD TIRES</b>				
AMXR8789*	F-TIRE 9.5L-15 F2 BKT Pro Rib	75 lbs	MM0	Add
AMR8901B*	R-TIRE 14.9-28 R1 Firestone (SAT) II	255 lbs		In Base Price

<b>AG - BIAS REAR</b>				
AMXR8789*	F-TIRE 9.5L-15 F2 BKT Pro Rib	75 lbs	MM0	Add
AMR8901B*	R-TIRE 14.9-28 R1 Firestone (SAT) II	255 lbs		\$0.00
AMXR8789	F-TIRE 9.5L-15 F2 BKT Pro Rib	75 lbs	K444M80	Add
AMR8913B	R-TIRE 16.9-28 R1 Firestone (SAT) II	299 lbs		\$556.00
AMXR8789	F-TIRE 9.5L-15 F2 BKT Pro Rib	75 lbs	K1K393M60	Add
AMR8565	②③ R-TIRE 14.9-28 R1 F-STONE SAT II/CST	600 lbs		\$1,742.00

<b>AG - RADIAL REAR</b>				
AMXR8789	F-TIRE 9.5L-15 F2 BKT Pro Rib	75 lbs	K2M198M40	Add
AMR8570	②③ R-TIRE 420/70R28 R1W Alliance Farm Pro70 Cast	650 lbs		\$2,748.00
AMXR8789	F-TIRE 9.5L-15 F2 BKT Pro Rib	75 lbs	K419M20	Add
AMR8577	R-TIRE 420/70R28 R1W Alliance Farm Pro70	300 lbs		\$524.00

<b>INDUSTRIAL</b>				
AMXR8789	F-TIRE 9.5L-15 F2 BKT Pro Rib	75 lbs	K131M20	Add
ALR8917	R-TIRE 16.9-24 R4 Titan Ind Tractor Lug	267 lbs		\$164.00

<b>TURF</b>				
ALR8708	F-TIRE 29x12.50-15 R3 Titan Turf	83 lbs	K152M00	Add
AMR8979	① R-TIRE 21.5L-16.1 R3 Firestone Turf&Fld	245 lbs		\$190.00
ALR6818A	④ F-TIRE LSW305R343 R3 Titan Grizz LSW 430	70 lbs	K489M60	Add
AMR8541	R-TIRE LSW570-648 R3 Grizz LSW S.TF 5.75	261 lbs		\$612.00

- † See Tire Section for Individual Tire Pricing and Information
- \* Standard Tires
- ① Not approved for Backhoe applications.
- ② Recommended for loader applications, increases base weight by approx. 600 lbs.
- ③ Requires (16) qty - 3A111-97810 Shoulder Lug Nuts for Field Installation
- ④ Requires (12) - (04512-60140) spring washers

**M60 Series M5660SUH/M5660SUHD** **KUBOTA**

M5660SUH 2WD				
TIRES AND WHEELS (priced per piece)				
ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>STANDARD TIRES</b>				
AMXR8789	F-TIRE 9.5L-15 F2 BKT Pro Rib	K246M40	75 lbs	\$308.00
AMR8901B	R-TIRE 14.9-28 R1 Firestone (SAT) II	K764M80	255 lbs	\$956.00
<b>AG - BIAS REAR</b>				
AMXR8789	F-TIRE 9.5L-15 F2 BKT Pro Rib	K246M40	75 lbs	\$308.00
AMR8901B	R-TIRE 14.9-28 R1 Firestone (SAT) II	K764M80	255 lbs	\$956.00
AMXR8789	F-TIRE 9.5L-15 F2 BKT Pro Rib	K246M40	75 lbs	\$308.00
AMR8913B	R-TIRE 16.9-28 R1 Firestone (SAT) II	K987M20	299 lbs	\$1,234.00
AMXR8789	F-TIRE 9.5L-15 F2 BKT Pro Rib	K246M40	75 lbs	\$308.00
AMR8565	ⓉⓈ R-TIRE 14.9-28 R1 F-STONE SAT II/CST	K1M461M60	600 lbs	\$1,827.00
<b>AG - RADIAL</b>				
AMXR8789	F-TIRE 9.5L-15 F2 BKT Pro Rib	K246M40	75 lbs	\$308.00
AMR8570	ⓉⓈ R-TIRE 420/70R28 R1W ALLIANCE 370 Cast	K1M864M00	650 lbs	\$2,330.00
AMXR8789	F-TIRE 9.5L-15 F2 BKT Pro Rib	K246M40	75 lbs	\$308.00
AMR8577	R-TIRE 420/70R28 R1W ALLIANCE 370	K974M40	300 lbs	\$1,218.00
<b>TURF</b>				
ALR8708	F-TIRE 29x12.50-15 R3 Titan Turf	K296L80	83 lbs	\$371.00
AMR8979	① R-TIRE 21.5L-16.1 R3 Firestone Turf&Fld	K790M40	245 lbs	\$988.00
ALR6818A	④ F-TIRE LSW305R343 R3 Titan Grizz LSW 430	K312L00	70 lbs	\$390.00
AMR8541	R-TIRE LSW570-648 R3 Grizz LSW S.TF 5.75	K944M00	261 lbs	\$1,180.00
<b>INDUSTRIAL</b>				
AMXR8789	F-TIRE 9.5L-15 F2 BKT Pro Rib	K246M40	75 lbs	\$308.00
ALR8917	R-TIRE 16.9-24 R4 Titan Ind Tractor Lug	K830L40	267 lbs	\$1,038.00

\* Standard Tires

- ① Not approved for Backhoe applications.
- Ⓣ Recommended for loader applications, increases base weight by approx. 600 lbs.
- Ⓢ Requires (16) qty - 3A111-97810 Shoulder Lug Nuts for Field Installation
- ⓉⓈ Requires (12) - (04512-60140) spring washers

**M60 Series M5660SUH/M5660SUHD KUBOTA**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

**4WD MODELS**

\*\*\*STANDARD TRACTOR WITH STANDARD TIRES\*\*\*

M5660SUHD	4WD Utility 2 Post Foldable ROPS Tractor	K27M228M00	4387	\$34,035.00
-----------	--	------------	------	-------------

M5660SUH 4WD		Additional Price with Tire Option		
ORDER CODE	DESCRIPTION	Weight Each	FACTORY NUMBER	SUGGESTED LIST PRICE
<b>TIRES AND WHEELS†</b>				
<b>STANDARD TIRES</b>				
AMR8553*	F-TIRE 9.50-22 R1 Alliance 324	136 lbs		
AMR8901B*	R-TIRE 14.9-28 R1 Firestone (SAT) II	255 lbs	MM0	Add In Base Price
<b>AG - BIAS (Front may be Radial)</b>				
AMR8553*	F-TIRE 9.50-22 R1 Alliance 324	136 lbs		
AMR8901B*	R-TIRE 14.9-28 R1 Firestone (SAT) II	255 lbs	MM0	Add \$0.00
AMR8553	F-TIRE 9.50-22 R1 Alliance 324	136 lbs		
AMR8565	②③ R-TIRE 14.9-28 R1 F-STONE SAT II/CST	600 lbs	K1K393M60	Add \$1,742.00
AMR8564	F-TIRE 280/85R20 R1W F-TIRE ASSEMBLY	150 lbs		
AMR8901B	R-TIRE 14.9-28 R1 Firestone (SAT) II	255 lbs	K268M80	Add \$336.00
AMR8564	F-TIRE 280/85R20 R1W F-TIRE ASSEMBLY	150 lbs		
AMR8565	②③ R-TIRE 14.9-28 R1 F-STONE SAT II/CST	600 lbs	K1K662M40	Add \$2,078.00
<b>AG - RADIAL</b>				
AMR8564	F-TIRE 280/85R20 R1W F-TIRE ASSEMBLY	150 lbs		
AMR8577	R-TIRE 420/70R28 R1W ALLIANCE 370	300 lbs	K688M00	Add \$860.00
AMR8564	F-TIRE 280/85R20 R1W F-TIRE ASSEMBLY	150 lbs		
AMR8570	②③ R-TIRE 420/70R28 R1W ALLIANCE 370 Cast	650 lbs	K2K467M20	Add \$3,084.00
<b>INDUSTRIAL</b>				
AMR8797	F-TIRE 14-17.5 R4 WITH 0.55" INSET	168 lbs		
ALR8917	R-TIRE 16.9-24 R4 Titan Ind Tractor Lug	267 lbs	K398M40	Add \$498.00
<b>TURF</b>				
AMR8576	F-TIRE 31X13.5-15 R3 MULTI-TRAC TURF	92 lbs		
AMR8979	① R-TIRE 21.5L-16.1 R3 Firestone Turf&Fld	245 lbs	K316M80	Less (\$396.00)
AMR8526	F-TIRE LSW305-521R3 Grizz LSW Soft Turf	113 lbs		
AMR8541	R-TIRE LSW570-648 R3 Grizz LSW S.TF 5.75	261 lbs	K214M40	Add \$268.00

† See Tire Section for Individual Tire Pricing and Information

\* Standard Tires

① Not approved for Backhoe applications.

② Recommended for loader applications, increases base weight by approx. 600 lbs.

③ Requires (16) qty - 3A111-97810 Shoulder Lug Nuts for Field Installation

**M60 Series**

**M5660SUH/M5660SUHD**



M5660SUHD 4WD				
TIRES AND WHEELS (priced per piece)				
ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
<b>AG - BIAS REAR</b>				
AMR8553*	F-TIRE 9.5-22 R1	K456M00	136 lbs	\$570.00
AMR8901B*	R-TIRE 14.9-28 R1 Firestone (SAT) II	K764M80	255 lbs	\$956.00
AMR8553	F-TIRE 9.5-22 R1	K456M00	136 lbs	\$570.00
AMR8565	ⓉⓈ R-TIRE 14.9-28 R1 F-STONE SAT II/CST	K1M461M60	600 lbs	\$1,827.00
AMR8564	F-TIRE 280/85R20 R1W F-TIRE ASSEMBLY	K590M40	150 lbs	\$738.00
AMR8901B	R-TIRE 14.9-28 R1 Firestone (SAT) II	K764M80	255 lbs	\$956.00
AMR8564	F-TIRE 280/85R20 R1W F-TIRE ASSEMBLY	K590M40	150 lbs	\$738.00
AMR8565	ⓉⓈ R-TIRE 14.9-28 R1 F-STONE SAT II/CST	K1M461M60	600 lbs	\$1,827.00
<b>AG - RADIAL</b>				
AMR8564	F-TIRE 280/85R20 R1W F-TIRE ASSEMBLY	K590M40	150 lbs	\$738.00
AMR8577	R-TIRE 420/70R28 R1W ALLIANCE 370	K974M40	300 lbs	\$1,218.00
AMR8564	F-TIRE 280/85R20 R1W F-TIRE ASSEMBLY	K590M40	150 lbs	\$738.00
AMR8570	ⓉⓈ R-TIRE 420/70R28 R1W ALLIANCE 370 Cast	K1M864M00	650 lbs	\$2,330.00
<b>TURF</b>				
AMR8576	F-TIRE 31X13.5-15 R3 MULTI-TRAC TURF	K272M00	92 lbs	\$340.00
AMR8979	Ⓣ R-TIRE 21.5L-16.1 R3 Firestone Turf&Fld	K790M40	245 lbs	\$988.00
AMR8526	F-TIRE LSW305-521R3 Grizz LSW Soft Turf	K384M00	113 lbs	\$480.00
AMR8541	R-TIRE LSW570-648 R3 Grizz LSW S.TF 5.75	K944M00	261 lbs	\$1,180.00
<b>INDUSTRIAL</b>				
AMR8797	F-TIRE 14-17.5 R4 WITH 0.55" INSET	K589M60	168 lbs	\$737.00
ALR8917	R-TIRE 16.9-24 R4 Titan Ind Tractor Lug	K830L40	267 lbs	\$1,038.00

\* Standard Tires

Ⓣ Not approved for Backhoe applications.

Ⓣ Recommended for loader applications, increases base weight by approx. 600 lbs.

Ⓣ Requires (16) qty - 3A111-97810 Shoulder Lug Nuts for Field Installation

**M60 Series****M5660SUH/M5660SUHD****KUBOTA****DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>HYDRAULICS/HITCH/DRAWBAR</b>				
<b>HYDRAULIC REAR REMOTE VALVES</b>				
M7610	SCD (Self Canceling Detent)	K620M00	13 lbs	\$775.00
M7611	FD (Float Detent)	K612M00	11 lbs	\$765.00
<b>REMOTE VALVE LEVER KITS</b>				
M7692	2nd Position Lever Kit	K125M60	4 lbs	\$157.00
M7693	3rd Position Lever Kit	K125M60	3 lbs	\$157.00
<b>DRAWBAR CLEVIS</b>				
M9534	Drawbar Clevis	K75M20	12 lbs	\$94.00
<b>TRANSMISSION</b>				
<b>DUAL SPEED PTO KITS</b>				
M7690	540/540E Economy PTO	K912M80	72 lbs	\$1,141.00
<b>FRONT &amp; REAR AXLE</b>				
<b>FRONT FENDER KIT (SWIVEL TYPE)</b>				
M9290	Fender Mounting Kit Requires Plastic Fenders Not Compatible with Loader Applications Not Compatible with 2WD Tractors	K698M40	68 lbs	\$873.00
M9208	Plastic Fenders Includes two 14.9" wide Fenders Requires two (2) part # 3C294-43300 Pre-Drilled Front Wheel Case Supports Requires Fender Mounting Kit	K97M60	7 lbs	\$122.00
<b>WIDE ROW FRONT AXLE KIT</b>				
35564-62820	Tie Rod End Extension, Requires 2 Not Compatible with Loader Applications (SUH 2WD Only)		(Order from Parts Department)	
<b>REAR AXLE SPACER KIT</b>				
M9564	Rear Axle Space Kit, adds 2 inches per side Provides 72" spacing with Ag Tires	K768M80	52 lbs	\$961.00
<b>ROPS ACCESSORIES</b>				
<b>CANOPY</b>				
E1134	Deluxe Fiberglass Canopy (ROPS Models) Requires Mounting Kit	K347M20	63 lbs	\$434.00
E1136	Mounting Kit	K171M20	29 lbs	\$214.00
E1138	Work Light Set for Canopy (Optional 2-lights)	K131A20	3 lbs	\$164.00
<b>REAR WORK LIGHT</b>				
M7630	Rear Working Auxiliary Light (Maximum 1 Light/Tractor)	K76M00	3 lbs	\$95.00

**M60 SERIES****M5660SUH/M5660SUHD****KUBOTA****DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>BALLAST</b>				
<b>FRONT WEIGHT BRACKETS</b>				
M8070	Weight Bumper (85 lbs.) Includes Mounting Bolt Kit Up to 8 Front Suitcase Weights Not Compatible with Loader	K278M40	95 lbs	\$348.00
M8075	Weight Bumper (230 lbs. each), Optional Up to 10 Front Suitcase Weights Requires Bolt Kit Requires Bolt/Bar Kit to mount weights Not Compatible with Loader	K353M60	223 lbs	\$442.00
M1875A	Front Weight Bracket (59 lbs) for Loader application Requires Bolt/Bar Kit to mount weights Up to 7 Front Suitcase Weights Loader must be detached.	K195M20	63 lbs	\$244.00
M1059	Front Weight Bracket Kit for Loader Application Requires Bolt/Bar Kit to mount weights Up to 8 Front Suitcase Weights Loader must be detached	K139M20	57 lbs	\$174.00
<b>FRONT SUITCASE WEIGHTS</b>				
M8079	Suitcase Weight Requires Front Weight Bumper and Bolt/Bar Kit	K90M40	102 lbs	\$113.00
<b>FRONT WEIGHT BOLT/BAR KITS</b>				
M8076	Front Bumper Bolt Kit for M8075	K51M20	4 lbs	\$64.00
M8074A	Bolt/Bar Kit for M1875A and M8070 One Kit per 8 Front Suitcase Weights	K55M20	8 lbs	\$69.00
M8073A	Bolt/Bar Kit for M8075 One Kit per 10 Front Suitcase Weights	K57M60	10 lbs	\$72.00

**M60 SERIES M5660SUH/M5660SUHD KUBOTA**

**DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>BALLAST</b>				
<b>REAR WEIGHT WEIGHTS</b>				
LM8124	Rear Wheel Weight (103 lbs. each) Set of 2, Requires Rear Wheel Bolt Kit Maximum of 3 Sets on Steel Dish Wheels Maximum of 2 Sets on Cast Dish Wheels Use with 24" or 26" Wheels Not Compatible with Turf Tires	K250M40	206 lbs	\$313.00
M8126A	Wheel Weight Kit (164 lbs. each) Set of 2, Requires Rear Wheel Bolt Kit Maximum of 3 Sets on Steel Dish Wheels Maximum of 2 Sets on Cast Dish Wheels Use with 28" Wheels	K278M40	328 lbs	\$348.00
<b>REAR WHEEL WEIGHT BOLT KITS</b>				
M8119B	Bolt Kit for 1st Wheel Weight Kit on Cast Dish Wheels	K24M00	6 lbs	\$30.00
LM8125A	Bolt Kit to 1st Wheel Weight Kit on Steel Dish Wheels	K59M20	5 lbs	\$74.00
M8127B	Bolt Kit use for 2nd and 3rd Set of M8126A Weights Required for 2nd & 3rd Set on ALL Steel Dish Wheels Required for 2nd Set on Cast Dish Wheels	K22M40	6 lbs	\$28.00
M8121A	Bolt Kit for 2nd and 3rd Set of LM8124 Weights One Bolt Kit per Weight Set	K26M40	8 lbs	\$33.00
<b>BALLAST BOX</b>				
M8180	Ballast Box - 3-Point Mount 1280 lbs Capacity with Dry Sand (13 cu. ft.)	K564M80	220 lbs	\$706.00

**ADDITIONAL ACCESSORIES**

<b>BLOCK HEATER</b>				
70000-00297	Block Heater			(Order from Parts Department)
<b>FLOOR MAT</b>				
3C001-55062	Rubber Floor Mat Order (7) 67955-51340 fasteners for mounting			(Order from Parts Department)
<b>GRILL GUARD</b>				
M1876A	Grill Guard Kit Compatible with M8075 Front Bumper Weight	K180M80	57 lbs	\$226.00
<b>ARMREST KIT</b>				
ZG1341	Arm rest Kit	K49A60	8 lbs	\$62.00
<b>HAND GRIP</b>				
T1060-29470	Hand Grip RH			(Order from Parts Department)
<b>REPLACEMENT ROPS</b>				
SFM-F70SUH	Replacement ROPS - Field Installation Required	K844M00	175 lbs	\$1,055.00



**M60 SERIES M5660SUH/M5660SUHD KUBOTA**

**DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>FRONT END LOADER</b>				
LA1154SU	Front Loader (2 Lever Type Quick Coupler) Includes Mounting Kit, Loader Valve and Joystick, Parking Stands, and 2 Lever QA Coupler DOES NOT INCLUDE BUCKET or GRILL GUARD, must be ordered separately	K5M260M00	1330 lbs	\$6,575.00
<b>LOADER ACCESSORY KITS</b>				
<b>3RD FUNCTION VALVE</b>				
M7949	3rd Function Valve if Backhoe is installed see Backhoe Section	K852M00	56 lbs	\$1,065.00
<b>BUCKETS / CUTTING EDGES ALL 2-Lever Type QA</b>				
M1811	72" 2 Lever Quick Attach	K631M20	400 lbs	\$789.00
M1815	84" Bucket High Capacity, 2 Lever QA For Light Material Use	K843M20	400 lbs	\$1,054.00
L2245	72" 4-in-1 Bucket Requires 3rd Function	K1L949L60	675 lbs	\$2,437.00
M9247	72" Hay Grapple Bucket 4 Tines, 2-Hyd. Cylinders, 2 Lever Quick Coupler Requires 3rd Function Valve Requires 2-Hyd. 1/2" QA couplers, .375 fittings (Obtain Locally, i.e. Pioneer, Parker, or Flat Face)	K3M219M20	1090 lbs	\$4,024.00
<b>BUCKET ACCESSORIES</b>				
M1057	Bucket Tine Kit for 72" 2 Lever QA Bucket	K250M40	79 lbs	\$313.00
<b>BALE SPEARS</b>				
M1804	Bale Spear 2 Lever Type QA	K686M40	195 lbs	\$858.00
<b>PALLET FORK FRAME / PALLET FORKS</b>				
M1809	Pallet Fork Frame 2 Lever QA Requires 42" or 48" Forks	K635M20	200 lbs	\$794.00
K9058	42" Pallet Forks	K433L60	196 lbs	\$542.00
K9059	48" Pallet Forks	K462K40	218 lbs	\$578.00

**M60 SERIES M5660SUH/M5660SUHD KUBOTA**

**BACKHOES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>BACKHOE &amp; ACCESSORIES</b>				
M4509	Backhoe, 9ft digging depth Includes Pressed Steel Grousers Requires Mounting Kit and Bucket *Subject to availability*	K9M343M20	1960 lbs	\$11,679.00
M4509V	Backhoe, 9ft digging depth Includes Auxiliary Valve and Pressed Steel Grousers Requires Mounting Kit and Bucket *Subject to availability*	K10M745M60	1960 lbs	\$13,432.00
<b>BACKHOE MOUNTING KIT</b>				
M4505	Backhoe Sub frame Kit *Subject to availability*	K2M162M40	575 lbs	\$2,703.00
<b>BACKHOE ACCESSORIES</b>				
M4516	Auxiliary Hydraulic Valve Kit for M4509	K1M360M00	60 lbs	\$1,700.00
M4745	Bucket Quick Coupler	K708M80	70 lbs	\$886.00
M4014	Hydraulic Thumb Kit	K1M045M60	150 lbs	\$1,307.00
M4015	Mechanical Thumb Kit	K904M00	155 lbs	\$1,130.00
M4716	Fixed Pin Kit For use with additional buckets using M4745 Quick Coupler Requires 1 Pin Kit per Additional Bucket	K120M00	8 lbs	\$150.00
M4018A	Relocation Hose and Bracket Kit ROPS models Required if tractor is equipped with a 3rd function control valve and M4011V Backhoe	K235M20	15 lbs	\$294.00
<b>M4509 / M4509V BUCKETS</b>				
L5415A	12" Bucket (1.43 cu. ft. Struck / 1.83 cu. ft. Heaped) Not Compatible with Thumb Kits, unless Quick Coupler is installed on Backhoe	K593L60	140 lbs	\$742.00
L5416A	16" Bucket (1.98 cu. ft. Struck / 2.56 cu. ft. Heaped) Not Compatible with Thumb Kits, unless Quick Coupler is installed on Backhoe	K636L80	154 lbs	\$796.00
L5418A	18" Bucket (2.25 cu. ft. Struck / 2.98 cu. ft. Heaped)	K648L80	162 lbs	\$811.00
L5424A	24" Bucket (3.07 cu. ft. Struck / 4.32 cu. ft. Heaped)	K724L00	185 lbs	\$905.00
M5436	36" Bucket (4.04 cu. ft. Struck / 6.14 cu. ft. Heaped) Not Compatible with Thumb Kits, unless Quick Coupler is installed on Backhoe	K963M20	257 lbs	\$1,204.00
M5438	38" Bucket (4.48 cu. ft. Struck / TBA cu. ft. Heaped) NOTE: Special order due to low sales volume	K938M40	1 lbs	\$1,173.00

---

**M60 SERIES**

**M5660SUH/M5660SUHD**

**KUBOTA**

---

**Approved Attachments**

See Website for Landpride Attachments List

**M60 SERIES**

**M6060/M7060**

**KUBOTA**

\*\*\* EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS \*\*\*

**DIESEL ENGINE**

Kubota V3307 Direct Injection  
 3.3L (203 cu. in.) 4 Cyl  
 EPA Tier 4 Emission Certified  
 Common Rail Electronic Fuel Injection  
 Electronic Engine Management  
 Constant RPM Management  
 Turbocharged  
 45 Amp Alternator - ROPS  
 60 Amp Alternator - Cab  
 12V 700 CCA Battery

**EXHAUST EMISSION CONTROL TYPE**

DPF System (Diesel Particulate Filter)

**HYDRAULICS / HITCH / DRAWBAR**

Open Center Gear Pump  
 Max. Flow @ Rated Engine Speed: 2600 RPM  
 Power Steering: 6.1 gpm  
 Impl. Flow: 11.0 gpm  
 Impl. Flow, 12 Speed: 16.2 gpm  
 Total Flow: 17.1 gpm  
 Total Flow , 12 Speed: 22.3 gpm

**REMOTE VALVES**

(1) SCD (Self Canceling Detent)

**3 POINT HITCH & DRAWBAR**

Cat I/II 3-Point Hitch  
 @ Lift Points: 4190 lbs  
 (ASAE)@24" Behind: 3307 lbs  
 Telescoping Lower Links  
 Telescoping Stabilizers  
 Swinging Drawbar - Straight

**POWER TAKE OFF**

Live-Independent Hyd. PTO  
 SAE 1 3/8" Six Spline  
 540 RPM @ 2295 Eng. RPM  
 540/540E Economy PTO Optional (12 Speed Standard)  
 Provides 540 PTO @ 1942 Eng. RPM

**TRANSMISSION**

Fully Synchronized Transmission  
 8F/ 8R or 12F / 12R Hydraulic-Shuttle  
 Planetary Final Drives  
 Rear Differential Lock

**FRONT AXLE**

Hydrostatic Power Steering  
 2WD: Tubular Steel Beam Telescoping  
 4WD: Cast Iron, Bevel Gear 55 Deg

**FLUID CAPACITY**

Fuel Tank Capacity ROPS: 18.5 gal  
 Fuel Tank Capacity Cab: 23.8 gal  
 Cooling System: 8.5 qts  
 Crankcase: 11.6 qts  
 Hydraulics/Trans: 59.2 qts  
 Front Axle 4WD: 5.8 qts

**INSTRUMENTS**

Tachometer/Hour meter  
 Oil Pressure  
 Fuel Gauge  
 Coolant Temperature

**TIRES AND WHEELS**

2WD: Front 9.5L x 15 F2  
 Rear 16.9 x 28 R1  
 4WD: Front 9.5 x 24 R1  
 Rear 16.9 x 28 R1

**OPERATOR PLATFORM**

Semi-Flat Deck with Hanging Pedals  
 High Back Seat with Adjustable  
 Suspension  
 Color Coded Controls  
 Cup Holder

**Cab (Ultra Grand Cab)**

Integral factory ROPS Certified  
 Flat Deck  
 Suspension Seat w/ Retractable  
 Seat Belt and Armrests  
 Dual Level Air Conditioning & Heater  
 Front Wiper w/ Washer - 2 Speed  
 Radio Ready, includes 2 Speakers  
 Antenna and Wiring Harness  
 2 Doors, Frameless all glass  
 Left & Right Side Steps  
 Sun Visor  
 Tilt Steering Wheel  
 Interior Dome Light  
 Accessory Plug 12V -15 Amp  
 Cup Holder  
 Ashtray  
 Horn

**LIGHTING**

2 Headlights - Tail lights  
 2 Hazard Flasher Lights w/  
 Turn Signals

**CAB LIGHTING**

2 Front Work Lights  
 2 Rear Work Lights

**SAFETY EQUIPMENT**

2 Post, ROPS Certified  
 Retractable Seat Belt  
 Flip-Up PTO Shield  
 Safety Start Switches:  
 Shuttle Lever Neutral  
 PTO - OPC Alarm 10 Sec.  
 Electric Key Shut Off  
 Parking Brake  
 Turn Signals  
 SMV Sign

Model Specifications	
M6060	M7060
SAE Gross HP: 66.4	SAE Gross HP: 74.3
Engine Net HP: 64.1	Engine Net HP: 71.9
Max . PTO HP: 56	Max . PTO HP: 64

**M60 Series M6060 KUBOTA**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

**2WD MODELS**

\*\*\*STANDARD TRACTOR WITH STANDARD TIRES\*\*\*

M6060HFC	2WD Utility Cab Tractor	K33M491M20	5226 lbs	\$41,864.00
----------	-------------------------	------------	----------	-------------

<b>M6060HFC 2WD</b>		<b>Additional Price With Tire Option</b>		
---------------------	--	--	--	--

ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGGESTED LIST PRICE
------------	-------------	-------------	----------------	----------------------

<b>STANDARD TIRES</b>					
AMXR8789A*	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	75 lbs	MM0	Add	In Base Price
AMR8913B*	R-TIRE 16.9-28 R1 Firestone (SAT) II	299 lbs			

<b>AG - BIAS REAR</b>					
AMXR8789A*	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	75 lbs	MM0	Add	\$0.00
AMR8913B*	R-TIRE 16.9-28 R1 Firestone (SAT) II	299 lbs			

AMXR8789A	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	75 lbs	K948M80	Add	\$1,186.00
AMR8565	① R-TIRE 14.9-28 R1 F-STONE SAT II/CST	600 lbs			

AMXR8789A	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	75 lbs	K444M80	Less	(\$556.00)
AMR8901B	R-TIRE 14.9-28 R1 Firestone (SAT) II	255 lbs			

<b>TURF</b>					
ALR8708	② F-TIRE 29x12.50-15 R3 Titan Turf	83 lbs	K332M80	Less	(\$416.00)
AMR8979	③④ R-TIRE 21.5L-16.1 R3 Firestone Turf&Fld	245 lbs			

AMR8545	F-TIRE 27x9.50-15 HF-1 Gdyr Terra Rib	65 lbs	K454M40	Less	(\$568.00)
AMR8979	③④ R-TIRE 21.5L-16.1 R3 Firestone Turf&Fld	245 lbs			

ALR6818A	④ F-TIRE LSW305R343 R3 Titan Grizz LSW 430	70 lbs	K4M80	Add	\$6.00
AMR8541	R-TIRE LSW570-648 R3 Grizz LSW S.TF 5.75	261 lbs			

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
------------	-------------	----------------	-------------	----------------------

<b>AG - BIAS REAR</b>				
AMXR8789*	F-TIRE 9.5L-15 F2 BKT Pro Rib	K246M40	75 lbs	\$308.00
AMR8913B*	R-TIRE 16.9-28 R1 Firestone (SAT) II	K987M20	299 lbs	\$1,234.00
AMXR8789A	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	K266M40	75 lbs	\$333.00
AMR8565	①② R-TIRE 14.9-28 R1 F-STONE SAT II/CST	K1M461M60	600 lbs	\$1,827.00
AMXR8789A	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	K266M40	75 lbs	\$333.00
AMR8901B	R-TIRE 14.9-28 R1 Firestone (SAT) II	K764M80	255 lbs	\$956.00

<b>AG - RADIAL REAR</b>				
<b>TURF</b>				
ALR8708	F-TIRE 29x12.50-15 R3 Titan Turf	K296L80	83 lbs	\$371.00
AMR8979	③ R-TIRE 21.5L-16.1 R3 Firestone Turf&Fld	K790M40	245 lbs	\$988.00
AMR8545	F-TIRE 27x9.50-15 HF-1 Gdyr Terra Rib	K236M00	65 lbs	\$295.00
AMR8979	③ R-TIRE 21.5L-16.1 R3 Firestone Turf&Fld	K790M40	245 lbs	\$988.00
AMXR8789	F-TIRE 9.5L-15 F2 BKT Pro Rib	K246M40	75 lbs	\$308.00
AMR8938	R-TIRE 18.4-26 R3 (ANS) 17mm holes	K1M020M00	310 lbs	\$1,275.00
ALR6818A	④ F-TIRE LSW305R343 R3 Titan Grizz LSW 430	K312L00	70 lbs	\$390.00
AMR8541	R-TIRE LSW570-648 R3 Grizz LSW S.TF 5.75	K944M00	261 lbs	\$1,180.00

† See Tire Section for Individual Tire Pricing and Information

\* Standard tires.

\*\* Subject to Availability

① Recommended for loader applications, increases base weight by approx. 600 lbs.

② Requires 16 Shoulder Lug Nuts, order (16) 3A111-97810 Shoulder Lug Nuts for Field Installation from Parts Department.

③ Not approved for Backhoe applications.

④ For field installation, requires (12) 36500-49410 Spring Washers from Parts Department.

**M60 Series M7060 KUBOTA**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

**2WD MODELS**

\*\*\*STANDARD TRACTOR WITH STANDARD TIRES\*\*\*

M7060HFC	2WD Utility Cab Tractor	K35M548M80	5248	\$44,436.00
----------	-------------------------	------------	------	-------------

<b>M7060HFC 2WD</b>				
---------------------	--	--	--	--

TIRES AND WHEELS†				Additional Price With Tire Option	
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGGESTED LIST PRICE	

<b>STANDARD TIRES</b>					
AMXR8789*	F-TIRE 9.5L-15 F2 BKT Pro Rib	75 lbs	MM0	Add	In Base Price
AMR8932D*	R-TIRE 16.9-30 R1 DuraTorq 17mm holes	341 lbs			

**AG - BIAS REAR**

AMXR8789*	F-TIRE 9.5L-15 F2 BKT Pro Rib	75 lbs	MM0	Add	\$0.00
AMR8932D*	R-TIRE 16.9-30 R1 DuraTorq 17mm holes	341 lbs			

AMXR8789	F-TIRE 9.5L-15 F2 BKT Pro Rib	75 lbs	K966M40	Add	\$1,208.00
AMR8935D	①② R-TIRE 16.9-30 R1 Gdyr DuraTorq Cast	618 lbs			

AMR8980B	F-TIRE 10.00-16 F2 Champ Guide Grip TL	91 lbs	K75M20	Add	\$94.00
AMR8932D	R-TIRE 16.9-30 R1 DuraTorq 17mm holes	341 lbs			

AMR8980B	F-TIRE 10.00-16 F2 Champ Guide Grip TL	91 lbs	K1K041M60	Add	\$1,302.00
AMR8935D	①② R-TIRE 16.9-30 R1 Gdyr DuraTorq Cast	618 lbs			

**TURF**

AMXR8789	F-TIRE 9.5L-15 F2 BKT Pro Rib	75 lbs	K40M00	Add	\$50.00
AMR8938	R-TIRE 18.4-26 R3 (ANS) 17mm holes	310 lbs			

AMR8545	F-TIRE 27x9.50-15 HF-1 Gdyr Terra Rib	65 lbs	K440M00	Less	(\$550.00)
AMR8979	③④ R-TIRE 21.5L-16.1 R3 Firestone Turf&Fld	245 lbs			

ALR8708	F-TIRE 29x12.50-15 R3 Titan Turf	83 lbs	K318M40	Less	(\$398.00)
AMR8979	③④ R-TIRE 21.5L-16.1 R3 Firestone Turf&Fld	245 lbs			

ALR6818A	④ F-TIRE LSW305R343 R3 Titan Grizz LSW 430	70 lbs	K19M20	Add	\$24.00
AMR8541	R-TIRE LSW570-648 R3 Grizz LSW S.TF 5.75	261 lbs			

**TIRES AND WHEELS (priced per piece)**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
------------	-------------	----------------	-------------	----------------------

**AG - BIAS REAR**

AMXR8789*	F-TIRE 9.5L-15 F2 BKT Pro Rib	K246M40	75 lbs	\$308.00
-----------	-------------------------------	---------	--------	----------

AMR8932D*	R-TIRE 16.9-30 R1 DuraTorq 17mm holes	K1M000M00	341 lbs	\$1,250.00
-----------	---------------------------------------	-----------	---------	------------

AMXR8789	F-TIRE 9.5L-15 F2 BKT Pro Rib	K246M40	75 lbs	\$308.00
----------	-------------------------------	---------	--------	----------

AMR8935D	①② R-TIRE 16.9-30 R1 Gdyr DuraTorq Cast	K1M483M20	618 lbs	\$1,854.00
----------	---	-----------	---------	------------

AMR8980B	F-TIRE 10.00-16 F2 Champ Guide Grip TL	K284M00	91 lbs	\$355.00
----------	--	---------	--------	----------

AMR8932D	R-TIRE 16.9-30 R1 DuraTorq 17mm holes	K1M000M00	341 lbs	\$1,250.00
----------	---------------------------------------	-----------	---------	------------

AMR8980B	F-TIRE 10.00-16 F2 Champ Guide Grip TL	K284M00	91 lbs	\$355.00
----------	--	---------	--------	----------

AMR8935D	①② R-TIRE 16.9-30 R1 Gdyr DuraTorq Cast	K1M483M20	618 lbs	\$1,854.00
----------	---	-----------	---------	------------

**TURF**

AMXR8789	F-TIRE 9.5L-15 F2 BKT Pro Rib	K246M40	75 lbs	\$308.00
----------	-------------------------------	---------	--------	----------

AMR8938	R-TIRE 18.4-26 R3 (ANS) 17mm holes	K1M020M00	310 lbs	\$1,275.00
---------	------------------------------------	-----------	---------	------------

AMR8545	F-TIRE 27x9.50-15 HF-1 Gdyr Terra Rib	K236M00	65 lbs	\$295.00
---------	---------------------------------------	---------	--------	----------

AMR8979	③④ R-TIRE 21.5L-16.1 R3 Firestone Turf&Fld	K790M40	245 lbs	\$988.00
---------	--	---------	---------	----------

ALR8708	F-TIRE 29x12.50-15 R3 Titan Turf	K296L80	83 lbs	\$371.00
---------	----------------------------------	---------	--------	----------

AMR8979	③④ R-TIRE 21.5L-16.1 R3 Firestone Turf&Fld	K790M40	245 lbs	\$988.00
---------	--	---------	---------	----------

ALR6818A	④ F-TIRE LSW305R343 R3 Titan Grizz LSW 430	K312L00	70 lbs	\$390.00
----------	--	---------	--------	----------

AMR8541	R-TIRE LSW570-648 R3 Grizz LSW S.TF 5.75	K944M00	261 lbs	\$1,180.00
---------	--	---------	---------	------------

† See Tire Section for Individual Tire Pricing and Information

\* Standard tires.

① Recommended for loader applications, increases base weight by approx. 600 lbs.

② For field installation of Cast Iron Dish, requires 16 Shoulder Lug Nuts, order (16) 3A111-97810 Shoulder Lug Nuts from Parts Department.

③ Not approved for Backhoe applications.

④ For field installation, requires (12) 36500-49410 Spring Washers from Parts Department.

**M60 Series M6060 KUBOTA**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

**4WD MODELS**

\*\*\*STANDARD TRACTOR WITH STANDARD TIRES\*\*\*

M6060HD	4WD Utility 2 Post Foldable ROPS Tractor	K29M306M40	5358 lbs	\$36,633.00
M6060HDC	4WD Utility Cab Tractor	K36M712M00	5358 lbs	\$45,890.00

M6060 4WD		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGGESTED LIST PRICE
<b>TIRES AND WHEELS<sup>†</sup></b>				
<b>STANDARD TIRES</b>				
AMR8955C*	F-TIRE 9.5-24 R1 Goodyear Dura Torque	130 lbs	MM0	Add
AMR8901B*	R-TIRE 14.9-28 R1 Firestone (SAT) II	255 lbs		In Base Price
<b>AG - BIAS REAR</b>				
AMR8955C*	F-TIRE 9.5-24 R1 Goodyear Dura Torque	130 lbs	MM0	Add
AMR8901B*	R-TIRE 14.9-28 R1 Firestone (SAT) II	255 lbs		\$0.00
AMR8955C	F-TIRE 9.5-24 R1 Goodyear Dura Torque	130 lbs	K444M80	Add
AMR8913B	R-TIRE 16.9-28 R1 Firestone (SAT) II	299 lbs		\$556.00
AMR8955C	F-TIRE 9.5-24 R1 Goodyear Dura Torque	130 lbs	K1M393M60	Add
AMR8565	①③ R-TIRE 14.9-28 R1 F-STONE SAT II/CST	600 lbs		\$1,742.00
<b>AG - RADIAL REAR</b>				
AMR8586	F-TIRE 320/85R20 R1W ALCE FRMPRO	166 lbs	K672M00	Add
AMR8577	R-TIRE 420/70R28 R1W ALLIANCE 370	300 lbs		\$840.00
AMR8586	F-TIRE 320/85R20 R1W ALCE FRMPRO	166 lbs	K2K451M20	Add
AMR8570	①③ R-TIRE 420/70R28 R1W ALLIANCE 370 Cast	650 lbs		\$3,064.00
<b>TURF</b>				
AMR8526	② F-TIRE LSW305-521R3 Grizz LSW Soft Turf	113 lbs	K329M60	Add
AMR8541	R-TIRE LSW570-648 R3 Grizz LSW S.TF 5.75	261 lbs		\$412.00
<b>INDUSTRIAL</b>				
AMR8808	F-TIRE 12.5/80-18 I3 Ttn Contrac 8stud	159 lbs	K513M60	Add
ALR8917	R-TIRE 16.9-24 R4 Titan Ind Tractor Lug	267 lbs		\$642.00

**TIRES AND WHEELS (priced per piece)**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
<b>AG - BIAS REAR</b>				
AMR8955C*	F-TIRE 9.5-24 R1 Goodyear Dura Torque	K398M40	130 lbs	\$498.00
AMR8901B*	R-TIRE 14.9-28 R1 Firestone (SAT) II	K764M80	255 lbs	\$956.00
AMR8955C	F-TIRE 9.5-24 R1 Goodyear Dura Torque	K398M40	130 lbs	\$498.00
AMR8913B	R-TIRE 16.9-28 R1 Firestone (SAT) II	K987M20	299 lbs	\$1,234.00
AMR8955C	F-TIRE 9.5-24 R1 Goodyear Dura Torque	K398M40	130 lbs	\$498.00
AMR8565	①③ R-TIRE 14.9-28 R1 F-STONE SAT II/CST	K1M461M60	600 lbs	\$1,827.00
<b>AG - RADIAL REAR</b>				
AMR8586	F-TIRE 320/85R20 R1W ALCE FRMPRO	K524M80	166 lbs	\$656.00
AMR8577	R-TIRE 420/70R28 R1W ALLIANCE 370	K974M40	300 lbs	\$1,218.00
AMR8586	F-TIRE 320/85R20 R1W ALCE FRMPRO	K524M80	166 lbs	\$656.00
AMR8570	①③ R-TIRE 420/70R28 R1W ALLIANCE 370 Cast	K1M864M00	650 lbs	\$2,330.00
<b>TURF</b>				
AMR8526	② F-TIRE LSW305-521R3 Grizz LSW Soft Turf	K384M00	113 lbs	\$480.00
AMR8541	R-TIRE LSW570-648 R3 Grizz LSW S.TF 5.75	K944M00	261 lbs	\$1,180.00
<b>INDUSTRIAL</b>				
AMR8808	F-TIRE 12.5/80-18 I3 Ttn Contrac 8stud	K589M60	159 lbs	\$737.00
ALR8917	R-TIRE 16.9-24 R4 Titan Ind Tractor Lug	K830L40	267 lbs	\$1,038.00

† See Tire Section for Individual Tire Pricing and Information

\* Standard tires.

① Recommended for loader applications, increases base weight by approx. 600 lbs.

② For field installation, requires (12) 04512-60140 Spring Washers from Parts Department.

③ Requires (16) qty - 3A111-97810 Shoulder Lug Nuts for Field Installation

<b>M60 Series</b>	<b>M7060</b>	<b>KUBOTA</b>
-------------------	--------------	---------------

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>4WD MODELS</b>				
***STANDARD TRACTOR WITH STANDARD TIRES***				
M7060HD	4WD Utility 2 Post Foldable ROPS Tractor	K31M402M40	5027 lbs	\$39,253.00
M7060HDC	4WD Utility Cab Tractor	K38M808M00	5380 lbs	\$48,510.00
M7060HD12	4WD Utility 2 Post Foldable ROPS Tractor	K33M328M80	5027 lbs	\$41,661.00
M7060HDC12	4WD Utility Cab Tractor	K40M734M40	5380 lbs	\$50,918.00

<b>M7060 4WD</b>	<b>Additional Price With Tire Option</b>
------------------	--

ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER		SUGGESTED LIST PRICE
<b>STANDARD TIRES</b>					
AMR8955C*	F-TIRE 9.5-24 R1 Goodyear Dura Torque	130 lbs	MM0	Add	In Base Price
AMR8932D*	R-TIRE 16.9-30 R1 DuraTorq 17mm holes	341 lbs			
<b>AG - BIAS REAR</b>					
AMR8955C*	F-TIRE 9.5-24 R1 Goodyear Dura Torque	130 lbs	MM0	Add	\$0.00
AMR8932D*	R-TIRE 16.9-30 R1 DuraTorq 17mm holes	341 lbs			
AMR8955C	F-TIRE 9.5-24 R1 Goodyear Dura Torque	130 lbs	K966M40	Add	\$1,208.00
AMR8935D	①③ R-TIRE 16.9-30 R1 Gdyr DuraTorq Cast	618 lbs			
MR8956	F-TIRE 9.50-20 R1 B-Stone Farm Svc Lug M	98 lbs	K579M20	Less	(\$724.00)
MR8924B	R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.8"	263 lbs			
<b>AG - RADIAL REAR</b>					
AMR8605	F-TIRE LSW320/70R24 GDYR OPTI R1W	220 lbs	K321M60	Add	\$402.00
AMR8616A	RT TITN 420/75R34 142D R1W 8BOLT	460 lbs			
AMR8605	F-TIRE LSW320/70R24 GDYR OPTI R1W	220 lbs	K2M766M40	Add	\$3,458.00
AMR8640	①④⑤ R-TIRE LSW 420/75R34 GDYR OPTI R1W CST	949 lbs			
AMR8586	F-TIRE 320/85R20 R1W ALCE FRMPRO	166 lbs	M219M20	Add	\$274.00
AMR8588	R-TIRE 420/85R30 R1W ALCE FRMPRO	400 lbs			
<b>TURF</b>					
AMR8536	F-TIRE 29x12.50-15 R3 Ttn MultiTrac8stud	77 lbs	K675M20	Less	(\$844.00)
AMR8979	② R-TIRE 21.5L-16.1 R3 Firestone Turf&Fld	245 lbs			
MR8954B	F-TIRE 9.50-24 R3 Gdyr All Weather TL	113 lbs	K68M80	Add	\$86.00
AMR8938	R-TIRE 18.4-26 R3 (ANS) 17mm holes	310 lbs			
AMR8526	④ F-TIRE LSW305-521R3 Grizz LSW Soft Turf	113 lbs	K140M80	Less	(\$176.00)
AMR8541	R-TIRE LSW570-648 R3 Grizz LSW S.TF 5.75	261 lbs			
<b>INDUSTRIAL</b>					
AMR8797	F-TIRE 14-17.5 R4 WITH 0.55" INSET	168 lbs	K43M20	Add	\$54.00
ALR8917	R-TIRE 16.9-24 R4 Titan Ind Tractor Lug	267 lbs			
<b>AG/INDUSTRIAL HYBRID</b>					
AMR8040	F-TIRE LSW320/70R24 GDYR R14T	195 lbs	M499M20	Add	\$624.00
AMR8047A	RT TITN 420/75R34 142D R14T 8 BOLT	422 lbs			
AMR8040	F-TIRE LSW320/70R24 GDYR R14T	195 lbs	K3M022M40	Add	\$3,778.00
AMR8089	RT TITN 420/75R34 142D R14T CST 8BLT	949 lbs			

† See Tire Section for Individual Tire Pricing and Information

\* Standard tires.

① Recommended for loader applications, increases base weight by approx. 600-1100 lbs.

② Not approved for Backhoe applications.

③ Requires (16) qty - 3A111-97810 Shoulder Lug Nuts for Field Installation

④ For field installation, requires (16) 04512-60140 Spring Washers from Parts Department.

⑤ For field installation, requires (16) [33251-49170] Lug Nuts from Parts Department.



**M60 Series**

**M7060**



TIRES AND WHEELS (priced per piece)				
ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
<b>AG - BIAS REAR</b>				
AMR8955C*	F-TIRE 9.5-24 R1 Goodyear Dura Torque	K398M40	130 lbs	\$498.00
AMR8932D*	R-TIRE 16.9-30 R1 DuraTorq 17mm holes	K1M000M00	341 lbs	\$1,250.00
AMR8955C	F-TIRE 9.5-24 R1 Goodyear Dura Torque	K398M40	130 lbs	\$498.00
AMR8935D	①③ R-TIRE 16.9-30 R1 Gdyr DuraTorq Cast	K1M483M20	618 lbs	\$1,854.00
MR8956	F-TIRE 9.50-20 R1 B-Stone Farm Svc Lug M	K297M60	98 lbs	\$372.00
MR8924B	R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.8"	K811M20	263 lbs	\$1,014.00
<b>AG - RADIAL REAR</b>				
AMR8605	⑤ F-TIRE LSW320/70R24 GDYR OPTI R1W	K516M80	220 lbs	\$646.00
AMR8616A	RT TITN 420/75R34 142D R1W 8BOLT	K1M042M40	460 lbs	\$1,303.00
AMR8605	F-TIRE LSW320/70R24 GDYR OPTI R1W	K516M80	220 lbs	\$646.00
AMR8640	①⑥ R-TIRE LSW 420/75R34 GDYR OPTI R1W CST	K2M264M80	949 lbs	\$2,831.00
AMR8586	F-TIRE 320/85R20 R1W ALCE FRMPRO	K524M80	166 lbs	\$656.00
AMR8588	R-TIRE 420/85R30 RIW ALCE FRMPRO	K983M20	400 lbs	\$1,229.00
<b>TURF</b>				
AMR8536	F-TIRE 29x12.50-15 R3 Ttn MultiTrac8stud	K270M40	77 lbs	\$338.00
AMR8979	② R-TIRE 21.5L-16.1 R3 Firestone Turf&Fld	K790M40	245 lbs	\$988.00
MR8954B	F-TIRE 9.50-24 R3 Gdyr All Weather TL	K412M80	113 lbs	\$516.00
AMR8938	R-TIRE 18.4-26 R3 (ANS) 17mm holes	K1M020M00	310 lbs	\$1,275.00
AMR8526	④ F-TIRE LSW305-521R3 Grizz LSW Soft Turf	K384M00	113 lbs	\$480.00
AMR8541	R-TIRE LSW570-648 R3 Grizz LSW S.TF 5.75	K944M00	261 lbs	\$1,180.00
<b>INDUSTRIAL</b>				
AMR8797	F-TIRE 14-17.5 R4 WITH 0.55" INSET	K589M60	168 lbs	\$737.00
ALR8917	R-TIRE 16.9-24 R4 Titan Ind Tractor Lug	K830L40	267 lbs	\$1,038.00
<b>AG/INDUSTRIAL HYBRID</b>				
AMR8040	F-TIRE LSW320/70R24 GDYR R14T	K552M00	195 lbs	\$690.00
AMR8047A	RT TITN 420/75R34 142D R14T 8 BOLT	K1M096M00	422 lbs	\$1,370.00
AMR8040	F-TIRE LSW320/70R24 GDYR R14T	K552M00	195 lbs	\$690.00
AMR8089	RT TITN 420/75R34 142D R14T CST 8BLT	K2M357M60	949 lbs	\$2,947.00

\* Standard tires.

- ① Recommended for loader applications, increases base weight by approx. 600-1100 lbs.
- ② Not approved for Backhoe applications.
- ③ Requires (16) qty - 3A111-97810 Shoulder Lug Nuts for Field Installation
- ④ For field installation, requires (16) 04512-60140 Spring Washers from Parts Department.
- ⑤ Steering Stops must be adjusted if 60" centers are required.
- ⑥ For field installation, requires (16) [33251-49170] Lug Nuts from Parts Department.

**M60 Series****M6060/M7060****KUBOTA****DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>HYDRAULICS/HITCH/DRAWBAR</b>				
<b>HYDRAULIC REAR REMOTE VALVES</b>				
M7604	SCD (Self Canceling Detent) for ROPS	K620M00	13 lbs	\$775.00
M7605	FD (Float Detent) for ROPS	K612M00	11 lbs	\$765.00
M7610	SCD (Self Canceling Detent) for CAB	K620M00	13 lbs	\$775.00
M7611	FD (Float Detent) for CAB	K612M00	11 lbs	\$765.00
<b>REMOTE VALVE LEVER KITS</b>				
M7607	2nd Position Lever Kit for ROPS	K125M60	3 lbs	\$157.00
M7608	3rd Position Lever Kit for ROPS	K125M60	5 lbs	\$157.00
M7687	2nd Position Lever Kit for Cab	K125M60	4 lbs	\$157.00
M7688	3rd Position Lever Kit for Cab	K125M60	3 lbs	\$157.00
<b>DRAWBAR CLEVIS</b>				
M9594	Drawbar Clevis	K62M40	10 lbs	\$78.00
<b>DROP DRAWBAR</b>				
M9201	Drop Drawbar	K110M40	21 lbs	\$138.00
<b>TRANSMISSION</b>				
<b>CREEP SPEED KITS</b>				
M7691	Creep Speed Cassette Type for 8-Speed Transmission	K603M20	15 lbs	\$754.00
M7680	Creep Speed Cassette Type for 12-Speed Transmission	K603M20	15 lbs	\$754.00
<b>DUAL SPEED PTO KITS</b>				
M7690	540/540E Economy PTO	K912M80	72 lbs	\$1,141.00
<b>FRONT &amp; REAR AXLE</b>				
<b>FRONT FENDER KIT (SWIVEL TYPE)</b>				
M9290	Fender Mounting Kit Requires Plastic Fenders Not Compatible with Loader Applications Not Compatible with 2WD Tractors Requires two (2) part # 3C294-43300 Pre-Drilled Front Wheel Case Supports	K698M40	68 lbs	\$873.00
M9208	Plastic Fenders Includes two 14.9" wide Fenders Requires Fender Mounting Kit	K97M60	7 lbs	\$122.00
<b>REAR AXLE SPACER KIT</b>				
M9564	Rear Axle Space Kit, adds 2 inches per side Provides 72" spacing with Ag Tires	K768M80	52 lbs	\$961.00

**M60 Series M6060/M7060 KUBOTA**

**DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

**ROPS ACCESSORIES**

<b>CANOPY</b>				
E1134	Deluxe Fiberglass Canopy (ROPS Models) Requires Mounting Kit	K347M20	63 lbs	\$434.00
E1136	Mounting Kit	K171M20	29 lbs	\$214.00
E1138	Work Light Set for Canopy (Optional 2-lights)	K131A20	3 lbs	\$164.00
<b>DOWN EXHAUST PIPE KIT</b>				
M7956	Pipe Kit	K296M80	19 lbs	\$371.00
<b>HIGH CAPACITY ALTERNATOR KIT</b>				
M7965	100 Amp High Capacity Alternator Kit	K452M00	10 lbs	\$565.00
<b>REAR WORK LIGHT</b>				
M7630	Rear Working Auxiliary Light for ROPS Maximum 1 Light per Tractor	K76M00	3 lbs	\$95.00

**CAB ACCESSORIES**

M7649	Rear Window Wiper Kit	K208M80	4 lbs	\$261.00
M9270	Air Ride Seat Suspension Kit Requires Wire Harness (M9205)	K492M00	49 lbs	\$615.00
M9205	Air Ride Seat Wire Harness	K18M40	1 lbs	\$23.00
M7698	Elec-Defogger Kit and 100 Amp Alternator	K688M80	60 lbs	\$861.00
M7964	Mid Mount Work Light Kit Requires High Capacity Alternator Kit	K308M80	8 lbs	\$386.00
3C581-97010	Monitor Bracket, Universal Type	(Order from Parts Department)		
77700-01098	12V/3-Pin 30 Amp Coupler Pigtail, 12" Long	(Order from Parts Department)		
<b>HIGH CAPACITY ALTERNATOR KIT</b>				
M7965	100 Amp High Capacity Alternator Kit	K452M00	10 lbs	\$565.00
<b>JENSEN RADIO OPTIONS</b>				
77700-04753	Radio, AM/FM/WB/AUX	(Order from Parts Department)		
77700-04754	Radio, AM/FM/WB/AUX/USB/IPOD/SAT	(Order from Parts Department)		
77700-04755	Radio, AM/FM/WB/AUX/USB/IPOD/SAT/CD/Bluetooth	(Order from Parts Department)		

**ADDITIONAL ACCESSORIES**

<b>BLOCK HEATER</b>				
70000-73274	Block Heater	(Order from Parts Department)		
M3197	CCV Heater KT M6060/7060 CAB US	K556M00	22 lbs	\$695.00
<b>GRILL GUARD</b>				
M6872	Grill Guard Kit Compatible with M8075 front bumper weight Not Compatible with M1875A front weight bracket	K216M80	57 lbs	\$271.00
<b>REPLACEMENT CAB</b>				
M7034	Replacement Ultra Grand Cab 8 speed - Field Installation Required	K7M466M40	1000 lbs	\$9,333.00
M7035	Replacement Ultra Grand Cab 12 speed - Field Installation Required	K7M466M40	1000 lbs	\$9,333.00
<b>REPLACEMENT ROPS</b>				
SFM-F70A	Replacement ROPS - Field Installation Required	(Order from Parts Department)		

**KubotaNOW TELEMATICS**

<b>Each order will require the DCU6700 modem and wiring harness as listed below:</b>				
DCU6700	AT&T Telematics Modem	K321A60	1 lbs	\$402.00
M6713	M Series Telematics Harness	K76M00	1 lbs	\$95.00
<b>KubotaNOW Telematics Service includes a three (3) year term with a Dealer Net cost of \$399 and a total list price of \$525</b>				
<b>As of November 2nd, KubotaNOW will be available for Dealer Owned and Dealer Rental Fleet Machines.</b>				

**M60 Series****M6060/M7060****KUBOTA****DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>BALLAST</b>				
<b>FRONT WEIGHT BRACKETS</b>				
M8075	Front Weight Bumper (230 lbs. each) Standard for 2WD models Requires Bolt Kit Up to 10 Front Suitcase Weights	K353M60	223 lbs	\$442.00
<b>FRONT SUITCASE WEIGHTS</b>				
M8079	Suitcase Weight Requires Front Weight Bumper and Bolt/Bar Kit Not Compatible with Loader	K90M40	102 lbs	\$113.00
<b>FRONT WEIGHT BOLT/BAR KITS</b>				
M8076	Front Bumper Bolt Kit for M8075 Standard on 2WD Models	K51M20	4 lbs	\$64.00
M8073A	Bolt/Bar Kit for M8075 One Kit per 10 Front Suitcase Weights	K57M60	10 lbs	\$72.00
<b>REAR WHEEL WEIGHTS</b>				
LM8124	Rear Wheel Weight Kit (103 lbs. each) Set of 2, Requires Rear Wheel Bolt Kit Maximum of 3 Sets on Steel Dish Wheels Maximum of 2 Sets on Cast Dish Wheels Use with 24" or 26" Steel Dish Wheels Not Compatible with Turf Tires	K250M40	206 lbs	\$313.00
M8126A	Rear Wheel Weight Kit (164 lbs. each) Set of 2, Requires Rear Wheel Bolt Kit Maximum of 3 Sets on Steel Dish Wheels Maximum of 2 Sets on Cast Dish Wheels Use with 28", 30", and 34" Wheels	K278M40	328 lbs	\$348.00
<b>REAR WHEEL WEIGHT BOLT KITS</b>				
M8119B	Bolt Kit for 1st Wheel Weight Kit on Cast Dish Wheels	K24M00	6 lbs	\$30.00
LM8125A	Bolt Kit for 1st Wheel Weight Kit on Steel Dish Wheels	K59M20	5 lbs	\$74.00
M8127B	Bolt Kit for 2nd and 3rd Set of M8126A Weights Required for 2nd & 3rd Set on ALL Steel Dish Wheels Required for 2nd Set on Cast Dish Wheels	K22M40	6 lbs	\$28.00
M8121A	Bolt Kit for 2nd and 3rd Set of LM8124 Weights One Bolt Kit per Weight Set	K26M40	8 lbs	\$33.00
<b>BALLAST BOX</b>				
M8180	Ballast Box - 3-Point Mount 1280 lbs. Capacity with Dry Sand (13 cu. ft.)	K564M80	220 lbs	\$706.00

**M60 Series****M6060/M7060****KUBOTA****FRONT END LOADER**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

**FRONT END LOADER**

LA1154A	Front Loader (2 Lever Type Quick Coupler) Includes Mounting Kit, Parking Stands, Quick Coupler and Grill Guard DOES NOT INCLUDE VALVE, BUCKET must be ordered separately	K4M563M20	1543 lbs	\$5,704.00
---------	---	-----------	----------	------------

**VALVE KITS**

M7995	Standard Valve Kit for ROPS	K902M40	75 lbs	\$1,128.00
M7996	Standard Valve Kit for Cab	K902M40	81 lbs	\$1,128.00
M7998	Hydraulic Self-Leveling Valve Kit for ROPS	K1M706M40	101 lbs	\$2,133.00
M7999	Hydraulic Self-Leveling Valve Kit for Cab	K1M706M40	92 lbs	\$2,133.00

**LOADER ACCESSORY KITS**

<b>3RD FUNCTION VALVE</b>				
M7991	3rd Function Valve Kit for ROPS If backhoe is installed requires M4018A relocation kit in backhoe section.	K852M00	61 lbs	\$1,065.00
M7992	3rd Function Valve Kit for Cab If backhoe is installed requires M4018A relocation kit in backhoe section.	K852M00	62 lbs	\$1,065.00
<b>SHOCKLESS RIDE</b>				
M7993	KSR (Kubota Shockless Ride) Accumulator	K552M00	47 lbs	\$690.00
<b>QUICK CONNECT</b>				
M1869	Hydraulic Quick Connect Single Lever	K640M00	22 lbs	\$800.00

**QA BUCKETS & ACCESSORIES**

M1811	72" 2 Lever QA Bucket	K631M20	400 lbs	\$789.00
M1815	84" Bucket High Capacity, 2 Lever QA For Light Material Use	K843M20	400 lbs	\$1,054.00
L2245	72" 4-in-1 Bucket Requires 3rd Function Valve	K1L949L60	675 lbs	\$2,437.00
M9247	72" Hay Grapple Bucket 4 Tines, 2-Hyd. Cylinders, 2 Lever QA Coupler Requires 3rd Function Valve Requires 2- Hyd. 1/2" QA couplers, .375 fittings (Obtain Locally, i.e. Pioneer, Parker, or Flat Face)	K3M219M20	1090 lbs	\$4,024.00
<b>BUCKET ACCESSORIES</b>				
M1057	Bucket Tine Kit for 72" 2 Lever QA Bucket	K250M40	79 lbs	\$313.00
<b>BALE SPEARS</b>				
M1804	Bale Spear 2 Lever Type QA	K686M40	195 lbs	\$858.00

**PALLET FORM FRAME / PALLET FORKS**

M1809	Pallet Fork Frame 2 Lever QA Requires 42" or 48" Forks	K635M20	200 lbs	\$794.00
K9058	42" Pallet Forks	K433L60	196 lbs	\$542.00
K9059	48" Pallet Forks	K462K40	218 lbs	\$578.00

<b>M60 Series</b>		<b>M6060/M7060</b>	<b>KUBOTA</b>		
<b>BACKHOES</b>					
<b>ORDER CODE</b>	<b>DESCRIPTION</b>	<b>FACTORY NUMBER</b>	<b>APPROX. SHIP WT.</b>	<b>SUGGESTED LIST PRICE</b>	
<b>BACKHOE &amp; ACCESSORIES</b>					
M4509	Backhoe, 9 ft. digging depth Includes Pressed Steel Grousers Requires Mounting Kit and Bucket *Subject to availability*	K9M343M20	1960 lbs	\$11,679.00	
M4509V	Backhoe, 9 ft. digging depth Includes Auxiliary Valve and Pressed Steel Grousers Requires Mounting Kit and Bucket *Subject to availability*	K10M745M60	1960 lbs	\$13,432.00	
M4011	Backhoe, 11.1 ft. digging depth Includes Flip-Type Grousers Requires Mounting Kit and Bucket Dipperstick includes Thumb Bracket *Subject to availability*	K11M394M40	1940 lbs	\$14,243.00	
M4011V	Backhoe, 11.1 ft. digging depth Includes Auxiliary Valve and Flip-Type Grousers Requires Mounting Kit and Bucket Dipperstick includes Thumb Bracket *Subject to availability*	K13M003M20	2020 lbs	\$16,254.00	
<b>BACKHOE MOUNTING KIT</b>					
M4021	Backhoe Sub frame Kit for ROPS *Subject to availability*	K2M113M60	575 lbs	\$2,642.00	
M4022	Backhoe Sub frame Kit for Cab *Subject to availability*	K2M185M60	575 lbs	\$2,732.00	
<b>BACKHOE ACCESSORIES</b>					
M4516	Auxiliary Hydraulic Valve Kit for M4509	K1M360M00	60 lbs	\$1,700.00	
M4016	Auxiliary Hydraulic Valve Kit for M4511	K1M482M40	60 lbs	\$1,853.00	
M4745	Bucket Quick Coupler	K708M80	70 lbs	\$886.00	
M4716	Fixed Pin Kit For use with additional buckets using M4745 Quick Coupler Requires 1 Pin Kit per Additional Bucket	K120M00	8 lbs	\$150.00	
M4014	Hydraulic Thumb Kit	K1M045M60	150 lbs	\$1,307.00	
M4018A	Relocation Hose and Bracket Kit Required if tractor is equipped with a 3rd function control valve and Backhoe.	K235M20	15 lbs	\$294.00	
M4015	Mechanical Thumb Kit	K904M00	155 lbs	\$1,130.00	
<b>RUBBER FLIP PADS</b>					
L9453	Rubber Flip Pads Not compatible with pressed steel grousers	K113L60	21 lbs	\$142.00	
<b>M4509 / M4011 BUCKETS</b>					
L5415A	12" Bucket (1.43 cu. ft. Struck / 1.83 cu. ft. Heaped) Not Compatible with Thumb Kits	K593L60	140 lbs	\$742.00	
L5416A	16" Bucket (1.98 cu. ft. Struck / 2.56 cu. ft. Heaped) Not Compatible with Thumb Kits	K636L80	154 lbs	\$796.00	
L5418A	18" Bucket (2.25 cu. ft. Struck / 2.98 cu. ft. Heaped)	K648L80	162 lbs	\$811.00	
L5424A	24" Bucket (3.07 cu. ft. Struck / 4.32 cu. ft. Heaped)	K724L00	185 lbs	\$905.00	
M5436	36" Bucket (4.04 cu. ft. Struck / 6.14 cu. ft. Heaped) Not Compatible with Thumb Kits	K963M20	257 lbs	\$1,204.00	
M5438	38" Bucket (4.48 cu. ft. Struck / 6.61 cu. ft. Heaped) NOTE: Special order due to low sales volume	K938M40	1 lbs	\$1,173.00	

---

**M60 Series**

**M6060/M7060**

**KUBOTA**

---

**APPROVED ATTACHMENTS**

See Website for Landpride Attachments List

**M4 SERIES**

**M4 Standard and Deluxe**



\*\*\* EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS \*\*\*

**DIESEL ENGINE**

Kubota V3307 Direct Injection  
 3.3L (203 cu. in.) 4 Cyl  
 EPA Tier 4 Emission Certified  
 Common Rail Electronic Fuel Injection  
 Electronic Engine Management  
 Constant RPM Management  
 Turbocharged  
 130 Amp Alternator  
 12V 900 CCA Battery

**EXHAUST EMISSION CONTROL TYPE**

DPF System (Diesel Particulate Filter)

**HYDRAULICS / HITCH / DRAWBAR**

Open Center Gear Pump  
 Max. Flow @ Rated Engine Speed: 2400 RPM  
 Power Steering: 6.3 gpm  
 Impl. Flow: 16.7 gpm  
 Total Flow

**REMOTE VALVES**

M4 Standard (1) SCD (Self Canceling Detent)

M4 Deluxe (2) SCD (Self Canceling Detent) FD (Floating Detent)

**3 POINT HITCH & DRAWBAR**

Cat I/II 3-Point Hitch  
 @ Lift Points: 4189  
 (ASAE)@24" Behind: 3307  
 Telescoping Lower Links  
 Telescoping Stabilizers  
 Swinging Drawbar - Straight

**POWER TAKE OFF**

Live-Independent Hyd. PTO  
 SAE 1 3/8" Six Spline  
 540 RPM @ 2160 Eng. RPM  
 540/540E Economy Optional on Standard Model  
 Provides 540 PTO @ 1828 Eng. RPM

**TRANSMISSION**

Fully Synchronized Transmission  
 12F / 12R Electro Hydraulic-Shuttle  
 Electronic De-clutch Button  
 Planetary Final Drives  
 Rear Differential Lock

**FRONT AXLE**

Hydrostatic Power Steering  
 4WD: Cast Iron, Bevel Gear 55 Deg

**FLUID CAPACITY**

Fuel Tank Capacity Cab: 23.8 gal  
 Cooling System: 10.6 qts  
 Crankcase: 12.7 qts  
 Hydraulics/Trans: 50.8 qts  
 Front Axle 4WD: 5.8 qts

**INSTRUMENTS**

Tachometer/Hour meter  
 Oil Pressure  
 Fuel Gauge  
 Coolant Temperature

**TIRES AND WHEELS**

4WD: Front 320/70R24  
 Rear 420/75R34

**CAB (Ultra Grand Cab Category II)**

Category 2 Pressurized  
 Flat Deck  
 Suspension Seat w/ Retractable  
 Seat Belt and Adjustable Armrests  
 Adjustable backrest and headrest  
 Dual Level Air Conditioning & Heater  
 Front Wiper w/ Washer - 2 Speed  
 Radio Ready, includes 2 Speakers  
 Antenna and Wiring Harness  
 2 Doors, Frameless all glass  
 Left & Right Side Steps  
 High Visibility Roof Panel  
 Sun Visor  
 Tilt Steering Wheel  
 Interior Dome Light  
 Accessory Plug 12V -15 Amp  
 Cup Holder  
 Ashtray  
 Horn  
 Interior Console Light

**LIGHTING**

2 Headlights - Tail lights  
 2 Hazard Flasher Lights w/  
 Turn Signals

**CAB LIGHTING**

Standard: Halogen  
 Deluxe: LED

2 Front Work Lights  
 2 Rear Work Lights

**SAFETY EQUIPMENT**

Backup Alarm Ready  
 Beacon Light Ready  
 Retractable Seat Belt  
 Flip-Up PTO Shield  
 Safety Start Switches:  
 Shuttle Lever Neutral  
 PTO - OPC Alarm 10 Sec.  
 Electric Key Shut Off  
 Parking Brake  
 Turn Signals  
 SMV Sign  
 Deluxe: Electric 4wd Engagment

Model Specifications	
<b>M4-061</b>	<b>M4-071</b>
SAE Gross HP: 66.4	SAE Gross HP: 74.3
Engine Net HP: 60.9	Engine Net HP: 68.7
Max . PTO HP: 52	Max . PTO HP: 60



**M4 Series M4 Standard and Deluxe KUBOTA**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

**4WD MODELS**

\*\*\*STANDARD TRACTOR WITH STANDARD TIRES\*\*\*

M4D-061HDC12	4WD Deluxe Utility Cab Tractor	K44M339M20	5027 lbs	\$55,424.00
M4-071HDC12	4WD Utility Cab Tractor	K43M312M80	5380 lbs	\$54,141.00
M4D-071HDC12	4WD Deluxe Utility Cab Tractor	K45M972M80	5027 lbs	\$57,466.00

M4 Series		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGGESTED LIST PRICE
<b>TIRES AND WHEELS†</b>				
<b>STANDARD TIRES</b>				
AMR8605*	⑥ F-TIRE LSW320/70R24 GDYR OPTI R1W	220 lbs	MM0	Add
AMR8616A*	③ RT TITN 420/75R34 142D R1W 8BOLT	460 lbs		In Base Price
<b>AG - BIAS REAR</b>				
AMR8955C	F-TIRE 9.5-24 R1 Goodyear Dura Torque	130 lbs	M321M60	Less
AMR8932D	R-TIRE 16.9-30 R1 DuraTorq 17mm holes	341 lbs		-\$402.00
AMR8955C	F-TIRE 9.5-24 R1 Goodyear Dura Torque	130 lbs	M644M80	Add
AMR8935D	⑤ R-TIRE 16.9-30 R1 Gdyr DuraTorq Cast	618 lbs		\$806.00
MR8956	F-TIRE 9.50-20 R1 B-Stone Farm Svc Lug M	98 lbs	M900M80	Less
MR8924B	R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.8"	263 lbs		-\$1,126.00
<b>AG - RADIAL REAR</b>				
AMR8605*	⑥ F-TIRE LSW320/70R24 GDYR OPTI R1W	220 lbs	MM0	Add
AMR8616A*	③ RT TITN 420/75R34 142D R1W 8BOLT	460 lbs		\$0.00
AMR8605	⑥ F-TIRE LSW320/70R24 GDYR OPTI R1W	220 lbs	K2M444M80	Add
AMR8640	①②④ R-TIRE LSW 420/75R34 GDYR OPTI R1W CST	949 lbs		\$3,056.00
<b>TURF</b>				
AMR8536	F-TIRE 29x12.50-15 R3 Ttn MultiTrac8stud	77 lbs	M996M80	Less
AMR8979	② R-TIRE 21.5L-16.1 R3 Firestone Turf&Fld	245 lbs		-\$1,246.00
MR8954B	F-TIRE 9.50-24 R3 Gdyr All Weather TL	113 lbs	M252M80	Less
AMR8938	R-TIRE 18.4-26 R3 (ANS) 17mm holes	310 lbs		-\$316.00
AMR8526	③ F-TIRE LSW305-521R3 Grizz LSW Soft Turf	113 lbs	M462M40	Less
AMR8541	R-TIRE LSW570-648 R3 Grizz LSW S.TF 5.75	261 lbs		-\$578.00
<b>INDUSTRIAL</b>				
AMR8797	F-TIRE 14-17.5 R4 WITH 0.55" INSET	168 lbs	M278M40	Less
ALR8917	R-TIRE 16.9-24 R4 Titan Ind Tractor Lug	267 lbs		-\$348.00
<b>AG/INDUSTRIAL HYBRID</b>				
AMR8040	F-TIRE LSW320/70R24 GDYR R14T	195 lbs	M177M60	Add
AMR8047A	RT TITN 420/75R34 142D R14T 8 BOLT	422 lbs		\$222.00
AMR8040	F-TIRE LSW320/70R24 GDYR R14T	195 lbs	K2M700M80	Add
AMR8089	RT TITN 420/75R34 142D R14T CST 8BLT	949 lbs		\$3,376.00

† See Tire Section for Individual Tire Pricing and Information

\* Standard tires.

① Recommended for loader applications, increases base weight by approx. 1100 lbs.

② Not approved for Backhoe applications.

③ For field installation, requires (16) 04512-60140 Spring Washers from Parts Department.

④ For field installation, requires (16) [33251-49170] Lug Nuts from Parts Department.

⑤ Requires (16) qty - 3A111-97810 Shoulder Lug Nuts for Field Installation

⑥Steering Stops must be adjusted if 60" centers are required.

**M4 Series M4 Standard and Deluxe KUBOTA**

TIRES AND WHEELS (priced per piece)					
ORDER CODE	DESCRIPTION		FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
<b>AG - BIAS REAR</b>					
AMR8955C	F-TIRE 9.5-24 R1 Goodyear Dura Torque		130 lbs K398M40	130 lbs	\$498.00
AMR8932D	R-TIRE 16.9-30 R1 DuraTorq 17mm holes		341 lbs K1M000M00	341 lbs	\$1,250.00
AMR8955C	F-TIRE 9.5-24 R1 Goodyear Dura Torque		130 lbs K398M40	130 lbs	\$498.00
AMR8935D	R-TIRE 16.9-30 R1 Gdyr DuraTorq Cast	⑥	618 lbs K1M483M20	618 lbs	\$1,854.00
MR8956	F-TIRE 9.50-20 R1 B-Stone Farm Svc Lug M		98 lbs K297M60	98 lbs	\$372.00
MR8924B	R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.8"		263 lbs K811M20	263 lbs	\$1,014.00
<b>AG - RADIAL REAR</b>					
AMR8605*	F-TIRE LSW320/70R24 GDYR OPTI R1W	⑥	220 lbs K516M80	220 lbs	\$646.00
AMR8616A*	RT TITN 420/75R34 142D R1W 8BOLT	③	460 lbs K1M042M40	460 lbs	\$1,303.00
AMR8605	F-TIRE LSW320/70R24 GDYR OPTI R1W	⑥	220 lbs K516M80	220 lbs	\$646.00
AMR8640	R-TIRE LSW 420/75R34 GDYR OPTI R1W CST	①②④	949 lbs K2M264M80	949 lbs	\$2,831.00
<b>TURF</b>					
AMR8536	F-TIRE 29x12.50-15 R3 Ttn MultiTrac8stud		77 lbs K270M40	77 lbs	\$338.00
AMR8979	R-TIRE 21.5L-16.1 R3 Firestone Turf&Fld	②	245 lbs K790M40	245 lbs	\$988.00
MR8954B	F-TIRE 9.50-24 R3 Gdyr All Weather TL		113 lbs K412M80	113 lbs	\$516.00
AMR8938	R-TIRE 18.4-26 R3 (ANS) 17mm holes		310 lbs K1M020M00	310 lbs	\$1,275.00
AMR8526	F-TIRE LSW305-521R3 Grizz LSW Soft Turf	③	113 lbs K384M00	113 lbs	\$480.00
AMR8541	R-TIRE LSW570-648 R3 Grizz LSW S.TF 5.75		261 lbs K944M00	261 lbs	\$1,180.00
<b>INDUSTRIAL</b>					
AMR8797	F-TIRE 14-17.5 R4 WITH 0.55" INSET		168 lbs K589M60	168 lbs	\$737.00
ALR8917	R-TIRE 16.9-24 R4 Titan Ind Tractor Lug		267 lbs K830L40	267 lbs	\$1,038.00
<b>AG/INDUSTRIAL HYBRID</b>					
AMR8040	F-TIRE LSW320/70R24 GDYR R14T		195 lbs K552M00	195 lbs	\$690.00
AMR8047A	RT TITN 420/75R34 142D R14T 8 BOLT		422 lbs K1M096M00	422 lbs	\$1,370.00
AMR8040	F-TIRE LSW320/70R24 GDYR R14T		195 lbs K552M00	195 lbs	\$690.00
AMR8089	RT TITN 420/75R34 142D R14T CST 8BLT		949 lbs K2M357M60	949 lbs	\$2,947.00

- \* Standard tires.
- ① Recommended for loader applications, increases base weight by approx. 1100 lbs.
- ② Not approved for Backhoe applications.
- ③ For field installation, requires (16) 04512-60140 Spring Washers from Parts Department.
- ④ For field installation, requires (16) [33251-49170] Lug Nuts from Parts Department.
- ⑤ Requires (16) qty - 3A111-97810 Shoulder Lug Nuts for Field Installation
- ⑥ Steering Stops must be adjusted if 60" centers are required.

**M4 Series****M4 Standard and Deluxe****KUBOTA****DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>HYDRAULICS/HITCH/DRAWBAR</b>				
<b>HYDRAULIC REAR REMOTE VALVES</b>				
M7610	SCD (Self Canceling Detent)	K620M00	13 lbs	\$775.00
M7611	FD (Float Detent)	K612M00	11 lbs	\$765.00
M9585	Flow Control Valve Kit (FC)	K448M00	8 lbs	\$560.00
M9595	Flow Control + SCD Valve (FC + SCD)	K930M40	18 lbs	\$1,163.00
<b>REMOTE VALVE LEVER KITS</b>				
M7352	2nd Position Lever Kit for Standard Cab	K125M60	4 lbs	\$157.00
M7355	3rd Position Lever Kit	K125M60	3 lbs	\$157.00
<b>DRAWBAR CLEVIS</b>				
M9594	Drawbar Clevis	K62M40	10 lbs	\$78.00
<b>DROP DRAWBAR</b>				
M9201	Drop Drawbar	K110M40	21 lbs	\$138.00
<b>TRANSMISSION</b>				
<b>CREEP SPEED KITS</b>				
M9131	Creep Speed Cassette Type	K864M00	22 lbs	\$1,080.00
<b>DUAL SPEED PTO KITS</b>				
M7357	540/540E Economy PTO for Standard	K912M80	72 lbs	\$1,141.00
M7367	PTO Change Lever Kit (in Cab) for Standard	K67M20	1 lbs	\$84.00
<b>FRONT &amp; REAR AXLE</b>				
<b>FRONT FENDER KIT (SWIVEL TYPE)</b>				
M9290	Fender Mounting Kit Requires Plastic Fenders Not Compatible with Loader Applications	K698M40	68 lbs	\$873.00
M9208	Plastic Fenders Includes two 14.9" wide Fenders Requires Fender Mounting Kit	K97M60	7 lbs	\$122.00
<b>REAR FENDER EXTENSION KIT</b>				
M9204	Rear Fender Extension Kit for M4 Series Tractors	K319M20	22 lbs	\$399.00
<b>REAR AXLE SPACER KIT</b>				
M9564	Rear Axle Space Kit, adds 2 inches per side Provides 72" spacing with Ag Tires	K768M80	52 lbs	\$961.00

**M4 Series****M4 Standard and Deluxe****KUBOTA****DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>CAB ACCESSORIES</b>				
M7649	Rear Window Wiper Kit	K208M80	4 lbs	\$261.00
M9129	Instructor Seat Kit for Standard Model	K496M80	23 lbs	\$621.00
M9270	Air Ride Seat Suspension Kit Requires Wire Harness (M9205)	K492M00	49 lbs	\$615.00
M9205	Air Ride Seat Wire Harness	K18M40	1 lbs	\$23.00
M7387	Elec-Defogger Kit	K442M40	60 lbs	\$553.00
M9128	Interior Rear View Mirror	K38M40	2 lbs	\$48.00
M7366	Mid Mount Halogen Work Light Kit for Standard	K308M80	7 lbs	\$386.00
M7377	Mid Mount LED Work Light for Deluxe	K448M00	7 lbs	\$560.00
3C581-97010	Monitor Bracket, Universal Type	(Order from Parts Department)		
77700-01098	12V/3-Pin 30 Amp Coupler Pigtail, 12" Long	(Order from Parts Department)		
<b>JENSEN RADIO OPTIONS</b>				
77700-04753	Radio, AM/FM/WB/AUX	(Order from Parts Department)		
77700-04754	Radio, AM/FM/WB/AUX/USB/IPOD/SAT	(Order from Parts Department)		
77700-04755	Radio, AM/FM/WB/AUX/USB/IPOD/SAT/CD/Bluetooth	(Order from Parts Department)		

**ADDITIONAL ACCESSORIES**

<b>BLOCK HEATER</b>				
70000-73274	Block Heater	(Order from Parts Department)		
<b>CCV Heater</b>				
3B731-99660	CCV Heater	(Order from Parts Department)		
<b>Backup Alarm</b>				
77700-10536	Backup Alarm Kit	(Order from Parts Department)		
<b>Beacon Light</b>				
77700-10723	LED Beacon Light Kit	(Order from Parts Department)		
<b>GRILL GUARD</b>				
M6872	Grill Guard Kit (Standard with Loader) Compatible with M8075 front bumper weight Not Compatible with M1875A front weight bracket	K216M80	57 lbs	\$271.00
<b>EXTERNAL 3 POINT</b>				
M7375	External 3 Point Bracket Kit	K88M80	3 lbs	\$111.00
M7385	External 3 Point Contoller and Wire Kit	K124M80	4 lbs	\$156.00
<b>REPLACEMENT CAB</b>				
M7077	Replacement Cab	K7M466M40	1000 lbs	\$9,333.00

**KubotaNOW TELEMATICS**

<b>Each order will require the DCU6700 modem and wiring harness as listed below:</b>				
DCU6700	AT&T Telematics Modem	K321A60	1 lbs	\$402.00
M6712	M Series Telematics Harness	K113M60	1 lbs	\$142.00
<b>KubotaNOW Telematics Service includes a three (3) year term with a Dealer Net cost of \$399 and a total list price of \$525</b>				
<b>As of November 2nd, KubotaNOW will be available for Dealer Owned and Dealer Rental Fleet Machines.</b>				

**M4 Series M4 Standard and Deluxe KUBOTA**

**DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>BALLAST</b>				
<b>FRONT WEIGHT BUMPER</b>				
M8075	Front Weight Bumper (230 lbs. each) Requires Bolt Kit Up to 10 Front Suitcase Weights	K353M60	223 lbs	\$442.00
M1875A	Front Weight Bracket Kit Not Compatible with Loader	K195M20	63 lbs	\$244.00
<b>FRONT SUITCASE WEIGHTS</b>				
M8079	Suitcase Weight (105 lbs. Each) Requires Front Weight Bumper and Bolt/Bar Kit	K90M40	102 lbs	\$113.00
<b>FRONT WEIGHT BOLT/BAR KITS</b>				
M8076	Front Bumper Bolt Kit for M8075	K51M20	4 lbs	\$64.00
M8073A	Bolt/Bar Kit for M8075 One Kit per 10 Front Suitcase Weights	K57M60	10 lbs	\$72.00
<b>REAR WHEEL WEIGHTS</b>				
LM8124	Rear Wheel Weight Kit (103 lbs. each) Set of 2, Requires Rear Wheel Bolt Kit Maximum of 3 Sets on Steel Dish Wheels Maximum of 2 Sets on Cast Dish Wheels Use with 24" or 26" Steel Dish Wheels Not Compatible with Turf Tires	K250M40	206 lbs	\$313.00
M8126A	Rear Wheel Weight Kit (164 lbs. each) Set of 2, Requires Rear Wheel Bolt Kit Maximum of 3 Sets on Steel Dish Wheels Maximum of 2 Sets on Cast Dish Wheels Use with 28", 30", and 34" Wheels	K278M40	328 lbs	\$348.00
<b>REAR WHEEL WEIGHT BOLT KITS</b>				
M8119B	Bolt Kit for 1st Set of M8126A Weights on Cast	K24M00	6 lbs	\$30.00
LM8125A	Bolt Kit for 1st Wheel Weight Kit on Steel Dish Wheels	K59M20	5 lbs	\$74.00
M8127B	Bolt Kit for 2nd and 3rd Set of M8126A Weights Required for 2nd & 3rd Set on ALL Steel Dish Wheels Required for 2nd Set on Cast Dish Wheels	K22M40	6 lbs	\$28.00
M8121A	Bolt Kit for 2nd and 3rd Set of LM8124 Weights One Bolt Kit per Weight Set	K26M40	8 lbs	\$33.00
<b>BALLAST BOX</b>				
M8180	Ballast Box - 3-Point Mount 1280 lbs. Capacity with Dry Sand (13 cu. ft.)	K564M80	220 lbs	\$706.00

**M4 Series****M4 Standard and Deluxe****KUBOTA****FRONT END LOADER**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

**FRONT END LOADER**

LA1154A	Front Loader (2 Lever Type Quick Coupler) Includes Mounting Kit, Parking Stands, Quick Coupler, and Grill Guard DOES NOT INCLUDE VALVE or BUCKET must be ordered separately	K4M563M20	1543 lbs	\$5,704.00
---------	--	-----------	----------	------------

**VALVE KITS**

M6870	Standard Valve Kit for Cab	K902M40	81 lbs	\$1,128.00
M6874	Hydraulic Self-Leveling Valve Kit for Cab	K1M706M40	92 lbs	\$2,133.00

**LOADER ACCESSORY KITS**

<b>3RD FUNCTION VALVE</b>				
M6873	3rd Function Valve Kit for Cab If backhoe is installed requires M4018A in backhoe section.	K852M00	62 lbs	\$1,065.00
<b>SHOCKLESS RIDE</b>				
M6871	KSR (Kubota Shockless Ride) Accumulator	K552M00	47 lbs	\$690.00
<b>QUICK CONNECT</b>				
M1869	Hydraulic Quick Connect Single Lever	K640M00	22 lbs	\$800.00

**QA BUCKETS & ACCESSORIES**

M1811	72" 2 Lever QA Bucket	K631M20	400 lbs	\$789.00
M1815	84" Bucket High Capacity, 2 Lever QA For Light Material Use	K843M20	400 lbs	\$1,054.00
L2245	72" 4-in-1 Bucket Requires 3rd Function Valve	K1L949L60	675 lbs	\$2,437.00
M9247	72" Hay Grapple Bucket 4 Tines, 2-Hyd. Cylinders, 2 Lever QA Coupler Requires 3rd Function Valve Requires 2- Hyd. 1/2" QA couplers, .375 fittings (Obtain Locally, i.e. Pioneer, Parker, or Flat Face)	K3M219M20	1090 lbs	\$4,024.00
<b>BUCKET ACCESSORIES</b>				
M1057	Bucket Tine Kit for 72" 2 Lever QA Bucket	K250M40	79 lbs	\$313.00
<b>BALE SPEARS</b>				
M1804	Bale Spear 2 Lever Type QA	K686M40	195 lbs	\$858.00

**PALLET FORM FRAME / PALLET FORKS**

M1809	Pallet Fork Frame 2 Lever QA Requires 42" or 48" Forks	K635M20	200 lbs	\$794.00
K9058	42" Pallet Forks	K433L60	196 lbs	\$542.00
K9059	48" Pallet Forks	K462K40	218 lbs	\$578.00

---

**M4 Series**

**M4 Standard and Deluxe**

**KUBOTA**

---

**APPROVED ATTACHMENTS**

See Website for Landpride Attachments List

**M5 SERIES**

**M5-091/M5-111**



\*\*\* EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS \*\*\*

**DIESEL ENGINE**

Kubota V3800 Direct Injection  
 3.8L (230 cu. in.) 4 Cyl  
 EPA Tier 4 Final Compliant  
 Common Rail Electronic Fuel Injection  
 Electronic Engine Management  
 Turbocharged  
 w/Wastegate and Intercooled  
 60 Amp Alternator - ROPS  
 80 Amp Alternator - Cab  
 12V 900 CCA Battery

**EXHAUST EMISSION CONTROL TYPE**

DPF System (Diesel Particulate Filter)  
 SCR System

**HYDRAULICS / HITCH / DRAWBAR**

Open Center Gear Pump  
 Max. Flow @ Rated Engine Speed  
     ROPS: 2400 rpm  
     Cab: 2600 rpm  
 Power Steering: 5.4 gpm  
 Impl. Flow - ROPS: 15.9 gpm  
 Impl. Flow - Cab: 17.0 gpm  
 total Flow - ROPS: 21.3 gpm  
 Total Flow - Cab: 23.1 gpm

**REMOTE VALVES**

(1) SCD (Self Canceling Detent)  
 (1) FD (Float Detent) on -1 models (2 Total Standard)

**3 Point Hitch & Drawbar**

Cat II 3-Point Hitch  
 8 Speed Models  
     @ Lift Points: 7055 lbs  
     (ASAE)@ 24" Behind: 5181 lbs  
 12/24 Speed Models  
     @ Lift Points: 8600 lbs  
     (ASAE)@ 24" Behind: 7275 lbs  
 2 External Lift Cylinders  
 Telescoping Lower Links  
 Stabilizers  
 Swinging Drawbar - Straight

**POWER TAKE OFF**

Live-Independent Hyd. PTO  
 SAE 1 3/8" Six Spline  
 540 RPM @ 2205 Eng. RPM  
 540 RPM @ 2035 Eng. RPM - 12/24 speed  
 540E\* @ 1519 Eng. RPM

**Transmission/PTO**

8F/8R Two Range, 4-Speed  
 12F/12R Two Range, 6-Speed  
 540/540E  
 24F/24R Two Range, 6-Speed Hi/Lo  
 540/540E  
 24 speed on M5-111 only  
 Electronic 4WD Function  
 Electro-Hydraulic Shuttle Shift  
 Clutch - Multi-Plate Wet  
 Planetary Final Drives  
 Hydraulic Wet Disc Brakes

**FRONT AXLE**

Hydrostatic Power Steering  
 2WD: Tubular Steel Beam Telescoping  
 4WD: Cast Iron, Bevel Gear 55 Deg  
 Planetary Final Drives  
 Adjustable (Rim) Tread Spacing

**FLUID CAPACITY**

Fuel Tank Capacity: 27.7 gal  
 DEF Tank Capacity: 3.2 gal  
 Cooling System: 11 qts  
 Crankcase: 11.3 qts  
 Hydraulics/Trans: 15.85 gal

**INSTRUMENTS**

LCD readout for MPH and PTO rpm  
 RPM Memory  
 Tachometer/Hour meter  
 Oil Pressure  
 Fuel Gauge  
 Coolant Temperature  
 Gear Speed Digital Light Indicator  
 Digital Light Indicator F/R Direction

**TIRES AND WHEELS**

Front 12.4-24  
 Rear 18.4-30

**Ultra Grand Cab II**

4-Post, ROPS Certified  
 RH & LH Doors  
 Tinted Glass Doors and Windows  
 In-Roof Window  
 Tilt Steering Wheel  
 Dual Level Air Conditioning & Heater  
 Front and Wiper w/ Washer  
 Front Sun Visor  
 Retractable Seat belt  
 LH & RH Side Mirrors  
 Radio Ready Cab  
 Steps, Left and Right Side  
 Interior Dome Light  
 12V - 30-Amp 2 Wire Coupler  
 12V - 3 Pin 30-Amp Coupler  
 12V - Outlet  
 Cup Holder  
 Instructor Seat Ready  
 Horn

**LIGHTING**

2 Headlights - Tail lights  
 4 Hazard Flasher Lights w/ Turn Signals  
 2 Grill Mounted Worklights  
 2 Front Cab Halogen Worklights  
 2 Rear Halogen Worklights

**SAFETY EQUIPMENT**

Flip-Up PTO Shield  
 Safety Start Switches  
 Electric Key Shut Off  
 Parking Brake  
 Turn Signals  
 SMV Sign  
 7-Pin Electrical Trailer Connector

\* if equipped 12/24 Standard

Model Specifications		
<u>M5-091</u>		<u>M5-111</u>
SAE Gross HP:	92.5	SAE Gross HP: 105.6
Engine Net HP:	85.5	Engine Net HP: 100
Max . PTO HP:	76	Max . PTO HP: 89



**M5 SERIES**

**M5-091/M5-111**



ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>2WD MODELS</b>				
<b>***STANDARD TRACTOR WITH STANDARD TIRES***</b>				
M5-091HF-1	2WD Utility 2 Post Foldable ROPS Tractor	K39M049M60	6482 lbs	\$48,812.00
M5-091HFC-1	2WD Utility Ultra Grand Cab II Tractor	K47M789M60	6482 lbs	\$59,737.00
M5-111HF-1	2WD Utility 2 Post Foldable ROPS Tractor	K41M665M60	6482 lbs	\$52,082.00
M5-111HFC-1	2WD Utility Ultra Grand Cab II Tractor	K50M405M60	6482 lbs	\$63,007.00

M5-091/ M5-111 2WD		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGGESTED LIST PRICE
<b>TIRES AND WHEELS†</b>				
<b>STANDARD TIRES</b>				
AMR8961A*	F-TIRE 7.5-18 F2 Titan Tru Trac TT	68 lbs	MM0	Add
AMR8530B*	R-TIRE 18.4-30 R1W GDYR OPTITRAC	393 lbs		In Base Price
<b>AG - BIAS REAR</b>				
AMR8961A*	F-TIRE 7.5-18 F2 Titan Tru Trac TT	68 lbs	MM0	Add
AMR8530B*	R-TIRE 18.4-30 R1W GDYR OPTITRAC	393 lbs		\$0.00
AMR8980B	F-TIRE 10.00-16 F2 Champ Guide Grip TL	91 lbs	M163M20	Add
AMR8530B	R-TIRE 18.4-30 R1W GDYR OPTITRAC	393 lbs		\$204.00
AMXR8789	F-TIRE 9.5L-15 F2 BKT Pro Rib	75 lbs	M174M40	Less
AMR8522A	R-TIRE 18.4-26 R1 ALLIANCE 324	346 lbs		(\$218.00)
<b>AG - RADIAL REAR</b>				
AMR8961A	F-TIRE 7.5-18 F2 Titan Tru Trac TT	68 lbs	M424M00	Add
AMR8531A	R-TIRE 460/85R30 R1W GDYR OPTRAC	429 lbs		\$530.00
AMR8980B	F-TIRE 10.00-16 F2 Champ Guide Grip TL	91 lbs	M587M20	Add
AMR8531A	R-TIRE 460/85R30 R1W GDYR OPTRAC	429 lbs		\$734.00
AMR8961A	F-TIRE 7.5-18 F2 Titan Tru Trac TT	68 lbs	K1M392M00	Add
AMR8514B	R-TIRE 460/85R30 R1W GDYR OPTRAC CAST	1027 lbs		\$1,740.00
AMR8980B	F-TIRE 10.00-16 F2 Champ Guide Grip TL	91 lbs	K1M555M20	Add
AMR8514B	R-TIRE 460/85R30 R1W GDYR OPTRAC CAST	1027 lbs		\$1,944.00
AMR8980B	F-TIRE 10.00-16 F2 Champ Guide Grip TL	91 lbs	M745M60	Add
AMR8537A	R-TIRE 420/85R34 R1W ALLIANCE 385 RADIAL	342 lbs		\$932.00
AMR8980B	F-TIRE 10.00-16 F2 Champ Guide Grip TL	91 lbs	K2M598M40	Add
AMR9258B	R-TIRE 420/85R34 GY OPT R1W CAST	910 lbs		\$3,248.00
<b>TURF</b>				
AMXR8789	F-TIRE 9.5L-15 F2 BKT Pro Rib	75 lbs	M38M40	Less
AMR8521	R-TIRE 18.4-26 R3 (ANS) 19mm holes	301 lbs		(\$48.00)
AMR8545	F-TIRE 27x9.50-15 HF-1 Gdyr Terra Rib	65 lbs	M195M20	Less
AMR8546	R-TIRE 19.5L-24 R3 F-Stone Ind Turf&Fld	289 lbs		(\$244.00)
<b>INDUSTRIAL</b>				
AMXR8789	F-TIRE 9.5L-15 F2 BKT Pro Rib	75 lbs	M248M00	Less
AMR8532	R-TIRE 19.5L-24 R4 Titan Ind Trac Lug	304 lbs		(\$310.00)

† See Tire Section for Individual Tire Pricing and Information  
 \* Standard tires

**M5 SERIES****M5-091/M5-111****KUBOTA**

TIRES AND WHEELS (priced per piece)				
ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
<b>AG - BIAS REAR</b>				
AMR8961A*	F-TIRE 7.5-18 F2 Titan Tru Trac TT	K202M40	68 lbs	\$253.00
AMR8530B*	R-TIRE 18.4-30 R1W GDYR OPTITRAC	K1M128M00	393 lbs	\$1,410.00
AMR8980B	F-TIRE 10.00-16 F2 Champ Guide Grip TL	K284M00	91 lbs	\$355.00
AMR8530B	R-TIRE 18.4-30 R1W GDYR OPTITRAC	K1M128M00	393 lbs	\$1,410.00
AMXR8789	F-TIRE 9.5L-15 F2 BKT Pro Rib	K246M40	75 lbs	\$308.00
AMR8522A	R-TIRE 18.4-26 R1 ALLIANCE 324	K996M80	346 lbs	\$1,246.00
<b>AG - RADIAL REAR</b>				
AMR8961A	F-TIRE 7.5-18 F2 Titan Tru Trac TT	K202M40	68 lbs	\$253.00
AMR8531A	R-TIRE 460/85R30 R1W GDYR OPTRAC	K1M340M00	429 lbs	\$1,675.00
AMR8980B	F-TIRE 10.00-16 F2 Champ Guide Grip TL	K284M00	91 lbs	\$355.00
AMR8531A	R-TIRE 460/85R30 R1W GDYR OPTRAC	K1M340M00	429 lbs	\$1,675.00
AMR8961A	F-TIRE 7.5-18 F2 Titan Tru Trac TT	K202M40	68 lbs	\$253.00
AMR8514B	R-TIRE 460/85R30 R1W GDYR OPTRAC CAST	K1M824M00	1027 lbs	\$2,280.00
AMR8980B	F-TIRE 10.00-16 F2 Champ Guide Grip TL	K284M00	91 lbs	\$355.00
AMR8514B	R-TIRE 460/85R30 R1W GDYR OPTRAC CAST	K1M824M00	1027 lbs	\$2,280.00
AMR8980B	F-TIRE 10.00-16 F2 Champ Guide Grip TL	K284M00	91 lbs	\$355.00
AMR8537A	R-TIRE 420/85R34 R1W ALLIANCE 385 RADIAL	K1M419M20	342 lbs	\$1,774.00
AMR8980B	F-TIRE 10.00-16 F2 Champ Guide Grip TL	K284M00	91 lbs	\$355.00
AMR9258B	R-TIRE 420/85R34 GY OPT R1W CAST	K2M345M60	910 lbs	\$2,932.00
<b>TURF</b>				
AMXR8789	F-TIRE 9.5L-15 F2 BKT Pro Rib	K246M40	75 lbs	\$308.00
AMR8521	R-TIRE 18.4-26 R3 (ANS) 19mm holes	K1M064M80	301 lbs	\$1,331.00
AMR8545	F-TIRE 27x9.50-15 HF-1 Gdyr Terra Rib	K236M00	65 lbs	\$295.00
AMR8546	R-TIRE 19.5L-24 R3 F-Stone Ind Turf&Fld	K996M80	289 lbs	\$1,246.00
<b>INDUSTRIAL</b>				
AMXR8789	F-TIRE 9.5L-15 F2 BKT Pro Rib	K246M40	75 lbs	\$308.00
AMR8532	R-TIRE 19.5L-24 R4 Titan Ind Trac Lug	K960M00	304 lbs	\$1,200.00

\* Standard tires

**M5 SERIES**

**M5-091/M5-111**



ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>4WD MODELS</b>				
***STANDARD TRACTOR WITH STANDARD TIRES***				
M5-091HD-1	4WD Utility 2 Post Foldable ROPS Tractor	K43M311M20	6900 lbs	\$54,139.00
M5-091HD12-1	4WD Utility 2 Post Foldable ROPS, 12 Speed 540/540E	K44M404M00	6900 lbs	\$55,505.00
M5-091HDC-1	4WD Utility Ultra Grand Cab II	K52M051M20	6900 lbs	\$65,064.00
M5-091HDC12-1	4WD Utility Ultra Grand Cab II, 12 Speed 540/540E	K53M144M00	6900 lbs	\$66,430.00
M5-111HD-1	4WD Utility 2 Post Foldable ROPS Tractor	K45M927M20	6900 lbs	\$57,409.00
M5-111HD12-1	4WD Utility 2 Post Foldable ROPS, 12 Speed 540/540E	K47M020M00	6900 lbs	\$58,775.00
M5-111HDC-1	4WD Utility Ultra Grand Cab II	K54M667M20	6900 lbs	\$68,334.00
M5-111HDC12-1	4WD Utility Ultra Grand Cab II, 12 Speed 540/540E	K55M760M00	6900 lbs	\$69,700.00
M5-111HDC24-1	4WD Utility Ultra Grand Cab II, 24 Speed 540/540E	K58M605M60	6900 lbs	\$73,257.00

M5-091/ M5-111 4WD		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGGESTED LIST PRICE
<b>TIRES AND WHEELS†</b>				
<b>STANDARD TIRES</b>				
AMR8556B*	F-TIRE 12.4-24 R1W GDYR OPTITRAC	193 lbs		
AMR8530B*	R-TIRE 18.4-30 R1W GDYR OPTITRAC	393 lbs	MM0	Add
In Base Price				
<b>AG - BIAS REAR</b>				
AMR8556B*	F-TIRE 12.4-24 R1W GDYR OPTITRAC	193 lbs	MM0	Add
AMR8530B*	R-TIRE 18.4-30 R1W GDYR OPTITRAC	393 lbs		\$0.00
AMR8538	F-TIRE 12.5/80-18 Titan Trac Impl 422	147 lbs	K808M00	Less
AMR8523A	R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.5"	265 lbs		(\$1,010.00)
MR8957	F-TIRE 9.50-22 R1 Farm Svc Lug M 8stud	123 lbs	K995M20	Less
AMR8523A	R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.5"	265 lbs		(\$1,244.00)
AMR8555A	F-TIRE 11.2-24 R1 Firestone (SAT) II WAF	163 lbs	K220M80	Less
AMR8933	R-TIRE 16.9-30 R1 DuraTorq 19mm holes	348 lbs		(\$276.00)
AMR8555A	F-TIRE 11.2-24 R1 Firestone (SAT) II WAF	163 lbs	K702M40	Add
AMR8935D	R-TIRE 16.9-30 R1 Gdyr DuraTorq Cast	618 lbs		\$878.00
<b>AG - RADIAL REAR</b>				
AMR8557A	F-TIRE 320/85R24 R1W GDYR OPTRAC	220 lbs	K761M60	Add
AMR8531A	R-TIRE 460/85R30 R1W GDYR OPTRAC	429 lbs		\$952.00
AMR8557A	F-TIRE 320/85R24 R1W GDYR OPTRAC	220 lbs	K1K729M60	Add
AMR8514B	R-TIRE 460/85R30 R1W GDYR OPTRAC CAST	1027 lbs		\$2,162.00
AMR8557A	F-TIRE 320/85R24 R1W GDYR OPTRAC	220 lbs	M920M00	Add
AMR8537A	R-TIRE 420/85R34 R1W ALLIANCE 385 RADIAL	342 lbs		\$1,150.00
AMR8557A	F-TIRE 320/85R24 R1W GDYR OPTRAC	220 lbs	K2M772M80	Add
AMR9258B	R-TIRE 420/85R34 GY OPT R1W CAST	910 lbs		\$3,466.00
<b>INDUSTRIAL</b>				
AMR8808	F-TIRE 12.5/80-18 I3 Ttn Contrac 8stud	159 lbs	K235M20	Less
AMR8532	R-TIRE 19.5L-24 R4 Titan Ind Trac Lug	304 lbs		(\$294.00)
<b>TERRAIN KING</b>				
AMR8557A	F-TIRE 320/85R24 R1W GDYR OPTRAC	220 lbs	K1K729M60	Add
AMR8514B	R-TIRE 460/85R30 R1W GDYR OPTRAC CAST	1027 lbs		\$2,162.00

† See Tire Section for Individual Tire Pricing and Information

\* Standard tires

Ⓞ Not Compatible for Loader Applications

**M5 SERIES M5-091/M5-111 KUBOTA**

TIRES AND WHEELS (priced per piece)				
ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
<b>AG - BIAS REAR</b>				
AMR8556B*	F-TIRE 12.4-24 R1W GDYR OPTITRAC	K539M20	193 lbs	\$674.00
AMR8530B*	R-TIRE 18.4-30 R1W GDYR OPTITRAC	K1M128M00	393 lbs	\$1,410.00
AMR8538	F-TIRE 12.5/80-18 Titan Trac Impl 422	K452M00	147 lbs	\$565.00
AMR8523A	R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.5"	K811M20	265 lbs	\$1,014.00
MR8957	① F-TIRE 9.50-22 R1 Farm Svc Lug M 8stud	K358M40	123 lbs	\$448.00
AMR8523A	R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.5"	K811M20	265 lbs	\$1,014.00
AMR8555A	F-TIRE 11.2-24 R1 Firestone (SAT) II WAF	K535M20	163 lbs	\$669.00
AMR8933	R-TIRE 16.9-30 R1 DuraTorq 19mm holes	K1M021M60	348 lbs	\$1,277.00
AMR8555A	F-TIRE 11.2-24 R1 Firestone (SAT) II WAF	K535M20	163 lbs	\$669.00
AMR8935D	R-TIRE 16.9-30 R1 Gdyr DuraTorq Cast	K1M483M20	618 lbs	\$1,854.00
<b>AG - RADIAL REAR</b>				
AMR857A	F-TIRE 320/85R24 R1W GDYR OPTRAC	K708M00	220 lbs	\$885.00
AMR8531A	R-TIRE 460/85R30 R1W GDYR OPTRAC	K1M340M00	429 lbs	\$1,675.00
AMR857A	F-TIRE 320/85R24 R1W GDYR OPTRAC	K708M00	220 lbs	\$885.00
AMR8514B	R-TIRE 460/85R30 R1W GDYR OPTRAC CAST	K1M824M00	1027 lbs	\$2,280.00
AMR857A	F-TIRE 320/85R24 R1W GDYR OPTRAC	K708M00	220 lbs	\$885.00
AMR8537A	R-TIRE 420/85R34 R1W ALLIANCE 385 RADIAL	K1M419M20	342 lbs	\$1,774.00
AMR857A	F-TIRE 320/85R24 R1W GDYR OPTRAC	K708M00	220 lbs	\$885.00
AMR9258B	R-TIRE 420/85R34 GY OPT R1W CAST	K2M345M60	910 lbs	\$2,932.00
<b>INDUSTRIAL</b>				
AMR8808	F-TIRE 12.5/80-18 I3 Ttn Contrac 8stud	K589M60	159 lbs	\$737.00
AMR8532	R-TIRE 19.5L-24 R4 Titan Ind Trac Lug	K960M00	304 lbs	\$1,200.00
<b>TERRAIN KING</b>				
AMR857A	F-TIRE 320/85R24 R1W GDYR OPTRAC	K708M00	220 lbs	\$885.00
AMR8514B	R-TIRE 460/85R30 R1W GDYR OPTRAC CAST	K1M824M00	1027 lbs	\$2,280.00

\* Standard tires  
 ① Not compatible for Loader applications.

**M5 SERIES****M5-091/M5-111****KUBOTA****DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
<b>HYDRAULICS/HITCH/DRAWBAR</b>				
<b>HYDRAULIC REAR REMOTE VALVES - 2ND AND 3RD POSITION</b>				
M7604	SCD (Self Canceling Detent) for ROPS	K620M00	13 lbs	\$775.00
M7605	FD (Float Detent) for ROPS	K612M00	11 lbs	\$765.00
M7610	SCD (Self Canceling Detent) for Cab	K620M00	13 lbs	\$775.00
M7611	FD (Float Detent) for Cab	K612M00	11 lbs	\$765.00
<b>REMOTE VALVE LEVER KITS</b>				
M9112	2nd Position Lever Kit for ROPS (Standard on -1 Models)	K135M20	3 lbs	\$169.00
M9113	3rd Position Lever Kit for ROPS	K135M20	5 lbs	\$169.00
M9114	2nd Position Lever Kit for Cab (Standard on -1 Models)	K135M20	3 lbs	\$169.00
M9116	3rd Position Lever Kit for Cab	K135M20	5 lbs	\$169.00
<b>FLOW CONTROL VALVES</b>				
M9585	Flow Control Valve	K448M00	8 lbs	\$560.00
M9595	Flow Control Valve with SCD Valve For Valve-to-Valve Operation Requires 2nd Lever Kit for ROPS or 2nd Lever Kit for Cab models	K930M40	18 lbs	\$1,163.00
<b>3-POINT LIFT ASSIST KIT</b>				
M7651	High Capacity Lift Cylinders Standard on 12 and 24 speed models	K860M80	49 lbs	\$1,076.00
<b>DRAWBAR CLEVIS</b>				
M9594	Drawbar Clevis	K62M40	10 lbs	\$78.00
<b>TRANSMISSION</b>				
<b>CREEP SPEED KIT</b>				
M9131	Creep Speed Cassette Type	K864M00	22 lbs	\$1,080.00
<b>DUAL SPEED PTO KITS</b>				
M7619A	540/540E Economy PTO. Requires Lever kit for Cab models.	K912M80	123 lbs	\$1,141.00
M9132	In-Cab Economy PTO Lever for Cab Inside cab control is recommended for ease of user operation, it replaces the outside control lever.	K67M20	4 lbs	\$84.00
M7623A	540/1000 RPM PTO Kit- 1000@2389 RPM Not compatible with 540 Economy PTO	K1M035M20	123 lbs	\$1,294.00
<b>FRONT &amp; REAR AXLE</b>				
<b>FRONT FENDER KIT (SWIVEL TYPE)</b>				
M9290	Fender Mounting Kit Requires Plastic Fenders Not Compatible with Loader Applications Not Compatible with 2WD Tractors Requires two (2) part # 3C294-43300 Pre-Drilled Front Wheel Case Supports	K698M40	68 lbs	\$873.00
M9208	Plastic Fenders Includes two 14.9" wide Fenders Requires Fender Mounting Kit	K97M60	7 lbs	\$122.00
<b>WIDE ROW FRONT AXLE KIT</b>				
M8595A	80" Wide Row Front Axle Kit Not Compatible with Loader Applications	K552M80	225 lbs	\$691.00
<b>REAR AXLE SPACER KIT</b>				
M7647	Rear Axle Space kit adds 2 inches per side	K846M40	44 lbs	\$1,058.00

**M5 SERIES****M5-091/M5-111****KUBOTA****DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
<b>ROPS ACCESSORIES</b>				
<b>CANOPY</b>				
E1134	Deluxe Fiberglass Canopy (ROPS Models) Requires Mounting Kit	K347M20	63 lbs	\$434.00
E1136	Mounting Kit	K171M20	29 lbs	\$214.00
E1138	Work Light Set for Canopy (optional 2-lights)	K131A20	3 lbs	\$164.00
<b>DOWN EXHAUST PIPE KIT ROPS</b>				
M9141	Pipe Kit	K499M20	30 lbs	\$624.00
<b>HIGH CAPACITY ALTERNATOR KIT</b>				
M9133	80 Amp High Capacity Alternator Kit for ROPS	K428M80	10 lbs	\$536.00
<b>REAR WORK LIGHT</b>				
M7630	Rear Working Auxiliary Light (Maximum 1 Light/Tractor)	K76M00	3 lbs	\$95.00
<b>CAB ACCESSORIES</b>				
M7649	Rear Window Wiper Kit	K208M80	4 lbs	\$261.00
M9119	Elec-Defogger Kit Requires 130 Amp Alternator	K704M80	66 lbs	\$881.00
M9117	Mid Mount Work Light Kit Requires High Capacity Alternator Kit	K106M40	3 lbs	\$133.00
M9128	Interior Rear View Mirror	K38M40	2 lbs	\$48.00
M9270	Air Ride Seat Suspension Kit Requires Wire Harness (M9205)	K492M00	49 lbs	\$615.00
M9205	Air Ride Seat Wire Harness	K18M40	1 lbs	\$23.00
M9129	Instructors Seat	K496M80	23 lbs	\$621.00
77700-01098	12V/3-Pin 30 Amp Coupler Pigtail, 12" Long			(Order from Parts Department)
<b>HIGH CAPACITY ALTERNATOR KIT</b>				
M9134	130 Amp High Capacity Alternator Kit for Cab	K696M80	10 lbs	\$871.00
<b>REAR FENDER EXTENSIONS</b>				
M9207	PLASTIC REAR FENDER EXTENSION - M5 CAB	K300M80	22 lbs	\$376.00
<b>JENSEN RADIO OPTIONS</b>				
77700-04753	Radio, AM/FM/WB/AUX			(Order from Parts Department)
77700-04754	Radio, AM/FM/WB/AUX/USB/IPOD/SAT			(Order from Parts Department)
77700-04755	Radio, AM/FM/WB/AUX/USB/IPOD/SATCD/Bluetooth			(Order from Parts Department)

**M5 SERIES****M5-091/M5-111****KUBOTA****DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
<b>BALLAST</b>				
<b>FRONT WEIGHT BRACKETS</b>				
M8075	Front Weight Bracket (230 lbs. each) Standard on 2WD Models Requires Front Bumper Bolt Kit Up to 10 Front Suitcase Weights Not Compatible with Loader Compatible with Grill Guard	K353M60	223 lbs	\$442.00
M1875A	Front Weight Bracket (59 lbs. each) Requires Bolt/Bar Kit Up to 7 Front Suitcase Weights Loader must be detached Not Compatible with Grill Guard	K195M20	63 lbs	\$244.00
<b>FRONT SUITCASE WEIGHTS</b>				
M8079	Suitcase Weight Requires Front Weight bracket and Bolt/Bar Kit	K90M40	102 lbs	\$113.00
<b>FRONT WEIGHT BOLT/BAR KITS</b>				
M8076	Front Bumper Bolt Kit for M8075 Standard on 2WD Models	K51M20	4 lbs	\$64.00
M8073A	Bolt/Bar Kit for M8075	K57M60	10 lbs	\$72.00
M8074A	Bolt/Bar Kit for M1875A	K55M20	8 lbs	\$69.00
<b>REAR WHEEL WEIGHTS</b>				
LM8124	Rear Wheel Weight Kit (103 lbs. each) Set of 2, Requires Rear Wheel Bolt Kit Maximum of 3 Sets on Steel Dish Wheels Maximum of 2 Sets on Cast Dish Wheels Use with 24" or 26" Wheels	K250M40	206 lbs	\$313.00
M8126A	Rear Wheel Weight Kit (164 lbs. each) Set of 2, Requires Rear Wheel Bolt Kit Maximum of 3 Sets on Steel Dish Wheels Maximum of 2 Sets on Cast Dish Wheels Use with 28", 30", or 34" Wheels	K278M40	328 lbs	\$348.00
<b>REAR WHEEL WEIGHT BOLT KITS</b>				
M8119B	Bolt Kit for 1st Wheel Weight Kit on Cast Dish Wheels	K24M00	6 lbs	\$30.00
LM8125A	Bolt Kit for 1st Wheel Weight Kit on Steel Dish Wheels	K59M20	5 lbs	\$74.00
M8127B	Bolt Kit for 2nd and 3rd Set of M8126A Weights Required for 2nd & 3rd Set on ALL Steel Dish Wheels Required for 2nd Set on Cast Dish Wheels	K22M40	6 lbs	\$28.00
M8121A	Bolt Kit for 2nd and 3rd Set of LM8124 Weights One Bolt Kit per Weight Set	K26M40	8 lbs	\$33.00

**M5 SERIES**

**M5-091/M5-111**



**DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
------------	-------------	----------------	-------------	----------------------

**ADDITIONAL ACCESSORIES**

<b>BLOCK HEATER</b>				
70000-73274	Block Heater			(Order from Parts Department)
<b>EXTREME COLD WEATHER KIT</b>				
3B791-99660	CCV Heater Kit for Extreme Cold Weather (ROPS)			(Order from Parts Department)
3B291-99660	CCV Heater Kit for Extreme Cold Weather (CAB)			(Order from Parts Department)
<b>GRILL GUARD</b>				
M6909	Grill Guard Kit Compatible with Front Weight Bumper	K199M20	62 lbs	\$249.00
<b>REPLACEMENT CAB</b>				
M7985	8 & 12 Speed Replacement Cab - Field Installation Required	K7M466M40	1157 lbs	\$9,333.00
M7986	24 Speed Replacement Cab - Field Installation Required	K7M466M40	1157 lbs	\$9,333.00
<b>REPLACEMENT ROPS</b>				
SFM-FM5111	Replacement ROPS for M5 Standard ROPS Tractors	K671M20	79 lbs	\$839.00
<b>BACKUP ALARM</b>				
M7552	M5 Cab Backup Alarm Kit	K140M00	2 lbs	\$175.00
<b>BEACON LIGHT</b>				
M7572	M5 Cab Beacon Light Kit	K254M40	4 lbs	\$318.00
<b>EXTERNAL 3 POINT</b>				
M4570	External 3 Point Adjustment Kit Required Control Knob/ Cable Assembly	K165M60	6 lbs	\$207.00
M7385	Control Knob/ Cable Assembly	K124M80	4 lbs	\$156.00

**KubotaNOW TELEMATICS**

<b>Each order will require the DCU6700 modem and wiring harness as listed below:</b>				
DCU6700	AT&T Telematics Modem	K321A60	1 lbs	\$402.00
M6712	M Series Telematics Harness	K113M60	1 lbs	\$142.00
<b>KubotaNOW Telematics Service includes a three (3) year term with a Dealer Net cost of \$399 and a total list price of \$525</b>				
<b>As of November 2nd, KubotaNOW will be available for Dealer Owned and Dealer Rental Fleet Machines.</b>				



**M5 SERIES****M5-091/M5-111****KUBOTA****FRONT END LOADER**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
------------	-------------	----------------	-------------	----------------------

**FRONT END LOADER**

LA1854	Front End Loader (2 Lever Type Quick Coupler) Includes Mounting Kit and Stand DOES NOT INCLUDE VALVE OR BUCKET, must be ordered separately	K5M163M20	1859 lbs	\$6,454.00
--------	--	-----------	----------	------------

**VALVE KITS**

M6901	Standard Valve Kit for ROPS	K921M60	90 lbs	\$1,152.00
M6902	Standard Valve Kit for Cab	K921M60	82 lbs	\$1,152.00
M6903	Hydraulic Self-Leveling Valve Kit for ROPS	K1M705M60	101 lbs	\$2,132.00
M6904	Hydraulic Self-Leveling Valve Kit for Cab	K1M740M80	92 lbs	\$2,176.00

**LOADER ACCESSORY KITS**

<b>LOADER ACCESSORY KITS</b>				
M6905	Standard 3rd Function Valve Kit for ROPS	K1M095M20	61 lbs	\$1,369.00
M6906	Standard 3rd Function Valve Kit for Cab	K1M095M20	62 lbs	\$1,369.00
M6907	Hydraulic Self-Leveling 3rd Function Valve Kit for ROPS	K1M126M40	61 lbs	\$1,408.00
M6908	Hydraulic Self-Leveling 3rd Function Valve Kit for Cab	K1M126M40	68 lbs	\$1,408.00
<b>LOADER ACCESSORIES KITS</b>				
M6910	KSR (Kubota Shockless Ride) Accumulator	K611M20	33 lbs	\$764.00
M6911	Hydraulic Quick Connect Single Lever	K728M00	22 lbs	\$910.00

**QA BUCKETS & ACCESSORIES**

M1811	72" Round Back Bucket	K631M20	400 lbs	\$789.00
M1815	84" Round Back High Capacity, Light Material Bucket	K843M20	400 lbs	\$1,054.00
M1816	84" Round Back Bucket	K804M00	400 lbs	\$1,005.00
M1285	84" Bucket Tine Kit (Includes 9 Tines and Hardware)	K400M80	90 lbs	\$501.00
M1886	96" Bucket	K892M00	610 lbs	\$1,115.00
M1287	96" Bucket Tine Kit (Includes 10 Tines and Hardware)	K445M60	200 lbs	\$557.00
M1896	96" Square Back High Capacity, Light Material Bucket	K984M00	610 lbs	\$1,230.00
M9248	84" Hay Grapple Bucket 4 Tines, 2-Hyd. Cylinder, 2-Lever QA Requires 3rd Function Valve Requires 2-Hyd. 1/2" QA couplers, .375" fittings (Obtain Locally, i.e. Pioneer, Parker, or Flat Face)	K3M540M80	1240 lbs	\$4,426.00
M9249	90" Hay Grapple Bucket 4 Tines, 2-Hyd. Cylinder, 2-Lever QA Requires 3rd Function Valve Requires 2-Hyd. 1/2" QA couplers, .375" fittings (Obtain Locally, i.e. Pioneer, Parker, or Flat Face)	K3M755M20	1500 lbs	\$4,694.00
<b>BUCKET ACCESSORIES</b>				
M1057	Bucket Tine Kit for 72" 2 Lever QA Bucket	K250M40	79 lbs	\$313.00
<b>BALE SPEARS</b>				
M1804	Bale Spear 2 Lever Type QA	K686M40	195 lbs	\$858.00

**PALLET FORK FRAME / PALLET FORKS**

M1809	Pallet Fork Frame 2 Lever QA Requires 42" or 48" Forks	K635M20	200 lbs	\$794.00
K9058	42" Pallet Forks	K433L60	196 lbs	\$542.00
K9059	48" Pallet Forks	K462K40	218 lbs	\$578.00

**M5 SERIES****M5-091/M5-111****KUBOTA****FRONT END LOADER**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
------------	-------------	----------------	-------------	----------------------

**EURO COUPLER**

M1803	Euro Type Coupler	K379M20	210 lbs	\$474.00
-------	-------------------	---------	---------	----------

**EURO COUPLER TYPE****EURO BUCKET / BUCKET TINE KITS / GRAPPLE BUCKETS**

M1816E	84" Euro QA Bucket	K938M40	400 lbs	\$1,173.00
M1285	84" Bucket Tine Kit	K400M80	90 lbs	\$501.00
M1886E	96" Euro QA Bucket	K1M357M60	610 lbs	\$1,697.00
M1287	96" Bucket Tine Kit	K445M60	200 lbs	\$557.00
M1896E	96" Euro QA, Light Material Bucket	K1M471M20	610 lbs	\$1,839.00
M9243E	84" Euro QA type Bale Grapple Bucket 4 Tines, 2-Hyd. Cylinders, 2 Lever QA 2-Lever QA coupler Requires 3rd Function Valve Requires 2-Hyd. 1/2" QA couplers, .375" fittings (Obtain Locally, i.e. Pioneer, Parker, or Flat Face)	K3M780M00	1235 lbs	\$4,725.00
M9223E	96" Euro QA type Bale Grapple Bucket Four tine, 2-cylinder grapple 2-Lever QA coupler Requires 3rd Function Valve Requires 2-Hyd. 1/2" QA couplers, .375" fittings (Obtain Locally, i.e. Pioneer, Parker, or Flat Face)	K4M075M20	1300 lbs	\$5,094.00

**EURO BALE SPEARS**

M1817E	Bale Spear Quick Coupler, Euro QA	K771M20	200 lbs	\$964.00
--------	-----------------------------------	---------	---------	----------

**EURO PALLET FORK FRAME / PALLET FORKS**

M1819E	Pallet Fork Frame, Euro QA Requires 42" or 48" Forks	K712M00	200 lbs	\$890.00
K9058	42" Pallet Forks	K433L60	196 lbs	\$542.00
K9059	48" Pallet Forks	K462K40	218 lbs	\$578.00

**M5 Series****M5-091/M5-111****KUBOTA****BACKHOES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>BACKHOE &amp; ACCESSORIES</b>				
M4509	Backhoe, 9 ft. digging depth Includes Pressed Steel Grousers Requires Mounting Kit and Bucket *Subject to availability*	K9M343M20	1960 lbs	\$11,679.00
M4509V	Backhoe, 9 ft. digging depth Includes Auxiliary Valve and Pressed Steel Grousers Requires Mounting Kit and Bucket *Subject to availability*	K10M745M60	1960 lbs	\$13,432.00
M4011	Backhoe, 11.1 ft. digging depth Includes Pressed Flip-Type Grousers Requires Mounting Kit and Bucket Dipperstick includes Thumb Bracket *Subject to availability*	K11M394M40	1940 lbs	\$14,243.00
M4011V	Backhoe, 11.1 ft. digging depth Includes Auxiliary Valve and Flip-Type Grousers Requires Mounting Kit and Bucket Dipperstick includes Thumb Bracket *Subject to availability*	K13M003M20	2020 lbs	\$16,254.00
<b>BACKHOE MOUNTING KIT</b>				
M4029	Backhoe Subframe Kit *Subject to availability*	K2M392M80	575 lbs	\$2,991.00
<b>BACKHOE ACCESSORIES</b>				
M4516	Auxiliary Hydraulic Valve Kit for M4509	K1M360M00	60 lbs	\$1,700.00
M4016	Auxiliary Hydraulic Valve Kit for M4011	K1M482M40	60 lbs	\$1,853.00
M4745	Bucket Quick Coupler	K708M80	70 lbs	\$886.00
M4014	Hydraulic Thumb Kit	K1M045M60	150 lbs	\$1,307.00
M4018A	Relocation Hose and Bracket Kit ROPS models Required if tractor is equipped with a 3rd function control valve and M4011 Backhoe.	K235M20	15 lbs	\$294.00
M4015	Mechanical Thumb Kit	K904M00	155 lbs	\$1,130.00
<b>RUBBER FLIP PADS</b>				
L9453	Rubber Flip Pads Not compatible with pressed steel grousers	K113L60	21 lbs	\$142.00
<b>M4509 / M4011 BUCKETS</b>				
L5415A	12" Bucket (1.43 cu. ft. Struck / 1.83 cu. ft. Heaped) Not Compatible with Thumb Kits	K593L60	140 lbs	\$742.00
L5416A	16" Bucket (1.98 cu. ft. Struck / 2.56 cu. ft. Heaped) Not Compatible with Thumb Kits	K636L80	154 lbs	\$796.00
L5418A	18" Bucket (2.25 cu. ft. Struck / 2.98 cu. ft. Heaped)	K648L80	162 lbs	\$811.00
L5424A	24" Bucket (3.07 cu. ft. Struck / 4.32 cu. ft. Heaped)	K724L00	185 lbs	\$905.00
M5436	36" Bucket (4.04 cu. ft. Struck / 6.14 cu. ft. Heaped) Not Compatible with Thumb Kits	K963M20	257 lbs	\$1,204.00
M5438	38" Bucket (4.48 cu. ft. Struck / 6.61 cu. ft. Heaped) NOTE: Special order due to low sales volume	K938M40	1 lbs	\$1,173.00

---

**M5 SERIES**

**M5-091/M5-111**

**KUBOTA**

---

**Approved Attachments**

See Website for Landpride Attachments List

**M5 SERIES**

**M5L-111 Low Profile**



\*\*\* EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS \*\*\*

**DIESEL ENGINE**

Kubota V3800 Direct Injection  
 3.8L (230 cu. in.) 4 Cyl  
 EPA Tier 4 Final Compliant  
 Common Rail Electronic Fuel Injection  
 Electronic Engine Management  
 Turbocharged  
 w/Wastegate and Intercooled  
 60 Amp Alternator - ROPS  
 12V 900 CCA Battery

**EXHAUST EMISSION CONTROL TYPE**

DPF System (Diesel Particulate Filter)  
 SCR System

**HYDRAULICS / HITCH / DRAWBAR**

Open Center Gear Pump  
 Max. Flow @ Rated Engine Speed  
     ROPS: 2400 RPM  
     Power Steering: 5.6 gpm  
 Impl. Flow - ROPS: 15.7 gpm  
 Total Flow - ROPS: 21.3 gpm

**REMOTE VALVES**

(2) SCD (Self Canceling Detent)

**3 POINT HITCH & DRAWBAR**

Cat II 3-Point Hitch  
     @ Lift Points: 7055 lbs  
     (ASAE)@ 24" Behind: 5181 lbs  
 2 External Lift Cylinders  
 Telescoping Lower Links  
 Stabilizers  
 Swinging Drawbar - Straight

**POWER TAKE OFF**

Live-Independent Hyd. PTO  
 SAE 1 3/8" Six Spline  
 540 RPM @ 2035 Eng. RPM  
 540E @ 1519 Eng. RPM

Model Specifications	
<b>M5L-111</b>	
SAE Gross HP:	105.6
SAE Gross HP:	100
Max. PTO HP:	89

**TRANSMISSION**

12F/12R Two Range, 6-Speed  
 Electro-Hydraulic Shuttle Shift  
 Clutch - Multi-Plate Wet  
 Planetary Final Drives  
 Hydraulic Wet Disk Brakes

**FRONT AXLE**

Hydrostatic Power Steering  
 4WD: Cast Iron, Bevel Gear 55 Deg  
 Limited Slip Differential  
 Adjustable (Rim) Tread Spacing

**FLUID CAPACITY**

Fuel Tank Capacity: 24.3 gal  
 DEF Tank Capacity: 3.2 gal  
 Cooling System: 11 qts  
 Crankcase: 11.3 qts  
 Hydraulics/Trans: 15.84 gal

**INSTRUMENTS**

LCD readout for MPH and PTO rpm  
 RPM Memory  
 Tachometer/Hour meter  
 Oil Pressure  
 Fuel Gauge  
 Coolant Temperature  
 Gear Speed Digital Light Indicator  
 Digital Light Indicator F/R Direction

**TIRES AND WHEELS**

Front  
 Rear

**OPERATOR STATION**

Tilt Steering Wheel  
 Retractable Seat belt  
 12V - Outlet  
 Cup Holder

**LIGHTING**

2 Headlights - Tail lights  
 4 Hazard Flasher Lights w/ Turn Signals  
 2 Grill Mounted Worklights

**SAFETY EQUIPMENT**

Flip-Up PTO Shield  
 Safety Start Switches  
 Electric Key Shut Off  
 Parking Brake  
 Turn Signals  
 SMV Sign  
 7-Pin Electrical Trailer Connector

**M5 SERIES M5L-111 Low Profile KUBOTA**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
***STANDARD TRACTOR WITH STANDARD TIRES***				
M5L-111-SN	4WD Low Profile Utility 2 Post Telescopic ROPS Tractor	K51M410M00	6900 lbs	\$64,305.00

M5L-111-SN		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGGESTED LIST PRICE
<b>TIRES AND WHEELS†</b>				
<b>STANDARD TIRES</b>				
MR8956*	F-TIRE 9.50-20 R1 B-Stone Farm Svc Lug M	98 lbs	MM0	Add
AMR8523A*	R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.5"	265 lbs		In Base Price
<b>AG - BIAS REAR</b>				
MR8956*	F-TIRE 9.50-20 R1 B-Stone Farm Svc Lug M	98 lbs	MM0	Add
AMR8523A*	R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.5"	265 lbs		\$0.00
AMR8538	F-TIRE 12.5/80-18 Titan Trac Impl 422	147 lbs	K308M80	Add
AMR8523A	R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.5"	265 lbs		\$386.00
AMR8955C	F-TIRE 9.5-24 R1 Goodyear Dura Torque	130 lbs	K572M80	Add
AMR8522A	① R-TIRE 18.4-26 R1 ALLIANCE 324	346 lbs		\$716.00
<b>AG - RADIAL REAR</b>				
AMR8643	F-TIRE 340/65R18 R1W MCHLN MULTIBIB	169 lbs	K1K424M00	Add
AMR8661	R-TIRE 480/65R24 R1W MCHLN MLTBIB	300 lbs		\$1,780.00
AMR8643	F-TIRE 340/65R18 R1W MCHLN MULTIBIB	169 lbs	K2K507M20	Add
AMR8690	R-TIRE 480/65R24 R1W MCHLN MLTBIB CST	660 lbs		\$3,134.00
<b>TURF/FLOTATION</b>				
AMR8567	F-TR 400/60-15.5 ALLIANCE I-2 FLOAT	128 lbs	K736M00	Add
AMR8580	② R-TR 600/50-22.5 ALLIANCE I-2 FLOAT	367 lbs		\$920.00
<b>INDUSTRIAL</b>				
AMR8808	F-TIRE 12.5/80-18 I3 Ttn Contrac 8stud	159 lbs	K881M60	Add
AMR8532	R-TIRE 19.5L-24 R4 Titan Ind Trac Lug	304 lbs		\$1,102.00

\* Standard Tires  
 ① Requires Rear Fender Kit M9469  
 ② Only 2 weights can be mounted per side.

TIRES AND WHEELS (priced per piece)				
ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
<b>AG - BIAS REAR</b>				
MR8956*	F-TIRE 9.50-20 R1 B-Stone Farm Svc Lug M	K297M60	98 lbs	\$372.00
AMR8523A*	R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.5"	K811M20	265 lbs	\$1,014.00
AMR8538	F-TIRE 12.5/80-18 Titan Trac Impl 422	K452M00	147 lbs	\$565.00
AMR8523A	R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.5"	K811M20	265 lbs	\$1,014.00
AMR8955C	F-TIRE 9.5-24 R1 Goodyear Dura Torque	K398M40	130 lbs	\$498.00
AMR8522A	① R-TIRE 18.4-26 R1 ALLIANCE 324	K996M80	346 lbs	\$1,246.00
<b>AG - RADIAL REAR</b>				
AMR8643	F-TIRE 340/65R18 R1W MCHLN MULTIBIB	K658M40	169 lbs	\$823.00
AMR8661	R-TIRE 480/65R24 R1W MCHLN MLTBIB	K1M162M40	300 lbs	\$1,453.00
AMR8643	F-TIRE 340/65R18 R1W MCHLN MULTIBIB	K658M40	169 lbs	\$823.00
AMR8690	R-TIRE 480/65R24 R1W MCHLN MLTBIB CST	K1M704M00	660 lbs	\$2,130.00
<b>TURF/FLOTATION</b>				
AMR8567	F-TR 400/60-15.5 ALLIANCE I-2 FLOAT	K434M40	128 lbs	\$543.00
AMR8580	② R-TR 600/50-22.5 ALLIANCE I-2 FLOAT	K1M042M40	367 lbs	\$1,303.00
<b>INDUSTRIAL</b>				
AMR8808	F-TIRE 12.5/80-18 I3 Ttn Contrac 8stud	K589M60	159 lbs	\$737.00
AMR8532	R-TIRE 19.5L-24 R4 Titan Ind Trac Lug	K960M00	304 lbs	\$1,200.00

\* Standard Tires  
 ① Requires Rear Fender Kit M9469  
 ② Only 2 weights can be mounted per side.

**M5 SERIES****M5L-111 Low Profile****KUBOTA****DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
<b>HYDRAULICS/HITCH/DRAWBAR</b>				
<b>HYDRAULIC REAR REMOTE VALVES - 2ND AND 3RD POSITION</b>				
M7610	SCD (Self Canceling Detent)	K620M00	13 lbs	\$775.00
M7611	FD (Float Detent)	K612M00	11 lbs	\$765.00
<b>REMOTE VALVE LEVER KITS</b>				
M7699	3rd Position Lever Kit	K125M60	5 lbs	\$157.00
<b>FLOW CONTROL VALVES</b>				
M9585	Flow Control Valve	K448M00	8 lbs	\$560.00
M9595	Flow Control Valve with SCD Valve For Simultaneous Valve Operation Replaces 1st SCD valve must be removed from tractor.	K930M40	18 lbs	\$1,163.00
<b>3-POINT LIFT ASSIST KIT</b>				
M7651	High Capacity Lift Cylinders	K860M80	49 lbs	\$1,076.00
<b>DRAWBAR CLEVIS</b>				
M9594	Drawbar Clevis	K62M40	10 lbs	\$78.00
<b>TRANSMISSION</b>				
<b>CREEP SPEED KIT</b>				
M9131	Creep Speed Cassette Type	K864M00	22 lbs	\$1,080.00
<b>DUAL SPEED PTO KITS</b>				
M7623A	540/1000 RPM PTO Kit- 1000@2389 RPM	K1M035M20	123 lbs	\$1,294.00
<b>FRONT &amp; REAR AXLE</b>				
<b>FRONT FENDER KIT (SWIVEL TYPE)</b>				
M9290	Fender Mounting Kit Requires Plastic Fenders Requires two (2) part # 3C294-43300 Pre-Drilled Front Wheel Case Supports Not Compatible with Loader Applications Not Compatible with AMR8567 Flotation Tires	K698M40	68 lbs	\$873.00
M9208	Plastic Fenders Includes two 14.9" wide Fenders Requires Fender Mounting Kit	K97M60	7 lbs	\$122.00
<b>REAR AXLE SPACER KIT</b>				
M7647	Rear Axle Spacer Kit adds 2 inches per side Provides 80" spacing with Ag Tires	K846M40	44 lbs	\$1,058.00
<b>REAR FENDER KITS</b>				
M9196	Replacement Steel Fenders (Complete Set) Order individual replacement components though parts	K1M520M80	160 lbs	\$1,901.00
M9469	Raises Steel Fender up 2 inches. Required if 26" wheel is used.	K33M60	4 lbs	\$42.00
M9194	8 Inch Steel extension. For use on AMR8580 or AMR8532 when full tire coverage is needed	K280M00	39 lbs	\$350.00
<b>ROPS ACCESSORIES</b>				
<b>CANOPY</b>				
E1134	Deluxe Fiberglass Canopy (ROPS Models) Requires Mounting Kit	K347M20	63 lbs	\$434.00
E1136	Mounting Kit	K171M20	29 lbs	\$214.00
E1138	Work Light Set for Canopy (optional 2-lights)	K131A20	3 lbs	\$164.00
<b>HIGH CAPACITY ALTERNATOR KIT</b>				
M9133	80 Amp High Capacity Alternator Kit for ROPS	K428M80	10 lbs	\$536.00
<b>REAR WORK LIGHT</b>				
M7672	Rear Working Auxillary Light (Maximum 1 Light/Tractor)	K90M40	4 lbs	\$113.00

**M5 SERIES****M5L-111 Low Profile****KUBOTA****DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
<b>BALLAST</b>				
<b>FRONT WEIGHT BRACKETS</b>				
M8075	Front Weight Bracket (230 lbs. each) Requires Front Bumper Bolt Kit Up to 10 Front Suitcase Weights Not Compatible with Loader	K353M60	223 lbs	\$442.00
M1875A	Front Weight Bracket (59 lbs. each) Requires Bolt/Bar Kit Up to 7 Front Suitcase Weights Loader must be detached, not compatible with grill guard	K195M20	63 lbs	\$244.00
<b>FRONT SUITCASE WEIGHTS</b>				
M8079	Suitcase Weight Requires Front Weight Bumper and Bolt/Bar Kit	K90M40	102 lbs	\$113.00
<b>FRONT WEIGHT BOLT/BAR KITS</b>				
M8076	Front Bumper Bolt Kit for M8075	K51M20	4 lbs	\$64.00
M8073A	Bolt/Bar Kit for M8075	K57M60	10 lbs	\$72.00
M8074A	Bolt/Bar Kit for M1875A	K55M20	8 lbs	\$69.00
<b>REAR WHEEL WEIGHTS</b>				
LM8124	Rear Wheel Weight Kit (103 lbs. each) Set of 2, Requires Rear Wheel Bolt Kit Maximum of 3 Sets on Steel Dish Wheels Maximum of 2 Sets on Cast Dish Wheels Use with 24" or 26" Wheels	K250M40	206 lbs	\$313.00
<b>REAR WHEEL WEIGHT BOLT KITS</b>				
LM8125A	Bolt Kit for 1st Wheel Weight Kit on Steel Dish Wheels	K59M20	5 lbs	\$74.00
M8121A	Bolt Kit for 2nd and 3rd Set of LM8124 Weights One Bolt Kit per Weight Set	K26M40	8 lbs	\$33.00

**ADDITIONAL ACCESSORIES**

<b>BLOCK HEATER</b>				
70000-73274	Block Heater			(Order from the Parts Department)
<b>REPLACEMENT ROPS</b>				
SFM-T95L	Replacement ROPS	K758M40	300 lbs	\$948.00
<b>GRILL GUARD</b>				
M6909	Grill Guard Kit	K199M20	62 lbs	\$249.00

**KubotaNOW TELEMATICS**

<b>Each order will require the DCU6700 modem and wiring harness as listed below:</b>				
DCU6700	AT&T Telematics Modem	K321A60	1 lbs	\$402.00
M6712	M Series Telematics Harness	K113M60	1 lbs	\$142.00
<b>KubotaNOW Telematics Service includes a three (3) year term with a Dealer Net cost of \$399 and a total list price of \$525</b>				
<b>As of November 2nd, KubotaNOW will be available for Dealer Owned and Dealer Rental Fleet Machines.</b>				



**M5 SERIES****M5L-111 Low Profile****KUBOTA****FRONT END LOADER**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
------------	-------------	----------------	-------------	----------------------

**FRONT END LOADER**

LA1854	Front End Loader (2 Lever Type Quick Coupler) Includes Mounting Kit and Stand DOES NOT INCLUDE VALVE OR BUCKET, must be ordered separately	K5M163M20	1859 lbs	\$6,454.00
--------	--	-----------	----------	------------

**VALVE KITS**

M6931	Standard Valve Kit for ROPS	K884M00	75 lbs	\$1,105.00
M6932	Hydraulic Self-Leveling Valve Kit for ROPS	K1M623M20	101 lbs	\$2,029.00

**LOADER ACCESSORY KITS**

<b>THIRD FUNCTION VALVES</b>				
M6905	Standard 3rd Function Valve Kit for ROPS Requires Add-on Kit	K1M095M20	61 lbs	\$1,369.00
M6907	Hydraulic Self-Leveling 3rd Function Valve Kit for ROPS Requires Add-on Kit	K1M126M40	61 lbs	\$1,408.00
M6933	Add-on Kit for 3rd Function Valve	K177M60	4 lbs	\$222.00
<b>LOADER ACCESSORIES KITS</b>				
M6910	KSR (Kubota Shockless Ride) Accumulator	K611M20	33 lbs	\$764.00
M6911	Hydraulic Quick Connect Single Lever	K728M00	22 lbs	\$910.00

**QA BUCKETS & ACCESSORIES**

M1811	72" Round Back Bucket	K631M20	400 lbs	\$789.00
M1815	84" Round Back High Capacity, Light Material Bucket	K843M20	400 lbs	\$1,054.00
M1816	84" Round Back Bucket	K804M00	400 lbs	\$1,005.00
<b>BUCKET ACCESSORIES</b>				
M1057	Bucket Tine Kit for 72" 2 Lever QA Bucket	K250M40	79 lbs	\$313.00
M1285	84" Bucket Tine Kit (Includes 9 Tines and Hardware)	K400M80	90 lbs	\$501.00
<b>BALE SPEARS</b>				
M1804	Bale Spear 2 Lever Type QA	K686M40	195 lbs	\$858.00

**PALLET FORK FRAME / PALLET FORKS**

M1809	Pallet Fork Frame 2 Lever QA Requires 42" or 48" Forks	K635M20	200 lbs	\$794.00
K9058	42" Pallet Forks	K433L60	196 lbs	\$542.00
K9059	48" Pallet Forks	K462K40	218 lbs	\$578.00

**M5 SERIES M5L-111 Low Profile KUBOTA**

**FRONT END LOADER**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGG. LIST FACT. NO.
------------	-------------	----------------	-------------	----------------------

**EURO COUPLER**

M1803	Euro Type Coupler	K379M20	210 lbs	\$474.00
-------	-------------------	---------	---------	----------

**EURO COUPLER TYPE**

**EURO BUCKET / BUCKET TINE KITS / GRAPPLE BUCKETS**

M1816E	84" Euro QA Bucket	K938M40	400 lbs	\$1,173.00
M1285	84" Bucket Tine Kit	K400M80	90 lbs	\$501.00

**EURO BALE SPEARS**

M1817E	Bale Spear Quick Coupler, Euro QA	K771M20	200 lbs	\$964.00
--------	-----------------------------------	---------	---------	----------

**EURO PALLET FORK FRAME / PALLET FORKS**

M1819E	Pallet Fork Frame, Euro QA Requires 42" or 48" Forks	K712M00	200 lbs	\$890.00
K9058	42" Pallet Forks	K433L60	196 lbs	\$542.00
K9059	48" Pallet Forks	K462K40	218 lbs	\$578.00

---

**M5 SERIES**

**M5L-111 Low Profile**

**KUBOTA**

---

**Approved Attachments**

See Website for Landpride Attachments List

**M4N/M5N SERIES**

**M4N-071/M5N-091/M5N-111 Narrow KUBOTA**

\*\*\* EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS \*\*\*

**DIESEL ENGINE**

Kubota V3800 Direct Injection  
 3.8L (230 cu. in.) 4 Cyl  
 EPA Tier 4 Final Compliant  
 Common Rail Electronic Fuel Injection  
 Electronic Engine Management  
 Turbocharged  
 w/Wastegate and Intercooled  
 100/80 Amp Alternator - M4N/M5N  
 12V 900 CCA Battery

**EXHAUST EMISSION CONTROL TYPE**

DPF System (Diesel Particulate Filter)  
 SCR System M5 only

**HYDRAULICS / HITCH / DRAWBAR**

Open Center Gear Pump  
 Max. Flow @ Rated Engine Speed  
     M4N: 2400 RPM  
     M5N - ROPS/Cab: 2400/2600 RPM  
 Power Steering:  
     M4N/M5N ROPS: 6.3 gpm  
     M5N Cab: 6.8 gpm  
 Impl. Flow-M4N: 16.7 gpm  
 M4N/M5N ROPS: 16.7 gpm  
     M5N Cab: 18.1 gpm  
 Total Flow-M4N 23.0 gpm  
 M4N/M5N ROPS: 23.0 gpm  
     M5N Cab: 24.9 gpm

**REMOTE VALVES**

(2) SCD (Self Canceling Detent) w/ flow control  
 Optional FD (Float Detent) w/ flow control  
 Max 5 valves

**3 POINT HITCH & DRAWBAR**

Cat II 3-Point Hitch  
     @ Lift Points: 5071 lbs  
     (ASAE)@ 24" Behind: 3307 lbs  
 2 External Lift Cylinders  
 Telescoping Lower Links  
 Easy Adjust Stabilizers  
 Drawbar - Straight

**POWER TAKE OFF**

Live-Independent Hyd. PTO  
 SAE 1 3/8" Six Spline  
     540 RPM @ 2385 Eng. RPM  
     540E\* @ 1735 Eng. RPM

**TRANSMISSION**

12F/12R Two Range, 6-Speed  
 Electro-Hydraulic Shuttle Shift  
 Clutch - Multi-Plate Wet  
 Planetary Final Drives  
 Hydraulic Wet Disk Brakes  
 24F/24R Two Range,  
 6-Speed with HiLo  
 Declutch button on Shift knob

**FRONT AXLE**

Hydrostatic Power Steering  
 4WD: Cast Iron, Bevel Gear 55 Deg  
 Bi Speed Turn  
 Adjustable (Rim) Tread Spacing

**FLUID CAPACITY**

Fuel Tank Capacity: 20.1 gal  
 DEF Tank Capacity: 3.2 gal  
 Cooling System: 11 gal  
 Crankcase: 11.3 qts  
 Hydraulics/Trans: 13.7 gal  
 Hydraulics/Front Axle 2.1 gal

**INSTRUMENTS**

LCD readout for MPH and PTO rpm  
 RPM Memory  
 Tachometer/Hour meter  
 Oil Pressure  
 Fuel Gauge  
 Coolant Temperature  
 Gear Speed Digital Light Indicator  
 Digital Light Indicator F/R Direction

**TIRES AND WHEELS**

Front 8.0 x 16 R1  
 Rear 12.4 x 24 R1

**CAB FEATURES**

Integral Factory ROPS Certified  
 Flat Deck  
 Mechanical Suspension Seat, Vinyl  
 Retractable Seat belt  
 Tinted Glass  
 Dual Level Air Conditioning & Heater  
 Front Wiper w/ Washer - 2 Speed  
 Radio Ready, includes 2-speakers,  
     antenna, and wiring harness.  
 Left and Right Side Exterior Mirror  
 2 - Front Halogen Work Lights  
 2 - Rear Halogen Work Lights  
 2 Doors, Frameless all glass  
 Left Side Step  
 Tilt Steering Wheel  
 Interior Dome Light  
 Accessory Plug 12V - 15 Amp and  
     12 Volt 3-Pin 30-amp coupler  
     12 Volt - Outlet  
 Hard Mount location right center post  
 Horn  
 Cup Holder

**ROPS FEATURES**

Mid Mount Foldable ROPS  
 Mechanical Suspension Seat  
 Retractable Seat Belt  
 Tilt Steering

**LIGHTING**

2 Headlights - Tail lights  
 4 Hazard Flasher Lights w/ Turn Signals  
 2 Grill Mounted Worklights

**SAFETY EQUIPMENT**

Flip-Up PTO Shield  
 Safety Start Switches  
     Electric Key Shut Off  
     PTO OFF  
     Shuttle Lever Neutral  
 Parking Brake  
 Turn Signals  
 SMV Sign  
 7-Pin Electrical Trailer Connector

**Model Specifications**

<b>M4N-071</b>	<b>M5N-091</b>	<b>M5N-111</b>
SAE Gross HP: 73	SAE Gross HP: 94	SAE Gross HP: 107
Engine Net HP: 70	Engine Net HP: 87	Engine Net HP: 100
Max . PTO HP: 61	Max . PTO HP: 78-12 speed 75-24 speed	Max . PTO HP: 91-12 speed 88-24 speed

**M5N Series M4N-071/M5N-091/M5N-111 ROPS KUBOTA**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
***STANDARD TRACTOR WITH STANDARD TIRES***				
M4N-071HD12	4WD Narrow Specialty ROPS Tractor 12 Speed	K41M226M40	5038 lbs	\$51,533.00
M5N-091HD12	4WD Narrow Specialty ROPS Tractor 12 Speed	K48M990M40	5346 lbs	\$61,238.00
M5N-091HD24	4WD Narrow Specialty ROPS Tractor 24 Speed	K50M817M60	5346 lbs	\$63,522.00
M5N-111HD12	4WD Narrow Specialty ROPS Tractor 12 Speed	K55M311M20	5346 lbs	\$69,139.00
M5N-111HD24	4WD Narrow Specialty ROPS Tractor 24 Speed	K57M138M40	5346 lbs	\$71,423.00

**M4N/M5N Narrow**

**TIRES AND WHEELS† Additional Price With Tire Option**

ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER		SUGGESTED LIST PRICE
<b>STANDARD TIRES</b>					
AMR8539A*	F-TIRE 8-16 R1 Titan Hi Traction Lug	60 lbs	MM0	Add	In Base Price
AMR8975D*	R-TIRE 12.4-24 R1W GY OPTITRAC TL	171 lbs			
<b>AG - BIAS REAR</b>					
AMR8539A*	F-TIRE 8-16 R1 Titan Hi Traction Lug	60 lbs	MM0	Add	\$0.00
AMR8975D*	R-TIRE 12.4-24 R1W GY OPTITRAC TL	171 lbs			
AMR8539A	F-TIRE 8-16 R1 Titan Hi Traction Lug	60 lbs	K572M80	Add	\$716.00
MR8918	R-TIRE 18.4-16.1 R1 Goodyear TSG	189 lbs			
<b>AG - RADIAL REAR</b>					
AMR8539A	F-TIRE 8-16 R1 Titan Hi Traction Lug	60 lbs	M355M20	Add	\$444.00
AMR8503B	R-TIRE 320/85R24 R1W GDYR Optitrac	206 lbs			
AMR8534A	F-TIRE 9.5-16 R1 Gdyr Dura Torque 8stud	77 lbs	K1K315M20	Add	\$1,644.00
AMR8504B	RT TITAN 380/85R24 R1W STL	288 lbs			
AMR8534A	F-TIRE 9.5-16 R1 Gdyr Dura Torque 8stud	77 lbs	K2M392M00	Add	\$2,990.00
AMR8505B	Ⓢ RT TITAN 380/85R24 R1W CAST	621 lbs			
AMR8543	F-TIRE 280/70R18 R1W Gdyr Optitrac DT812	126 lbs	K3K281M60	Add	\$4,102.00
AMR8506	R-TIRE 480/65R24 R1W Radial 9000 Cast	664 lbs			
<b>INDUSTRIAL</b>					
AMR8542A	F-TIRE 27-8.50-15 Titan Trac Loader	51 lbs	M404M80	Add	\$506.00
AMR8584	R-TIRE 320/85R20 R1W Kleber Traker	169 lbs			

**TIRES AND WHEELS (priced per piece)**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
<b>AG - BIAS REAR</b>				
AMR8539A*	F-TIRE 8-16 R1 Titan Hi Traction Lug	K200M00	60 lbs	\$250.00
AMR8975D*	R-TIRE 12.4-24 R1W GY OPTITRAC TL	K515M20	171 lbs	\$644.00
AMR8539A	F-TIRE 8-16 R1 Titan Hi Traction Lug	K200M00	60 lbs	\$250.00
MR8918	R-TIRE 18.4-16.1 R1 Goodyear TSG	K801M60	189 lbs	\$1,002.00
<b>AG - RADIAL REAR</b>				
AMR8539A	F-TIRE 8-16 R1 Titan Hi Traction Lug	K200M00	60 lbs	\$250.00
AMR8503B	R-TIRE 320/85R24 R1W GDYR Optitrac	K692M80	206 lbs	\$866.00
AMR8534A	F-TIRE 9.5-16 R1 Gdyr Dura Torque 8stud	K327M20	77 lbs	\$409.00
AMR8504B	RT TITAN 380/85R24 R1W STL	K1M045M60	288 lbs	\$1,307.00
AMR8534A	F-TIRE 9.5-16 R1 Gdyr Dura Torque 8stud	K327M20	77 lbs	\$409.00
AMR8505B	Ⓢ RT TITAN 380/85R24 R1W CAST	K1M584M00	621 lbs	\$1,980.00
AMR8543	F-TIRE 280/70R18 R1W Gdyr Optitrac DT812	K619M20	126 lbs	\$774.00
AMR8506	R-TIRE 480/65R24 R1W Radial 9000 Cast	K1M736M80	664 lbs	\$2,171.00
<b>INDUSTRIAL</b>				
AMR8542A	F-TIRE 27-8.50-15 Titan Trac Loader	K224M80	51 lbs	\$281.00
AMR8584	R-TIRE 320/85R20 R1W Kleber Traker	K692M80	169 lbs	\$866.00

† See Tire Section for Individual Tire Pricing and Information

\* Standard Tires

Ⓢ Requires 16 Lug nuts part #35707-49170 for field installation.

**M5N Series M4N-071/M5N-091/M5N-111 ROPS KUBOTA**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
***STANDARD TRACTOR WITH STANDARD TIRES***				
M4N-071HDC12	4WD Narrow Specialty Cab Tractor 12 Speed	K51M316M00	6900 lbs	\$64,145.00
M5N-091HDC12	4WD Narrow Specialty Cab Tractor 12 Speed	K56M884M80	6900 lbs	\$71,106.00
M5N-091HDC24	4WD Narrow Specialty Cab Tractor 24 Speed	K58M712M00	7033 lbs	\$73,390.00
M5N-111HDC12	4WD Narrow Specialty Cab Tractor 12 Speed	K63M205M60	7033 lbs	\$79,007.00
M5N-111HDC24	4WD Narrow Specialty Cab Tractor 24 Speed	K65M032M80	7033 lbs	\$81,291.00

M4N/M5N Narrow		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGGESTED LIST PRICE
<b>TIRES AND WHEELS†</b>				
<b>STANDARD TIRES</b>				
AMR8539A*	F-TIRE 8-16 R1 Titan Hi Traction Lug	60 lbs	MM0	Add
AMR8975D*	R-TIRE 12.4-24 R1W GY OPTITRAC TL	171 lbs		In Base Price
<b>AG - BIAS REAR</b>				
AMR8539A*	F-TIRE 8-16 R1 Titan Hi Traction Lug	60 lbs	MM0	Add
AMR8975D*	R-TIRE 12.4-24 R1W GY OPTITRAC TL	171 lbs		\$0.00
<b>AG - RADIAL REAR</b>				
AMR8539A	F-TIRE 8-16 R1 Titan Hi Traction Lug	60 lbs	K355M20	Add
AMR8503B	R-TIRE 320/85R24 R1W GDYR Optitrac	206 lbs		\$444.00
AMR8534A	F-TIRE 9.5-16 R1 Gdyr Dura Torque 8stud	77 lbs	K1M315M20	Add
AMR8504B	RT TITAN 380/85R24 R1W STL	288 lbs		\$1,644.00
AMR8534A	F-TIRE 9.5-16 R1 Gdyr Dura Torque 8stud	77 lbs	K2M392M00	Add
AMR8505B	Ⓢ RT TITAN 380/85R24 R1W CAST	621 lbs		\$2,990.00
AMR8543	F-TIRE 280/70R18 R1W Gdyr Optitrac DT812	126 lbs	K3M281M60	Add
AMR8506	R-TIRE 480/65R24 R1W Radial 9000 Cast	664 lbs		\$4,102.00
<b>INDUSTRIAL</b>				
AMR8542A	F-TIRE 27-8.50-15 Titan Trac Loader	51 lbs	K404M80	Add
AMR8584	R-TIRE 320/85R20 R1W Kleber Traker	169 lbs		\$506.00

TIRES AND WHEELS (priced per piece)				
ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
<b>AG - BIAS REAR</b>				
AMR8539A*	F-TIRE 8-16 R1 Titan Hi Traction Lug	K200M00	60 lbs	\$250.00
AMR8975D*	R-TIRE 12.4-24 R1W GY OPTITRAC TL	K515M20	171 lbs	\$644.00
<b>AG - RADIAL REAR</b>				
AMR8539A	F-TIRE 8-16 R1 Titan Hi Traction Lug	K200M00	60 lbs	\$250.00
AMR8503B	R-TIRE 320/85R24 R1W GDYR Optitrac	K692M80	206 lbs	\$866.00
AMR8534A	F-TIRE 9.5-16 R1 Gdyr Dura Torque 8stud	K327M20	77 lbs	\$409.00
AMR8504B	RT TITAN 380/85R24 R1W STL	K1M045M60	288 lbs	\$1,307.00
AMR8534A	F-TIRE 9.5-16 R1 Gdyr Dura Torque 8stud	K327M20	77 lbs	\$409.00
AMR8505B	Ⓢ RT TITAN 380/85R24 R1W CAST	K1M584M00	621 lbs	\$1,980.00
AMR8543	F-TIRE 280/70R18 R1W Gdyr Optitrac DT812	K619M20	126 lbs	\$774.00
AMR8506	R-TIRE 480/65R24 R1W Radial 9000 Cast	K1M736M80	664 lbs	\$2,171.00
<b>INDUSTRIAL</b>				
AMR8542A	F-TIRE 27-8.50-15 Titan Trac Loader	K224M80	51 lbs	\$281.00
AMR8584	R-TIRE 320/85R20 R1W Kleber Traker	K692M80	169 lbs	\$866.00

† See Tire Section for Individual Tire Pricing and Information  
 \* Standard Tires  
 Ⓢ Requires 16 Lug nuts part #35707-49170 for field installation.

**M4N/M5N SERIES****M4N-071/M5N-091/M5N-111 Narrow****KUBOTA****DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
<b>HYDRAULICS/HITCH/DRAWBAR</b>				
<b>HYDRAULIC REAR REMOTE VALVES - 3RD, 4TH, AND 5TH POSITION</b>				
M8136	SCD (Self Canceling Detent) w/ Flow Control	K931M20	22 lbs	\$1,164.00
M8137	FD (Float Detent) w/ Flow Control	K931M20	22 lbs	\$1,164.00
M8138	Single Double Valve w/ Flow Control	K1M118M40	13 lbs	\$1,398.00
<b>REMOTE VALVE LEVER KITS</b>				
M8139	3rd Position Lever Kit Cab	K135M20	5 lbs	\$169.00
M8232	3rd Position Lever Kit ROPS	K135M20	5 lbs	\$169.00
M8149	4th Position Lever Kit Cab	K135M20	5 lbs	\$169.00
M8233	4th Position Lever Kit ROPS	K135M20	5 lbs	\$169.00
M8150	5th Position Lever Kit Cab	K135M20	5 lbs	\$169.00
M8234	5th Position Lever Kit ROPS	K135M20	5 lbs	\$169.00
<b>FRONT HYDRAULIC COUPLERS</b>				
M8151	1st Position Front Hydraulic Coupler Kit Cab	K620M80	71 lbs	\$776.00
M8235	1st Position Front Hydraulic Coupler Kit ROPS	K620M80	9 lbs	\$776.00
M8152	2nd Position Front Hydraulic Coupler Kit Cab	K321M60	20 lbs	\$402.00
M8236	2nd Position Front Hydraulic Coupler Kit ROPS	K321M60	9 lbs	\$402.00
M8153	3rd Position Front Hydraulic Coupler Kit Cab	K321M60	20 lbs	\$402.00
M8237	3rd Position Front Hydraulic Coupler Kit ROPS	K321M60	9 lbs	\$402.00
M8154	4th Position Front Hydraulic Coupler Kit Cab	K321M60	20 lbs	\$402.00
M8157	5th Position Front Hydraulic Coupler Kit Cab	K321M60	20 lbs	\$402.00
<b>OTHER HYDRAULIC ACCESSORIES</b>				
M8158	Front Case Drain Coupler Kit Cab Requires 1st Position Front Hydraulic Coupler Kit	K103M20	5 lbs	\$129.00
M8238	Front Case Drain Coupler Kit ROPS Requires 1st Position Front Hydraulic Coupler Kit	K103M20	9 lbs	\$129.00
M8159	Rear Case Drain Coupler Kit	K103M20	1 lbs	\$129.00
<b>DRAWBAR CLEVIS</b>				
M9594	Drawbar Clevis	K62M40	10 lbs	\$78.00
<b>TRANSMISSION</b>				
<b>CREEP SPEED KIT</b>				
M9131	Creep Speed Cassette Type	K864M00	22 lbs	\$1,080.00
<b>FRONT &amp; REAR AXLE</b>				
M9564	Rear Axle Spacer Kit	K768M80	52 lbs	\$961.00

**M4N/M5N SERIES M4N-071/M5N-091/M5N-111 Narrow KUBOTA**

**DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
<b>CAB ACCESSORIES</b>				
<b>REAR WIPER AND DEFOGGER</b>				
M8167	Rear Window Defogger Kit	K474M40	46 lbs	\$593.00
M6944	Rear Wiper and Washer Kit	K128M00	4 lbs	\$160.00
77700-01098	12V/3-Pin 30 Amp Coupler Pigtail, 12" Long (Cab only)			(Order from Parts Department)
<b>HIGH CAPACITY ALTERNATOR KIT</b>				
M8168	130 Amp High Capacity Alternator Kit for M4N Cab Model	K697M60	10 lbs	\$872.00
M9143	130 Amp High Capacity Alternator Kit for M5N Cab Model	K696M80	10 lbs	\$871.00
<b>AIR RIDE SEAT</b>				
M9154	Air Ride Seat for Cab models only	K782M40	75 lbs	\$978.00
<b>JENSEN RADIO OPTIONS</b>				
77700-04753	Radio, AM/FM/WB/AUX (Also Requires 77700-05298 radio bracket)			(Order from Parts Department)
77700-04754	Radio, AM/FM/WB/AUX/USB/IPOD/SAT (Also Requires 77700-05298 radio bracket)			(Order from Parts Department)
77700-04755	Radio, AM/FM/WB/AUX/USB/IPOD/SATCD/Bluetooth (Also Requires 77700-05298 radio bracket)			(Order from Parts Department)
77700-05298	Radio Bracket for L40 and narrow series tractor			(Order from Parts Department)
<b>REPLACEMENT CAB</b>				
M5552	Replacement Cab for M4N/M5N 12/24 Speed- Field Installation Required	K7M572M00	1047 lbs	\$9,465.00
<b>ROPS ACCESSORIES</b>				
<b>REAR WORK LIGHT KIT</b>				
M9543	One Light (Maximum 1 Light/Tractor) - ROPS	K96M00	3 lbs	\$120.00



**M4N/M5N SERIES M4N-071/M5N-091/M5N-111 Narrow KUBOTA**

**DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
<b>BALLAST</b>				
<b>FRONT WEIGHT BRACKETS</b>				
M1839	Front Weight Bracket Standard on 2WD Models Requires Front Bumper Bolt Kit Up to 10 Front Suitcase Weights	K376M80	92 lbs	\$471.00
<b>FRONT SUITCASE WEIGHTS</b>				
M8079	Suitcase Weight Requires Front Weight Bumper and Bolt/Bar Kit	K90M40	102 lbs	\$113.00
<b>FRONT WEIGHT BOLT/BAR KITS</b>				
M8073A	Bolt/Bar Kit (Mounts up to 10 weights)	K57M60	10 lbs	\$72.00
<b>REAR WHEEL WEIGHTS</b>				
LM8124	Rear Wheel Weight Kit (103 lbs. each) Set of 2, Requires Rear Wheel Bolt Kit Maximum of 3 Sets on Steel Dish Wheels Maximum of 2 Sets on Cast Dish Wheels Use with 24", 26", or 28" Wheels	K250M40	206 lbs	\$313.00
<b>REAR WHEEL WEIGHT BOLT KITS</b>				
LM8125A	Bolt Kit for 1st Wheel Weight Kit on Steel Dish Wheels	K59M20	5 lbs	\$74.00
M8121A	Bolt Kit for 2nd and 3rd Set of LM8124 Weights One Bolt Kit per Weight Set	K26M40	8 lbs	\$33.00

**ADDITIONAL ACCESSORIES**

<b>BLOCK HEATER</b>				
70000-73274	Block Heater			(Order from the Parts Department)
<b>Replacement ROPS</b>				
SFM-FM4N071	M4N Replacement ROPS	K696M80	230 lbs	\$871.00
SFM-FM5N111	M5N Replacement ROPS	K737M60	265 lbs	\$922.00
<b>Grill Guard</b>				
M6909	Grill Guard Kit for M5N Cab models only	K199M20	62 lbs	\$249.00
M1876A	Grill Guard Kit for M4N Cab Models only Both Grill Guards interfere with Foldable ROPS models.	K180M80	57 lbs	\$226.00

**KubotaNOW TELEMATICS**

<b>Each order will require the DCU6700 modem and wiring harness as listed below:</b>				
DCU6700	AT&T Telematics Modem	K321A60	1 lbs	\$402.00
M6712	M Series Telematics Harness	K113M60	1 lbs	\$142.00
<b>KubotaNOW Telematics Service includes a three (3) year term with a Dealer Net cost of \$399 and a total list price of \$525</b>				
<b>As of November 2nd, KubotaNOW will be available for Dealer Owned and Dealer Rental Fleet Machines.</b>				

**M5 SERIES**

**M5N-091HDC12PC Narrow Power Krawler**



\*\*\* EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS \*\*\*

**DIESEL ENGINE**

Kubota V3800 Direct Injection  
 3.8L (230 cu. in.) 4 Cyl  
 EPA Tier 4 Final Compliant  
 Common Rail Electronic Fuel Injection  
 Electronic Engine Management  
 Turbocharged  
 w/Wastegate and Intercooled  
 80 Amp Alternator - Cab  
 12V 900 CCA Battery

**EXHAUST EMISSION CONTROL TYPE**

DPF System (Diesel Particulate Filter)  
 SCR System M5 only

**HYDRAULICS / HITCH / DRAWBAR**

Open Center Gear Pump  
 Max. Flow @ Rated Engine Speed

M5 Cab: 2600 RPM  
 Power Steering: M5 - 6.8  
 Impl. Flow: 18.1  
 M4N/M5N ROPS: 16.7 gpm  
 Total Flow: 24.9

**REMOTE VALVES**

(2) SCD (Self Canceling Detent) w/ flow control  
 Optional FD (Float Detent) w/ flow control  
 Max 5 valves

**3 Point Hitch & Drawbar**

Cat II 3-Point Hitch  
 @ Lift Points: 5071 lbs  
 (ASAE)@ 24" Behind: 3307 lbs  
 2 External Lift Cylinders  
 Telescoping Lower Links  
 Easy Adjust Stabilizers  
 Drawbar - Straight

**POWER TAKE OFF**

Live-Independent Hyd. PTO  
 SAE 1 3/8" Six Spline  
 540 RPM @ 2385 Eng. RPM  
 540E\* @ 1735 Eng. RPM

**TRANSMISSION**

12F/12R Two Range, 6-Speed  
 Electro-Hydraulic Shuttle Shift  
 Clutch - Multi-Plate Wet  
 Planetary Final Drives  
 Hydraulic Wet Disk Brakes

**FRONT AXLE**

Hydrostatic Power Steering  
 4WD: Cast Iron, Bevel Gear 55 Deg  
 Planetary Final Drives  
 Adjustable (Rim) Tread Spacing

**FLUID CAPACITY**

Fuel Tank Capacity: 20.1 gal  
 DEF Tank Capacity: 3.2 gal  
 Cooling System: 11 qts  
 Crankcase: 11.3 qts  
 Hydraulics/Trans: 13.7 gal  
 Hydraulics/Front Axle 2.1 gal

**INSTRUMENTS**

LCD readout for MPH and PTO rpm  
 RPM Memory  
 Tachometer/Hour meter  
 Oil Pressure  
 Fuel Gauge  
 Coolant Temperature  
 Gear Speed Digital Light Indicator  
 Digital Light Indicator F/R Direction

**TIRES AND WHEELS**

Front 8.0 x 16 R1  
 Track

**CAB FEATURES**

Integral Factory ROPS Certified  
 Flat Deck  
 Mechanical Suspension Seat, Vinyl  
 Retractable Seat belt  
 Tinted Glass  
 Dual Level Air Conditioning & Heater  
 Front Wiper w/ Washer - 2 Speed  
 Radio Ready, includes 2-speakers,  
 antenna, and wiring harness.  
 Left and Right Side Exterior Mirror  
 2 - Front Halogen Work Lights  
 2 - Rear Halogen Work Lights  
 2 Doors, Frameless all glass  
 Left Side Step  
 Tilt Steering Wheel  
 Interior Dome Light  
 Accessory Plug 12V - 15 Amp and  
 12 Volt 3-Pin 30-amp coupler  
 12 Volt - Outlet  
 Hard Mount location right center post  
 Horn  
 Cup Holder

**LIGHTING**

2 Headlights - Tail lights  
 4 Hazard Flasher Lights w/ Turn Signals  
 2 Grill Mounted Worklights

**SAFETY EQUIPMENT**

Flip-Up PTO Shield  
 Safety Start Switches  
 Electric Key Shut Off  
 PTO OFF  
 Shuttle Lever Neutral  
 Parking Brake  
 Turn Signals  
 SMV Sign  
 7-Pin Electrical Trailer Connector

Model Specifications
<p><b>M5N-091HDC12PC</b>                      SAE Gross HP: 94                      Engine Net HP: -&gt;88                      Max . PTO HP: 78</p>

**M5 Series M5N-091HDC12PC Narrow Power Krawler** **KUBOTA**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
***STANDARD TRACTOR WITH STANDARD TIRES***				
M5N-091HDC12PC	4WD Narrow Specialty Cab Tractor 12 Speed	K66M111M20	6900 lbs	\$82,639.00

M5N Narrow Power Krawler		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGG. LIST PRICE
<b>AG - BIAS REAR</b>				
AMR8534A*	F-TIRE 9.5-16 R1 Gdyr Dura Torque 8stud Rear Power Krawler Track System 11.8" Track	77 lbs	MM0	In Base Price
<b>AG - RADIAL REAR</b>				
AMR8543	F-TIRE 280/70R18 R1W Gdyr Optitrac DT812 Rear Power Krawler Track System 11.8" Track	126 lbs	K584M00	Add \$730.00

TIRES AND WHEELS (priced per piece)				
ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGG. LIST PRICE
<b>AG - BIAS REAR</b>				
AMR8534A*	F-TIRE 9.5-16 R1 Gdyr Dura Torque 8stud Rear Power Krawler Track System 11.8" Track	K327M20	77 lbs	\$409.00
<b>AG - RADIAL REAR</b>				
AMR8543	F-TIRE 280/70R18 R1W Gdyr Optitrac DT812 Rear Power Krawler Track System 11.8" Track	K619M20	126 lbs	\$774.00

\* Standard Tires

**M5 SERIES M5N-091HDC12PC Narrow Power Krawler** **KUBOTA**

**DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
<b>HYDRAULICS/HITCH/DRAWBAR</b>				
<b>HYDRAULIC REAR REMOTE VALVES - 3RD, 4TH, AND 5TH POSITION</b>				
M8136	SCD (Self Canceling Detent) w/ Flow Control	K931M20	22 lbs	\$1,164.00
M8137	FD (Float Detent) w/ Flow Control	K931M20	22 lbs	\$1,164.00
M8138	Single Double Valve w/ Flow Control	K1M118M40	13 lbs	\$1,398.00
<b>REMOTE VALVE LEVER KITS</b>				
M8139	3rd Position Lever Kit	K135M20	5 lbs	\$169.00
M8149	4th Position Lever Kit	K135M20	5 lbs	\$169.00
M8150	5th Position Lever Kit	K135M20	5 lbs	\$169.00
<b>FRONT HYDRAULIC COUPLERS</b>				
M8151	1st Position Front Hydraulic Coupler Kit	K620M80	71 lbs	\$776.00
M8152	2nd Position Front Hydraulic Coupler Kit	K321M60	20 lbs	\$402.00
M8153	3rd Position Front Hydraulic Coupler Kit	K321M60	20 lbs	\$402.00
M8154	4th Position Front Hydraulic Coupler Kit	K321M60	20 lbs	\$402.00
M8157	5th Position Front Hydraulic Coupler Kit	K321M60	20 lbs	\$402.00
<b>OTHER HYDRAULIC ACCESSORIES</b>				
M8158	Front Case Drain Coupler Kit Requires 1st Position Front Hydraulic Coupler Kit	K103M20	5 lbs	\$129.00
M8159	Rear Case Drain Coupler Kit	K103M20	1 lbs	\$129.00
<b>DRAWBAR CLEVIS</b>				
M9594	Drawbar Clevis	K62M40	10 lbs	\$78.00
<b>TRANSMISSION</b>				
<b>CREEP SPEED KIT</b>				
M9131	Creep Speed Cassette Type	K864M00	22 lbs	\$1,080.00

**M5 SERIES M5N-091HDC12PC Narrow Power Krawler****KUBOTA****DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
<b>CAB ACCESSORIES</b>				
<b>REAR WIPER AND DEFOGGER</b>				
M8167	Rear Window Defogger Kit	K474M40	46 lbs	\$593.00
M6944	Rear Wiper and Washer Kit	K128M00	4 lbs	\$160.00
77700-01098	12V/3-Pin 30 Amp Coupler Pigtail, 12" Long (Cab only)			(Order from Parts Department)
<b>HIGH CAPACITY ALTERNATOR KIT</b>				
M9143	130 Amp High Capacity Alternator Kit for M5N Cab Model	K696M80	10 lbs	\$871.00
<b>AIR RIDE SEAT</b>				
M9154	Air Ride Seat for Cab models only	K782M40	75 lbs	\$978.00
<b>JENSEN RADIO OPTIONS</b>				
77700-04753	Radio, AM/FM/WB/AUX (Also Requires 77700-05298 radio bracket)			(Order from Parts Department)
77700-04754	Radio, AM/FM/WB/AUX/USB/IPOD/SAT (Also Requires 77700-05298 radio bracket)			(Order from Parts Department)
77700-04755	Radio, AM/FM/WB/AUX/USB/IPOD/SATCD/Bluetooth (Also Requires 77700-05298 radio bracket)			(Order from Parts Department)
77700-05298	Radio Bracket for L40 and narrow series tractor			(Order from Parts Department)
<b>REPLACEMENT CAB</b>				
M5553	Replacement Cab for M5N-PC	K7M572M00	1047 lbs	\$9,465.00

**BALLAST**

<b>FRONT WEIGHT BRACKETS</b>				
M1839	Front Weight Bracket (230 lbs. each) Standard on 2WD Models Requires Front Bumper Bolt Kit Up to 10 Front Suitcase Weights	K376M80	92 lbs	\$471.00
<b>FRONT SUITCASE WEIGHTS</b>				
M8079	Suitcase Weight Requires Front Weight Bumper and Bolt/Bar Kit	K90M40	102 lbs	\$113.00
<b>FRONT WEIGHT BOLT/BAR KITS</b>				
M8073A	Bolt/Bar Kit (Mounts up to 10 weights)	K57M60	10 lbs	\$72.00

**ADDITIONAL ACCESSORIES**

<b>BLOCK HEATER</b>				
70000-73274	Block Heater			(Order from the Parts Department)
<b>GRILL GUARD</b>				
M6909	Grill Guard Kit	K199M20	62 lbs	\$249.00

**KubotaNOW TELEMATICS**

<b>Each order will require the DCU6700 modem and wiring harness as listed below:</b>				
DCU6700	AT&T Telematics Modem	K321A60	1 lbs	\$402.00
M6712	M Series Telematics Harness	K113M60	1 lbs	\$142.00
<b>KubotaNOW Telematics Service includes a three (3) year term with a Dealer Net cost of \$399 and a total list price of \$525</b>				
<b>As of November 2nd, KubotaNOW will be available for Dealer Owned and Dealer Rental Fleet Machines.</b>				

**M6 SERIES**

**M6-101/M6-111**



\*\*\* EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS \*\*\*

**DIESEL ENGINE**

Kubota V3800 Direct Injection  
 3.8L (230 cu. In.) 4 Cyl  
 EPA Tier 4 Final Compliant  
 Common Rail Electronic Fuel Injection  
 Electronic Engine Management  
 Turbocharged  
 w/Wastegate and Intercooled  
 Fuel Tank Capacity: 50.2 Gal  
 130 Amp Alternator  
 12V 900 CCA Battery

**EXHAUST EMISSION CONTROL TYPE**

DPF System (Diesel Particulate Filter)  
 SCR System  
 DEF Tank Capacity: 4.2 Gal

**HYDRAULICS / HITCH / DRAWBAR**

Open Center Gear Pump  
 Max. Flow @ Rated Engine Speed  
 Power Steering: 16.1 gpm  
 Implement Flow: 18.7 gpm  
 Total Flow: 34.8 gpm

**REMOTE VALVES**

Remote Valves w/Individual Flow Control  
 (1) SCD (Self Canceling Detent)  
 (1) FD (Float Detent)  
 In-Cab Flow Control Adjustment

**3 POINT HITCH & DRAWBAR**

Cat II 3-point Hitch  
 @ Lift Points: 8598 lbs  
 @ 24" Behind: 6834 lbs  
 2 External Lift Cylinders  
 Electronic Position and Draft Control  
 Telescoping Lower Links  
 Stabilizers  
 Swinging Drawbar - Straight

**POWER TAKE OFF (540/1000)**

Live-Independent Hyd. PTO  
 SAE 1 3/8" Six Spline  
 540 rpm @ 2405 Eng. rpm  
 SAE 1 3/8" Twenty-One Spline  
 1000 rpm @ 2389 Eng. rpm

**TRANSMISSION**

24F/24R Intelli-Shift  
 Three Range, 8-Speed Semi-Powershift  
 Auto Shift Mode - Field & Road  
 Auto 4WD Function  
 Electro-Hydraulic Shuttle Shift  
 Electro-Hydraulic Front & Rear Diff. Lock  
 Clutch - Multi Plate Wet  
 Planetary Final Drives  
 Hydraulic Wet Disc Brakes

**FRONT AXLE**

Hydrostatic Power Steering  
 4WD: Cast Iron, Bevel Gear Type  
 Bi-Speed Turn Feature  
 Planetary Final Drives  
 Adj. (Rim) Tread Spacing

**FLUID CAPACITY**

Cooling System: 11.3 qts  
 Crankcase: 10.5 qts  
 Hydraulics/Trans: 17.2 gal

**INSTRUMENTS**

LCD readout for MPH and PTO rpm  
 26 Mode LCD Readout  
 Tachometer/Hour meter  
 Oil Pressure  
 Fuel Gauge  
 Coolant Temperature  
 Gear Speed Digital Light Indicator  
 Digital Light Indicator F/R Direction

**TIRES AND WHEELS**

Front 12.4R24 Radial / Steel Waffle  
 Rear 18.4R30 Radial/Cast Iron

**GRAND-X CAB**

4-post, ROPS Certified  
 RH & LH Doors  
 Tinted Glass Doors and Windows  
 In-roof window/vent  
 Tilt and Telescoping Steering Wheel  
 Deluxe Air Ride Seat  
 Dual Level Air Conditioning & Heater  
 Front and Rear Wiper/Washer  
 Front Sun Visor  
 Rear View Mirror  
 LH & RH Telescoping Side Mirrors  
 Radio Ready Cab  
 Steps, Left and Right Side  
 Interior Dome Light  
 12V - 30-Amp 2 Wire Coupler  
 12V - 3 Pin 30-Amp Coupler  
 12V - Outlet  
 Cup Holder  
 Instructor Seat Ready  
 Horn

**LIGHTING**

2 Headlights - Tail lights  
 4 Hazard Flasher Lights w/ Turn Signals  
 2 Grille Mounted Worklights  
 2 Front Cab Halogen Worklights  
 2 Rear Halogen Worklights

**SAFETY EQUIPMENT**

Flip-Up PTO Shield  
 Safety Start Switches  
 Electric Key Shut Off  
 Parking Brake  
 Turn Signals  
 SMV Sign  
 7-Pin Electrical Trailer Connector

Model Specifications	
<b>M6-101</b>	<b>M6-111</b>
SAE Gross HP: 104.5 HP	SAE Gross HP: 114.1 HP
Engine Net HP: 97.1 HP	Engine Net HP: 106.8 HP
Max . PTO HP: 82.0 HP	Max . PTO HP: 92.0 HP
@ 2600 Engine RPM	@ 2600 Engine RPM

**M6 Series M6-101/M6-111 KUBOTA**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

\*\*\*STANDARD TRACTOR WITH STANDARD TIRES\*\*\*

M6-101DTC-F	4WD Farm Tractor w/Factory Cab (A/C)	K72M355M20	9601 lbs	\$90,444.00
M6-111DTC-F	4WD Farm Tractor w/Factory Cab (A/C)	K75M543M20	9789 lbs	\$94,429.00

M6-101DTC-F/M6-111DTC-F		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGGESTED LIST PRICE
<b>TIRES AND WHEELS†</b>				
<b>STANDARD TIRES</b>				
AMR8557A**	F-TIRE 320/85R24 R1W GDYR OPTRAC	220 lbs	MM0	Add
AMR8514B**	R-TIRE 460/85R30 R1W GDYR OPTRAC CAST	1027 lbs		In Base Price
<b>AG - BIAS REAR</b>				
AMR8558C	F-TIRE 13.6-24 R1 Dyna Torque II TL WAF	206 lbs	M620M80	Add
AMR9246C	R-TIRE 18.4-34 R1 F-Stone(SAT)II CRC Cst	1000 lbs		\$776.00
AMR8558C	F-TIRE 13.6-24 R1 Dyna Torque II TL WAF	206 lbs	K1M294M40	Less
AMR9244D	R-TIRE 18.4-34 R1 8-PLY BIAS SAT II	441 lbs		(\$1,618.00)
<b>AG - RADIAL REAR</b>				
AMR8557A	F-TIRE 320/85R24 R1W GDYR OPTRAC	220 lbs	M968M00	Less
AMR8531A	R-TIRE 460/85R30 R1W GDYR OPTRAC	429 lbs		(\$1,210.00)
AMR8557A**	F-TIRE 320/85R24 R1W GDYR OPTRAC	220 lbs	MM0	Add
AMR8514B**	R-TIRE 460/85R30 R1W GDYR OPTRAC CAST	1027 lbs		\$0.00
AMR8559A	F-TIRE 340/85R24 R1W GY OPTITRAC	290 lbs	K1M353M60	Add
AMR9256C	R-TIRE 460/85R34 R1W GY OPTITRAC CAST	1020 lbs		\$1,692.00
AMR8559A	F-TIRE 340/85R24 R1W GY OPTITRAC	290 lbs	M299M20	Less
AMR9254D	R-TIRE 460/85R34 R1W GY OPTITRAC	540 lbs		(\$374.00)
AMR8556B	F-TIRE 12.4-24 R1W GDYR OPTITRAC	193 lbs	M772M80	Less
AMR9257B	R-TIRE 420/85R34 R1W ALLIANCE 385 RADIAL	380 lbs		(\$966.00)
AMR8556B	F-TIRE 12.4-24 R1W GDYR OPTITRAC	193 lbs	M705M60	Add
AMR9258B	R-TIRE 420/85R34 GY OPT R1W CAST	910 lbs		\$882.00
<b>AG/INDUSTRIAL HYBRID</b>				
AMR9304	F-TIRE LSW 340/70R28 GY R14	290 lbs	K2M473M60	Add
AMR9308	R-TIRE LSW 460/75R38 GY R14 CAST	1072 lbs		\$3,092.00
<b>TERRAIN KING</b>				
AMR9304	F-TIRE LSW 340/70R28 GY R14	290 lbs	K2M859M20	Add
AMR9284TK	R-TIRE LSW 460/75R38 GY R14 CAST TK	1080 lbs		\$3,574.00
AMR8559A	F-TIRE 340/85R24 R1W GY OPTITRAC	290 lbs	K1M409M60	Add
AMR9280TKA	R-TIRE 460/85R34 R1W GY OPT CAST TK	1010 lbs		\$1,762.00

† See Tire Section for Individual Tire Pricing and Information

\*\* Standard Tires for M6-101DTC-F & M6-111DTC-F

\* Available only on M6-101DTC-F

**M6 Series**

**M6-101/M6-111**



**Individual Tire Pricing**

M6-101DTC-F/M6-111DTC-F				
TIRES AND WHEELS (priced per piece)				
ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
<b>AG - BIAS REAR</b>				
AMR8558C	F-TIRE 13.6-24 R1 Dyna Torque II TL WAF	K607M20	206 lbs	\$759.00
AMR9246C	R-TIRE 18.4-34 R1 F-Stone(SAT)II CRC Cst	K2M235M20	1000 lbs	\$2,794.00
AMR8558C	F-TIRE 13.6-24 R1 Dyna Torque II TL WAF	K607M20	206 lbs	\$759.00
AMR9244D	R-TIRE 18.4-34 R1 8-PLY BIAS SAT II	K1M277M60	441 lbs	\$1,597.00
<b>AG - RADIAL REAR</b>				
AMR8557A	F-TIRE 320/85R24 R1W GDYR OPTRAC	K708M00	220 lbs	\$885.00
AMR8531A	R-TIRE 460/85R30 R1W GDYR OPTRAC	K1M340M00	429 lbs	\$1,675.00
AMR8557A**	F-TIRE 320/85R24 R1W GDYR OPTRAC	K708M00	220 lbs	\$885.00
AMR8514B**	R-TIRE 460/85R30 R1W GDYR OPTRAC CAST	K1M824M00	1027 lbs	\$2,280.00
AMR8559A	F-TIRE 340/85R24 R1W GY OPTITRAC	K848M00	290 lbs	\$1,060.00
AMR9256C	R-TIRE 460/85R34 R1W GY OPTITRAC CAST	K2M360M80	1020 lbs	\$2,951.00
AMR8559A	F-TIRE 340/85R24 R1W GY OPTITRAC	K848M00	290 lbs	\$1,060.00
AMR9254D	R-TIRE 460/85R34 R1W GY OPTITRAC	K1M534M40	540 lbs	\$1,918.00
AMR8556B	F-TIRE 12.4-24 R1W GDYR OPTITRAC	K539M20	193 lbs	\$674.00
AMR9257B	R-TIRE 420/85R34 R1W ALLIANCE 385 RADIAL	K1M606M40	380 lbs	\$2,008.00
AMR8556B	F-TIRE 12.4-24 R1W GDYR OPTITRAC	K539M20	193 lbs	\$674.00
AMR9258B	R-TIRE 420/85R34 GY OPT R1W CAST	K2M345M60	910 lbs	\$2,932.00
<b>AG/INDUSTRIAL HYBRID</b>				
AMR9304	F-TIRE LSW 340/70R28 GY R14	K1M207M20	290 lbs	\$1,509.00
AMR9308	R-TIRE LSW 460/75R38 GY R14 CAST	K2M561M60	1072 lbs	\$3,202.00
<b>TERRAIN KING</b>				
AMR9304	F-TIRE LSW 340/70R28 GY R14	K1M207M20	290 lbs	\$1,509.00
AMR9284TK	R-TIRE LSW 460/75R38 GY R14 CAST TK	K2M754M40	1080 lbs	\$3,443.00
AMR8559A	F-TIRE 340/85R24 R1W GY OPTITRAC	K848M00	290 lbs	\$1,060.00
AMR9280TKA	R-TIRE 460/85R34 R1W GY OPT CAST TK	K2M388M80	1010 lbs	\$2,986.00

† See Tire Section for Individual Tire Pricing and Information  
 \*\* Standard Tires for M6-101DTC-F & M6-111DTC-F  
 \* Available only on M6-101DTC-F



**M6 SERIES M6-101/M6-111 KUBOTA**

**DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
<b>HYDRAULICS/HITCH/DRAWBAR</b>				
<b>HYDRAULIC REAR REMOTE VALVES - 3RD POSITION</b>				
M7683A	SCD Valve with Built-In Flow Control	K730M40	22 lbs	\$913.00
M7684A	FD Valve with Built-In Flow Control	K738M40	20 lbs	\$923.00
<b>REMOTE VALVE LEVER KITS FOR DELUXE VALVES</b>				
M7629	3rd Position Lever Kit	K195M20	5 lbs	\$244.00
M7686	4th Position Lever Kit	K195M20	3 lbs	\$244.00
<b>3-POINT LIFT ASSIST KIT</b>				
M9122	High Capacity Lift Cylinders Provides 9,447 Lbs. lift capacity	K894M40	55 lbs	\$1,118.00
<b>3-POINT FENDER SWITCH</b>				
M9237	Right hand fender switch for 3-point hitch	K39M20	1 lbs	\$49.00
<b>DROP DRAWBAR</b>				
M9227	Drop Drawbar - 4.5" Drop	K179M20	55 lbs	\$224.00
<b>DRAWBAR CLEVIS</b>				
M9289	Drawbar Clevis for standard Flat Drawbar	K197M60	13 lbs	\$247.00
M9217	Drawbar Clevis for M9227 Drop Drawbar	K197M60	20 lbs	\$247.00
<b>TRANSMISSION</b>				
<b>CREEP SPEED KIT</b>				
M9127	One kit, Cassette type Requires dealer installation.	K864M00	39 lbs	\$1,080.00
<b>FRONT AXLE</b>				
<b>FRONT FENDER KIT (Swivel Type)</b>				
M9290	Fender Mounting Kit, (Requires M9208) Not compatible with Loader Applications	K698M40	68 lbs	\$873.00
M9208	Plastic Fenders (Includes 2 Fenders) 14.9" wide Requires Fender Mounting Kit	K97M60	7 lbs	\$122.00
<b>WIDE ROW FRONT AXLE KIT</b>				
M9282	80" Wide Row Front Axle Kit Not compatible with Loader Applications	K1M094M40	76 lbs	\$1,368.00
<b>AUDIO ACCESSORIES</b>				
<b>Jensen Radio options</b>				
77700-04753	RADIO, AM/FM/WB/AUX			(Order from Parts Department)
77700-04754	RADIO, AM/FM/WB/AUX/USB/IPOD/SAT			(Order from Parts Department)
77700-04755	RADIO, AM/FM/WB/AUX/USB/IPOD/SATCD/Bluetooth			(Order from Parts Department)
*Mounting bracket is shipped with the tractor in the cab, black pouch. The plastic cover plate that is removed becomes the radio cover ring, remove the plastic center cover piece, and reinstall the cover ring.				

**M6 SERIES****M6-101/M6-111****KUBOTA****DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
<b>CAB ACCESSORIES</b>				
M1145	Retractable Rear Sunshade	K204M00	5 lbs	\$255.00
M9118	Rear Defogger Kit	K348M00	46 lbs	\$435.00
M9121A	Instructor Seat w/Seat belt Dealer installed or installed by KTC with tractor order	K414M40	14 lbs	\$518.00
M9144	Monitor Bracket	K108M00	4 lbs	\$135.00
77700-01098	12V/3-Pin 30 Amp Coupler Pigtail, 12" Long		(Order from Parts Department)	
M9229	Mid Mount Work Light Kit (Two Lights) Each light mounts to Cab grab handle.	K128M80	4 lbs	\$161.00
M1352	Rear Mount Work Light Kit (Two Lights)	K143M20	5 lbs	\$179.00
M9206	PLASTIC REAR FENDER EXTENSION - M6	K300M80	1 lbs	\$376.00
<b>REPLACEMENT CAB</b>				
M6937	Replacement Cab - Field installation required. Attachment system, lights, electrical harness, glass, control levers, roof and headliner, dash tower, steering column, and pedals are included. Note: Transfer components as needed.	K13M881M60	1000 lbs	\$17,352.00

**BALLAST**

<b>FRONT SUITCASE WEIGHTS</b>				
M9126	Weight Bracket	K376M00	96 lbs	\$470.00
M8079	One Weight Requires M9126 Bracket and M9275 Bolt Kit. Maximum 12 Weights.	K90M40	102 lbs	\$113.00
M9275A	Bolt/Bar Kit - Weight(s) One Bolt/Bar Kit per 1-12 M8079 Weights	K54M40	14 lbs	\$68.00
<b>REAR WHEEL WEIGHTS</b>				
M8126A	Rear Wheel Weights, set of 2 (164 lbs. each) *Requires M8119B or LM8125A *Limit 3 sets on Steel Dish Wheels *Limit 2 sets on Cast Dish Wheels	K278M40	328 lbs	\$348.00
M8119B	Bolt Kit for 1st set M8126A on Cast Dish Wheels.	K24M00	6 lbs	\$30.00
LM8125A	Bolt Kit for 1st set M8126A on Steel Dish Wheels	K59M20	5 lbs	\$74.00
M8127B	Bolt Kit for 2nd and 3rd Wheel Weight Sets *Required for 2nd & 3rd set on ALL Steel Dish *Required for 2nd set on Cast Dish Wheels	K22M40	6 lbs	\$28.00

<b>M6 SERIES</b>	<b>M6-101/M6-111</b>	<b>KUBOTA</b>
------------------	----------------------	---------------

**DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
------------	-------------	----------------	-------------	----------------------

**ADDITIONAL ACCESSORIES**

<b>FUEL TANK GUARD KIT</b>				
M6913	Heavy Duty Metal Fuel Tank Guard Kit	K270M40	14 lbs	\$338.00
<b>BACKUP ALARM</b>				
M7562	M6 Backup Alarm Kit	K140M00	2 lbs	\$175.00
<b>BEACON LIGHT</b>				
M7582	M6 Beacon Light Kit	K254M40	4 lbs	\$318.00
<b>BLOCK HEATER</b>				
70000-73274	Block Heater	(Order from the Parts Department)		
<b>FUEL CAP</b>				
77700-06358	Locking Fuel Cap Only Fits M6-101 Prior to SN 10627 Only Fits M6-111 Prior to SN 11656	(Order from the Parts Department)		

**KubotaNOW TELEMATICS**

<b>Each order will require the DCU6700 modem and wiring harness as listed below:</b>				
DCU6700	AT&T Telematics Modem	K321A60	1 lbs	\$402.00
M6712	M Series Telematics Harness	K113M60	1 lbs	\$142.00
<b>KubotaNOW Telematics Service includes a three (3) year term with a Dealer Net cost of \$399 and a total list price of \$525</b>				
<b>As of November 2nd, KubotaNOW will be available for Dealer Owned and Dealer Rental Fleet Machines.</b>				

**KUBOTA****FRONT END LOADER**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
------------	-------------	----------------	-------------	----------------------

**LA1955 LOADER - For M6-101/M6-111**

LA1955	FRONT LOADER (QA) 2-Lever Quick Attach Loader Includes Mounting Kit and Stand <u>Does not include</u> valve, grille guard, or bucket.	K5M767M20	1859 lbs	\$7,209.00
--------	--	-----------	----------	------------

**VALVE KITS**

M6916	Loader Valve Kit (Standard)	K1M084M80	75 lbs	\$1,356.00
M6928	Loader Valve Kit (Hydraulic Self Leveling)	K1M853M60	101 lbs	\$2,317.00
M6921	3rd Function Valve Kit for Standard Loader Valve	K1M177M60	61 lbs	\$1,472.00
M6923	3rd Function Valve Kit for Hyd Self Leveling Loader Valve	K1M177M60	61 lbs	\$1,472.00

**LOADER ACCESSORIES KITS**

M6919	KSR Accumulator	K642M40	36 lbs	\$803.00
M6927	Hydraulic Quick Connect Single Lever	K755M20	22 lbs	\$944.00

**GRILLE GUARD**

M6934	Grill Guard	K256M00	108 lbs	\$320.00
-------	-------------	---------	---------	----------

**BUCKETS / BUCKET TINE KITS / GRAPPLE BUCKETS (All 2-Lever Type QA)**

M1815	84" Rd Back High Capacity, Light Material Bucket	K843M20	400 lbs	\$1,054.00
M1816	84" Rd Back Bucket	K804M00	400 lbs	\$1,005.00
M1285	84" Bucket Tine Kit (includes 9 Tines and hardware)	K400M80	90 lbs	\$501.00
M1886	96" Bucket	K892M00	610 lbs	\$1,115.00
M1287	96" Bucket Tine Kit (includes 10 Tines and hardware)	K445M60	200 lbs	\$557.00
M1896	96" Sq Back, High Capacity, Light Material Bucket	K984M00	610 lbs	\$1,230.00
M9248	84" HAY GRAPPLE BUCKET Four tine, 2-cylinder grapple 2-Lever QA coupler Requires M6921 for Std. Valve Requires M6923 for Self Leveling Valve Requires two Hyd. 1/2" quick couplers w/0.375" fittings	K3M540M80	1240 lbs	\$4,426.00
M9249	90" HAY GRAPPLE BUCKET Four tine, 2-cylinder grapple 2-Lever QA coupler Requires M6921 for Std. Valve Requires M6923 for Self Leveling Valve Requires two Hyd. 1/2" quick couplers w/0.375" fittings	K3M755M20	1500 lbs	\$4,694.00

**BALE SPEARS**

M1804	Bale Spear 2-Lever Type QA	K686M40	195 lbs	\$858.00
-------	----------------------------	---------	---------	----------

**PALLET FORK FRAME / PALLET FORKS**

M1809	Pallet Fork Frame 2-Lever Type QA (Requires 42" or 48" Forks)	K635M20	200 lbs	\$794.00
K9058	42" Pallet Forks, 2750 lb @ 24" Forward Load Rating.	K433L60	196 lbs	\$542.00
K9059	48" Pallet Forks, 2750 lb @ 24" Forward Load Rating.	K462K40	218 lbs	\$578.00

**M6 SERIES****M6-101/M6-111****KUBOTA****FRONT END LOADER**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
<b>LA1955E EURO LOADER - For M6-101/M6-111</b>				
LA1955E	FRONT LOADER (EURO TYPE QA COUPLER) Euro Quick Attach Loader Includes Mounting Kit and Stand <u>Does not include</u> valve, grill guard, or bucket.	K5M767M20	1859 lbs	\$7,209.00
<b>VALVE KITS</b>				
M6916	Loader Valve kit (Standard)	K1M084M80	75 lbs	\$1,356.00
M6928	Loader Valve kit (Hydraulic Self Leveling)	K1M853M60	101 lbs	\$2,317.00
M6921	3rd Function Valve Kit for Standard Loader Valve Requires M1967E	K1M177M60	61 lbs	\$1,472.00
M6923	3rd Function Valve Kit for Hyd Self Leveling Loader Valve Requires M1967E	K1M177M60	61 lbs	\$1,472.00
M1967E	Hose Extension Kit, required for M6921 or M6923	K211M20	13 lbs	\$264.00
<b>LOADER ACCESSORIES KITS</b>				
M6919	KSR (Kubota Shockless Ride) Accumulator	K642M40	36 lbs	\$803.00
M6927	Hydraulic Quick Connect Single Lever	K755M20	22 lbs	\$944.00
<b>GRILL GUARD KITS</b>				
M6934	Grill Guard	K256M00	108 lbs	\$320.00
<b>BUCKET / BUCKET TINE KITS / GRAPPLE BUCKETS</b>				
M1816E	84" EURO QA Bucket	K938M40	400 lbs	\$1,173.00
M1285	84" Bucket Tine Kit	K400M80	90 lbs	\$501.00
M1886E	96" EURO QA Bucket	K1M357M60	610 lbs	\$1,697.00
M1287	96" Bucket Tine Kit	K445M60	200 lbs	\$557.00
M1896E	96" EURO QA Light Material Bucket	K1M471M20	610 lbs	\$1,839.00
M9243E	84" EURO QA type Bale Grapple Bucket Four tine, 2-cylinder grapple 2-Lever QA coupler Requires M6921 for Std. Valve Requires M6923 for Self Leveling Valve Requires two Hyd. 1/2" quick couplers w/0.375" fittings	K3M780M00	1235 lbs	\$4,725.00
M9223E	96" EURO QA type Bale Grapple Bucket Four tine, 2-cylinder grapple 2-Lever QA coupler Requires M6921 for Std. Valve Requires M6923 for Self Leveling Valve Requires two Hyd. 1/2" quick couplers w/0.375" fittings	K4M075M20	1300 lbs	\$5,094.00
<b>BALE SPEARS</b>				
M1817E	Bale Spear Quick Coupler, Euro QA	K771M20	200 lbs	\$964.00
<b>PALLET FORK FRAME / PALLET FORKS</b>				
M1819E	Pallet Fork Frame, Euro QA (Requires 42" or 48" Forks)	K712M00	200 lbs	\$890.00
K9058	42" Pallet Forks, 2750 lb @ 24" Forward Load Rating.	K433L60	196 lbs	\$542.00
K9059	48" Pallet Forks, 2750 lb @ 24" Forward Load Rating.	K462K40	218 lbs	\$578.00

---

**M6 SERIES**

**M6-101/M6-111**

**KUBOTA**

---

**Approved Attachments**

See Website for Landpride Attachments List

**M6S SERIES**

**M6S-111 Midsize Utility Tractors**



\*\*\* EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS \*\*\*

**DIESEL ENGINE**

Kubota V3800 Direct Injection  
 3.8L (230 cu. in.) 4 Cyl  
 EPA Tier 4 Final Compliant  
 Common Rail Electronic Fuel Injection  
 Electronic Engine Management  
 Turbocharged  
 w/Wastegate and Intercooled  
 12V 900 CCA Battery  
 Charging Output 80 amps Cab

**EXHAUST EMISSION CONTROL TYPE**

DPF System (Diesel Particulate Filter)  
 SCR System

**HYDRAULICS / HITCH / DRAWBAR**

Open Center Gear Pump  
 Max. Flow @ Rated Engine Speed  
 Cab: 2600 RPM  
 Power Steering: 12.9 gpm  
 Impl. Flow - Cab: 17.6 gpm  
 Total Flow - Cab: 30.5 gpm

**REMOTE VALVES**

(1) SCD (Self Canceling Detent)  
 (1) FD (Float Detent)

**3 Point Hitch & Drawbar**

Cat II 3-Point Hitch  
 @ Lift Points: 4960 lbs  
 (ASAE)@ 24" Behind: 3858 lbs  
 Telescoping Lower Links  
 Telescoping Stabilizers  
 Swinging Drawbar

**POWER TAKE OFF**

Live-Independent Hyd. PTO  
 SAE 1 3/8" Six Spline  
 540 RPM @ 2405 Eng. RPM  
 SAE 1-38" Twenty-One Spline  
 1000 RPM @ 2389 Eng. RPM  
 Optional 540/1000 standard on  
 2 speed PTO Model

**Model Specifications**

**M6S-111**

SAE Gross HP: 114  
 Engine Net HP: 105  
 Max . PTO HP: 95

**Transmission**

16F/16R or 32F/32R Swing Shift Plus  
 Shuttle Shift: Electric Hydraulic  
 Main Shift: 8-Speed synchronized  
 w/swing shift  
 Range Shift: 2-Speed Constant Mesh  
 Dual Speed: 2-Speed power shift  
 Clutch - Multi-Plate Wet  
 Planetary Final Drives  
 Hydraulic Wet Dish Brakes

**FRONT AXLE**

Hydrostatic Power Steering  
 2WD: Steel Adjustable  
 4WD: Cast Iron, Bevel Gear 55 Deg  
 Mechanical Differential Lock  
 Adjustable (Rim) Tread Spacing

**FLUID CAPACITY**

Fuel Tank Capacity: 46.2 gal  
 DEF Tank Capacity: 3.2 gal  
 Cooling System: 2.5 gal  
 Crankcase: 2.8 gal  
 Hydraulics/Trans: 15.8 gal  
 Front Axle case: 1.9 gal  
 Bevel Gear case: 0.9 gal

**INSTRUMENTS**

LCD Display:  
 Shuttle position, DEF gauge,  
 Clock, Travel Speed, PTO RPM,  
 Hour Meter, Trip Meter,  
 Fuel Consumption, PM Level, RPM Memory  
 Oil Pressure  
 Fuel Gauge  
 Coolant Temperature  
 Swing Shift H/L Digital Light Indicator  
 4WD Indicator  
 Water Separator Light

**TIRES AND WHEELS**

Front: See following pages for combinations noted as standard  
 Rear: See following pages for combinations noted as standard

**Cab Features**

Tilt Steering Wheel  
 Retractable Seat belt  
 12V - Outlet  
 Cup Holder  
 Cloth Suspension Seat  
 Side view mirrors  
 Front wiper and washer

**LIGHTING**

2 Headlights - Tail lights  
 4 Hazard Flasher Lights w/ Turn Signals  
 2 Grill Mounted Worklights  
 2 Cab Mounted Worklights  
 2 Rear Cab Mounted Worklights

**SAFETY EQUIPMENT**

Flip-Up PTO Shield  
 Safety Start Switches  
 Electric Key Shut Off  
 Parking Brake  
 Turn Signals  
 SMV Sign  
 7-Pin Electrical Trailer Connector

# M6S Series M6S-111 Midsize Utility Tractors **KUBOTA**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
***STANDARD TRACTOR WITH STANDARD TIRES***				
M6S-111SHF	2WD Farm Tractor ROPS	K49M350M40	6834 lbs	\$61,688.00
M6S-111SHC	2WD Farm Tractor w/Factory Cab (A/C)	K56M047M20	9789 lbs	\$70,059.00

M6S-111 2WD		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGGESTED LIST PRICE
<b>TIRES AND WHEELS†</b>				
<b>STANDARD TIRES</b>				
AMR8980B*	F-TIRE 10.00-16 F2 Champ Guide Grip TL	91 lbs	MM0	Add In Base Price
AMR9244D*	R-TIRE 18.4-34 R1 8-PLY BIAS SAT II	441 lbs		
<b>AG - BIAS REAR</b>				
AMR8980B*	F-TIRE 10.00-16 F2 Champ Guide Grip TL	91 lbs	MM0	Add \$0.00
AMR9244D*	R-TIRE 18.4-34 R1 8-PLY BIAS SAT II	441 lbs		
AMR8980B	F-TIRE 10.00-16 F2 Champ Guide Grip TL	91 lbs	K1M915M20	Add \$2,394.00
AMR9246C	Ⓢ R-TIRE 18.4-34 R1 F-Stone(SAT)II CRC Cst	1000 lbs		
<b>AG - RADIAL REAR</b>				
AMR8980B	F-TIRE 10.00-16 F2 Champ Guide Grip TL	91 lbs	K513M60	Add \$642.00
AMR9254D	R-TIRE 460/85R34 R1W GY OPTITRAC	540 lbs		
AMR8980B	F-TIRE 10.00-16 F2 Champ Guide Grip TL	91 lbs	K2M166M40	Add \$2,708.00
AMR9256C	Ⓢ R-TIRE 460/85R34 R1W GY OPTITRAC CAST	1020 lbs		
AMXR8789A	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	75 lbs	K622M40	Add \$778.00
AMR9257B	R-TIRE 420/85R34 R1W ALLIANCE 385 RADIAL	380 lbs		
AMXR8789A	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	75 lbs	K2M100M80	Add \$2,626.00
AMR9258B	Ⓢ R-TIRE 420/85R34 GY OPT R1W CAST	910 lbs		
AMR8980B	F-TIRE 10.00-16 F2 Champ Guide Grip TL	91 lbs	K1K092M80	Add \$1,366.00
AMR8514B	Ⓢ R-TIRE 460/85R30 R1W GDYR OPTRAC CAST	1027 lbs		

TIRES AND WHEELS (priced per piece)				
ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
<b>AG - BIAS REAR</b>				
AMR8980B*	F-TIRE 10.00-16 F2 Champ Guide Grip TL	K284M00	91 lbs	\$355.00
AMR9244D*	R-TIRE 18.4-34 R1 8-PLY BIAS SAT II	K1M277M60	441 lbs	\$1,597.00
AMR8980B	F-TIRE 10.00-16 F2 Champ Guide Grip TL	K284M00	91 lbs	\$355.00
AMR9246C	Ⓢ R-TIRE 18.4-34 R1 F-Stone(SAT)II CRC Cst	K2M235M20	1000 lbs	\$2,794.00
<b>AG - RADIAL REAR</b>				
AMR8980B	F-TIRE 10.00-16 F2 Champ Guide Grip TL	K284M00	91 lbs	\$355.00
AMR9254D	R-TIRE 460/85R34 R1W GY OPTITRAC	K1M534M40	540 lbs	\$1,918.00
AMR8980B	F-TIRE 10.00-16 F2 Champ Guide Grip TL	K284M00	91 lbs	\$355.00
AMR9256C	Ⓢ R-TIRE 460/85R34 R1W GY OPTITRAC CAST	K2M360M80	1020 lbs	\$2,951.00
AMXR8789A	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	K266M40	75 lbs	\$333.00
AMR9257B	R-TIRE 420/85R34 R1W ALLIANCE 385 RADIAL	K1M606M40	380 lbs	\$2,008.00
AMXR8789A	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	K266M40	75 lbs	\$333.00
AMR9258B	Ⓢ R-TIRE 420/85R34 GY OPT R1W CAST	K2M345M60	910 lbs	\$2,932.00
AMR8980B	F-TIRE 10.00-16 F2 Champ Guide Grip TL	K284M00	91 lbs	\$355.00
AMR8514B	Ⓢ R-TIRE 460/85R30 R1W GDYR OPTRAC CAST	K1M824M00	1027 lbs	\$2,280.00

\* Standard Tires  
Ⓢ Recommended for loader applications, increases base weight by approximately 600 lbs.



# M6S Series M6S-111 Midsize Utility Tractors **KUBOTA**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
***STANDARD TRACTOR WITH STANDARD TIRES***				
M6S-111SHD	4WD Farm Tractor ROPS 540 PTO	K54M652M80	8466 lbs	\$68,316.00
M6S-111SDS2	4WD Farm Tractor ROPS 540/1000 PTO With Swing Shift Plus	K58M395M20	8466 lbs	\$70,313.80
M6S-111SHDC	4WD Farm Tractor w/Factory Cab (A/C)	K61M153M60	9789 lbs	\$76,442.00
M6S-111SHDC2	4WD Farm Tractor w/Factory Cab (A/C) 540/1000 rpm PTO	K61M628M80	9789 lbs	\$77,036.00
M6S-111SDSC	4WD Farm Tractor w/Factory Cab (A/C) With Swing Shift Plus	K63M229M60	9789 lbs	\$79,037.00
M6S-111SDSC2	4WD Farm Tractor w/Factory Cab (A/C) 540/1000 rpm PTO with Swing Shift Plus	K63M704M80	9789 lbs	\$79,631.00

M6S-111 4WD		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGGESTED LIST PRICE
<b>TIRES AND WHEELS<sup>†</sup></b>				
<b>STANDARD TIRES</b>				
AMR8559A	F-TIRE 340/85R24 R1W GY OPTITRAC	290 lbs	In Base Price	Add
AMR9254D	R-TIRE 460/85R34 R1W GY OPTITRAC	540 lbs		In Base Price
<b>AG - BIAS REAR</b>				
AMR8558C	F-TIRE 13.6-24 R1 Dyna Torque II TL WAF	206 lbs	M920M00	Add
AMR9246C	R-TIRE 18.4-34 R1 F-Stone(SAT)II CRC Cst	1000 lbs		\$1,150.00
AMR8558C	F-TIRE 13.6-24 R1 Dyna Torque II TL WAF	206 lbs	M995M20	Less
AMR9244D	R-TIRE 18.4-34 R1 8-PLY BIAS SAT II	441 lbs		(\$1,244.00)
AMR8556B	F-TIRE 12.4-24 R1W GDYR OPTITRAC	193 lbs	K1M430M40	Less
AMR8530B	R-TIRE 18.4-30 R1W GDYR OPTITRAC	393 lbs		(\$1,788.00)
<b>AG - RADIAL REAR</b>				
AMR8559A	F-TIRE 340/85R24 R1W GY OPTITRAC	290 lbs	MM0	Add
AMR9254D	R-TIRE 460/85R34 R1W GY OPTITRAC	540 lbs		\$0.00
AMR8559A	F-TIRE 340/85R24 R1W GY OPTITRAC	290 lbs	K1M652M80	Add
AMR9256C	R-TIRE 460/85R34 R1W GY OPTITRAC CAST	1020 lbs		\$2,066.00
AMR8557A	F-TIRE 320/85R24 R1W GDYR OPTRAC	220 lbs	M299M20	Add
AMR8514B	R-TIRE 460/85R30 R1W GDYR OPTRAC CAST	1027 lbs		\$374.00
AMR8557A	F-TIRE 320/85R24 R1W GDYR OPTRAC	220 lbs	M136M00	Less
AMR9257B	R-TIRE 420/85R34 R1W ALLIANCE 385 RADIAL	380 lbs		(\$170.00)
AMR8557A	F-TIRE 320/85R24 R1W GDYR OPTRAC	220 lbs	K1M342M40	Add
AMR9258B	R-TIRE 420/85R34 GY OPT R1W CAST	910 lbs		\$1,678.00
<b>AG - RADIAL R14 Tires</b>				
AMR9304	F-TIRE LSW 340/70R28 GY R14	290 lbs	K2M772M80	Add
AMR9308	R-TIRE LSW 460/75R38 GY R14 CAST	1072 lbs		\$3,466.00
<b>INDUSTRIAL TIRES</b>				
AMR8797	F-TIRE 14-17.5 R4 WITH 0.55" INSET	168 lbs	K881M60	Add
AMR8532	R-TIRE 19.5L-24 R4 Titan Ind Trac Lug	304 lbs		\$1,102.00
<b>TERRAIN KING</b>				
AMR9304	F-TIRE LSW 340/70R28 GY R14	290 lbs	K2M859M20	Add
AMR9284TK	R-TIRE LSW 460/75R38 GY R14 CAST TK	1080 lbs		\$3,948.00
AMR8559A	F-TIRE 340/85R24 R1W GY OPTITRAC	290 lbs	K1M409M60	Add
AMR9280TKA	R-TIRE 460/85R34 R1W GY OPT CAST TK	1010 lbs		\$2,136.00

\* Standard Tires

Ⓢ Recommended for loader applications, increases base weight by approximately 600 lbs.

**M6S Series M6S-111 Midsize Utility Tractors KUBOTA**

M6S-111 4WD				
TIRES AND WHEELS (priced per piece)				
ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGG. LIST PRICE
<b>AG - BIAS REAR</b>				
AMR8558C*	F-TIRE 13.6-24 R1 Dyna Torque II TL WAF	K607M20	206 lbs	\$759.00
AMR9246C*	R-TIRE 18.4-34 R1 F-Stone(SAT)II CRC Cst	K2M235M20	1000 lbs	\$2,794.00
AMR8558C	F-TIRE 13.6-24 R1 Dyna Torque II TL WAF	K607M20	206 lbs	\$759.00
AMR9244D	Ⓢ R-TIRE 18.4-34 R1 8-PLY BIAS SAT II	K1M277M60	441 lbs	\$1,597.00
AMR8556B	F-TIRE 12.4-24 R1W GDYR OPTITRAC	K539M20	193 lbs	\$674.00
AMR8530B	R-TIRE 18.4-30 R1W GDYR OPTITRAC	K1M128M00	393 lbs	\$1,410.00
<b>AG - RADIAL REAR</b>				
AMR8559A	F-TIRE 340/85R24 R1W GY OPTITRAC	K848M00	290 lbs	\$1,060.00
AMR9254D	R-TIRE 460/85R34 R1W GY OPTITRAC	K1M534M40	540 lbs	\$1,918.00
AMR8559A	F-TIRE 340/85R24 R1W GY OPTITRAC	K848M00	290 lbs	\$1,060.00
AMR9256C	Ⓢ R-TIRE 460/85R34 R1W GY OPTITRAC CAST	K2M360M80	1020 lbs	\$2,951.00
AMR8557A	F-TIRE 320/85R24 R1W GDYR OPTRAC	K708M00	220 lbs	\$885.00
AMR8514B	R-TIRE 460/85R30 R1W GDYR OPTRAC CAST	K1M824M00	1027 lbs	\$2,280.00
AMR8557A	F-TIRE 320/85R24 R1W GDYR OPTRAC	K708M00	220 lbs	\$885.00
AMR9257B	R-TIRE 420/85R34 R1W ALLIANCE 385 RADIAL	K1M606M40	380 lbs	\$2,008.00
AMR8557A	F-TIRE 320/85R24 R1W GDYR OPTRAC	K708M00	220 lbs	\$885.00
AMR9258B	Ⓢ R-TIRE 420/85R34 GY OPT R1W CAST	K2M345M60	910 lbs	\$2,932.00
<b>AG - RADIAL R4 Tires</b>				
AMR8797	F-TIRE 14-17.5 R4 WITH 0.55" INSET	K589M60	168 lbs	\$737.00
AMR8532	R-TIRE 19.5L-24 R4 Titan Ind Trac Lug	K960M00	304 lbs	\$1,200.00
<b>AG - RADIAL R14 Tires</b>				
AMR9304	F-TIRE LSW 340/70R28 GY R14	K1M207M20	290 lbs	\$1,509.00
AMR9308	R-TIRE LSW 460/75R38 GY R14 CAST	K2M561M60	1072 lbs	\$3,202.00
<b>TERRAIN KING</b>				
AMR9304	F-TIRE LSW 340/70R28 GY R14	K1M207M20	290 lbs	\$1,509.00
AMR9284TK	R-TIRE LSW 460/75R38 GY R14 CAST TK	K2M754M40	1080 lbs	\$3,443.00
AMR8559A	F-TIRE 340/85R24 R1W GY OPTITRAC	K848M00	290 lbs	\$1,060.00
AMR9280TKA	R-TIRE 460/85R34 R1W GY OPT CAST TK	K2M388M80	1010 lbs	\$2,986.00

\* Standard Tires

Ⓢ Recommended for loader applications, increases base weight by approximately 600 lbs.

**M6S SERIES****M6S-111 Midsize Utility Tractors****KUBOTA****DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
<b>HYDRAULICS/HITCH/DRAWBAR</b>				
<b>HYDRAULIC REAR REMOTE VALVES - 3RD POSITION</b>				
M9517A	SCD (Self Canceling Detent)	K619M20	14 lbs	\$774.00
M9669A	FD (Float Detent)	K611M20	12 lbs	\$764.00
<b>REMOTE VALVE LEVER KITS</b>				
M7653A	3rd Position Lever Kit - ROPS Only	K125M60	5 lbs	\$157.00
M7659A	3rd Position Lever Kit - Cab Only	K125M60	3 lbs	\$157.00
<b>FLOW CONTROL VALVES</b>				
M9585	Flow Control Valve	K448M00	8 lbs	\$560.00
M9587	Flow Control Valve with SCD Valve For Simultaneous Valve Operation Replaces 1st SCD valve must be removed from tractor.	K930M40	20 lbs	\$1,163.00
<b>3-POINT LIFT ASSIST KIT</b>				
M9269B	High Capacity Lift Cylinders	K832M80	194 lbs	\$1,041.00
<b>DROP DRAWBAR</b>				
M9227	Drop Drawbar 4" drop	K179M20	55 lbs	\$224.00
<b>DRAWBAR CLEVIS</b>				
M9289	Drawbar Clevis for Flat Drawbar	K197M60	13 lbs	\$247.00
M9217	Drawbar Clevis for Drop Drawbar	K197M60	20 lbs	\$247.00
<b>TRANSMISSION</b>				
<b>CREEP SPEED KIT</b>				
M9293B	Creep Speed Cassette Type	K664M00	43 lbs	\$830.00
<b>DUAL SPEED PTO KITS</b>				
M6951	540/1000 RPM PTO Kit- 1000@2389 RPM 1-3/8" 21 Spline Shaft included *Not applicable for M6S-111SDS2 Models	K894M40	103 lbs	\$1,118.00
<b>FRONT &amp; REAR AXLE</b>				
<b>FRONT FENDER KIT (SWIVEL TYPE)</b>				
M9290	Fender Mounting Kit Requires Plastic Fenders Requires two (2) part # 3C294-43300 Pre-Drilled Front Wheel Case Supports Not compatible with Loader Applications Not compatible with AMR8567 Flotation Tires	K698M40	68 lbs	\$873.00
M9208	Plastic Fenders Includes two 14.9" wide Fenders Requires Fender Mounting Kit	K97M60	7 lbs	\$122.00
<b>Wide Axle Kit</b>				
M9282	80" 4WD Wide Front Axle Kit Not approved for loader applications	K1M094M40	76 lbs	\$1,368.00

**M6S SERIES****M6S-111 Midsize Utility Tractors****KUBOTA****DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
<b>ROPS ACCESSORIES</b>				
E1134	Deluxe Fiberglass Canopy for ROPS	K347M20	63 lbs	\$434.00
E1136	Mounting Bracket Kit for E1134	K171M20	29 lbs	\$214.00
E1138	Work Light Kit (set of 2 lights) For E1134 Canopy	K131A20	3 lbs	\$164.00
M9551	Rear Work Light Kit (1 light, Max 1 per tractor)	K75M20	3 lbs	\$94.00
<b>Replacement ROPS</b>				
SFM-FM6S111	Replacement ROPS for M6S-111/M6H-111	K1M233M60	99999 lbs	\$1,542.00

**CAB ACCESSORIES**

M7661	Rear Window Wiper Kit	K208M80	4 lbs	\$261.00
M1476	Elec-Defogger Kit	K481M60	63 lbs	\$602.00
M9270	Air Ride Seat Suspension Kit Requires Wire Harness (M9205)	K492M00	49 lbs	\$615.00
M9205	Air Ride Seat Wire Harness	K18M40	1 lbs	\$23.00
77700-01098	12V/3-Pin 30 Amp Coupler Pigtail, 12" Long		(Order from Parts Department)	
<b>HIGH CAPACITY ALTERNATOR KIT</b>				
M6950	100 Amp High Capacity Alternator Kit for Cab	K388M00	10 lbs	\$485.00
<b>JENSEN RADIO OPTIONS</b>				
77700-04753	Radio, AM/FM/WB/AUX		(Order from Parts Department)	
77700-04754	Radio, AM/FM/WB/AUX/USB/IPOD/SAT		(Order from Parts Department)	
77700-04755	Radio, AM/FM/WB/AUX/USB/IPOD/SATCD/Bluetooth		(Order from Parts Department)	

**BALLAST**

<b>FRONT SUITCASE WEIGHTS</b>				
M8079	Suitcase Weight 12 Max	K90M40	102 lbs	\$113.00
<b>FRONT WEIGHT BOLT/BAR KITS</b>				
M9275A	Bolt/Bar Kit	K54M40	14 lbs	\$68.00
<b>REAR WHEEL WEIGHTS</b>				
M8126A	Rear Wheel Weight Kit (164 lbs. each) Set of 2, Requires Rear Wheel Bolt Kit Maximum of 3 Sets on Steel Dish Wheels Maximum of 2 Sets on Cast Dish Wheels	K278M40	328 lbs	\$348.00
<b>REAR WHEEL WEIGHT BOLT KITS</b>				
LM8125A	Bolt Kit for 1st Wheel Weight Kit on Steel Dish Wheels	K59M20	5 lbs	\$74.00
M8119B	Bolt Kit for 1st Wheel Weight Kit on Cast Dish Wheels	K24M00	6 lbs	\$30.00
M8127A	Bolt Kit for 2nd and 3rd Set of Weights One Bolt Kit per Weight Set	K16M80	1 lbs	\$21.00
<b>REAR 3-POINT BALLAST</b>				
M8180	Ballast Box	K564M80	220 lbs	\$706.00

**ADDITIONAL ACCESSORIES**

<b>BLOCK HEATER</b>				
70000-73274	Block Heater		(Order from Parts Department)	
<b>FUEL TANK GUARD</b>				
M6942	Heavy Duty Fuel Tank Guard Kit for ROPS	K250M40	18 lbs	\$313.00
M6952	Heavy Duty Fuel Tank Guard Kit for Cab	K250M40	18 lbs	\$313.00
<b>GRILL GUARD</b>				
M8147	Grill Guard Kit	K220M80	61 lbs	\$276.00

**KubotaNOW TELEMATICS**

<b>Each order will require the DCU6700 modem and wiring harness as listed below:</b>				
DCU6700	AT&T Telematics Modem	K321A60	1 lbs	\$402.00
M6712	M Series Telematics Harness	K113M60	1 lbs	\$142.00
<b>KubotaNOW Telematics Service includes a three (3) year term with a Dealer Net cost of \$399 and a total list price of \$525</b>				
<b>As of November 2nd, KubotaNOW will be available for Dealer Owned and Dealer Rental Fleet Machines.</b>				

**M6S SERIES****M6S-111 Midsize Utility Tractors****KUBOTA****FRONT END LOADER**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
------------	-------------	----------------	-------------	----------------------

**FRONT END LOADER**

LA1944A	Front End Loader (2 Lever Type Quick Coupler) Includes Mounting Kit and Stand DOES NOT INCLUDE VALVE OR BUCKET, must be ordered separately	K5M331M20	1859 lbs	\$6,664.00
---------	--	-----------	----------	------------

**VALVE KITS**

M6955	Standard Valve Kit - ROPS	K952M00	75 lbs	\$1,190.00
M6953	Hydraulic Self-Leveling Valve Kit - ROPS	K1M932M00	111 lbs	\$2,415.00
M8143	Standard Valve Kit - Cab	K1M113M60	75 lbs	\$1,392.00
M8144	Hydraulic Self-Leveling Valve Kit - Cab	K1M932M00	101 lbs	\$2,415.00

**LOADER ACCESSORY KITS**

<b>THIRD FUNCTION VALVES</b>				
M6954	Standard 3rd Function Valve Kit - ROPS	K1M152M00	56 lbs	\$1,440.00
M8146	Standard 3rd Function Valve Kit - Cab	K1M152M00	96 lbs	\$1,440.00
<b>LOADER ACCESSORIES KITS</b>				
M8145	KSR (Kubota Shockless Ride) Accumulator	K619M20	38 lbs	\$774.00
M1553A	Hydraulic Quick Connect Single Lever	K755M20	21 lbs	\$944.00

**QA BUCKETS & ACCESSORIES**

M1811	72" Round Back Bucket	K631M20	400 lbs	\$789.00
M1815	84" Round Back High Capacity, Light Material Bucket	K843M20	400 lbs	\$1,054.00
M1816	84" Round Back Bucket	K804M00	400 lbs	\$1,005.00
M1886	96" Square Back Bucket	K892M00	610 lbs	\$1,115.00
M1896	96" Square Back High Capacity Bucket	K984M00	610 lbs	\$1,230.00
<b>BUCKET ACCESSORIES</b>				
M1057	Bucket Tine Kit for 72" Bucket	K250M40	79 lbs	\$313.00
M1285	Bucket Tine Kit for 84" Bucket	K400M80	90 lbs	\$501.00
M1287	Bucket Tine Kit for 96" Bucket	K445M60	200 lbs	\$557.00
<b>BALE SPEARS</b>				
M1804	Bale Spear 2 Lever Type QA	K686M40	195 lbs	\$858.00

**PALLET FORK FRAME / PALLET FORKS**

M1809	Pallet Fork Frame 2 Lever QA Requires 42" or 48" Forks	K635M20	200 lbs	\$794.00
K9058	42" Pallet Forks	K433L60	196 lbs	\$542.00
K9059	48" Pallet Forks	K462K40	218 lbs	\$578.00

---

**M6S SERIES**

**M6S-111 Midsize Utility Tractors**



**Approved Attachments**

See Website for Landpride Attachments List

**M6 SERIES**

**M6-131/M6-141**

**KUBOTA**

\*\*\* EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS \*\*\*

**DIESEL ENGINE**

Kubota V6108 Direct Injection  
 6.1L (374 cu. In.) 4 Cyl  
 EPA Tier 4 Final Compliant  
 Common Rail Electronic Fuel Injection  
 Electronic Engine Management  
 Turbocharged  
 w/Wastegate and Intercooled  
 Fuel Tank Capacity: 50.2 Gal  
 130 Amp Alternator  
 12V 1090 CCA Battery

**EXHAUST EMISSION CONTROL TYPE**

DPF System (Diesel Particulate Filter)  
 SCR System  
 DEF Tank Capacity: 4.2 Gal

**HYDRAULICS / HITCH / DRAWBAR**

Open Center Gear Pump  
 Max. Flow @ Rated Engine Speed  
 Power Steering: 14.6 gpm  
 Implement Flow: 20.4 gpm  
 Total Flow: 35.0 gpm

**REMOTE VALVES**

Remote Valves w/Individual Flow Control  
 (1) SCD (Self Canceling Detent)  
 (1) FD (Float Detent)  
 In-Cab Flow Control Adjustment

**3 POINT HITCH & DRAWBAR**

Cat II 3-point Hitch  
 @ Lift Points: 8598 lbs  
 @ 24" Behind: 6834 lbs  
 2 External Lift Cylinders  
 Electronic Position and Draft Control  
 Telescoping Lower Links  
 Stabilizers  
 Swinging Drawbar - 4.5" Drop

**POWER TAKE OFF (540/1000)**

Live-Independent Hyd. PTO  
 SAE 1 3/8" Six Spline  
 540 rpm @ 1994 Eng. rpm  
 SAE 1 3/8" Twenty-One Spline  
 1000 rpm @ 2050 Eng. rpm

**TRANSMISSION**

24F/24R Intelli-Shift  
 Three Range, 8-Speed Semi-Powershift  
 Auto Shift Mode - Field & Road  
 Auto 4WD Function  
 Electro-Hydraulic Shuttle Shift  
 Electro-Hydraulic Front & Rear Diff. Lock  
 Clutch - Multi Plate Wet  
 Planetary Final Drives  
 Hydraulic Wet Disc Brakes

**FRONT AXLE**

Hydrostatic Power Steering  
 4WD: Cast Iron, Bevel Gear Type  
 Bi-Speed Turn Feature  
 Planetary Final Drives  
 Adj. (Rim) Tread Spacing

**M6-141DTSC-F**

Electronic Controlled Hydraulic  
 Front Axle Suspension System

**FLUID CAPACITY**

Cooling System: 15.4 qts  
 Crankcase: 14.6 qts  
 Hydraulics/Trans: 17.2 gal

**INSTRUMENTS**

LCD readout for MPH and PTO rpm  
 26 Mode LCD Readout  
 Tachometer/Hour meter  
 Oil Pressure  
 Fuel Gauge  
 Coolant Temperature  
 Gear Speed Digital Light Indicator  
 Digital Light Indicator F/R Direction

**TIRES AND WHEELS**

Front 14.9R24 Radial / Steel Waffle  
 Rear 480/80R38 Radial/Cast Iron

**GRAND-X CAB**

4-post, ROPS Certified  
 RH & LH Doors  
 Tinted Glass Doors and Windows  
 In-roof window/vent  
 Tilt and Telescoping Steering Wheel  
 Deluxe Air Ride Seat  
 Dual Level Air Conditioning & Heater  
 Front and Rear Wiper/Washer  
 Front Sun Visor  
 Rear View Mirror  
 LH & RH Telescoping Side Mirrors  
 Radio Ready Cab  
 Steps, Left and Right Side  
 Interior Dome Light  
 12V - 30-Amp 2 Wire Coupler  
 12V - 3 Pin 30-Amp Coupler  
 12V - Outlet  
 Cup Holder  
 Instructor Seat Ready  
 Horn

**LIGHTING**

2 Headlights - Tail lights  
 4 Hazard Flasher Lights w/ Turn Signals  
 2 Grill Mounted Worklights  
 2 Front Cab Halogen Worklights  
 2 Rear Halogen Worklights

**SAFETY EQUIPMENT**

Flip-Up PTO Shield  
 Safety Start Switches  
 Electric Key Shut Off  
 Parking Brake  
 Turn Signals  
 SMV Sign  
 7-Pin Electrical Trailer Connector

Model Specifications	
<b>M6-131</b>	<b>M6-141</b>
SAE Gross HP: 131.6 HP	SAE Gross HP: 141.4 HP
Engine Net HP: 123.2 HP	Engine Net HP: 133.0 HP
Max . PTO HP: 104.0 HP	Max . PTO HP: 114.0 HP
@ 2200 Engine RPM	@ 2200 Engine RPM

**M6 Series M6-131/M6-141 KUBOTA**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
***STANDARD TRACTOR WITH STANDARD TIRES***				
M6-131DTC-F	4WD Farm Tractor w/Factory Cab (A/C)	K82M378M40	10945 lbs	\$102,973.00
M6-141DTC-F	4WD Farm Tractor w/Factory Cab (A/C)	K87M528M00	10945 lbs	\$109,410.00
M6-141DTSC-F	4WD Farm Tractor w/Factory Cab (A/C) With Suspended Front Axle	K96M565M60	11387 lbs	\$120,707.00

M6-131DTC-F/M6-141DTC-F		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGGESTED LIST PRICE
<b>TIRES AND WHEELS†</b>				
<b>STANDARD TIRES</b>				
AMR8560A*	F-TIRE 380/85R24 R1W GY OPTITRAC WAF	300 lbs	MM0	Add
AMR8571A*	R-TIRE 460/85R38 R1W GY OPTITRAC CAST	1080 lbs		In Base Price
<b>AG - RADIAL REAR</b>				
AMR8560A*	F-TIRE 380/85R24 R1W GY OPTITRAC WAF	300 lbs	MM0	Add
AMR8571A*	R-TIRE 460/85R38 R1W GY OPTITRAC CAST	1080 lbs		\$0.00
AMR8547	F-TIRE 420/70R24 Gdyr R1W Optitrac DT812	220 lbs	K1M63M00	Add
AMR9225	R-TIRE 520/70R38 R1W OptracDT812 CastRC	965 lbs		\$1,114.00
AMR8560A	F-TIRE 380/85R24 R1W GY OPTITRAC WAF	300 lbs	M654M40	Less
AMR8989A	R-TIRE 460/85R38 R1W GY OPT PAVT CAST	1080 lbs		(\$818.00)
<b>MICHELIN TIRES</b>				
AMR8517	F-TIRE 14.9R24 R1W MICHELIN AGRIBIB	280 lbs	M670M40	Less
AMR8581	R-TIRE 18.4R38 R1W MICHELIN AGRIBIB CAST	1060 lbs		(\$838.00)
<b>TERRAIN KING</b>				
AMR8560A	F-TIRE 380/85R24 R1W GY OPTITRAC WAF	300 lbs	MM0	Add
AMR9282TKA	R-TIRE 460/85R38 R1W GY OPT CAST TK	1100 lbs		\$0.00
AMR8471	FT TITN 380/70R28 136D R14T STL 8BLT	206 lbs	K2M536M20	Add
AMR8473TK	RT TITN 460/75R42 R14T CAST 8BLT TK	1080 lbs		\$4,444.00
<b>AG/INDUSTRIAL HYBRID</b>				
AMR8471	FT TITN 380/70R28 136D R14T STL 8BLT	206 lbs	K3M544M00	Add
AMR8474	RT TITN 460/75R42 150D R14T CST 8BLT	1027 lbs		\$4,430.00

**Individual Tire Pricing**

M6-131/M6-141		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGGESTED LIST PRICE
<b>TIRES AND WHEELS (priced per piece)</b>				
<b>AG - RADIAL REAR</b>				
AMR8560A*	F-TIRE 380/85R24 R1W GY OPTITRAC WAF	300 lbs	K872M80	\$1,091.00
AMR8571A*	R-TIRE 460/85R38 R1W GY OPTITRAC CAST	1080 lbs	K2M697M60	\$3,372.00
AMR8547	F-TIRE 420/70R24 Gdyr R1W Optitrac DT812	220 lbs	K1M063M2	\$1,329.00
AMR9225	R-TIRE 520/70R38 R1W OptracDT812 CastRC	965 lbs	K2M519M20	\$3,149.00
AMR8560A	F-TIRE 380/85R24 R1W GY OPTITRAC WAF	300 lbs	K872M80	\$1,091.00
AMR8989A	R-TIRE 460/85R38 R1W GY OPT PAVT CAST	1080 lbs	K2M370M40	\$2,963.00
<b>Michelin Tires</b>				
AMR8517	F-TIRE 14.9R24 R1W MICHELIN AGRIBIB	280 lbs	K850M40	\$1,063.00
AMR8581	R-TIRE 18.4R38 R1W MICHELIN AGRIBIB CAST	1060 lbs	K2M384M80	\$2,981.00
<b>TERRAIN KING</b>				
AMR8560A	F-TIRE 380/85R24 R1W GY OPTITRAC WAF	300 lbs	K872M80	\$1,091.00
AMR9282TKA	R-TIRE 460/85R38 R1W GY OPT CAST TK	1100 lbs	K2M697M60	\$3,372.00
AMR8471	FT TITN 380/70R28 136D R14T STL 8BLT	206 lbs	K1M272M00	\$1,590.00
AMR8473TK	RT TITN 460/75R42 R14T CAST 8BLT TK	1080 lbs	K3M566M50	\$5,095.00
<b>AG/INDUSTRIAL HYBRID</b>				
AMR8471	FT TITN 380/70R28 136D R14T STL 8BLT	206 lbs	K1M272M00	\$1,590.00
AMR8474	RT TITN 460/75R42 150D R14T CST 8BLT	1027 lbs	K4M070M40	\$5,088.00

\* Standard Tires



**M6 Series****M6-131/M6-141****KUBOTA****DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>HYDRAULICS/HITCH/DRAWBAR</b>				
<b>HYDRAULIC REAR REMOTE VALVES - 3RD and 4th Position</b>				
M7683A	SCD Valve with Built-In Flow Control	K730M40	22 lbs	\$913.00
M7684A	FD Valve with Built-In Flow Control	K738M40	20 lbs	\$923.00
<b>REMOTE VALVE LEVER KITS FOR DELUXE VALVES</b>				
M7629	3rd Position Lever Kit	K195M20	5 lbs	\$244.00
M7686	4th Position Lever Kit	K195M20	3 lbs	\$244.00
<b>3-POINT LIFT ASSIST KIT</b>				
M9122	High Capacity Lift Cylinder Kit Provides 9,447 Lbs. lift capacity	K894M40	55 lbs	\$1,118.00
<b>3-POINT FENDER SWITCH</b>				
M9237	Right hand fender switch for 3-point hitch	K39M20	1 lbs	\$49.00
<b>DROP DRAWBAR</b>				
3F440-89120	Flat Drawbar	(Order from Parts Department)		
<b>DRAWBAR CLEVIS</b>				
M9289	Drawbar Clevis for Flat Drawbar	K197M60	13 lbs	\$247.00
M9217	Drawbar Clevis for Drop Drawbar	K197M60	20 lbs	\$247.00
<b>TRANSMISSION</b>				
<b>CREEP SPEED KIT</b>				
M9127	One kit, Cassette type Requires dealer installation.	K864M00	39 lbs	\$1,080.00
<b>FRONT AXLE</b>				
<b>FRONT FENDER KIT (Swivel Type)</b>				
M9290	Fender Mounting Kit, (Requires M9208 or M9209)	K698M40	68 lbs	\$873.00
M9208	Plastic Fenders (Includes 2 Fenders) 14.9" wide For 13.6" or 14.9" Width Front Tires Requires Fender Mounting Kit	K97M60	7 lbs	\$122.00
M9209	Plastic Fenders (Includes 2 Fenders) 17.3" wide For 420mm Width Front Tires Requires Fender Mounting Kit	K116M00	9 lbs	\$145.00
<b>FRONT FENDER KIT (Rigid type)</b>				
M9298A	Fender Mounting Kit	K368M00	92 lbs	\$460.00
M9297A	Plastic Fender Kit (Includes 2 Fenders) Requires M9298A Bracket Kit	K94M40	11 lbs	\$118.00
<b>60" FRONT AXLE KIT</b>				
M6930	60" Tread Front Axle Conversion Kit	K383M20	102 lbs	\$479.00
<b>WIDE ROW FRONT AXLE KIT</b>				
M9783	80" Wide Row Front Axle Kit Not compatible with Loader Applications	K1M132M80	102 lbs	\$1,416.00
<b>Jensen Radio options</b>				
77700-04753	RADIO, AM/FM/WB/AUX	(Order from Parts Department)		
77700-04754	RADIO, AM/FM/WB/AUX/USB/IPOD/SAT	(Order from Parts Department)		
77700-04755	RADIO, AM/FM/WB/AUX/USB/IPOD/SAT/CD/Bluetooth	(Order from Parts Department)		
*Mounting bracket is shipped with the tractor in the cab, black pouch. The plastic cover plate that is removed becomes the radio cover ring, remove the plastic center cover piece, and reinstall the cover ring.				

**M6 Series M6-131/M6-141 KUBOTA**

**DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>CAB ACCESSORIES</b>				
M1145	Retractable Rear Sunshade	K204M00	5 lbs	\$255.00
M9118	Rear Defogger Kit	K348M00	46 lbs	\$435.00
M9121A	Instructor Seat w/Seat belt Dealer installed or installed by KTC with tractor order	K414M40	14 lbs	\$518.00
M9144	Monitor Bracket	K108M00	4 lbs	\$135.00
77700-01098	12V/3-Pin 30 Amp Coupler Pigtail, 12" Long (Order from Parts Department)			
M9229	Mid Mount Work Light Kit (Two Lights) Each light mounts to Cab grab handle	K128M80	4 lbs	\$161.00
M1352	Rear Mount Work Light Kit (Two Lights)	K143M20	5 lbs	\$179.00
M9206	PLASTIC REAR FENDER EXTENSION - M6	K300M80	1 lbs	\$376.00
<b>REPLACEMENT CAB</b>				
M6935	Standard Replacement Cab - Field installation required. Attachment system, lights, electrical harness, glass, control levers, roof and headliner, dash tower, steering column, and pedals are included. Note: Transfer components as needed.	K13M477M60	1000 lbs	\$16,847.00
M6936	Front Suspension Model Replacement Cab - Field installation required. Attachment system, lights, electrical harness, glass, control levers, roof and headliner, dash tower, steering column, and pedals are included. Note: Transfer components as needed.	K13M881M60	1000 lbs	\$17,352.00

**BALLAST**

<b>FRONT WEIGHT BRACKETS</b>				
M9126	Weight Bracket - 12 Weight Bracket Requires M9275 Bolt/Bar Kit	K376M00	96 lbs	\$470.00
M6914	Weight Bracket - 16 Weight Bracket Requires M6915 Bolt/Bar kit	K483M20	95 lbs	\$604.00
<b>FRONT SUITCASE WEIGHTS</b>				
M8079	One Weight	K90M40	102 lbs	\$113.00
<b>FRONT WEIGHT BOLT/BAR KITS</b>				
M9275A	Bolt/Bar Kit - Weight(s) One Bolt/Bar Kit per 1-12 M8079 Weights	K54M40	14 lbs	\$68.00
M6915A	Bolt/Bar Kit - Weight(s) One Bolt/Bar Kit per 1-16 M8079 Weights	K71M20	12 lbs	\$89.00
<b>REAR WHEEL WEIGHTS</b>				
M8126A	Rear Wheel Weights, set of 2 (164 lbs. each) *Requires M8119B or LM8125A *Limit 3 sets on Steel Dish Wheels *Limit 2 sets on Cast Iron Wheels ** Not Compatible with AMR8989 PAVT wheels	K278M40	328 lbs	\$348.00
<b>REAR WHEEL WEIGHT BOLT KITS</b>				
M8119B	Bolt Kit for 1st set M8126A on Cast Dish Wheels.	K24M00	6 lbs	\$30.00
LM8125A	Bolt Kit for 1st set M8126A on Steel Dish Wheels	K59M20	5 lbs	\$74.00
M8127B	Bolt Kit for 2nd and 3rd Wheel Weight Sets *Required for 2nd & 3rd set on ALL Steel Dish *Required for 2nd set on Cast Dish Wheels	K22M40	6 lbs	\$28.00

**M6 Series M6-131/M6-141 KUBOTA**

**DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

**ADDITIONAL ACCESSORIES**

<b>GRILL GUARD</b>				
M6934	Grill Guard - Compatible with M9126 Weight Bracket	K256M00	108 lbs	\$320.00
M6912	Grill Guard - Compatible with M6914 Weight Bracket	K330M40	61 lbs	\$413.00
<b>FUEL TANK GUARD KIT</b>				
M6913	Heavy Duty Metal Fuel Tank Guard Kit	K270M40	14 lbs	\$338.00
<b>BACKUP ALARM</b>				
M7562	M6 Backup Alarm Kit	K140M00	2 lbs	\$175.00
<b>BEACON LIGHT</b>				
M7582	M6 Beacon Light Kit	K254M40	4 lbs	\$318.00
<b>BLOCK HEATER</b>				
70000-73274	Block Heater	(Order from the Parts Department)		
<b>FUEL CAP</b>				
77700-06358	Locking Fuel Cap Approved only for M6-131 Previous of SN 11361 Approved only for M6-141 Previous of SN 12496	(Order from the Parts Department)		

**KubotaNOW TELEMATICS**

<b>Each order will require the DCU6700 modem and wiring harness as listed below:</b>				
DCU6700	AT&T Telematics Modem	K321A60	1 lbs	\$402.00
M6712	M Series Telematics Harness	K113M60	1 lbs	\$142.00
<b>KubotaNOW Telematics Service includes a three (3) year term with a Dealer Net cost of \$399 and a total list price of \$525</b>				
<b>As of November 2nd, KubotaNOW will be available for Dealer Owned and Dealer Rental Fleet Machines.</b>				

**M6 Series****M6-131/M6-141****KUBOTA****Front End Loaders**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

**LA2255 LOADER - For M6-131/M6-141**

LA2255	FRONT LOADER (QA) 2-Lever Quick Attach Loader Includes Mounting Kit and Stand Does not include valve, grill guard, or bucket.	K7M016M00	1859 lbs	\$8,770.00
--------	--	-----------	----------	------------

**VALVE KITS**

M6917	Loader Valve Kit (Standard)	K1M084M80	75 lbs	\$1,356.00
M6929	Loader Valve Kit (Hydraulic Self Leveling)	K1M903M20	117 lbs	\$2,379.00
M6921	3rd Function Valve Kit for Standard Loader Valve	K1M177M60	61 lbs	\$1,472.00
M6923	3rd Function Valve Kit for Hyd Self Leveling Loader Valve	K1M177M60	61 lbs	\$1,472.00

**LOADER ACCESSORIES KITS**

M6919	KSR Accumulator	K642M40	36 lbs	\$803.00
M6927	Hydraulic Quick Connect Single Lever	K755M20	22 lbs	\$944.00

**GRILL GUARD**

M6934	Grill Guard - Compatible with M9126 Weight Bracket	K256M00	108 lbs	\$320.00
M6912	Grill Guard - Compatible with M6914 Weight Bracket	K330M40	61 lbs	\$413.00

**BUCKETS / BUCKET TINE KITS / GRAPPLE BUCKETS (All 2-Lever Type QA)**

M1815	84" Rd Back High Capacity, Light Material Bucket	K843M20	400 lbs	\$1,054.00
M1816	84" Rd Back Bucket	K804M00	400 lbs	\$1,005.00
M1285	84" Bucket Tine Kit (includes 9 Tines and hardware)	K400M80	90 lbs	\$501.00
M1886	96" Bucket	K892M00	610 lbs	\$1,115.00
M1287	96" Bucket Tine Kit (includes 10 Tines and hardware)	K445M60	200 lbs	\$557.00
M1896	96" Sq Back, High Capacity, Light Material Bucket	K984M00	610 lbs	\$1,230.00
M9248	84" HAY GRAPPLE BUCKET Four tine, 2-cylinder grapple 2-Lever QA coupler Requires M6921 for Std. Valve Requires M6923 for Self Leveling Valve Requires two Hyd. 1/2" quick couplers w/0.375" fittings	K3M540M80	1240 lbs	\$4,426.00
M9249	90" HAY GRAPPLE BUCKET Four tine, 2-cylinder grapple 2-Lever QA coupler Requires M6921 for Std. Valve Requires M6923 for Self Leveling Valve Requires two Hyd. 1/2" quick couplers w/0.375" fittings	K3M755M20	1500 lbs	\$4,694.00

**BALE SPEARS**

M1804	Bale Spear 2-Lever Type QA	K686M40	195 lbs	\$858.00
-------	----------------------------	---------	---------	----------

**PALLET FORK FRAME / PALLET FORKS**

M1809	Pallet Fork Frame 2-Lever Type QA (Requires 42" or 48" Forks)	K635M20	200 lbs	\$794.00
K9058	42" Pallet Forks, 2750 lb @ 24"	K433L60	196 lbs	\$542.00
K9059	48" Pallet Forks, 2750 lb @ 24"	K462K40	218 lbs	\$578.00

**M6 Series****M6-131/M6-141****KUBOTA****Front End Loaders**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>LA2255E EURO LOADER - For M6-131/M6-141</b>				
LA2255E	FRONT LOADER (EURO TYPE QA COUPLER) Euro Quick Attach Loader Includes Mounting Kit and Stand <u>Does not include</u> valve, grill guard, or bucket.	K7M016M00	1859 lbs	\$8,770.00
<b>VALVE KITS</b>				
M6917	Loader Valve Kit (Standard)	K1M084M80	75 lbs	\$1,356.00
M6929	Loader Valve Kit (Hydraulic Self Leveling)	K1M903M20	117 lbs	\$2,379.00
M6921	3rd Function Valve Kit for Standard Loader Valve Requires M1997E	K1M177M60	61 lbs	\$1,472.00
M6923	3rd Function Valve Kit for Hyd Self Leveling Loader Valve Requires M1997E	K1M177M60	61 lbs	\$1,472.00
M1997E	Hose Extension Kit, required for M6921 or M6923	K211M20	13 lbs	\$264.00
<b>LOADER ACCESSORIES KITS</b>				
M6919	KSR (Kubota Shockless Ride) Accumulator	K642M40	36 lbs	\$803.00
M6927	Hydraulic Quick Connect Single Lever	K755M20	22 lbs	\$944.00
<b>GRILL GUARD KITS</b>				
M6934	Grill Guard - Compatible with M9126 Weight Bracket	K256M00	108 lbs	\$320.00
M6912	Grill Guard - Compatible with M6914 Weight Bracket	K330M40	61 lbs	\$413.00
<b>BUCKET / BUCKET TINE KITS / GRAPPLE BUCKETS</b>				
M1816E	84" EURO QA Bucket	K938M40	400 lbs	\$1,173.00
M1285	84" Bucket Tine Kit	K400M80	90 lbs	\$501.00
M1886E	96" EURO QA Bucket	K1M357M60	610 lbs	\$1,697.00
M1287	96" Bucket Tine Kit	K445M60	200 lbs	\$557.00
M1896E	96" EURO QA Light Material Bucket	K1M471M20	610 lbs	\$1,839.00
M9243E	84" EURO QA type Bale Grapple Bucket Four tine, 2-cylinder grapple 2-Lever QA coupler Requires M6921 for Std. Valve Requires M6923 for Self Leveling Valve Requires two Hyd. 1/2" quick couplers w/0.375" fittings	K3M780M00	1235 lbs	\$4,725.00
M9223E	96" EURO QA type Bale Grapple Bucket Four tine, 2-cylinder grapple 2-Lever QA coupler Requires M6921 for Std. Valve Requires M6923 for Self Leveling Valve Requires two Hyd. 1/2" quick couplers w/0.375" fittings	K4M075M20	1300 lbs	\$5,094.00
<b>BALE SPEARS</b>				
M1817E	Bale Spear Quick Coupler, Euro QA	K771M20	200 lbs	\$964.00
<b>PALLET FORK FRAME / PALLET FORKS</b>				
M1819E	Pallet Fork Frame, Euro QA (Requires 42" or 48" Forks)	K712M00	200 lbs	\$890.00
K9058	42" Pallet Forks, 2750 lb @ 24" Forward Load Rating.	K433L60	196 lbs	\$542.00
K9059	48" Pallet Forks, 2750 lb @ 24" Forward Load Rating.	K462K40	218 lbs	\$578.00

---

**M6 Series**

**M6-131/M6-141**

**KUBOTA**

---

**Approved Attachments**

See Website for Landpride Attachments List

**M6 SERIES**

**M6H-101 High Clearance ROPS Tractor**



\*\*\* EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS \*\*\*

**DIESEL ENGINE**

Kubota V3800 Direct Injection  
 3.8L (230 cu. in.) 4 Cyl  
 EPA Tier 4 Final Compliant  
 Common Rail Electronic Fuel Injection  
 Electronic Engine Management  
 Turbocharged  
 w/Wastegate and Intercooled  
 12V 900 CCA Battery  
 80 Amp Alternator

**EXHAUST EMISSION CONTROL TYPE**

DPF System (Diesel Particulate Filter)  
 SCR System

**HYDRAULICS / HITCH / DRAWBAR**

Open Center Gear Pump  
 Max. Flow @ Rated Engine Speed  
 Power Steering: 12.9 gpm  
 Impl. Flow: 17.6 gpm  
 Total Flow: 30.5 gpm

**REMOTE VALVES**

(1) SCD (Self Canceling Detent)  
 (1) FD (Float Detent)

**3 POINT HITCH & DRAWBAR**

Cat II 3-Point Hitch  
 @ Lift Points: 4960 lbs  
 @ 24" Behind: 3858 lbs  
 Telescoping Lower Links  
 Telescoping Stabilizers  
 Swinging Drawbar

**POWER TAKE OFF**

Live-Independent Hyd. PTO  
 SAE 1-3/8" Six Spline  
 540 RPM @ 2405 Eng. RPM

**TRANSMISSION**

24F/24R Swing Shift w/creep  
 Electro-Hydraulic Shuttle Shift  
 4 Speed Synchronized Gears  
 3 Speed Hi/Lo/Creep Main Range  
 Clutch - Multi-Plate Wet  
 Planetary Final Drives  
 Hydraulic Wet Disc Brakes

**FRONT AXLE**

Hydrostatic Power Steering  
 4WD Models: Cast Iron, Bevel Gear  
 Mechanical Differential Lock  
 Adjustable (Rim) Tread Spacing

**FLUID CAPACITY**

Fuel Tank Capacity: 46.2 gal  
 DEF Tank Capacity: 3.2 gal  
 Cooling System: 2.8 gal  
 Crankcase: 2.8 gal  
 Hydraulics/Trans: 16.6 gal  
 Front Axle Case: 1.9 gal  
 Bevel Gear Case: 0.9 gal

**INSTRUMENTS**

LCD Display:  
 Shuttle Position, DEF gauge,  
 Clock, Travel Speed, PTO RPM,  
 Hour Meter, Trip Meter,  
 Fuel Consumption, PM Level, RPM Memory  
 Oil Pressure  
 Fuel Gauge  
 Coolant Temperature  
 Swing Shift H/L Digital Light Indicator  
 4WD Indicator  
 Water Separator Light

**ROPS FEATURES**

2-Post Foldable ROPS  
 Retractable Seat belt  
 Tilt Steering Wheel  
 Cup Holder

**LIGHTING**

2 Headlights - Tail lights  
 2 Hazard Flasher Lights w/ Turn Signals  
 2 Grill Mounted Worklights

**SAFETY EQUIPMENT**

Flip-Up PTO Shield  
 Safety Start Switches  
 Electric Key Shut Off  
 Parking Brake  
 Turn Signals  
 SMV Sign  
 7-Pin Electrical Trailer Connector

Model Specifications
<b>M6H-101</b>
SAE Gross HP: 104
Engine Net HP: 97
Max . PTO HP: 84

**TIRES AND WHEELS**

Front: See following pages for combinations noted as standard  
 Rear : See following pages for combinations noted as standard

**M6 Series M6H-101 High Clearance ROPS Tractor KUBOTA**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
***HIGH CLEARANCE TRACTOR WITH STANDARD TIRES***				
M6H-101SHD	4WD Farm Tractor ROPS	K58M829M60	9789 lbs	\$73,537.00

M6H-101		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGGESTED LIST PRICE
<b>TIRES AND WHEELS†</b>				
<b>STANDARD TIRES</b>				
AMR8793*	R-TIRE 13.6-38 R1 Alliance 304	128 lbs	MM0	Add In Base Price
AMR8793*	R-TIRE 13.6-38 R1 Alliance 304	128 lbs		
<b>AG - BIAS REAR</b>				
AMR8793*	R-TIRE 13.6-38 R1 Alliance 304	128 lbs	MM0	Add \$0.00
AMR8793*	R-TIRE 13.6-38 R1 Alliance 304	128 lbs		
AMR8796	F-TIRE 13.6 -38 R2 TITAN SPECIAL SERVICE	232 lbs	K3K280M00	Add \$4,100.00
AMR8796	F-TIRE 13.6 -38 R2 TITAN SPECIAL SERVICE	232 lbs		
AMR9487	F-TIRE 230/95R48 R1W GY OPTITRAC	517 lbs	K2K633M60	Add \$3,292.00
AMR9493	R-TIRE 230/95R48 R1W GY OPTITRAC	517 lbs		
AMR8794	R-TIRE 12.4R46 R1 Alliance Row Crop 350	424 lbs	K3K030M40	Add \$3,788.00
AMR8794	R-TIRE 12.4R46 R1 Alliance Row Crop 350	424 lbs		

\* Standard tires.

**Individual Tire Pricing**

M6H-101		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGGESTED LIST PRICE
<b>TIRES AND WHEELS (priced per piece)</b>				
AMR8793*	R-TIRE 13.6-38 R1 Alliance 304	128 lbs	K1M090M40	\$1,363.00
AMR8793*	R-TIRE 13.6-38 R1 Alliance 304	128 lbs		
AMR8796	F-TIRE 13.6 -38 R2 TITAN SPECIAL SERVICE	232 lbs	K1M910M40	\$2,388.00
AMR8796	F-TIRE 13.6 -38 R2 TITAN SPECIAL SERVICE	232 lbs		
AMR9487	F-TIRE 230/95R48 R1W GY OPTITRAC	517 lbs	K1M748M80	\$2,186.00
AMR9493	R-TIRE 230/95R48 R1W GY OPTITRAC	517 lbs		
AMR8794	R-TIRE 12.4R46 R1 Alliance Row Crop 350	424 lbs	K1M848M00	\$2,310.00
AMR8794	R-TIRE 12.4R46 R1 Alliance Row Crop 350	424 lbs		

† See Tire Section for Individual Tire Pricing and Information

\* Standard Tires



**M6 Series M6H-101 High Clearance ROPS Tractor** **KUBOTA**

**DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>HYDRAULICS/HITCH/DRAWBAR</b>				
<b>HYDRAULIC REAR REMOTE VALVES - 3RD POSITION</b>				
M9517A	SCD (Self Canceling Detent)	K619M20	14 lbs	\$774.00
M9669A	FD (Float Detent)	K611M20	12 lbs	\$764.00
<b>REMOTE VALVE LEVER KITS</b>				
M7653A	3rd Position Lever Kit	K125M60	5 lbs	\$157.00
<b>FLOW CONTROL VALVES</b>				
M9585	Flow Control Valve	K448M00	8 lbs	\$560.00
M9587	Flow Control Valve with SCD Valve For Simultaneous Valve Operation Replaces 1st SCD valve must be removed from tractor.	K930M40	20 lbs	\$1,163.00
M9269B	3-pt Lift Assist Kit - Dual Cylinder	K832M80	194 lbs	\$1,041.00
<b>DRAWBAR CLEVIS</b>				
M9289	Drawbar Clevis for Flat Drawbar	K197M60	13 lbs	\$247.00
M9217	Drawbar Clevis for Drop Drawbar	K197M60	20 lbs	\$247.00
<b>TRANSMISSION &amp; PTO</b>				
<b>DUAL SPEED PTO KITS</b>				
M6951	540/1000 RPM PTO Kit SAE 1-3/8" Twenty-One Spline 1000 RPM @ 2389 Eng. RPM Requires 35893-79320 PTO Cover Bracket	K894M40	103 lbs	\$1,118.00
<b>FRONT &amp; REAR AXLE</b>				
<b>Wide Axle Kit</b>				
M9698	80" 4WD Wide Front & Rear Axle Kit	K976M00	225 lbs	\$1,220.00

**M6 Series M6H-101 High Clearance ROPS Tractor** **KUBOTA**

**DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
------------	-------------	----------------	------------------	----------------------

**OPERATORS STATION ACCESSORIES**

E1134	Deluxe Fiberglass Canopy for ROPS	K347M20	63 lbs	\$434.00
E1136	Mounting Bracket Kit for E1134	K171M20	29 lbs	\$214.00
E1138	Work Light Kit (set of 2 lights) For E1134 Canopy	K131A20	3 lbs	\$164.00
M9551	Rear Work Light Kit (1 light, Max 1 per tractor)	K75M20	3 lbs	\$94.00

**BALLAST**

<b>FRONT SUITCASE WEIGHTS</b>				
M8079	Suitcase Weight (105 lbs. each) 10 Max. Requires M8073A Bolt/Bar Kit	K90M40	102 lbs	\$113.00
<b>FRONT WEIGHT BOLT/BAR KIT</b>				
M8073A	Bolt/Bar Kit	K57M60	10 lbs	\$72.00

**ADDITIONAL ACCESSORIES**

<b>BLOCK HEATER</b>				
70000-73274	Block Heater		(Order from the Parts Department)	
<b>FUEL TANK GUARD</b>				
M6942	Heavy Duty Fuel Tank Guard Kit	K250M40	18 lbs	\$313.00

**KubotaNOW TELEMATICS**

<b>Each order will require the DCU6700 modem and wiring harness as listed below:</b>				
DCU6700	AT&T Telematics Modem	K321A60	1 lbs	\$402.00
M6712	M Series Telematics Harness	K113M60	1 lbs	\$142.00
<b>KubotaNOW Telematics Service includes a three (3) year term with a Dealer Net cost of \$399 and a total list price of \$525</b>				
<b>As of November 2nd, KubotaNOW will be available for Dealer Owned and Dealer Rental Fleet Machines.</b>				

**M6 SERIES M6L-111 Low Profile ROPS Tractor KUBOTA**

\*\*\* EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS \*\*\*

**DIESEL ENGINE**

Kubota V3800 Direct Injection  
 3.8L (230 cu. in.) 4 Cyl  
 EPA Tier 4 Final Compliant  
 Common Rail Electronic Fuel Injection  
 Electronic Engine Management  
 Turbocharged  
 w/Wastegate and Intercooled  
 12V 900 CCA Battery  
 Charging Output 80 amps

**EXHAUST EMISSION CONTROL TYPE**

DPF System (Diesel Particulate Filter)  
 SCR System

**HYDRAULICS / HITCH / DRAWBAR**

Open Center Gear Pump  
 Max. Flow @ Rated Engine Speed  
 Power Steering: 12.9 gpm  
 Impl. Flow: 17.6 gpm  
 Total Flow: 30.5 gpm

**REMOTE VALVES**

(1) SCD (Self Canceling Detent)  
 (1) FD (Float Detent)

**3 Point Hitch & Drawbar**

Cat II 3-Point Hitch  
 @ Lift Points: 4960 lbs  
 @ 24" Behind: 3858 lbs  
 Telescoping Lower Links  
 Telescoping Stabilizers  
 Swinging Drawbar

**POWER TAKE OFF**

Live-Independent Hyd. PTO  
 SAE 1-3/8" Six Spline  
 540 RPM @ 2405 Eng. RPM  
 SAE 1-3/8" Twenty-One Spline  
 1000 RPM @ 2389 Eng. RPM  
 540/1000 Standard on  
 M6L-111SDS2 model

Model Specifications
<b>M6L-111</b>
SAE Gross HP: 114
Engine Net HP: 105
Max. PTO HP: 95

**TRANSMISSION**

32F/32R Swing Shift Plus  
 Electro-Hydraulic Shuttle Shift  
 4 Speed Synchronized Gears  
 w/Hi/Lo- Swing Shift Plus  
 2 Speed Hi/Lo Main Range  
 Clutch - Multi-Plate Wet  
 Planetary Final Drives  
 Hydraulic Wet Disc Brakes

**FRONT AXLE**

Hydrostatic Power Steering  
 4WD Models: Cast Iron, Bevel Gear  
 Mechanical Differential Lock  
 Adjustable (Rim) Tread Spacing

**FLUID CAPACITY**

Fuel Tank Capacity: 46.2 gal  
 DEF Tank Capacity: 3.2 gal  
 Cooling System: 2.8 gal  
 Crankcase: 2.8 gal  
 Hydraulics/Trans: 15.8 gal  
 Front Axle Case: 1.9 gal  
 Bevel Gear Case: 0.9 gal

**INSTRUMENTS**

LCD Display:  
 Shuttle Position, DEF gauge,  
 Clock, Travel Speed, PTO RPM,  
 Hour Meter, Trip Meter,  
 Fuel Consumption, PM Level, RPM Memory  
 Oil Pressure  
 Fuel Gauge  
 Coolant Temperature  
 Swing Shift H/L Digital Light Indicator  
 4WD Indicator  
 Water Separator Light

**TIRES AND WHEELS**

Front: See following pages for combinations noted as standard  
 Rear : See following pages for combinations noted as standard

**ROPS FEATURES**

2-Post Foldable ROPS  
 Mechanical Suspension Seat  
 Retractable Seat belt  
 Tilt Steering Wheel  
 Cup Holder  
 Steel Rear Fenders  
 Steel RH Operators Station Guard

**LIGHTING**

2 Headlights - Tail lights  
 2 Hazard Flasher Lights w/ Turn Signals  
 2 Grill Mounted Worklights

**SAFETY EQUIPMENT**

Flip-Up PTO Shield  
 Safety Start Switches  
 Electric Key Shut Off  
 Parking Brake  
 Turn Signals  
 SMV Sign  
 7-Pin Electrical Trailer Connector

**M6 Series M6L-111 Low Profile ROPS Tractor KUBOTA**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
***LOW PROFILE TRACTOR WITH STANDARD TIRES***				
M6L-111SDS	4WD Farm Tractor ROPS With Swing Shift Plus with 540 PTO	K54M168M80	9789 lbs	\$67,711.00
M6L-111SDS2	4WD Farm Tractor ROPS With Swing Shift Plus & 540/1000 PTO	K54M804M00	9789 lbs	\$68,505.00

M6L-111		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGGESTED LIST PRICE
<b>TIRES AND WHEELS†</b>				
<b>STANDARD TIRES</b>				
MR8956*	F-TIRE 9.50-20 R1 B-Stone Farm Svc Lug M	98 lbs	MM0	Add
AMR8523A*	R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.5"	265 lbs		
In Base Price				
<b>AG - BIAS</b>				
MR8956*	F-TIRE 9.50-20 R1 B-Stone Farm Svc Lug M	98 lbs	MM0	Add
AMR8523A*	R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.5"	265 lbs		
\$0.00				
AMR8538	F-TIRE 12.5/80-18 Titan Trac Impl 422	147 lbs	K308M80	Add
AMR8523A	R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.5"	265 lbs		
\$386.00				
AMR8955C	F-TIRE 9.5-24 R1 Goodyear Dura Torque	130 lbs	K572M80	Add
AMR8522A	R-TIRE 18.4-26 R1 ALLIANCE 324	346 lbs		
\$716.00				
<b>AG - Radials</b>				
AMR8643	F-TIRE 340/65R18 R1W MCHLN MULTIBIB	169 lbs	K1K424M00	Add
AMR8661	R-TIRE 480/65R24 R1W MCHLN MLTBIB	300 lbs		
\$1,780.00				
AMR8643	F-TIRE 340/65R18 R1W MCHLN MULTIBIB	169 lbs	K2K507M20	Add
AMR8690	R-TIRE 480/65R24 R1W MCHLN MLTBIB CST	660 lbs		
\$3,134.00				
<b>Floation Tires</b>				
AMR8567	F-TR 400/60-15.5 ALLIANCE I-2 FLOAT	128 lbs	K736M00	Add
AMR8580	Ⓢ R-TR 600/50-22.5 ALLIANCE I-2 FLOAT	367 lbs		
\$920.00				
<b>Industrial Tires</b>				
AMR8797	F-TIRE 14-17.5 R4 WITH 0.55" INSET	168 lbs	K881M60	Add
AMR8532	R-TIRE 19.5L-24 R4 Titan Ind Trac Lug	304 lbs		
\$1,102.00				

\* Standard tires.

Ⓢ Only 2 weights can be mounted per side.

**Individual Tire Pricing**

M6L-111		Additional Price With Tire Option		
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER	SUGGESTED LIST PRICE
<b>TIRES AND WHEELS (priced per piece)</b>				
MR8956*	F-TIRE 9.50-20 R1 B-Stone Farm Svc Lug M	98 lbs	K297M60	\$372.00
AMR8523A*	R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.5"	265 lbs	K811M20	\$1,014.00
AMR8538	F-TIRE 12.5/80-18 Titan Trac Impl 422	147 lbs	K452M00	\$565.00
AMR8523A	R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.5"	265 lbs	K811M20	\$1,014.00
AMR8955C	F-TIRE 9.5-24 R1 Goodyear Dura Torque	130 lbs	K398M40	\$498.00
AMR8522A	R-TIRE 18.4-26 R1 ALLIANCE 324	346 lbs	K996M80	\$1,246.00
AMR8643	F-TIRE 340/65R18 R1W MCHLN MULTIBIB	169 lbs	K658M40	\$823.00
AMR8661	R-TIRE 480/65R24 R1W MCHLN MLTBIB	300 lbs	K1M162M40	\$1,453.00
AMR8643	F-TIRE 340/65R18 R1W MCHLN MULTIBIB	169 lbs	K658M40	\$823.00
AMR8690	R-TIRE 480/65R24 R1W MCHLN MLTBIB CST	660 lbs	K1M704M00	\$2,130.00
AMR8567	F-TR 400/60-15.5 ALLIANCE I-2 FLOAT	128 lbs	K434M40	\$543.00
AMR8580	R-TR 600/50-22.5 ALLIANCE I-2 FLOAT	367 lbs	K1M042M40	\$1,303.00
AMR8797	F-TIRE 14-17.5 R4 WITH 0.55" INSET	168 lbs	K589M60	\$737.00
AMR8532	R-TIRE 19.5L-24 R4 Titan Ind Trac Lug	304 lbs	K960M00	\$1,200.00

† See Tire Section for Individual Tire Pricing and Information

\* Standard Tires

**M6 Series M6L-111 Low Profile ROPS Tractor****KUBOTA****DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>HYDRAULICS/HITCH/DRAWBAR</b>				
<b>HYDRAULIC REAR REMOTE VALVES - 3RD POSITION</b>				
M9517A	SCD (Self Canceling Detent)	K619M20	14 lbs	\$774.00
M9669A	FD (Float Detent)	K611M20	12 lbs	\$764.00
<b>REMOTE VALVE LEVER KITS</b>				
M7653A	3rd Position Lever Kit	K125M60	5 lbs	\$157.00
<b>FLOW CONTROL VALVES</b>				
M9585	Flow Control Valve	K448M00	8 lbs	\$560.00
M9587	Flow Control Valve with SCD Valve For Simultaneous Valve Operation Replaces 1st SCD valve must be removed from tractor.	K930M40	20 lbs	\$1,163.00
<b>3-POINT LIFT ASSIST KIT</b>				
M7660A	High Capacity Lift Assist Cylinder	K417M60	90 lbs	\$522.00
<b>DROP DRAWBAR</b>				
M9227	Drop Drawbar 4" drop	K179M20	55 lbs	\$224.00
<b>DRAWBAR CLEVIS</b>				
M9289	Drawbar Clevis for Flat Drawbar	K197M60	13 lbs	\$247.00
M9217	Drawbar Clevis for Drop Drawbar	K197M60	20 lbs	\$247.00
<b>TRANSMISSION &amp; PTO</b>				
<b>CREEP SPEED KIT</b>				
M9293B	Creep Speed Cassette Type	K664M00	43 lbs	\$830.00
M6951	540/1000 RPM PTO Kit 1-3/8" 21 Spline Shaft Included *Not applicable for M6L-111SDS2 Models	K894M40	103 lbs	\$1,118.00
<b>FRONT &amp; REAR AXLE</b>				
<b>Wide Axle Kit</b>				
M9282	80" 4WD Wide Front Axle Kit Not approved for loader applications	K1M094M40	76 lbs	\$1,368.00
<b>REAR FENDER KITS</b>				
M9159	Steel Fenders (Complete Set) Standard on tractor Order individual replacement components though parts	K1M704M80	45 lbs	\$2,131.00
M9169	Steel Fender Extension Kit, 6" per fender	K288M00	45 lbs	\$360.00
M9488	Steel Fender Spacer Kit - Required with AMR8522A Tires	K79M20	10 lbs	\$99.00

**M6 Series M6L-111 Low Profile ROPS Tractor****KUBOTA****DEALER INSTALLED ACCESSORIES**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>OPERATORS STATION ACCESSORIES</b>				
E1134	Deluxe Fiberglass Canopy for ROPS	K347M20	63 lbs	\$434.00
E1136	Mounting Bracket Kit for E1134	K171M20	29 lbs	\$214.00
E1138	Work Light Kit (set of 2 lights) For E1134 Canopy	K131A20	3 lbs	\$164.00
M9551	Rear Work Light Kit (1 light, Max 1 per tractor)	K75M20	3 lbs	\$94.00

**BALLAST**

<b>FRONT SUITCASE WEIGHTS</b>				
M8079	Suitcase Weight 12 Max. Requires Front Weight Bumper and Bolt/Bar Kit	K90M40	102 lbs	\$113.00
<b>FRONT WEIGHT BOLT/BAR KITS</b>				
M9275A	Bolt/Bar Kit	K54M40	14 lbs	\$68.00
<b>REAR WHEEL WEIGHTS</b>				
LM8124	Rear Wheel Weight Kit (164 lbs. each) Set of 2, Requires Rear Wheel Bolt Kit Maximum of 3 Sets on Steel Dish Wheels Maximum of 2 Sets on Cast Dish Wheels	K250M40	206 lbs	\$313.00
<b>REAR WHEEL WEIGHT BOLT KITS</b>				
LM8125A	Bolt Kit for 1st Wheel Weight Kit on Steel Dish Wheels	K59M20	5 lbs	\$74.00
M8121A	Bolt Kit for 2nd and 3rd Set of Weights One Bolt Kit per Weight Set	K26M40	8 lbs	\$33.00
<b>REAR 3-POINT BALLAST</b>				
M8180	Ballast Box	K564M80	220 lbs	\$706.00

**ADDITIONAL ACCESSORIES**

<b>BLOCK HEATER</b>				
70000-73274	Block Heater			(Order from the Parts Department)
<b>FUEL TANK GUARD</b>				
M6942	Heavy Duty Fuel Tank Guard Kit	K250M40	18 lbs	\$313.00
<b>Replacement ROPS</b>				
SFM-FM6L111	Replacement ROPS for M6L-111	K1M233M60	99999 lbs	\$1,542.00
<b>GRILL GUARD</b>				
M8147	Grill Guard Kit	K220M80	61 lbs	\$276.00

**KubotaNOW TELEMATICS**

<b>Each order will require the DCU6700 modem and wiring harness as listed below:</b>				
DCU6700	AT&T Telematics Modem	K321A60	1 lbs	\$402.00
M6712	M Series Telematics Harness	K113M60	1 lbs	\$142.00
<b>KubotaNOW Telematics Service includes a three (3) year term with a Dealer Net cost of \$399 and a total list price of \$525</b>				
<b>As of November 2nd, KubotaNOW will be available for Dealer Owned and Dealer Rental Fleet Machines.</b>				

**M6 Series****M6L-111 Low Profile ROPS Tractor****KUBOTA****FRONT END LOADER**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>FRONT END LOADER</b>				
LA1944A	Front End Loader (2 Lever Type Quick Coupler) Includes Mounting Kit and Stand DOES NOT INCLUDE VALVE OR BUCKET, must be ordered separately	K5M331M20	1859 lbs	\$6,664.00
<b>VALVE KITS</b>				
M6955	Standard Valve Kit for ROPS	K952M00	75 lbs	\$1,190.00
M6953	Hydraulic Self-Leveling Valve Kit for ROPS	K1M932M00	111 lbs	\$2,415.00
<b>LOADER ACCESSORY KITS</b>				
<b>THIRD FUNCTION VALVES</b>				
M6954	3rd Function Valve Kit for ROPS	K1M152M00	56 lbs	\$1,440.00
<b>LOADER ACCESSORIES KITS</b>				
M8145	KSR (Kubota Shockless Ride) Accumulator	K619M20	38 lbs	\$774.00
M1553A	Hydraulic Quick Connect Single Lever	K755M20	21 lbs	\$944.00
<b>QA BUCKETS &amp; ACCESSORIES</b>				
M1811	72" Round Back Bucket	K631M20	400 lbs	\$789.00
M1815	84" Round Back High Capacity, Light Material Bucket	K843M20	400 lbs	\$1,054.00
M1816	84" Round Back Bucket	K804M00	400 lbs	\$1,005.00
M1886	96" Square Back Bucket	K892M00	610 lbs	\$1,115.00
M1896	96" Square Back High Capacity Bucket	K984M00	610 lbs	\$1,230.00
<b>BUCKET ACCESSORIES</b>				
M1057	Bucket Tine Kit for 72" Bucket	K250M40	79 lbs	\$313.00
M1285	Bucket Tine Kit for 84" Bucket	K400M80	90 lbs	\$501.00
M1287	Bucket Tine Kit for 96" Bucket	K445M60	200 lbs	\$557.00
<b>BALE SPEARS</b>				
M1804	Bale Spear 2 Lever Type QA	K686M40	195 lbs	\$858.00
<b>PALLET FORK FRAME / PALLET FORKS</b>				
M1809	Pallet Fork Frame 2 Lever QA Requires 42" or 48" Forks	K635M20	200 lbs	\$794.00
K9058	42" Pallet Forks	K433L60	196 lbs	\$542.00
K9059	48" Pallet Forks	K462K40	218 lbs	\$578.00

**SNOWBLOWERS**



**TRACTOR SNOWBLOWER MATCHING CHART**

SNOWBLOWER	BLMX3164	LMX3174	M2684
TRACTOR			
All MX Series	X	X	
All M60 Series			X
All M5 & M8560/M9960			X
All M6S and M108S			X
All M6 and M-GX			X



**Snowblowers**



ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>THREE POINT MOUNTED SNOWBLOWER</b>				
<b>B/L Series</b>				
BLMX3164	SNOWBLOWER 3-Point 64" cutting width dedicated 2 stage, 540 rpm PTO, two stage, with 24" impeller, 15" diameter auger and 30.5" cutting height. Requires BL2665 Manual chute rotation kit or BL6399 Hydraulic chute rotation kit.	K2B802B40	681 lbs	\$3,503.00
BL2665	MANUAL CRANK ROTATION KIT Includes crank, hardware and instructions.	K159B20	11 lbs	\$199.00
BL2666A	① HYDRAULIC CHUTE DEFLECTOR for BLMX3164 and LMX3174 with Electric Selector Valve Kit	K885B60	22 lbs	\$1,107.00
BL6399	HYDRAULIC CRANK ROTATION KIT Includes Hydraulic orbital motor, hoses, couplers and instructions.	K723B20	20 lbs	\$904.00
L2177	SIDE EXTENSION KIT (Optional for BLMX3164 and LMX3174) Includes 2, Bolt on Side Extensions, hardware and Instructions Cutting width is increased by 5", to 79".	K104L80	27 lbs	\$131.00
LMX3174	SNOWBLOWER 3-Point 74" cutting width 540 rpm PTO, two stage, with 24" impeller, 15" diameter auger and 26:" cutting height Requires BL2665 Manual chute rotation kit or BL6399 Hydraulic chute rotation kit. Maximum 55 PTO Horsepower	K3L533L60	760 lbs	\$4,417.00
B2516A	ELECTRIC CHUTE DEFLECTOR KIT. for BLMX3164 and LMX3174 Includes Electric chute deflector, hardware, wire harness and instructions.	K585B60	9 lbs	\$732.00
<b>M Series</b>				
M2684	① SNOWBLOWER 3-Point 84" cutting width, 540 rpm PTO, 2 stage with 27.25" Impeller, 20" diameter Auger, 35" cutting height. Hydraulic chute rotation is standard.	K4M797M60	890 lbs	\$5,997.00

- ① Requires single section rear hydraulic remote valve on tractor.
- ② Requires two (2) auxiliary remote valves when equipped with the 3-Part Chute with Hydraulic Deflection (M2894).
- ③ Requires two (2) auxiliary remote valves when equipped with the 2-Part Chute (M2893 and Hydraulic Deflectio for 2-Part Chute.

**Snowblowers**



ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
<b>ACCESSORIES</b>				
M2686	HYDRAULIC CHUTE DEFLECTOR KIT (Requires 2nd rear remote Hyd. outlet)	K317M60	21 lbs	\$397.00
M2893	Two-Part chute with Manual Deflection	K461M60	139 lbs	\$577.00
M2894	Three-Part Chute with Hydraulic Deflection <b>***Requires one additional auxiliary remote valve***</b>			
M2895	Drift Cutters	K262M40	50 lbs	\$328.00
M2896	Heavy Duty Cutting Edge	K203M20	60 lbs	\$254.00
M2897	Heavy Duty Skid Shoes	K246M40	52 lbs	\$308.00
M2898	Second Auger Kit	K866M40	208 lbs	\$1,083.00
M2899	Hydraulic Chute Deflector Kit for 2-Part Chute Application: M2892/M2992 equipped with 2-Part Chute (M2893) <b>***Requires one additional auxiliary remote valve***</b>	K244M80	21 lbs	\$306.00