

---

## WHEEL LOADERS

---

### **WHOLEGOODS PRICE LIST** **EFFECTIVE January 1st, 2022**

Please replace all pages of this section of the current price book. These pages are a complete revision of this section. All prices are effective as of January 1st, 2022

---

## WHEEL LOADERS

---

This page intentionally left blank.

## WHEEL LOADERS

PAGE NUMBER	ORDER CODE		BUCKET CAPACITY	FACTORY NUMBER	SUGGESTED LIST PRICE
16-5	R430R1		0.5 yd <sup>3</sup>	K38K989A52	\$51,302.00
16-11	R540R41		0.85 yd <sup>3</sup>	K52K333A60	\$68,860.00
16-16	R640R41		1.0 yd <sup>3</sup>	K64K315A76	\$84,626.00
16-20	Wheel Loader Replacement Engines				

**This page intentionally left blank.**

## R430

### R430 Articulated Wheel Loader

#### ENGINE

D1803-CR-TIE4-WL5 Tier 4 Kubota Diesel Engine  
3 Cylinder, 4 Cycle  
44.5. Net HP @ 2600 rpm (SAE J1349)

#### FEATURES:

Turbocharged  
5 Second Pre Heat System  
Auto Air Bleed Fuel System  
E-TVCS - Low Emissions Design

#### SAMPLE R430R1 LOADER

#### EQUIPPED WITH:

K9716 Hydraulic Quick Coupler  
K9163A General Purpose Bucket 0.5 cu yd  
K9931B - 1,500 lbs Counter Weight

#### DIMENSIONS:

Operating Weight	7,758 lbs
Overall Length (w/Bucket & Weight)	171.0"
Overall Height (W/ 2 - Post ROPS/FOPS)	99"
Overall Width (w/o Bucket)	60"

#### SAMPLE R430R1 LOADER & BACKHOE

#### EQUIPPED WITH:

K9715 Mechanical Quick Coupler  
K9163A General Purpose Bucket 0.5 cu yd  
RBK4009SA 9' Maximum Digging Depth Backhoe  
K7861A 18 inch Backhoe Bucket

#### DIMENSIONS:

Operating Weight	9,363 lbs
Overall Length (w/Bucket & Backhoe)	187.8"
Overall Height (w/o Bucket)	99"
Overall Width (W/ 2 - Post ROPS/FOPS)	60"

#### FEATURES

Push Button Travel Speed Limiter Switch in Loader Lever  
"LST"- Load Sensing Transmission  
Articulated Steering, Frame Oscillation  
Quick Attaching System Front and Rear, Standard  
Weight Adjustable Suspension Seat, Standard  
Limited Slip Differential (Front), Standard

#### BASIC UNITS

R430R1 with:  
2-Post ROPS/FOPS  
Limited Slip Differential  
without:  
Quick Coupler  
Buckets  
Rear Counter Weight

#### OPERATIONAL DIMENSIONS

Bucket Capacity (SAE J742)	0.5 cu yd
Tipping Load Straight w/Bucket and 1,500 lbs Counter Weight (SAE Rating)	5,335 lbs
Tipping Load Straight w/Pallet Forks and 1,500 lbs Counter Weight (SAE Rating)	3,008 lbs
Hinge Pin Height	9' 2"
Dump Height at Fully Raised Position	7' 2"
Maximum Dump Angle	44°
Reach Fully Raised at Maximum Dump Angle	33.0"
Loader Bucket Breakout Force	5215 lbs
Steering Angle (each way)	40°
Frame Oscillation Angle (Total)	8°
Standard Tire Size (Bridgestone)	12.5/70-16 8 ply
Draw Bar Pull	5,485 lbs
Auxiliary Hydraulic Flow	11.1 GPM

## R430

### HOW TO SELECT A R430 WHEEL LOADER (Sample Order Information Page)

Below are samples of a complete R430 Wheel Loader order. To submit your order, please select the Basic Unit Model you desire from Part 1 and the optional attachments needed to complete your order from parts 2 thru 7.

- STEP 1) Select from Part 1 the Basic Unit that fits your needs.  
For Example, Choose An R430 And Get: Base Model ROPS/FOPS Canopy, and Limited Slip Differential.
- STEP 2) Select from Part 2 thru 7 the optional attachments necessary to make the unit a complete machine.  
Add the Quick Coupler and Counterweight; choose a Loader Bucket, Pallet Forks or Backhoe and Buckets.

**SPECIAL NOTE:** Quick Coupler must be ordered to connect all R430 attachments.

#### (SAMPLE ORDERS)

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
<b>SAMPLE UNIT R430, COMPLETE ORDER AND PRICE</b>				
<b>BASIC UNIT:</b>				
R430R1	WHEEL LOADER WITH: • ROPS/FOPS Canopy • Limited Slip Differential	K38K989A52	5986	\$51,302.00
R430R3	WHEEL LOADER WITH: • ROPS/FOPS Cab WITH heat and A/C • Limited Slip Differential	K43K668A08	7758	\$57,458.00
<b>ATTACHMENTS:</b>				
K9716	• Hydraulic Quick Coupler	K1K837A68	230	\$2,418.00
K9163A	• General Purpose Bucket	K1K467A56	415	\$1,931.00
K9931B	• 1,500 lbs. Counter Weight	K2K793A00	1600	\$3,675.00
				\$59,326.00
<b>SAMPLE UNIT R430 WITH BACKHOE, COMPLETE ORDER AND PRICE</b>				
<b>BASIC UNIT:</b>				
R430R1	WHEEL LOADER WITH: • ROPS/FOPS Canopy • Limited Slip Differential	K38K989A52	7758	\$51,302.00
<b>ATTACHMENTS:</b>				
K9715	• Mechanical Quick Coupler	K1K468A32	245	\$1,932.00
K9163A	• General Purpose Bucket	K1K467A56	415	\$1,931.00
RBK4009S	• 9 ft. Digging Depth Backhoe (Side Shift Type)	K13K551A56	1605	\$17,831.00
K7861A	• 18" Backhoe Bucket.	K1K178A00	159	\$1,550.00
				<u>\$73,186.00</u>

## R430

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
<b>PART 1</b>	<b>MODEL R430R1 BASIC UNIT</b>			
R430R1	WHEEL LOADER BASIC UNIT With: • ROPS/FOPS Canopy • Limited Slip Differential	K38K989A52	5986	\$51,302.00
R430R3	WHEEL LOADER BASIC UNIT With: • ROPS/FOPS Cab with Heat and Air • Limited Slip Differential	K43K668A08	7758	\$57,458.00
<b>PART 2</b>	<b>QUICK COUPLER</b>			
	SPECIAL NOTES: A quick coupler must be ordered to connect all R430 attachments. The mounting pins and retaining plates included with the wheel loader are required to install the quick couplers.			
K9715	MECHANICAL QUICK COUPLER Skid Steer Loader Style.	K1K468A32	245	\$1,932.00
K9716	HYDRAULIC QUICK COUPLER Skid Steer Loader Style. Includes hydraulic fittings and hoses.	K1K837A68	230	\$2,418.00
<b>PART 3</b>	<b>COUNTER WEIGHT</b>			
K9931B	1,500 lbs. COUNTER WEIGHT Quick Attach With: 70090-33605 Counter Weight Retaining Pins, 2 pcs. 70090-33607 Eye Bolt 70090-33606 Hitch Pin	K2K793A00	1600	\$3,675.00
<b>PART 4</b>	<b>LOADER BUCKETS</b>			
K9163A	GENERAL PURPOSE BUCKET 62.0 inch 0.50 cu. yd. Quick Attach	K1K467A56	415	\$1,931.00
K9723	BOLT-ON CUTTING EDGE 62" for K9163A	K465A88	75	\$613.00
K9164	LIGHT MATERIAL BUCKET 68.0 inch 0.75 cu. yd. Quick Attach	K1K786A00	541	\$2,350.00

## R430

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
<b>PART 5 Accessories</b>				
K9719	Loader Bucket "auto" leveler kit Provides a return to dig function	K547A20	1	\$720.00
K9795	CCV Heater Kit	K266A00	7	\$350.00
K9943A	3" Seat Belt Kit	K71A44	3	\$94.00
K9796	Pre-Cleaner Kit Air Filter Pre-Cleaner kit for enhanced <u>engine</u> air filtering	K167A20	1	\$220.00
K9731	( LED ) Work Light Package Provides increased lighting over standard Halogen	K178A60	9	\$235.00
<b>PART 6 BACKHOE</b>				
RBK4009SA	BACKHOE w/ (SIDE SHIFT TYPE) (only slight color variation for new R430 application) Without Bucket. Quick Attach. Seat Turntable Kit And Remote Throttle Included. Compatible With 2-Post Canopy Or Cab. Cab Installation Requires K4009 Kit. <i>(previous R420s color scheme) Subject to availability</i>  9' 3" Maximum Digging Depth And 4,100 Lbs. Bucket Breakout Force. 2755 lbs Dipper Stick Breakout Force, 986 lbs Boom Cylinder Lift Capacity, 1,015 lbs Dipper Stick Lift Capacity, 180° Swing Angle.	K13K822A88	1605	\$18,188.00
K4009	Backhoe Cab Conversion Kit <i>(previous R420s color scheme) Subject to availability</i>	K1K349A76	1	\$1,776.00
K4009A	Same as K4009 (only slight color variation for new R430 application)	K2K128A00	200	\$2,800.00
<b>BACKHOE BUCKETS FOR RBK4009S &amp; RBK4009SA</b>				
K7710A	12 inch 1.34 cu. ft. BUCKET	K874A00	130	\$1,150.00
K7711A	16 inch 1.98 cu. ft. BUCKET	K1K026A00	153	\$1,350.00
K7861A	18 inch 2.30 cu. ft. 3 HOLE, H.D. BUCKET	K1K178A00	159	\$1,550.00
K7713A	24 inch 3.29 cu. ft. BUCKET	K1K254A00	192	\$1,650.00
<b>BUCKET PARTS INFORMATION FOR K7710A, K7711A, K7712A &amp; K7713A</b>				
PART NO.	DESCRIPTION			
70090-32082	Adaptor (230 x 156) (Standard)			
70090-32083	Tooth (X156) (Standard)			
70090-32084	Tooth Pin (P156) (Standard)			



# KUBOTA

PART 7	TIRES (replacement)			
K9793LA	STANDARD TIRE — Left Bridgestone, 12.5/70-16 8-ply with Rim. <b>In base price of all R430 Models.</b> (Replacement only) Not needed for initial machine order	K618A64	100	\$814.00
K9793RA	STANDARD TIRE — Right Bridgestone, 12.5/70-16 8-ply with Rim. <b>In base price of all R430 Models.</b> (Replacement only) Not needed for initial machine order	K618A64	100	\$814.00

## R430

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
------------	-------------	----------------	----------------	----------------------

PART 8		ROPS / FOPS		
K9718	Replacement 2-POST ROPS/FOPS Canopy For both Loader and Backhoe.	K784A32	242	\$1,032.00
K9728	Replacement ROPS / FOPS Cab with A/C For both Loader and Backhoe.	K4K866A28	704	\$6,403.00

**PART 9**                      **OPTIONAL PARTS**

PART NO.	DESCRIPTION
70000-00297	Block heater
77700-04755	AM/FM/CD/USB/WB/Bluetooth®/iPhone®/iPod®/SiriusXM-Ready™ Stereo Includes 9-pin to DIN harness adapter, Mounting kit, Instructions
77700-04754	AM/FM/WB/iPhone®/iPod®/SiriusXM-Ready™ Stereo Includes 9-pin to DIN harness adapter, Mounting kit, Instructions
77700-04753	AM/FM/WB Radio Includes 9-pin to DIN harness adapter, Mounting kit, Instructions

PART 10		KubotaNOW Telematics Service (each order will require the DCU6700 modem and model specific wiring harness)		
DCU6700	AT&T Telematics Modem	K321A60	1.3	\$402.00
K6706	Excavator Telematics Wiring Harness <i>KubotaNOW Telematics Service includes a three (3) year term</i>	K98A80	1.9	\$130.00

## R540

### R540 Articulated Wheel Loader

#### ENGINE

V2607 Tier 4 Final Kubota Diesel Engine  
4 Cylinders, 4 Cycle  
47.9 Net HP @ 2400 rpm (SAE J1349)

#### FEATURES:

5 Second Quick Preheat System  
Automatic Regeneration  
Dual Element Air Cleaner  
Fuel / Water Separator  
Refueling Assistant  
Self-Bleed Fuel System

#### BASIC UNITS

##### R540R41 with:

4-Post ROPS/FOPS Canopy  
100% On-Demand Differential Lock  
Rear Counter Weight

##### Without:

Quick Coupler  
Buckets  
Options

##### R540R43 with:

ROPS/FOPS A/C Cab  
100% On-Demand Differential Lock  
Rear Counter Weight

##### Without:

Quick Coupler  
Buckets  
Options

#### FEATURES

±40° Articulated Steering, 8° Frame Oscillation  
2 Head Lights, Front and Rear Signal Lights  
Articulation Transport Lock  
Auxiliary Hydraulics @ 14.2 gpm. Single Lever  
Digital Control Panel w/ Diagnostics  
FOPS (Falling Object Protective Structure, Level 1, ISO 3449)  
Grease Gun Holder  
Hybrid Link Loader System, Loader Arm Support  
Hydraulic Quick Coupler In-Cab Control  
Hydrostatic Transmission w/ Two Speeds  
Inching and brake pedal, Left Side  
Maintenance Free Battery  
Multifunction Operating Lever w/ Lockouts, Float, Mechanical Linkage, Direction and speed control  
On Demand, 100% Differential Lock  
Parking Brake, Spring Applied, Hydraulic Release  
Power Steering, Tilt Steering Wheel w/ Steering Knob  
Radio Ready (Cab Model Only)  
Retractable Seat Belt  
ROPS (Roll-over Protective Structure, ISO 3471)  
Service Brakes, Wet Type Disk Brakes, Enclosed  
Side Mirrors, 12V Power Outlet  
SSL Type or Euro Type Quick Couplers  
Suspension Seat w/ Headrest  
Cup Holder  
Towing Pin

#### OPERATIONAL DIMENSIONS Canopy w/ SSL Coupler

Bucket Capacity (SAE J742)	0.85 cu yd.
Tipping Load Straight w/ Bucket (SAE Rating)	6,437 lbs.
Tipping Load Straight w/ Pallet Forks (SAE Rating)	4,960 lbs.
Hinge Pin Height	10' 7"
Dump Height at Fully Raised Position	8' 0"
Maximum Dump Angle	45°
Reach Fully Raised at Maximum Dump Angle	2' 7"
Loader Bucket Breakout Force	8,183 lbs.
Steering Angle (each way)	40°
Frame Oscillation Angle (Total)	8°
Standard Tire Size (Bridgestone)	365/70 R18 8 ply
Traction Force	6,541 lbs
Auxiliary Hydraulic Flow	14.2 gpm @ 2,700 psi

## R540

### HOW TO SELECT AN R540 WHEEL LOADER (Sample Order Information Page)

Below are samples of a complete R540 Wheel Loader order. To submit your order, please select the Basic Unit Model you desire from Part 1 and the optional attachments needed to complete your order from parts 2 thru 6.

- STEP 1) Select from Part 1 the Basic Unit that fits your needs.  
For Example, choose an R540R41 and get: Base Model, 4-Post ROPS/FOPS Canopy, Counterweight, and 100% on-demand differential lock.
- STEP 2) Select from Part 2 thru 6 the optional attachments necessary to make the unit a complete machine.  
Add the Quick Coupler; choose a Loader Bucket, Pallet Forks and / or options.

**SPECIAL NOTE:** A Quick Coupler must be ordered to connect all R540 attachments.

(SAMPLE ORDERS)

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
<b>SAMPLE UNIT R540R41, COMPLETE ORDER AND PRICE</b>				
<b>BASIC UNIT:</b>				
R540R41	WHEEL LOADER WITH: • 4-Post ROPS/FOPS Canopy • 100% On-Demand Differential Lock • Counterweight	K52K333A60	9303	\$68,860.00
<b>ATTACHMENTS:</b>				
K7164	• Hydraulic SSL Quick Coupler	K2K574A88	256	\$3,388.00
K7172	• 72" General Purpose Bucket (0.85 cu. yd.)	K1K994A24	610	\$2,624.00
				<u>\$74,872.00</u>
<b>SAMPLE UNIT R540R43, COMPLETE ORDER AND PRICE</b>				
<b>BASIC UNIT:</b>				
R540R43	WHEEL LOADER WITH: • A/C ROPS/FOPS Cab • 100% On-Demand Differential Lock • Counterweight	K59K526A24	9799	\$78,324.00
<b>ATTACHMENTS:</b>				
K7163	• Mechanical SSL Quick Coupler	K1K929A64	96	\$2,539.00
K7173	• 74" Light Material Bucket (1.0 cu. yd.)	K1K976A00	610	\$2,600.00
				<u>\$83,463.00</u>

## R540

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
<b>PART 1</b>	<b>MODEL R540 BASIC UNIT</b>			
R540R41	WHEEL LOADER BASIC UNIT With: • 4-Post ROPS/FOPS Canopy • 100% On-Demand Differential Lock • Counterweight	K52K333A60	9303	\$68,860.00
R540R43	WHEEL LOADER BASIC UNIT With: • A/C ROPS/FOPS Cab • 100% On-Demand Differential Lock • Counterweight	K59K526A24	9799	\$78,324.00
<b>PART 2</b>	<b>QUICK COUPLERS</b>			
	A quick coupler must be ordered to connect all R540 attachments. Not approved for use with SSL or CTL ground engaging attachments such as a SSL or CTL buckets or forks.			
K7163	MECHANICAL SSL QUICK COUPLER Skid Steer Loader Style. Auxiliary hydraulic fittings optional.	K1K929A64	96	\$2,539.00
K7164	HYDRAULIC SSL QUICK COUPLER Skid Steer Loader Style. Includes hydraulic fittings and hoses. Auxiliary hydraulic fittings included.	K2K574A88	256	\$3,388.00
K7247	HYDRAULIC EURO QUICK COUPLER Pin and hook Euro Style. (Unique to Kubota wheel loader) AG attachments will not fit Includes hydraulic fittings and hoses. Auxiliary hydraulic fittings included.	K2K271A64	172	\$2,989.00
<b>PART 3</b>	<b>LOADER ATTACHMENTS / ACCESSORIES</b>			
	<b>SSL QUICK COUPLER ATTACHMENTS</b>			
K7172	72" GENERAL PURPOSE BKT. (0.85 yd <sup>3</sup> ) for SSL QC	K1K994A24	610	\$2,624.00
K7173	74" LIGHT MATERIAL BKT. (1.0 yd <sup>3</sup> ) for SSL QC	K1K976A00	610	\$2,600.00
K7177	48" Pallet Forks for SSL QC	K1K919A00	446	\$2,525.00
K9724	BOLT-ON CUTTING EDGE for 72" Bucket	K235A60	90	\$310.00
K7176	BOLT-ON CUTTING EDGE for 74" Bucket	K241A68	75	\$318.00
K7165	Auxiliary Hydraulic Kit for Mechanical Coupler Includes 2 hydraulic ports to be added to the mechanical coupler to provide auxiliary hydraulic power to attachments	K1K146A08	1	\$1,508.00

## R540

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
<b>LOADER ATTACHMENTS / ACCESSORIES (Cont.)</b>				
<b>EURO QUICK COUPLER ATTACHMENTS</b>				
K7182	72" GENERAL PURPOSE BKT. (0.85 yd <sup>3</sup> ) for EURO QC *Euro QC not compatible with older 510 model	K1K994A24	610	\$2,624.00
K7183	74" LIGHT MATERIAL BKT. (1.0 yd <sup>3</sup> ) for EURO QC	K2K242A00	610	\$2,950.00
K7186	48" PALLET FORKS for EURO QC (compatible with both R30 & R40 series Wheel Loaders)	K1K418A92	473	\$1,867.00
K7115	48" PALLET FORKS FOR EURO QC (only for R540 & R640 use)	K1K418A92	473	\$1,867.00
K9724	BOLT-ON CUTTING EDGE for 72" Bucket	K235A60	90	\$310.00
K7176	BOLT-ON CUTTING EDGE for 74" Bucket	K241A68	75	\$318.00
K7225	KSR (KUBOTA SHOCKLESS RIDE ACCUMULATOR)	K2K090A00	97	\$2,750.00
K7187	72" 4-IN-1 BUCKET FOR EURO QC	K4K826A00	610	\$6,350.00
<b>PART 4 TIRES</b>				
R5511-24300	STANDARD TIRE — RIGHT AND LEFT Dunlop 365/70 R18 8-ply Steel Belted Radial With Wheel Assembly In base price of all R540 Models.		#N/A	#N/A
<b>PART 5 REPLACEMENT CANOPIES, CABS, ACCESSORIES</b>				
K7235	REPLACEMENT 4-POST ROPS/FOPS CANOPY	K2K014A00	242	\$2,650.00
K7236	REPLACEMENT ROPS / FOPS CAB	K5K168A00	704	\$6,800.00
K7248	INCHING PEDAL, RIGHT SIDE	K105A64	7	\$139.00
K7245	REAR WORKING LIGHT FOR CANOPY MODELS	K313A12	9	\$412.00
K7246	REAR WORKING LIGHT FOR CAB MODELS	K227A24	9	\$299.00
K7146	TOOL BOX FOR CAB MODELS	K298A68	10	\$393.00
K9926	3" RETRACTABLE SEAT BELT KIT	K65A36	3	\$86.00
K7227	PRE CLEANER FOR R540	K167A20	1	\$220.00
K7238	CCV HEATER KIT FOR R540	K266A00	6.6	\$350.00

### PART 6 OPTIONAL PARTS

PART NO.	DESCRIPTION
70000-00776	Block heater replaces (70000-00771)
77700-04755B	AM/FM/CD/USB/WB/Bluetooth®/iPhone®/iPod®/SiriusXM-Ready™ Stereo Includes 9-pin to DIN harness adapter, Mounting kit, Instructions
77700-04754B	AM/FM/WB/iPhone®/iPod®/SiriusXM-Ready™ Stereo Includes 9-pin to DIN harness adapter, Mounting kit, Instructions
77700-04753B	AM/FM/WB Radio Includes 9-pin to DIN harness adapter, Mounting kit, Instructions
77700-08686	Strobe Light, Class 2, LED, flashing strobe w/ vacuum mag mount
77700-08687	Rotating Beacon, Class 1, halogen (beacon light only) w/mag mount
77700-10378	Completion wire harness for ROPS units for the Strobe and Beacon.

---

## R540

---

<b>PART 7</b>	<b>KubotaNOW Telematics Service (each order will require the DCU6700 modem and model specific wiring harness)</b>			
DCU6700	AT&T Telematics Modem	K321A60	6.6	\$402.00
K6704A	Excavator Telematics Wiring Harness	K112A48	6.6	\$148.00
	<b><i>KubotaNOW Telematics Service includes a three (3) year term</i></b>			

## R640 Articulated Wheel Loader

### ENGINE

V2607 Tier 4 Final Kubota Diesel Engine  
4 Cylinders, 4 Cycle, Turbocharged  
61.1 Net HP @ 2400 rpm (SAE J1349)

#### FEATURES:

5 Second Quick Preheat System  
Automatic Regeneration  
Dual Element Air Cleaner  
Fuel / Water Separator  
Refueling Assistant  
Self-Bleed Fuel System

### BASIC UNITS

#### R640R41 with:

4-Post ROPS/FOPS Canopy  
100% On-Demand Differential Lock  
Rear Counter Weight

#### Without:

Quick Coupler  
Buckets  
Options

#### R640R43 with:

ROPS/FOPS A/C Cab  
100% On-Demand Differential Lock  
Rear Counter Weight

#### Without:

Quick Coupler  
Buckets  
Options

### FEATURES

±40° Articulated Steering, 8° Frame Oscillation  
2 Head Lights, Front and Rear Signal Lights  
Articulation Transport Lock  
Auxiliary Hydraulics @ 17.8 gpm.  
Auxiliary Flow Control for Attachment Mode  
Digital Control Panel w/ Diagnostics  
FOPS (Falling Object Protective Structure, Level 1, ISO 3449)  
Grease Gun Holder  
Hybrid Link Loader System, Loader Arm Support  
Hydraulic Quick Coupler In-Cab Control  
Hydrostatic Transmission w/ Five Speeds, Four Modes  
Inching and Brake Pedal, Left Side  
Maintenance Free Battery  
Multifunction Controller w/ Lockouts, Float, Direction and Speed Control, Auxiliary Hydraulics Proportional Control, Pilot operated  
On Demand, 100% Differential Lock  
Parking Brake, Spring Applied, Hydraulic Release  
Power Steering, Tilt Steering w/ Steering Knob  
Radio Ready (Cab Model Only)  
Retractable Seat Belt  
ROPS (Roll-over Protective Structure, ISO 3471)  
Side Mirrors, 12V Power Outlet  
Service Brakes, Wet Type Disk Brakes, Enclosed  
SSL Type or Euro Type Quick Couplers  
Suspension Seat w/ Headrest, Left Arm Rest  
Cup Holder  
Towing Pin  
Wrist Rest, Right Side, Adjustable

### OPERATIONAL DIMENSIONS Cab w/ SSL Coupler

Bucket Capacity (SAE J742)	1.0 cu yd.
Tipping Load Straight w/ Bucket (SAE Rating)	7,760 lbs.
Tipping Load Straight w/ Pallet Forks (SAE Rating)	6,063 lbs
Hinge Pin Height	10' 8"
Dump Height at Fully Raised Position	7' 9"
Maximum Dump Angle	45°
Reach Fully Raised at Maximum Dump Angle	2' 9"
Loader Bucket Breakout Force	9,869 lbs.
Steering Angle (each way)	40°
Frame Oscillation Angle (Total)	8°
Standard Tire Size (Bridgestone)	405/70 R18 8 ply
Traction Force	8,588 lbs
Auxiliary Hydraulic Flow	17.8 gpm @ 3,000 psi



## R640

### HOW TO SELECT AN R640 WHEEL LOADER (Sample Order Information Page)

Below are samples of a complete R640 Wheel Loader order. To submit your order, please select the Basic Unit Model you desire from Part 1 and the optional attachments needed to complete your order from parts 2 thru 6.

- STEP 1) Select from Part 1 the Basic Unit that fits your needs.  
For Example, choose an R640R41 and get: Base Model, 4-Post ROPS/FOPS Canopy, Counterweight, and 100% on-demand differential lock.
- STEP 2) Select from Part 2 thru 6 the optional attachments necessary to make the unit a complete machine. Add the Quick Coupler; choose a Loader Bucket, Pallet Forks and / or options.

**SPECIAL NOTE:** A Quick Coupler must be ordered to connect all R640 attachments.

(SAMPLE ORDERS)

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
<b>SAMPLE UNIT R640R41, COMPLETE ORDER AND PRICE</b>				
<b>BASIC UNIT:</b>				
R640R41	WHEEL LOADER WITH: • 4-Post ROPS/FOPS Canopy • 100% On-Demand Differential Lock • Counterweight	K64K315A76	10285	\$84,626.00
<b>ATTACHMENTS:</b>				
K7164	• Hydraulic SSL Quick Coupler	K2K574A88	256	\$3,388.00
K7174	• 74" General Purpose Bucket (1.0 cu. yd.) for SSL QC	K2K220A72	610	\$2,922.00
				<u>\$90,936.00</u>
<b>SAMPLE UNIT R640R43, COMPLETE ORDER AND PRICE</b>				
<b>BASIC UNIT:</b>				
R640R43	WHEEL LOADER WITH: • A/C ROPS/FOPS Cab • 100% On-Demand Differential Lock • Counterweight	K71K557A04	10725	\$94,154.00
<b>ATTACHMENTS:</b>				
K7164	• Hydraulic SSL Quick Coupler	K2K574A88	256	\$3,388.00
K7174	• 74" Light Material Bucket (1.5 cu. yd.) for SSL QC	K2K220A72	610	\$2,922.00
				<u>\$100,464.00</u>

## R640

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
<b>PART 1 MODEL R640 BASIC UNIT</b>				
R640R41	WHEEL LOADER BASIC UNIT With: • 4-Post ROPS/FOPS Canopy • 100% On-Demand Differential Lock • Counterweight	K64K315A76	10285	\$84,626.00
R640R43	WHEEL LOADER BASIC UNIT With: • A/C ROPS/FOPS Cab • 100% On-Demand Differential Lock • Counterweight	K71K557A04	10725	\$94,154.00
<b>PART 2 QUICK COUPLERS</b>				
A quick coupler must be ordered to connect all R640 attachments. Not approved for use with SSL or CTL ground engaging attachments such as a SSL or CTL buckets or forks.				
K7163	MECHANICAL SSL QUICK COUPLER Skid Steer Loader Style. Auxiliary hydraulic fittings optional.	K1K929A64	96	\$2,539.00
K7164	HYDRAULIC SSL QUICK COUPLER Skid Steer Loader Style. Includes hydraulic fittings and hoses. Auxiliary hydraulic fittings included.	K2K574A88	256	\$3,388.00
K7247	HYDRAULIC EURO QUICK COUPLER Pin and hook Euro Style. (Unique to Kubota wheel loader) AG attachments will not fit Includes hydraulic fittings and hoses. Auxiliary hydraulic fittings included.	K2K271A64	172	\$2,989.00
<b>PART 3 LOADER ATTACHMENTS / ACCESSORIES</b>				
<b>SSL QUICK COUPLER ATTACHMENTS</b>				
K7174	74" General Purpose Bucket (1.0 yd <sup>3</sup> ) for SSL QC	K2K220A72	610	\$2,922.00
K7175	74" Light Material Bucket (1.5 yd <sup>3</sup> ) for SSL QC	K2K220A72	610	\$2,922.00
K7176	BOLT-ON CUTTING EDGE for 74" Bucket	K241A68	75	\$318.00
K7177	48" Pallet Forks for SSL QC	K1K919A00	446	\$2,525.00
K7165	Auxiliary Hydraulic Kit for Mechanical Coupler Includes 2 hydraulic ports to be added to the mechanical coupler to provide auxiliary hydraulic power to attachments	K1K146A08	1	\$1,508.00
<b>EURO QUICK COUPLER ATTACHMENTS</b>				
K7184	74" GENERAL PURPOSE BKT. (1.0 yd <sup>3</sup> ) for EURO QC	K2K220A72	610	\$2,922.00
K7185	74" LIGHT MATERIAL BKT. (1.5 yd <sup>3</sup> ) for EURO QC	K2K220A72	610	\$2,922.00
K7186	48" PALLET FORKS for EURO QC (compatible	K1K418A92	473	\$1,867.00
K7115	48" PALLET FORKS FOR EURO QC (only for R540 & R640 use)	K1K418A92	473	\$1,867.00
K7187	72" 4-IN-1 BUCKET FOR EURO QC	K4K826A00	610	\$6,350.00

# KUBOTA

K7176	BOLT-ON CUTTING EDGE for 74" Bucket	K241A68	75	\$318.00
K7225	KSR (KUBOTA SHOCKLESS RIDE ACCUMULATOR	K2K090A00	97	\$2,750.00

## R640

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
<b>PART 4 TIRES</b>				
R5611-24300	STANDARD TIRE — RIGHT AND LEFT Dunlop 405/70 R18 8-ply Steel Belted Radial With Wheel Assembly In base price of all R640 Models.	#N/A	#N/A	#N/A
<b>PART 5 REPLACEMENT CANOPIES, CABS, ACCESSORIES</b>				
K7235	REPLACEMENT 4-POST ROPS/FOPS CANOPY	K2K014A00	242	\$2,650.00
K7236	REPLACEMENT ROPS / FOPS CAB	K5K168A00	704	\$6,800.00
K7248	INCHING PEDAL, RIGHT SIDE	K105A64	7	\$139.00
K7245	REAR WORKING LIGHT FOR CANOPY MODELS	K313A12	9	\$412.00
K7246	REAR WORKING LIGHT FOR CAB MODELS	K227A24	9	\$299.00
K7146	TOOL BOX FOR CAB MODELS	K298A68	10	\$393.00
K9926	3" RETRACTABLE SEAT BELT KIT	K65A36	3	\$86.00
K7237	CCV HEATER KIT R640	K266A00	6.6	\$350.00
K7226	PRE CLEANER FOR R640	K167A20	1	\$220.00

### PART 6 OPTIONAL PARTS

PART NO.	DESCRIPTION
70000-00776	Block heater replaces (70000-00771)
77700-04755B	AM/FM/CD/USB/WB/Bluetooth®/iPhone®/iPod®/SiriusXM-Ready™ Stereo Includes 9-pin to DIN harness adapter, Mounting kit, Instructions
77700-04754B	AM/FM/WB/iPhone®/iPod®/SiriusXM-Ready™ Stereo Includes 9-pin to DIN harness adapter, Mounting kit, Instructions
77700-04753B	AM/FM/WB Radio Includes 9-pin to DIN harness adapter, Mounting kit, Instructions
77700-08686	Strobe Light, Class 2, LED, flashing strobe w/ vacuum mag mount
77700-08687	Rotating Beacon, Class 1, halogen (beacon light only) w/mag mount
77700-10378	Completion wire harness for ROPS units for the Strobe and Beacon.

### PART 7 KubotaNOW Telematics Service (each order will require the DCU6700 modem and model specific wiring harness)

DCU6700	AT&T Telematics Modem	K321A60	1.3	\$402.00
K6704A	Excavator Telematics Wiring Harness <i>KubotaNOW Telematics Service includes a three (3) year term</i>	K112A48	1.75	\$148.00

## R-Series Replacement Engines

### REPLACEMENT ENGINES FOR R - SERIES WHEEL LOADERS

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
---------------	-------------	-------------------	-------------------	-------------------------

Effective June 2, 2014 all replacement engines must be ordered through the Parts Department.  
See Parts Bulletin DPB-2014-011 R01.

**This page intentionally left blank.**