

KUBOTA

WHEEL LOADERS

WHOLEGOODS PRICE LIST EFFECTIVE April 1st, 2022



WHEEL LOADERS

This page intentionally left blank.



WHEEL LOADERS

PAGE NUMBER	ORDER CODE		BUCKET CAPACITY	FACTORY NUMBER	SUGGESTED LIST PRICE
16-5	R430R1		0.5 yd ³	K40K549A04	\$53,354.00
16-11	R540R41		0.85 yd ³	K54K426A64	\$71,614.00
16-16	R640R41		1.0 yd ³	K66K888A36	\$88,011.00
16-20	Wheel Loader Replacement Engines				

This page intentionally left blank.



R430

R430 Articulated Wheel Loader

ENGINE

D1803-CR-TIE4-WL5 Tier 4 Kubota Diesel Engine
 3 Cylinder, 4 Cycle
 44.5. Net HP @ 2600 rpm (SAE J1349)

FEATURES:

Turbocharged
 5 Second Pre Heat System
 Auto Air Bleed Fuel System
 E-TVCS - Low Emissions Design

FEATURES

Push Button Travel Speed Limiter Switch in Loader Lever
 "LST"- Load Sensing Transmission
 Articulated Steering, Frame Oscillation
 Quick Attaching System Front and Rear, Standard
 Weight Adjustable Suspension Seat, Standard
 Limited Slip Differential (Front), Standard

SAMPLE R430R1 LOADER

EQUIPPED WITH:

K9716 Hydraulic Quick Coupler
 K9163A General Purpose Bucket 0.5 cu yd
 K9931B - 1,500 lbs Counter Weight

DIMENSIONS:

Operating Weight	7,758 lbs
Overall Length (w/Bucket & Weight)	171.0"
Overall Height (W/ 2 - Post ROPS/FOPS)	99"
Overall Width (w/o Bucket)	60"

BASIC UNITS

R430R1 with:
 2-Post ROPS/FOPS
 Limited Slip Differential
 without:
 Quick Coupler
 Buckets
 Rear Counter Weight

SAMPLE R430R1 LOADER & BACKHOE

EQUIPPED WITH:

K9715 Mechanical Quick Coupler
 K9163A General Purpose Bucket 0.5 cu yd
 RBK4009SA 9' Maximum Digging Depth Backhoe
 K7861A 18 inch Backhoe Bucket

DIMENSIONS:

Operating Weight	9,363 lbs
Overall Length (w/Bucket & Backhoe)	187.8"
Overall Height (w/o Bucket)	99"
Overall Width (W/ 2 - Post ROPS/FOPS)	60"

OPERATIONAL DIMENSIONS

Bucket Capacity (SAE J742)	0.5 cu yd
Tipping Load Straight w/Bucket and 1,500 lbs Counter Weight (SAE Rating)	5,335 lbs
Tipping Load Straight w/Pallet Forks and 1,500 lbs Counter Weight (SAE Rating)	3,008 lbs
Hinge Pin Height	9' 2"
Dump Height at Fully Raised Position	7' 2"
Maximum Dump Angle	44°
Reach Fully Raised at Maximum Dump Angle	33.0"
Loader Bucket Breakout Force	5215 lbs
Steering Angle (each way)	40°
Frame Oscillation Angle (Total)	8°
Standard Tire Size (Bridgestone)	12.5/70-16 8 ply
Draw Bar Pull	5,485 lbs
Auxiliary Hydraulic Flow	11.1 GPM



R430

HOW TO SELECT A R430 WHEEL LOADER (Sample Order Information Page)

Below are samples of a complete R430 Wheel Loader order. To submit your order, please select the Basic Unit Model you desire from Part 1 and the optional attachments needed to complete your order from parts 2 thru 7.

- STEP 1) Select from Part 1 the Basic Unit that fits your needs.
 For Example, Choose An R430 And Get: Base Model ROPS/FOPS Canopy, and Limited Slip Differential.
- STEP 2) Select from Part 2 thru 7 the optional attachments necessary to make the unit a complete machine.
 Add the Quick Coupler and Counterweight; choose a Loader Bucket, Pallet Forks or Backhoe and Buckets.

SPECIAL NOTE: Quick Coupler must be ordered to connect all R430 attachments.

(SAMPLE ORDERS)

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
SAMPLE UNIT R430, COMPLETE ORDER AND PRICE				
BASIC UNIT:				
R430R1	WHEEL LOADER WITH: <ul style="list-style-type: none"> • ROPS/FOPS Canopy • Limited Slip Differential 	K40K549A04	5986	\$53,354.00
R430R3	WHEEL LOADER WITH: <ul style="list-style-type: none"> • ROPS/FOPS Cab WITH heat and A/C • Limited Slip Differential 	K45K414A56	7758	\$59,756.00
ATTACHMENTS:				
K9716	• Hydraulic Quick Coupler	K1K911A40	230	\$2,515.00
K9163A	• General Purpose Bucket	K1K526A08	415	\$2,008.00
K9931B	• 1,500 lbs. Counter Weight	K2K904A72	1600	\$3,822.00
				\$61,699.00
SAMPLE UNIT R430 WITH BACKHOE, COMPLETE ORDER AND PRICE				
BASIC UNIT:				
R430R1	WHEEL LOADER WITH: <ul style="list-style-type: none"> • ROPS/FOPS Canopy • Limited Slip Differential 	K40K549A04	7758	\$53,354.00
ATTACHMENTS:				
K9715	• Mechanical Quick Coupler	K1K526A84	245	\$2,009.00
K9163A	• General Purpose Bucket	K1K526A08	415	\$2,008.00
RBK4009S	• 9 ft. Digging Depth Backhoe (Side Shift Type)	K14K093A44	1605	\$18,544.00
K7861A	• 18" Backhoe Bucket.	K1K225A12	159	\$1,612.00
				<u>\$76,105.00</u>

KUBOTA**R430**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
PART 1	MODEL R430R1 BASIC UNIT			
R430R1	WHEEL LOADER BASIC UNIT With: • ROPS/FOPS Canopy • Limited Slip Differential	K40K549A04	5986	\$53,354.00
R430R3	WHEEL LOADER BASIC UNIT With: • ROPS/FOPS Cab with Heat and Air • Limited Slip Differential	K45K414A56	7758	\$59,756.00
PART 2	QUICK COUPLER			
	SPECIAL NOTES: A quick coupler must be ordered to connect all R430 attachments. The mounting pins and retaining plates included with the wheel loader are required to install the quick couplers.			
K9715	MECHANICAL QUICK COUPLER Skid Steer Loader Style.	K1K526A84	245	\$2,009.00
K9716	HYDRAULIC QUICK COUPLER Skid Steer Loader Style. Includes hydraulic fittings and hoses.	K1K911A40	230	\$2,515.00
PART 3	COUNTER WEIGHT			
K9931B	1,500 lbs. COUNTER WEIGHT Quick Attach With: 70090-33605 Counter Weight Retaining Pins, 2 pcs. 70090-33607 Eye Bolt 70090-33606 Hitch Pin	K2K904A72	1600	\$3,822.00
PART 4	LOADER BUCKETS			
K9163A	GENERAL PURPOSE BUCKET 62.0 inch 0.50 cu. yd. Quick Attach	K1K526A08	415	\$2,008.00
K9723	BOLT-ON CUTTING EDGE 62" for K9163A	K484A88	75	\$638.00
K9164	LIGHT MATERIAL BUCKET 68.0 inch 0.75 cu. yd. Quick Attach	K1K857A44	541	\$2,444.00

KUBOTA**R430**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
PART 5	Accessories			
K9719	Loader Bucket "auto" leveler kit Provides a return to dig function	K569A24	1	\$749.00
K9795	CCV Heater Kit	K276A64	7	\$364.00
K9943A	3" Seat Belt Kit	K74A48	3	\$98.00
K9796	Pre-Cleaner Kit Air Filter Pre-Cleaner kit for enhanced <u>engine</u> air filtering	K174A04	1	\$229.00
K9731	(LED) Work Light Package Provides increased lighting over standard Halogen	K185A44	9	\$244.00
PART 6	BACKHOE			
RBK4009SA	BACKHOE w/ (SIDE SHIFT TYPE) (only slight color variation for new R430 application) Without Bucket. Quick Attach. Seat Turntable Kit And Remote Throttle Included. Compatible With 2-Post Canopy Or Cab. Cab Installation Requires K4009 Kit. <i>(previous R420s color scheme) Subject to availability</i> 9' 3" Maximum Digging Depth And 4,100 Lbs. Bucket Breakout Force. 2755 lbs Dipper Stick Breakout Force, 986 lbs Boom Cylinder Lift Capacity, 1,015 lbs Dipper Stick Lift Capacity, 180° Swing Angle.	K14K376A16	1605	\$18,916.00
K4009	Backhoe Cab Conversion Kit <i>(previous R420s color scheme) Subject to availability</i>	K1K403A72	1	\$1,847.00
K4009A	Same as K4009 (only slight color variation for new R430 application)	K2K213A12	200	\$2,912.00
	BACKHOE BUCKETS FOR RBK4009S & RBK4009SA			
K7710A	12 inch 1.34 cu. ft. BUCKET	K908A96	130	\$1,196.00
K7711A	16 inch 1.98 cu. ft. BUCKET	K1K067A04	153	\$1,404.00
K7861A	18 inch 2.30 cu. ft. 3 HOLE, H.D. BUCKET	K1K225A12	159	\$1,612.00
K7713A	24 inch 3.29 cu. ft. BUCKET	K1K304A16	192	\$1,716.00
	BUCKET PARTS INFORMATION FOR K7710A, K7711A, K7712A & K7713A			
PART NO.	DESCRIPTION			
70090-32082	Adaptor (230 x 156) (Standard)			
70090-32083	Tooth (X156) (Standard)			
70090-32084	Tooth Pin (P156) (Standard)			



PART 7	TIRES (replacement)			
K9793LA	STANDARD TIRE — Left Bridgestone, 12.5/70-16 8-ply with Rim. In base price of all R430 Models. (Replacement only) Not needed for initial machine order	K643A72	100	\$847.00
K9793RA	STANDARD TIRE — Right Bridgestone, 12.5/70-16 8-ply with Rim. In base price of all R430 Models. (Replacement only) Not needed for initial machine order	K643A72	100	\$847.00



R430

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
PART 8	ROPS / FOPS			
K9718	Replacement 2-POST ROPS/FOPS Canopy For both Loader and Backhoe.	K815A48	242	\$1,073.00
K9728	Replacement ROPS / FOPS Cab with A/C For both Loader and Backhoe.	K5K060A84	704	\$6,659.00

PART 9 **OPTIONAL PARTS**

PART NO.	DESCRIPTION
70000-00297	Block heater
77700-04755	AM/FM/CD/USB/WB/Bluetooth®/iPhone®/iPod®/SiriusXM-Ready™ Stereo Includes 9-pin to DIN harness adapter, Mounting kit, Instructions
77700-04754	AM/FM/WB/iPhone®/iPod®/SiriusXM-Ready™ Stereo Includes 9-pin to DIN harness adapter, Mounting kit, Instructions
77700-04753	AM/FM/WB Radio Includes 9-pin to DIN harness adapter, Mounting kit, Instructions

PART 10 **KubotaNOW Telematics Service (each order will require the DCU6700 modem and model specific wiring harness)**

DCU6700	AT&T Telematics Modem	K317A68	1.3	\$418.00
K6706	Excavator Telematics Wiring Harness <i>KubotaNOW Telematics Service includes a three (3) year term</i>	K102A60	1.9	\$135.00



R540

R540 Articulated Wheel Loader

ENGINE

V2607 Tier 4 Final Kubota Diesel Engine
 4 Cylinders, 4 Cycle
 47.9 Net HP @ 2400 rpm (SAE J1349)

FEATURES:

5 Second Quick Preheat System
 Automatic Regeneration
 Dual Element Air Cleaner
 Fuel / Water Separator
 Refueling Assistant
 Self-Bleed Fuel System

FEATURES

±40° Articulated Steering, 8° Frame Oscillation
 2 Head Lights, Front and Rear Signal Lights
 Articulation Transport Lock
 Auxiliary Hydraulics @ 14.2 gpm. Single Lever
 Digital Control Panel w/ Diagnostics
 FOPS (Falling Object Protective Structure, Level 1, ISO 3449)
 Grease Gun Holder
 Hybrid Link Loader System, Loader Arm Support
 Hydraulic Quick Coupler In-Cab Control
 Hydrostatic Transmission w/ Two Speeds
 Inching and brake pedal, Left Side
 Maintenance Free Battery
 Multifunction Operating Lever w/ Lockouts,
 Float, Mechanical Linkage, Direction and speed control
 On Demand, 100% Differential Lock
 Parking Brake, Spring Applied, Hydraulic Release
 Power Steering, Tilt Steering Wheel w/ Steering Knob
 Radio Ready (Cab Model Only)
 Retractable Seat Belt
 ROPS (Roll-over Protective Structure, ISO 3471)
 Service Brakes, Wet Type Disk Brakes, Enclosed
 Side Mirrors, 12V Power Outlet
 SSL Type or Euro Type Quick Couplers
 Suspension Seat w/ Headrest
 Cup Holder
 Towing Pin

BASIC UNITS

R540R41 with:

4-Post ROPS/FOPS Canopy
 100% On-Demand Differential Lock
 Rear Counter Weight

Without:

Quick Coupler
 Buckets
 Options

R540R43 with:

ROPS/FOPS A/C Cab
 100% On-Demand Differential Lock
 Rear Counter Weight

Without:

Quick Coupler
 Buckets
 Options

OPERATIONAL DIMENSIONS Canopy w/ SSL Coupler

Bucket Capacity (SAE J742)	0.85 cu yd.
Tipping Load Straight w/ Bucket (SAE Rating)	6,437 lbs.
Tipping Load Straight w/ Pallet Forks (SAE Rating)	4,960 lbs.
Hinge Pin Height	10' 7"
Dump Height at Fully Raised Position	8' 0"
Maximum Dump Angle	45°
Reach Fully Raised at Maximum Dump Angle	2' 7"
Loader Bucket Breakout Force	8,183 lbs.
Steering Angle (each way)	40°
Frame Oscillation Angle (Total)	8°
Standard Tire Size (Bridgestone)	365/70 R18 8 ply
Traction Force	6,541 lbs
Auxiliary Hydraulic Flow	14.2 gpm @ 2,700 psi

R540

HOW TO SELECT AN R540 WHEEL LOADER

(Sample Order Information Page)

Below are samples of a complete R540 Wheel Loader order. To submit your order, please select the Basic Unit Model you desire from Part 1 and the optional attachments needed to complete your order from parts 2 thru 6.

- STEP 1) Select from Part 1 the Basic Unit that fits your needs.
For Example, choose an R540R41 and get: Base Model, 4-Post ROPS/FOPS Canopy, Counterweight, and 100% on-demand differential lock.
- STEP 2) Select from Part 2 thru 6 the optional attachments necessary to make the unit a complete machine.
Add the Quick Coupler; choose a Loader Bucket, Pallet Forks and / or options.

SPECIAL NOTE: A Quick Coupler must be ordered to connect all R540 attachments.

(SAMPLE ORDERS)

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
SAMPLE UNIT R540R41, COMPLETE ORDER AND PRICE				
BASIC UNIT:				
R540R41	WHEEL LOADER WITH: • 4-Post ROPS/FOPS Canopy • 100% On-Demand Differential Lock • Counterweight	K54K426A64	9303	\$71,614.00
ATTACHMENTS:				
K7164	• Hydraulic SSL Quick Coupler	K2K678A24	256	\$3,524.00
K7172	• 72" General Purpose Bucket (0.85 cu. yd.)	K2K074A04	610	\$2,729.00
				<u>\$77,867.00</u>
SAMPLE UNIT R540R43, COMPLETE ORDER AND PRICE				
BASIC UNIT:				
R540R43	WHEEL LOADER WITH: • A/C ROPS/FOPS Cab • 100% On-Demand Differential Lock • Counterweight	K61K907A32	9799	\$81,457.00
ATTACHMENTS:				
K7163	• Mechanical SSL Quick Coupler	K2K007A16	96	\$2,641.00
K7173	• 74" Light Material Bucket (1.0 cu. yd.)	K2K055A04	610	\$2,704.00
				<u>\$86,802.00</u>

KUBOTA**R540**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
PART 1	MODEL R540 BASIC UNIT			
R540R41	WHEEL LOADER BASIC UNIT With: • 4-Post ROPS/FOPS Canopy • 100% On-Demand Differential Lock • Counterweight	K54K426A64	9303	\$71,614.00
R540R43	WHEEL LOADER BASIC UNIT With: • A/C ROPS/FOPS Cab • 100% On-Demand Differential Lock • Counterweight	K61K907A32	9799	\$81,457.00
PART 2	QUICK COUPLERS			
	A quick coupler must be ordered to connect all R540 attachments. Not approved for use with SSL or CTL ground engaging attachments such as a SSL or CTL buckets or forks.			
K7163	MECHANICAL SSL QUICK COUPLER Skid Steer Loader Style. Auxiliary hydraulic fittings optional.	K2K007A16	96	\$2,641.00
K7164	HYDRAULIC SSL QUICK COUPLER Skid Steer Loader Style. Includes hydraulic fittings and hoses. Auxiliary hydraulic fittings included.	K2K678A24	256	\$3,524.00
K7247	HYDRAULIC EURO QUICK COUPLER Pin and hook Euro Style. (Unique to Kubota wheel loader) AG attachments will not fit Includes hydraulic fittings and hoses. Auxiliary hydraulic fittings included.	K2K362A84	172	\$3,109.00
PART 3	LOADER ATTACHMENTS / ACCESSORIES			
	SSL QUICK COUPLER ATTACHMENTS			
K7172	72" GENERAL PURPOSE BKT. (0.85 yd ³) for SSL QC	K2K074A04	610	\$2,729.00
K7173	74" LIGHT MATERIAL BKT. (1.0 yd ³) for SSL QC	K2K055A04	610	\$2,704.00
K7177	48" Pallet Forks for SSL QC	K1K995A76	446	\$2,525.00
K9724	BOLT-ON CUTTING EDGE for 72" Bucket	K244A72	90	\$322.00
K7176	BOLT-ON CUTTING EDGE for 74" Bucket	K251A56	75	\$331.00
K7165	Auxiliary Hydraulic Kit for Mechanical Coupler Includes 2 hydraulic ports to be added to the mechanical coupler to provide auxiliary hydraulic power to attachments	K1K191A68	1	\$1,568.00



R540

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
LOADER ATTACHMENTS / ACCESSORIES (Cont.)				
EURO QUICK COUPLER ATTACHMENTS				
K7182	72" GENERAL PURPOSE BKT. (0.85 yd ³) for EURO QC *Euro QC not compatible with older 510 model	K2K074A04	610	\$2,729.00
K7183	74" LIGHT MATERIAL BKT. (1.0 yd ³) for EURO QC	K2K331A68	610	\$3,068.00
K7186	48" PALLET FORKS for EURO QC (compatible with both R30 & R40 series Wheel Loaders)	K1K475A92	473	\$1,942.00
K7115	48" PALLET FORKS FOR EURO QC (only for R540 & R640 use)	K1K418A92	473	\$1,942.00
K9724	BOLT-ON CUTTING EDGE for 72" Bucket	K244A72	90	\$322.00
K7176	BOLT-ON CUTTING EDGE for 74" Bucket	K251A56	75	\$331.00
K7225	KSR (KUBOTA SHOCKLESS RIDE ACCUMULATOR)	K2K173A60	97	\$2,860.00
K7187	72" 4-IN-1 BUCKET FOR EURO QC	K5K019A04	610	\$6,604.00
PART 4 TIRES				
R5511-24300	STANDARD TIRE — RIGHT AND LEFT Dunlop 365/70 R18 8-ply Steel Belted Radial With Wheel Assembly In base price of all R540 Models.		#N/A	#N/A
PART 5 REPLACEMENT CANOPIES, CABS, ACCESSORIES				
K7235	REPLACEMENT 4-POST ROPS/FOPS CANOPY	K2K094A56	242	\$2,756.00
K7236	REPLACEMENT ROPS / FOPS CAB	K5K374A72	704	\$7,072.00
K7248	INCHING PEDAL, RIGHT SIDE	K110A20	7	\$145.00
K7245	REAR WORKING LIGHT FOR CANOPY MODELS	K325A28	9	\$428.00
K7246	REAR WORKING LIGHT FOR CAB MODELS	K236A36	9	\$311.00
K7146	TOOL BOX FOR CAB MODELS	K298A68	10	\$409.00
K9926	3" RETRACTABLE SEAT BELT KIT	K67A64	3	\$89.00
K7227	PRE CLEANER FOR R540	K174A04	1	\$229.00
K7238	CCV HEATER KIT FOR R540	K276A64	6.6	\$364.00

PART 6 OPTIONAL PARTS

PART NO.	DESCRIPTION
70000-00776	Block heater replaces (70000-00771)
77700-04755B	AM/FM/CD/USB/WB/Bluetooth®/iPhone®/iPod®/SiriusXM-Ready™ Stereo Includes 9-pin to DIN harness adapter, Mounting kit, Instructions
77700-04754B	AM/FM/WB/iPhone®/iPod®/SiriusXM-Ready™ Stereo Includes 9-pin to DIN harness adapter, Mounting kit, Instructions
77700-04753B	AM/FM/WB Radio Includes 9-pin to DIN harness adapter, Mounting kit, Instructions
77700-08686	Strobe Light, Class 2, LED, flashing strobe w/ vacuum mag mount
77700-08687	Rotating Beacon, Class 1, halogen (beacon light only) w/mag mount
77700-10378	Completion wire harness for ROPS units for the Strobe and Beacon.



R540

PART 7	KubotaNOW Telematics Service (each order will require the DCU6700 modem and model specific wiring harness)			
DCU6700	AT&T Telematics Modem	K317A68	6.6	\$418.00
K6704A	Excavator Telematics Wiring Harness	K117A04	6.6	\$154.00
	<i>KubotaNOW Telematics Service includes a three (3) year term</i>			



R640
Articulated Wheel Loader

ENGINE

V2607 Tier 4 Final Kubota Diesel Engine
 4 Cylinders, 4 Cycle, Turbocharged
 61.1 Net HP @ 2400 rpm (SAE J1349)
FEATURES:
 5 Second Quick Preheat System
 Automatic Regeneration
 Dual Element Air Cleaner
 Fuel / Water Separator
 Refueling Assistant
 Self-Bleed Fuel System

BASIC UNITS

R640R41 with:
 4-Post ROPS/FOPS Canopy
 100% On-Demand Differential Lock
 Rear Counter Weight
 Without:
 Quick Coupler
 Buckets
 Options
R640R43 with:
 ROPS/FOPS A/C Cab
 100% On-Demand Differential Lock
 Rear Counter Weight
 Without:
 Quick Coupler
 Buckets
 Options

FEATURES

±40° Articulated Steering, 8° Frame Oscillation
 2 Head Lights, Front and Rear Signal Lights
 Articulation Transport Lock
 Auxiliary Hydraulics @ 17.8 gpm.
 Auxiliary Flow Control for Attachment Mode
 Digital Control Panel w/ Diagnostics
 FOPS (Falling Object Protective Structure, Level 1, ISO 3449)
 Grease Gun Holder
 Hybrid Link Loader System, Loader Arm Support
 Hydraulic Quick Coupler In-Cab Control
 Hydrostatic Transmission w/ Two Forward & Two Reverse Speeds
 Inching and Brake Pedal, Left Side
 Maintenance Free Battery
 Multifunction Controller w/ Lockouts, Float, Direction and Speed Control, Auxiliary Hydraulics Proportional Control, Pilot operated
 On Demand, 100% Differential Lock
 Parking Brake, Spring Applied, Hydraulic Release
 Power Steering, Tilt Steering w/ Steering Knob
 Radio Ready (Cab Model Only)
 Retractable Seat Belt
 ROPS (Roll-over Protective Structure, ISO 3471)
 Side Mirrors, 12V Power Outlet
 Service Brakes, Wet Type Disk Brakes, Enclosed
 SSL Type or Euro Type Quick Couplers
 Suspension Seat w/ Headrest, Left Arm Rest
 Cup Holder
 Towing Pin
 Wrist Rest, Right Side, Adjustable

OPERATIONAL DIMENSIONS Cab w/ SSL Coupler

Bucket Capacity (SAE J742)	1.0 cu yd.
Tipping Load Straight w/ Bucket (SAE Rating)	7,760 lbs.
Tipping Load Straight w/ Pallet Forks (SAE Rating)	6,063 lbs
Hinge Pin Height	10' 8"
Dump Height at Fully Raised Position	7' 9"
Maximum Dump Angle	45°
Reach Fully Raised at Maximum Dump Angle	2' 9"
Loader Bucket Breakout Force	9,869 lbs.
Steering Angle (each way)	40°
Frame Oscillation Angle (Total)	8°
Standard Tire Size (Bridgestone)	405/70 R18 8 ply
Traction Force	8,588 lbs
Auxiliary Hydraulic Flow	17.8 gpm @ 3,000 psi



R640

HOW TO SELECT AN R640 WHEEL LOADER (Sample Order Information Page)

Below are samples of a complete R640 Wheel Loader order. To submit your order, please select the Basic Unit Model you desire from Part 1 and the optional attachments needed to complete your order from parts 2 thru 6.

- STEP 1) Select from Part 1 the Basic Unit that fits your needs.
 For Example, choose an R640R41 and get: Base Model, 4-Post ROPS/FOPS Canopy, Counterweight, and 100% on-demand differential lock.
- STEP 2) Select from Part 2 thru 6 the optional attachments necessary to make the unit a complete machine. Add the Quick Coupler; choose a Loader Bucket, Pallet Forks and / or options.

SPECIAL NOTE: A Quick Coupler must be ordered to connect all R640 attachments.

(SAMPLE ORDERS)

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
SAMPLE UNIT R640R41, COMPLETE ORDER AND PRICE				
BASIC UNIT:				
R640R41	WHEEL LOADER WITH: <ul style="list-style-type: none"> • 4-Post ROPS/FOPS Canopy • 100% On-Demand Differential Lock • Counterweight 	K66K888A36	10285	\$88,011.00
ATTACHMENTS:				
K7164	• Hydraulic SSL Quick Coupler	K2K678A24	256	\$3,524.00
K7174	• 74" General Purpose Bucket (1.0 cu. yd.) for SSL QC	K2K309A64	610	\$3,039.00
				\$94,574.00
SAMPLE UNIT R640R43, COMPLETE ORDER AND PRICE				
BASIC UNIT:				
R640R43	WHEEL LOADER WITH: <ul style="list-style-type: none"> • A/C ROPS/FOPS Cab • 100% On-Demand Differential Lock • Counterweight 	K74K419A20	10725	\$97,920.00
ATTACHMENTS:				
K7164	• Hydraulic SSL Quick Coupler	K2K678A24	256	\$3,524.00
K7174	• 74" Light Material Bucket (1.5 cu. yd.) for SSL QC	K2K309A64	610	\$3,039.00
				\$104,483.00

KUBOTA**R640**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
PART 1	MODEL R640 BASIC UNIT			
R640R41	WHEEL LOADER BASIC UNIT With: • 4-Post ROPS/FOPS Canopy • 100% On-Demand Differential Lock • Counterweight	K66K888A36	10285	\$88,011.00
R640R43	WHEEL LOADER BASIC UNIT With: • A/C ROPS/FOPS Cab • 100% On-Demand Differential Lock • Counterweight	K74K419A20	10725	\$97,920.00
PART 2	QUICK COUPLERS A quick coupler must be ordered to connect all R640 attachments. Not approved for use with SSL or CTL ground engaging attachments such as a SSL or CTL buckets or forks.			
K7163	MECHANICAL SSL QUICK COUPLER Skid Steer Loader Style. Auxiliary hydraulic fittings optional.	K2K007A16	96	\$2,641.00
K7164	HYDRAULIC SSL QUICK COUPLER Skid Steer Loader Style. Includes hydraulic fittings and hoses. Auxiliary hydraulic fittings included.	K2K678A24	256	\$3,524.00
K7247	HYDRAULIC EURO QUICK COUPLER Pin and hook Euro Style. (Unique to Kubota wheel loader) AG attachments will not fit Includes hydraulic fittings and hoses. Auxiliary hydraulic fittings included.	K2K362A84	172	\$3,109.00
PART 3	LOADER ATTACHMENTS / ACCESSORIES			
	SSL QUICK COUPLER ATTACHMENTS			
K7174	74" General Purpose Bucket (1.0 yd ³) for SSL QC	K2K309A64	610	\$3,039.00
K7175	74" Light Material Bucket (1.5 yd ³) for SSL QC	K2K309A64	610	\$3,039.00
K7176	BOLT-ON CUTTING EDGE for 74" Bucket	K251A56	75	\$331.00
K7177	48" Pallet Forks for SSL QC	K1K995A76	446	\$2,626.00
K7165	Auxiliary Hydraulic Kit for Mechanical Coupler Includes 2 hydraulic ports to be added to the mechanical coupler to provide auxiliary hydraulic power to attachments	K1K191A68	1	\$1,568.00
	EURO QUICK COUPLER ATTACHMENTS			
K7184	74" GENERAL PURPOSE BKT. (1.0 yd ³) for EURO QC	K2K309A64	610	\$3,039.00
K7185	74" LIGHT MATERIAL BKT. (1.5 yd ³) for EURO QC	K2K309A64	610	\$3,039.00
K7186	48" PALLET FORKS for EURO QC (compatible	K1K475A92	473	\$1,942.00
K7115	48" PALLET FORKS FOR EURO QC (only for R540 & R640 use)	K1K418A92	473	\$1,942.00
K7187	72" 4-IN-1 BUCKET FOR EURO QC	K5K019A04	610	\$6,604.00
K7176	BOLT-ON CUTTING EDGE for 74" Bucket	K251A56	75	\$331.00
K7225	KSR (KUBOTA SHOCKLESS RIDE ACCUMULATOR	K2K173A60	97	\$2,860.00



R640

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
PART 4 TIRES				
R5611-24300	STANDARD TIRE — RIGHT AND LEFT Dunlop 405/70 R18 8-ply Steel Belted Radial With Wheel Assembly In base price of all R640 Models.	#N/A	#N/A	#N/A
PART 5 REPLACEMENT CANOPIES, CABS, ACCESSORIES				
K7235	REPLACEMENT 4-POST ROPS/FOPS CANOPY	K2K094A56	242	\$2,756.00
K7236	REPLACEMENT ROPS / FOPS CAB	K5K374A72	704	\$7,072.00
K7248	INCHING PEDAL, RIGHT SIDE	K110A20	7	\$145.00
K7245	REAR WORKING LIGHT FOR CANOPY MODELS	K325A28	9	\$428.00
K7246	REAR WORKING LIGHT FOR CAB MODELS	K236A36	9	\$311.00
K7146	TOOL BOX FOR CAB MODELS	K298A68	10	\$409.00
K9926	3" RETRACTABLE SEAT BELT KIT	K67A64	3	\$89.00
K7237	CCV HEATER KIT R640	K276A64	6.6	\$364.00
K7226	PRE CLEANER FOR R640	K174A04	1	\$229.00

PART 6 OPTIONAL PARTS

PART NO.	DESCRIPTION
70000-00776	Block heater replaces (70000-00771)
77700-04755B	AM/FM/CD/USB/WB/Bluetooth®/iPhone®/iPod®/SiriusXM-Ready™ Stereo Includes 9-pin to DIN harness adapter, Mounting kit, Instructions
77700-04754B	AM/FM/WB/iPhone®/iPod®/SiriusXM-Ready™ Stereo Includes 9-pin to DIN harness adapter, Mounting kit, Instructions
77700-04753B	AM/FM/WB Radio Includes 9-pin to DIN harness adapter, Mounting kit, Instructions
77700-08686	Strobe Light, Class 2, LED, flashing strobe w/ vacuum mag mount
77700-08687	Rotating Beacon, Class 1, halogen (beacon light only) w/mag mount
77700-10378	Completion wire harness for ROPS units for the Strobe and Beacon.

PART 7 KubotaNOW Telematics Service (each order will require the DCU6700 modem and model specific wiring harness)

DCU6700	AT&T Telematics Modem	K317A68	1.3	\$418.00
K6704A	Excavator Telematics Wiring Harness <i>KubotaNOW Telematics Service includes a three (3) year term</i>	K117A04	1.75	\$154.00



R-Series Replacement Engines

REPLACEMENT ENGINES FOR R - SERIES WHEEL LOADERS

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
------------	-------------	----------------	----------------	----------------------

**Effective June 2, 2014 all replacement engines must be ordered through the Parts Department.
See Parts Bulletin DPB-2014-011 R01.**



This page intentionally left blank.