

# KUBOTA

---

## SKID STEER LOADERS

---

### WHOLEGOODS PRICE LIST EFFECTIVE March 1, 2021

<b>Price Update</b>	Land Pride Bucket Price Update	Pg. 6, 8, 9, 15, 17, 18
<b>Price Update</b>	SSV65 and SSV75 Price Update	Pg. 3, 6, 7, 8, 15, 16, 17

# KUBOTA

---

## SKID STEER LOADERS

---

**This page intentionally left blank.**

# KUBOTA

## SKID STEER LOADERS

PAGE	DESCRIPTION	GROSS HP	FACTORY NUMBER	SUGGESTED LIST PRICE
18-5	SSV65	64.0	S31K905A56	\$41,981.00
18-13	SSV75	74.3	S36K557A52	\$48,102.00
18-20	Replacement Engines			

# KUBOTA

---

## SKID STEER LOADERS

---

**This page intentionally left blank.**

# KUBOTA

## SSV65

### SSV65 Skid Steer Loader

#### FEATURES

Vertical Lift Path Loader Frame  
 Standard Front Quick Coupler, Float Standard Hydraulic Quick Coupler Option  
 One Way Self-Leveling with Kubota Shock-less Ride (KSR) Option  
 Loader Boom Lock  
 Open ROPS & Air Conditioned ROPS/FOPS Cab Models  
 Adjustable, Vinyl, Suspension Seat  
 2" Retractable Seat Belt and 2-Piece Seat Bar  
 12V Electric Outlet  
 18 gpm Auxiliary Hydraulics, 28 gpm High Flow Hydraulics Option with Multi-Function Controls and 14-pin coupler  
 Direct To Tank Return Line  
 10x16.5, 8PR Heavy-Duty Tires  
 Two Speed Travel System  
 Spring Applied Hydraulically Released (SAHR) Brakes  
 Gear Drive Pumps & Variable Loader and High Flow Pumps (if equipped)  
 Mechanical Hand & Foot Controls  
 Electronic Dial Throttle  
 Automatic Glow Plugs  
 Key Switch Stop/Start System  
 Self-Bleed Fuel System  
 2 Front and 2 Rear Working Lights  
 2 Front Corner Lights & 2 Rear Red Tail Lights  
 Hour Meter, Engine Coolant Temperature and Fuel Gauges and Warning Lights  
 Horn and Backup Alarm  
 Lockable Fuel Cap Door  
 Bolt On Grab Handles to enter machine

#### ENGINE

V2607 Kubota CR-TE4, Tier 4 Diesel Engine  
 4-Cylinder, 4 Cycle, Turbo Charged  
 64 Gross HP @ 2700 rpm  
 2.6 L Displacement  
 166 lbf-ft Peak Torque

#### DIMENSIONS

Cab Height .....79.9"  
 Width over wheels.....66.5"  
 Width with 68" standard bucket .....69.0"  
 Length without bucket .....106.3"  
 Length with standard bucket .....135.4"

#### OPERATIONAL DIMENSIONS

Operating Weight\*, SSV65\*, Open ROPS/FOPS Cab, Mechanical Quick Coupler.....6,790 lbs.  
 Rated Operating Capacity (ROC) @ 50% of Tipping Load .....1,950 lbs.  
 Tipping Load .....3,900 lbs.  
 Auxiliary Hydraulics Flow .....18.0 / 28.0 gpm  
 Travel Speed (Low / High) .....6.9 / 11.1 mph  
 Reach @ Maximum Height .....32.7"  
 Height to Hinge Pin .....121.5"  
 Ground Clearance .....7.6".  
 Traction Force .....7,339 lbf.

\* Includes operator's weight, 175 lbs.

#### BASIC UNITS (HAND & FOOT CONTROLS)

SSV65, Open ROPS/FOPS Cab, Mechanical Quick Coupler  
 SSV65F, Open ROPS/FOPS Cab, High Flow Hydraulics Mechanical Quick Coupler  
 SSV65FR, Open ROPS/FOPS Cab, High Flow Hydraulics, Self-Leveling with KSR, Mechanical Quick Coupler  
 SSV65H, Open ROPS/FOPS Hydraulic Quick Coupler  
 SSV65HF, Open ROPS/FOPS Cab, High Flow Hydraulics Hydraulic Quick Coupler  
 SSV65HFR, Open ROPS/FOPS Cab, High Flow Hydraulics, Self-Leveling with KSR, Hydraulic Quick Coupler  
 SSV65HR, Open ROS/FOPS Cab, Self-Leveling with KSR, Hydraulic Quick Coupler  
 SSV65R, Open ROPS/FOPS Cab, Self-Leveling with KSR, Mechanical Quick Coupler  
 SSV65HC, AC Enclosed Cab, Hydraulic Quick Coupler  
 SSV65HFC, AC Enclosed Cab, High Flow Hydraulics, Hydraulic Quick Coupler  
 SSV65HFRC, AC Enclosed Cab, High Flow Hydraulics, Self-Leveling with KSR, Hydraulic Quick Coupler  
 SSV65HRC, AC Enclosed Cab, Self-Leveling with KSR, Hydraulic Quick Coupler

#### ISO-PILOT CONTROL UNITS

SSV65P, Open ROPS/FOPS Cab, Mechanical Quick Coupler  
 SSV65PF, Open ROPS/FOPS Cab, High Flow Hydraulics Mechanical Quick Coupler  
 SSV65PFR, Open ROPS/FOPS Cab, High Flow Hydraulics, Self-Leveling with KSR, Mechanical Quick Coupler  
 SSV65PH, Open ROPS/FOPS Hydraulic Quick Coupler  
 SSV65PHF, Open ROPS/FOPS Cab, High Flow Hydraulics Hydraulic Quick Coupler  
 SSV65PHFR, Open ROPS/FOPS Cab, High Flow Hydraulics, Self-Leveling with KSR, Hydraulic Quick Coupler  
 SSV65PHR, Open ROS/FOPS Cab, Self-Leveling with KSR, Hydraulic Quick Coupler  
 SSV65PR, Open ROPS/FOPS Cab, Self-Leveling with KSR, Mechanical Quick Coupler  
 SSV65PHC, AC Enclosed Cab, Hydraulic Quick Coupler  
 SSV65PHFC, AC Enclosed Cab, High Flow Hydraulics, Hydraulic Quick Coupler  
 SSV65PHFRC, AC Enclosed Cab, High Flow Hydraulics, Self-Leveling with KSR, Hydraulic Quick Coupler  
 SSV65PHRC, AC Enclosed Cab, Self-Leveling with KSR, Hydraulic Quick Coupler

# KUBOTA

## SSV65

### HOW TO SELECT AN SSV65 Skid Steer Loader (Sample Order Information Page)

Below are examples of a complete SSV65 order. To submit your order, please select the Basic Unit Model that you desire from Part 1. Then select the attachments from Parts 2, 3, & 4 needed to complete your order.

STEP 1)	Select from Part 1 the Basic Unit that fits your needs. For example, choose a SSV65 or SSV65H or SSV65HRC
STEP 2)	Select from Parts 2 and 3 the attachments necessary to make the unit a complete machine. Choose buckets, attachments, or accessories via parts. Parts items are available in Part 4.

(SAMPLE ORDER)

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
<b>STANDARD UNIT SSV65 COMPLETE ORDER AND PRICE</b>				
BASIC UNIT:				
<b>SSV65</b>	<b>SKID STEER LOADER BASIC UNIT</b>	S31K905A56	7000	\$41,981.00
With:	Open ROPS/FOPS Cab Mechanical Quick Coupler			
<b>ATTACHMENTS:</b>				
AP-SL68SLC	68" low profile standard floor bucket with bolt-on cutting edge	S1K013A08	541	\$1,333.00
				\$43,314.00
<b>STANDARD UNIT SSV65HRC COMPLETE ORDER AND PRICE</b>				
BASIC UNIT:				
<b>SSV65HRC</b>	<b>SKID STEER LOADER BASIC UNIT</b>	S36K346A24	6790	\$47,824.00
With:	AC Enclosed Cab, Self-Leveling with KSR, Hydraulic Quick Coupler			
<b>ATTACHMENTS:</b>				
AP-SL68SLT	68" low profile standard floor bucket with teeth	S1K013A08	541	\$1,333.00
				\$49,157.00

# KUBOTA

## SSV65

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
<b>PART 1</b>	<b>MODEL SSV65 BASIC UNITS (HAND &amp; FOOT CONTROLS)</b>			
<b>SSV65</b>	<b>SKID STEER LOADER BASIC UNIT</b>	S31K905A56	7000	\$41,981.00
With:	Open ROPS/FOPS Cab Mechanical Quick Coupler			
<b>SSV65F</b>	<b>SKID STEER LOADER BASIC UNIT</b>	S33K079A76	6790	\$43,526.00
With:	Open ROPS/FOPS Cab, High Flow Hydraulics, Mechanical Quick Coupler, Multi-Function Ctls & 14-pin coupler			
<b>SSV65FR</b>	<b>SKID STEER LOADER BASIC UNIT</b>	S34K108A80	6790	\$44,880.00
With:	Open ROPS/FOPS Cab, High Flow Hydraulics, Self-Leveling with KSR, Mechanical Quick Coupler, Multi-Function Ctls & 14-pin coupler			
<b>SSV65H</b>	<b>SKID STEER LOADER BASIC UNIT</b>	S32K304A56	6790	\$42,506.00
With:	Open ROPS/FOPS Cab Hydraulic Quick Coupler			
<b>SSV65HF</b>	<b>SKID STEER LOADER BASIC UNIT</b>	S33K479A52	8908	\$44,052.00
With:	Open ROPS/FOPS Cab, High Flow Hydraulics, Hydraulic Quick Coupler, Multi-Function Ctls & 14-pin coupler			
<b>SSV65HFR</b>	<b>SKID STEER LOADER BASIC UNIT</b>	S34K507A80	6790	\$45,405.00
With:	Open ROPS/FOPS Cab, High Flow Hydraulics, Self-Leveling with KSR, Hydraulic Quick Coupler, Multi-Function Ctls & 14-pin coupler			
<b>SSV65HR</b>	<b>SKID STEER LOADER BASIC UNIT</b>	S33K333A60	6790	\$43,860.00
With:	Open ROPS/FOPS Cab, Self-Leveling with KSR, Hydraulic Quick Coupler			
<b>SSV65R</b>	<b>SKID STEER LOADER BASIC UNIT</b>	S32K934A60	6790	\$43,335.00
With:	Open ROPS/FOPS Cab, Self-Leveling with KSR, Mechanical Quick Coupler			
<b>SSV65HC</b>	<b>SKID STEER LOADER BASIC UNIT</b>	S35K317A96	6790	\$46,471.00
With:	AC Enclosed Cab Hydraulic Quick Coupler			
<b>SSV65HFC</b>	<b>SKID STEER LOADER BASIC UNIT</b>	S36K492A16	6790	\$48,016.00
With:	AC Enclosed Cab, High Flow Hydraulics, Hydraulic Quick Coupler, Multi-Function Ctls & 14-pin coupler			
<b>SSV65HFRC</b>	<b>SKID STEER LOADER BASIC UNIT</b>	S37K520A44	6790	\$49,369.00
With:	AC Enclosed Cab, High Flow Hydraulics, Self-Leveling with KSR, Hydraulic Quick Coupler, Multi-Function Ctls & 14-pin coupler			
<b>SSV65HRC</b>	<b>SKID STEER LOADER BASIC UNIT</b>	S36K346A24	6790	\$47,824.00
With:	AC Enclosed Cab, Self-Leveling with KSR, Hydraulic Quick Coupler			

# KUBOTA

## SSV65

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
<b>PART 2</b>	<b>MODEL SSV65 ISO-PILOT CONTROL UNITS</b>			
<b>SSV65P</b>	<b>SKID STEER LOADER ISO-PILOT CONTROLS UNIT</b>	S33K590A48	8864	\$44,198.00
With:	Open ROPS/FOPS Cab Mechanical Quick Coupler			
<b>SSV65PF</b>	<b>SKID STEER LOADER ISO-PILOT CONTROLS UNIT</b>	S34K760A88	8864	\$45,738.00
With:	Open ROPS/FOPS Cab, High Flow Hydraulics, Mechanical Quick Coupler, Multi-Function Ctls & 14-pin coupler			
<b>SSV65PFR</b>	<b>SKID STEER LOADER ISO-PILOT CONTROLS UNIT</b>	S35K786A12	8864	\$47,087.00
With:	Open ROPS/FOPS Cab, High Flow Hydraulics, Self-Leveling with KSR, Mechanical Quick Coupler, Multi-Function Ctls & 14-pin coupler			
<b>SSV65PH</b>	<b>SKID STEER LOADER ISO-PILOT CONTROLS UNIT</b>	S33K989A48	8908	\$44,723.00
With:	Open ROPS/FOPS Cab Hydraulic Quick Coupler			
<b>SSV65PHF</b>	<b>SKID STEER LOADER ISO-PILOT CONTROLS UNIT</b>	S35K160A64	8908	\$46,264.00
With:	Open ROPS/FOPS Cab, High Flow Hydraulics, Hydraulic Quick Coupler, Multi-Function Ctls & 14-pin coupler			
<b>SSV65PHFR</b>	<b>SKID STEER LOADER ISO-PILOT CONTROLS UNIT</b>	S36K185A12	8908	\$47,612.00
With:	Open ROPS/FOPS Cab, High Flow Hydraulics, Self-Leveling with KSR, Hydraulic Quick Coupler, Multi-Function Ctls & 14-pin coupler			
<b>SSV65PHR</b>	<b>SKID STEER LOADER ISO-PILOT CONTROLS UNIT</b>	S35K014A72	8908	\$46,072.00
With:	Open ROPS/FOPS Cab, Self-Leveling with KSR, Hydraulic Quick Coupler			
<b>SSV65PR</b>	<b>SKID STEER LOADER ISO-PILOT CONTROLS UNIT</b>	S34K614A96	8864	\$45,546.00
With:	Open ROPS/FOPS Cab, Self-Leveling with KSR, Mechanical Quick Coupler			
<b>SSV65PHC</b>	<b>SKID STEER LOADER ISO-PILOT CONTROLS UNIT</b>	S37K002A88	9184	\$48,688.00
With:	AC Enclosed Cab Hydraulic Quick Coupler			
<b>SSV65PHFC</b>	<b>SKID STEER LOADER ISO-PILOT CONTROLS UNIT</b>	S38K173A28	9184	\$50,228.00
With:	AC Enclosed Cab, High Flow Hydraulics, Hydraulic Quick Coupler, Multi-Function Ctls & 14-pin coupler			
<b>SSV65PHFRC</b>	<b>SKID STEER LOADER ISO-PILOT CONTROLS UNIT</b>	S39K201A56	9184	\$51,581.00
With:	AC Enclosed Cab, High Flow Hydraulics, Self-Leveling with KSR, Hydraulic Quick Coupler, Multi-Function Ctls & 14-pin coupler			
<b>SSV65PHRC</b>	<b>SKID STEER LOADER ISO-PILOT CONTROLS UNIT</b>	S38K031A16	9184	\$50,041.00
With:	AC Enclosed Cab, Self-Leveling with KSR, Hydraulic Quick Coupler			
<b>PART 3</b>	<b>BUCKETS</b>			
	<b>QUICK ATTACH BUCKETS (standard duty)</b>			
<b>AP-SL68SLT</b>	<b>68" Low Profile, Standard Floor, Teeth, Side Cutter, 14.5 cu-ft heaped capacity</b>	S1K013A08	541	\$1,333.00
<b>AP-SL68SLC</b>	<b>68" Low Profile, Standard Floor, Bolt-On Cutting Edge, Side Cutter, 14.5 cu-ft heaped capacity</b>	S1K013A08	541	\$1,333.00
<b>AP-SL68SLLT</b>	<b>68" Low Profile, Long Floor, Teeth, Side Cutter 18.0 cu-ft heaped capacity</b>	S1K052A60	541	\$1,385.00
<b>AP-SL68SLLC</b>	<b>68" Low Profile, Long Floor, Bolt-On Cutting Edge, Side Cutter, 18.0 cu-ft heaped capacity</b>	S1K053A36	541	\$1,386.00
<b>AP-SL74SLT</b>	<b>74" Low Profile, Standard Floor, Teeth, Side Cutter, 15.8 cu-ft heaped capacity</b>	S1K130A88	541	\$1,488.00



# KUBOTA



## SSV65

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
<b>PART 3</b>	<b>QUICK ATTACH BUCKETS (standard duty) <i>continued</i></b>			
AP-SL74SLC	74" Low Profile, Standard Floor, Bolt-On Cutting Edge, Side Cutter, 15.8 cu-ft heaped capacity	S1K173A44	541	\$1,544.00
AP-SL74SLLT	74" Low Profile, Long Floor, Teeth, Side Cutter 19.7 cu-ft heaped capacity	S1K211A44	541	\$1,594.00
AP-SL74SLLC	74" Low Profile, Long Floor, Bolt-On Cutting Edge, Side Cutter, 19.7 cu-ft heaped capacity	S1K254A76	541	\$1,651.00
	<b>QUICK ATTACH BUCKETS (heavy duty)</b>			
AP-HD68LT	68" Heavy Duty, Low Profile, Standard Floor, Teeth, Side Cutter, 14.2 cu-ft heaped capacity	S1K124A80	541	\$1,480.00
AP-HD68LC	68" Heavy Duty, Low Profile, Standard Floor, Cutting Edge, Side Cutter, 14.2 cu-ft heaped capacity	S1K124A80	541	\$1,480.00
AP-HD68LLT	68" Heavy Duty, Low Profile, Long Floor, Teeth, Side Cutter, 17.9 cu-ft heaped capacity	S1K169A64	541	\$1,539.00
AP-HD68LLC	68" Heavy Duty, Low Profile, Long Floor, Cutting Edge, Side Cutter, 17.9 cu-ft heaped capacity	K1K170A40	541	\$1,540.00
AP-HD74LT	74" Heavy Duty, Low Profile, Standard Floor, Teeth, Side Cutter, 15.4 cu-ft heaped capacity	S1K255A52	541	\$1,652.00
AP-HD74LC	74" Heavy Duty, Low Profile, Standard Floor, Cutting Edge, Side Cutter, 15.4 cu-ft heaped capacity	S1K303A40	541	\$1,715.00
AP-HD74LLT	74" Heavy Duty Low Profile, Long Floor, Teeth, Side Cutter 19.2 cu-ft heaped capacity	S1K345A96	541	\$1,771.00
AP-HD74LLC	74" Heavy Duty, Low Profile, Long Floor, Cutting Edge, Side Cutter, 19.2 cu-ft heaped capacity	S1K393A84	541	\$1,834.00
	<i>Refer to Service Parts for replacment side cutters, cutting edges, and teeth on AP Buckets</i>			
<b>PART 4</b>	<b>KubotaNOW Telematics Service (each order will require the DCU6700 modem and model specific wire harness)</b>			
DCU6700		K300A20	1	\$395.00
S6703		K98A80	2	\$130.00
	<b>KubotaNOW Telematics Service includes a three (3) year term with a Dealer Net cost of \$399 and a total list price of \$525</b>			

# KUBOTA

## SSV65

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
<b>PART 5</b>	<b>ACCESSORIES</b>			
K9926	RETRACTABLE SEAT BELT OPTION (3" WIDE) As required in some states for OSHA compliance.	K65A36	3	\$86.00
S6650	14-pin to 14-pin Adapter Harness Allows a user to control an attachment with a 14-pin electrical connector that does not use the Kubota pin-out configuration.	K241A68	1	\$318.00
S6651	8-pin to 14-pin Adapter Harness Allows a user to control an attachment with an 8-pin Deutsch electrical connector.	K227A24	1	\$299.00

SSV Grips, Harnesses, and Adapters					
GRIP STYLE	MODEL(s)	14-PIN HARNESS <small>(order from parts) Required on units for attachments that require electrical inputs to control hydraulic solenoids or motors.</small>	MULTIFUNCTION GRIP KIT DIA <small>(order from parts) Needed if more than one electrical function is needed AND unit is a standard flow unit not already equipped with MF Grips.</small>	14-PIN TO 14-PIN ADAPTER <small>Allows a user to control an attachment with a 14-Pin electrical connector that does not use the Kubota pin-out configuration.</small>	8-PIN TO 14-PIN ADAPTER <small>Allows a user to control an attachment with an 8-pin Deutsch electrical connector</small>
 SSV Hand & Foot Standard Grips	SSV65 Hand & Foot Controls	V1311-97101	V1311-96301	S6650	S6651
	SSV75 Hand & Foot Controls	V1411-97101			
 SSV ISO Pilot Controls Standard Grips	SSV65 ISO Pilot Controls	V1311-97101	V1311-97301		
	SSV75 ISO Pilot Controls	V1411-97101			

**REPLACEMENT CAB/ROPS FOR SSV65**

Complete package that is direct-fit to the main frame mounting points. Hydraulic hoses ready to fit into main manifold. Includes new "bolt-on" style grab handles. Lift-Assist gas struts are not included.

SL6660	Replacement Open ROPS /SSV65 (Hand & Foot Ctl Units Only)	S5K510A00	1	\$7,250.00
SL6661A	Replacement Closed Cab/SSV65 (Hand & Foot Ctl Units Only)	S7K980A00	992	\$10,500.00
SL6664	Replacement Open ROPS /SSV65 (ISO Pilot Control Units Only)	S5K510A00	948	\$7,250.00
SL6665	Replacement Closed Cab/SSV65 (ISO Pilot Control Units Only)	S7K980A00	948	\$10,500.00

SEE REPLACEMENT CAB & ROPS ADOPTION LIST

# KUBOTA

## SSV65

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
<b>PART 6</b>	<b>ACCESSORIES Available from Parts</b>			
V1311-96611	H-Pattern Conversion Kit <i>Beginning with SN 50210 for CAB units. Beginning with SN 51252 for ROPS units. (Refer to PIB-2017-034)</i>	K706A80		\$930.05
V1311-96501	Hydraulic Quick Coupler Conversion Kit	K623A20		\$1,006.13
V1311-96601	Self-Leveling	K509A20		\$672.78
V1311-96701	Ride Control (KSR)	K676A40		\$1,129.76
V1311-96201	Hazard lamp & Turn Signals (requires 14 Pin Coupler & Multi-Function Lever Kit)	K152A00		\$224.26
V1311-96401	Bonnet (Rear Door) Lock Kit	K34A20		\$48.50
V1311-97101	14 Pin Coupler Harness	K254A60		\$334.40
V1311-96301	Multi-Function Lever Kit (for Hand & Foot Control Models Only)	K410A40		\$606.10
V1311-97301	Multi-Function Lever Kit (for ISO Pilot Controls Only)	K380A00		\$679.25
77700-06360	Wiring Harness, Airsus	K42A56		\$55.39
77700-06361	Air Ride Seat, requires Airsus Wiring Harness 7770-06360	K642A96		\$846.45
V1311-96821	SSV Special Application Door Door Completion Kit required for ROPS units	S2K128A00		\$3,248.69
V1311-96801	SSV Front Glass Kit	K921A27		\$1,212.20
	<b>ACCESSORIES Available from Parts (continued)</b>			
V1311-96811	SSV ROPS Door Completion Kit (needed to install any door on ROPs units) Wiper power harness not avail for ROPS units-TBD	K230A32		\$303.05
V1311-96841	Single Point Lift Kit	S1K558A00		\$2,557.75
	<b>OTHER ACCESSORIES - (Refer to PARTS for Pricing)</b>			
77700-08974	Rear View Observation Camera Kit			
70000-73274	Engine Block Heater			
77700-04752	Radio AM / FM / WB / MP3			
77700-04757	Radio AM / FM / WB / Bluetooth			
70090-40007	Counterweight (order 4) with the following hardware 01176-51675 Bolt, M16-1x75mm (order 4) 04512-70160 Washer, Lock (order 4) RD451-19180 Washer (order 4)			
77700-07225	Hose Stay			
V1311-28310	10x16.5 Tire Assy (L,8PR) Over the Tire Width = 66.5"			
V1311-28410	10x16.5 Tire Assy (R,8PR) Over the Tire Width = 66.5"			
V1411-28310	12x16.5 Tire Assy (L, 10PR) Over the Tire Width = 71.8"			
V1411-28410	12x16.5 Tire Assy (R, 10PR) Over the Tire Width = 71.8"			
V1311-28910	30x6x10 Brawler Tire Assy (L) Replaces Equivalent To Size 10x16.5 with Over the Tire Width = 67.9"			
V1311-28920	30x6x10 Brawler Tire Assy (R) Replaces Equivalent To Size 10x16.5 with Over the Tire Width = 67.9"			
V1411-28910	33x6x11 Brawler Tire Assy (L) Replaces Equivalent To Size 12x16.5 with Over the Tire Width = 69.9"			
V1411-28920	33x6x11 Brawler Tire Assy (R) Replaces Equivalent To Size 12x16.5 with Over the Tire Width = 69.9"			
V1311-28710	12x16.5 Turf Tire with non-aggressive tread - Over the Tire Width = 73.5"			

# KUBOTA

## SSV65

### REPLACEMENT CAB & ROPS ADOPTION LISTS

SSV65 REPLACEMENT CAB & ROPS ADOPTION LIST HAND & FOOT CONTROL MODELS ONLY				
Model	Cab or ROPS	WG #	Add Items	Discard Items
SSV65HC	Cab	SL6661A	none	none
SSV65HFC	Cab	SL6661A	1,2,3,4	7,8,9
SSV65HFRC	Cab	SL6661A	1,2,3,4,5	7,8,9,10
SSV65HRC	Cab	SL6661A	5	10
SSV65	ROPS	SL6660A	none	none
SSV65F	ROPS	SL6660A	1,2,3,4	7,8,9
SSV65FR	ROPS	SL6660A	1,2,3,4,5	7,8,9,10
SSV65H	ROPS	SL6660A	6	10
SSV65HF	ROPS	SL6660A	1,2,3,4,6	7,8,9,10
SSV65HFR	ROPS	SL6660A	1,2,3,4,5,6	7,8,9,10
SSV65HR	ROPS	SL6660A	5,6	10
SSV65R	ROPS	SL6660A	5	10
Order Additional Items from Service Parts				
Item #	Part #	Part Name	Qty	
1	V1311-54860	Switch (HI FLOW)	1	
2	V1311-57810	Label (OPERATION LH MULTI)	1	
3	V1311-57820	Label (OPERATION RH MULTI)	1	
4	V1311-57710	Label (HIGH FLOW)	1	
5	V1311-54830	Switch (SELF LEVEL)	1	
6	V1311-54820	Switch (HITCH)	1	
Discard Items				
Item #	Part #	Part Name	Qty	
7	V1311-53860	Switch (AUX)	1	
8	V1311-57510	Label (OPERATION LH)	1	
9	V1311-57520	Label (OPERATION RH)	1	
10	RD451-44640	Cap, SWITCH	2	

# KUBOTA

## SSV65

### REPLACEMENT CAB & ROPS ADOPTION LISTS

SSV65 REPLACEMENT CAB & ROPS ADOPTION LIST ISO PILOT CONTROL MODELS ONLY				
Model	Cab or ROPS	WG #	Add Items	Discard Items
SSV65PHC	Cab	SL6665A	none	none
SSV65PHFC	Cab	SL6665A	1,2,3,4	7,8,9
SSV65PHFRC	Cab	SL6665A	1,2,3,4,5	7,8,9,10
SSV65PHRC	Cab	SL6665A	5	10
SSV65P	ROPS	SL6664A	none	none
SSV65PF	ROPS	SL6664A	1,2,3,4	7,8,9
SSV65PFR	ROPS	SL6664A	1,2,3,4,5	7,8,9,10
SSV65PH	ROPS	SL6664A	6	10
SSV65PHF	ROPS	SL6664A	1,2,3,4,6	7,8,9,10
SSV65PHFR	ROPS	SL6664A	1,2,3,4,5,6	7,8,9,10
SSV65PHR	ROPS	SL6664A	5,6	10
SSV65PR	ROPS	SL6664A	5	10
Order Additional Items from Service Parts				
Item #	Part #	Part Name	Qty	
1	V1311-54860	Switch (HI FLOW)	1	
2	V1311-57910	Label (OPERATION LH MULTI)	1	
3	V1311-57920	Label (OPERATION RH MULTI)	1	
4	V1311-57710	Label (HIGH FLOW)	1	
5	V1311-54830	Switch (SELF LEVEL)	1	
6	V1311-54820	Switch (HITCH)	1	
Discard Items				
Item #	Part #	Part Name	Qty	
7	V1311-53860	Switch (AUX)	1	
8	V1311-57930	Label (OPERATION LH)	1	
9	V1311-57940	Label (OPERATION RH)	1	
10	RD451-44640	Cap, SWITCH	2	

# KUBOTA

## SSV75

### SSV75 Skid Steer Loader

#### FEATURES

Vertical Lift Path Loader Frame  
 Standard Front Quick Coupler, Float Standard Hydraulic Quick Coupler Option  
 One Way Self-Leveling with Kubota Shock-less Ride (KSR) Option  
 Loader Boom Lock  
 Open ROPS & Air Conditioned ROPS/FOPS Cab Models  
 Adjustable, Vinyl, Suspension Seat  
 2" Retractable Seat Belt and 2-Piece Seat Bar  
 12V Electric Outlet  
 20.9 gpm Auxiliary Hydraulics, 30.4 gpm High Flow Hydraulics Option with Multi-Function Controls and 14-pin coupler  
 Direct To Tank Return Line  
 12x16.5, 10PR Heavy-Duty Tires  
 Two Speed Travel System  
 Spring Applied Hydraulically Released (SAHR) Brakes  
 Gear Drive Pumps & Variable Loader and High Flow Pumps (if equipped)  
 Mechanical Hand & Foot Controls  
 Electronic Dial Throttle  
 Automatic Glow Plugs  
 Key Switch Stop/Start System  
 Self-Bleed Fuel System  
 2 Front and 2 Rear Working Lights  
 2 Front Corner Lights & 2 Rear Red Tail Lights  
 Hour Meter, Engine Coolant Temperature and Fuel Gauges and Warning Lights  
 Horn and Backup Alarm  
 Lockable Fuel Cap Door  
**Bolt On Grab Handles to enter machine**

#### ENGINE

V3307 Kubota CR-TE4, Tier 4 Diesel Engine  
 4-Cylinder, 4 Cycle, Turbo Charged  
 74.3 Gross HP @ 2600 rpm  
 3.3 L Displacement  
 196 lbf-ft Peak Torque

#### DIMENSIONS

Cab Height .....81.3"  
 Width over wheels .....71.8"  
 Width with standard bucket .....75.0"  
 Length without bucket .....115.0"  
 Length with 74" standard bucket .....144.1"

#### OPERATIONAL DIMENSIONS

Operating Weight\*, SSV75\*, Open ROPS/FOPS Cab, Mechanical Quick Coupler .....8,157 lbs.  
 Rated Operating Capacity (ROC) @ 50% of Tipping Load .....2,690 lbs.  
 Tipping Load .....5,380 lbs.  
 Auxiliary Hydraulics Flow .....20.9 / 30.4 gpm  
 Travel Speed (Low / High) .....7.4 / 11.8 mph  
 Reach @ Maximum Height .....36.9"  
 Height to Hinge Pin .....128.3"  
 Ground Clearance .....8.1".  
 Traction Force .....8,494 lbf.

\* Includes operator's weight, 175 lbs.

#### BASIC UNITS (HAND & FOOT CONTROLS)

SSV75, Open ROPS/FOPS Cab, Mechanical Quick Coupler  
 SSV75F, Open ROPS/FOPS Cab, High Flow Hydraulics Mechanical Quick Coupler  
 SSV75FR, Open ROPS/FOPS Cab, High Flow Hydraulics, Self-Leveling with KSR, Mechanical Quick Coupler  
 SSV75H, Open ROPS/FOPS Hydraulic Quick Coupler  
 SSV75HF, Open ROPS/FOPS Cab, High Flow Hydraulics Hydraulic Quick Coupler  
 SSV75HFR, Open ROPS/FOPS Cab, High Flow Hydraulics, Self-Leveling with KSR, Hydraulic Quick Coupler  
 SSV75HR, Open ROS/FOPS Cab, Self-Leveling with KSR, Hydraulic Quick Coupler  
 SSV75R, Open ROPS/FOPS Cab, Self-Leveling with KSR, Mechanical Quick Coupler  
 SSV75HC, AC Enclosed Cab, Hydraulic Quick Coupler  
 SSV75HFC, AC Enclosed Cab, High Flow Hydraulics, Hydraulic Quick Coupler  
 SSV75HFRC, AC Enclosed Cab, High Flow Hydraulics, Self-Leveling with KSR, Hydraulic Quick Coupler  
 SSV75HRC, AC Enclosed Cab, Self-Leveling with KSR, Hydraulic Quick Coupler

#### ISO-PILOT CONTROL UNITS

SSV75P, Open ROPS/FOPS Cab, Mechanical Quick Coupler  
 SSV75PF, Open ROPS/FOPS Cab, High Flow Hydraulics Mechanical Quick Coupler  
 SSV75PFR, Open ROPS/FOPS Cab, High Flow Hydraulics, Self-Leveling with KSR, Mechanical Quick Coupler  
 SSV75PH, Open ROPS/FOPS Hydraulic Quick Coupler  
 SSV75PHF, Open ROPS/FOPS Cab, High Flow Hydraulics Hydraulic Quick Coupler  
 SSV75PHFR, Open ROPS/FOPS Cab, High Flow Hydraulics, Self-Leveling with KSR, Hydraulic Quick Coupler  
 SSV75PHR, Open ROS/FOPS Cab, Self-Leveling with KSR, Hydraulic Quick Coupler  
 SSV75PR, Open ROPS/FOPS Cab, Self-Leveling with KSR, Mechanical Quick Coupler  
 SSV75PHC, AC Enclosed Cab, Hydraulic Quick Coupler  
 SSV75PHFC, AC Enclosed Cab, High Flow Hydraulics, Hydraulic Quick Coupler  
 SSV75PHFRC, AC Enclosed Cab, High Flow Hydraulics, Self-Leveling with KSR, Hydraulic Quick Coupler  
 SSV75PHRC, AC Enclosed Cab, Self-Leveling with KSR, Hydraulic Quick Coupler

# KUBOTA

## SSV75

### HOW TO SELECT AN SSV75 Skid Steer Loader (Sample Order Information Page)

Below are examples of a complete SSV75 order. To submit your order, please select the Basic Unit Model that you desire from Part 1. Then select the attachments from Parts 2 and 3 needed to complete your order.

STEP 1)	Select from Part 1 the Basic Unit that fits your needs. For example, choose a SSV75 or SSV75H or SSV75HRC
STEP 2)	Select from Parts 2 and 3 the attachments necessary to make the unit a complete machine. Choose buckets, attachments, or accessories via parts. Parts items are available in Part 4.

(SAMPLE ORDER)

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
<b>STANDARD UNIT SSV75 COMPLETE ORDER AND PRICE</b>				
BASIC UNIT:				
<b>SSV75</b>	<b>SKID STEER LOADER BASIC UNIT</b>	S36K557A52	8500	\$48,102.00
With:	Open ROPS/FOPS Cab Mechanical Quick Coupler			
<b>ATTACHMENTS:</b>				
AP-SL74SLC	74" low profile standard floor bucket with bolt-on cutting edge	S1K173A44	541	\$1,544.00
				\$49,646.00
<b>STANDARD UNIT SSV75HRC COMPLETE ORDER AND PRICE</b>				
BASIC UNIT:				
<b>SSV75HRC</b>	<b>SKID STEER LOADER BASIC UNIT</b>	S41K086A36	8157	\$54,061.00
With:	AC Enclosed Cab, Self-Leveling with KSR, Hydraulic Quick Coupler			
<b>ATTACHMENTS:</b>				
AP-SL74SLT	74" low profile standard floor bucket with teeth	S1K130A88	541	\$1,488.00
				\$55,549.00

# KUBOTA

## SSV75

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
<b>PART 1</b>	<b>MODEL SSV75 BASIC UNITS (HAND &amp; FOOT CONTROLS)</b>			
<b>SSV75</b>	<b>SKID STEER LOADER BASIC UNIT</b>	<b>S36K557A52</b>	<b>8500</b>	<b>\$48,102.00</b>
With:	Open ROPS/FOPS Cab Mechanical Quick Coupler			
<b>SSV75F</b>	<b>SKID STEER LOADER BASIC UNIT</b>	<b>S37K962A00</b>	<b>8864</b>	<b>\$49,950.00</b>
With:	Open ROPS/FOPS Cab, High Flow Hydraulics, Mechanical Quick Coupler, Multi-Function Ctls & 14-pin coupler			
<b>SSV75FR</b>	<b>SKID STEER LOADER BASIC UNIT</b>	<b>S38K990A28</b>	<b>8157</b>	<b>\$51,303.00</b>
With:	Open ROPS/FOPS Cab, High Flow Hydraulics, Self-Leveling with KSR, Mechanical Quick Coupler, Multi-Function Ctls & 14-pin coupler			
<b>SSV75H</b>	<b>SKID STEER LOADER BASIC UNIT</b>	<b>S36K967A92</b>	<b>8157</b>	<b>\$48,642.00</b>
With:	Open ROPS/FOPS Cab Hydraulic Quick Coupler			
<b>SSV75HF</b>	<b>SKID STEER LOADER BASIC UNIT</b>	<b>S38K372A40</b>	<b>8908</b>	<b>\$50,490.00</b>
With:	Open ROPS/FOPS Cab, High Flow Hydraulics, Hydraulic Quick Coupler, Multi-Function Ctls & 14-pin coupler			
<b>SSV75HFR</b>	<b>SKID STEER LOADER BASIC UNIT</b>	<b>S39K401A44</b>	<b>8157</b>	<b>\$51,844.00</b>
With:	Open ROPS/FOPS Cab, High Flow Hydraulics, Self-Leveling with KSR, Hydraulic Quick Coupler, Multi-Function Ctls & 14-pin coupler			
<b>SSV75HR</b>	<b>SKID STEER LOADER BASIC UNIT</b>	<b>S37K996A20</b>	<b>8908</b>	<b>\$49,995.00</b>
With:	Open ROPS/FOPS Cab, Self-Leveling with KSR, Hydraulic Quick Coupler			
<b>SSV75R</b>	<b>SKID STEER LOADER BASIC UNIT</b>	<b>S37K585A80</b>	<b>8864</b>	<b>\$49,455.00</b>
With:	Open ROPS/FOPS Cab, Self-Leveling with KSR, Mechanical Quick Coupler			
<b>SSV75HC</b>	<b>SKID STEER LOADER BASIC UNIT</b>	<b>S40K057A32</b>	<b>8157</b>	<b>\$52,707.00</b>
With:	AC Enclosed Cab Hydraulic Quick Coupler			
<b>SSV75HFC</b>	<b>SKID STEER LOADER BASIC UNIT</b>	<b>S41K462A56</b>	<b>8157</b>	<b>\$54,556.00</b>
With:	AC Enclosed Cab, High Flow Hydraulics, Hydraulic Quick Coupler, Multi-Function Ctls & 14-pin coupler			
<b>SSV75HFRC</b>	<b>SKID STEER LOADER BASIC UNIT</b>	<b>S42K490A84</b>	<b>8157</b>	<b>\$55,909.00</b>
With:	AC Enclosed Cab, High Flow Hydraulics, Self-Leveling with KSR, Hydraulic Quick Coupler, Multi-Function Ctls & 14-pin coupler			
<b>SSV75HRC</b>	<b>SKID STEER LOADER BASIC UNIT</b>	<b>S41K086A36</b>	<b>8157</b>	<b>\$54,061.00</b>
With:	AC Enclosed Cab, Self-Leveling with KSR, Hydraulic Quick Coupler			



# KUBOTA



## SSV75

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
<b>PART 2</b>	<b>MODEL SSV75 ISO-PILOT CONTROL UNITS</b>			
<b>SSV75P</b>	<b>SKID STEER LOADER ISO-PILOT CONTROLS UNIT</b>	S38K395A96	8864	\$50,521.00
With:	Open ROPS/FOPS Cab Mechanical Quick Coupler			
<b>SSV75PF</b>	<b>SKID STEER LOADER ISO-PILOT CONTROLS UNIT</b>	S39K796A64	8864	\$52,364.00
With:	Open ROPS/FOPS Cab, High Flow Hydraulics, Mechanical Quick Coupler, Multi-Function Ctls & 14-pin coupler			
<b>SSV75PFR</b>	<b>SKID STEER LOADER ISO-PILOT CONTROLS UNIT</b>	S40K821A12	8864	\$53,712.00
With:	Open ROPS/FOPS Cab, High Flow Hydraulics, Self-Leveling with KSR, Mechanical Quick Coupler, Multi-Function Ctls & 14-pin coupler			
<b>SSV75PH</b>	<b>SKID STEER LOADER ISO-PILOT CONTROLS UNIT</b>	S38K806A36	8908	\$51,061.00
With:	Open ROPS/FOPS Cab Hydraulic Quick Coupler			
<b>SSV75PHF</b>	<b>SKID STEER LOADER ISO-PILOT CONTROLS UNIT</b>	S40K207A04	8908	\$52,904.00
With:	Open ROPS/FOPS Cab, High Flow Hydraulics, Hydraulic Quick Coupler, Multi-Function Ctls & 14-pin coupler			
<b>SSV75PHFR</b>	<b>SKID STEER LOADER ISO-PILOT CONTROLS UNIT</b>	S41K232A28	8908	\$54,253.00
With:	Open ROPS/FOPS Cab, High Flow Hydraulics, Self-Leveling with KSR, Hydraulic Quick Coupler, Multi-Function Ctls & 14-pin coupler			
<b>SSV75PHR</b>	<b>SKID STEER LOADER ISO-PILOT CONTROLS UNIT</b>	S39K830A84	8908	\$52,409.00
With:	Open ROPS/FOPS Cab, Self-Leveling with KSR, Hydraulic Quick Coupler			
<b>SSV75PR</b>	<b>SKID STEER LOADER ISO-PILOT CONTROLS UNIT</b>	S39K420A44	8864	\$51,869.00
With:	Open ROPS/FOPS Cab, Self-Leveling with KSR, Mechanical Quick Coupler			
<b>SSV75PHC</b>	<b>SKID STEER LOADER ISO-PILOT CONTROLS UNIT</b>	S41K895A76	9184	\$55,126.00
With:	AC Enclosed Cab Hydraulic Quick Coupler			
<b>SSV75PHFC</b>	<b>SKID STEER LOADER ISO-PILOT CONTROLS UNIT</b>	S43K301A00	9184	\$56,975.00
With:	AC Enclosed Cab, High Flow Hydraulics, Hydraulic Quick Coupler, Multi-Function Ctls & 14-pin coupler			
<b>SSV75PHFRC</b>	<b>SKID STEER LOADER ISO-PILOT CONTROLS UNIT</b>	S44K325A48	9184	\$58,323.00
With:	AC Enclosed Cab, High Flow Hydraulics, Self-Leveling with KSR, Hydraulic Quick Coupler, Multi-Function Ctls & 14-pin coupler			
<b>SSV75PHRC</b>	<b>SKID STEER LOADER ISO-PILOT CONTROLS UNIT</b>	S42K921A00	9184	\$56,475.00
With:	AC Enclosed Cab, Self-Leveling with KSR, Hydraulic Quick Coupler			
<b>PART 3</b>	<b>BUCKETS</b>			
	<b>QUICK ATTACH BUCKETS (standard duty)</b>			
AP-SL74SLT	74" Low Profile, Standard Floor, Teeth, Side Cutter, 15.8 cu-ft heaped capacity	S1K130A88	541	\$1,488.00
AP-SL74SLC	74" Low Profile, Standard Floor, Bolt-On Cutting Edge, Side Cutter, 15.8 cu-ft heaped capacity	S1K173A44	541	\$1,544.00
AP-SL74SLLT	74" Low Profile, Long Floor, Teeth, Side Cutter 19.7 cu-ft heaped capacity	S1K211A44	541	\$1,594.00
AP-SL74SLLC	74" Low Profile, Long Floor, Bolt-On Cutting Edge, Side Cutter, 19.7 cu-ft heaped capacity	S1K254A76	541	\$1,651.00

# KUBOTA

## SSV75

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
<b>PART 3</b>	<b>BUCKETS (Continued)</b>			
	<b>QUICK ATTACH BUCKETS (heavy duty)</b>			
AP-HD74LT	74" Heavy Duty, Low Profile, Standard Floor, Teeth, Side Cutter, 15.4 cu-ft heaped capacity	S1K255A52	541	\$1,652.00
AP-HD74LC	74" Heavy Duty, Low Profile, Standard Floor, Cutting Edge, Side Cutter, 15.4 cu-ft heaped capacity	S1K303A40	541	\$1,715.00
AP-HD74LLT	74" Heavy Duty Low Profile, Long Floor, Teeth, Side Cutter 19.2 cu-ft heaped capacity	S1K345A96	541	\$1,771.00
AP-HD74LLC	74" Heavy Duty, Low Profile, Long Floor, Cutting Edge, Side Cutter, 19.2 cu-ft heaped capacity  <i>Refer to Service Parts for replacment side cutters, cutting edges, and teeth on AP Buckets</i>	S1K393A84	541	\$1,834.00
<b>PART 4</b>	<b>ACCESSORIES</b>			
K9926	RETRACTABLE SEAT BELT OPTION (3" WIDE) As required in some states for OSHA compliance.	K65A36	3	\$86.00
S6650	14-pin to 14-pin Adapter Harness Allows a user to control an attachment with a 14-pin electrical connector that does not use the Kubota pin-out configuration.	K241A68	1	\$318.00
S6651	8-pin to 14-pin Adapter Harness Allows a user to control an attachment with an 8-pin Deutsch electrical connector.	K227A24	1	\$299.00

SSV Grips, Harnesses, and Adapters					
GRIP STYLE	MODEL(s)	14-PIN HARNESS <small>(order from parts) Required on units for attachments that require electrical inputs to control hydraulic solenoids or motors.</small>	MULTIFUNCTION GRIP KIT DIA <small>(order from parts) Needed if more than one electrical function is needed AND unit is a standard flow unit not already equipped with MF Grips.</small>	14-PIN TO 14-PIN ADAPTER <small>Allows a user to control an attachment with a 14-Pin electrical connector that does not use the Kubota pin-out configuration.</small>	8-PIN TO 14-PIN ADAPTER <small>Allows a user to control an attachment with an 8-pin Deutsch electrical connector</small>
 SSV Hand & Foot Standard Grips	SSV65 Hand & Foot Controls	V1311-97101	V1311-96301	S6650	S6651
	SSV75 Hand & Foot Controls	V1411-97101			
 SSV ISO Pilot Controls Standard Grips	SSV65 ISO Pilot Controls	V1311-97101	V1311-97301		
	SSV75 ISO Pilot Controls	V1411-97101			

# KUBOTA

## SSV75

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
	<b>REPLACEMENT CAB/ROPS FOR SSV65</b> Complete package that is direct-fit to the main frame mounting points. Hydraulic hoses ready to fit into main manifold. Includes new "bolt-on" style grab handles. Lift-Assist gas struts are not included.			
SL6660	REPLACEMENT OPEN ROPS /SSV75 (Hand & Foot Ctl Units Only)	S5K510A00	1	\$7,250.00
SL6661A	REPLACEMENT CLOSED CAB/SSV75 (Hand & Foot Ctl Units Only)	S7K980A00	992	\$10,500.00
SL6664	Replacement Open ROPS /SSV65 (ISO Pilot Control Units Only)	S5K510A00	948	\$7,250.00
SL6665	Replacement Closed Cab/SSV65 (ISO Pilot Control Units Only)	S7K980A00	948	\$10,500.00
	SEE REPLACEMENT CAB & ROPS ADOPTION LIST			
<b>PART 6</b>	<b>ACCESSORIES - (available from PARTS)</b>			
V1411-96611	H-Pattern Conversion Kit <i>Beginning with SNs 50070 (JPN) and 23041(KIE) for CAB units Beginning with SN 50442 (JPN) and 22934 (KIE) for ROPS units ( Refer to PIB-2017-034)</i>	K706A80		\$903.88
V1311-96501	Hydraulic Quick Coupler Conversion Kit	K623A20		\$1,006.13
V1411-96601	Self-Leveling	K509A20		\$690.17
V1311-96701	Ride Control (KSR)	K676A40		\$1,129.76
V1311-96201	Hazard lamp & Turn Signals (requires 14 Pin Coupler & Multi-Function Lever Kit	K152A00		\$224.26
V1311-96401	Bonnet (Rear Door) Lock Kit	K34A20		\$48.50
V1411-97101	14 Pin Coupler Harness	K254A60		\$334.40
V1311-96301	Multi-Function Lever Kit (for Hand & Foot Control Models Only)	K410A40		\$606.10
V1311-97301	Multi-Function Lever Kit (for ISO Pilot Controls Only)	K380A00		\$679.25
77700-06360	Wiring Harness, Airsus	K42A56		\$55.39
77700-06361	Air Ride Seat, requires Airsus Wiring Harness 7770-06360	K642A96		\$846.45
V1311-96821	SSV Special Application Door Door Completion Kit required for ROPS units	S2K128A00		\$3,248.69
V1311-96801	SSV Front Glass Kit	K921A27		\$1,212.20
V1311-96811	SSV ROPS Door Completion Kit (needed to install any door on ROPs units) Wiper power harness not avail for ROPS units-TBD	K230A32		\$303.50
V1311-96841	Single Point Lift Kit	S1K558A00		\$2,557.75
	<b>OTHER ACCESSORIES - (Refer to PARTS for Pricing)</b>			
77700-08974	Rear View Observation Camera Kit			
70000-73274	Engine Block Heater			
77700-04752	Radio AM / FM / WB / MP3			
77700-04757	Radio AM / FM / WB / Bluetooth			
70090-40007	Counterweight (order 6 with the following hardware) RD451-42190 Bolt, M16-1x110mm (order 4) 04512-70160 Washer, Lock (order 4) RD451-19180 Washer (order 4)			
77700-07225	Hose Stay			
V1411-28310	12x16.5 Tire Assy (L, 10PR) Over the Tire Width = 71.8"			
V1411-28410	12x16.5 Tire Assy (R, 10PR) Over the Tire Width = 71.8"			

# KUBOTA

## SSV75

**OTHER ACCESSORIES - ( Continued; Refer to PARTS for Pricing)**

- V1411-28910      33x6x11 Brawler Tire Assy (L) Replaces Equivalent To  
 Size 12x16.5 with Over the Tire Width = 69.9"
- V1411-28920      33x6x11 Brawler Tire Assy (R) Replaces Equivalent To  
 Size 12x16.5 with Over the Tire Width = 69.9"
- V1411-29310      14x17.5 Tire Assy (L, 14PR) Over the Tire Width = 73.3"
- V1411-29410      14x17.5 Tire Assy (R, 14PR) Over the Tire Width = 73.3"
- V1311-28710      12x16.5 Turf Tire with non-aggressive tread  
 - Over the Tire Width = 73.5"

**PART 8**

**KubotaNOW Telematics Service**

**(each order will require the DCU6700 modem and model specific wire harness)**

DCU6700		K300A20	1	\$395.00
S6703		K98A80	2	\$130.00

**KubotaNOW Telematics Service includes a three (3) year term  
 with a Dealer Net cost of \$399 and a total list price of \$525**

# KUBOTA

## SSV75

### REPLACEMENT CAB & ROPS ADOPTION LIST

SSV75 REPLACEMENT CAB & ROPS ADOPTION LIST HAND & FOOT CONTROL MODELS ONLY				
Model	Cab or ROPS	WG #	Add Items	Discard Items
SSV75HC	Cab	SL6661A	none	none
SSF75HFC	Cab	SL6661A	1,2,3,4	7,8,9
SSV75HFRC	Cab	SL6661A	1,2,3,4,5	7,8,9,10
SSV75HRC	Cab	SL6661A	5	10
SSV75	ROPS	SL6660A	none	none
SSV75F	ROPS	SL6660A	1,2,3,4	7,8,9
SSV75FR	ROPS	SL6660A	1,2,3,4,5	7,8,9,10
SSV75H	ROPS	SL6660A	6	10
SSV75HF	ROPS	SL6660A	1,2,3,4,6	7,8,9,10
SSV75HFR	ROPS	SL6660A	1,2,3,4,5,6	7,8,9,10
SSV75HR	ROPS	SL6660A	5,6	10
SSV75R	ROPS	SL6660A	5	10
Order Additional Items from Service Parts				
Item #	Part #	Part Name	Qty	
1	V1311-54860	Switch (HI FLOW)	1	
2	V1311-57810	Label (OPERATION LH MULTI)	1	
3	V1311-57820	Label (OPERATION RH MULTI)	1	
4	V1311-57710	Label (HIGH FLOW)	1	
5	V1311-54830	Switch (SELF LEVEL)	1	
6	V1311-54820	Switch (HITCH)	1	
Discard Items				
Item #	Part #	Part Name	Qty	
7	V1311-53860	Switch (AUX)	1	
8	V1311-57510	Label (OPERATION LH)	1	
9	V1311-57520	Label (OPERATION RH)	1	
10	RD451-44640	Cap, SWITCH	2	

# KUBOTA

## SSV75

### REPLACEMENT CAB & ROPS ADOPTION LIST

<b>SSV75 REPLACEMENT CAB &amp; ROPS ADOPTION LIST</b>				
<b>ISO PILOT CONTROL MODELS ONLY</b>				
Model	Cab or ROPS	WG #	Add Items	Discard Items
SSV75PHC	Cab	SL6665A	none	none
SSV75PHFC	Cab	SL6665A	1,2,3,4	7,8,9
SSV75PHFRC	Cab	SL6665A	1,2,3,4,5	7,8,9,10
SSV75PHRC	Cab	SL6665A	5	10
SSV75P	ROPS	SL6664A	none	none
SSV75PF	ROPS	SL6664A	1,2,3,4	7,8,9
SSV75PFR	ROPS	SL6664A	1,2,3,4,5	7,8,9,10
SSV75PH	ROPS	SL6664A	6	10
SSV75PHF	ROPS	SL6664A	1,2,3,4,6	7,8,9,10
SSV75PHFR	ROPS	SL6664A	1,2,3,4,5,6	7,8,9,10
SSV75PHR	ROPS	SL6664A	5,6	10
SSV75PR	ROPS	SL6664A	5	10
<b>Order Additional Items from Service Parts</b>				
Item #	Part #	Part Name	Qty	
1	V1311-54860	Switch (HI FLOW)	1	
2	V1311-57910	Label (OPERATION LH MULTI)	1	
3	V1311-57920	Label (OPERATION RH MULTI)	1	
4	V1311-57710	Label (HIGH FLOW)	1	
5	V1311-54830	Switch (SELF LEVEL)	1	
6	V1311-54820	Switch (HITCH)	1	
<b>Discard Items</b>				
Item #	Part #	Part Name	Qty	
7	V1311-53860	Switch (AUX)	1	
8	V1311-57930	Label (OPERATION LH)	1	
9	V1311-57940	Label (OPERATION RH)	1	
10	RD451-44640	Cap, SWITCH	2	

# KUBOTA

## SKID STEER LOADERS

### REPLACEMENT ENGINES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. WEIGHT	SUGGESTED LIST PRICE
---------------	-------------	-------------------	----------------	-------------------------

**All replacement engines must be ordered through the Parts Department.  
 See Parts Bulletin DPB-2014-011 R2**