

KUBOTA

SKID STEER LOADERS

WHOLEGOODS PRICE LIST EFFECTIVE April 1st, 2022

Page 10 & 18: S6763 - Hose Stay

KUBOTA

SKID STEER LOADERS

This page intentionally left blank.

SKID STEER LOADERS

| PAGE | DESCRIPTION | GROSS HP | FACTORY NUMBER | SUGGESTED LIST PRICE |
|-------|---------------------|----------|----------------|----------------------|
| 18-5 | SSV65 | 64.0 | S34K508A56 | \$45,406.00 |
| 18-14 | SSV75 | 74.3 | S39K540A52 | \$52,027.00 |
| 18-23 | Replacement Engines | | | |

KUBOTA

SKID STEER LOADERS

This page intentionally left blank.



SSV65

| SSV65 Skid Steer Loader | |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>FEATURES</p> <p>Vertical Lift Path Loader Frame Standard Front Quick Coupler, Float Standard Hydraulic Quick Coupler Option One Way Self-Leveling with Kubota Shock-less Ride (KSR) Option Loader Boom Lock Open ROPS & Air Conditioned ROPS/FOPS Cab Models Adjustable, Vinyl, Suspension Seat 2" Retractable Seat Belt and 2-Piece Seat Bar 12V Electric Outlet 18 gpm Auxiliary Hydraulics, 28 gpm High Flow Hydraulics Option with Multi-Function Controls and 14-pin coupler Direct To Tank Return Line 10x16.5, 8PR Heavy-Duty Tires Two Speed Travel System Spring Applied Hydraulically Released (SAHR) Brakes Gear Drive Pumps & Variable Loader and High Flow Pumps (if equipped) Mechanical Hand & Foot Controls Electronic Dial Throttle Automatic Glow Plugs Key Switch Stop/Start System Self-Bleed Fuel System 2 Front and 2 Rear Working Lights 2 Front Corner Lights & 2 Rear Red Tail Lights Hour Meter, Engine Coolant Temperature and Fuel Gauges and Warning Lights Horn and Backup Alarm Lockable Fuel Cap Door Bolt On Grab Handles to enter machine</p> | <p>BASIC UNITS (HAND & FOOT CONTROLS)</p> <p>SSV65, Open ROPS/FOPS Cab, Mechanical Quick Coupler SSV65F, Open ROPS/FOPS Cab, High Flow Hydraulics —Mechanical Quick Coupler SSV65FR, Open ROPS/FOPS Cab, High Flow Hydraulics, —Self-Leveling with KSR, Mechanical Quick Coupler SSV65H, Open ROPS/FOPS Hydraulic Quick Coupler SSV65HF, Open ROPS/FOPS Cab, High Flow Hydraulics —Hydraulic Quick Coupler SSV65HFR, Open ROPS/FOPS Cab, High Flow Hydraulics, Self-Leveling with KSR, Hydraulic Quick Coupler SSV65HR, Open ROPS/FOPS Cab, Self-Leveling with KSR, —Hydraulic Quick Coupler SSV65R, Open ROPS/FOPS Cab, Self-Leveling with KSR, —Mechanical Quick Coupler SSV65HC, AC Enclosed Cab, Hydraulic Quick Coupler SSV65HFC, AC Enclosed Cab, High Flow Hydraulics, —Hydraulic Quick Coupler SSV65HFR, AC Enclosed Cab, High Flow Hydraulics, —Self-Leveling with KSR, Hydraulic Quick Coupler SSV65HRC, AC Enclosed Cab, Self-Leveling with KSR, Hydraulic Quick Coupler</p> |
| <p>ENGINE</p> <p>V2607 Kubota CR-TE4, Tier 4 Diesel Engine 4-Cylinder, 4 Cycle, Turbo Charged 64 Gross HP @ 2700 rpm 2.6 L Displacement 166 lbf-ft Peak Torque</p> | <p>ISO-PILOT CONTROL UNITS</p> <p>SSV65P, Open ROPS/FOPS Cab, Mechanical Quick Coupler SSV65PF, Open ROPS/FOPS Cab, High Flow Hydraulics —Mechanical Quick Coupler SSV65PFR, Open ROPS/FOPS Cab, High Flow Hydraulics, —Self-Leveling with KSR, Mechanical Quick Coupler SSV65PH, Open ROPS/FOPS Hydraulic Quick Coupler SSV65PHF, Open ROPS/FOPS Cab, High Flow Hydraulics —Hydraulic Quick Coupler SSV65PHFR, Open ROPS/FOPS Cab, High Flow Hydraulics, Self-Leveling with KSR, Hydraulic Quick Coupler SSV65PHR, Open ROPS/FOPS Cab, Self-Leveling with KSR, —Hydraulic Quick Coupler SSV65PR, Open ROPS/FOPS Cab, Self-Leveling with KSR, —Mechanical Quick Coupler SSV65PHC, AC Enclosed Cab, Hydraulic Quick Coupler SSV65PHFC, AC Enclosed Cab, High Flow Hydraulics, Hydraulic Quick Coupler SSV65PHFR, AC Enclosed Cab, High Flow Hydraulics, Self-Leveling with KSR, Hydraulic Quick Coupler SSV65PHRC, AC Enclosed Cab, Self-Leveling with KSR, Hydraulic Quick Coupler</p> |
| <p>DIMENSIONS</p> <p>Cab Height79.9" Width over wheels.....66.5" Width with 68" standard bucket69.0" Length without bucket106.3" Length with standard bucket135.4"</p> | |
| <p>OPERATIONAL DIMENSIONS</p> <p>Operating Weight*, SSV65*, Open ROPS/FOPS Cab, Mechanical Quick Coupler.....6,790 lbs. Rated Operating Capacity (ROC) @ 50% of Tipping Load1,950 lbs. Tipping Load3,900 lbs. Auxiliary Hydraulics Flow18.0 / 28.0 gpm Travel Speed (Low / High)6.9 / 11.1 mph Reach @ Maximum Height32.7" Height to Hinge Pin121.5" Ground Clearance7.6" Traction Force7,339 lbf.</p> | |
| <p>* Includes operator's weight, 175 lbs.</p> | |

SSV65

HOW TO SELECT AN SSV65 Skid Steer Loader (Sample Order Information Page)

Below are examples of a complete SSV65 order. To submit your order, please select the Basic Unit Model that you desire from Part 1. Then select the attachments from Parts 2, 3, & 4 needed to complete your order.

| | |
|---------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| STEP 1) | Select from Part 1 the Basic Unit that fits your needs. For example, choose a SSV65 or SSV65H or SSV65HRC |
| STEP 2) | Select from Parts 2 and 3 the attachments necessary to make the unit a complete machine. Choose buckets, attachments, or accessories via parts. Parts items are available in Part 4. |

(SAMPLE ORDER)

| ORDER CODE | DESCRIPTION | FACTORY NUMBER | APPROX. WEIGHT | SUGGESTED LIST PRICE |
|--------------------------------------------------------|---------------------------------------------------------------------|----------------|----------------|----------------------|
| STANDARD UNIT SSV65 COMPLETE ORDER AND PRICE | | | | |
| BASIC UNIT: | | | | |
| SSV65 | SKID STEER LOADER BASIC UNIT | S34K508A56 | 6790 | \$45,406.00 |
| With: | Open ROPS/FOPS Cab Mechanical Quick Coupler | | | |
| ATTACHMENTS: | | | | |
| AP-SL68SLC | 68" low profile standard floor bucket with bolt-on cutting edge | S1K369A52 | 541 | \$1,802.00 |
| | | | | \$47,208.00 |
| STANDARD UNIT SSV65HRC COMPLETE ORDER AND PRICE | | | | |
| BASIC UNIT: | | | | |
| SSV65HRC | SKID STEER LOADER BASIC UNIT | S39K311A76 | 7055 | \$51,726.00 |
| With: | AC Enclosed Cab, Self-Leveling with KSR, Hydraulic Quick Coupler | | | |
| ATTACHMENTS: | | | | |
| AP-SL68SLT | 68" low profile standard floor bucket with teeth | S1K369A52 | 541 | \$1,802.00 |
| | | | | \$53,528.00 |

SSV65

| ORDER CODE | DESCRIPTION | FACTORY NUMBER | APPROX. WEIGHT | SUGGESTED LIST PRICE |
|---------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|----------------|----------------------|
| PART 1 | MODEL SSV65 BASIC UNITS (HAND & FOOT CONTROLS) | | | |
| SSV65 With: | SKID STEER LOADER BASIC UNIT Open ROPS/FOPS Cab Mechanical Quick Coupler | S34K508A56 | 6790 | \$45,406.00 |
| SSV65F With: | SKID STEER LOADER BASIC UNIT (Discontinued Model) Open ROPS/FOPS Cab, High Flow Hydraulics, Mechanical Quick Coupler, Multi-Function Ctls & 14-pin coupler | S35K779A28 | 6790 | \$47,078.00 |
| SSV65FR With: | SKID STEER LOADER BASIC UNIT (Discontinued Model) Open ROPS/FOPS Cab, High Flow Hydraulics, Self-Leveling with KSR, Mechanical Quick Coupler, Multi-Function Ctls & 14-pin coupler | S36K891A92 | 6790 | \$48,542.00 |
| SSV65H With: | SKID STEER LOADER BASIC UNIT Open ROPS/FOPS Cab Hydraulic Quick Coupler | S34K940A24 | 6790 | \$45,974.00 |
| SSV65HF With: | SKID STEER LOADER BASIC UNIT (Discontinued Model) Open ROPS/FOPS Cab, High Flow Hydraulics, Hydraulic Quick Coupler, Multi-Function Ctls & 14-pin coupler | S36K211A72 | 6790 | \$47,647.00 |
| SSV65HFR With: | SKID STEER LOADER BASIC UNIT Open ROPS/FOPS Cab, High Flow Hydraulics, Self-Leveling with KSR, Hydraulic Quick Coupler, Multi-Function Ctls & 14-pin coupler | S37K323A60 | 6790 | \$49,110.00 |
| SSV65HR With: | SKID STEER LOADER BASIC UNIT (Discontinued Model) Open ROPS/FOPS Cab, Self-Leveling with KSR, Hydraulic Quick Coupler | S36K053A64 | 6790 | \$47,439.00 |
| SSV65R With: | SKID STEER LOADER BASIC UNIT (Discontinued Model) Open ROPS/FOPS Cab, Self-Leveling with KSR, Mechanical Quick Coupler | S35K621A96 | 6790 | \$46,871.00 |
| SSV65HC With: | SKID STEER LOADER BASIC UNIT AC Enclosed Cab Hydraulic Quick Coupler | S38K199A88 | 7055 | \$50,263.00 |
| SSV65HFC With: | SKID STEER LOADER BASIC UNIT (Discontinued Model) AC Enclosed Cab, High Flow Hydraulics, Hydraulic Quick Coupler, Multi-Function Ctls & 14-pin coupler | S39K469A84 | 7055 | \$51,934.00 |
| SSV65HFRC With: | SKID STEER LOADER BASIC UNIT AC Enclosed Cab, High Flow Hydraulics, Self-Leveling with KSR, Hydraulic Quick Coupler, Multi-Function Ctls & 14-pin coupler | S40K582A48 | 7055 | \$53,398.00 |
| SSV65HRC With: | SKID STEER LOADER BASIC UNIT AC Enclosed Cab, Self-Leveling with KSR, Hydraulic Quick Coupler | S39K311A76 | 7055 | \$51,726.00 |

SSV65



| ORDER CODE | DESCRIPTION | FACTORY NUMBER | APPROX. WEIGHT | SUGGESTED LIST PRICE |
|-------------------|-------------------------------------------------------------------------------------------------------------------------------------|----------------|----------------|----------------------|
| PART 2 | MODEL SSV65 ISO-PILOT CONTROL UNITS | | | |
| SSV65P | SKID STEER LOADER BASIC UNIT | S36K331A80 | 6790 | \$47,805.00 |
| With: | Open ROPS/FOPS Cab Mechanical Quick Coupler | | | |
| SSV65PF | SKID STEER LOADER BASIC UNIT (Discontinued Model) | S37K597A96 | 6790 | \$49,471.00 |
| With: | Open ROPS/FOPS Cab, High Flow Hydraulics, Mechanical Quick Coupler, Multi-Function Ctls & 14-pin coupler | | | |
| SSV65PFR | SKID STEER LOADER BASIC UNIT (Discontinued Model) | S38K706A04 | 6790 | \$50,929.00 |
| With: | Open ROPS/FOPS Cab, High Flow Hydraulics, Self-Leveling with KSR, Mechanical Quick Coupler, Multi-Function Ctls & 14-pin coupler | | | |
| SSV65PH | SKID STEER LOADER BASIC UNIT | S36K762A72 | 6790 | \$48,372.00 |
| With: | Open ROPS/FOPS Cab Hydraulic Quick Coupler | | | |
| SSV65PHF | SKID STEER LOADER BASIC UNIT (Discontinued Model) | S38K030A40 | 6790 | \$50,040.00 |
| With: | Open ROPS/FOPS Cab, High Flow Hydraulics, Hydraulic Quick Coupler, Multi-Function Ctls & 14-pin coupler | | | |
| SSV65PHFR | SKID STEER LOADER BASIC UNIT | S39K137A72 | 6790 | \$51,497.00 |
| With: | Open ROPS/FOPS Cab, High Flow Hydraulics, Self-Leveling with KSR, Hydraulic Quick Coupler, Multi-Function Ctls & 14-pin coupler | | | |
| SSV65PHR | SKID STEER LOADER BASIC UNIT (Discontinued Model) | S37K872A32 | 6790 | \$49,832.00 |
| With: | Open ROPS/FOPS Cab, Self-Leveling with KSR, Hydraulic Quick Coupler | | | |
| SSV65PR | SKID STEER LOADER BASIC UNIT (Discontinued Model) | S37K439A88 | 6790 | \$49,263.00 |
| With: | Open ROPS/FOPS Cab, Self-Leveling with KSR, Mechanical Quick Coupler | | | |
| SSV65PHC | SKID STEER LOADER BASIC UNIT | S40K022A36 | 9184 | \$52,661.00 |
| With: | AC Enclosed Cab Hydraulic Quick Coupler | | | |
| SSV65PHFC | SKID STEER LOADER BASIC UNIT | S41K287A76 | 7055 | \$54,326.00 |
| With: | AC Enclosed Cab, High Flow Hydraulics, Hydraulic Quick Coupler, Multi-Function Ctls & 14-pin coupler | | | |
| SSV65PHFRC | SKID STEER LOADER BASIC UNIT | S42K400A40 | 9184 | \$55,790.00 |
| With: | AC Enclosed Cab, High Flow Hydraulics, Self-Leveling with KSR, Hydraulic Quick Coupler, Multi-Function Ctls & 14-pin coupler | | | |
| SSV65PHRC | SKID STEER LOADER BASIC UNIT | S41K135A00 | 7055 | \$54,125.00 |
| With: | AC Enclosed Cab, Self-Leveling with KSR, Hydraulic Quick Coupler | | | |
| PART 3 | BUCKETS | | | |
| | QUICK ATTACH BUCKETS (standard duty) | | | |
| AP-SL68SLT | 68" Low Profile, Standard Floor, Teeth, Side Cutter, 14.5 cu-ft heaped capacity | S1K369A52 | 541 | \$1,802.00 |
| AP-SL68SLC | 68" Low Profile, Standard Floor, Bolt-On Cutting Edge, Side Cutter, 14.5 cu-ft heaped capacity | S1K369A52 | 541 | \$1,802.00 |
| AP-SL68SLLT | 68" Low Profile, Long Floor, Teeth, Side Cutter 18.0 cu-ft heaped capacity | S1K423A48 | 541 | \$1,873.00 |
| AP-SL68SLLC | 68" Low Profile, Long Floor, Bolt-On Cutting Edge, Side Cutter, 18.0 cu-ft heaped capacity | S1K424A24 | 541 | \$1,874.00 |
| AP-SL74SLT | 74" Low Profile, Standard Floor, Teeth, Side Cutter, 15.8 cu-ft heaped capacity | S1K528A36 | 541 | \$2,011.00 |

KUBOTA**SSV65**

| ORDER CODE | DESCRIPTION | FACTORY NUMBER | APPROX. WEIGHT | SUGGESTED LIST PRICE |
|---------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|----------------|----------------------|
| PART 3 | QUICK ATTACH BUCKETS (standard duty) <i>continued</i> | | | |
| AP-SL74SLC | 74" Low Profile, Standard Floor, Bolt-On Cutting Edge, Side Cutter, 15.8 cu-ft heaped capacity | S1K586A12 | 541 | \$2,087.00 |
| AP-SL74SLLT | 74" Low Profile, Long Floor, Teeth, Side Cutter 19.7 cu-ft heaped capacity | S1K637A80 | 541 | \$2,155.00 |
| AP-SL74SLLC | 74" Low Profile, Long Floor, Bolt-On Cutting Edge, Side Cutter, 19.7 cu-ft heaped capacity | S1K696A32 | 541 | \$2,232.00 |
| | QUICK ATTACH BUCKETS (heavy duty) | | | |
| AP-HD68LT | 68" Heavy Duty, Low Profile, Standard Floor, Teeth, Side Cutter, 14.2 cu-ft heaped capacity | S1K520A76 | 541 | \$2,001.00 |
| AP-HD68LC | 68" Heavy Duty, Low Profile, Standard Floor, Cutting Edge, Side Cutter, 14.2 cu-ft heaped capacity | S1K520A76 | 541 | \$2,001.00 |
| AP-HD68LLT | 68" Heavy Duty, Low Profile, Long Floor, Teeth, Side Cutter, 17.9 cu-ft heaped capacity | S1K581A56 | 541 | \$2,081.00 |
| AP-HD68LLC | 68" Heavy Duty, Low Profile, Long Floor, Cutting Edge, Side Cutter, 17.9 cu-ft heaped capacity | S1K582A32 | 541 | \$2,082.00 |
| AP-HD74LT | 74" Heavy Duty, Low Profile, Standard Floor, Teeth, Side Cutter, 15.4 cu-ft heaped capacity | S1K697A84 | 541 | \$2,234.00 |
| AP-HD74LC | 74" Heavy Duty, Low Profile, Standard Floor, Cutting Edge, Side Cutter, 15.4 cu-ft heaped capacity | S1K762A44 | 541 | \$2,319.00 |
| AP-HD74LLT | 74" Heavy Duty Low Profile, Long Floor, Teeth, Side Cutter 19.2 cu-ft heaped capacity | S1K819A44 | 541 | \$2,394.00 |
| AP-HD74LLC | 74" Heavy Duty, Low Profile, Long Floor, Cutting Edge, Side Cutter, 19.2 cu-ft heaped capacity | S1K884A04 | 541 | \$2,479.00 |
| | <i>Refer to Service Parts for replacement side cutters, cutting edges, and teeth on AP Buckets</i> | | | |
| PART 4 | KubotaNOW Telematics Service (each order will require the DCU6700 modem and model specific wire harness) | | | |
| DCU6700 | Telematics Modem | K317A68 | 1 | \$418.00 |
| S6703 | SSV Telematics Wiring Harness KubotaNOW Telematics Service includes a three (3) year term with a Dealer Net cost of \$399 and a total list price of \$525 | K102A60 | 2 | \$135.00 |

SSV65

| ORDER CODE | DESCRIPTION | FACTORY NUMBER | APPROX. WEIGHT | SUGGESTED LIST PRICE |
|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|----------------|----------------------|
| PART 5 | ACCESSORIES | | | |
| S6763 | Hose Stay | K77A52 | 5 | \$102.00 |
| K9926 | RETRACTABLE SEAT BELT OPTION (3" WIDE) As required in some states for OSHA compliance. | K67A64 | 3 | \$89.00 |
| S6650 | 14-pin to 14-pin Adapter Harness Allows a user to control an attachment with a 14-pin electrical connector that does not use the Kubota pin-out configuration. | K251A56 | 1 | \$331.00 |
| S6651 | 8-pin to 14-pin Adapter Harness Allows a user to control an attachment with an 8-pin Deutsch electrical connector. | K236A36 | 1 | \$311.00 |

| SSV Grips, Harnesses, and Adapters | | | | | |
|------------------------------------------------------------------------------------------------------------------------------|----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|
| GRIP STYLE | MODEL(s) | 14-PIN HARNESS <i>(order from parts) Required on units for attachments that require electrical inputs to control hydraulic solenoids or motors.</i> | MULTIFUNCTION GRIP KIT DIA <i>(order from parts) Needed if more than one electrical function is needed AND unit is a standard flow unit not already equipped with MF Grips.</i> | 14-PIN TO 14-PIN ADAPTER <i>Allows a user to control an attachment with a 14-Pin electrical connector that does not use the Kubota pin-out configuration.</i> | 8-PIN TO 14-PIN ADAPTER <i>Allows a user to control an attachment with an 8-pin Deutsch electrical connector</i> |
|  SSV Hand & Foot Standard Grips | SSV65 Hand & Foot Controls | V1311-97101 | V1311-96301 | S6650 | S6651 |
| | SSV75 Hand & Foot Controls | V1411-97101 | | | |
|  SSV ISO Pilot Controls Standard Grips | SSV65 ISO Pilot Controls | V1311-97101 | V1311-97301 | | |
| | SSV75 ISO Pilot Controls | V1411-97101 | | | |

REPLACEMENT CAB/ROPS FOR SSV65

Complete package that is direct-fit to the main frame mounting points. Hydraulic hoses ready to fit into main manifold. Includes new "bolt-on" style grab handles. Lift-Assist gas struts are not included.

| | | | | |
|---------|----------------------------------------------------------------|-----------|-----|-------------|
| SL6660 | Replacement Open ROPS /SSV65 (Hand & Foot Ctl Units Only) | S5K730A40 | 1 | \$7,540.00 |
| SL6661A | Replacement Closed Cab/SSV65 (Hand & Foot Ctl Units Only) | S8K299A20 | 992 | \$10,920.00 |
| SL6664 | Replacement Open ROPS /SSV65 (ISO Pilot Control Units Only) | S5K730A40 | 948 | \$7,540.00 |
| SL6665 | Replacement Closed Cab/SSV65 (ISO Pilot Control Units Only) | S8K299A20 | 948 | \$10,920.00 |

SEE REPLACEMENT CAB & ROPS ADOPTION LIST

SSV65

| ORDER CODE | DESCRIPTION | FACTORY NUMBER | APPROX. WEIGHT | SUGGESTED LIST PRICE |
|---------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|----------------|----------------------|
| PART 6 | ACCESSORIES Available from Parts - (Refer to PARTS for Pricing) | | | |
| V1311-96611 | H-Pattern Conversion Kit <i>Beginning with SN 50210 for CAB units. Beginning with SN 51252 for ROPS units. (Refer to PIB-2017-034)</i> | | | |
| 77700-10656 | Keyless Start Kit | | | |
| V1311-96501 | Hydraulic Quick Coupler Conversion Kit | | | |
| V1311-96601 | Self-Leveling | | | |
| V1311-96701 | Ride Control (KSR) | | | |
| V1311-96201 | Hazard lamp & Turn Signals (requires 14 Pin Coupler & Multi-Function Lever Kit) | | | |
| V1311-96401 | Bonnet (Rear Door) Lock Kit | | | |
| V1311-97101 | 14 Pin Coupler Harness | | | |
| V1311-96301 | Multi-Function Lever Kit (for Hand & Foot Control Models Only) | | | |
| V1311-97301 | Multi-Function Lever Kit (for ISO Pilot Controls Only) | | | |
| 77700-06360 | Wiring Harness, Airsus | | | |
| 77700-06361 | Air Ride Seat, requires Airsus Wiring Harness 7770-06360 | | | |
| V1311-96821 | SSV Special Application Door Door Completion Kit required for ROPS units | | | |
| V1311-96801 | SSV Front Glass Kit | | | |
| V1311-99900 | CCV Filter Kit | | | |
| V1311-96811 | SSV ROPS Door Completion Kit (needed to install any door on ROPs units) Wiper power harness not avail for ROPS units-TBD | | | |
| V1311-96841 | Single Point Lift Kit | | | |
| | OTHER ACCESSORIES - (Refer to PARTS for Pricing) | | | |
| 77700-08974 | Rear View Observation Camera Kit | | | |
| 70000-73274 | Engine Block Heater | | | |
| 77700-04752 | Radio AM / FM / WB / MP3 | | | |
| 77700-04757 | Radio AM / FM / WB / Bluetooth | | | |
| 70090-40007 | Counterweight (order 4) with the following hardware 01176-51675 Bolt, M16-1x75mm (order 4) 04512-70160 Washer, Lock (order 4) RD451-19180 Washer (order 4) | | | |
| 77700-07225 | Hose Stay | | | |
| V1311-28310 | 10x16.5 Tire Assy (L,8PR) Over the Tire Width = 66.5" | | | |
| V1311-28410 | 10x16.5 Tire Assy (R,8PR) Over the Tire Width = 66.5" | | | |
| V1411-28310 | 12x16.5 Tire Assy (L, 10PR) Over the Tire Width = 71.8" | | | |
| V1411-28410 | 12x16.5 Tire Assy (R, 10PR) Over the Tire Width = 71.8" | | | |
| V1311-28910 | 30x6x10 Brawler Tire Assy (L) Replaces Equivalent To Size 10x16.5 with Over the Tire Width = 67.9" | | | |
| V1311-28920 | 30x6x10 Brawler Tire Assy (R) Replaces Equivalent To Size 10x16.5 with Over the Tire Width = 67.9" | | | |
| V1411-28910 | 33x6x11 Brawler Tire Assy (L) Replaces Equivalent To Size 12x16.5 with Over the Tire Width = 69.9" | | | |
| V1411-28920 | 33x6x11 Brawler Tire Assy (R) Replaces Equivalent To Size 12x16.5 with Over the Tire Width = 69.9" | | | |
| V1311-28710 | 12x16.5 Turf Tire with non-aggressive tread - Over the Tire Width = 73.5" | | | |

SSV65**REPLACEMENT CAB & ROPS ADOPTION LISTS**

| SSV65 REPLACEMENT CAB & ROPS ADOPTION LIST HAND & FOOT CONTROL MODELS ONLY | | | | |
|-----------------------------------------------------------------------------------------------|-------------|----------------------------|-------------|---------------|
| Model | Cab or ROPS | WG # | Add Items | Discard Items |
| SSV65HC | Cab | SL6661A | none | none |
| SSV65HFC | Cab | SL6661A | 1,2,3,4 | 7,8,9 |
| SSV65HFRC | Cab | SL6661A | 1,2,3,4,5 | 7,8,9,10 |
| SSV65HRC | Cab | SL6661A | 5 | 10 |
| SSV65 | ROPS | SL6660A | none | none |
| SSV65F | ROPS | SL6660A | 1,2,3,4 | 7,8,9 |
| SSV65FR | ROPS | SL6660A | 1,2,3,4,5 | 7,8,9,10 |
| SSV65H | ROPS | SL6660A | 6 | 10 |
| SSV65HF | ROPS | SL6660A | 1,2,3,4,6 | 7,8,9,10 |
| SSV65HFR | ROPS | SL6660A | 1,2,3,4,5,6 | 7,8,9,10 |
| SSV65HR | ROPS | SL6660A | 5,6 | 10 |
| SSV65R | ROPS | SL6660A | 5 | 10 |
| | | | | |
| | | | | |
| Order Additional Items from Service Parts | | | | |
| Item # | Part # | Part Name | Qty | |
| 1 | V1311-54860 | Switch (HI FLOW) | 1 | |
| 2 | V1311-57810 | Label (OPERATION LH MULTI) | 1 | |
| 3 | V1311-57820 | Label (OPERATION RH MULTI) | 1 | |
| 4 | V1311-57710 | Label (HIGH FLOW) | 1 | |
| 5 | V1311-54830 | Switch (SELF LEVEL) | 1 | |
| 6 | V1311-54820 | Switch (HITCH) | 1 | |
| | | | | |
| Discard Items | | | | |
| Item # | Part # | Part Name | Qty | |
| 7 | V1311-53860 | Switch (AUX) | 1 | |
| 8 | V1311-57510 | Label (OPERATION LH) | 1 | |
| 9 | V1311-57520 | Label (OPERATION RH) | 1 | |
| 10 | RD451-44640 | Cap, SWITCH | 2 | |

KUBOTA**SSV65****REPLACEMENT CAB & ROPS ADOPTION LISTS**

| SSV65 REPLACEMENT CAB & ROPS ADOPTION LIST | | | | |
|-------------------------------------------------------|-------------|----------------------------|-------------|---------------|
| ISO PILOT CONTROL MODELS ONLY | | | | |
| Model | Cab or ROPS | WG # | Add Items | Discard Items |
| SSV65PHC | Cab | SL6665A | none | none |
| SSV65PHFC | Cab | SL6665A | 1,2,3,4 | 7,8,9 |
| SSV65PHFRC | Cab | SL6665A | 1,2,3,4,5 | 7,8,9,10 |
| SSV65PHRC | Cab | SL6665A | 5 | 10 |
| SSV65P | ROPS | SL6664A | none | none |
| SSV65PF | ROPS | SL6664A | 1,2,3,4 | 7,8,9 |
| SSV65PFR | ROPS | SL6664A | 1,2,3,4,5 | 7,8,9,10 |
| SSV65PH | ROPS | SL6664A | 6 | 10 |
| SSV65PHF | ROPS | SL6664A | 1,2,3,4,6 | 7,8,9,10 |
| SSV65PHFR | ROPS | SL6664A | 1,2,3,4,5,6 | 7,8,9,10 |
| SSV65PHR | ROPS | SL6664A | 5,6 | 10 |
| SSV65PR | ROPS | SL6664A | 5 | 10 |
| | | | | |
| | | | | |
| Order Additional Items from Service Parts | | | | |
| Item # | Part # | Part Name | Qty | |
| 1 | V1311-54860 | Switch (HI FLOW) | 1 | |
| 2 | V1311-57910 | Label (OPERATION LH MULTI) | 1 | |
| 3 | V1311-57920 | Label (OPERATION RH MULTI) | 1 | |
| 4 | V1311-57710 | Label (HIGH FLOW) | 1 | |
| 5 | V1311-54830 | Switch (SELF LEVEL) | 1 | |
| 6 | V1311-54820 | Switch (HITCH) | 1 | |
| | | | | |
| Discard Items | | | | |
| Item # | Part # | Part Name | Qty | |
| 7 | V1311-53860 | Switch (AUX) | 1 | |
| 8 | V1311-57930 | Label (OPERATION LH) | 1 | |
| 9 | V1311-57940 | Label (OPERATION RH) | 1 | |
| 10 | RD451-44640 | Cap, SWITCH | 2 | |

SSV75

SSV75 Skid Steer Loader

FEATURES

Vertical Lift Path Loader Frame
 Standard Front Quick Coupler, Float Standard
 Hydraulic Quick Coupler Option
 One Way Self-Leveling with Kubota Shock-less Ride (KSR) Option
 Loader Boom Lock
 Open ROPS & Air Conditioned ROPS/FOPS Cab Models
 Adjustable, Vinyl, Suspension Seat
 2" Retractable Seat Belt and 2-Piece Seat Bar
 12V Electric Outlet
 20.9 gpm Auxiliary Hydraulics, 30,4 gpm High Flow Hydraulics Option with Multi-Function Controls and 14-pin coupler
 Direct To Tank Return Line
 12x16.5, 10PR Heavy-Duty Tires
 Two Speed Travel System
 Spring Applied Hydraulically Released (SAHR) Brakes
 Gear Drive Pumps & Variable Loader and High Flow Pumps (if equipped)
 Mechanical Hand & Foot Controls
 Electronic Dial Throttle
 Automatic Glow Plugs
 Key Switch Stop/Start System
 Self-Bleed Fuel System
 2 Front and 2 Rear Working Lights
 2 Front Corner Lights & 2 Rear Red Tail Lights
 Hour Meter, Engine Coolant Temperature and Fuel Gauges and Warning Lights
 Horn and Backup Alarm
 Lockable Fuel Cap Door
 Bolt On Grab Handles to enter machine

ENGINE

V3307 Kubota CR-TE4, Tier 4 Diesel Engine
 4-Cylinder, 4 Cycle, Turbo Charged
 74.3 Gross HP @ 2600 rpm
 3.3 L Displacement
 196 lbf-ft Peak Torque

DIMENSIONS

Cab Height81.3"
 Width over wheels.....71.8"
 Width with standard bucket75.0"
 Length without bucket115.0"
 Length with 74" standard bucket144.1"

OPERATIONAL DIMENSIONS

Operating Weight*, SSV75*, Open ROPS/FOPS Cab, Mechanical Quick Coupler.....8,157 lbs.
 Rated Operating Capacity (ROC) @ 50% of Tipping Load2,690 lbs.
 Tipping Load5,380 lbs.
 Auxiliary Hydraulics Flow20.9 / 30.4 gpm
 Travel Speed (Low / High)7.4 / 11.8 mph
 Reach @ Maximum Height36.9"
 Height to Hinge Pin128.3"
 Ground Clearance8.1"
 Traction Force8,494 lbf.

* Includes operator's weight, 175 lbs.

BASIC UNITS (HAND & FOOT CONTROLS)

SSV75, Open ROPS/FOPS Cab, Mechanical Quick Coupler
~~SSV75F, Open ROPS/FOPS Cab, High Flow Hydraulics~~
~~---Mechanical Quick Coupler~~
~~SSV75FR, Open ROPS/FOPS Cab, High Flow Hydraulics;~~
~~---Self-Leveling with KSR, Mechanical Quick Coupler~~
 SSV75H, Open ROPS/FOPS
 Hydraulic Quick Coupler
~~SSV75HF, Open ROPS/FOPS Cab, High Flow Hydraulics~~
~~---Hydraulic Quick Coupler~~
 SSV75HFR, Open ROPS/FOPS Cab, High Flow Hydraulics,
 Self-Leveling with KSR, Hydraulic Quick Coupler
~~SSV75HR, Open ROPS/FOPS Cab, Self-Leveling with KSR;~~
~~---Hydraulic Quick Coupler~~
~~SSV75R, Open ROPS/FOPS Cab, Self-Leveling with KSR;~~
~~---Mechanical Quick Coupler~~
 SSV75HC, AC Enclosed Cab, Hydraulic Quick Coupler
~~SSV75HFC, AC Enclosed Cab, High Flow Hydraulics;~~
~~---Hydraulic Quick Coupler~~
 SSV75HFRC, AC Enclosed Cab, High Flow Hydraulics,
 Self-Leveling with KSR, Hydraulic Quick Coupler
 SSV75HRC, AC Enclosed Cab, Self-Leveling with KSR,
 Hydraulic Quick Coupler

ISO-PILOT CONTROL UNITS

SSV75P, Open ROPS/FOPS Cab, Mechanical Quick Coupler
~~SSV75PF, Open ROPS/FOPS Cab, High Flow Hydraulics~~
~~---Mechanical Quick Coupler~~
~~SSV75PFR, Open ROPS/FOPS Cab, High Flow Hydraulics;~~
~~---Self-Leveling with KSR, Mechanical Quick Coupler~~
 SSV75PH, Open ROPS/FOPS
 Hydraulic Quick Coupler
~~SSV75PHF, Open ROPS/FOPS Cab, High Flow Hydraulics~~
~~---Hydraulic Quick Coupler~~
 SSV75PHFR, Open ROPS/FOPS Cab, High Flow Hydraulics,
 Self-Leveling with KSR, Hydraulic Quick Coupler
~~SSV75PHR, Open ROPS/FOPS Cab, Self-Leveling with KSR;~~
~~---Hydraulic Quick Coupler~~
~~SSV75PR, Open ROPS/FOPS Cab, Self-Leveling with KSR;~~
~~---Mechanical Quick Coupler~~
 SSV75PHC, AC Enclosed Cab, Hydraulic Quick Coupler
 SSV75PHFC, AC Enclosed Cab, High Flow Hydraulics,
 Hydraulic Quick Coupler
 SSV75PHFRC, AC Enclosed Cab, High Flow Hydraulics,
 Self-Leveling with KSR, Hydraulic Quick Coupler
 SSV75PHRC, AC Enclosed Cab, Self-Leveling with KSR,
 Hydraulic Quick Coupler

SSV75

HOW TO SELECT AN SSV75 Skid Steer Loader (Sample Order Information Page)

Below are examples of a complete SSV75 order. To submit your order, please select the Basic Unit Model that you desire from Part 1. Then select the attachments from Parts 2 and 3 needed to complete your order.

| | |
|---------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| STEP 1) | Select from Part 1 the Basic Unit that fits your needs. For example, choose a SSV75 or SSV75H or SSV75HRC |
| STEP 2) | Select from Parts 2 and 3 the attachments necessary to make the unit a complete machine. Choose buckets, attachments, or accessories via parts. Parts items are available in Part 4. |

(SAMPLE ORDER)

| ORDER CODE | DESCRIPTION | FACTORY NUMBER | APPROX. WEIGHT | SUGGESTED LIST PRICE |
|--------------------------------------------------------|---------------------------------------------------------------------|----------------|----------------|----------------------|
| STANDARD UNIT SSV75 COMPLETE ORDER AND PRICE | | | | |
| BASIC UNIT: | | | | |
| SSV75 | SKID STEER LOADER BASIC UNIT | S39K540A52 | 8157 | \$52,027.00 |
| With: | Open ROPS/FOPS Cab Mechanical Quick Coupler | | | |
| ATTACHMENTS: | | | | |
| AP-SL74SLC | 74" low profile standard floor bucket with bolt-on cutting edge | S1K586A12 | 541 | \$2,087.00 |
| | | | | \$54,114.00 |
| STANDARD UNIT SSV75HRC COMPLETE ORDER AND PRICE | | | | |
| BASIC UNIT: | | | | |
| SSV75HRC | SKID STEER LOADER BASIC UNIT | S44K438A72 | 8422 | \$58,472.00 |
| With: | AC Enclosed Cab, Self-Leveling with KSR, Hydraulic Quick Coupler | | | |
| ATTACHMENTS: | | | | |
| AP-SL74SLT | 74" low profile standard floor bucket with teeth | S1K528A36 | 541 | \$2,011.00 |
| | | | | \$60,483.00 |

SSV75



| ORDER CODE | DESCRIPTION | FACTORY NUMBER | APPROX. WEIGHT | SUGGESTED LIST PRICE |
|---------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|----------------|----------------------|
| PART 1 | MODEL SSV75 BASIC UNITS (HAND & FOOT CONTROLS) | | | |
| SSV75 With: | SKID STEER LOADER BASIC UNIT Open ROPS/FOPS Cab Mechanical Quick Coupler | S39K540A52 | 8157 | \$52,027.00 |
| SSV75F With: | SKID STEER LOADER BASIC UNIT (Discontinued Model) Open ROPS/FOPS Cab, High Flow Hydraulics, Mechanical Quick Coupler, Multi-Function Ctls & 14-pin coupler | S41K059A76 | 8157 | \$54,026.00 |
| SSV75FR With: | SKID STEER LOADER BASIC UNIT (Discontinued Model) Open ROPS/FOPS Cab, High Flow Hydraulics, Self-Leveling with KSR, Mechanical Quick Coupler, Multi-Function Ctls & 14-pin coupler | S42K171A64 | 8157 | \$55,489.00 |
| SSV75H With: | SKID STEER LOADER BASIC UNIT Open ROPS/FOPS Cab Hydraulic Quick Coupler | S39K985A12 | 8157 | \$52,612.00 |
| SSV75HF With: | SKID STEER LOADER BASIC UNIT (Discontinued Model) Open ROPS/FOPS Cab, High Flow Hydraulics, Hydraulic Quick Coupler, Multi-Function Ctls & 14-pin coupler | S41K503A60 | 8157 | \$54,610.00 |
| SSV75HFR With: | SKID STEER LOADER BASIC UNIT Open ROPS/FOPS Cab, High Flow Hydraulics, Self-Leveling with KSR, Hydraulic Quick Coupler, Multi-Function Ctls & 14-pin coupler | S42K617A00 | 8157 | \$56,075.00 |
| SSV75HR With: | SKID STEER LOADER BASIC UNIT (Discontinued Model) Open ROPS/FOPS Cab, Self-Leveling with KSR, Hydraulic Quick Coupler | S41K097A00 | 8157 | \$54,075.00 |
| SSV75R With: | SKID STEER LOADER BASIC UNIT (Discontinued Model) Open ROPS/FOPS Cab, Self-Leveling with KSR, Mechanical Quick Coupler | S40K652A40 | 8157 | \$53,490.00 |
| SSV75HC With: | SKID STEER LOADER BASIC UNIT AC Enclosed Cab Hydraulic Quick Coupler | S43K326A08 | 8422 | \$57,008.00 |
| SSV75HFC With: | SKID STEER LOADER BASIC UNIT (Discontinued Model) AC Enclosed Cab, High Flow Hydraulics, Hydraulic Quick Coupler, Multi-Function Ctls & 14-pin coupler | S44K846A08 | 8422 | \$59,008.00 |
| SSV75HFRC With: | SKID STEER LOADER BASIC UNIT AC Enclosed Cab, High Flow Hydraulics, Self-Leveling with KSR, Hydraulic Quick Coupler, Multi-Function Ctls & 14-pin coupler | S45K957A96 | 8422 | \$60,471.00 |
| SSV75HRC With: | SKID STEER LOADER BASIC UNIT AC Enclosed Cab, Self-Leveling with KSR, Hydraulic Quick Coupler | S44K438A72 | 8422 | \$58,472.00 |

SSV75

| ORDER CODE | DESCRIPTION | FACTORY NUMBER | APPROX. WEIGHT | SUGGESTED LIST PRICE |
|----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|----------------|----------------------|
| PART 2 | MODEL SSV75 ISO-PILOT CONTROL UNITS | | | |
| SSV75P With: | SKID STEER LOADER BASIC UNIT Open ROPS/FOPS Cab Mechanical Quick Coupler | S41K529A44 | 8157 | \$54,644.00 |
| SSV75PF With: | SKID STEER LOADER BASIC UNIT (Discontinued Model) Open ROPS/FOPS Cab, High Flow Hydraulics, Mechanical Quick Coupler, Multi-Function Ctls & 14-pin coupler | S43K044A12 | 8157 | \$56,637.00 |
| SSV75PFR With: | SKID STEER LOADER BASIC UNIT (Discontinued Model) Open ROPS/FOPS Cab, High Flow Hydraulics, Self-Leveling with KSR, Mechanical Quick Coupler, Multi-Function Ctls & 14-pin coupler | S44K151A44 | 8157 | \$58,094.00 |
| SSV75PH With: | SKID STEER LOADER BASIC UNIT Open ROPS/FOPS Cab Hydraulic Quick Coupler | S41K972A52 | 8157 | \$55,227.00 |
| SSV75PHF With: | SKID STEER LOADER BASIC UNIT (Discontinued Model) Open ROPS/FOPS Cab, High Flow Hydraulics, Hydraulic Quick Coupler, Multi-Function Ctls & 14-pin coupler | S43K487A96 | 8157 | \$57,221.00 |
| SSV75PHFR With: | SKID STEER LOADER BASIC UNIT Open ROPS/FOPS Cab, High Flow Hydraulics, Self-Leveling with KSR, Hydraulic Quick Coupler, Multi-Function Ctls & 14-pin coupler | S44K596A80 | 8157 | \$58,680.00 |
| SSV75PHR With: | SKID STEER LOADER BASIC UNIT (Discontinued Model) Open ROPS/FOPS Cab, Self-Leveling with KSR, Hydraulic Quick Coupler | S43K080A60 | 8157 | \$56,685.00 |
| SSV75PR With: | SKID STEER LOADER BASIC UNIT (Discontinued Model) Open ROPS/FOPS Cab, Self-Leveling with KSR, Mechanical Quick Coupler | S42K637A52 | 8157 | \$56,102.00 |
| SSV75PHC With: | SKID STEER LOADER BASIC UNIT AC Enclosed Cab Hydraulic Quick Coupler | S45K314A24 | 8422 | \$59,624.00 |
| SSV75PHFC With: | SKID STEER LOADER BASIC UNIT AC Enclosed Cab, High Flow Hydraulics, Hydraulic Quick Coupler, Multi-Function Ctls & 14-pin coupler | S46K834A24 | 8422 | \$61,624.00 |
| SSV75PHFRC With: | SKID STEER LOADER BASIC UNIT AC Enclosed Cab, High Flow Hydraulics, Self-Leveling with KSR, Hydraulic Quick Coupler, Multi-Function Ctls & 14-pin coupler | S47K942A32 | 8422 | \$63,082.00 |
| SSV75PHRC With: | SKID STEER LOADER BASIC UNIT AC Enclosed Cab, Self-Leveling with KSR, Hydraulic Quick Coupler | S46K430A68 | 8422 | \$61,093.00 |
| PART 3 | BUCKETS | | | |
| | QUICK ATTACH BUCKETS (standard duty) | | | |
| AP-SL74SLT | 74" Low Profile, Standard Floor, Teeth, Side Cutter, 15.8 cu-ft heaped capacity | S1K528A36 | 541 | \$2,011.00 |
| AP-SL74SLC | 74" Low Profile, Standard Floor, Bolt-On Cutting Edge, Side Cutter, 15.8 cu-ft heaped capacity | S1K586A12 | 541 | \$2,087.00 |
| AP-SL74SLLT | 74" Low Profile, Long Floor, Teeth, Side Cutter 19.7 cu-ft heaped capacity | S1K637A80 | 541 | \$2,155.00 |
| AP-SL74SLLC | 74" Low Profile, Long Floor, Bolt-On Cutting Edge, Side Cutter, 19.7 cu-ft heaped capacity | S1K696A32 | 541 | \$2,232.00 |

SSV75

| ORDER CODE | DESCRIPTION | FACTORY NUMBER | APPROX. WEIGHT | SUGGESTED LIST PRICE |
|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|----------------|----------------------|
| PART 3 | BUCKETS (Continued) | | | |
| | QUICK ATTACH BUCKETS (heavy duty) | | | |
| AP-HD74LT | 74" Heavy Duty, Low Profile, Standard Floor, Teeth, Side Cutter, 15.4 cu-ft heaped capacity | S1K697A84 | 541 | \$2,234.00 |
| AP-HD74LC | 74" Heavy Duty, Low Profile, Standard Floor, Cutting Edge, Side Cutter, 15.4 cu-ft heaped capacity | S1K762A44 | 541 | \$2,319.00 |
| AP-HD74LLT | 74" Heavy Duty Low Profile, Long Floor, Teeth, Side Cutter 19.2 cu-ft heaped capacity | S1K819A44 | 541 | \$2,394.00 |
| AP-HD74LLC | 74" Heavy Duty, Low Profile, Long Floor, Cutting Edge, Side Cutter, 19.2 cu-ft heaped capacity | S1K884A04 | 541 | \$2,479.00 |
| | <i>Refer to Service Parts for replacement side cutters, cutting edges, and teeth on AP Buckets</i> | | | |
| PART 4 | ACCESSORIES | | | |
| K9926 | RETRACTABLE SEAT BELT OPTION (3" WIDE) As required in some states for OSHA compliance. | K67A64 | 3 | \$89.00 |
| S6650 | 14-pin to 14-pin Adapter Harness Allows a user to control an attachment with a 14-pin electrical connector that does not use the Kubota pin-out configuration. | K251A56 | 1 | \$331.00 |
| S6651 | 8-pin to 14-pin Adapter Harness Allows a user to control an attachment with an 8-pin Deutsch electrical connector. | K236A36 | 1 | \$311.00 |
| S6763 | Hose Stay | K77A52 | 5 | \$102.00 |

| SSV Grips, Harnesses, and Adapters | | | | | |
|------------------------------------------------------------------------------------------------------------------------------|----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|
| GRIP STYLE | MODEL(s) | 14-PIN HARNESS <small>(order from parts) Required on units for attachments that require electrical inputs to control hydraulic solenoids or motors.</small> | MULTIFUNCTION GRIP KIT DIA <small>(order from parts) Needed if more than one electrical function is needed AND unit is a standard flow unit not already equipped with MF Grips.</small> | 14-PIN TO 14-PIN ADAPTER <small>Allows a user to control an attachment with a 14-Pin electrical connector that does not use the Kubota pin-out configuration.</small> | 8-PIN TO 14-PIN ADAPTER <small>Allows a user to control an attachment with an 8-pin Deutsch electrical connector</small> |
|  SSV Hand & Foot Standard Grips | SSV65 Hand & Foot Controls | V1311-97101 | V1311-96301 | S6650 | S6651 |
| | SSV75 Hand & Foot Controls | V1411-97101 | | | |
|  SSV ISO Pilot Controls Standard Grips | SSV65 ISO Pilot Controls | V1311-97101 | V1311-97301 | | |
| | SSV75 ISO Pilot Controls | V1411-97101 | | | |

SSV75

| ORDER CODE | DESCRIPTION | FACTORY NUMBER | APPROX. WEIGHT | SUGGESTED LIST PRICE |
|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|----------------|----------------------|
| | REPLACEMENT CAB/ROPS FOR SSV65 | | | |
| | Complete package that is direct-fit to the main frame mounting points. Hydraulic hoses ready to fit into main manifold. Includes new "bolt-on" style grab handles. Lift-Assist gas struts are not included. | | | |
| SL6660 | REPLACEMENT OPEN ROPS /SSV75 (Hand & Foot Ctl Units Only) | S5K730A40 | 1 | \$7,540.00 |
| SL6661A | REPLACEMENT CLOSED CAB/SSV75 (Hand & Foot Ctl Units Only) | S8K299A20 | 992 | \$10,920.00 |
| SL6664 | Replacement Open ROPS /SSV65 (ISO Pilot Control Units Only) | S5K730A40 | 948 | \$7,540.00 |
| SL6665 | Replacement Closed Cab/SSV65 (ISO Pilot Control Units Only) | S8K299A20 | 948 | \$10,920.00 |
| | SEE REPLACEMENT CAB & ROPS ADOPTION LIST | | | |
| PART 6 | ACCESSORIES - (available from PARTS; Refer to PARTS for Pricing) | | | |
| V1411-96611 | H-Pattern Conversion Kit <i>Beginning with SNs 50070 (JPN) and 23041(KIE) for CAB units Beginning with SN 50442 (JPN) and 22934 (KIE) for ROPS units (Refer to PIB-2017-034)</i> | | | |
| V1311-96501 | Hydraulic Quick Coupler Conversion Kit | | | |
| V1411-96601 | Self-Leveling | | | |
| V1311-96701 | Ride Control (KSR) | | | |
| V1311-96201 | Hazard lamp & Turn Signals (requires 14 Pin Coupler & Multi-Function Lever Kit | | | |
| V1311-96401 | Bonnet (Rear Door) Lock Kit | | | |
| V1411-97101 | 14 Pin Coupler Harness | | | |
| V1311-96301 | Multi-Function Lever Kit (for Hand & Foot Control Models Only) | | | |
| V1311-97301 | Multi-Function Lever Kit (for ISO Pilot Controls Only) | | | |
| 77700-06360 | Wiring Harness, Airsus | | | |
| 77700-06361 | Air Ride Seat, requires Airsus Wiring Harness 7770-06360 | | | |
| V1311-96821 | SSV Special Application Door Door Completion Kit required for ROPS units | | | |
| V1311-96801 | SSV Front Glass Kit | | | |
| V1311-96811 | SSV ROPS Door Completion Kit (needed to install any door on ROPs units) Wiper power harness not avail for ROPS units-TBD | | | |
| V1311-96841 | Single Point Lift Kit | | | |
| V1411-99900 | CCV Filter Kit | | | |
| 77700-08974 | Rear View Observation Camera Kit | | | |
| 70000-73274 | Engine Block Heater | | | |
| 77700-04752 | Radio AM / FM / WB / MP3 | | | |
| 77700-04757 | Radio AM / FM / WB / Bluetooth | | | |
| 70090-40007 | Counterweight (order 6 with the following hardware) RD451-42190 Bolt, M16-1x110mm (order 4) 04512-70160 Washer, Lock (order 4) RD451-19180 Washer (order 4) | | | |
| 77700-07225 | Hose Stay | | | |
| V1411-28310 | 12x16.5 Tire Assy (L, 10PR) Over the Tire Width = 71.8" | | | |
| V1411-28410 | 12x16.5 Tire Assy (R, 10PR) Over the Tire Width = 71.8" | | | |

SSV75

OTHER ACCESSORIES - (Continued; Refer to PARTS for Pricing)

| | | | | |
|-------------|-------------------------------------------------------------------------------------------------------|--|--|----------|
| 77700-10656 | Keyless Start Kit | | | \$540.59 |
| V1411-28910 | 33x6x11 Brawler Tire Assy (L) Replaces Equivalent To Size 12x16.5 with Over the Tire Width = 69.9" | | | |
| V1411-28920 | 33x6x11 Brawler Tire Assy (R) Replaces Equivalent To Size 12x16.5 with Over the Tire Width = 69.9" | | | |
| V1411-29310 | 14x17.5 Tire Assy (L, 14PR) Over the Tire Width = 73.3" | | | |
| V1411-29410 | 14x17.5 Tire Assy (R, 14PR) Over the Tire Width = 73.3" | | | |
| V1311-28710 | 12x16.5 Turf Tire with non-aggressive tread - Over the Tire Width = 73.5" | | | |

PART 8

**KubotaNOW Telematics Service
 (each order will require the DCU6700 modem and model specific wire harness)**

| | | | | |
|---------|-------------------------------|---------|---|----------|
| DCU6700 | Telematics Modem | K317A68 | 1 | \$418.00 |
| S6703 | SSV Telematics Wiring Harness | K102A60 | 2 | \$135.00 |

**KubotaNOW Telematics Service includes a three (3) year term
 with a Dealer Net cost of \$399 and a total list price of \$525**

KUBOTA**SSV75****REPLACEMENT CAB & ROPS ADOPTION LIST**

| SSV75 REPLACEMENT CAB & ROPS ADOPTION LIST HAND & FOOT CONTROL MODELS ONLY | | | | |
|-----------------------------------------------------------------------------------------------|-------------|----------------------------|-------------|---------------|
| Model | Cab or ROPS | WG # | Add Items | Discard Items |
| SSV75HC | Cab | SL6661A | none | none |
| SSF75HFC | Cab | SL6661A | 1,2,3,4 | 7,8,9 |
| SSV75HFRC | Cab | SL6661A | 1,2,3,4,5 | 7,8,9,10 |
| SSV75HRC | Cab | SL6661A | 5 | 10 |
| SSV75 | ROPS | SL6660A | none | none |
| SSV75F | ROPS | SL6660A | 1,2,3,4 | 7,8,9 |
| SSV75FR | ROPS | SL6660A | 1,2,3,4,5 | 7,8,9,10 |
| SSV75H | ROPS | SL6660A | 6 | 10 |
| SSV75HF | ROPS | SL6660A | 1,2,3,4,6 | 7,8,9,10 |
| SSV75HFR | ROPS | SL6660A | 1,2,3,4,5,6 | 7,8,9,10 |
| SSV75HR | ROPS | SL6660A | 5,6 | 10 |
| SSV75R | ROPS | SL6660A | 5 | 10 |
| | | | | |
| | | | | |
| Order Additional Items from Service Parts | | | | |
| Item # | Part # | Part Name | Qty | |
| 1 | V1311-54860 | Switch (HI FLOW) | 1 | |
| 2 | V1311-57810 | Label (OPERATION LH MULTI) | 1 | |
| 3 | V1311-57820 | Label (OPERATION RH MULTI) | 1 | |
| 4 | V1311-57710 | Label (HIGH FLOW) | 1 | |
| 5 | V1311-54830 | Switch (SELF LEVEL) | 1 | |
| 6 | V1311-54820 | Switch (HITCH) | 1 | |
| | | | | |
| Discard Items | | | | |
| Item # | Part # | Part Name | Qty | |
| 7 | V1311-53860 | Switch (AUX) | 1 | |
| 8 | V1311-57510 | Label (OPERATION LH) | 1 | |
| 9 | V1311-57520 | Label (OPERATION RH) | 1 | |
| 10 | RD451-44640 | Cap, SWITCH | 2 | |

SSV75**REPLACEMENT CAB & ROPS ADOPTION LIST**

| SSV75 REPLACEMENT CAB & ROPS ADOPTION LIST ISO PILOT CONTROL MODELS ONLY | | | | |
|-----------------------------------------------------------------------------------------|-------------|----------------------------|-------------|---------------|
| Model | Cab or ROPS | WG # | Add Items | Discard Items |
| SSV75PHC | Cab | SL6665A | none | none |
| SSV75PHFC | Cab | SL6665A | 1,2,3,4 | 7,8,9 |
| SSV75PHFRC | Cab | SL6665A | 1,2,3,4,5 | 7,8,9,10 |
| SSV75PHRC | Cab | SL6665A | 5 | 10 |
| SSV75P | ROPS | SL6664A | none | none |
| SSV75PF | ROPS | SL6664A | 1,2,3,4 | 7,8,9 |
| SSV75PFR | ROPS | SL6664A | 1,2,3,4,5 | 7,8,9,10 |
| SSV75PH | ROPS | SL6664A | 6 | 10 |
| SSV75PHF | ROPS | SL6664A | 1,2,3,4,6 | 7,8,9,10 |
| SSV75PHFR | ROPS | SL6664A | 1,2,3,4,5,6 | 7,8,9,10 |
| SSV75PHR | ROPS | SL6664A | 5,6 | 10 |
| SSV75PR | ROPS | SL6664A | 5 | 10 |
| | | | | |
| | | | | |
| Order Additional Items from Service Parts | | | | |
| Item # | Part # | Part Name | Qty | |
| 1 | V1311-54860 | Switch (HI FLOW) | 1 | |
| 2 | V1311-57910 | Label (OPERATION LH MULTI) | 1 | |
| 3 | V1311-57920 | Label (OPERATION RH MULTI) | 1 | |
| 4 | V1311-57710 | Label (HIGH FLOW) | 1 | |
| 5 | V1311-54830 | Switch (SELF LEVEL) | 1 | |
| 6 | V1311-54820 | Switch (HITCH) | 1 | |
| | | | | |
| Discard Items | | | | |
| Item # | Part # | Part Name | Qty | |
| 7 | V1311-53860 | Switch (AUX) | 1 | |
| 8 | V1311-57930 | Label (OPERATION LH) | 1 | |
| 9 | V1311-57940 | Label (OPERATION RH) | 1 | |
| 10 | RD451-44640 | Cap, SWITCH | 2 | |



SKID STEER LOADERS

REPLACEMENT ENGINES

| ORDER CODE | DESCRIPTION | FACTORY NUMBER | APPROX. WEIGHT | SUGGESTED LIST PRICE |
|---------------|-------------|-------------------|----------------|-------------------------|
|---------------|-------------|-------------------|----------------|-------------------------|

**All replacement engines must be ordered through the Parts Department.
See Parts Bulletin DPB-2014-011 R2**