

Hooklift List Price Book

Stellar® Flex361
Hook Height Options1
Tab Alarms1
Latch Options1
Hydraulics with Controls1
Standard Hooklift Additions 1
PTOs2
Pumps2
Fenders2
Mudflaps2
Bumpers2
Pintle Hitches2
ICC Safety Kit3
Toolboxes3
Floodlights3
Trailer Plugs3
Service and Emergency 3
Stellar® Shuttle204
Hook Height Options4
Tab Alarms4
Hydraulics with Controls4
Standard Hooklift Additions4
PTOs
Pumps5
Fenders5
Mudflaps5
Bumpers5
Pintle Hitches5
ICC Safety Kit5
Toolboxes5
Floodlights6
Trailer Plugs6
Service and Emergency6
Stellar® Shuttle247
Hook Height Options
Tab Alarms7
Hydraulics with Controls7
Standard Hooklift Additions7
orandara mookiin / kadillons/

	Pumps	
	Fenders	
	Mudflaps	
	Bumpers	
	Pintle Hitches	
	ICC Safety Kit	į
	Toolboxes	
	Floodlights	
	Trailer Plugs	
	Service and Emergency	(
Ste	ellar® Shuttle321	(
	Tab Alarms1	
	Hydraulics with Controls 1	(
	Standard Hooklift Additions 1	
	PTOs1	
	Pumps 1	(
	Fenders1	
	Mudflaps1	
	Bumpers 1	
	Pintle Hitches1	
	Tarpers1	
	ICC Safety Kit1	
	Toolboxes1	
	Floodlights1	•
	Trailer Plugs1	
	Service and Emergency 1	
Ste	ellar® Shuttle341	•
	Tab Alarms1	,
	Hydraulics with Controls 1	,
	Standard Hooklift Additions 1	,
	PTOs	,
	Pumps 1	,
	Fenders1	,
	Mudflaps1	,
	Bumpers 1	•
	Pintle Hitches	
	ICC Safety Kit	•
	Toolboxes	
	FIGURATIONS	٠.

	Trailer Plugs	
	Service and Emergency	
Ste	ellar® Shuttle401	
	Tab Alarms	
	Hydraulics with Controls	
	Standard Hooklift Additions	
	PTOs	
	Pumps	
	Fenders	
	Mudflaps	
	Bumpers	
	Pintle Hitches	
	Tarpers	
	ICC Safety Kit	
	Toolboxes	
	Floodlights	
	Trailer Plugs	
	Service and Emergency	
216	ellar® Shuttle52	
31e	Tab Alarms	19
91E	Tab Alarms Hydraulics with Controls	19 19
21E	Tab Alarms Hydraulics with Controls Standard Hooklift Additions	19 19 19
ΣТЕ	Tab Alarms Hydraulics with Controls Standard Hooklift Additions PTOs	19 19 19 19
31 6	Tab Alarms	19 19 19 19
31E	Tab Alarms	19 19 19 19 19
ΣТЕ	Tab Alarms	19 19 19 19 19 19
)1E	Tab Alarms	19 19 19 19 19 19 20 20
)ie	Tab Alarms	19 19 19 19 19 19 20 20
)1e	Tab Alarms	19 19 19 19 19 20 20 20
SIE	Tab Alarms	19 19 19 19 19 19 20 20 20 20
21E	Tab Alarms	19 19 19 19 19 20 20 20 20 20
SIE	Tab Alarms	19 19 19 19 19 20 20 20 20 20 21
SIE	Tab Alarms	19 19 19 19 19 20 20 20 20 20 21 21
	Tab Alarms	19 19 19 19 19 19 20 20 20 20 21 21 21
	Tab Alarms	19 19 19 19 19 20 20 20 20 21 21 21
	Tab Alarms	19 19 19 19 19 20 20 20 20 21 21 21 21

Stellar Industries, Inc.
190 State Street
PO Box 169
Garner, IA 50438
800-321-3741
Fax: 641-923-2811
sales@stellarindustries.com
www.stellarindustries.com

Pumps	22	PTOs	32	Pumps	41
Fenders	22	Pumps	32	Fenders	41
Mudflaps	23	Fenders	32	Mudflaps	41
Bumpers	23	Mudflaps	32	Bumpers	41
Pintle Hitches	23	Bumpers	32	Pintle Hitches	41
Tarpers	23	Pintle Hitches	33	Tarpers	41
ICC Safety Kit	23	ICC Safety Kit	33	ICC Safety Kit	41
Toolboxes	23	Toolboxes	33	Toolboxes	41
Floodlights	24	Floodlights	33	Floodlights	42
Trailer Plugs	24	Trailer Plugs	33	Trailer Plugs	42
Service and Emerger	ncy 24	Service and Emerge	ncy 33	Service and Emerge	ency 42
Stellar® Slider20	25	Stellar® Slider34	34	Stellar® Slider65	43
Hydraulics with Contr	ols 25	Hydraulics with Cont	rols34	Hydraulics with Cor	ntrols 43
Standard Hooklift Add		Standard Hooklift Ad		Standard Hooklift A	
PTOs	25	PTOs	34	PTOs	43
Pumps	25	Pumps	34	Pumps	43
Fenders	25	Fenders	35	Fenders	
Mudflaps	26	Mudflaps	35	Mudflaps	44
Bumpers	26	Bumpers	35	Bumpers	44
Pintle Hitches	26	Pintle Hitches	35	Pintle Hitches	44
ICC Safety Kit	26	ICC Safety Kit	35	Tarpers	44
Toolboxes	26	Toolboxes	36	ICC Safety Kit	44
Floodlights	26	Floodlights	36	Toolboxes	
Trailer Plugs	27	Trailer Plugs	36	Floodlights	45
Service and Emerger	ncy 27	Service and Emerge	ncy 36	Trailer Plugs	45
Stellar® Slider20-S	28	Stellar® Slider40	37	Service and Emerge	ency 45
Body Latches	28	Body Latches	37	Stellar® SI 710	46
Hydraulics with Contr	ols28	Hydraulics with Cont	rols37	Hook Height Option	ıs 4 <i>6</i>
Standard Hooklift Add	ditions 28	Standard Hooklift Ad	lditions 37	Latch Options	46
PTOs	28	PTOs	37	Hydraulics with Cor	ntrols46
Pumps	29	Pumps	38	Standard Hooklift A	dditions 46
Fenders	29	Fenders	38	PTOs	46
Mudflaps	29	Mudflaps	38	Pumps	46
Bumpers	29	Bumpers	38	Fenders	47
Pintle Hitches	29	Pintle Hitches		Mudflaps	
ICC Safety Kit		ICC Safety Kit		Bumpers	
Toolboxes		Toolboxes		Pintle Hitches	
Floodlights		Floodlights		ICC Safety Kit	
Trailer Plugs		Trailer Plugs		Toolboxes	
Service and Emerger		Service and Emerge	ncy 39	Floodlights	
Stellar® Slider26	31	Stellar® Slider50	40	Trailer Plugs	
Hook Height Options	31	Body Latches		Service and Emerge	
Body Latches	31	Hydraulics with Cont	rols 40	Stellar® Hooklift Skic	ls & Misc
Hydraulics with Contr	ols31	Standard Hooklift Ad	lditions 40	Options	49
Standard Hooklift Add	ditions 32	PTOs	41	•	



190 State Street • Garner, IA 50438 800-321-3741 • www.stellarindustries.com

Stellar® Flex36 Hooklift Price Sheet Up to 16,000 Lbs Capacity

Part#	Description	List Price
looklifts hydra	only with mounting kit. Select hydraulics, including reservoir, from list below. ulic requirements are 15gpm @ 4200 psi maximum. p not included in base hooklift. Select from list below.	
SHFLEX-60	Stellar Shuttle 60-8 Flex(up to 9,000# capacity), designed for 60" CA chassis. Body lengths 8'-9'; up to 10' flatbed. Shipping weight approx. 1300 lb.	\$11,880
SHFLEX-84	Stellar Shuttle 84-10 Flex, designed for 84" to 96" CA chassis. Body lengths 10' - 12'; up to 13' flatbed. Shipping weight approx. 1400 lb.	\$14,080
SHFLEX-108	Stellar Shuttle 108-12 Flex designed for 108" to 120" CA chassis. Body lengths 12' - 14'; up to 15' flatbed. Shipping weight approx. 1900 lb.	\$14,990
SHFLEX-120	Stellar Shuttle 120-14 Flex, designed for 120" to 130" CA chassis. Body lengths 12' - 14' long, up to 16' flatbed. Shipping weight approx. 1650 lb.	\$15,450
	Flex Install Kit	
INSTKIT-1	Flex Install Kit for F550 (2017-2018)	NA
INSTKIT-2	Flex Install Kit for RAM5500 (2017-2018)	NA
INSTKIT-3	Flex Install Kit for chassis other than 2017-18 F550/RAM5500	NA
	Hook Height Options	
SHFLEXHH36	36" hook height	NA
SHFLEXHH36L MT	36" hook height- limited travel. Tilt will not exceed vertical.	NA
SHFLEXHH54	54" hook height	\$900
	Tab Alarms	
SHFLEXTA1	Tab alarm (tilt/dump) kit. Audible alarm to alert operator that he has operated hooklift out of sequence and needs to replace 1/4" bolt in dump tab.	\$230
	Latch Options	
SHFLEXBLO	Standard Stellar body latches	NA
SHFLEXBL4ML	4" Multi-Lift latches	\$770
SHFLEXBL5ML	5" Multi-Lift latches	\$240
	Hydraulics with Controls	
HYD10VAL	Reservoir and valve bank only-no controls	\$940
HYD10A2	Reservoir and valve bank with air controls-2 section	\$1,890
HYD10C2-96	Reservoir and valve bank with cable controls-96"	\$1,100
HYD10C2-144	Reservoir and valve bank with extended cable controls- 144" of extended cab or cabover	\$1,150



190 State Street • Garner, IA 50438 800-321-3741 • www.stellarindustries.com

Stellar® Flex36 Hooklift Price Sheet Up to 16,000 Lbs Capacity

Part#	Description	List Price
HYD10C2 -144F550	Reservoir and valve bank with extended cable controls- 144" of extended cab or cabover F550 (2017-2018)	NA
HYD10C2 -144RAM5500	Reservoir and valve bank with extended cable controls- 144" of extended cab or cabover RAM 5500 (2017-2018)	NA
HYD10C2-192	Reservoir and valve bank with extended cable controls- 192" of crew cab or cabover	\$1,350
HYD10E	Reservoir and valve bank with electronic control pendant for in-cab use.	\$3,030
Note: Custom	hydraulic packages are available. Contact the factory for details.	
	Standard Hooklift Additions	
POTBL	Paint other than standard black	\$430
SHFLEXPSS	Stainless steel pins in lieu of zinc plated pins, for heavy salt type enviroment. CONSULT FACTORY	\$1,360
98427X	Chassis supplied backup camera installation kit for Stellar Flex 36 model hooklifts for Ford F550 and RAM chassis. Installed.	\$200
	PTOs	
67132	PTO for Ford Super Duty Diesel	\$2,050
87592	PTO for Ford Super Duty Gas	\$2,400
15685	PTO, hot shift for automatic transmission for chassis larger than F550	\$2,050
	Pumps	
75002	Hydraulic pump kit for Ford F550 Super Duty 4x2 and 4x4. Includes PTO Enable Mode and Overspeed Protection Control Module.	\$770
56432	Hydraulic pump for chassis larger than Ford F550. Overspeed protection not included.	\$1,120
85376	Clutch pump kit -700562 - RAM5500 - 12GPM. Includes Overspeed Protection Control Module.	\$2,175
95656	Clutch pump kit -700592 - Chevrolet 4500 - 6500, Navistar CV - 2019+ - 12GPM. Includes Overspeed Protection Control Module. NOTE: Chassis must have only 1-alternator.	\$2,175
	Fenders	
15681	One pair poly fenders for single axle truck, 16.5" to 19.5" dual rear wheels, complete with fender brackets and mounting hardware.	\$720
89528	One pair steel fenders for single axle truck, 16.5" to 19.5" dual rear wheels, complete with fender brackets and bolt on mounting hardware.	\$960
	Mudflaps	

Effective: 12/03/18 Revised: 03/22/19 All prices subject to change without notice F.O.B. Garner, IA.



190 State Street • Garner, IA 50438 800-321-3741 • www.stellarindustries.com

Stellar® Flex36 Hooklift Price Sheet Up to 16,000 Lbs Capacity

Part#	Description	List Price
19494	One pair Stellar mud flaps with mounting bolts	\$60
96895	Mud Flap Kit - Spring Assist - 24x24 Mud Flap NOT Included.	\$110
	Bumpers	
81300	17.5k - 30k Pintle Hitch Bumper Assembly. Includes FMVSS108 Compliant Light Kit, Backup Alarm, and Wiring	\$1,860
5348	Manually-operated fold out single pivot rear bumper. Extends bumper an additional 19" past the rear of truck when a long body is loaded. Provides for up to 42" allowable overhang	\$1,000
5407	Heavy duty rectangular tubing bumper. LED light kit (FMVSS108 compliant) and backup alarm is included. Must be used on 25,000 # GVWR or greater chassis. Will not work on 19,500# GVWR chassis. Stellar AutoTarper ready.	\$1,350
	Pintle Hitches	
19107	Pintle hitch with 2" ball	\$320
	ICC Safety Kit	
5305	ICC safety kit consisting of rechargeable fire extinguisher and reflector kit	\$150
	Toolboxes	
8480	Steel underbody toolbox with overhead door. Dimensions are 20"H x 45"L x 22" D. Features stainless steel automotive-type two-stage latches. Includes mounting brackets. Painted gloss black	\$1,720
10401	Steel underbody toolbox with overhead door. Dimensions are 18"H x 36"L x 18"D. Features stainless steel automotive-type two-stage latches and stainless steel hinges. Includes mounting brackets. Painted gloss black	\$1,440
10402	Steel underbody toolbox with overhead door. Dimensions are 20"H x 58"L x 22"D. Features stainless steel automotive-type two-stage latches and stainless steel hinges. Includes mounting brackets. Painted gloss black	\$1,180
	Floodlights	
74311	LED Flood Light Assembly	\$90
	Trailer Plugs	
22872	Trailer plug - 7 pin round - Only for chassis equipped to handle this style plug from factory.	\$160
22876	Trailer plug - 7-pin (flat) - Only for chassis equipped to handle RV / electric brakes from factory.	\$100
	Service and Emergency	
37733	Service and emergency gladhands with dummies and mounting bracket	\$130



190 State Street • Garner, IA 50438 800-321-3741 • www.stellarindustries.com

Stellar® Shuttle Hooklift Price Sheet 20,000 Lbs Capacity

Part#	Description	List Price
looklifts hydra	only with mounting kit. Select hydraulics, including reservoir, from list below. ulic requirements are 15gpm @ 4200 psi maximum. o not included in base hooklift. Select from list below.	
SH20-108	Stellar Shuttle 108-11-20, designed for 102" to 108" CA chassis. Body lengths 11 - 14', up to 15' flatbed. Shipping weight approx. 2400 lb.	\$17,230
SH20-120	Stellar Shuttle 120-16-20, designed for 114" to 130" CA chassis. Body lengths 13-16'; up to 17' flatbed. Shipping weight approx. 2600 lb.	\$18,040
SH20-138	Stellar Shuttle 138-18-20, designed for 130" to 144" CA chassis. Body lengths 15 - 18', up to 19' flatbed. Shipping weight approx. 3200 lb.	\$19,080
SH20-168	Stellar Shuttle 168-20-20, designed for 1168" to 180" CA chassis. Body lengths 17 - 20', up to 21' flatbed. Shipping weight approx. 3750 lb.	\$19,550
SH20-190	Stellar Shuttle 190-24-20 designed for 190" to 200" CA chassis. Body lengths 19' - 22'; up to 24' flatbed. Shipping weight approx. 3950 lb.	\$20,590
	Hook Height Options	
SH20HH54	54" Hook Height- Not available on 168" or 190"	NA
SH20HH36	36" Hook Height- 108" only	\$230
SH20HH62	62" Hook Height	\$230
	Tab Alarms	
SH20TA1	Electric tab alarm	\$230
	Hydraulics with Controls	
HYD10VAL	Reservoir and valve bank only-no controls	\$940
HYD10A2	Reservoir and valve bank with air controls-2 section	\$1,890
HYD10C2-96	Reservoir and valve bank with cable controls-96"	\$1,100
HYD10C2-144	Reservoir and valve bank with extended cable controls- 144" of extended cab or cabover	\$1,150
HYD10C2-192	Reservoir and valve bank with extended cable controls- 192" of crew cab or cabover	\$1,350
Note: Custom	hydraulic packages are available. Contact the factory for details.	
	Standard Hooklift Additions	
POTBL	Paint other than standard black	\$430
	PTOs	
5355	PTO, air shift	\$860
15685	PTO, hot shift for automatic transmission for chassis larger than F550	\$2,050
67132	PTO for Ford Super Duty Diesel	\$2,050



190 State Street • Garner, IA 50438 800-321-3741 • www.stellarindustries.com

Stellar® Shuttle Hooklift Price Sheet 20,000 Lbs Capacity

Part#	Description	List Price
87764	Enables PTO Mobile Mode on 2017 Ford Super Duty	\$70
	Pumps	
56432	Hydraulic pump for chassis larger than Ford F550. Overspeed protection not included.	\$1,120
75002	Hydraulic pump kit for Ford F550 Super Duty 4x2 and 4x4. Includes PTO Enable Mode and Overspeed Protection Control Module.	\$770
	Fenders	
6170	One pair poly fenders for 20,000 to 28,000# GVWR chassis with 22.5 wheels, includes fender brackets, mounting hardware.	\$640
46299	One pair steel fenders for 20,000 to 28,000# GVWR chassis with 22.5 wheels, includes fender brackets, mounting hardware.	\$1,020
66325	FENDER ASM AL SMOOTH LOW-PRO	\$730
	Mudflaps	
19494	One pair Stellar mud flaps with mounting bolts	\$60
96895	Mud Flap Kit - Spring Assist - 24x24 Mud Flap NOT Included.	\$110
	Bumpers	
5407	Heavy duty rectangular tubing bumper. LED light kit (FMVSS108 compliant) and backup alarm is included. Must be used on 25,000 # GVWR or greater chassis. Will not work on 19,500# GVWR chassis. Stellar AutoTarper ready.	\$1,350
5348	Manually-operated fold out single pivot rear bumper. Extends bumper an additional 19" past the rear of truck when a long body is loaded. Provides for up to 42" allowable overhang	\$1,000
17441	Bumper, reinforced to accept pintle hitch 30K (pintle hitch is not included). LED light kit (FMVSS108 compliant) and backup alarm is included. Stellar AutoTarper ready	\$1,810
31920	Manually-operated fold out single pivot rear bumper with 30K pintle plate. Extends bumper an additional 19" past the rear of truck when a long body is loaded. Provides for up to 42" allowable overhang	\$2,110
	Pintle Hitches	
57952	Pintle Hitch - 30,000 lb	\$210
	ICC Safety Kit	
5305	ICC safety kit consisting of rechargeable fire extinguisher and reflector kit	\$150
	Toolboxes	



190 State Street • Garner, IA 50438 800-321-3741 • www.stellarindustries.com

Stellar® Shuttle Hooklift Price Sheet 20,000 Lbs Capacity

Part#	Description	List Price
8480	Steel underbody toolbox with overhead door. Dimensions are 20"H x 45"L x 22" D. Features stainless steel automotive-type two-stage latches. Includes mounting brackets. Painted gloss black	\$1,720
10401	Steel underbody toolbox with overhead door. Dimensions are 18"H x 36"L x 18"D. Features stainless steel automotive-type two-stage latches and stainless steel hinges. Includes mounting brackets. Painted gloss black	\$1,440
10402	Steel underbody toolbox with overhead door. Dimensions are 20"H x 58"L x 22"D. Features stainless steel automotive-type two-stage latches and stainless steel hinges. Includes mounting brackets. Painted gloss black	\$1,180
	Floodlights	
74311	LED Flood Light Assembly	\$90
	Trailer Plugs	
22876	Trailer plug - 7-pin (flat) - Only for chassis equipped to handle RV / electric brakes from factory.	\$100
22872	Trailer plug - 7 pin round - Only for chassis equipped to handle this style plug from factory.	\$160
	Service and Emergency	
	Service and emergency gladhands with dummies and mounting bracket	



190 State Street • Garner, IA 50438 800-321-3741 • www.stellarindustries.com

Stellar® Shuttle Hooklift Price Sheet 24,000 Lbs Capacity

Part#	Description	List Price
ooklifts hydra	only with mounting kit. Select hydraulics, including reservoir, from list below. ulic requirements are 15gpm @ 4200 psi maximum. p not included in base hooklift. Select from list below.	
SH24-96	Stellar Shuttle 96-10-24, designed for 84" to 102" CA chassis. Body lengths 10'-12; up to 14'. Shipping weight approx. 2600 lb.	\$18,030
	Hook Height Options	
SH24HH54	54" Hook Height	NA
SH24HH62	62" Hook Height	\$1,170
	Tab Alarms	
SH24TA1	Tab alarm (tilt/dump) kit. Audible alarm to alert operator that he has operated hooklift out of sequence and needs to replace 1/4" bolt in dump tab.	\$230
	Hydraulics with Controls	
HYD10VAL	Reservoir and valve bank only-no controls	\$940
HYD10A2	Reservoir and valve bank with air controls-2 section	\$1,890
HYD10C2-96	Reservoir and valve bank with cable controls-96"	\$1,100
HYD10C2-144	Reservoir and valve bank with extended cable controls- 144" of extended cab or cabover	\$1,150
HYD10C2-192	Reservoir and valve bank with extended cable controls- 192" of crew cab or cabover	\$1,350
Note: Custom	hydraulic packages are available. Contact the factory for details.	
	Standard Hooklift Additions	
SH24PSS	Stainless steel pins in lieu of zinc plated pins, for heavy salt type enviroment.	\$1,350
POTBL	Paint other than standard black	\$430
	PTOs	
5355	PTO, air shift	\$860
15685	PTO, hot shift for automatic transmission for chassis larger than F550	\$2,050
	Pumps	
56432	Hydraulic pump for chassis larger than Ford F550. Overspeed protection not included.	\$1,120
	Fenders	
6170	One pair poly fenders for 20,000 to 28,000# GVWR chassis with 22.5 wheels, includes fender brackets, mounting hardware.	\$640



190 State Street • Garner, IA 50438 800-321-3741 • www.stellarindustries.com

Stellar® Shuttle Hooklift Price Sheet 24,000 Lbs Capacity

Part#	Description	List Price
46299	One pair steel fenders for 20,000 to 28,000# GVWR chassis with 22.5 wheels, includes fender brackets, mounting hardware.	\$1,020
66325	FENDER ASM AL SMOOTH LOW-PRO	\$730
	Mudflaps	
19494	One pair Stellar mud flaps with mounting bolts	\$60
96895	Mud Flap Kit - Spring Assist - 24x24 Mud Flap NOT Included.	\$110
	Bumpers	
5407	Heavy duty rectangular tubing bumper. LED light kit (FMVSS108 compliant) and backup alarm is included. Must be used on 25,000 # GVWR or greater chassis. Will not work on 19,500# GVWR chassis. Stellar AutoTarper ready.	\$1,350
5348	Manually-operated fold out single pivot rear bumper. Extends bumper an additional 19" past the rear of truck when a long body is loaded. Provides for up to 42" allowable overhang	\$1,000
17441	Bumper, reinforced to accept pintle hitch 30K (pintle hitch is not included). LED light kit (FMVSS108 compliant) and backup alarm is included. Stellar AutoTarper ready	\$1,810
31920	Manually-operated fold out single pivot rear bumper with 30K pintle plate. Extends bumper an additional 19" past the rear of truck when a long body is loaded. Provides for up to 42" allowable overhang	\$2,110
	Pintle Hitches	
57952	Pintle Hitch - 30,000 lb	\$210
	ICC Safety Kit	
5305	ICC safety kit consisting of rechargeable fire extinguisher and reflector kit	\$150
	Toolboxes	
8480	Steel underbody toolbox with overhead door. Dimensions are 20"H x 45"L x 22" D. Features stainless steel automotive-type two-stage latches. Includes mounting brackets. Painted gloss black	\$1,720
10401	Steel underbody toolbox with overhead door. Dimensions are 18"H x 36"L x 18"D. Features stainless steel automotive-type two-stage latches and stainless steel hinges. Includes mounting brackets. Painted gloss black	\$1,440
10402	Steel underbody toolbox with overhead door. Dimensions are 20"H x 58"L x 22"D. Features stainless steel automotive-type two-stage latches and stainless steel hinges. Includes mounting brackets. Painted gloss black	\$1,180
	Floodlights	
74311	LED Flood Light Assembly	\$90



190 State Street • Garner, IA 50438 800-321-3741 • www.stellarindustries.com

Stellar® Shuttle Hooklift Price Sheet 24,000 Lbs Capacity

Part#	Description	List Price
	Trailer Plugs	
22876	Trailer plug - 7-pin (flat) - Only for chassis equipped to handle RV / electric brakes from factory.	\$100
22872	Trailer plug - 7 pin round - Only for chassis equipped to handle this style plug from factory.	\$160
	Service and Emergency	
37733	Service and emergency gladhands with dummies and mounting bracket	\$130



190 State Street • Garner, IA 50438 800-321-3741 • www.stellarindustries.com

Stellar® Shuttle Hooklift Price Sheet 32,000 Lbs Capacity

Part#	Description	List Price	
ncluded in be	Note: Hooklift only with mounting kit. Select hydraulics, including reservoir, from list below. Weld-on body latches included in base hooklift. Hooklifts hydraulic requirements are 20gpm @ 4200 psi maximum. Hydraulic Pump not included in base hooklift. Select from list below.		
SH32-108	Stellar Shuttle 108-14-32, designed for 102" to 108"CT (122"-128"CA) chassis. Body lengths 13' - 16'; up to 17' flatbed. Shipping weight approx. 3600lb.	\$24,850	
SH32-138	Stellar Shuttle 138-18-32, designed for 130" to 138"CT (150"-158"CA) chassis. Body lengths 15' - 18'; up to 19' flatbed. Shipping weight approx. 3900lb.	\$25,530	
SH32-174	Stellar Shuttle 174-20-32, designed for 160" to 174"CT (180"-194"CA) chassis. Body lengths 18' - 20'; up to 22' flatbed. Shipping weight approx. 5000lb.	\$28,780	
SH32-190	Stellar Shuttle 190-24-32, designed for 174" to 190"CT (194"-210"CA) chassis. Body lengths 19' - 22'; up to 24' flatbed. Shipping weight approx. 5000lb.	\$29,230	
	Tab Alarms		
Note: Tab Ala	arm option is only available for 108 and 138 models.		
SH32TA1	Tab alarm (tilt/dump) kit. Audible alarm to alert operator that he has operated hooklift out of sequence and needs to replace 1/4" bolt in dump tab.	\$230	
	Hydraulics with Controls		
HYDVAL	Reservoir and valve bank only-no controls	\$1,420	
HYDA2	Reservoir and valve bank with two section air controls for fixed hook height	\$1,580	
HYDC2-96	Reservoir and valve bank with two section cable controls for fixed hook height-96"	\$1,580	
HYDC2-144	Reservoir and valve bank with two section extended controls for fixed hook height-144" for extended cab or cabover	\$1,640	
HYDC2-192	Reservoir and valve bank with two section extended controls for fixed hook height-192" for crew cab or cabover	\$1,680	
Note: Custor	m hydraulic packages are available. Contact the factory for details.		
	Standard Hooklift Additions		
POTBL	Paint other than standard black	\$430	
SH32PSS	Stainless steel pins in lieu of zinc plated pins, for heavy salt type enviroment.	\$1,350	
	PTOs		
5355	PTO, air shift	\$860	
15685	PTO, hot shift for automatic transmission for chassis larger than F550	\$2,050	
	Pumps		
76705	Hydraulic Pump, 3.84 CID piston Hydro Leduc w/ 2" suction and pressure fittings.	\$1,380	



190 State Street • Garner, IA 50438 800-321-3741 • www.stellarindustries.com

Stellar® Shuttle Hooklift Price Sheet 32,000 Lbs Capacity

Part#	Description	List Price
	Fenders	
58217	Poly Fender Assemblies for Tandem Axles with Mounting Brackets	\$1,230
46122	Tandem Axle Steel Fender Assemblies with Mounting Brackets	\$1,190
21132	Aluminum fenders for tandem axle, 1/8" smooth, with mounting brackets	\$1,530
	Mudflaps	
19494	One pair Stellar mud flaps with mounting bolts	\$60
	Bumpers	
5407	Heavy duty rectangular tubing bumper. LED light kit (FMVSS108 compliant) and backup alarm is included. Must be used on 25,000 # GVWR or greater chassis. Will not work on 19,500# GVWR chassis. Stellar AutoTarper ready.	\$1,350
61363	Bumper, reinforced to accept pintle hitch 90K. (pintle not included). LED light kit (FMVSS108 compliant) and backup alarm is included. Stellar AutoTarper ready.	\$1,950
47154	Manually-operated fold out single pivot rear bumper with 90K pintle plate. Extends bumper an additional 19" past the rear of truck when a long body is loaded. Provides for up to 42" allowable overhang	\$2,190
	Pintle Hitches	
7406	PH-200 (non-air operated) pintle hitch 90000# max. gross tongue weight	\$590
8009	PH-200 air operated pintle hitch, 18000# vertical load, 90000# max. gross tongue weight	\$720
	Tarpers	
Note: The f	ollowing Stellar® Auto Tarper only works with models 174-20-32 and 190-24-32	
81911	Tarper Assembly SIAT GEN2 for Use with Hooklift	\$8,730
45337	White mesh tarp for hooklift applications. Must choose this tarp when using with hooklifts.	\$400
	ICC Safety Kit	
5305	ICC safety kit consisting of rechargeable fire extinguisher and reflector kit	\$150
	Toolboxes	
8480	Steel underbody toolbox with overhead door. Dimensions are 20"H x 45"L x 22" D. Features stainless steel automotive-type two-stage latches. Includes mounting brackets. Painted gloss black	\$1,720
10401	Steel underbody toolbox with overhead door. Dimensions are 18"H x 36"L x 18"D. Features stainless steel automotive-type two-stage latches and stainless steel hinges. Includes mounting brackets. Painted gloss black	\$1,440



190 State Street • Garner, IA 50438 800-321-3741 • www.stellarindustries.com

Stellar® Shuttle Hooklift Price Sheet 32,000 Lbs Capacity

Part#	Description	List Price
10402	Steel underbody toolbox with overhead door. Dimensions are 20"H x 58"L x 22"D. Features stainless steel automotive-type two-stage latches and stainless steel hinges. Includes mounting brackets. Painted gloss black	\$1,180
	Floodlights	
74311	LED Flood Light Assembly	\$90
	Trailer Plugs	
22872	Trailer plug - 7 pin round - Only for chassis equipped to handle this style plug from factory.	\$160
22876	Trailer plug - 7-pin (flat) - Only for chassis equipped to handle RV / electric brakes from factory.	\$100
_	Service and Emergency	
37733	Service and emergency gladhands with dummies and mounting bracket	\$130



190 State Street • Garner, IA 50438 800-321-3741 • www.stellarindustries.com

Stellar® Shuttle Hooklift Price Sheet 34,000 Lbs Capacity

Part#	Description	List Price	
ncluded in bo	Note: Hooklift only with mounting kit. Select hydraulics, including reservoir, from list below. Weld-on body latches included in base hooklift. Hooklifts hydraulic requirements are 20gpm @ 4200 psi maximum. Hydraulic Pump not included in base hooklift. Select from list below.		
SH34-138	138-18-34 Shuttle (34,000# capacity), 52° dump angle, 54" hook height, ideal for 16' containers, flatbed body lengths from 15' to 19', must specify rear latches for 120-16-20 or 138-18-20.	\$28,220	
	Tab Alarms		
SH34TA1	Tab alarm (tilt/dump) kit. Audible alarm to alert operator that he has operated hooklift out of sequence and needs to replace 1/4" bolt in dump tab.	\$230	
	Hydraulics with Controls		
HYDVAL	Reservoir and valve bank only-no controls	\$1,420	
HYDA2	Reservoir and valve bank with two section air controls for fixed hook height	\$1,580	
HYDC2-96	Reservoir and valve bank with two section cable controls for fixed hook height-96"	\$1,580	
HYDC2-144	Reservoir and valve bank with two section extended controls for fixed hook height-144" for extended cab or cabover	\$1,640	
HYDC2-192	Reservoir and valve bank with two section extended controls for fixed hook height-192" for crew cab or cabover	\$1,680	
Note: Custor	m hydraulic packages are available. Contact the factory for details.		
	Standard Hooklift Additions		
POTBL	Paint other than standard black	\$430	
SH34PSS	Stainless steel pins in lieu of zinc plated pins, for heavy salt type enviroment.	\$1,350	
	PTOs		
5355	PTO, air shift	\$860	
15685	PTO, hot shift for automatic transmission for chassis larger than F550	\$2,050	
	Pumps		
76705	Hydraulic Pump, 3.84 CID piston Hydro Leduc w/ 2" suction and pressure fittings.	\$1,380	
	Fenders		
58217	Poly Fender Assemblies for Tandem Axles with Mounting Brackets	\$1,230	
30217			
46122	Tandem Axle Steel Fender Assemblies with Mounting Brackets	\$1,190	



190 State Street • Garner, IA 50438 800-321-3741 • www.stellarindustries.com

Stellar® Shuttle Hooklift Price Sheet 34,000 Lbs Capacity

Part#	Description	List Price
	Mudflaps	
19494	One pair Stellar mud flaps with mounting bolts	\$60
	Bumpers	
5407	Heavy duty rectangular tubing bumper. LED light kit (FMVSS108 compliant) and backup alarm is included. Must be used on 25,000 # GVWR or greater chassis. Will not work on 19,500# GVWR chassis. Stellar AutoTarper ready.	\$1,350
61363	Bumper, reinforced to accept pintle hitch 90K. (pintle not included). LED light kit (FMVSS108 compliant) and backup alarm is included. Stellar AutoTarper ready.	\$1,950
47154	Manually-operated fold out single pivot rear bumper with 90K pintle plate. Extends bumper an additional 19" past the rear of truck when a long body is loaded. Provides for up to 42" allowable overhang	\$2,190
	Pintle Hitches	
7406	PH-200 (non-air operated) pintle hitch 90000# max. gross tongue weight	\$590
8009	PH-200 air operated pintle hitch, 18000# vertical load, 90000# max. gross tongue weight	\$720
	ICC Safety Kit	
5305	ICC safety kit consisting of rechargeable fire extinguisher and reflector kit	\$150
	Toolboxes	
8480	Steel underbody toolbox with overhead door. Dimensions are 20"H x 45"L x 22" D. Features stainless steel automotive-type two-stage latches. Includes mounting brackets. Painted gloss black	\$1,720
10401	Steel underbody toolbox with overhead door. Dimensions are 18"H x 36"L x 18"D. Features stainless steel automotive-type two-stage latches and stainless steel hinges. Includes mounting brackets. Painted gloss black	\$1,440
10402	Steel underbody toolbox with overhead door. Dimensions are 20"H x 58"L x 22"D. Features stainless steel automotive-type two-stage latches and stainless steel hinges. Includes mounting brackets. Painted gloss black	\$1,180
	Floodlights	
74311	LED Flood Light Assembly	\$90
	Trailer Plugs	
22872	Trailer plug - 7 pin round - Only for chassis equipped to handle this style plug from factory.	\$160
22876	Trailer plug - 7-pin (flat) - Only for chassis equipped to handle RV / electric brakes from factory.	\$100



190 State Street • Garner, IA 50438 800-321-3741 • www.stellarindustries.com

Stellar® Shuttle Hooklift Price Sheet 34,000 Lbs Capacity

Part#	Description	List Price
	Service and Emergency	
37733	Service and emergency gladhands with dummies and mounting bracket	\$130



190 State Street • Garner, IA 50438 800-321-3741 • www.stellarindustries.com

Stellar® Shuttle Hooklift Price Sheet 40,000 Lbs Capacity

Part#	Description	List Price
Note: Hooklift only with mounting kit. Select hydraulics, including reservoir, from list below. Weld-on body latches included in base hooklift. Hooklifts hydraulic requirements are 20gpm @ 4200 psi maximum. Hydraulic Pump not included in base hooklift. Select from list below.		
SH40-108	Stellar Shuttle 108-14-40, designed for 102" to 108"CT chassis. Body lengths 13' - 16'; up to 17' flatbed. Shipping weight approx. 3950lb.	\$24,630
SH40-138	Stellar Shuttle 138-18-40, designed for 130" to 144" CT chassis. Body lengths 15' - 18'; up to 19' flatbed. Shipping weight approx. 4000 lbs.	\$25,750
SH40-174	Stellar Shuttle 174-20-40, designed for 160" to 174"CT chassis. Body lengths 18 - 20'; up to 22' flatbed. Shipping weight approx. 4800lb.	\$27,540
SH40-190	Stellar Shuttle 190-24-40, designed for 174" to 190"CT chassis. Body lengths 19' - 22'; up to 24' flatbed. Shipping weight approx. 5250lb.	\$29,670
	Tab Alarms	
SH40TA1	Tab alarm (tilt/dump) kit. Audible alarm to alert operator that he has operated hooklift out of sequence and needs to replace 1/4" bolt in dump tab.	\$230
	Hydraulics with Controls	
HYDVAL	Reservoir and valve bank only-no controls	\$1,420
HYDA2	Reservoir and valve bank with two section air controls for fixed hook height	\$1,580
HYDC2-96	Reservoir and valve bank with two section cable controls for fixed hook height-96"	\$1,580
HYDC2-144	Reservoir and valve bank with two section extended controls for fixed hook height-144" for extended cab or cabover	\$1,640
HYDC2-192	Reservoir and valve bank with two section extended controls for fixed hook height-192" for crew cab or cabover	\$1,680
Note: Custor	n hydraulic packages are available. Contact the factory for details.	
	Standard Hooklift Additions	
SH40R2	Double rear rollers	\$1,230
POTBL	Paint other than standard black	\$430
SH40PSS	Stainless steel pins in lieu of zinc plated pins, for heavy salt type enviroment.	\$1,350
	PTOs	
5355	PTO, air shift	\$860
15685	PTO, hot shift for automatic transmission for chassis larger than F550	\$2,050
	Pumps	
76705	Hydraulic Pump, 3.84 CID piston Hydro Leduc w/ 2" suction and pressure fittings.	\$1,380



190 State Street • Garner, IA 50438 800-321-3741 • www.stellarindustries.com

Stellar® Shuttle Hooklift Price Sheet 40,000 Lbs Capacity

Part#	Description	List Price
	Fenders	
58217	Poly Fender Assemblies for Tandem Axles with Mounting Brackets	\$1,230
46122	Tandem Axle Steel Fender Assemblies with Mounting Brackets	\$1,190
21132	Aluminum fenders for tandem axle, 1/8" smooth, with mounting brackets	\$1,530
	Mudflaps	
19494	One pair Stellar mud flaps with mounting bolts	\$60
	Bumpers	
5407	Heavy duty rectangular tubing bumper. LED light kit (FMVSS108 compliant) and backup alarm is included. Must be used on 25,000 # GVWR or greater chassis. Will not work on 19,500# GVWR chassis. Stellar AutoTarper ready.	\$1,350
61363	Bumper, reinforced to accept pintle hitch 90K. (pintle not included). LED light kit (FMVSS108 compliant) and backup alarm is included. Stellar AutoTarper ready.	\$1,950
47154	Manually-operated fold out single pivot rear bumper with 90K pintle plate. Extends bumper an additional 19" past the rear of truck when a long body is loaded. Provides for up to 42" allowable overhang	\$2,190
	Pintle Hitches	
7406	PH-200 (non-air operated) pintle hitch 90000# max. gross tongue weight	\$590
8009	PH-200 air operated pintle hitch, 18000# vertical load, 90000# max. gross tongue weight	\$720
	Tarpers	
Note: The f	ollowing Stellar® Auto Tarper only works with models 174-20-40 and 190-24-40	
81911	Tarper Assembly SIAT GEN2 for Use with Hooklift	\$8,730
45337	White mesh tarp for hooklift applications. Must choose this tarp when using with hooklifts.	\$400
	ICC Safety Kit	
5305	ICC safety kit consisting of rechargeable fire extinguisher and reflector kit	\$150
	Toolboxes	
8480	Steel underbody toolbox with overhead door. Dimensions are 20"H x 45"L x 22" D. Features stainless steel automotive-type two-stage latches. Includes mounting brackets. Painted gloss black	\$1,720
10401	Steel underbody toolbox with overhead door. Dimensions are 18"H x 36"L x 18"D. Features stainless steel automotive-type two-stage latches and stainless steel hinges. Includes mounting brackets. Painted gloss black	\$1,440



190 State Street • Garner, IA 50438 800-321-3741 • www.stellarindustries.com

Stellar® Shuttle Hooklift Price Sheet 40,000 Lbs Capacity

Part#	Description	List Price
10402	Steel underbody toolbox with overhead door. Dimensions are 20"H x 58"L x 22"D. Features stainless steel automotive-type two-stage latches and stainless steel hinges. Includes mounting brackets. Painted gloss black	\$1,180
	Floodlights	
74311	LED Flood Light Assembly	\$90
	Trailer Plugs	
22872	Trailer plug - 7 pin round - Only for chassis equipped to handle this style plug from factory.	\$160
22876	Trailer plug - 7-pin (flat) - Only for chassis equipped to handle RV / electric brakes from factory.	\$100
_	Service and Emergency	
37733	Service and emergency gladhands with dummies and mounting bracket	\$130



190 State Street • Garner, IA 50438 800-321-3741 • www.stellarindustries.com

Stellar® Shuttle Hooklift Price Sheet 52,000 Lbs Capacity

ncluded in base hooklift. Hooklifts hydraulic requirements are 20gpm @ 4200 psi maximum. Hydraulic Pump Included in base hooklift. Select from list below. SH52-138 Stellar Shuttle 138-18-52, designed for 130" to 144" CT chassis. Body lengths 15'-16' containers; up to 19' flatbed. Shipping weight approx. 5200lb. SH52-174 Stellar Shuttle 174-20-52, designed for 160" to 174" CT chassis. Body lengths 18'-20'; up to 22' flatbed. Shipping weight approx. 5400lb. SH52-190 Stellar Shuttle 190-24-52, designed for 174" to 190" CT chassis. Body lengths 19'-22'; up to 24' flatbed. Shipping weight approx. 6000lb. Tab Alarms SH52TA1 Tab alarm (filt/dump) kit. Audible alarm to alert operator that he has operated hooklift out of sequence and needs to replace 1/4" bolt in dump tab. Hydraulics with Controls HyDA2 Reservoir and valve bank with two section air controls for fixed hook height 1.580 height-96" HYDC2-96 Reservoir and valve bank with two section cable controls for fixed hook height-96" HYDC2-144 Reservoir and valve bank with two section extended controls for fixed hook height-144" for extended cab or cabover HYDC2-192 Reservoir and valve bank with two section extended controls for fixed hook height-192" for crew cab or cabover Note: Custom hydraulic packages are available. Contact the factory for details. Standard Hooklift Additions SH52R2 Double rear rollers \$1.230 POTBL Point other than standard black \$430 SH52PSS Stainless steel pins in lieu of zinc plated pins, for heavy salt type enviroment. \$1.350 PTOS PTOS PUMps	Part#	Description	List Price
15-16' containers; up to 19' flatbed. Shipping weight approx. 5200lb.	Note: Hooklift only with mounting kit. Select hydraulics, including reservoir, from list below. Weld-on body latches ncluded in base hooklift. Hooklifts hydraulic requirements are 20gpm @ 4200 psi maximum. Hydraulic Pump not ncluded in base hooklift. Select from list below.		
18-20'; up to 22' flatbed. Shipping weight approx. 5400lb. SH52-190 Stellar Shuttle 190-24-52, designed for 174" to 190"CT chassis. Body lengths 19'-22'; up to 24' flatbed. Shipping weight approx. 6000lb. Tab Alarms SH52TA1 Tab alarm (fiilt/dump) kit. Audible alarm to alert operator that he has operated hooklift out of sequence and needs to replace 1/4" bolt in dump tab. Hydraulics with Controls HYDVAL Reservoir and valve bank only-no controls \$1,420 HYDA2 Reservoir and valve bank with two section air controls for fixed hook height height-96" HYDC2-96 Reservoir and valve bank with two section cable controls for fixed hook height-96" HYDC2-144 Reservoir and valve bank with two section extended controls for fixed hook height-144" for extended cab or cabover HYDC2-192 Reservoir and valve bank with two section extended controls for fixed hook height-192" for crew cab or cabover Note: Custom hydraulic packages are available. Contact the factory for details. Standard Hooklift Additions SH52R2 Double rear rollers \$1,230 POTBL Paint other than standard black \$430 SH52PSS Stainless steel pins in lieu of zinc plated pins, for heavy salt type enviroment. \$1,350 PTOs FTOS Hydraulic Pump, 3.84 CID piston Hydro Leduc w/ 2" suction and pressure \$1,380	SH52-138		\$30,900
Tab Alarms SH52TA1 Tab alarm (tilt/dump) kit. Audible alarm to alert operator that he has operated hooklift out of sequence and needs to replace 1/4" bolt in dump tab. Hydraulics with Controls HyDVAL Reservoir and valve bank only-no controls \$1,420 HYDA2 Reservoir and valve bank with two section air controls for fixed hook height height-96" HYDC2-96 Reservoir and valve bank with two section cable controls for fixed hook height height-96" HYDC2-144 Reservoir and valve bank with two section extended controls for fixed hook height-14" for extended cab or cabover HYDC2-192 Reservoir and valve bank with two section extended controls for fixed hook height-14" for extended cab or cabover HYDC2-192 Reservoir and valve bank with two section extended controls for fixed hook height-192" for crew cab or cabover Note: Custom hydraulic packages are available. Contact the factory for details. Standard Hooklift Additions SH52PS Double rear rollers \$1,230 POTBL Paint other than standard black \$430 SH52PSS Stainless steel pins in lieu of zinc plated pins, for heavy salt type enviroment. \$1,350 PTOs S355 PTO, air shift \$860 15685 PTO, hot shift for automatic transmission for chassis larger than F550 \$2,050 Pumps 76705 Hydraulic Pump, 3.84 CID piston Hydro Leduc w/ 2" suction and pressure \$1,380	SH52-174		\$32,250
SH52TA1 Tab alarm (filt/dump) kit. Audible alarm to alert operator that he has operated hooklift out of sequence and needs to replace 1/4" bolt in dump tab. Hydraulics with Controls HYDVAL Reservoir and valve bank only-no controls \$1,420 HYDA2 Reservoir and valve bank with two section air controls for fixed hook height \$1,580 HYDC2-96 Reservoir and valve bank with two section cable controls for fixed hook height-96" HYDC2-144 Reservoir and valve bank with two section extended controls for fixed hook height-144" for extended cab or cabover HYDC2-192 Reservoir and valve bank with two section extended controls for fixed hook height-192" for crew cab or cabover Note: Custom hydraulic packages are available. Contact the factory for details. Standard Hooklift Additions SH52R2 Double rear rollers \$1,230 POTBL Paint other than standard black \$430 SH52PSS Stainless steel pins in lieu of zinc plated pins, for heavy salt type enviroment. \$1,350 PTOs FTOs PTO, air shift \$860 PTO, hot shift for automatic transmission for chassis larger than F550 \$2,050 Pumps 76705 Hydraulic Pump, 3.84 CID piston Hydro Leduc w/ 2" suction and pressure \$1,380	SH52-190	, ,	\$33,700
HYDVAL Reservoir and valve bank only-no controls \$1,420 HYDA2 Reservoir and valve bank with two section air controls for fixed hook height \$1,580 HYDC2-96 Reservoir and valve bank with two section cable controls for fixed hook height 1,580 HYDC2-144 Reservoir and valve bank with two section extended controls for fixed hook height-144" for extended cab or cabover HYDC2-192 Reservoir and valve bank with two section extended controls for fixed hook height-192" for crew cab or cabover Note: Custom hydraulic packages are available. Contact the factory for details. Standard Hooklift Additions SH52R2 Double rear rollers \$1,230 POTBL Paint other than standard black \$430 SH52PSS Stainless steel pins in lieu of zinc plated pins, for heavy salt type enviroment. \$1,350 PTO, air shift \$860 15685 PTO, hot shift for automatic transmission for chassis larger than F550 \$2,050 Pumps 76705 Hydraulic Pump, 3.84 CID piston Hydro Leduc w/ 2" suction and pressure \$1,380		Tab Alarms	
HYDVAL Reservoir and valve bank only-no controls \$1,420 HYDA2 Reservoir and valve bank with two section air controls for fixed hook height \$1,580 HYDC2-96 Reservoir and valve bank with two section cable controls for fixed hook height-96" HYDC2-144 Reservoir and valve bank with two section extended controls for fixed hook height-144" for extended cab or cabover HYDC2-192 Reservoir and valve bank with two section extended controls for fixed hook height-192" for crew cab or cabover Note: Custom hydraulic packages are available. Contact the factory for details. Standard Hooklift Additions SH52R2 Double rear rollers \$1,230 POTBL Paint other than standard black \$430 SH52PSS Stainless steel pins in lieu of zinc plated pins, for heavy salt type enviroment. \$1,350 PTOs FTOs 5355 PTO, air shift \$860 15685 PTO, hot shift for automatic transmission for chassis larger than F550 \$2,050 Pumps 76705 Hydraulic Pump, 3.84 CID piston Hydro Leduc w/ 2" suction and pressure \$1,380	SH52TA1	operated hooklift out of sequence and needs to replace 1/4" bolt in dump	\$230
HYDA2 Reservoir and valve bank with two section air controls for fixed hook height \$1,580 HYDC2-96 Reservoir and valve bank with two section cable controls for fixed hook height-96" HYDC2-144 Reservoir and valve bank with two section extended controls for fixed hook height-144" for extended cab or cabover HYDC2-192 Reservoir and valve bank with two section extended controls for fixed hook height-192" for crew cab or cabover Note: Custom hydraulic packages are available. Contact the factory for details. Standard Hooklift Additions SH52R2 Double rear rollers \$1,230 POTBL Paint other than standard black \$430 SH52PSS Stainless steel pins in lieu of zinc plated pins, for heavy salt type enviroment. \$1,350 PTOs FTO, air shift \$860 15685 PTO, hot shift for automatic transmission for chassis larger than F550 \$2,050 Pumps 76705 Hydraulic Pump, 3.84 CID piston Hydro Leduc w/ 2" suction and pressure \$1,380		Hydraulics with Controls	
HYDC2-96 Reservoir and valve bank with two section cable controls for fixed hook height-96" HYDC2-144 Reservoir and valve bank with two section extended controls for fixed hook height-144" for extended cab or cabover HYDC2-192 Reservoir and valve bank with two section extended controls for fixed hook height-192" for crew cab or cabover Note: Custom hydraulic packages are available. Contact the factory for details. Standard Hooklift Additions SH52R2 Double rear rollers \$1,230 POTBL Paint other than standard black \$430 SH52PSS Stainless steel pins in lieu of zinc plated pins, for heavy salt type enviroment. \$1,350 PTOs STOR DOUBLE STOR SHIFT of automatic transmission for chassis larger than F550 \$2,050 Pumps Hydraulic Pump, 3.84 CID piston Hydro Leduc w/ 2" suction and pressure \$1,380	HYDVAL	Reservoir and valve bank only-no controls	\$1,420
height-96" HYDC2-144 Reservoir and valve bank with two section extended controls for fixed hook height-144" for extended cab or cabover HYDC2-192 Reservoir and valve bank with two section extended controls for fixed hook height-192" for crew cab or cabover Note: Custom hydraulic packages are available. Contact the factory for details. Standard Hooklift Additions SH52R2 Double rear rollers \$1,230 POTBL Paint other than standard black \$430 SH52PSS Stainless steel pins in lieu of zinc plated pins, for heavy salt type enviroment. \$1,350 PTOs FTOs 15685 PTO, air shift \$860 15685 PTO, hot shift for automatic transmission for chassis larger than F550 \$2,050 Pumps 76705 Hydraulic Pump, 3.84 CID piston Hydro Leduc w/ 2" suction and pressure \$1,380	HYDA2	Reservoir and valve bank with two section air controls for fixed hook height	\$1,580
height-144" for extended cab or cabover HYDC2-192 Reservoir and valve bank with two section extended controls for fixed hook height-192" for crew cab or cabover Note: Custom hydraulic packages are available. Contact the factory for details. SH52R2 Double rear rollers \$1,230 POTBL Paint other than standard black \$430 SH52PSS Stainless steel pins in lieu of zinc plated pins, for heavy salt type enviroment. \$1,350 PTOs FTOs PTO, air shift \$860 15685 PTO, hot shift for automatic transmission for chassis larger than F550 \$2,050 Pumps 76705 Hydraulic Pump, 3.84 CID piston Hydro Leduc w/ 2" suction and pressure \$1,380	HYDC2-96		\$1,580
Note: Custom hydraulic packages are available. Contact the factory for details. Standard Hooklift Additions SH52R2 Double rear rollers \$1,230 POTBL Paint other than standard black \$430 SH52PSS Stainless steel pins in lieu of zinc plated pins, for heavy salt type enviroment. \$1,350 PTOs FTOs 5355 PTO, air shift \$860 15685 PTO, hot shift for automatic transmission for chassis larger than F550 \$2,050 Pumps 76705 Hydraulic Pump, 3.84 CID piston Hydro Leduc w/ 2" suction and pressure \$1,380	HYDC2-144		\$1,640
SH52R2 Double rear rollers \$1,230 POTBL Paint other than standard black \$430 SH52PSS Stainless steel pins in lieu of zinc plated pins, for heavy salt type enviroment. \$1,350 PTOs FTOs 5355 PTO, air shift \$860 15685 PTO, hot shift for automatic transmission for chassis larger than F550 \$2,050 Pumps 76705 Hydraulic Pump, 3.84 CID piston Hydro Leduc w/ 2" suction and pressure \$1,380	HYDC2-192		\$1,680
SH52R2 Double rear rollers \$1,230 POTBL Paint other than standard black \$430 SH52PSS Stainless steel pins in lieu of zinc plated pins, for heavy salt type enviroment. \$1,350 PTOs 5355 PTO, air shift \$860 15685 PTO, hot shift for automatic transmission for chassis larger than F550 \$2,050 Pumps 76705 Hydraulic Pump, 3.84 CID piston Hydro Leduc w/ 2" suction and pressure \$1,380	Note: Custor	n hydraulic packages are available. Contact the factory for details.	
POTBL Paint other than standard black \$430 SH52PSS Stainless steel pins in lieu of zinc plated pins, for heavy salt type enviroment. \$1,350 PTOs 5355 PTO, air shift \$860 15685 PTO, hot shift for automatic transmission for chassis larger than F550 \$2,050 Pumps 76705 Hydraulic Pump, 3.84 CID piston Hydro Leduc w/ 2" suction and pressure \$1,380		Standard Hooklift Additions	
SH52PSS Stainless steel pins in lieu of zinc plated pins, for heavy salt type enviroment. \$1,350 PTOs 5355 PTO, air shift \$860 15685 PTO, hot shift for automatic transmission for chassis larger than F550 \$2,050 Pumps 76705 Hydraulic Pump, 3.84 CID piston Hydro Leduc w/ 2" suction and pressure \$1,380	SH52R2	Double rear rollers	\$1,230
PTOs 5355 PTO, air shift \$860 15685 PTO, hot shift for automatic transmission for chassis larger than F550 \$2,050 Pumps 76705 Hydraulic Pump, 3.84 CID piston Hydro Leduc w/ 2" suction and pressure \$1,380	POTBL	Paint other than standard black	\$430
5355 PTO, air shift \$860 15685 PTO, hot shift for automatic transmission for chassis larger than F550 \$2,050 Pumps 76705 Hydraulic Pump, 3.84 CID piston Hydro Leduc w/ 2" suction and pressure \$1,380	SH52PSS	Stainless steel pins in lieu of zinc plated pins, for heavy salt type enviroment.	\$1,350
PTO, hot shift for automatic transmission for chassis larger than F550 \$2,050 Pumps 76705 Hydraulic Pump, 3.84 CID piston Hydro Leduc w/ 2" suction and pressure \$1,380		PTOs	
Pumps 76705 Hydraulic Pump, 3.84 CID piston Hydro Leduc w/ 2" suction and pressure \$1,380	5355	PTO, air shift	\$860
76705 Hydraulic Pump, 3.84 CID piston Hydro Leduc w/ 2" suction and pressure \$1,380	15685	PTO, hot shift for automatic transmission for chassis larger than F550	\$2,050
		Pumps	
	76705		\$1,380
Fenders		Fenders	



190 State Street • Garner, IA 50438 800-321-3741 • www.stellarindustries.com

Stellar® Shuttle Hooklift Price Sheet 52,000 Lbs Capacity

Part#	Description	List Price
58217	Poly Fender Assemblies for Tandem Axles with Mounting Brackets	\$1,230
64058	Tri-axle Poly Fender Assemblies with Mounting Brackets, Consists of Two (2) Tandem and Two (2) Single Axle Poly Fenders	\$1,350
46122	Tandem Axle Steel Fender Assemblies with Mounting Brackets	\$1,190
46645	Tri-axle steel fenders with mounting brackets. Consists of (2)tandem and (2) single axle steel fenders	\$2,020
21132	Aluminum fenders for tandem axle, 1/8" smooth, with mounting brackets	\$1,530
	Mudflaps	
19494	One pair Stellar mud flaps with mounting bolts	\$60
	Bumpers	
5407	Heavy duty rectangular tubing bumper. LED light kit (FMVSS108 compliant) and backup alarm is included. Must be used on 25,000 # GVWR or greater chassis. Will not work on 19,500# GVWR chassis. Stellar AutoTarper ready.	\$1,350
61363	Bumper, reinforced to accept pintle hitch 90K. (pintle not included). LED light kit (FMVSS108 compliant) and backup alarm is included. Stellar AutoTarper ready.	\$1,950
47154	Manually-operated fold out single pivot rear bumper with 90K pintle plate. Extends bumper an additional 19" past the rear of truck when a long body is loaded. Provides for up to 42" allowable overhang	\$2,190
	Pintle Hitches	
7406	PH-200 (non-air operated) pintle hitch 90000# max. gross tongue weight	\$590
8009	PH-200 air operated pintle hitch, 18000# vertical load, 90000# max. gross tongue weight	\$720
	Tarpers	
Note: The f	ollowing Stellar® Auto Tarper only works with models 174-20-52 and 190-24-52	
81911	Tarper Assembly SIAT GEN2 for Use with Hooklift	\$8,730
45337	White mesh tarp for hooklift applications. Must choose this tarp when using with hooklifts.	\$400
	ICC Safety Kit	
5305	ICC safety kit consisting of rechargeable fire extinguisher and reflector kit	\$150
	Toolboxes	
8480	Steel underbody toolbox with overhead door. Dimensions are 20"H x 45"L x 22" D. Features stainless steel automotive-type two-stage latches. Includes mounting brackets. Painted gloss black	\$1,720



190 State Street • Garner, IA 50438 800-321-3741 • www.stellarindustries.com

Stellar® Shuttle Hooklift Price Sheet 52,000 Lbs Capacity

Part#	Description	List Price
10401	Steel underbody toolbox with overhead door. Dimensions are 18"H x 36"L x 18"D. Features stainless steel automotive-type two-stage latches and stainless steel hinges. Includes mounting brackets. Painted gloss black	\$1,440
10402	Steel underbody toolbox with overhead door. Dimensions are 20"H x 58"L x 22"D. Features stainless steel automotive-type two-stage latches and stainless steel hinges. Includes mounting brackets. Painted gloss black	\$1,180
	Floodlights	
74311	LED Flood Light Assembly	\$90
	Trailer Plugs	
22872	Trailer plug - 7 pin round - Only for chassis equipped to handle this style plug from factory.	\$160
22876	Trailer plug - 7-pin (flat) - Only for chassis equipped to handle RV / electric brakes from factory.	\$100
	Service and Emergency	
37733	Service and emergency gladhands with dummies and mounting bracket	\$130



190 State Street • Garner, IA 50438 800-321-3741 • www.stellarindustries.com

Stellar® Shuttle Hooklift Price Sheet 65,000 Lbs Capacity

Part#	Description	List Price
ncluded in bo	t only with mounting kit. Select hydraulics, including reservoir, from list below. We ase hooklift. Hooklifts hydraulic requirements are 25gpm @ 4200 psi maximum. Hase hooklift. Select from list below.	
SH65-138	Stellar Shuttle 138-18-65, designed for 138" to 144" CT chassis. Body lengths 15'-17' containers; up to 18' flatbed. Shipping weight approx. 6300lb.	\$38,520
SH65-174	Stellar Shuttle 174-20-65, designed for 160" to 174" CT chassis. Body lengths 18'-20' containers; up to 22' flatbed. Shipping weight approx. 6800lb.	\$40,860
SH65-190	Stellar Shuttle 190-24-65, designed for 174" to 190" CT chassis. Body lengths 20'-22' containers; up to 24' flatbed. Shipping weight approx. 7300lb.	\$42,430
	Hydraulics with Controls	
HYDVAL	Reservoir and valve bank only-no controls	\$1,420
HYDA2	Reservoir and valve bank with two section air controls for fixed hook height	\$1,580
HYDC2-96	Reservoir and valve bank with two section cable controls for fixed hook height-96"	\$1,580
HYDC2-144	Reservoir and valve bank with two section extended controls for fixed hook height-144" for extended cab or cabover	\$1,640
HYDC2-192	Reservoir and valve bank with two section extended controls for fixed hook height-192" for crew cab or cabover	\$1,680
Note: Custor	n hydraulic packages are available. Contact the factory for details.	
	Standard Hooklift Additions	
POTBL	Paint other than standard black	\$430
SS PINS	Stainless steel pins in lieu of zinc plated pins, for heavy salt type enviroment.	\$1,300
	PTOs	
5355	PTO, air shift	\$860
15685	PTO, hot shift for automatic transmission for chassis larger than F550	\$2,050
	Pumps	
76705	Hydraulic Pump, 3.84 CID piston Hydro Leduc w/ 2" suction and pressure fittings.	\$1,380
	Fenders	
58217	Poly Fender Assemblies for Tandem Axles with Mounting Brackets	\$1,230
64058	Tri-axle Poly Fender Assemblies with Mounting Brackets, Consists of Two (2) Tandem and Two (2) Single Axle Poly Fenders	\$1,350
46122	Tandem Axle Steel Fender Assemblies with Mounting Brackets	\$1,190



190 State Street • Garner, IA 50438 800-321-3741 • www.stellarindustries.com

Stellar® Shuttle Hooklift Price Sheet 65,000 Lbs Capacity

Part#	Description	List Price
46645	Tri-axle steel fenders with mounting brackets. Consists of (2)tandem and (2) single axle steel fenders	\$2,020
21132	Aluminum fenders for tandem axle, 1/8" smooth, with mounting brackets	\$1,530
	Mudflaps	
19494	One pair Stellar mud flaps with mounting bolts	\$60
	Bumpers	
5407	Heavy duty rectangular tubing bumper. LED light kit (FMVSS108 compliant) and backup alarm is included. Must be used on 25,000 # GVWR or greater chassis. Will not work on 19,500# GVWR chassis. Stellar AutoTarper ready.	\$1,350
61363	Bumper, reinforced to accept pintle hitch 90K. (pintle not included). LED light kit (FMVSS108 compliant) and backup alarm is included. Stellar AutoTarper ready.	\$1,950
47154	Manually-operated fold out single pivot rear bumper with 90K pintle plate. Extends bumper an additional 19" past the rear of truck when a long body is loaded. Provides for up to 42" allowable overhang	\$2,190
	Pintle Hitches	
7406	PH-200 (non-air operated) pintle hitch 90000# max. gross tongue weight	\$590
8009	PH-200 air operated pintle hitch, 18000# vertical load, 90000# max. gross tongue weight	\$720
	Tarpers	
Note: The f	following Stellar® Auto Tarper only works with models 174-20-65 and 190-24-65	
81911	Tarper Assembly SIAT GEN2 for Use with Hooklift	\$8,730
45337	White mesh tarp for hooklift applications. Must choose this tarp when using with hooklifts.	\$400
	ICC Safety Kit	
5305	ICC safety kit consisting of rechargeable fire extinguisher and reflector kit	\$150
	Toolboxes	
8480	Steel underbody toolbox with overhead door. Dimensions are 20"H x 45"L x 22" D. Features stainless steel automotive-type two-stage latches. Includes mounting brackets. Painted gloss black	\$1,720
10401	Steel underbody toolbox with overhead door. Dimensions are 18"H x 36"L x 18"D. Features stainless steel automotive-type two-stage latches and stainless steel hinges. Includes mounting brackets. Painted gloss black	\$1,440



190 State Street • Garner, IA 50438 800-321-3741 • www.stellarindustries.com

Stellar® Shuttle Hooklift Price Sheet 65,000 Lbs Capacity

Part#	Description	List Price
10402	Steel underbody toolbox with overhead door. Dimensions are 20"H x 58"L x 22"D. Features stainless steel automotive-type two-stage latches and stainless steel hinges. Includes mounting brackets. Painted gloss black	\$1,180
	Floodlights	
74311	LED Flood Light Assembly	\$90
	Trailer Plugs	
22872	Trailer plug - 7 pin round - Only for chassis equipped to handle this style plug from factory.	\$160
22876	Trailer plug - 7-pin (flat) - Only for chassis equipped to handle RV / electric brakes from factory.	\$100
	Service and Emergency	
37733	Service and emergency gladhands with dummies and mounting bracket	\$130



190 State Street • Garner, IA 50438 800-321-3741 • www.stellarindustries.com

Stellar® Slider20 Hooklift Price Sheet 20,000 Lbs Capacity

Part#	Description	List Price
oase hooklift.	only with mounting kit. Select hydraulics, including reservoir, from list below. Ou Hooklifts hydraulic requirements are 20gpm @ 4200 psi maximum. Hydraulic Pui t from list below.	
SL20HH54	Stellar Slider20, 54" hook height. Designed for 138" to 156" CA chassis. Body lengths 13' - 18'; up to 20' flatbeds. Shipping weight approx. 3500 lb.	\$22,060
SL20HH62	Stellar Slider20, 62" hook height. Designed for 138" to 156" CA chassis. Body lengths 13' - 18'; up to 20' flatbeds. Shipping weight approx. 3600 lb.	\$22,060
SL20HH5462	Stellar Slider20, 54"-62" adjustable hook height. Designed for 138" to 156" CA chassis. Body lengths 13' - 18'; up to 20' flatbeds. Shipping weight approx. 3700 lb.	\$24,750
	Hydraulics with Controls	
HYD10VAL	Reservoir and valve bank only-no controls	\$940
HYD10A2	Reservoir and valve bank with air controls-2 section	\$1,890
HYD10C2-96	Reservoir and valve bank with cable controls-96"	\$1,100
HYD10C2-144	Reservoir and valve bank with extended cable controls- 144" of extended cab or cabover	\$1,150
HYD10C2-192	Reservoir and valve bank with extended cable controls- 192" of crew cab or cabover	\$1,350
HYD10C3-96	Reservoir and valve bank for cable controls-96" three section	\$1,100
HYD10C3-144	Reservoir and valve bank for cable controls-144" three section for extended cab and cabover	\$1,150
HYD10C3-192	Reservoir and valve bank for cable controls-192" three section for crew cab and cabover	\$1,350
HYD10A3	Reservoir and valve bank for air controls-3 section	\$2,280
Note: Custom	hydraulic packages are available. Contact the factory for details.	
	Standard Hooklift Additions	
POTBL	Paint other than standard black	\$430
SL20PSS	Stainless steel pins in lieu of zinc plated pins, for heavy salt type enviroment.	\$1,350
	PTOs	
5355	PTO, air shift	\$860
15685	PTO, hot shift for automatic transmission for chassis larger than F550	\$2,050
	Pumps	
56432	Hydraulic pump for chassis larger than Ford F550. Overspeed protection not included.	\$1,120



190 State Street • Garner, IA 50438 800-321-3741 • www.stellarindustries.com

Stellar® Slider20 Hooklift Price Sheet 20,000 Lbs Capacity

Part#	Description	List Price
	Fenders Fenders	
6170	One pair poly fenders for 20,000 to 28,000# GVWR chassis with 22.5 wheels, includes fender brackets, mounting hardware.	\$640
58217	Poly Fender Assemblies for Tandem Axles with Mounting Brackets	\$1,230
46299	One pair steel fenders for 20,000 to 28,000# GVWR chassis with 22.5 wheels, includes fender brackets, mounting hardware.	\$1,020
66325	FENDER ASM AL SMOOTH LOW-PRO	\$730
	Mudflaps	
19494	One pair Stellar mud flaps with mounting bolts	\$60
96895	Mud Flap Kit - Spring Assist - 24x24 Mud Flap NOT Included.	\$110
	Bumpers	
5407	Heavy duty rectangular tubing bumper. LED light kit (FMVSS108 compliant) and backup alarm is included. Must be used on 25,000 # GVWR or greater chassis. Will not work on 19,500# GVWR chassis. Stellar AutoTarper ready.	\$1,350
17441	Bumper, reinforced to accept pintle hitch 30K (pintle hitch is not included). LED light kit (FMVS\$108 compliant) and backup alarm is included. Stellar AutoTarper ready	\$1,810
31920	Manually-operated fold out single pivot rear bumper with 30K pintle plate. Extends bumper an additional 19" past the rear of truck when a long body is loaded. Provides for up to 42" allowable overhang	\$2,110
	Pintle Hitches	
57952	Pintle Hitch - 30,000 lb	\$210
	ICC Safety Kit	
5305	ICC safety kit consisting of rechargeable fire extinguisher and reflector kit	\$150
	Toolboxes	
10401	Steel underbody toolbox with overhead door. Dimensions are 18"H x 36"L x 18"D. Features stainless steel automotive-type two-stage latches and stainless steel hinges. Includes mounting brackets. Painted gloss black	\$1,440
8480	Steel underbody toolbox with overhead door. Dimensions are 20"H x 45"L x 22" D. Features stainless steel automotive-type two-stage latches. Includes mounting brackets. Painted gloss black	\$1,720



190 State Street • Garner, IA 50438 800-321-3741 • www.stellarindustries.com

Stellar® Slider20 Hooklift Price Sheet 20,000 Lbs Capacity

Part#	Description	List Price
10402	Steel underbody toolbox with overhead door. Dimensions are 20"H x 58"L x 22"D. Features stainless steel automotive-type two-stage latches and stainless steel hinges. Includes mounting brackets. Painted gloss black	\$1,180
	Floodlights	
74311	LED Flood Light Assembly	\$90
	Trailer Plugs	
22876	Trailer plug - 7-pin (flat) - Only for chassis equipped to handle RV / electric brakes from factory.	\$100
22872	Trailer plug - 7 pin round - Only for chassis equipped to handle this style plug from factory.	\$160
	Service and Emergency	
37733	Service and emergency gladhands with dummies and mounting bracket	\$130



190 State Street • Garner, IA 50438 800-321-3741 • www.stellarindustries.com

Stellar® Slider20-S Hooklift Price Sheet 20,000 Lbs Capacity

Part#	Description	List Price
Note: Hooklift only with mounting kit. Select hydraulics, including reservoir, from list below. There are no latches in ease hooklift. Hooklifts hydraulic requirements are 24 gpm @ 4500 psi maximum. Hydraulic Pump not included in base looklift. Select from list below.		
SL20SHH36	Stellar Slider20, 36" hook height, designed for 120" CA chassis. Body lengths 10' - 14'; up to 16' flatbeds. Shipping weight approx. 3850 lb.	\$17,910
SL20SHH54	Stellar Slider20, 54" hook height, designed for 120" CA chassis. Body lengths 10' - 14'; up to 16' flatbeds. Shipping weight approx. 4000 lb.	\$17,910
SL20SHH3654	Stellar Slider20, 36-54" adjustable hook height, designed for 120" CA chassis. Body lengths 10' - 14'; up to 16' flatbeds. Shipping weight approx. 4200lb.	\$22,280
	Body Latches	
SL26BLIS	Inside body latches-bolt on (88041)	\$220
SL26BLOS	Outside body latches-bolt on (55358)	\$400
	Hydraulics with Controls	
HYDVAL	Reservoir and valve bank only-no controls	\$1,420
HYDC2-96	Reservoir and valve bank with two section cable controls for fixed hook height-96"	\$1,580
HYDC2-144	Reservoir and valve bank with two section extended controls for fixed hook height-144" for extended cab or cabover	\$1,640
HYDC2-192	Reservoir and valve bank with two section extended controls for fixed hook height-192" for crew cab or cabover	\$1,680
HYDA2	Reservoir and valve bank with two section air controls for fixed hook height	\$1,580
HYDC3-96	Reservoir and valve bank with three section cable controls for adjustable hook height-96"	\$1,580
HYDC3-144	Reservoir and valve bank with three section cable controls-144" for extended cab and cabover	\$1,640
HYDC3-192	Reservoir and valve bank with three section cable controls for adjustable hook height-192" for crew cab or cabover	\$1,680
HYDA3	Reservoir and valve bank with three section air controls for adjustable hook height	\$1,980
Note: Custom	hydraulic packages are available. Contact the factory for details.	
	Standard Hooklift Additions	
POTBL	Paint other than standard black	\$430
SL20SPSS	Stainless steel pins in lieu of zinc plated pins, for heavy salt type enviroment.	\$1,350
	PTOs	
5355	PTO, air shift	\$860



190 State Street • Garner, IA 50438 800-321-3741 • www.stellarindustries.com

Stellar® Slider20-S Hooklift Price Sheet 20,000 Lbs Capacity

Part#	Description	List Price
15685	PTO, hot shift for automatic transmission for chassis larger than F550	\$2,050
	Pumps	
76705	Hydraulic Pump, 3.84 CID piston Hydro Leduc w/ 2" suction and pressure fittings.	\$1,380
	Fenders	
6170	One pair poly fenders for 20,000 to 28,000# GVWR chassis with 22.5 wheels, includes fender brackets, mounting hardware.	\$640
58217	Poly Fender Assemblies for Tandem Axles with Mounting Brackets	\$1,230
46299	One pair steel fenders for 20,000 to 28,000# GVWR chassis with 22.5 wheels, includes fender brackets, mounting hardware.	\$1,020
66325	FENDER ASM AL SMOOTH LOW-PRO	\$730
	Mudflaps	
19494	One pair Stellar mud flaps with mounting bolts	\$60
96895	Mud Flap Kit - Spring Assist - 24x24 Mud Flap NOT Included.	\$110
	Bumpers	
5407	Heavy duty rectangular tubing bumper. LED light kit (FMVSS108 compliant) and backup alarm is included. Must be used on 25,000 # GVWR or greater chassis. Will not work on 19,500# GVWR chassis. Stellar AutoTarper ready.	\$1,350
17441	Bumper, reinforced to accept pintle hitch 30K (pintle hitch is not included). LED light kit (FMVS\$108 compliant) and backup alarm is included. Stellar AutoTarper ready	\$1,810
31920	Manually-operated fold out single pivot rear bumper with 30K pintle plate. Extends bumper an additional 19" past the rear of truck when a long body is loaded. Provides for up to 42" allowable overhang	\$2,110
	Pintle Hitches	
57952	Pintle Hitch - 30,000 lb	\$210
	ICC Safety Kit	
5305	ICC safety kit consisting of rechargeable fire extinguisher and reflector kit	\$150
	Toolboxes	
10401	Steel underbody toolbox with overhead door. Dimensions are 18"H x 36"L x 18"D. Features stainless steel automotive-type two-stage latches and stainless steel hinges. Includes mounting brackets. Painted gloss black	\$1,440



190 State Street • Garner, IA 50438 800-321-3741 • www.stellarindustries.com

Stellar® Slider20-S Hooklift Price Sheet 20,000 Lbs Capacity

Part#	Description	List Price
8480	Steel underbody toolbox with overhead door. Dimensions are 20"H x 45"L x 22" D. Features stainless steel automotive-type two-stage latches. Includes mounting brackets. Painted gloss black	\$1,720
10402	Steel underbody toolbox with overhead door. Dimensions are 20"H x 58"L x 22"D. Features stainless steel automotive-type two-stage latches and stainless steel hinges. Includes mounting brackets. Painted gloss black	\$1,180
	Floodlights	
74311	LED Flood Light Assembly	\$90
	Trailer Plugs	
22876	Trailer plug - 7-pin (flat) - Only for chassis equipped to handle RV / electric brakes from factory.	\$100
22872	Trailer plug - 7 pin round - Only for chassis equipped to handle this style plug from factory.	\$160
	Service and Emergency	
37733	Service and emergency gladhands with dummies and mounting bracket	\$130



190 State Street • Garner, IA 50438 800-321-3741 • www.stellarindustries.com

Stellar® Slider26 Hooklift Price Sheet 26,000 Lbs Capacity

Part#	Description	List Price	
Note: Hooklift only with mounting kit. Select hydraulics, including reservoir, from list below. There are no latches in			
base hooklift. Hooklifts hydraulic requirements are 24 gpm @ 4500 psi maximum. Hydraulic Pump not included in base			
hooklift. Select from list below.			

	Hook Height Options	
SL26HH36	Stellar Slider26, 36" hook height. Designed for 130" to 144" CA or 130" to 138" CT chassis. Body lengths 12' - 16'; up to 18' flatbeds. Shipping weight approx. 3200 lb.	\$21,160
SL26HH54	Stellar Slider26, 54" hook height. Designed for 130" to 144" CA or 130" to 138" CT chassis. Body lengths 12' - 16'; up to 18' flatbeds. Shipping weight approx. 3300 lb.	\$21,610
SL26HH62	Stellar Slider26, 62" hook height. Designed for 130" to 144" CA or 130" to 138" CT chassis. Body lengths 12' - 16'; up to 18' flatbeds. Shipping weight approx. 3400 lb.	\$21,830
SL26HH3654	Stellar Slider26, 36-54" adjustable hook height. Designed for 130" to 144" CA or 130" to 138" CT chassis. Body lengths 12' - 16'; up to 18' flatbeds. Shipping weight approx. 3500 lb.	\$25,420
SL26HH5462	Stellar Slider26, 54-62" adjustable hook height. Designed for 130" to 144" CA or 130" to 138" CT chassis. Body lengths 12' - 16'; up to 18' flatbeds. Shipping weight approx. 3600 lb.	\$25,750
	Body Latches	
SL26BLIS	Inside body latches-bolt on (88041)	\$220
SL26BLOS	Outside body latches-bolt on (55358)	\$400
62315	Extended inside locks for skids using pocket style hold downs at 96.5 inch location (not required for skid using flat bar hold down); dealer must install.	\$740
	Hydraulics with Controls	
HYDVAL	Reservoir and valve bank only-no controls	\$1,420
HYDC2-96	Reservoir and valve bank with two section cable controls for fixed hook height-96"	\$1,580
HYDC2-144	Reservoir and valve bank with two section extended controls for fixed hook height-144" for extended cab or cabover	\$1,640
HYDC2-192	Reservoir and valve bank with two section extended controls for fixed hook height-192" for crew cab or cabover	\$1,680
HYDA2	Reservoir and valve bank with two section air controls for fixed hook height	\$1,580
HYDC3-96	Reservoir and valve bank with three section cable controls for adjustable hook height-96"	\$1,580
HYDC3-144	Reservoir and valve bank with three section cable controls-144" for extended cab and cabover	\$1,640



190 State Street • Garner, IA 50438 800-321-3741 • www.stellarindustries.com

Stellar® Slider26 Hooklift Price Sheet 26,000 Lbs Capacity

Part#	Description	List Price
HYDC3-192	Reservoir and valve bank with three section cable controls for adjustable hook height-192" for crew cab or cabover	\$1,680
HYDA3	Reservoir and valve bank with three section air controls for adjustable hook height	\$1,980
Note: Custon	n hydraulic packages are available. Contact the factory for details.	
	Standard Hooklift Additions	
SL26RF8	8" flange rear rollers-inside latches ONLY	\$100
SL26XRMB	Extra rollers - mid body.	\$650
SL26PSS	Stainless steel pins in leu of zinc	\$1,350
POTBL	Paint other than standard black	\$430
	PTOs	
5355	PTO, air shift	\$860
15685	PTO, hot shift for automatic transmission for chassis larger than F550	\$2,050
	Pumps	
76705	Hydraulic Pump, 3.84 CID piston Hydro Leduc w/ 2" suction and pressure fittings.	\$1,380
	Fenders	
6170	One pair poly fenders for 20,000 to 28,000# GVWR chassis with 22.5 wheels, includes fender brackets, mounting hardware.	\$640
58217	Poly Fender Assemblies for Tandem Axles with Mounting Brackets	\$1,230
46299	One pair steel fenders for 20,000 to 28,000# GVWR chassis with 22.5 wheels, includes fender brackets, mounting hardware.	\$1,020
66325	FENDER ASM AL SMOOTH LOW-PRO	\$730
	Mudflaps	
19494	One pair Stellar mud flaps with mounting bolts	\$60
96895	Mud Flap Kit - Spring Assist - 24x24 Mud Flap NOT Included.	\$110
	Bumpers	
5407	Heavy duty rectangular tubing bumper. LED light kit (FMVSS108 compliant) and backup alarm is included. Must be used on 25,000 # GVWR or greater chassis. Will not work on 19,500# GVWR chassis. Stellar AutoTarper ready.	\$1,350
17441	Bumper, reinforced to accept pintle hitch 30K (pintle hitch is not included). LED light kit (FMVS\$108 compliant) and backup alarm is included. Stellar AutoTarper ready	\$1,810



190 State Street • Garner, IA 50438 800-321-3741 • www.stellarindustries.com

Stellar® Slider26 Hooklift Price Sheet 26,000 Lbs Capacity

Part#	Description	List Price
31920	Manually-operated fold out single pivot rear bumper with 30K pintle plate. Extends bumper an additional 19" past the rear of truck when a long body is loaded. Provides for up to 42" allowable overhang	\$2,110
	Pintle Hitches	
57952	Pintle Hitch - 30,000 lb	\$210
	ICC Safety Kit	
5305	ICC safety kit consisting of rechargeable fire extinguisher and reflector kit	\$150
	Toolboxes	
10401	Steel underbody toolbox with overhead door. Dimensions are 18"H x 36"L x 18"D. Features stainless steel automotive-type two-stage latches and stainless steel hinges. Includes mounting brackets. Painted gloss black	\$1,440
8480	Steel underbody toolbox with overhead door. Dimensions are 20"H x 45"L x 22" D. Features stainless steel automotive-type two-stage latches. Includes mounting brackets. Painted gloss black	\$1,720
10402	Steel underbody toolbox with overhead door. Dimensions are 20"H x 58"L x 22"D. Features stainless steel automotive-type two-stage latches and stainless steel hinges. Includes mounting brackets. Painted gloss black	\$1,180
	Floodlights	
74311	LED Flood Light Assembly	\$90
	Trailer Plugs	
22876	Trailer plug - 7-pin (flat) - Only for chassis equipped to handle RV / electric brakes from factory.	\$100
22872	Trailer plug - 7 pin round - Only for chassis equipped to handle this style plug from factory.	\$160
	Service and Emergency	
37733	Service and emergency gladhands with dummies and mounting bracket	\$130



190 State Street • Garner, IA 50438 800-321-3741 • www.stellarindustries.com

Stellar® Slider34 Hooklift Price Sheet 34,000 Lbs Capacity

Part#	Description	List Price	
Note: Hooklift only with mounting kit. Select hydraulics, including reservoir, from list below. Weld-on body latches included in base hooklift. Hooklifts hydraulic requirements are 20gpm @ 4200 psi maximum. Hydraulic Pump not included in base hooklift. Select from list below.			
SL34HH54	Stellar Slider 34, 54" hook height, designed for 160" to 174" CT chassis. Body lengths 14'-20' containers; up to 22' flatbed. Shipping weight approx. 4300lb.	\$27,660	
SL34HH62	Stellar Slider 34, 62" hook height, designed for 160" to 174" CT chassis. Body lengths 14'-20' containers; up to 22' flatbed. Shipping weight approx. 4300lb.	\$27,660	
SL34HH5462	Stellar Slider 34, 54"-62"" hook height, designed for 160" to 174" CT chassis. Body lengths 14'-20' containers; up to 22' flatbed. Shipping weight approx. 4500lb.	\$31,340	
	Hydraulics with Controls		
HYDVAL	Reservoir and valve bank only-no controls	\$1,420	
HYDA2	Reservoir and valve bank with two section air controls for fixed hook height	\$1,580	
HYDC2-96	Reservoir and valve bank with two section cable controls for fixed hook height-96"	\$1,580	
HYDC2-144	Reservoir and valve bank with two section extended controls for fixed hook height-144" for extended cab or cabover	\$1,640	
HYDC2-192	Reservoir and valve bank with two section extended controls for fixed hook height-192" for crew cab or cabover	\$1,680	
HYDA3	Reservoir and valve bank with three section air controls for adjustable hook height	\$1,980	
HYDC3-96	Reservoir and valve bank with three section cable controls for adjustable hook height-96"	\$1,580	
HYDC3-144	Reservoir and valve bank with three section cable controls-144" for extended cab and cabover	\$1,640	
HYDC3-192	Reservoir and valve bank with three section cable controls for adjustable hook height-192" for crew cab or cabover	\$1,680	
Note: Custon	n hydraulic packages are available. Contact the factory for details.		
	Standard Hooklift Additions		
POTBL	Paint other than standard black	\$430	
SL34PSS	Stainless steel pins in lieu of zinc plated pins, for heavy salt type enviroment.	\$1,350	
	PTOs		
5355	PTO, air shift	\$860	
15685	PTO, hot shift for automatic transmission for chassis larger than F550	\$2,050	
	Pumps		



190 State Street • Garner, IA 50438 800-321-3741 • www.stellarindustries.com

Stellar® Slider34 Hooklift Price Sheet 34,000 Lbs Capacity

Description	List Price
Hydraulic Pump, 3.84 CID piston Hydro Leduc w/ 2" suction and pressure fittings.	\$1,380
Fenders	
One pair poly fenders for 20,000 to 28,000# GVWR chassis with 22.5 wheels, includes fender brackets, mounting hardware.	\$640
Poly Fender Assemblies for Tandem Axles with Mounting Brackets	\$1,230
Tri-axle Poly Fender Assemblies with Mounting Brackets, Consists of Two (2) Tandem and Two (2) Single Axle Poly Fenders	\$1,350
One pair steel fenders for 20,000 to 28,000# GVWR chassis with 22.5 wheels, includes fender brackets, mounting hardware.	\$1,020
Tandem Axle Steel Fender Assemblies with Mounting Brackets	\$1,190
Tri-axle steel fenders with mounting brackets. Consists of (2) tandem and (2) single axle steel fenders	\$2,020
Aluminum fenders for tandem axle, 1/8" smooth, with mounting brackets	\$1,530
Mudflaps	
One pair Stellar mud flaps with mounting bolts	\$60
Bumpers	
Heavy duty rectangular tubing bumper. LED light kit (FMVSS108 compliant) and backup alarm is included. Must be used on 25,000 # GVWR or greater chassis. Will not work on 19,500# GVWR chassis. Stellar AutoTarper ready.	\$1,350
Bumper, reinforced to accept pintle hitch 90K. (pintle not included). LED light kit (FMVSS108 compliant) and backup alarm is included. Stellar AutoTarper ready.	\$1,950
Manually-operated fold out single pivot rear bumper with 90K pintle plate. Extends bumper an additional 19" past the rear of truck when a long body is loaded. Provides for up to 42" allowable overhang	\$2,190
Pintle Hitches	
PH-200 (non-air operated) pintle hitch 90000# max. gross tongue weight	\$590
PH-200 air operated pintle hitch, 18000# vertical load, 90000# max. gross tongue weight	\$720
ICC Safety Kit	
ICC safety kit consisting of rechargeable fire extinguisher and reflector kit	\$150
Toolboxes	
	Hydraulic Pump, 3.84 CID piston Hydro Leduc w/ 2" suction and pressure fittings. Fenders One pair poly fenders for 20,000 to 28,000# GVWR chassis with 22.5 wheels, includes fender brackets, mounting hardware. Poly Fender Assemblies for Tandem Axles with Mounting Brackets Tri-axle Poly Fender Assemblies with Mounting Brackets, Consists of Two (2) Tandem and Two (2) Single Axle Poly Fenders, One pair steel fenders for 20,000 to 28,000# GVWR chassis with 22.5 wheels, includes fender brackets, mounting hardware. Tandem Axle Steel Fender Assemblies with Mounting Brackets Tri-axle steel fenders with mounting brackets. Consists of (2) tandem and (2) single axle steel fenders Aluminum fenders for tandem axle, 1/8" smooth, with mounting brackets Mudflaps One pair Stellar mud flaps with mounting bolts Bumpers Heavy duty rectangular tubing bumper. LED light kit (FMVSS108 compliant) and backup alarm is included. Must be used on 25,000 # GVWR or greater chassis. Will not work on 19,500# GVWR chassis. Stellar AutoTarper ready. Bumper, reinforced to accept pintle hitch 90K. (pintle not included). LED light kit (FMVSS108 compliant) and backup alarm is included. Stellar AutoTarper ready. Manually-operated fold out single pivot rear bumper with 90K pintle plate, Extends bumper an additional 19" past the rear of truck when a long body is loaded. Provides for up to 42" allowable overhang Pintle Hitches PH-200 (non-air operated) pintle hitch, 18000# vertical load, 90000# max. gross tongue weight ICC Safety Kit ICC Safety Kit consisting of rechargeable fire extinguisher and reflector kit



190 State Street • Garner, IA 50438 800-321-3741 • www.stellarindustries.com

Stellar[®] Slider34 Hooklift Price Sheet 34,000 Lbs Capacity

Part#	Description	List Price
10401	Steel underbody toolbox with overhead door. Dimensions are 18"H x 36"L x 18"D. Features stainless steel automotive-type two-stage latches and stainless steel hinges. Includes mounting brackets. Painted gloss black	\$1,440
8480	Steel underbody toolbox with overhead door. Dimensions are 20"H x 45"L x 22" D. Features stainless steel automotive-type two-stage latches. Includes mounting brackets. Painted gloss black	\$1,720
10402	Steel underbody toolbox with overhead door. Dimensions are 20"H x 58"L x 22"D. Features stainless steel automotive-type two-stage latches and stainless steel hinges. Includes mounting brackets. Painted gloss black	\$1,180
	Floodlights	
74311	LED Flood Light Assembly	\$90
	Trailer Plugs	
22872	Trailer plug - 7 pin round - Only for chassis equipped to handle this style plug from factory.	\$160
22876	Trailer plug - 7-pin (flat) - Only for chassis equipped to handle RV / electric brakes from factory.	\$100
	Service and Emergency	
37733	Service and emergency gladhands with dummies and mounting bracket	\$130



190 State Street • Garner, IA 50438 800-321-3741 • www.stellarindustries.com

Stellar® Slider40 Hooklift Price Sheet 40,000 Lbs Capacity

Part#	Description	List Price
oase hooklift.	t only with mounting kit. Select hydraulics, including reservoir, from list below. The Hooklifts hydraulic requirements are 20gpm @ 4200 psi maximum. Hydraulic Puct from list below.	
SL40HH54	Stellar Slider40, 54" hook height, designed for 130" to 144" CT chassis. Body lengths 12'-16' containers; up to 18' flatbed. Shipping weight approx. 4,200 lbs.	\$25,190
SL40HH62	Stellar Slider40, 62" hook height, designed for 130" to 144" CT chassis. Body lengths 12'-16' containers; up to 18' flatbed. Shipping weight approx. 4,250 lbs.	\$25,190
SL40HH5462	Stellar Slider40, 54"-62" adjustable hook height, designed for 130" to 144" CT chassis. Body lengths 12'-16' containers; up to 18' flatbed. Shipping weight approx. 4,550 lbs.	\$29,000
	Body Latches	
SL40BLIS	Bolt on inside latches, per set	\$220
SL40BLOS	Bolt on outside latches, per set	\$400
	Hydraulics with Controls	
HYDVAL	Reservoir and valve bank only-no controls	\$1,420
HYDC2-96	Reservoir and valve bank with two section cable controls for fixed hook height-96"	\$1,580
HYDC2-144	Reservoir and valve bank with two section extended controls for fixed hook height-144" for extended cab or cabover	\$1,640
HYDC2-192	Reservoir and valve bank with two section extended controls for fixed hook height-192" for crew cab or cabover	\$1,680
HYDC3-96	Reservoir and valve bank with three section cable controls for adjustable hook height-96"	\$1,580
HYDC3-144	Reservoir and valve bank with three section cable controls-144" for extended cab and cabover	\$1,640
HYDC3-192	Reservoir and valve bank with three section cable controls for adjustable hook height-192" for crew cab or cabover	\$1,680
HYDA2	Reservoir and valve bank with two section air controls for fixed hook height	\$1,580
HYDA3	Reservoir and valve bank with three section air controls for adjustable hook height	\$1,980
Note: Custon	n hydraulic packages are available. Contact the factory for details.	
	Standard Hooklift Additions	
POTBL	Paint other than standard black	\$430
SL40PSS	Stainless steel pins in lieu of zinc plated pins, for heavy salt type enviroment.	\$1,350

Effective: 12/03/18 Revised: 03/22/19 All prices subject to change without notice F.O.B. Garner, IA.



190 State Street • Garner, IA 50438 800-321-3741 • www.stellarindustries.com

Stellar® Slider40 Hooklift Price Sheet 40,000 Lbs Capacity

Part#	Description	List Price
	PTOs	
5355	PTO, air shift	\$860
15685	PTO, hot shift for automatic transmission for chassis larger than F550	\$2,050
	Pumps	
76705	Hydraulic Pump, 3.84 CID piston Hydro Leduc w/ 2" suction and pressure fittings.	\$1,380
	Fenders	
58217	Poly Fender Assemblies for Tandem Axles with Mounting Brackets	\$1,230
46122	Tandem Axle Steel Fender Assemblies with Mounting Brackets	\$1,190
21132	Aluminum fenders for tandem axle, 1/8" smooth, with mounting brackets	\$1,530
	Mudflaps	
19494	One pair Stellar mud flaps with mounting bolts	\$60
	Bumpers	
5407	Heavy duty rectangular tubing bumper. LED light kit (FMVSS108 compliant) and backup alarm is included. Must be used on 25,000 # GVWR or greater chassis. Will not work on 19,500# GVWR chassis. Stellar AutoTarper ready.	\$1,350
61363	Bumper, reinforced to accept pintle hitch 90K. (pintle not included). LED light kit (FMVSS108 compliant) and backup alarm is included. Stellar AutoTarper ready.	\$1,950
47154	Manually-operated fold out single pivot rear bumper with 90K pintle plate. Extends bumper an additional 19" past the rear of truck when a long body is loaded. Provides for up to 42" allowable overhang	\$2,190
	Pintle Hitches	
7406	PH-200 (non-air operated) pintle hitch 90000# max. gross tongue weight	\$590
8009	PH-200 air operated pintle hitch, 18000# vertical load, 90000# max. gross tongue weight	\$720
	ICC Safety Kit	
5305	ICC safety kit consisting of rechargeable fire extinguisher and reflector kit	\$150
	Toolboxes	
10401	Steel underbody toolbox with overhead door. Dimensions are 18"H x 36"L x 18"D. Features stainless steel automotive-type two-stage latches and stainless steel hinges. Includes mounting brackets. Painted gloss black	\$1,440



190 State Street • Garner, IA 50438 800-321-3741 • www.stellarindustries.com

Stellar® Slider40 Hooklift Price Sheet 40,000 Lbs Capacity

Part#	Description	List Price
8480	Steel underbody toolbox with overhead door. Dimensions are 20"H x 45"L x 22" D. Features stainless steel automotive-type two-stage latches. Includes mounting brackets. Painted gloss black	\$1,720
10402	Steel underbody toolbox with overhead door. Dimensions are 20"H x 58"L x 22"D. Features stainless steel automotive-type two-stage latches and stainless steel hinges. Includes mounting brackets. Painted gloss black	\$1,180
	Floodlights	
74311	LED Flood Light Assembly	\$90
	Trailer Plugs	
22872	Trailer plug - 7 pin round - Only for chassis equipped to handle this style plug from factory.	\$160
22876	Trailer plug - 7-pin (flat) - Only for chassis equipped to handle RV / electric brakes from factory.	\$100
	Service and Emergency	
37733	Service and emergency gladhands with dummies and mounting bracket	\$130



190 State Street • Garner, IA 50438 800-321-3741 • www.stellarindustries.com

Stellar[®] Slider50 Hooklift Price Sheet Version 2 - 50,000 Lbs Capacity

Description	List Price	
Note: Hooklift only with mounting kit. Select hydraulics, including reservoir, from list below. There are no latches in case hooklift. Hooklifts hydraulic requirements are 25gpm @ 4200 psi maximum. Hydraulic Pump not included in base cooklift. Select from list below.		
Stellar Slider50, Version 2, fixed 54" (1372mm) hook height, 50,000lb (23587kg) capacity designed for 186" to 202" (4724mm to 5131mm) CT trucks, for containers 16' to 22' (4877mm to 6706mm), flatbeds up to 24' (7315mm) long. Dump angle is 51°	\$30,560	
Stellar Slider50, Version 2, fixed 61.75" (1568mm) hook height, 50,000lb (23587kg) capacity designed for 186" to 202" (4724mm to 5131mm) CT trucks, for containers 16' to 22' (4877mm to 6706mm), flatbeds up to 24' (7315mm) long. Dump angle is 51°	\$30,560	
Stellar Slider50, Version 2, 54" to 61.75" (1372mm to 1568mm) hydraulic adjustable hook height.42,000lb (19051kg) with 54" (1372mm) hook height or 50,000lb (22680kg) capacity with 61.75" (1568mm) hook height. Designed for 186" to 202" (4724mm to 5131mm) CT for containers 16' to 22' (4877mm to 6706mm), flatbeds up to 24' (7315mm) long. Dump angle is 51°	\$33,470	
Body Latches		
Outside Body Latches - Bolt on for Slider50	\$430	
Hydraulics with Controls		
Reservoir and valve bank only-no controls	\$1,420	
Reservoir and valve bank with two section air controls for fixed hook height	\$1,580	
Reservoir and valve bank with three section air controls for adjustable hook height	\$1,980	
Reservoir and valve bank with two section cable controls for fixed hook height-96"	\$1,580	
Reservoir and valve bank with two section extended controls for fixed hook height-144" for extended cab or cabover	\$1,640	
Reservoir and valve bank with two section extended controls for fixed hook height-192" for crew cab or cabover	\$1,680	
Reservoir and valve bank with three section cable controls for adjustable hook height-96"	\$1,580	
Reservoir and valve bank with three section cable controls-144" for extended cab and cabover	\$1,640	
Reservoir and valve bank with three section cable controls for adjustable hook height-192" for crew cab or cabover	\$1,680	
	Rookliffs hydraulic requirements are 25gpm @ 4200 psi maximum. Hydraulic Punit from list below. Stellar Slider50, Version 2, fixed 54" (1372mm) hook height, 50,000lb (23587kg) capacity designed for 186" to 202" (4724mm to 5131mm) CT trucks, for containers 16" to 22' (4877mm to 6706mm), flatbeds up to 24' (7315mm) long. Dump angle is 51" Stellar Slider50, Version 2, fixed 61.75" (1568mm) hook height, 50,000lb (23587kg) capacity designed for 186" to 202" (4724mm to 5131mm) CT trucks, for containers 16' to 22' (4877mm to 6706mm), flatbeds up to 24' (7315mm) long. Dump angle is 51" Stellar Slider50, Version 2, 54" to 61.75" (1372mm to 1568mm) hydraulic adjustable hook height.42,000lb (19051kg) with 54" (1372mm) hook height or 50,000lb (22680kg) capacity with 61.75" (1568mm) hook height. Designed for 186" to 202" (4724mm to 5131mm) CT for containers 16' to 22' (4877mm to 6706mm), flatbeds up to 24' (7315mm) long. Dump angle is 51" **Body Latches** Outside Body Latches - Bolt on for Slider50 **Hydraulics with Controls** Reservoir and valve bank with two section air controls for fixed hook height Reservoir and valve bank with three section air controls for adjustable hook height-96" Reservoir and valve bank with two section extended controls for fixed hook height-14" for extended cab or cabover Reservoir and valve bank with two section extended controls for fixed hook height-192" for crew cab or cabover Reservoir and valve bank with three section cable controls for adjustable hook height-196" Reservoir and valve bank with three section cable controls for dajustable hook height-192" for crew cab or cabover Reservoir and valve bank with three section cable controls for dajustable hook height-96" Reservoir and valve bank with three section cable controls for adjustable hook height-96" Reservoir and valve bank with three section cable controls for dajustable hook height-96"	

Standard Hooklift Additions

Effective: 12/03/18 Revised: 03/22/19 All prices subject to change without notice F.O.B. Garner, IA.



190 State Street • Garner, IA 50438 800-321-3741 • www.stellarindustries.com

Stellar[®] Slider50 Hooklift Price Sheet Version 2 - 50,000 Lbs Capacity

Part#	Description	List Price
SL50R2	Double Rear Rollers for Slider50	\$1,080
POTBL	Paint other than standard black	\$430
SL50PSS	Stainless steel pins in lieu of zinc plated pins, for heavy salt type enviroment.	\$1,350
	PTOs	
5355	PTO, air shift	\$860
15685	PTO, hot shift for automatic transmission for chassis larger than F550	\$2,050
	Pumps	
76705	Hydraulic Pump, 3.84 CID piston Hydro Leduc w/ 2" suction and pressure fittings.	\$1,380
	Fenders	
58217	Poly Fender Assemblies for Tandem Axles with Mounting Brackets	\$1,230
64058	Tri-axle Poly Fender Assemblies with Mounting Brackets, Consists of Two (2) Tandem and Two (2) Single Axle Poly Fenders	\$1,350
46122	Tandem Axle Steel Fender Assemblies with Mounting Brackets	\$1,190
46645	Tri-axle steel fenders with mounting brackets. Consists of (2) tandem and (2) single axle steel fenders	\$2,020
21132	Aluminum fenders for tandem axle, 1/8" smooth, with mounting brackets	\$1,530
	Mudflaps	
19494	One pair Stellar mud flaps with mounting bolts	\$60
	Bumpers	
76381	90K Pintle Hitch Bumper for Slider50	\$2,180
	Pintle Hitches	
7406	PH-200 (non-air operated) pintle hitch 90000# max. gross tongue weight	\$590
8009	PH-200 air operated pintle hitch, 18000# vertical load, 90000# max. gross tongue weight	\$720
	Tarpers	
81911	Tarper Assembly SIAT GEN2 for Use with Hooklift	\$8,730
45337	White mesh tarp for hooklift applications. Must choose this tarp when using with hooklifts.	\$400
	ICC Safety Kit	
5305	ICC safety kit consisting of rechargeable fire extinguisher and reflector kit	\$150
	Toolboxes	



190 State Street • Garner, IA 50438 800-321-3741 • www.stellarindustries.com

Stellar[®] Slider50 Hooklift Price Sheet Version 2 - 50,000 Lbs Capacity

Part#	Description	List Price
10401	Steel underbody toolbox with overhead door. Dimensions are 18"H x 36"L x 18"D. Features stainless steel automotive-type two-stage latches and stainless steel hinges. Includes mounting brackets. Painted gloss black	\$1,440
8480	Steel underbody toolbox with overhead door. Dimensions are 20"H x 45"L x 22" D. Features stainless steel automotive-type two-stage latches. Includes mounting brackets. Painted gloss black	\$1,720
10402	Steel underbody toolbox with overhead door. Dimensions are 20"H x 58"L x 22"D. Features stainless steel automotive-type two-stage latches and stainless steel hinges. Includes mounting brackets. Painted gloss black	\$1,180
	Floodlights	
74311	LED Flood Light Assembly	\$90
	Trailer Plugs	
22872	Trailer plug - 7 pin round - Only for chassis equipped to handle this style plug from factory.	\$160
22876	Trailer plug - 7-pin (flat) - Only for chassis equipped to handle RV / electric brakes from factory.	\$100
	Service and Emergency	
	Service and emergency gladhands with dummies and mounting bracket	\$130



190 State Street • Garner, IA 50438 800-321-3741 • www.stellarindustries.com

Stellar® Slider65 Hooklift Price Sheet 65,000 Lbs Capacity

Part#	Description	List Price
Note: Hooklift only with mounting kit. Select hydraulics, including reservoir, from list below. Weld-on body latches included in base hooklift. Hooklifts hydraulic requirements are 25gpm @ 4200 psi maximum. Hydraulic Pump not included in base hooklift. Select from list below.		
SL65HH54	Stellar Slider 65, 54" hook height, designed for 170" to 180" CT chassis. Body lengths 16'-22' containers; up to 24' flatbed. Double rear rollers standard. Shipping weight approx. 6600lb.	\$36,940
SL65HH62	Stellar Slider 65, 62" hook height, designed for 170" to 180" CT chassis. Body lengths 16'-22' containers; up to 24' flatbed. Double rear rollers standard. Shipping weight approx. 6600lb.	\$36,940
SL65HH5462	Stellar Slider 65, 54"-62" adjustable hook height, designed for 170" to 180" CT chassis. Body lengths 16'-22' containers; up to 24' flatbed. Double rear rollers standard. Shipping weight approx. 6700lb.	\$39,300
	Hydraulics with Controls	
HYDVAL	Reservoir and valve bank only-no controls	\$1,420
HYDA2	Reservoir and valve bank with two section air controls for fixed hook height	\$1,580
HYDA3	Reservoir and valve bank with three section air controls for adjustable hook height	\$1,980
HYDC2-96	Reservoir and valve bank with two section cable controls for fixed hook height-96"	\$1,580
HYDC2-144	Reservoir and valve bank with two section extended controls for fixed hook height-144" for extended cab or cabover	\$1,640
HYDC2-192	Reservoir and valve bank with two section extended controls for fixed hook height-192" for crew cab or cabover	\$1,680
HYDC3-96	Reservoir and valve bank with three section cable controls for adjustable hook height-96"	\$1,580
HYDC3-144	Reservoir and valve bank with three section cable controls-144" for extended cab and cabover	\$1,640
HYDC3-192	Reservoir and valve bank with three section cable controls for adjustable hook height-192" for crew cab or cabover	\$1,680
Note: Custom	n hydraulic packages are available. Contact the factory for details.	
	Standard Hooklift Additions	
POTBL	Paint other than standard black	\$430
SL65PSS	Stainless steel pins in lieu of zinc plated pins, for heavy salt type enviroment.	\$1,350
	PTOs	
5355	PTO, air shift	\$860
15685	PTO, hot shift for automatic transmission for chassis larger than F550	\$2,050



190 State Street • Garner, IA 50438 800-321-3741 • www.stellarindustries.com

Stellar® Slider65 Hooklift Price Sheet 65,000 Lbs Capacity

Part#	Description	List Price
	Pumps	
76705	Hydraulic Pump, 3.84 CID piston Hydro Leduc w/ 2" suction and pressure fittings.	\$1,380
	Fenders	
58217	Poly Fender Assemblies for Tandem Axles with Mounting Brackets	\$1,230
64058	Tri-axle Poly Fender Assemblies with Mounting Brackets, Consists of Two (2) Tandem and Two (2) Single Axle Poly Fenders	\$1,350
46122	Tandem Axle Steel Fender Assemblies with Mounting Brackets	\$1,190
46645	Tri-axle steel fenders with mounting brackets. Consists of (2) tandem and (2) single axle steel fenders	\$2,020
21132	Aluminum fenders for tandem axle, 1/8" smooth, with mounting brackets	\$1,530
	Mudflaps	
19494	One pair Stellar mud flaps with mounting bolts	\$60
	Bumpers	
5407	Heavy duty rectangular tubing bumper. LED light kit (FMVSS108 compliant) and backup alarm is included. Must be used on 25,000 # GVWR or greater chassis. Will not work on 19,500# GVWR chassis. Stellar AutoTarper ready.	\$1,350
63580	Bumper, reinforced to accept pintle hitch 90K. (pintle not included). Stellar AutoTarper ready.	\$1,950
47154	Manually-operated fold out single pivot rear bumper with 90K pintle plate. Extends bumper an additional 19" past the rear of truck when a long body is loaded. Provides for up to 42" allowable overhang	\$2,190
	Pintle Hitches	
7406	PH-200 (non-air operated) pintle hitch 90000# max. gross tongue weight	\$590
8009	PH-200 air operated pintle hitch, 18000# vertical load, 90000# max. gross tongue weight	\$720
	Tarpers	
81911	Tarper Assembly SIAT GEN2 for Use with Hooklift	\$8,730
45337	White mesh tarp for hooklift applications. Must choose this tarp when using with hooklifts.	\$400
	ICC Safety Kit	
5305	ICC safety kit consisting of rechargeable fire extinguisher and reflector kit	\$150
	Toolboxes	



190 State Street • Garner, IA 50438 800-321-3741 • www.stellarindustries.com

Stellar® Slider65 Hooklift Price Sheet 65,000 Lbs Capacity

Part#	Description	List Price
10401	Steel underbody toolbox with overhead door. Dimensions are 18"H x 36"L x 18"D. Features stainless steel automotive-type two-stage latches and stainless steel hinges. Includes mounting brackets. Painted gloss black	\$1,440
8480	Steel underbody toolbox with overhead door. Dimensions are 20"H x 45"L x 22" D. Features stainless steel automotive-type two-stage latches. Includes mounting brackets. Painted gloss black	\$1,720
10402	Steel underbody toolbox with overhead door. Dimensions are 20"H x 58"L x 22"D. Features stainless steel automotive-type two-stage latches and stainless steel hinges. Includes mounting brackets. Painted gloss black	\$1,180
	Floodlights	
74311	LED Flood Light Assembly	\$90
	Trailer Plugs	
22872	Trailer plug - 7 pin round - Only for chassis equipped to handle this style plug from factory.	\$160
22876	Trailer plug - 7-pin (flat) - Only for chassis equipped to handle RV / electric brakes from factory.	\$100
	Service and Emergency	
37733	Service and emergency gladhands with dummies and mounting bracket	\$130



190 State Street • Garner, IA 50438 800-321-3741 • www.stellarindustries.com

Stellar® SI 710 Hooklift Price Sheet 20,000 Lbs Capacity Single Pivot

Part#	Description	List Price		
Note: Hooklift only with mounting kit. Select hydraulics, including reservoir, from list below. There are no latches in base hooklift. Hooklifts hydraulic requirements are 23gpm @ 3000 psi maximum. Iydraulic Pump not included in base hooklift. Select from list below.				
SI710-108	SI710-108-36 36" single pivot style hooklift designed for 108"CA trucks, 11' to 12' bodies	\$15,260		
SI710-120	SI710-120-36 single pivot style hooklift designed for 120"CA chassis, 12' to 13' bodies	\$15,260		
SI710-138	SI710-138-54 single pivot style hooklift designed for 138"CA chassis, 13' to 15' bodies	\$16,270		
SI710-156	SI710-156-54 single pivot style hooklift designed for 156"CA chassis, 15' to 16' bodies	\$16,550	\$	
	Hook Height Options			
SI710HH36	36" hook height-Not available on 138 or 156	NA		
SI710HH54	54" hook height	\$480		
SI710HH62	62" hook height-not available on 108 or 120	\$670		
	Latch Options			
48100	Inside hold downs to match KP706	\$190		
52917	Outside hold downs to match KP710	\$260		
	Hydraulics with Controls			
HYD10VAL	Reservoir and valve bank only-no controls	\$940		
HYD10C2-96	Reservoir and valve bank with cable controls-96"	\$1,100		
HYD10C2-144	Reservoir and valve bank with extended cable controls- 144" of extended cab or cabover	\$1,150		
HYD10C2-192	Reservoir and valve bank with extended cable controls- 192" of crew cab or cabover	\$1,350		
HYD10A2	Reservoir and valve bank with air controls-2 section	\$1,890		
Note: Custom	hydraulic packages are available. Contact the factory for details.			
	Standard Hooklift Additions			
POTBL	Paint other than standard black	\$430		
	PTOs			
5355	PTO, air shift	\$860		
15685	PTO, hot shift for automatic transmission for chassis larger than F550	\$2,050		
	Pumps			

Effective: 12/03/18 Revised: 03/22/19 All prices subject to change without notice F.O.B. Garner, IA.



190 State Street • Garner, IA 50438 800-321-3741 • www.stellarindustries.com

Stellar® SI 710 Hooklift Price Sheet 20,000 Lbs Capacity Single Pivot

Part#	Description	List Price
56432	Hydraulic pump for chassis larger than Ford F550. Overspeed protection not included.	\$1,120
	Fenders	
6170	One pair poly fenders for 20,000 to 28,000# GVWR chassis with 22.5 wheels, includes fender brackets, mounting hardware.	\$640
46299	One pair steel fenders for 20,000 to 28,000# GVWR chassis with 22.5 wheels, includes fender brackets, mounting hardware.	\$1,020
66325	FENDER ASM AL SMOOTH LOW-PRO	\$730
	Mudflaps	
19494	One pair Stellar mud flaps with mounting bolts	\$60
96895	Mud Flap Kit - Spring Assist - 24x24 Mud Flap NOT Included.	\$110
	Bumpers	
5407	Heavy duty rectangular tubing bumper. LED light kit (FMVSS108 compliant) and backup alarm is included. Must be used on 25,000 # GVWR or greater chassis. Will not work on 19,500# GVWR chassis. Stellar AutoTarper ready.	\$1,350
5348	Manually-operated fold out single pivot rear bumper. Extends bumper an additional 19" past the rear of truck when a long body is loaded. Provides for up to 42" allowable overhang	\$1,000
17441	Bumper, reinforced to accept pintle hitch 30K (pintle hitch is not included). LED light kit (FMVSS108 compliant) and backup alarm is included. Stellar AutoTarper ready	\$1,810
31920	Manually-operated fold out single pivot rear bumper with 30K pintle plate. Extends bumper an additional 19" past the rear of truck when a long body is loaded. Provides for up to 42" allowable overhang	\$2,110
	Pintle Hitches	
57952	Pintle Hitch - 30,000 lb	\$210
	ICC Safety Kit	
5305	ICC safety kit consisting of rechargeable fire extinguisher and reflector kit	\$150
	Toolboxes	
8480	Steel underbody toolbox with overhead door. Dimensions are 20"H x 45"L x 22" D. Features stainless steel automotive-type two-stage latches. Includes mounting brackets. Painted gloss black	\$1,720
10401	Steel underbody toolbox with overhead door. Dimensions are 18"H x 36"L x 18"D. Features stainless steel automotive-type two-stage latches and stainless steel hinges. Includes mounting brackets. Painted gloss black	\$1,440



190 State Street • Garner, IA 50438 800-321-3741 • www.stellarindustries.com

Stellar[®] SI 710 Hooklift Price Sheet 20,000 Lbs Capacity Single Pivot

Part#	Description	List Price
10402	Steel underbody toolbox with overhead door. Dimensions are 20"H x 58"L x 22"D. Features stainless steel automotive-type two-stage latches and stainless steel hinges. Includes mounting brackets. Painted gloss black	\$1,180
	Floodlights	
74311	LED Flood Light Assembly	\$90
	Trailer Plugs	
22876	Trailer plug - 7-pin (flat) - Only for chassis equipped to handle RV / electric brakes from factory.	\$100
22872	Trailer plug - 7 pin round - Only for chassis equipped to handle this style plug from factory.	\$160
	Service and Emergency	
37733	Service and emergency gladhands with dummies and mounting bracket	\$130



190 State Street • Garner, IA 50438 800-321-3741 • www.stellarindustries.com

Stellar® Hooklift Skids, Accessories, & Misc Options

Part#	Description	List Price	
Note: All skids measured from behind the A-Frame			

Skids for 56-9-3 WITH 31.81" Hook Height

Note: Skids constructed of 4" \times 5.4 lb. steel channel and include a front A-frame constructed of 4" \times 5.4 lb. steel channel and a 3/4" diameter hook bar. The rear tie down is set at 78.9" from center of the hook bar. (prime only)

8542	8 ft. skid (185 pounds)	\$870
8543	9 ft. skid (199 pounds)	\$880
8250	10 ft. skid (210 pounds)	\$890
8544	11 ft. skid (221 pounds)	\$910
6105	A-frame assembly only, add to body with long rails (65 pounds)	\$300
9499	Pair, 4.5" diameter x 10" long rubber rollers, for skid (26 pounds)	\$530

Skids for 60-10-5, 60-10-8, & others with pin-style tie downs with 35.63" Hook Height

Note: Skids constructed of 5" \times 2" \times 1/4" wall steel tubing, include a front A-frame constructed of 5" \times 2" \times 1/4" tubing and 1.25" diameter hook bar. Rear pin-style tie down located 84.8" from center of the hook bar (Prime only)

5527	8 ft. skid (272 pounds)	\$1,080
8554	9 ft. skid (290 pounds)	\$1,070
8555	10 ft. skid (360 pounds)	\$1,120
8556	11 ft. skid (381 pounds)	\$1,150
8557	12 ft. skid (402 pounds)	\$1,170
8558	13 ft. skid (423 pounds)	\$1,210
5570	A-frame assembly only, add to body with long rails (128 pounds)	\$460
9499	Pair, 4.5" diameter x 10" long rubber rollers, for skid (26 pounds)	\$530

Skids with 35.63" Hook Height



190 State Street • Garner, IA 50438 800-321-3741 • www.stellarindustries.com

Stellar® Hooklift Skids, Accessories, & Misc Options

Part#	Description	List Price
	s constructed of 5" x 2" x 1/4" wall steel tubing, include a front A-frame const liameter hook bar. Rear pin-style tie down located 84.8" from center of the h	
8246	10 ft. skid (360 pounds)	\$1,150
8545	11 ft. skid (381 pounds)	\$1,170
8548	12 ft. skid (402 pounds)	\$1,210
8549	13 ft. skid (423 pounds)	\$1,250
8550	14 ft. skid (444 pounds)	\$1,290
8551	15 ft. skid (465 pounds)	\$1,330
8252	16 ft. skid (486 pounds)	\$1,360
8552	17 ft. skid (507 pounds)	\$1,390
8553	18 ft. skid (528 pounds)	\$1,420
5570	A-frame assembly only, add to body with long rails (128 pounds)	\$460
9499	Pair, 4.5" diameter x 10" long rubber rollers, for skid (26 pounds)	\$530
	Skids with 54" Hook Height	
	s constructed of 6" x 2" x 1/4" wall steel tubing, include a front A-frame const liameter hook bar. See skid drawings for rear tie down locations	ructed of 6" x 2" x 1/4" tubing
9550	10 ft chid (444 pounds)	\$1.540

8559	10 ft. skid (464 pounds)	\$1,540
8560	11 ft. skid (489 pounds)	\$1,580
8561	12 ft. skid (514 pounds)	\$1,620
8562	13 ft. skid (539 pounds)	\$1,660
8563	14 ft. skid (564 pounds)	\$1,710
8564	15 ft. skid (589 pounds)	\$1,720
8565	16 ft. skid (614 pounds)	\$1,800
8566	17 ft. skid (639 pounds)	\$1,850
8567	18 ft. skid (664 pounds)	\$1,880
8568	19 ft. skid (689 pounds	\$1,930
8569	20 ft. skid (714 pounds)	\$1,980
6109	A-frame assembly only, add to body with long rails (194 pounds)	\$760
24678	Pair, 8.5" OD diameter x 10" long steel rollers, for skid	\$720

Skids for 168-20-20, all 32,000 & 40,000 Lb. capacity hooklifts with 61.75 Hook Height



190 State Street • Garner, IA 50438 800-321-3741 • www.stellarindustries.com

Stellar® Hooklift Skids, Accessories, & Misc Options

Part#	Description	List Price
Note: Skids constructed of 6" \times 2" \times 1/4" wall steel tubing, include a front A-frame constructed of 6" \times 2" \times 1/4" tubing nd 2.50" diameter hook bar. See skid drawings for rear tie down locations		
8570	11 ft. skid (564 pounds)	\$1,850
8571	12 ft. skid (596 pounds)	\$1,930
8572	13 ft. skid (628 pounds)	\$1,960
8573	14 ft. skid (660 pounds)	\$2,010
8574	15 ft. skid (692 pounds)	\$2,070
8575	16 ft. skid (724 pounds)	\$2,120
8576	17 ft. skid (756 pounds)	\$2,160
8577	18 ft. skid (788 pounds)	\$2,220
8578	19 ft. skid (820 pounds)	\$2,280
8579	20 ft. skid (852 pounds)	\$2,330
8580	21 ft. skid (884 pounds)	\$2,370
8581	22 ft. skid (916 pounds)	\$2,420
8582	23 ft. skid (948 pounds)	\$2,480
8583	24 ft. skid (980 pounds)	\$2,530
6114	A-frame assembly only, add to body with long rails (214 pounds)	\$1,200
6117	A-frame assembly only, 6 x 3 x 3/8 tubing (61.75" hook height)	\$1,140
24678	Pair, 8.5" OD diameter x 10" long steel rollers, for skid	\$720

Skids for 174-20-40, 190-22-40, all 52,000 & 65,000 LB. capacity hooklifts with 61.75" Hook Height

Note: Skids constructed of 6" \times 3" \times 3/8" wall steel tubing with 1/2" \times 3" HRS flat strip along bottom edge, includes front A-frame constructed of 8" \times 3" \times 3/8" tubing and 2.50" diameter hook bar. Rear tie down set at 197.25" from center of the hook bar.

8584	18 ft. skid (1260 pounds)	\$2,540
8585	19 ft. skid (1310 pounds)	\$2,550
8586	20 ft. skid (1360 pounds)	\$3,170
8587	21 ft. skid (1410 pounds)	\$3,220
8588	22 ft. skid (1460 pounds)	\$3,300
8589	23 ft. skid (1510 pounds)	\$3,350
8590	24 ft. skid (1560 pounds)	\$3,460
6119	A-frame assembly only, (8x3x3/8) add to body with long rails (284 pounds)	\$1,180
24678	Pair, 8.5" OD diameter x 10" long steel rollers, for skid	\$720