



CATALOG

SS-001-v20

Effective 01/09/2019

All prices/published specifications are subject to change without notice and Deist Industries reserves the right to modify, change, or revise information without prior notice.



Table of Contents

Contact Information	3
Hoist Systems	5
Original Electric	6
Original Hydraulic	6
S-model Electric	7
S-model Hydraulic	7
Interchangeable Bodies	9
Standard Duty Dump Body	10
Heavy Duty Dump Body	11
Standard Duty Drop Box	12
Medium Duty Drop Box	13
Heavy Duty Drop Box	14
Chipper Roof for Medium Duty Drop Box	15
Chipper Roof for Heavy Duty Drop Box	15
Medium Duty Drop Box with Chipper Roof	16
Heavy Duty Drop Box with Chipper Roof	17
Storage Body	18
Flatbed/Platform/Equipment Body	19
Subframe	20
Gooseneck Adapter	20
Versa™ Bumper	21
Finish Powder Coating	22
Options & Parts	23
Options & Accessories	24
Replacement Parts	25
Warranty	27
Warranty Policies	28
Exclusions & General Rules	29
Limitation & Claim Procedures	31
Terms & Conditions	33



Contact Information



Andrew Schumacher

General Manager

✉ aschumacher@switchngo.com
📞 (402) 617-3469



Craig Kemmerling

Vice President of Sales

✉ ckemmerling@switchngo.com
📞 (724) 974-3662



Russ Wallace

Senior Product Sales Specialist

✉ rwallace@switchngo.com
📞 (724) 699-9266



Gabe Greathouse

Product Sales Specialist

✉ ggreathouse@switchngo.com
📞 (724) 301-2026



Dave Navroth

Product Sales Specialist

✉ dnavroth@switchngo.com
📞 (724) 893-4455

Sales Dept.

Switch-N-Go® Division

✉ info@switchngo.com
(888) 311-0867
(724) 253-4955



Owen Parker

Customer Support Manager

✉ oparker@switchngo.com
(724) 253-5044
(724) 813-8370



Chelsea Hart

Customer Support

✉ chart@switchngo.com
(724) 253-5020



Tom Bonaquist

Technical Support & Warranty

✉ warranty@switchngo.com
(724) 253-5053



Marketing Department

Deist Industries Department

✉ marketing@switchngo.com
(724) 253-5041





Hoist Systems

Descriptions & Requirements

- Original Electric—
- S-Model Electric—
- Original Hydraulic—
- S-Model Hydraulic—





Original Electric

Hoist Specifications

Standard Model - 18" hoist overhang
 Powder coated carbon steel construction
 Available in 12,000 or 15,000 (lbs) winches
 Electric over Hydraulic - hydraulic scissor hoist & electric industrial winch

Requirements/Recommendations

Requires installation of heavy duty alternator (approximately 150 AMP)
 Requires installation of minimum two deep cycle batteries (approximately 750 CCA)
 Requires installation of 600 AMP ANL Fuse (included)
 Requires electric installation kit components (included)
 The 18" body overhang retains a greater dumping capacity with a variety of system capacities
 Recommended for up to 6 fully loaded lifts per day

Part Number	Model Name	Winch Loading Capacity ¹ (lbs)	Dumping Capacity ² (tons)	Minimum Cab to End of Frame Length (CEF)	Typical Cab to Axle Length (CA)	Estimated Weight (lbs)	MSRP
4200112	9-516-15E-PW	15,000	11.6	108" (9')	60"-72"	1133	\$10,353
4200114	10-516-12E-PW	12,000	10.0	120" (10')	72"-84"	1152	\$10,858
4200115	10-516-15E-PW	15,000	10.0	120" (10')	72"-84"	1152	\$10,998
4200117	11-520-12E-PW	12,000	10.6	132" (11')	84"-96"	1265	\$10,634
4200118	11-520-15E-PW	15,000	10.6	132" (11')	84"-96"	1265	\$10,774
4200119	11-620-15E-PW	15,000	11.7	132" (11')	84"-96"	1314	\$11,259
4200123	12-620-12E-PW	12,000	10.7	144" (12')	96"-108"	1370	\$11,247
4200120	12-620-15E-PW	15,000	10.7	144" (12')	96"-108"	1370	\$11,388
4200121	13-620-15E-PW	15,000	9.6	156" (13')	108"-120"	1417	\$11,454
4200122	14-620-15E-PW	15,000	8.6	168" (14')	120"-138"	1454	\$11,518
4200184	14-620HD-15E-PW	15,000	11.0	168" (14')	120"-138"	1454	\$12,073

Electric Installation Kit: Components

Power Wire Controller/Pendant Small Parts Kit Wire Rope Lubricant
 Ground Wire In-Cab Harness Mounting Plate Kit 600 AMP ANL Fuse

Original Hydraulic

Hoist Specifications

Standard Model - 18" hoist overhang
 Powder coated carbon steel construction
 Available in 15,000 or 18,000 (lbs) winches
 Two additional power beyond ports
 Full hydraulic - hydraulic scissor hoist & industrial winch
 Includes a high pressure in-line filter

Requirements/Recommendations

Requires either an underhood clutch pump or "live drive" style PTO, allowing operation in any gear
 Requires a hydraulic pump providing 3000 psi @ 12-15 GPM
 Requires hydraulic installation kit components (included)
 Requires minimum hose size (1/2" diameter for pressure line | 3/4" diameter for return line)
 The 18" body overhang retains a greater dumping capacity with a variety of system capacities
 Recommended for unlimited lifts per day

Part Number	Model Name	Winch Loading Capacity ¹ (lbs)	Dumping Capacity ² (tons)	Minimum Cab to End of Frame Length (CEF)	Typical Cab to Axle Length (CA)	Estimated Weight (lbs)	MSRP
6200300	9-516-15H	15,000	11.6	108" (9')	60"-72"	1101	\$12,407
6200301	10-516-15H	15,000	10.0	120" (10')	72"-84"	1123	\$12,514
6200302	11-520-15H	15,000	10.6	132" (11')	84"-96"	1238	\$12,876
6200303	11-620-15H	15,000	11.7	132" (11')	84"-96"	1287	\$13,361
6200304	11-620HD-18H	18,000	12.5	132" (11')	84"-96"	1287	\$14,811
6200305	12-620-15H	15,000	10.7	144" (12')	96"-108"	1324	\$13,956
6200306	12-620-18H	18,000	10.7	144" (12')	96"-108"	1324	\$14,863
6200307	13-620-15H	15,000	9.6	156" (13')	108"-120"	1372	\$14,064
6200308	13-620HD-18H	18,000	11.6	156" (13')	108"-120"	1372	\$14,957
6200309	14-620HD-15H	15,000	11.0	168" (14')	120"-138"	1409	\$14,107
6200310	14-620HD-18H	18,000	11.0	168" (14')	120"-138"	1409	\$15,000

Hydraulic Installation Kit: Components

Controller/Pendant Small Parts Kit Wire Rope Lubricant
 In-Cab Harness Mounting Plate Kit 25 AMP Blade Fuse

Components not included but required

Clutch Pump or "live drive" style "PTO" Pump Additional Hoses from Truck to System
 15-20 gallon Hydraulic Fluid Reservoir

**Max Truck Frame Height | 9'-11' hoist system [36" maximum height to top of frame]
 12'-14' hoist system [41" maximum height to top of frame]**

¹ Winch Loading Capacities vary up to ± 2% in situations | ² Dump Capacities are based on water level non-diminishing loads



S-model Electric

Hoist Specifications

S-Model - 6" hoist overhang
Powder coated carbon steel construction
Available in 12,000 or 15,000 (lbs) winches
Electric over Hydraulic - hydraulic scissor hoist & electric industrial winch

Requirements/Recommendations

Requires installation of heavy duty alternator (approximately 150 AMP)
Requires installation of minimum two deep cycle batteries (approximately 750 CCA)
Requires installation of 600 AMP ANL Fuse (included)
Requires electric installation kit components (included)
The 6" body overhang is for easier hitch access & greater versatility in towing
Recommended for up to 6 fully loaded lifts per day

Part Number	Model Name	Winch Loading Capacity ¹ (lbs)	Dumping Capacity ² (tons)	Minimum Cab to End of Frame Length (CEF)	Typical Cab to Axle Length (CA)	Estimated Weight (lbs)	MSRP
4200131	9S-516-12E-PW	12,000	9.5	108" (9')	60"-72"	1071	\$10,250
4200132	9S-516-15E-PW	15,000	9.5	108" (9')	60"-72"	1071	\$10,353
4200134	10S-516-12E-PW	12,000	9.0	120" (10')	72"-84"	1116	\$10,858
4200135	10S-516-15E-PW	15,000	9.0	120" (10')	72"-84"	1116	\$10,998
4200137	11S-520-12E-PW	12,000	8.6	132" (11')	84"-96"	1244	\$10,634
4200138	11S-520-15E-PW	15,000	8.6	132" (11')	84"-96"	1244	\$10,774
4200139	12S-620-15E-PW	15,000	9.6	144" (12')	96"-108"	1332	\$11,388
4200144	13S-620-15E-PW	15,000	9.0	156" (13')	108"-120"	1362	\$11,454
4200142	14S-620-15E-PW	15,000	8.1	168" (14')	120"-138"	1417	\$11,518

Electric Installation Kit: Components

Power Wire Controller/Pendant Small Parts Kit Wire Rope Lubricant
Ground Wire In-Cab Harness Mounting Plate Kit 600 AMP ANL Fuse

S-model Hydraulic

Hoist Specifications

S- Model - 6" hoist overhang
Powder coated carbon steel construction
Available in 15,000 or 18,000 (lbs) winches
Two additional power beyond ports
Full hydraulic - hydraulic scissor hoist & industrial winch
Includes a high pressure in-line filter

Requirements/Recommendations

Requires either an underhood clutch pump or "live drive" style PTO, allowing operation in any gear
Requires a hydraulic pump providing 3000 psi @ 12-15 GPM
Requires hydraulic installation kit components (included)
Requires minimum hose size (1/2" diameter for pressure line | 3/4" diameter for return line)
The 6" body overhang retains a greater dumping capacity with a variety of system capacities
Recommended for unlimited lifts per day

Part Number	Model Name	Winch Loading Capacity ¹ (lbs)	Dumping Capacity ² (tons)	Minimum Cab to End of Frame Length (CEF)	Typical Cab to Axle Length (CA)	Estimated Weight (lbs)	MSRP
6200320	9S-516-15H	15,000	9.5	108" (9')	60"-72"	1033	\$12,407
6200321	10S-516-15H	15,000	9.0	120" (10')	72"-84"	1086	\$12,514
6200322	11S-520-15H	15,000	8.6	132" (11')	84"-96"	1214	\$12,876
6200323	11S-620-15H	15,000	10.0	132" (11')	84"-96"	1263	\$13,361
6200324	11S-620HD-18H	18,000	11.7	132" (11')	84"-96"	1263	\$14,811
6200325	12S-620HD-15H	15,000	10.7	144" (12')	96"-108"	1289	\$13,956
6200326	12S-620HD-18H	18,000	10.7	144" (12')	96"-108"	1289	\$14,863
6200327	13S-620HD-15H	15,000	9.6	156" (13')	108"-120"	1324	\$14,064
6200328	13S-620HD-18H	18,000	9.6	156" (13')	108"-120"	1324	\$14,957
6200329	14S-620HD-15H	15,000	9.0	168" (14')	120"-138"	1372	\$14,107
6200330	14S-620HD-18H	18,000	9.0	168" (14')	120"-138"	1372	\$15,000

Hydraulic Installation Kit: Components

Controller/Pendant Small Parts Kit Wire Rope Lubricant
In-Cab Harness Mounting Plate Kit 25 AMP Blade Fuse

Components not included but required

Clutch Pump or "live drive" style "PTO" Pump Additional Hoses from Truck to System
15-20 gallon Hydraulic Fluid Reservoir

**Max Truck Frame Height | 9'-11' hoist system [36" maximum height to top of frame]
12'-14' hoist system [41" maximum height to top of frame]**

¹ Winch Loading Capacities vary up to ± 2% in situations | ² Dump Capacities are based on water level non-diminishing loads

Interchangeable Bodies

Dump Body

Standard Duty—
Heavy Duty—

Drop box / Dumpster

Standard Duty—
Medium Duty—
Heavy Duty—

Chipper Body

Medium Duty—
Heavy Duty—
Removable Chipper Roof—

Storage Body

External Posts—
Internal Posts—

Flatbed/Platform/Equipment Body

Standard Bulkhead—
High Bulkhead—

Subframe

Versa™ Bumper

Gooseneck Adapter

Finish Powder Coating







Standard Duty Dump Body

- Structural steel construction with zinc prime & powder coated finish
- Floors are constructed of 10GA steel with 3" crossmembers on 16" centers
- Body widths are 88" inside and 95.5" outside
- Bulkheads are constructed of 12GA steel with a standard (39") or high bulkhead (51")
- Sides are constructed of 12GA steel with a standard height of 12" and 12" high board pockets
- Tailgates are constructed of 10GA steel with standard height of 28" and 2-way for drive on ramp and built to accept tailgate spreaders
- Top Rails are constructed of 3" X 3" X 1/8" square steel tubing
- Standard 6" steel dump body ground rollers
- **DB-14 and DB-14-HB with cab shield option will receive solvent-based prime and paint, due to overall body length


Part Number	Model Name	Standard Bulkhead (39" bulkhead for 48" high truck cabs)	(cu yd)	(lbs)	MSRP		
			Volume	Weight			
6924808	DB-8	8' Standard duty dump body	2.2	1652	\$4,974		
6924809	DB-9	9' Standard duty dump body	2.5	1733	\$5,049		
6924810	DB-10	10' Standard duty dump body	2.8	1845	\$5,121		
6924811	DB-11	11' Standard duty dump body	3.1	1956	\$5,196		
6924812	DB-12	12' Standard duty dump body	3.3	2091	\$5,270		
6924813	DB-13	13' Standard duty dump body	3.6	2174	\$5,343		
6924814	DB-14	14' Standard duty dump body	3.9	2287	\$5,416		**



Part Number	Model Name	High Bulkhead (51" bulkhead for 60" high truck cabs)	(cu yd)	(lbs)	MSRP		
			Volume	Weight			
6926009	DB-9-HB	9' Standard duty dump body	2.5	1799	\$5,271		
6926010	DB-10-HB	10' Standard duty dump body	2.8	1911	\$5,344		
6926011	DB-11-HB	11' Standard duty dump body	3.1	2022	\$5,419		
6926012	DB-12-HB	12' Standard duty dump body	3.3	2157	\$5,493		
6926013	DB-13-HB	13' Standard duty dump body	3.6	2240	\$5,566		
6926014	DB-14-HB	14' Standard duty dump body	3.9	2353	\$5,639		**




Part Number	Model Name	Accessories	(lbs)	MSRP		
			Weight			
4210130	Dump Body Mesh Roll Tarp w/ Hardware	Dump Body Mesh (7' x 18') (manually operated) roll tarp [Kit shipped separately with hardware] —Installation required—	41	\$622		
6200100	18" Cab Shield	18" Cab shield fabricated onto body	103	\$873		
6200101	12" Coal Chute	Coal chute with 7.25" high x 13.75" wide door opening & is built into DB model tailgates	40	\$624		
6200104	Extended Board Pockets	Extended rear board pockets fabricated to height of the bulkhead	30	\$534		
3160155	Heavy Duty D-Ring	Heavy duty D-ring installed (each)	1	\$41		



Drop Sides

- Structural steel construction with zinc prime & powder coated finish
- Sides are constructed of 12GA steel with a standard height of 12" and 12" high board pockets
- Top Rails are constructed of 3" X 3" X 1/8" square steel tubing
- Fold down sides are constructed with two spring latches on the front and rear exterior corners
- Fold down sides board pockets are constructed with single side requiring boards to be bolted-on or removed before use


Part Number	Model Name	Description	(lbs)	MSRP		
			Weight			
4260108	CON-SID-8	12" Steel contractor fold down sides for 8' dump body	104	\$1,157		
4260109	CON-SID-9	12" Steel contractor fold down sides for 9' dump body	116	\$1,246		
4260110	CON-SID-10	12" Steel contractor fold down sides for 10' dump body	129	\$1,336		
4260111	CON-SID-11	12" Steel contractor fold down sides for 11' dump body	143	\$1,424		
4260112	CON-SID-12	12" Steel contractor fold down sides for 12' dump body	156	\$1,647		
4260113	CON-SID-13	12" Steel contractor fold down sides for 13' dump body	169	\$1,870		
4260114	CON-SID-14	12" Steel contractor fold down sides for 14' dump body	182	\$2,093		






Heavy Duty Dump Body


- Structural steel construction with zinc prime & powder coated finish
- Floors are constructed of 3/16" Steel with 3" structural steel channel on 12" centers
- Body widths are 88" inside and 95.5" outside
- Bulkheads are constructed of 12GA steel with a standard (39") or high bulkhead (51")
- Sides are constructed of 10GA steel with a standard height of 12" and 12" high board pockets
- Tailgates are constructed of 10GA steel with standard height of 28" and 2-way for drive on ramp and built to accept tailgate spreaders
- Top Rails are constructed of 3" X 3" X 1/8" square steel tubing
- Standard 6" steel dump body ground rollers
- **HDB-14 and HDB-14-HB with cab shield option will receive solvent-based prime and paint, due to overall body length



Part Number	Model Name	Standard Bulkhead (39" bulkhead for 48" high truck cabs)	(cu yd)	(lbs)	MSRP		
			Volume	Weight			
6934808	HDB-8	8' Heavy duty dump body	2.2	1827	\$5,621		
6934809	HDB-9	9' Heavy duty dump body	2.5	1956	\$5,697		
6934810	HDB-10	10' Heavy duty dump body	2.8	2086	\$5,777		
6934811	HDB-11	11' Heavy duty dump body	3.1	2215	\$5,853		
6934812	HDB-12	12' Heavy duty dump body	3.3	2369	\$5,933		
6934813	HDB-13	13' Heavy duty dump body	3.6	2500	\$6,320		
6934814	HDB-14	14' Heavy duty dump body	3.9	2631	\$6,400		**




Part Number	Model Name	High Bulkhead (51" bulkhead for 60" high truck cabs)	(cu yd)	(lbs)	MSRP		
			Volume	Weight			
6936009	HDB-9-HB	9' Heavy duty dump body	2.5	2022	\$6,009		
6936010	HDB-10-HB	10' Heavy duty dump body	2.8	2152	\$6,089		
6936011	HDB-11-HB	11' Heavy duty dump body	3.1	2281	\$6,164		
6936012	HDB-12-HB	12' Heavy duty dump body	3.3	2435	\$6,244		
6936013	HDB-13-HB	13' Heavy duty dump body	3.6	2566	\$6,633		
6936014	HDB-14-HB	14' Heavy duty dump body	3.9	2697	\$6,711		**



Part Number	Model Name	Accessories	(lbs)	MSRP		
			Weight			
4210130	Dump Body Mesh Roll Tarp w/ Hardware	Dump Body Mesh (7' x 18') [manually operated] roll tarp [Kit shipped separately with hardware] —Installation required—	41	\$622		
6200100	18" Cab Shield	18" Cab shield fabricated onto body	103	\$873		
6200101	12" Coal Chute	Coal chute with 7.25" high x 13.75" wide door opening & is built into DB model tailgates	40	\$624		
6200104	Extended Board Pockets	Extended rear board pockets fabricated to height of the bulkhead	30	\$534		
3160155	Heavy Duty D-Ring	Heavy duty D-ring installed [each]	1	\$41		

Drop Sides

- Structural steel construction with zinc prime & powder coated finish
- Sides are constructed of 12GA steel with a standard height of 12" and 12" high board pockets
- Top Rails are constructed of 3" X 3" X 1/8" square steel tubing
- Fold down sides are constructed with two spring latches on the front and rear exterior corners
- Fold down sides board pockets are constructed with single side requiring boards to be bolted-on or removed before use




Part Number	Model Name	Description	(lbs)	MSRP		
			Weight			
4260108	CON-SID-8	12" Steel contractor fold down sides for 8' dump body	104	\$1,157		
4260109	CON-SID-9	12" Steel contractor fold down sides for 9' dump body	116	\$1,246		
4260110	CON-SID-10	12" Steel contractor fold down sides for 10' dump body	129	\$1,336		
4260111	CON-SID-11	12" Steel contractor fold down sides for 11' dump body	143	\$1,424		
4260112	CON-SID-12	12" Steel contractor fold down sides for 12' dump body	156	\$1,647		
4260113	CON-SID-13	12" Steel contractor fold down sides for 13' dump body	169	\$1,870		
4260114	CON-SID-14	12" Steel contractor fold down sides for 14' dump body	182	\$2,093		




Standard Duty Drop Box

- Structural steel construction with zinc prime & powder coated finish
- Body widths are 88" inside and 96" outside
- Interior side heights are 39" or 51"
- Floors are constructed of 12GA steel sheet with 3" formed channel on 16" centers
- Sides are constructed of a formed 12GA sheet with a single post per side
- Top Rails are formed 12GA steel sheet
- Rear corner posts are constructed of 7GA steel sheet
- Tailgates are constructed with formed 12GA steel sheet with 2" x 2" x 1/8" tubular frame work
- Standard 6" steel ground rollers

Part Number	Model Name	Standard Duty (39" side & single side swing gate)	(cu yd)	(lbs)	MSRP		
			Volume	Weight			
6690839	SDRB-839-SS	8' Standard duty drop box	7.9	1374	\$3,896		
6690939	SDRB-939-SS	9' Standard duty drop box	8.8	1452	\$3,937		
6691039	SDRB-1039-SS	10' Standard duty drop box	9.6	1520	\$3,979		
6691139	SDRB-1139-SS	11' Standard duty drop box	10.5	1612	\$4,023		
6691239	SDRB-1239-SS	12' Standard duty drop box	11.4	1746	\$4,056		
6691339	SDRB-1339-SS	13' Standard duty drop box	12.3	1827	\$4,535		
6691439	SDRB-1439-SS	14' Standard duty drop box	13.2	1922	\$4,459		



Part Number	Model Name	Standard Duty (51" side & single side swing gate)	(cu yd)	(lbs)	MSRP		
			Volume	Weight			
6690851	SDRB-851-SS	8' Standard duty drop box	10.3	1557	\$4,074		
6690951	SDRB-951-SS	9' Standard duty drop box	11.5	1643	\$4,116		
6691051	SDRB-1051-SS	10' Standard duty drop box	12.6	1720	\$4,157		
6691151	SDRB-1151-SS	11' Standard duty drop box	13.8	1820	\$4,121		
6691251	SDRB-1251-SS	12' Standard duty drop box	15	1963	\$4,231		
6691351	SDRB-1351-SS	13' Standard duty drop box	16.1	2052	\$4,743		
6691451	SDRB-1451-SS	14' Standard duty drop box	17.3	2156	\$4,659		




NO OPTIONS AVAILABLE




Medium Duty Drop Box


- Structural steel construction with zinc prime & powder coated finish
- Body widths are 88" inside and 96" outside
- Interior side heights are 39" or 51"
- Floors are constructed of 10GA steel sheet with 3" structural channel on 16" centers
- Sides are constructed of 12GA steel with 2-3 posts per side and receive structural gussets between rear posts
- Top rails are constructed of 3" x 3" x 1/8" square steel tubing
- Rear corner posts are constructed of 7GA steel sheet
- Tailgates are constructed of a formed 12GA steel sheet with 2" x 2" x 1/8" tubular frame work
- Standard 6" steel ground rollers
- **MDRB-14 models with a cab shield option and all MDRB-15 models will receive solvent-based prime and paint, due to overall body length




Part Number	Model Name	Medium Duty (39" sides & single side swing gate)	(cu yd)	(lbs)	MSRP		
			Volume	Weight			
6400839	MDRB-839-SS	8' Medium duty drop box	7.8	1696	\$4,330		
6400939	MDRB-939-SS	9' Medium duty drop box	8.7	1852	\$4,374		
6401039	MDRB-1039-SS	10' Medium duty drop box	9.5	1933	\$4,420		
6401139	MDRB-1139-SS	11' Medium duty drop box	10.4	2067	\$4,474		
6431239	MDRB-1239-SS	12' Medium duty drop box	11.3	2244	\$4,506		
6401339	MDRB-1339-SS	13' Medium duty drop box	12.2	2348	\$5,035		**
6401439	MDRB-1439-SS	14' Medium duty drop box	13.1	2488	\$4,953		**
6431539	MDRB-1539-SS	15' Medium duty drop box	14	2623	\$5,437		**




Part Number	Model Name	Medium Duty (39" sides & barn doors)	(cu yd)	(lbs)	MSRP		
			Volume	Weight			
6410839	MDRB-839-BD	8' Medium duty drop box	7.8	1714	\$4,604		
6410939	MDRB-939-BD	9' Medium duty drop box	8.7	1870	\$4,651		
6411039	MDRB-1039-BD	10' Medium duty drop box	9.5	1954	\$4,696		
6411139	MDRB-1139-BD	11' Medium duty drop box	10.4	2087	\$4,755		
6411239	MDRB-1239-BD	12' Medium duty drop box	11.3	2267	\$4,781		
6411339	MDRB-1339-BD	13' Medium duty drop box	12.2	2371	\$5,316		**
6411439	MDRB-1439-BD	14' Medium duty drop box	13.1	2512	\$5,229		**
6411539	MDRB-1539-BD	15' Medium duty drop box	14	2648	\$5,713		**



Part Number	Model Name	Medium Duty (51" sides & single side swing gate)	(cu yd)	(lbs)	MSRP		
			Volume	Weight			
6400851	MDRB-851-SS	8' Medium duty drop box	10	1886	\$4,526		
6400951	MDRB-951-SS	9' Medium duty drop box	11.1	2058	\$4,573		
6401051	MDRB-1051-SS	10' Medium duty drop box	12.3	2149	\$4,620		
6401151	MDRB-1151-SS	11' Medium duty drop box	13.4	2291	\$4,511		
6431251	MDRB-1251-SS	12' Medium duty drop box	14.6	2476	\$4,701		
6401351	MDRB-1351-SS	13' Medium duty drop box	15.7	2589	\$5,279		**
6401451	MDRB-1451-SS	14' Medium duty drop box	16.9	2736	\$5,177		**
6401551	MDRB-1551-SS	15' Medium duty drop box	18	2880	\$5,661		**



Part Number	Model Name	Medium Duty (51" sides & barn doors)	(cu yd)	(lbs)	MSRP		
			Volume	Weight			
6410851	MDRB-851-BD	8' Medium duty drop box	10	1907	\$4,803		
6410951	MDRB-951-BD	9' Medium duty drop box	11.1	2079	\$4,849		
6411051	MDRB-1051-BD	10' Medium duty drop box	12.3	2172	\$4,896		
6411151	MDRB-1151-BD	11' Medium duty drop box	13.4	2314	\$4,792		
6411251	MDRB-1251-BD	12' Medium duty drop box	14.6	2501	\$4,977		
6411351	MDRB-1351-BD	13' Medium duty drop box	15.7	2614	\$5,548		**
6411451	MDRB-1451-BD	14' Medium duty drop box	16.9	2764	\$5,453		**
6411551	MDRB-1551-BD	15' Medium duty drop box	18	2908	\$5,937		**



6200100

Part Number	Model Name	Description	(lbs)	MSRP		
			Weight			
4210136	Drop Box Mesh Tarp w/ Hardware	Drop box/Dumpster mesh (7.5' x 18') (manually operated) roll tarp (Kit shipped separately with hardware) —Installation required—	50	\$622		
4210133	Tarp Shield	Tarp Shield only	60	\$424		
6000001	Side Door	50" Wide curbside door (w/ security latch) —Only available on 10' or longer—	125	\$909		
6200100	18" Cab Shield	18" Cab shield fabricated onto body (see reference ** for coating availability)	103	\$873		
3160155	Heavy Duty D-Ring	Heavy duty D-ring installed (each)	1	\$41		




Heavy Duty Drop Box


- Structural steel construction with zinc prime & powder coated finish
- Body widths are 82" inside and 96" outside
- Interior side heights are 36" or 48"
- Floors are constructed of 3/16" steel sheet with 3" structural channel on 12" centers
- Sides are constructed of 12GA steel sheet with posts on 30-36" centers and receive structural gussets between rear posts

- Top rails are constructed of 3" x 3" x 1/8" square steel tubing
- Rear corner posts are constructed of 7GA steel sheet
- Tailgates are constructed of a 3" x 3" x 1/8" top tube
- Standard 6" steel ground rollers
- ****HDRB-14 models with a cab shield option and all HDRB-15 models will receive solvent-based prime and paint, due to overall body length**


Part Number	Model Name	Heavy Duty (36" sides & rear single swing gate)	(cu yd)	(lbs)	MSRP		
			Volume	Weight			
6500836	HDRB-836-SS	8' Heavy duty drop box	7.2	1878	\$5,276		
6500936	HDRB-936-SS	9' Heavy duty drop box	8.1	2046	\$5,323		
6501036	HDRB-1036-SS	10' Heavy duty drop box	8.9	2142	\$5,374		
6501136	HDRB-1136-SS	11' Heavy duty drop box	9.7	2290	\$5,430		
6531236	HDRB-1236-SS	12' Heavy duty drop box	10.5	2480	\$5,549		
6531336	HDRB-1336-SS	13' Heavy duty drop box	11.3	2601	\$5,664		
6531436	HDRB-1436-SS	14' Heavy duty drop box	12.1	2776	\$5,783		**
6531536	HDRB-1536-SS	15' Heavy duty drop box	12.9	2927	\$6,057		**




Part Number	Model Name	Heavy Duty (36" sides & barn doors)	(cu yd)	(lbs)	MSRP		
			Volume	Weight			
6510836	HDRB-836-BD	8' Heavy duty drop box	7.2	1923	\$6,176		
6510936	HDRB-936-BD	9' Heavy duty drop box	8.1	2090	\$6,223		
6511036	HDRB-1036-BD	10' Heavy duty drop box	8.9	2186	\$6,276		
6511136	HDRB-1136-BD	11' Heavy duty drop box	9.7	2335	\$6,330		
6511236	HDRB-1236-BD	12' Heavy duty drop box	10.5	2525	\$6,447		
6511336	HDRB-1336-BD	13' Heavy duty drop box	11.3	2645	\$6,564		
6511436	HDRB-1436-BD	14' Heavy duty drop box	12.1	2820	\$6,683		**
6511536	HDRB-1536-BD	15' Heavy duty drop box	12.9	2971	\$6,957		**



Part Number	Model Name	Heavy Duty (48" sides & rear single swing gate)	(cu yd)	(lbs)	MSRP		
			Volume	Weight			
6500848	HDRB-848-SS	8' Heavy duty drop box	9.4	2112	\$5,500		
6500948	HDRB-948-SS	9' Heavy duty drop box	10.5	2295	\$5,549		
6501048	HDRB-1048-SS	10' Heavy duty drop box	11.6	2399	\$5,600		
6501148	HDRB-1148-SS	11' Heavy duty drop box	12.7	2556	\$5,653		
6531248	HDRB-1248-SS	12' Heavy duty drop box	13.8	2755	\$5,771		
6531348	HDRB-1348-SS	13' Heavy duty drop box	14.8	2884	\$5,887		
6531448	HDRB-1448-SS	14' Heavy duty drop box	15.9	3074	\$6,006		**
6531548	HDRB-1548-SS	15' Heavy duty drop box	17	3234	\$6,281		**



Part Number	Model Name	Heavy Duty (48" sides & barn doors)	(cu yd)	(lbs)	MSRP		
			Volume	Weight			
6510848	HDRB-848-BD	8' Heavy duty drop box	9.4	2158	\$6,400		
6510948	HDRB-948-BD	9' Heavy duty drop box	10.5	2342	\$6,447		
6511048	HDRB-1048-BD	10' Heavy duty drop box	11.6	2446	\$6,500		
6511148	HDRB-1148-BD	11' Heavy duty drop box	12.7	2603	\$6,553		
6521248	HDRB-1248-BD	12' Heavy duty drop box	13.8	2802	\$6,670		
6511348	HDRB-1348-BD	13' Heavy duty drop box	14.8	2930	\$6,787		
6511448	HDRB-1448-BD	14' Heavy duty drop box	15.9	3121	\$6,906		**
6521548	HDRB-1548-BD	15' Heavy duty drop box	17	3281	\$7,181		**



Part Number	Model Name	Description	(lbs)	MSRP		
			Weight			
4210136	Drop Box Mesh Tarp w/ Hardware	Drop box/Dumpster mesh (7.5' x 18') (manually operated) roll tarp (Kit shipped separately with hardware) —Installation required—	41	\$622		
4210133	Tarp Shield	Tarp Shield only	65	\$424		
6000001	Side Door	50" Wide curbside door (w/ security latch) —Only available on 10' or longer—	125	\$909		
6200100	18" Cab Shield	18" Cab shield fabricated onto body (see reference ** for coating availability)	103	\$873		
3160155	Heavy Duty D-Ring	Heavy duty D-ring installed (each)	1	\$41		




3160155




Chipper Roof for Medium Duty Drop Box

- Structural steel construction with zinc prime & powder coated finish
- Chipper roofs are constructed of a 12GA Sheet, 24" height with 8" edge at 45° angle
- Vents are placed 1 per side for lengths for 8'-11' & 2 vents per side for 12'-15' lengths
- Top and rear supports are constructed of 2" x 2" x 1/4" steel angle
- Sizing matches floor length of a drop box
(ex. 11' drop box would require an 11' roof)
- Hooks on top for roof removal
- ****CHB-15 model will receive solvent based prime and paint, due to overall body length**



Part Number	Model Name	Medium Duty Chipper Roof	(cu yd) Volume	(lbs) Weight	MSRP
6802408	CHB-8-MD	8' Chipper roof for Medium duty drop box		546	\$3,042
6802409	CHB-9-MD	9' Chipper roof for Medium duty drop box		592	\$3,145
6802410	CHB-10-MD	10' Chipper roof for Medium duty drop box		638	\$3,256
6802411	CHB-11-MD	11' Chipper roof for Medium duty drop box		700	\$3,374
6802412	CHB-12-MD	12' Chipper roof for Medium duty drop box		746	\$3,537
6802413	CHB-13-MD	13' Chipper roof for Medium duty drop box		793	\$4,025
6802414	CHB-14-MD	14' Chipper roof for Medium duty drop box		839	\$3,841
6802415	CHB-15-MD	15' Chipper roof for Medium duty drop box		900	\$4,058




6080200


Part Number	Model Name	Description	(lbs) Weight	MSRP
6080200	Chipper Roof Rear Cover Plate	24" High rear chipper roof cover plate & has welded hinges on the top of the roof —Has no opening/holes for leaf-vac systems—	75	\$706

Chipper Roof for Heavy Duty Drop Box

- Structural steel construction with zinc prime & powder coated finish
- Chipper roofs are constructed of a 12GA sheet, 24" height with 8" edge at 45° angle
- Vents are placed 1 per side for lengths for 8'-11' & 2 vents per side for 12'-15' lengths
- Top and rear supports are constructed of 2" x 2" x 1/4" steel angle
- Sizing matches floor length of a drop box
(ex. 11' drop box would require an 11' roof)
- Hooks on top for roof removal
- ****CHB-15 model will receive solvent based prime and paint, due to overall body length**



Part Number	Model Name	Medium Duty Chipper Roof	(cu yd) Volume	(lbs) Weight	MSRP
6812408	CHB-8-HD	8' Chipper roof for Heavy duty drop box		535	\$3,142
6812409	CHB-9-HD	9' Chipper roof for Heavy duty drop box		581	\$3,245
6812410	CHB-10-HD	10' Chipper roof for Heavy duty drop box		623	\$3,356
6812411	CHB-11-HD	11' Chipper roof for Heavy duty drop box		689	\$3,474
6812412	CHB-12-HD	12' Chipper roof for Heavy duty drop box		735	\$3,637
6812413	CHB-13-HD	13' Chipper roof for Heavy duty drop box		781	\$4,125
6812414	CHB-14-HD	14' Chipper roof for Heavy duty drop box		827	\$3,941
6812415	CHB-15-HD	15' Chipper roof for Heavy duty drop box		889	\$4,158



6080200


Part Number	Model Name	Description	(lbs) Weight	MSRP
6080200	Chipper Roof Rear Cover Plate	24" High rear chipper roof cover plate & has welded hinges on the top of the roof —Has no opening/holes for leaf-vac systems—	75	\$706




Storage Body

- Structural steel construction with a solvent based prime & paint finish
- Inside body widths are 88"(EXT) & 87"(INT) and exterior width is 96"
- Interior height is 72" high
- Floors are constructed of 10GA steel sheet with 3" structural channel on 16" centers
- Posts are constructed of 12GA steel sheet; exterior posts are 3" formed posts on 36"-48" centers, Interior posts are 3" structural channel on 16" centers
- Top rails are constructed of 3" x 3" x 1/8" square steel tubing
- Rear corner posts are constructed of 7GA steel
- Roofs are constructed of 12GA steel with a 6" peak
- Lockable security-style doors with 3" x 3" supports
- Standard 6" steel ground rollers
- ****All storage body lengths will receive solvent-based prime and paint, due to overall body height**


Part Number	Model Name	Storage Body — standard (exterior side posts)	(cu yd)	(lbs)	MSRP			
			Volume	Weight				
6850972	SB-972-EXT	9' Storage body with exterior posts	16.3	2837	\$7,441			**
6851072	SB-1072-EXT	10' Storage body with exterior posts	17.9	2971	\$7,529			**
6851172	SB-1172-EXT	11' Storage body with exterior posts	19.5	3161	\$7,619			**
6851272	SB-1272-EXT	12' Storage body with exterior posts	21.1	3435	\$7,704			**
6851372	SB-1372-EXT	13' Storage body with exterior posts	22.7	3596	\$7,794			**
6851472	SB-1472-EXT	14' Storage body with exterior posts	24.4	3789	\$7,884			**
6851572	SB-1572-EXT	15' Storage body with exterior posts	26	3982	\$8,106			**



Part Number	Model Name	Storage Body (interior side posts)	(cu yd)	(lbs)	MSRP			
			Volume	Weight				
6860972	SB-972-INT	9' Storage body with interior posts	16.3	2724	\$8,029			**
6861072	SB-1072-INT	10' Storage body with interior posts	17.9	2852	\$8,117			**
6861172	SB-1172-INT	11' Storage body with interior posts	19.5	3020	\$8,206			**
6861272	SB-1272-INT	12' Storage body with interior posts	21.1	3283	\$8,293			**
6861372	SB-1372-INT	13' Storage body with interior posts	22.7	3459	\$8,381			**
6861472	SB-1472-INT	14' Storage body with interior posts	24.4	3600	\$8,473			**
6861572	SB-1572-INT	15' Storage body with interior posts	26	3773	\$8,693			**



Part Number	Model Name	Description	(lbs)	MSRP			
			Weight				
3160155	Heavy Duty D-Ring	Heavy duty D-ring installed (each)	1	\$41			




3160155




Flatbed/Platform/Equipment Body


- Structural steel construction with powder coated finish
- Body widths are 90" for the deck and 94.5" outside
- Inside bulkhead heights are high visibility in 39" or 51"
- Body lengths include 1' beavertail, bodies without beavertail will receive stake pockets on rear
- Floors on 9' to 12' are constructed with 1/8" steel diamond plate
- Floors on 13' to 15' are constructed with 3/16" steel diamond plate
- Crossmembers are constructed with 3" structural channel on 16" centers
- External stake pockets are constructed on 24" centers with 3/8" x 2" flat bar rub rail
- Chain tie-down key holes in floor at the four corners
- Beavertail bodies receive integrated steel 4" steel ground rollers or no beavertail bodies receive standard 6" steel ground rollers
- **All EB-15 models will receive solvent-based prime and paint, due to overall body length




Part Number	Model Name	Standard Platform Body (39" bulkhead including 1' beavertail ³)	(lbs) Weight	MSRP
6020109	EB-9-BEAV	9' Equipment body with 1/8" diamond floor & stake pockets on sides	1146	\$3,667
6020110	EB-10-BEAV	10' Equipment body with 1/8" diamond floor & stake pockets on sides	1240	\$3,716
6020111	EB-11-BEAV	11' Equipment body with 1/8" diamond floor & stake pockets on sides	1308	\$3,780
6020112	EB-12-BEAV	12' Equipment body with 1/8" diamond floor & stake pockets on sides	1394	\$3,981
6020113	EB-13-BEAV	13' Equipment body with 3/16" diamond floor & stake pockets on sides	1790	\$4,173
6020114	EB-14-BEAV	14' Equipment body with 3/16" diamond floor & stake pockets on sides	1852	\$4,363
6020115	EB-15-BEAV	15' Equipment body with 3/16" diamond floor & stake pockets on sides	1937	\$4,647



Part Number	Model Name	Standard Platform Body (39" bulkhead, no beavertail)	(lbs) Weight	MSRP
6030109	EB-9	9' Equipment body with 1/8" diamond floor & stake pockets on sides & rear	1172	\$3,667
6030110	EB-10	10' Equipment body with 1/8" diamond floor & stake pockets on sides & rear	1273	\$3,716
6030111	EB-11	11' Equipment body with 1/8" diamond floor & stake pockets on sides & rear	1335	\$3,780
6030112	EB-12	12' Equipment body with 1/8" diamond floor & stake pockets on sides & rear	1421	\$3,981
6030113	EB-13	13' Equipment body with 3/16" diamond floor & stake pockets on sides & rear	1817	\$4,173
6030114	EB-14	14' Equipment body with 3/16" diamond floor & stake pockets on sides & rear	1878	\$4,363
6030115	EB-15	15' Equipment body with 3/16" diamond floor & stake pockets on sides & rear	1960	\$4,647



Part Number	Model Name	High Platform Body (51" bulkhead including 1' beavertail ³)	(lbs) Weight	MSRP
6040109	EB-9-HB-BEAV	9' Equipment body with 1/8" diamond floor & stake pockets on sides	1200	\$3,943
6040110	EB-10-HB-BEAV	10' Equipment body with 1/8" diamond floor & stake pockets on sides	1294	\$3,990
6040111	EB-11-HB-BEAV	11' Equipment body with 1/8" diamond floor & stake pockets on sides	1363	\$4,056
6040112	EB-12-HB-BEAV	12' Equipment body with 1/8" diamond floor & stake pockets on sides	1448	\$4,259
6040113	EB-13-HB-BEAV	13' Equipment body with 3/16" diamond floor & stake pockets on sides	1844	\$4,450
6040114	EB-14-HB-BEAV	14' Equipment body with 3/16" diamond floor & stake pockets on sides	1906	\$4,640
6040115	EB-15-HB-BEAV	15' Equipment body with 3/16" diamond floor & stake pockets on sides	1991	\$4,923



Part Number	Model Name	High Platform Body (51" bulkhead, no beavertail)	(lbs) Weight	MSRP
6050109	EB-9-HB	9' Equipment body with 1/8" diamond floor & stake pockets on sides & rear	1226	\$3,943
6050110	EB-10-HB	10' Equipment body with 1/8" diamond floor & stake pockets on sides & rear	1327	\$3,990
6050111	EB-11-HB	11' Equipment body with 1/8" diamond floor & stake pockets on sides & rear	1389	\$4,056
6050112	EB-12-HB	12' Equipment body with 1/8" diamond floor & stake pockets on sides & rear	1476	\$4,259
6050113	EB-13-HB	13' Equipment body with 3/16" diamond floor & stake pockets on sides & rear	1871	\$4,450
6050114	EB-14-HB	14' Equipment body with 3/16" diamond floor & stake pockets on sides & rear	1932	\$4,640
6050115	EB-15-HB	15' Equipment body with 3/16" diamond floor & stake pockets on sides & rear	2014	\$4,923




Part Number	Model Name	Description	(lbs) Weight	MSRP		
3160155	Heavy Duty D-Ring	Heavy duty D-ring installed (each) —Must specify in place of or in addition to key holes—	1	\$41		

Stake Side

- Structural steel construction with premium zinc prime & powder coated finish
- Sides are constructed of 7GA steel sheet formed 2" x 4" post 24" on center
- Horizontal side slats are constructed of formed 12GA steel sheet
- ****Replacement Stake side pieces are not pre-cut to match the front bulkhead angle and include raw bulkhead latches**

Part Number	Model Name	Description	(lbs) Weight	MSRP		
6081008	Beavertail Stake Pockets	Stake pocket installed into the rear of the Beavertail EB Models—Mandatory requirement for rear stake sides/gate on EB-BEAV Models		\$266		
6081009	STAKES-9	Stake sides for platforms 9' long, 2 piece sides & 1 piece rear gate (42" tall)		\$2,581		
6081010	STAKES-10	Stake sides for platforms 10' long, 2 piece sides & 1 piece rear gate (42" tall)		\$2,673		
6081011	STAKES-11	Stake sides for platforms 11' long, 2 piece sides & 1 piece rear gate (42" tall)		\$2,760		
6081012	STAKES-12	Stake sides for platforms 12' long, 2 piece sides & 1 piece rear gate (42" tall)		\$2,850		
6081013	STAKES-13	Stake sides for platforms 13' long, 2 piece sides & 1 piece rear gate (42" tall)		\$2,977		
6081014	STAKES-14	Stake sides for platforms 14' long, 2 piece sides & 1 piece rear gate (42" tall)		\$3,161		
6081015	STAKES-15	Stake sides for platforms 15' long, 2 piece sides & 1 piece rear gate (42" tall)		\$3,517		
6082009	STAKES-9-BEAV	Stake sides for beavertail platforms 9' long, 2 piece sides & 1 piece rear gate (42" tall)		\$2,847		
6082010	STAKES-10-BEAV	Stake sides for beavertail platforms 10' long, 2 piece sides & 1 piece rear gate (42" tall)		\$2,939		
6082011	STAKES-11-BEAV	Stake sides for beavertail platforms 11' long, 2 piece sides & 1 piece rear gate (42" tall)		\$3,026		
6082012	STAKES-12-BEAV	Stake sides for beavertail platforms 12' long, 2 piece sides & 1 piece rear gate (42" tall)		\$3,116		
6082013	STAKES-13-BEAV	Stake sides for beavertail platforms 13' long, 2 piece sides & 1 piece rear gate (42" tall)		\$3,243		
6082014	STAKES-14-BEAV	Stake sides for beavertail platforms 14' long, 2 piece sides & 1 piece rear gate (42" tall)		\$3,427		
6082015	STAKES-15-BEAV	Stake sides for beavertail platforms 15' long, 2 piece sides & 1 piece rear gate (42" tall)		\$3,783		



Subframe

Part Number	Model Name	Description	Color / Finish	(lbs) Weight	MSRP		
6010100	SUB-AF-12	Switch-N-Go® subframe compatible with bodies up to 12' in length w/ 4" high structural channel long rails	Powder Black	326	\$1,157		
6010102	SUB-AF-16	Switch-N-Go® subframe compatible with bodies up to 16' in length w/ 5" high structural channel long rails	Powder Black	388	\$1,290		


Gooseneck Adapter

Part Number	Model Name	Description	Color / Finish	(lbs) Weight	MSRP	Dealer Level B	Dealer Level A
6119100	GNK-ADAPTER-34	Gooseneck Adapter {includes hardware kit for 34" width chassis}	Powder Black	121	\$649		
6119101	GNK-ADAPTER-31	Gooseneck Adapter {includes hardware kit for 31" width chassis}	Powder Black	113	\$649		




Versa™ Bumper

- Bolt-on steel bumper with powder coated finish & no welding necessary
- Certified to SAE J684 and J847 standards with up to a 35,000lbs gross trailer weight rating
- Plug-n-play STTR light harness with compatible harness adapters
- Bumper is built with welded D-rings on the rear rated at 10TONS
- Fits both 31" & 34" width chassis frames
- ICC Wings are adjustable bolt-on structural tubes with single STTR lights locations
- Bumper hitch is built with a vertically adjustments and multiple configurations of receivers



Part Number	Model Name	Description	(lbs) Weight	MSRP
6119000	BUMPER-90-LED-BOLT-ON-CHASSIS	90" Versa™ Bumper (includes adjustable ICC wings, LED light kit, chassis mount kits & wing tube hardware kits, standard mount & hardware kit 34" width kit)	198	\$1,099

Part Number	Model Name	Bumper Hardware & Adapter Options	(lbs) Weight	MSRP
3301451		Standard mount & hardware kit {Versa™ Bumper 34" width chassis}		\$56
3301453		Standard mount & hardware kit {Versa™ Bumper 31" width chassis}		\$212
3190158		Ford Harness Adapter		\$41
3190160		RAM Harness Adapter		\$61
3190164		GM OEM vehicle wiring harness adapter (2019-current)		\$39
3190161		GM OEM vehicle wiring harness adapter (2014-2018)		\$56
3190162		GM OEM vehicle wiring harness adapter (2007-2013)		\$29
3190163		GM OEM vehicle wiring harness adapter (Previous to 2007)		\$35
3190165		Universal vehicle wiring harness adapter (with pigtail connector)		\$63



Part Number	Model Name	Bumper & Hitch Options	(lbs) Weight	MSRP
3304055		Bolt-on 2" Receiver Tube (rated at 10TONS) with hardware kit		\$69
3304056		Bolt-on 2 1/2" Receiver Tube (rated at 10TONS) with hardware kit		\$84
3170052		Bolt-on combo 2" ball/pintle (rated at 10TONS) with hardware kit		\$127
3170057		Bolt-on combo 2 5/16" ball/pintle (rated at 10TONS) with hardware kit		\$126
3170042		Bolt-on pintle (rated at 20TONS) with hardware kit		\$96
3308090		Bolt-on heavy duty D-ring (rated at 20TONS) with hardware kit {quantity of 2}		\$284
3191893		7-Way Blade-Style connector socket		\$25
3191721		7-Way Pin-Style connector socket		\$25
3191998		4' Pigtail Wiring Harness for Replacement 7-Pole RV Connector Socket		\$38

Part Number	Model Name	Bumper Rearview Options	(lbs) Weight	MSRP
3190152		Camera System Complete Kit (FMVSS 111 Compliant)		\$340
3190192		170° Degree Flush Mount Backup Camera (FMVSS 111 Compliant)		\$100
3190135		7" Rearview Monitor integrated into rearview mirror		\$186
3190191		7" Rearview Monitor LED Color Screen w/power harness		\$174
3190704		GM OEM Harness (2016 - Present) Chevrolet Silverado - GMC Sierra		\$90
3190703		GM OEM Harness (2014 - 2015) Chevrolet Silverado - GMC Sierra		\$80
3190702		GM OEM Harness (2007 - 2013) Chevrolet Silverado / GMC Sierra		\$120
3190709		FORD OEM Harness (2017-2019) SuperDuty F-250, F-350, F-450		\$90
3190708		FORD OEM Harness (2011-2016) SuperDuty F-250, F-350, F-450		\$80
3190713		RAM OEM Harness (2013-2017) 1500, 2500, 3500		\$80
3190712		RAM OEM Harness (2009-2012) 1500 (2010-2012) 2500-3500 (2013-2017) 4500		\$110

Finish Powder Coating


Part Number	Model Name	Standard Colors (Price per body)	MSRP		
—	Standard Pebble Black	Switch-N-Go Pebble Black (Powdura OneCure™ Zinc Epoxy Primer & Super Durable TGIC-Free Topcoat)	\$0		
1240109	Standard Blue Ribbon	Switch-N-Go Blue Ribbon (Powdura OneCure™ Zinc Epoxy Primer & Super Durable TGIC-Free Topcoat)	\$530		
1240110	Standard Ocala Green	Switch-N-Go Ocala Green (Powdura OneCure™ Zinc Epoxy Primer & Super Durable TGIC-Free Topcoat)	\$530		
1240111	Standard Viper Red	Switch-N-Go Viper Red (Powdura OneCure™ Zinc Epoxy Primer & Super Durable TGIC-Free Topcoat)	\$530		
1240113	Standard Traffic White HG	Switch-N-Go Traffic White HG (Powdura OneCure™ Zinc Epoxy Primer & Super Durable TGIC-Free Topcoat)	\$1,060		
1240112	CUSTOM COLOR	Extended lead time may apply –Call your sales rep for details	\$1,060		

Powder standard colors only available on truck bodies 8'-14' (Prime and wet paint for bodies including cab sheild over 14')



Options & Parts

- Options—
- Accessories—
- Replacement Parts—





Options & Accessories

Part Number	Model Name	Hoist Accessories	Color / Finish	(lbs) Weight	MSRP
3170174	19.5" Plastic Fenders w/ Bracket Kit	One pair of plastic fenders for tires 19.5 tires, with mounting brackets kit	Plastic Matte Black	22	\$589
3170175	22.5" Plastic Fenders w/ Bracket Kit	One pair of plastic fenders for tires 22.5 tires, with mounting brackets kit	Plastic Matte Black	17	\$599
4000201	Fuel Filler Bracket	Fuel filler bracket for fill hose for truck frame mounting	Powder Black	6	\$117
4210128	Narrow Frame Mount Bracket	Single narrow frame mount bracket for Mitsubishi chassis — Required bracket for every 3' of hoist on chassis system—	Powder Black	22.5	\$260
3190114	SNG Control Pendant	Control pendant with 4' of cable with 6-Pole round plug	Multiple Components	2	\$250

Part Number	Model Name	Body Accessories	Color / Finish	(lbs) Weight	MSRP
4210130	Dump Body Mesh Roll Tarp w/ Hardware	Dump Body Mesh (7' x 18') (manually operated) roll tarp (Kit shipped separately with hardware) —Installation required—	Mesh Black	41	\$622
4210136	Drop Box Mesh Tarp w/ Hardware	Drop box mesh (7.5' x 18') (manually operated) roll tarp (Kit shipped separately with hardware) —Installation required—	Mesh Black	41	\$622
3270156	Replacement Dump Body Mesh Roll Tarp	Dump body mesh (7' x 18') replacement roll tarp only	Mesh Black	11	\$141
3270189	Replacement Drop Box Mesh Roll Tarp	Drop box mesh (7.5' x 18') replacement roll tarp only	Mesh Black	12	\$142

Part Number	Model Name	Winch Parts	Color / Finish	(lbs) Weight	MSRP
3210129	12,000 lbs Electric Winch	Switch-N-Go®/Warn® replacement winch for 12,000lbs Electric system	Multiple Components	95	\$3,073
3210132	15,000 lbs Electric Winch	Switch-N-Go®/Warn® replacement winch for 15,000lbs Electric system	Multiple Components	95	\$3,364
3210136	15,000 lbs Hydraulic Winch	Switch-N-Go®/Warn® replacement winch for 15,000lbs Hydraulic system	Multiple Components	95	\$3,099
3210138	18,000 lbs Hydraulic Winch	Switch-N-Go®/Warn® replacement winch for 18,000lbs Hydraulic system	Multiple Components	95	\$3,792
3210102	Warn Relay Block	Warn® winch relay block (contractor block)	Multiple Components	3	\$446
3210130	Warn Replacement Motor-12,000 lbs	Replacement motor for 12,000 pound Warn® winches	Multiple Components	17.5	\$462
3210133	Warn Replacement Motor-15,000 lbs	Replacement motor for 15,000 pound Warn® winches	Multiple Components	22	\$548
3210100	Cable Tensioner 10" Drum	Cable tensioner kit for all 10" drum Warn® winches	Multiple Components	3.5	\$151



Replacement Parts

Part Number	Model Name	Hydraulic Parts	Color / Finish	(lbs) Weight	MSRP		
3180100	Hydraulic Pump	Bucher® hydraulic pump	Multiple Components	29	\$702		
3180101	Solenoid	Solenoid cube for Bucher® hydraulic pump	Multiple Components	13.2	\$63		
3180102	Moncoil 10V DC	Moncoil for Bucher® hydraulic pump	Multiple Components	0.8	\$94		
3170478	Breather Cap	Switch-N-Go® breather cap for hydraulic pump reservoir	Multiple Components	0.8	\$23		
3170656	Pump Reservoir	Switch-N-Go® hydraulic pump reservoir	Multiple Components	1	\$218		
3180122	Valve Manifold	Standard valve manifold (valve only with no hoses)	Multiple Components	20.5	\$2,515		

Part Number	Model Name	Hoist Parts	Color / Finish	(lbs) Weight	MSRP		
4070108	Side Roller-Bolt (old style)	Side roller (with side shaft roller & grade 8 bolt) { Pre March 2016 }	Steel	5.5	\$94		
4070165	Side Roller-Pin	Side roller (with side shaft & cotter pin) { Post March 2016 }	Steel	6	\$117		
4070100	V-Roller Assembly	Rear cable v-roller assembly	Steel	18	\$233		
4070101	Yellow Rear Roller Assembly	Yellow rear roller assembly (includes yellow roller & nut)	Yellow/ Steel	11.5	\$233		
4210129	Winch Stop	Winch shut off switch assembly (includes bracket & wiring harness }	Multiple Components	1	\$90		

Part Number	Model Name	Cables	Color / Finish	(lbs) Weight	MSRP		
3210131	Cable 7/16"	7/16" Switch-N-Go® cable rated for 12,000lbs (25' length) — Recommended for 12E winch—	Steel	16.5	\$329		
3210134	Cable 1/2" Standard	1/2" Switch-N-Go® standard rated for 15,000lbs (25' length) — Recommended for 12E, 15E or 15H winch—	Blue/ Orange/ Steel	16.5	\$257		
3210135	Cable 1/2"-X Heavy Duty	1/2" Switch-N-Go® heavy duty rated for 18,000lbs (25' length) — Recommended for 15E, 15H or 18H winch—	Red/ Steel	16.5	\$278		

Part Number	Model Name	Body Rollers	Color / Finish	(lbs) Weight	MSRP		
4070228	Standard Ground Roller	Single Standard 6" Ground Roller	Steel	28.5	\$99		
4070229	Dump Wheel Driver-side	Single dump body wheel (driver side 6" roller & bracket)	Steel	30	\$146		
4070230	Dump Wheel Passenger-side	Single dump body Wheel (passenger side 6" roller & bracket)	Steel	30	\$146		
4070173	Standard Poly Wheel Assembly	Poly wheel assembly (Includes nylon 6" roller, bracket with removable axle)	Steel / Black Nylon	22.5	\$249		



Warranty

Warranty Claims

warranty@switchngo.com 
(888) 311-0867 





SWITCH-N-GO® LIMITED WARRANTY

Subject to the exclusions, limitations of liability, general warranty rules and warranty claim procedures set forth below, Switch-N-Go® warrants all new products sold by Switch-N-Go® as follows:

5-YEAR LIMITED WARRANTY – BODY CABLE LIFT PIN

Switch-N-Go® warrants the Body Cable Life Pin to be free from defects in materials and/or workmanship under normal use and service for FIVE YEARS from date of purchase by the customer or 66 months from date of delivery to a Switch-N-Go® distributor, whichever elapses first. If a defect appears during the Warranty Period, Switch-N-Go®, Inc. will repair or replace (at its option) such product without charge provided applicable claim procedures are followed.

3-YEAR LIMITED WARRANTY – HOIST SYSTEM SUB-FRAME

Switch-N-Go® warrants the Scissor Hoist and Sub-Frame Assemblies as provided by the manufacturer to be free from defects in materials and/or workmanship under normal use and service for a period of THREE YEARS from date of purchase by the customer or 42 months from date of delivery to a Switch-N-Go® distributor, whichever elapses first. If a defect appears during the Warranty Period, Switch-N-Go® will repair or replace (at its option) such product without charge provided applicable claim procedures are followed.

3-YEAR LIMITED WARRANTY – WINCH AND PUMP

Switch-N-Go® warrants the winch and hydraulic pump to be free from defects in material and workmanship under normal use and service for THREE YEARS from the date of purchase by the customer or 42 months from date of delivery to a Switch-N-Go® distributor, whichever elapses first. If a defect appears in those components during the Warranty Period, Switch-N-Go® will repair or replace (at its option) the defective components without charge provided applicable claim procedures are followed. The repaired or replacement component will be returned to the client free of charge (via standard ground shipping). Any expedited shipment will be at the end user/customer and/or distributor's expense.

1-YEAR LIMITED WARRANTY – SWITCH-N-GO® MANUFACTURED PRODUCTS

Switch-N-Go® warrants its products including truck bodies, hoist top frames, bumpers, gate and door hinges, truck body latches, tailgate levers and mechanisms, sub-frames, body rollers, body accessories, paint and powder coat to be free from defects in material and workmanship under normal use and service for ONE YEAR from the date of purchase by the customer or 18 months from date of delivery to a Switch-N-Go® distributor, whichever elapses first. If a defect appears in these items during the Warranty Period, Switch-N-Go® will repair or replace (at its option) these items without charge provided applicable claim procedures are followed. The repaired or replacement item will be returned to the client free of charge (via standard ground shipping). Any expedited shipment will be at the end user/customer and/or distributor's expense.

1-YEAR LIMITED WARRANTY – COMPONENTS

Switch-N-Go® warrants components including hydraulic hoses, hydraulic control valves, fender kits, control pendants and winch stop switches to be free from defects in material and workmanship under normal use and service for ONE YEAR from the date of purchase by the customer or 18 months from date of delivery to a Switch-N-Go® distributor, whichever elapses first. If a defect appears in these items during the Warranty Period, Switch-N-Go® will repair or replace (at its option) these items without charge provided applicable claim procedures are followed. The repaired or replacement item will be returned to the client free of charge (via standard ground shipping). Any expedited shipment will be at the end user/customer and/or distributor's expense.

STACKING OF PRODUCTS FOR SHIPPING

The limited warranties set forth above shall not apply to, and no warranty is given with respect to:

1. a product that is damaged due to being stacked/packaged, loaded, and unloaded inside of other products at the election of the end user, customer, and/or distributor in order to minimize freight expense or for other reasons;
2. a product that is damaged due to being stacked/packaged, for the purposes of shipping, and have not been unloaded within seven (7) days upon taking delivery;
3. parts, accessories or components manufactured by others, including, but not limited to, tarps, belts, springs and electrical components, bearings and motors.
4. Winch cables are not covered under warranty due to failures occur from abuse from shock loading or misuse from overloading the system.
5. Blown fuses, burnt wiring and overheated electrical components are not covered under warranty due to failures occur from installer error and/or operator misuse.

PAINT, POWDER, DECALS AND OTHER COATINGS/FINISHES:

The limited warranties set forth above for Paint, Powder Coat, Decals and/or other Coatings/Finishes shall not apply to, and no warranty is given with respect to:

1. a stacked product that was not unstacked within seven (7) days of receipt upon taking delivery;
2. a product that has been "primed only" or to be shipped raw with no finish paint, powder, and/or other finish coating;
3. environmental damage resulting from time spent on a dealer or distributor's lot including, but not limited to: rust, storm damage, exposure to extreme temperatures;
4. paint/powder and any other finish applied or paint/powder preparation done by the customer, distributor, or other third party;
5. deterioration of paint/powder and appearance associated with normal wear and use;
6. damage from rock chips and road debris;
7. paint/powder deterioration caused by chemical reactions including, but not limited to, acid rain, industrial fallout, harsh road salt or salt atmosphere, and/or chemicals; and
8. understructure and/or inside of bodies (due to the versatile nature of Switch-N-Go® products being on an uncontrolled ground surface for much of their use).

GENERAL WARRANTY RULES:

1. The foregoing warranties apply to the original installation of Switch-N-Go® Products on truck chassis only, and NOT to subsequent installations..
2. The foregoing warranties are void if products are purchased or used outside the mainland United States and Canada. Hawaii, Alaska, and US Territories are not covered under warranty.
3. The foregoing warranties are void if the product has been abused or has been subject to other than normal usage and not used and maintained in accordance with the Operational Manual.
4. The foregoing warranties apply only to Switch-N-Go® products and exclude add-on attachments and modifications to such products.
5. The warranty of the hoist system and components is null and void if a part, accessory, truck body or sub-frame manufactured by an unauthorized third party is used with the



Switch-N-Go® System.

6. To qualify for warranty coverage under the foregoing warranties, the Switch-N-Go® product must be properly installed only by a Switch-N-Go® authorized dealer, distributor, agent or installer and maintained and serviced properly thereafter.
7. Switch-N-Go® assumes no liability for the following:
 - a. Products that have been altered, modified, abused, misused, overloaded, repaired, worn-out due to normal wear and tear or damaged by corrosive materials, or any damage attributable to accident, lightning or connection to a power source having a greater rating than that specified in the operator manual.;
 - b. Loss or damage to cargo or goods carried on any Switch-N-Go® product at any time for any reason or for consequential damages arising from any Switch-N-Go® product which is found to be defective;
 - c. Loss or damage to vehicles upon which Switch-N-Go® products have been installed.
8. The foregoing warranties are for the benefit of the initial purchaser only and are not transferable.

THE WARRANTIES SET FORTH ABOVE ARE THE SOLE AND EXCLUSIVE WARRANTIES GIVEN BY SWITCH-N-GO® FOR ITS PRODUCTS AND ARE IN LIEU OF ALL OTHER WARRANTIES, WHETHER EXPRESS, IMPLIED OR STATUTORY, INCLUDING (WITHOUT LIMITATIONS) ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A

Limitation & Claim Procedures

QA-003-v8 rev.06/18/2018

PARTICULAR PURPOSE, BOTH OF WHICH ARE EXPRESSLY DISCLAIMED.

LIMITATION OF REMEDIES FOR BREACH OF WARRANTY

In the event of a breach of the limited warranties set forth above, the purchaser's sole remedy, and Switch-N-Go's® sole obligation, is limited to the repair or replacement of the product in question by Switch-N-Go®, at its option. Such limitation shall apply regardless of whether the claim is characterized as arising out of breach of warranty, contract, tort (including, without limitation, fraud, fraudulent misrepresentation, negligence and/or negligent misrepresentation), strict liability, statutory liability, indemnity or otherwise. The expense of freight for large items such as Bodies, Containers or Hoist Systems to and from the repair site shall be the sole responsibility of the purchaser. If the repair site is other than the Switch-N-Go® factory or a location designated by Switch-N-Go®, reasonable out of pocket expenses, including, but not limited to, travel and lodging for Switch-N-Go's® service personnel shall be the sole responsibility of the purchaser. The purchaser shall be solely responsible for any costs associated with making the product in question accessible or otherwise available to Switch-N-Go® for the performance of repair work on, or the replacement of, the product in question. Unless otherwise agreed in writing by the purchaser and Switch-N-Go®, Switch-N-Go® shall not be responsible for any back charges of any nature whatsoever.

WARRANTY CLAIM PROCEDURES

Warranty claims may be made by submitting a detailed description of the warranty claim and by submitting a minimum of two photos, if applicable, to an authorized Switch-N-Go® dealer, distributor, agent, or installer. A copy of the original bill of sale with legible date of purchase and serial number (if applicable) must be submitted with the warranty claim in order to be valid. A credit card must be provided and will be charged for the cost of the replacement parts and shipping. Once returned products are inspected and deemed warrantable, the credit card will be credited for the full amount charged.

Switch-N-Go® by its authorized representative(s) reserves the right to inspect products claimed to be defective and dispose of the claim as it sees fit, including repair or replacement. Unauthorized repair or replacement prior to such inspection may void the warranty claim.

All products or components claimed to be defective must be returned to Switch-N-Go®, a Switch-N-Go® authorized dealer, distributor, agent, or installer for warranty evaluation within thirty (30) days of the claim being submitted unless otherwise expressed by Switch-N-Go® in writing. The Switch-N-Go® authorized dealer, distributor, agent or installer will process the claim through Switch-N-Go®.



Terms & Conditions



1. Contract Formation

1.1 Offer | Deist's proposal, quote, sales order and/or Deist's invoice quote (collectively, the "Proposal") constitutes an offer for the sale of Switch-N-Go Brand Products (the "Goods") and includes all the terms and conditions contained herein (the "Terms and Conditions"). As used herein, the term "Deist" means Deist Industries, Inc., a Pennsylvania corporation, doing business under its own name and doing business under the trade names of "Bucks Fabricating", "Switch-N-Go", "AmeriDeck" and "Roll-offParts.com".

1.2 Acceptance | Any purchase order or other form of acceptance issued by the Buyer in response to a Proposal from Deist shall result in a contract for the purchase of the Goods at the price quoted in Deist' Proposal and shall be subject to these Terms and Conditions. Deist does not accept any terms contained in any purchase order or other documents issued by Buyer which are different from, conflict with, modify and/or add to these Terms and Conditions. Deist's execution of any document issued by the Buyer shall constitute only an acknowledgement of receipt thereof, and shall not be construed as an acceptance of any of the terms therein. Unless Buyer shall have set forth each specific objection to these Terms and Conditions in a separate writing signed and dated by Buyer and delivered to Deist contemporaneously with Buyer's purchase order or other acceptance document, Buyer shall be deemed to have accepted all of these Terms and Conditions. Buyer's issuance of a purchase order or other document which purports to reject some or all of these Terms and Conditions by virtue of Buyer's standard form language, or otherwise, shall not be sufficient objection. Where Buyer specifically objects to any of these Terms and Conditions, no contract shall be formed unless and until Deist agrees to accept in writing Buyer's proposed modifications to these Terms and Conditions.

1.3 Entire Agreement | The Proposal and these Terms and Conditions shall constitute the entire understanding and agreement (the "Contract") between Buyer and Deist. Any representation, promise, course of dealing, course of performance, custom or trade usage will not be binding upon either party. This Contract may not be amended or modified except by a writing executed by both parties.

2. Purchase and Sale

Subject to these Terms and Conditions, Buyer agrees to buy, and Deist agrees to sell, the Goods, for the purchase price specified in the Proposal.

3. Taxes

Buyer shall be responsible for, and shall pay, any taxes (sales, excise, use, etc.) and any export or import duties which may be applicable to the sale and/or delivery of the Goods and to the performance of any warranty work on the Goods as may be required under Section 6.6. Buyer shall defend, indemnify and hold Deist harmless from any claim, loss, damage, liability or expense incurred with regard to the payment of any such taxes or duties.

4. Payment; Security Interest

4.1 Generally | Buyer shall pay the purchase price, all applicable taxes, freight charges, and all other applicable charges in full, in U.S. Dollars, without any deduction for claims, set-offs or recoupment on account of this Contract or any other matter between the parties within the time periods set forth below in Section 4.2 and Section 4.3, below. Payment shall not be contingent upon use or upon field tests. If payment is delayed beyond the date on which it is due, interest shall accrue and be payable by Buyer on the unpaid balance at a rate of one and one-half percent (1 1/2%) per month.

4.2 Payment | Unless otherwise specified by Deist in the Proposal, the Buyer shall pay the purchase price within thirty (30) days from the date of delivery or the date of shipment, whichever is the earlier. If delivery or shipment is delayed by Buyer, Deist shall invoice the Buyer when the Goods are ready for delivery or shipment, whichever is the earlier. In such case, payment shall be due thirty (30) days from the date of the invoice, regardless of whether or when delivery or shipment of the Goods is actually made.

4.3 Security Interest | Buyer hereby grants to Deist a security interest in the Goods until all monies due Deist under this Contract are paid in full. Deist shall have the right to file financing statements and any other documents that may be necessary to evidence and perfect such a security interest in the Goods in any jurisdiction.

5. Delivery

5.1 Date | Any delivery date stated in the Contract

is approximate only and shall not constitute any guarantee of delivery on any particular date. Time shall NOT be of the essence of the Contract.

5.2 Terms | Unless otherwise specified by Deist in the Proposal: (1) delivery of the Goods shall be Ex Works Deist's factory, 3547 Perry Hwy. Hadley, PA 16130 (Incoterms 2010); and (2) any delivery terms specified in the Proposal shall be construed in accordance with Incoterms 2010.

5.3 Freight | Notwithstanding the provisions of Section 5.2, above, unless otherwise directed by the Buyer in writing or otherwise expressly specified in the Proposal, Deist shall arrange for carriage of the Goods. Buyer shall be solely responsible for the cost of carriage of the Goods, regardless of any delivery terms (including Incoterms) specified in the Proposal.

5.4 Risk of Loss; Title | Risk of loss shall pass from Deist to the Buyer in accordance with the delivery terms applicable to this Contract, as specified in Section 5.2, above. Title to the Goods shall pass from Deist to the Buyer upon the passage of risk of loss from Deist to the Buyer.

5.5 Delay in Performance by Deist | Deist shall not be responsible to Buyer or any third party for any damages resulting from any failure or delay in manufacturing, delivery or shipping due to any cause beyond Deist's reasonable control, including, but not limited to: (1) intervening legal requirements or governmental directives; (2) acts of God; (3) force majeure; (4) labor disputes; (5) delays caused by Deist's suppliers or vendors; or (6) war, terrorism, or similar disruptions.

5.6 Delay of Delivery or Shipment by Buyer | If delivery or shipment is delayed by Buyer, Deist may arrange for storage of the Goods at Buyer's sole expense. In such event, risk of loss to the Goods shall pass to Buyer upon placing the Goods in storage, unless risk of loss has already passed to the Buyer pursuant to the delivery terms applicable to this Contract, as specified in Section 5.2, above, in which case risk of loss shall remain with the Buyer. If storage of the Goods is at a location other than Deist's factory, Buyer shall be responsible for all storage, handling and other expenses actually incurred by Deist in effectuating the storage of the Goods. If storage of the Goods is at Deist's factory, Deist shall be entitled to collect from Buyer a storage charge of \$25.00 per day per unit. Deist shall not be

obligated to deliver or ship the Goods until all storage charges and related expenses have been paid by the Buyer. Storage charges shall commence on the original due date for delivery and shall continue until shipment of the Goods to the Buyer. Deist shall have the right to invoice Buyer for storage charges on a weekly, bi-weekly, monthly or other periodic basis, at Deist's option. Payment on such invoices shall be due thirty (30) days from the date of the invoice. If Buyer delays delivery or shipment of the Goods for a period of more than ninety (90) days, or otherwise fails to take delivery of the Goods within ninety (90) days from the original due date for delivery, Deist may declare Buyer in default and exercise its remedies, as contemplated by Section 9, below.

6. Warranties

6.1 Limited Warranty | For the benefit of the Buyer only, and subject to the warranty rules, exclusions, warranty claim procedures and limitations set forth in this Section 6, Deist warrants that all new Goods manufactured by Deist shall be free from defects in material and workmanship for the periods (the "Warranty Period") specified in Section 6.2, below.

6.2 Warranty Periods |

(a) Body Cable Lift Pin - Five Year Limited Warranty | Deist warrants the Body Cable Lift Pin to be free from defects in material and workmanship under normal use and service for a period of five (5) years from the date of purchase by the Buyer or sixty-six (66) months from the date of delivery of the Goods to the Switch-N-Go distributor, whichever elapses first.

(b) Scissor Hoist and Sub-Frame Assemblies - Three Year Limited Warranty | Deist warrants that the Scissor Hoist and Sub-Frame Assemblies shall be free from defects in material and workmanship under normal use and service for a period of three (3) years from the date of purchase by the Buyer or forty-two (42) months from the date of delivery of the Goods to the Switch-N-Go distributor, whichever elapses first.

(c) Winch and Pump - Three Year Limited Warranty | Deist warrants the winch and hydraulic pump to be free from defects in material and workmanship under normal use and service for a period of three (3) years from the date of purchase by the Buyer or forty-two (42) months from the date of delivery to the Switch-



N-Go distributor, whichever elapses first.

(d) General One-Year Warranty | Except as otherwise provided in Sections 6.2(a), (b) and (c), above, Deist warrants that the Goods shall be free from defects in materials or workmanship under normal use and service for a period of one (1) year from the date of purchase by the Buyer or eighteen (18) months from the date of delivery of the Goods to the Switch-N-Go distributor, whichever elapses first.

6.3 Exclusions and Limitations |

(a) Alteration; Abuse | The limited warranty set forth in this Section 6 shall be void with respect to Goods which have been: (1) altered by Buyer or any third party; (2) repaired by other than Deist personnel or a Deist approved contractor; (3) subjected to misuse, abuse, neglect or accident; (4) damaged by improper installation or application; (5) failed or damaged winch cables due to abuse from shock loading or overloading the system; and (6) blown fuses, burnt wiring and overheated electrical components resulting from installer error and/or operator misuse.

(b) Certain Components Excluded | The limited warranty set forth in this Section 6 shall not apply to, and no warranty is given with respect to: (1) parts, accessories, truck bodies, or components manufactured by others, including, but not limited to, belts, springs and electrical components; and (2) bearings and motors. The limitations set forth under this Section 6.3(b) shall not apply to hydraulic hoses, hydraulic control valves, fender kits, control pendants and winch stop switches. Such items are covered under the warranty set forth in Section 6.2(d), above.

(c) Stacking of Products for Shipping | The limited warranty set forth in this Section 6 shall not apply to, and no warranty is given with respect to: (1) a product that is damaged due to being stacked/packaged, loaded, and unloaded inside of other products at the election of the end user, customer and/or distributor in order to minimize freight expense or for other reasons; or (2) a product that is damaged due to being stacked/packaged, for the purposed of shipping, and have not been unloaded within seven (7) days upon taking delivery.

6.4 Other Limitations |

The following limitations apply to the limited warranty given under this Section 6:

(i) The warranty applies to the original installation

of Goods on truck chassis only, and NOT to subsequent installations.

(ii) The warranty is void if the Goods are purchased or used outside the mainland United States and Canada. Goods purchased or used in Hawaii, Alaska and/or U.S. Territories are not covered under the warranty.

(iii) The warranty is void if the Goods have been subject to other than normal usage and/or are not used and maintained in accordance with the operational manual. .

(iv) The warranty applies only to Switch-N-Go Goods and excludes add-on attachment and modifications to such Goods.

(v) The warranty of the Hoist System and Hoist Sub-Frame Assemblies is null and void if a part, accessory, truck body or sub-frame manufactured by an unauthorized third party is used with the Switch-N-Go Goods.

(vi) To qualify for warranty coverage under this warranty, the Switch-N-Go Goods must be property installed only by a Switch-N-Go authorized dealer, distributor, agent or installer and maintained and serviced property thereafter.

(vii) The warranty shall not apply to, and Deist shall have no liability for, Goods which have been overloaded, repaired or worn out due to normal wear and tear, or damaged by corrosive materials.

(viii) The warranty shall not apply, and Deist shall have no liability for, any damage attributable to accident, lightning or connection to a power source having a greater rating than that specified in the operator manual.

(ix) The warranty shall not apply to, and Deist shall have no liability for, loss or damage to cargo or goods carried on any Switch-N-Go product at any time or for any reason, or for consequential damages arising from any Switch-N-Go product which is found to be defective.

(x) The warranty shall not apply to, and Deist shall have no liability for, loss or damage to vehicles upon which Switch-N-Go products have been installed.

(xi) The warranty is solely for the benefit of the original end-user and is not transferable.

6.5 Paint, Powder, and or other Coatings | The limited warranty set forth in this Section 6 in regards to paint, powder coat, and or other coatings will apply to workmanship. However, it



shall not apply to, and no warranty is given with respect to: (1) product that is stacked inside of other products at the election of the end user, customer, and or distributor in order to minimize freight, expense or for other reasons; (2) all product that has been stacked, for the purposes of shipping, and has not been unloaded within seven days upon taking delivery (product must be unstacked in order to prevent pooling water that can result in paint/powder damage); (3) product that has been primed only or to be shipped raw with no finish paint, powder, and/or other finish coating; (4) environmental damage resulting from time spent on a dealer's or distributor's lot (this damage can include, but is not limited to: rust, storm damage, exposure to extreme temperatures); (5) paint/powder or any other finish applied or paint/powder preparation done by the Buyer, distributor, or other third party; (6) deterioration of paint/powder and appearance associated with normal wear and use; (7) rock chips and road debris; (8) paint/powder deterioration caused by chemical reactions including, but not limited to, acid rain, industrial fallout, harsh road salt, and/or chemicals; (9) understructure and/or inside of bodies - due to the versatile nature of Deist products being on an uncontrolled ground surface for much of their use.

6.6 Exclusive Warranty |

THE WARRANTY SET FORTH IN SECTION 7, BELOW, WITH RESPECT TO PATENT INFRINGEMENT, AND THE LIMITED WARRANTY SET FORTH IN THIS SECTION 6 ARE THE EXCLUSIVE WARRANTIES GIVEN BY DEIST WITH RESPECT TO THE GOODS AND ARE IN LIEU OF ALL OTHER WARRANTIES, WHETHER EXPRESS, IMPLIED OR STATUTORY, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, BOTH OF WHICH ARE HEREBY EXPRESSLY DISCLAIMED.

6.7 Limitation of Remedies for Breach of Warranty |

(a) Generally | In the event of a breach of the limited warranty set forth in this Section 6, Buyer's sole remedy, and Deist's sole obligation, is limited to the repair or replacement of the Goods by Deist, at Deist's option. Such limitation shall apply regardless of whether the

claim is characterized as arising out of breach of warranty, contract, tort (including, without limitation, fraud, fraudulent misrepresentation, negligence and/or negligent misrepresentation), strict liability, statutory liability, indemnity or otherwise. The expense of freight to the repair site shall be the responsibility of Buyer. Except as provided in Section 6.7(b), below, the expense of freight from the repair site to Buyer shall be the responsibility of Deist. If the repair site is other than a Deist factory or a location designated by Deist, reasonable out of pocket expenses, including, but not limited to, travel and lodging for Deist's service personnel shall be the sole responsibility of the Buyer. Buyer shall be solely responsible for any costs associated with making the Goods accessible or otherwise available to Deist for the performance of repair work on, or the replacement of, the Goods. Unless otherwise agreed in writing by Buyer and Deist, Deist shall not be responsible for any back charges of any nature whatsoever. Deist shall in no event be liable for any monetary damages as a result of a breach of the warranty set forth in this Section 6.

(b) In the event that an item is claimed by the Buyer to be defective, but is not found to be covered by the warranty set forth in this Section 6, the item will be returned to the Buyer. Buyer shall in such case be responsible for all freight charges to and from the repair site and other expenses reasonably incurred by Deist with respect to the item, including, without limitation, labor costs associated with the handling, inspection and packing of the item.

(c) Parts that fail within the ninety (90) days of the original sale will be replaced by new parts. Parts that fail after such ninety (90) day period may be replaced by either new or refurbished parts. Repaired or replacement components or parts shall be returned to the Buyer free of charge via standard ground shipping. Any expedited shipment shall be at the Buyer's expense.

(d) The obligation of Deist to provide the remedies set forth in this Section 6 are conditioned upon compliance by the Buyer with the warranty claim procedures set forth in Section 6.9, below.

6.8 Assignment of Third Party Warranties |

If the Goods contain components which are manufactured by third parties (such as, but



not limited to, power units and winches), and which carry a warranty from the manufacturer, Deist shall assign such warranties to Buyer, to the extent permitted by the terms of such warranties. Deist makes no representations or warranties with respect to any such warranties, and Buyer shall look solely to the third party manufacturer for the performance of such warranties. Nothing in this Section 6.8 shall be construed as imposing any warranty obligations upon Deist which are different than, or greater in scope than, those assumed by Deist in Sections 6.1 through 6.7, above, and Section 7, below.

6.9 Warranty Claim Procedures |

The obligations of Deist under this Section 6 are conditioned upon compliance by the Buyer with the warranty claim procedures set forth in this Section 6.9. Deist shall have no obligation to the Buyer under this Section 6 if Buyer materially fails to comply with the following warranty claim procedures:

- (a) Warranty claims may be made, in writing only, by contacting an authorized Switch-N-Go dealer, distributor, agent, or installer, or Deist AmeriDeck, 3550 Perry Highway, Hadley, PA 16130.
- (b) The warranty claim must be received in writing no later than the expiration of the applicable Warranty Period. A minimum of two (2) photos, if applicable, must accompany the claim.
- (c) The Buyer must provide a credit card number to Deist against which non-warrantable repairs and/or replacement costs and shipping costs can be charged. Deist will initially charge the credit card for shipping costs. If the returned Goods are determined to be covered under warranty, the Buyer's credit card will be credited back for amounts charged against the credit card which are covered under the warranty.
- (d) To make a valid warranty claim, the Buyer, i.e., the original owner, must first have completed and returned to Deist an official Switch-N-Go Warranty Card within thirty (30) days of taking delivery of the Goods. In lieu of this requirement, a copy of the original bill of sale with legible date of purchase and serial number (if applicable) must be submitted with the warranty claim in order for the claim to be valid.
- (e) Deist, by its authorized representative(s), reserves the right to inspect Goods claimed to be defective and to resolve the claim, as Deist

determines to be appropriate, by repair or replacement. Unauthorized repair or replacement prior to such inspection may void the warranty claim.

(f) Goods claimed to be defective must be returned to Deist, a Switch-N-Go authorized dealer, distributor, agent, or installer for warranty evaluation within thirty (30) days of the claim being submitted. The Switch-N-Go authorized dealer, distributor, agent, or installer will process the claim through Deist. All parts returned with valid warranty claims are to be shipped prepaid to Deist. All collect shipments will be refused.

7. Patent Infringement

7.1 Warranty | Deist warrants that the Goods, and any part of the Goods which are manufactured to Deist's design, shall be delivered free of any rightful claim of infringement of any United States patent.

7.2 Obligation to Defend | Upon prompt written notification by Buyer of any claim of patent infringement, Deist shall defend or settle any claim of patent infringement at Deist's sole cost and expense. Buyer shall provide any information and assistance requested by Deist in providing such defense.

7.3 Remedies | Deist shall pay all damages and costs awarded against Buyer incurred as a result of a breach of the warranty contained in this Section 7. In the event that the use of the Goods or parts is enjoined or in the event Deist decides to defend or settle a claim of patent infringement, Deist shall at its sole expense and option, either: (1) procure for Buyer the right to continue using such Goods or parts; (2) replace the Goods or parts so that they are non-infringing; or (3) remove the Goods or parts and refund the purchase price, less reasonable depreciation for any period of use. The remedies set forth in this Section 7.3 shall constitute the sole and exclusive remedies of the Buyer in the event of a breach of the warranties contained in this Section 7.

7.4 Exclusions | The warranty set forth in this Section 7 shall not apply to: (1) any Goods or parts specified by Buyer or manufactured to Buyer's design; (2) any Goods or parts altered or modified by Buyer; or (3) the use of any Goods in conjunction with any other product, not manufactured by Deist. With respect to the Goods described in this Section 7.4, Deist assumes no liability for patent infringement and



Buyer shall defend, indemnify and hold Deist harmless from any claims, liability, damages or expenses, including reasonable attorneys' fees, as a result of any patent infringement claims arising therefrom.

8. Limitation of Damages

8.1 Exclusion of Certain Damages | In no event shall Deist or Deist's employees, officers, directors, representatives, affiliates and/or agents be liable for consequential, incidental or punitive damages incurred by Buyer or any third party in connection with any matter arising out of or relating to this Contract, or the breach thereof, regardless of whether such damages are characterized as arising out of breach of warranty, tort (including, without limitation, fraud, fraudulent misrepresentation, negligence and/or negligent misrepresentation), contract, strict liability, statutory liability, indemnity or otherwise. Such limitations shall apply regardless of whether Deist has been advised or otherwise made aware of the possibility of such damages arising. For purposes of this Section 8.1, consequential damages include, but are not limited to: (1) Buyer's lost production, sales and/or profits; (2) Buyer's loss of use of the Goods and/or any other equipment; (3) Buyer's cost of capital; or (4) any claims of customers of the Buyer against Buyer or Deist.

8.2 Limitation on Amount | Notwithstanding any other provision of this Contract, the total liability, in the aggregate, of Deist and Deist's employees, officers, directors, representatives, affiliates and agents to Buyer or any third party claiming through or under Buyer for any claims, losses, damages, or costs arising out of or relating to this Contract, or the breach thereof, shall not exceed the total consideration received by Deist from Buyer under this Contract. This Section 8.2 shall apply regardless of whether the claim is characterized as arising out of breach of warranty, contract, tort (including, without limitation, fraud, fraudulent misrepresentation, negligence and/or negligent misrepresentation), strict liability, statutory liability, indemnity or otherwise.

9. Termination for Default | Deist may terminate this Contract if Buyer: (1) becomes insolvent; (2) is unable to meet its obligations as they become due or admits such in writing; (3) enters bankruptcy or has a receiver or trustee appointed for it; (4) fails to timely make payments under this

Contract or under any other obligation of Buyer to Deist including, but not limited to, any storage charges and expenses due under Section 5.6, above; (5) fails to provide Deist with adequate assurance of due performance within fifteen (15) days of Buyer's receipt of Deist's written demand therefor; or (6) delays delivery or shipment of the Goods for a period of more than ninety (90) days, or otherwise fails to take delivery of the Goods within ninety (90) days from the original due date for delivery. Any such termination shall be effectuated by Deist giving the Buyer a written declaration of default and notice of termination. Upon such declaration of default and notice of termination, Deist shall have all remedies available to Deist under this Contract and at law, including, without limitation: (1) the right to recover from Buyer Deist's expenses, as provided in Section 11.10, below; (2) the right to recover from Buyer the purchase price of the Goods; (3) the right to re-sell the Goods to a third party (for which Deist's declaration of default and notice of termination shall be considered sufficient notice of Deist's intent to re-sell the Goods to a third party) and to recover the difference between such sales price and the purchase price under this Contract from the Buyer; (4) the right to recover storage charges and expenses due under Section 5.6, above; and (5) the right to recover interest from the Buyer, as provided in Section 4.1, above. If Buyer has made a deposit on the Goods and/or has made progress payments on the Goods, upon a declaration of default by Deist, Deist shall be entitled to retain any such deposit and/or progress payments and apply such amounts against any damages incurred by Deist as a result of Buyer's default. All remedies shall be cumulative and the exercise of any particular remedy shall not be considered either an election of remedies or an exhaustion of such remedy.

10. Credit Verification | Deist reserves the right to perform a review of Buyer's creditworthiness following acceptance of Deist's Proposal by Buyer. Notwithstanding any other provision of this Contract, Deist shall not be obligated to perform the Contract if Buyer's creditworthiness is unsatisfactory to Deist, in Deist's sole discretion. In such case, Deist shall not be obliged to proceed with the performance of this Contract, and Deist may cancel this Contract at any time without any liability to Buyer, unless and until the Buyer shall have agreed to such terms of payment and such security therefor as is satisfactory to Deist, in Deist's sole discretion.



11. Other Provisions

11.1 Arbitration | Any dispute, controversy, claim or other matter arising out of or relating to the negotiation, execution, delivery or performance of this Contract, or the breach thereof, shall be settled by arbitration in accordance with the Commercial Arbitration Rules of the American Arbitration Association, and judgment upon the award may be entered in any court having jurisdiction thereof. The agreement of the parties to arbitrate any such dispute, controversy, claim or other matter shall apply regardless of whether the dispute, controversy, claim or other matter is characterized as arising in contract, tort (including, without limitation, fraud, fraudulent misrepresentation, negligence, and/or negligent misrepresentation), strict liability, statutory liability, indemnity, contribution or otherwise. Any such arbitration proceedings shall be held in Mercer, Pennsylvania, and shall be conducted in the English language.

11.2 Limitation of Actions by Buyer | Any actions against Deist with respect to any matter arising out of or relating to this Contract must be brought by Buyer, or anyone claiming through or under Buyer, within the earlier of: (1) one (1) year from the date that the claim in question accrued; or (2) the expiration of any applicable statute of limitations.

11.3 Governing Law | This Contract shall be construed and enforced in accordance with the laws of the Commonwealth of Pennsylvania, without reference to any applicable principles of conflicts of law which would direct the application of the laws of another jurisdiction. Any dispute, controversy, claim or other matter arising out of or relating to the negotiation, execution, delivery or performance of this Contract, or the breach thereof, regardless of whether such dispute, controversy, claim or other matter is characterized as arising in contract, tort (including, without limitation, fraud, fraudulent misrepresentation, negligence and/or negligent misrepresentation), strict liability, statutory liability, indemnity, contribution or otherwise, shall be governed by, and determined and resolved in accordance with, the laws of the Commonwealth of Pennsylvania, without reference to any applicable principles of conflicts of law which would direct the application of the laws of another jurisdiction. The United Nations Convention on the International Sale of Goods, the 1974 Convention on the Limitation Period in the International Sale of Goods and the Protocol amending the 1974 Convention shall not apply to this Contract.

11.4 Waiver | The waiver of any right or default in any one instance shall not be deemed a waiver of any future right to enforce this Contract.

11.5 Assignment | This Contract may not be assigned by Buyer without the written consent of Deist.

11.6 Severability | If any provision of this Contract is held to be invalid or unenforceable for any reason, the remaining provisions shall remain in full force and effect.

11.7 Safety Devices, Risks and Damages | Buyer assumes all responsibility for the safe operation of the Goods. Buyer shall provide all signage, warning labels, safety devices, guarding, shielding and other measures as may be necessary and/or appropriate, or which are required by federal, state, or local laws and regulations, for the safe operation of the Goods. Buyer shall defend, indemnify and hold Deist harmless with respect to any property damage and/or personal injury, including death, which is caused by reason of the failure on the part of Buyer, and/or any employee, representative, operator or agent of Buyer, to comply with this Section 11.7.

11.8 Buyer Disclosures | Unless otherwise agreed to in writing by Deist, any information or ideas transmitted by Buyer to Deist in connection with this Contract shall not be regarded as a trade secret of, or submitted in confidence by, the Buyer.

11.9 No License or Sale of Intellectual Property | The sale of the Goods does not grant to, convey to or confer upon Buyer a license or any other rights, express or implied, under any patent, copyright or other intellectual property right of Deist encompassed within, covering or relating to the Goods.

11.10 Recovery of Expenses | Deist shall be entitled to recover from Buyer all costs and expenses (including, but not limited to, reasonable attorney's fees) which are incurred by Deist in enforcing its rights under this Contract, including, but not limited to, the recovery of any amounts owed by Buyer to Deist under this Contract.

11.11 No Third Party Beneficiaries | There are no third party beneficiaries with respect to this Contract between the Buyer and Deist, including (but not limited to) any customers of the Buyer or any affiliates of the Buyer.



11.12 No Nuclear Use | The Goods which are the subject of this Contract shall not be used by Buyer or any third party in any nuclear installation or for the processing, handling, movement and/or storage of nuclear material. If any such use occurs, Deist disclaims all liability for any damages, injury or contamination relating to or arising out of such use. Buyer shall defend, indemnify and hold Deist harmless from any such liability, regardless of whether the claim is characterized as arising out of breach of warranty, contract, tort (including, without limitation, fraud, fraudulent misrepresentation, negligence and/or negligent misrepresentation), strict liability, statutory liability, indemnity or otherwise.



Switch-N-Go.com • 888-311-0867
3550 Perry Highway Hadley, Pennsylvania 16130

Class 4 and 5 Truck Bid #ESCNJ 18/19-42
Bid Term: March 23, 2019 - March 22, 2021