

CATERPILLAR MACHINE PRICE LIST

TH255C

TH255C TELEHANDLER
MCCONNELLSBURG, PA, USA

Ship Weight
lbs

LIST PRICE
AT DEALER

Standard Equipment:

BOOMS, STICKS, AND LINKAGES

Two section boom
with non-metallic wear pads
Coupler tilt angle maintained auto-
matically throughout boom lift range
by a compensation cylinder

POWERTRAIN

Deutz TD 2.9L engine 55kW / 74hp
Meets T4Final(SIIIB) emissions standards
Hydrostatic transmission
Hydraulically driven fan
Engine coolant
Hydraulic oil
Water separator
Dual element air filter
Spin on engine oil filter
Spin on Hydraulic oil filter
Planetary drive axles with full time
four wheel drive
Limited slip differential on front axle
Service brakes on front axle
SAHR handbrake works service brakes on
front axle

HYDRAULICS

Gear pump
Max flow 72 L/min (20 gpm)
Max pressure 241 bar
Load hold check valves on all load
carrying cylinders
One auxiliary hydraulic service on the
boom head

ELECTRICAL

12 volt electrical system
75 ampere alternator
1000 CCA maintenance free battery
Audible back-up alarm

OPERATOR ENVIRONMENT

ROPS and FOPS certified operator station
isolated on rubber mounts
Single lever electro-hydraulic control
joystick
Heater
Seat belt & document pouch
Left & right-side rear-view mirror
Power steering with steering wheel
Load charts
Floor mat
Fuse panel

FLUIDS

Extended life Antifreeze

OTHER STANDARD EQUIPMENT

Integral lift and tie-down points
Remote greasing system

INSTRUCTIONS

Operation and maintenance manual
Parts manual on CD

CATERPILLAR MACHINE PRICE LIST

TH255C

TH255C TELEHANDLER
MCCONNELLSBURG, PA, USA

Ship Weight
lbs

LIST PRICE
AT DEALER

561-7233

TH255C TELEHANDLER CFG1 0
LANE 3 AVAILABLE FROM MCCONNELLSBURG FACTORY
DEDICATED TO HIGHER REGULATED COUNTRIES (HRC)
AVAILABLE FOR: AM-North, Puerto Rico and EU Dealers

\$93,420

CATERPILLAR MACHINE PRICE LIST

TH255C

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE SELECTION

OP-9003	LANE 3 ORDER	0	NC
---------	------------------------	---	----

REGIONAL PACKAGES

REGIONAL ARRANGEMENTS

Pre-selects various regionally specific items such as load sensors and sound insulation.

L	566-2930	PREPARATION PACK, AM-N	0	NC
---	----------	----------------------------------	---	----

POWERTRAIN

ENGINE COOLING FAN

L	471-9829	FAN, ENGINE, VARIABLE	0	NC
L	509-1891	FAN, ENGINE, VARIABLE/REVERSING	0	\$695

ENGINE AIR INTAKE

L	509-4918	PRECLEANER, ENGINE BREATHER.	0	\$53
L	509-4919	RAIN CAP, ENGINE BREATHER	0	NC

HYDRAULICS

REAR AUXILIARY

Please note: rear aux lines are required if a hitch is to be selected

L	506-9925	LINES, REAR AUX, NONE	0	NC
L	509-2124	LINES, REAR AUX, FLAT FACED	0	NC
		REQUIRES: ANY HITCH		

ELECTRICAL

ELECTRICAL CONFIGURATION

L	444-3405	ELECTRICAL CONFIG, ADSD-N	0	NC
L	446-9669	ELECTRICAL CONFIG, ADSD-N PLUS	0	NC
		Required if roading or working lights are required.		

ROADING LIGHTS

Must select for all regions outside USA.
 This is an Optional Selection within the USA.

L	472-1142	LIGHTS, ROADING, RH DIP	0	\$1,050
		Requires: 446-9669 ELECTRICAL CONFIG, ADSD-N PLUS		

CATERPILLAR MACHINE PRICE LIST

TH255C

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

OPERATOR ENVIRONMENT

CABS/ CANOPIES

L	566-6676	CANOPY, FIXED STEERING COLUMN	0	NC
L	566-6677	CANOPY, TILT STEERING COLUMN	0	\$408
L	566-6679	CAB, ENCLOSED WITH HEAT Includes: sunshade	0	\$4,700
L	566-6680	CAB, ENCLOSED WITH HEAT + AC Includes: sunshade	0	\$8,420

SEATING

L	509-2139	SEAT, FABRIC Mechanical suspension seat, includes 2" (51mm) seat belt. FOR USE WITH MACHINES WITH AN ENCLOSED CAB	0	\$314
L	509-2140	SEAT, VINYL Includes 2" (51mm) seat belt. For use within a Canopy in USA & Canada. FOR USE WITH MACHINES WITH AN OPEN CANOPY	0	NC

SEAT BELTS

Select if required

L	470-0859	BELT, SEAT, 3" Select to upgrade to a 3" seat belt. Please note: This is mandatory in some areas.	0	\$146
---	----------	---	---	-------

CAB HEADLINER

Mandatory selection with enclosed cabs

L	527-8588	HEADLINER, RADIO READY ONLY FOR USE WITH: AN ENCLOSED CAB	0	\$695
L	527-8592	HEADLINER, STANDARD ONLY FOR USE WITH: AN ENCLOSED CAB	0	NC

TIRES, RIMS, AND WHEELS

Please select one

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice, but we reserve the right to propose alternate tires. Any proposed change will be reviewed with the dealer prior to machine shipment. The machine will ship only with the dealer acceptance of the proposed alternative tire.

P	471-9830	TIRES, 14 X 17.5, PNEUMATIC	0	\$1,100
P	471-9833	TIRES, 14 X 17.5, FOAM	0	\$2,670
P	565-7819	TIRES, 12 X 16.5, PNEUMATIC Not available for ANZ	0	NC

CATERPILLAR MACHINE PRICE LIST

TH255C

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS (CONT.)

P	565-7823	TIRES, 12 X 16.5, FOAM	0	\$2,035
		Not available for ANZ		
P	565-7829	TIRES, 10.5-18, PNEUMATIC	0	\$995
		Not available for ANZ		

NON-MARKING TIRES

These non-directional tread tires provide improved protection against scuffing and marking on most surfaces. For extended life they include a center bar, reinforced carcasses and sidewalls for overall protection from cracking, impact or puncture damage

P	471-9835	TIRES, 33X12-20, NON-MARK, SOLID	0	\$4,225
		For use in USA and Canada only		

TURF/ SAND TIRES

P	571-0732	TIRES, 33X16L 19.5, TURF/SAND	0	\$1,075
---	----------	---	---	---------

OTHER ATTACHMENTS

GREASING SYSTEM

L	565-7210	REMOTE GREASE SYSTEM	0	\$53
---	----------	--------------------------------	---	------

ADDITIONAL COUNTERWEIGHT

P	508-8764	COUNTERWEIGHT.	0	NC
---	----------	------------------------	---	----

COUPLER

L	566-3081	COUPLER, MANUAL, UNIVERSAL	0	NC
L	566-3083	COUPLER, HYDRAULIC, UNIVERSAL	0	\$2,250
L	566-2934	COUPLER, MANUAL, STANDARD JLG	0	\$1,745

HITCHES

P	508-8783	HITCH, NONE	0	NC
		ONLY FOR USE WITH: 506-9925 LINES, REAR AUX, NONE		
P	508-8787	HITCH, RETRIEVAL	0	\$286
		ONLY FOR USE WITH: 509-2124 LINES, REAR AUX, FLAT FACED		
P	508-8786	HITCH, MANUAL	0	\$211

FENDERS

Please select

L	565-7339	FENDERS, SET OF FOUR	0	\$755
L	317-3317	FENDER, CAB, SINGLE	0	NC
		Available in USA/ Canada only		

CATERPILLAR MACHINE PRICE LIST

TH255C

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

OTHER ATTACHMENTS (CONT.)

EXTERNAL MIRROR

L	506-9926	MIRROR, EXTERNAL.	0	NC
---	----------	------------------------	---	----

DOCUMENTATION

LOADCHART

L	446-5255	LOADCHART, UNI CPLR, USA	0	NC
		ONLY FOR USE WITH: UNIVERSAL COUPLERS		
L	483-1343	LOADCHART, STD CPLR, USA	0	NC
		ONLY FOR USE WITH: JLG COUPLERS		

REGIONAL REFERENCE

Please select

	0G-0469	TH255C NORTH AMERICAN ORDER	0	NC
--	---------	---------------------------------------	---	----

INSTRUCTIONS

INSTRUCTION DECAL SETS

L	508-6207	INSTRUCTIONS, ANSI	0	NC
---	----------	------------------------------	---	----

OPERATION AND MAINTENANCE MANUAL

	471-6261	MANUAL, OPER. MAINT. ENGLISH	0	NC
	471-6282	MANUAL, OPER. MAINT. SPANISH	0	NC

CATERPILLAR MACHINE PRICE LIST

TH255C

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

NOTE

LANE 3 OPTIONAL SELECTIONS

ELECTRICAL

ROTATING BEACON

P	353-8465	BEACON, ROTATING, CANOPY	0	\$233
		This is included in the worklight groups below.		
P	331-0090	BEACON, ROTATING, CAB	0	\$233
		This is included in the worklight groups below.		

WORKING LIGHTS

P	472-1129	WORKLIGHTS, CANOPY MOUNTED	0	\$875
		Includes Rotating Beacon Within USA/Canada with requires 446-9669 ELECTRICAL CONFG,ADSD-N PLUS		
P	472-1130	WORKLIGHTS, CAB MOUNTED	0	\$875
		Includes Rotating Beacon Within USA/Canada with requires 446-9669 ELECTRICAL CONFG,ADSD-N PLUS		

WIPERS

L	527-8700	WASHER/WIPER, ROOF AND REAR	0	\$575
		ONLY FOR USE WITH: ENCLOSED CABS		

BATTERY DISCONNECT

L	508-8780	BATTERY, DISCONNECT SWITCH	0	\$319
---	----------	--------------------------------------	---	-------

ENGINE BLOCK HEATER

L	444-7951	ENGINE BLOCK HEATER, 110V	0	\$214
---	----------	-------------------------------------	---	-------

OPERATOR ENVIRONMENT

ADDITIONAL MIRRORS

P	508-8782	MIRROR, CONVEX, TOW HITCH	0	\$427
---	----------	-------------------------------------	---	-------

REAR WINDOW RELEASE

L	478-0225	WINDOW, REAR,EXTL RELEASE, USA	0	\$116
---	----------	--	---	-------

CATERPILLAR MACHINE PRICE LIST

TH255C

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

SAFETY AND SECURITY

LOCKS

P	479-6044	LOCKS, SET OF FOUR	0	\$145
---	----------	------------------------------	---	-------

GUARDS

P	331-6272	GUARD, FRONT SCREEN	0	\$1,120
P	331-6271	GUARD, ROOF	0	\$850

OTHER ATTACHMENTS

TRAILER ELECTRICS

L	508-8781	TRAILER, ELECTRICS, 7 PIN	0	\$228
		ONLY FOR USE WITH: ANY HITCH AND ROADING LIGHTS		

BOOM BRUSH

L	448-8563	BOOM BRUSH	0	\$223
		Prevents debris from entering between boom sections, recommended in Agricultural and Waste applications.		

BOOM BRACE

L	508-8769	BOOM, SAFETY PROP	0	\$93
---	----------	-----------------------------	---	------

REVERSING SENSOR

L	565-5725	REVERSING SENSOR.	0	\$2,050
---	----------	---------------------------	---	---------

WORK TOOLS

CARRIAGES

Please order as 'installed'.

W	350-9099	CARRIAGE, STANDARD 50"	526	\$1,701
		50" (1270mm) wide with load backrest and 2.25" (57mm) floating shaft		
		ONLY FOR USE WITH: UNIVERSAL COUPLER		
W	336-3523	CARRIAGE, STANDARD 50"	461	\$1,701
		50" (1270mm) wide with load backrest and 2.25" (57mm) floating shaft		
		ONLY FOR USE WITH: STANDARD JLG STYLE COUPLER		
W	331-3251	CARRIAGE, ROTATE/SIDE TILT 48"	817	\$4,150
		50" (1270mm) wide with load backrest and 2.25" (57mm) floating shaft		
		FOR USE WITH UNIVERSAL COUPLER		
W	330-4243	CARRIAGE, ROTATE/SIDE TILT 48"	660	\$4,150
		48" (1220mm) wide with load backrest and 2.25" (57mm) floating shaft		
		ONLY FOR USE WITH: STANDARD JLG STYLE COUPLER		
W	331-3252	CARRIAGE, SIDE SHIFT 48"	825	\$4,390
		50" (1270mm) wide with load backrest and 2.25" (57mm) floating shaft		
		ONLY FOR USE WITH: UNIVERSAL COUPLER		

CATERPILLAR MACHINE PRICE LIST

TH255C

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

WORK TOOLS (CONT.)

FORKS

Single forks - please order two for a pair
 Please order as 'installed'

W	323-5738	FORK, PALLET 2" X 4" X 48"	150	\$614
W	301-9752	FORK, CUBING 2" X 2" X 48"	76	\$414
W	323-5737	FORK, LUMBER 1.5" X 6" X 60"	245	\$1,268

CATERPILLAR MACHINE PRICE LIST

TH255C

USE	REF NO.	CATERPILLAR WORK TOOLS	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	------------------------	--------------------	-------------------------

FIELD INSTALLED ATTACHMENTS

PLEASE NOTE: THESE ARE ONLY AVAILABLE THROUGH PARTS ORDERING
AND CANNOT BE ADDED TO A MACHINE ORDER.

W	509-3693	BUCKET-GP, 1.0 YD3, SSL, BOCE Overall width 1890mm (74"), Capacity 0.75m3 (0.98yd3), incl BOCE FOR USE WITH: Skid Steer coupler		
W	509-3697	BUCKET-GP, 1.2 YD3, SSL, BOCE Overall width 1890mm (74"), Capacity 0.9m3 (1.2yd3), incl BOCE FOR USE WITH: Skid Steer Coupler		
W	509-3698	BUCKET-LM, 2.0 YD3, SSL, BOCE Overall width 2080mm (82"), Capacity 1.5m3 (2.0yd3), incl BOCE FOR USE WITH: Skid Steer Coupler		
W	509-3695	BUCKET-MP, 0.48YD3, SSL, BOCE Width 1830mm (72") INCLUDES: Bolt-On Cutting Edge FOR USE WITH: Skid Steer Coupler		
W	330-4240	BUCKET-UTILITY GRAPPLE, 72" Width 1854mm (73") Includes bolt-on cutting edge and two heavy duty grapple assemblies For use with IT style coupler		
W	509-3696	BUCKET-IND.GR, 74", SSL, BOCE Width 1830mm (72") INCLUDES: 1 Piece Bolt-On Cutting Edge, 2 Cylinders and 2 heavy duty grapple assemblies FOR USE WITH: Skid Steer Coupler		
W	321-0556	LIFTING HOOK, FORK MOUNTED Length 31.5" (800mm) Includes swivel hook and slips onto forks.		
W	509-3694	ARM, MATERIAL HANDLING Lift Capacity : Maximum 2000 lbs. (not to exceed rated load capacity of machine) Overall Width, with step 52" (1319mm) Single bent boom design with heavy duty clasped hook Two hook locations and easy access load tie down points FOR USE WITH: Skid Steer Coupler		
W	330-4244	ADAPTOR, TH STYLE TO UNIVERSAL		

