

CATERPILLAR MACHINE PRICE LIST

TH408DTH408D TELEHANDLER
MEDIAS, ROMANIAShip Weight
lbsLIST PRICE
AT DEALER

Standard Equipment:

BOOMS, STICKS, AND LINKAGES

Two section boom
with non-metallic wear pads
Coupler tilt angle maintained auto-
matically throughout boom range
by a compensation cylinder

POWERTRAIN

4 section cooling pack
Air to air charge cooler
Engine coolant
Hydraulic and transmission oil
Spin on fuel/water separator
Dual element air filter
with condition indicator
Powershift transmission
Spin on engine oil filter
Hydraulic filter
Spin on transmission filter
Planetary drive axles with permanent,
mechanical four-wheel drive
Power-assisted, hydraulic braking system
Enclosed oil disc brakes on front
and rear axles
Limited slip differential on front axle
Parking brake with manual lever
Transmission inching on brake pedal
Steer cylinders protected above axles
Three steering modes: circle, crab and
two-wheel front steer with automatic
wheel alignment

HYDRAULICS

Gear pump with steering priority
Variable displacement piston pump
Max flow 140L/min
Max pressure 260 bar
Electronic joystick, simultaneous and
proportional control to all four boom
functions
Twin auxiliary hydraulic service with
continuous flow facility
Lock valves on all load carrying
cylinders
On demand hydraulic reverse fan
Hydraulic pattern changer switch

ELECTRICAL

12 volt electrical system
150 amp alternator (92.6/106kW engines)
120 amp alternator (83kW HRC/all LRC)
1000 CCA maintenance-free battery
Anti-restart key switch
Horn
Audible back-up alarm
12 volt internal power socket
2 x USB charging sockets
Cat comms adapter3 connector

OPERATOR ENVIRONMENT

Multi function joystick
Left and right side rear view mirrors
Interior mirror
Windscreen wiper washer
Rear and roof window wiper
Floor mat
Power steering
Steering wheel with spinner knob
Load charts
Fuse panel
Adjustable arm rest
Tilt steering column

FLUIDS

Extended life Antifreeze -16.6F / -29C

OTHER STANDARD EQUIPMENT

Integral lift and tie-down points
Rear counterweight (fitted unless rear
hydraulic pick-up hitch selected)

CATERPILLAR MACHINE PRICE LIST

TH408D

TH408D TELEHANDLER MEDIAS, ROMANIA	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------------	--------------------	-------------------------

590-9760	TH408D TELEHANDLER AM-N FTO1 0	\$140,300
	LANE 1 - AVAILABLE FROM MEDIAS, ROMANIA, FACTORY	

INCLUDES:

- 567-5082 TH408D AG HANDLER CFG1
- 520-9601 ENGINE 92.6KW, HRC
- 558-7153 PRECLEANER, ENGINE BREATHER
- 517-9299 AXLE ARRANGEMENT, STANDARD
- 550-7931 RIDE CONTROL
- 495-7651 LINES,FRONT HYD, SGL, HYD CPLR
- 506-3031 COUPLER, HYDRAULIC, IT
- 506-3317 LINES, REAR AUX, NONE
- 499-0257 BATTERY, SINGLE
- 517-9179 CAB, ENCLOSED, AG, HRC
- 508-7849 HEATER + AIR CONDITIONER, HRC2
- 515-1886 WORKLIGHTS, LED, AC
- 476-8930 SEAT, FABRIC, PREMIUM
- 470-0859 BELT, SEAT, 3"
- 492-4839 FNR,JOYSTICK + STEERING COLUMN
- 476-5226 MONITOR, NONE
- 513-4181 HEADLINER, RADIO READY
- 506-7647 TRAILER SERVICES, NONE
- 514-4640 FENDERS, SET OF FOUR, WIDE
- 495-7659 BEACON, ROTATING
- 389-3543 HEATER,ENGINE BLOCK,110V,92KW+

DEDICATED TO HIGHER REGULATED COUNTRIES (HRC)
 AVAILABLE FOR: AM-North and Puerto Rico Dealers

CATERPILLAR MACHINE PRICE LIST

TH408D

TH408D TELEHANDLER MEDIAS, ROMANIA	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------------	--------------------	-------------------------

590-9761	TH408D TELEHANDLER AM-N FTO2 0 LANE 1 - AVAILABLE FROM MEDIAS, ROMANIA, FACTORY	\$143,630
-----------------	---	------------------

- INCLUDES:
- 567-5082 TH408D AG HANDLER CFG1
 - 523-1976 ENGINE 106KW, HRC
 - 558-7153 PRECLEANER, ENGINE BREATHER
 - 517-9299 AXLE ARRANGEMENT, STANDARD
 - 550-7931 RIDE CONTROL
 - 495-7651 LINES,FRONT HYD, SGL, HYD CPLR
 - 506-3031 COUPLER, HYDRAULIC, IT
 - 506-3317 LINES, REAR AUX, NONE
 - 499-0257 BATTERY, SINGLE
 - 517-9179 CAB, ENCLOSED, AG, HRC
 - 508-7849 HEATER + AIR CONDITIONER, HRC2
 - 515-1886 WORKLIGHTS, LED, AC
 - 476-8930 SEAT, FABRIC, PREMIUM
 - 470-0859 BELT, SEAT, 3"
 - 492-4839 FNR,JOYSTICK + STEERING COLUMN
 - 476-5226 MONITOR, NONE
 - 513-4181 HEADLINER, RADIO READY
 - 506-7647 TRAILER SERVICES, NONE
 - 514-4640 FENDERS, SET OF FOUR, WIDE
 - 495-7659 BEACON, ROTATING
 - 389-3543 HEATER,ENGINE BLOCK,110V,92KW+

DEDICATED TO HIGHER REGULATED COUNTRIES (HRC)
 AVAILABLE FOR: AM-North and Puerto Rico Dealers

567-5082	TH408D AG HANDLER CFG1 0 LANE 3 - AVAILABLE FROM MEDIAS, ROMANIA, FACTORY	\$113,200
-----------------	---	------------------

DEDICATED TO HIGHER REGULATED COUNTRIES (HRC)
 AVAILABLE FOR: AM-North, Puerto Rico and EU Dealers

CATERPILLAR MACHINE PRICE LIST

TH408D

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

LANE SELECTION

	OP-9001	LANE 1 ORDER	0	NC
		Select this option when ordering an FTO		

PREPARATION PACKAGE

L	523-1883	PREPARATION PACK, USA	0	NC
L	523-1884	PREPARATION PACK, CANADA	0	NC

ROADING LIGHTS

L	515-0963	LIGHTS, ROADING, AG, RH DIP	0	\$1,375
L	508-7894	LIGHTS, ROADING, NONE	0	NC

PRODUCT LINK READY

This selection provides all the connections required to add Product Link to the machine.
 Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitoring performance of your assets, it helps keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet.
 Availability of the Product Link equipment varies by country, please contact your Cat marketing representative with any questions.

L	523-8304	PRODUCT LINK READY, AC 2	0	\$359
---	----------	------------------------------------	---	-------

TIRES

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to supply this tire, but we reserve the right to propose alternate tires. Any proposed change will be reviewed with the dealer prior to machine shipment. The machine will ship only with the dealer acceptance of the proposed alternative tire.

P	512-4767	TIRES, 500/70 R24, MX, XMCL	0	\$6,250
		Michelin, 500/70 R24 XMCL radial tire for excellent traction on all surfaces, recommended for agriculture.		
P	512-4765	TIRES, 460/70 R24, MX, XMCL	0	\$2,820
		Michelin, 460/70 R24 XMCL radial tire for excellent traction on all surfaces, recommended for agriculture.		
P	512-4766	TIRES, 460/70 R24, MX, BIBLOAD	0	\$3,170
P	512-4764	TIRES, 15.5/80-24, MT	0	NC
		Mitas 15.5/80-24 16ply. Directional tires for good grip in soft ground and good wear resistance in hard ground.		

CATERPILLAR MACHINE PRICE LIST

TH408D

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS (CONT.)**HITCH**

L	506-7531	HITCH, RETRIEVAL, NON-ROAD	0	\$363
L	506-7536	HITCH, PITON FRAME, AUTOMATIC	0	\$2,020
L	506-7532	HITCH, TOWING, AUTOMATIC	0	\$1,795
L	506-7533	HITCH, MANUAL, ROADING	0	\$1,380
L	506-7537	HITCH, FIXED, 12T	0	\$487

OPERATION AND MAINTENANCE MANUAL

	500-6394	MANUAL, OPER. MAINT. ENGLISH	0	NC
	500-6424	MANUAL, OPER. MAINT. SPANISH	0	NC
	500-6405	MANUAL, OPER. MAINT. FRENCH	0	NC

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS**ADDITIONAL MIRRORS**

P	497-9575	MIRROR, TOW HITCH	0	\$186
P	497-9576	MIRROR, CONVEX, TOW HITCH	0	\$471

REAR WINDOW

L	496-6529	WINDOW, REAR, EXT RELEASE	0	\$113
---	----------	-------------------------------------	---	-------

GUARDS

P	471-9523	BRICK GUARD, FRONT SCREEN	0	\$1,420
P	472-0940	BRICK GUARD, ROOF	0	\$1,485

LOCKS

P	503-6003	LOCKS, SET OF FOUR Set of four, Caterpillar padlocks and keys	0	\$134
---	----------	--	---	-------

WHEEL CHOCK

P	497-9589	WHEEL CHOCK CANNOT BE USED WITH: 541-9094 TOOL BOX	0	\$200
---	----------	---	---	-------

CATERPILLAR MACHINE PRICE LIST

TH408D

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	--------	-----------------	----------------------

LANE 1 AM-NORTH OPTIONAL ATTACHMENTS (CONT.)

TOOL BOX

P	541-9094	TOOL BOX 0 CANNOT BE USED WITH: 497-9589 WHEEL CHOCK		\$245
---	----------	---	--	-------

CARRIAGES

W	301-9757	CARRIAGE, STANDARD 50" 0 50" (1270mm) wide with load backrest and 2.25" (57mm) floating shaft		\$2,072
---	----------	--	--	---------

PALLET FORKS

Please order as 'installed'.
 Attaches to a carriage which must also be selected.

W	301-9755	FORK, PALLET 2.36" X 4" X 48" 0 One fork only, specify qty of 2 for a pair. For use with 2.25" (57mm) bar.		\$731
W	301-9753	FORK, PALLET 2.36" X 5" X 48" 0 One fork only, specify qty of 2 for a pair. For use with 2.25" (57mm) bar.		\$825
W	301-9754	FORK, PALLET 2.36" X 6" X 60" 0 One fork only, specify qty of 2 for a pair. For use with 2.25" (57mm) bar		\$1,053

CATERPILLAR MACHINE PRICE LIST

TH408D

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE SELECTION

OP-9003	LANE 3 ORDER	0	NC
---------	------------------------	---	----

REGIONAL PACKAGES

PREPARATION PACKAGES

L	523-1883	PREPARATION PACK, USA	0	NC
---	----------	---------------------------------	---	----

POWERTRAIN

ENGINES(Engine, Cooler, Filters, Lines & Mtg)

L	520-9601	ENGINE 92.6KW, HRC Meets U.S. EPA Tier 4 Final and EU Stage IV emission standards 92.6KW Stage IV (Tier 4f) engine with 6 speed transmission ONLY FOR USE WITH: 518-0078 TH408D TELEHANDLER CFG1	0	\$4,195
L	523-1976	ENGINE 106KW, HRC Meets U.S. EPA Tier 4 Final and EU Stage IV emission standards 106KW Stage IV (Tier 4f) engine with 6 speed transmission ONLY FOR USE WITH: 518-0078 TH408D TELEHANDLER CFG1	0	\$7,530
L	550-0081	ENGINE, 92.6KW, HRC, TLU Meets U.S. EPA Tier 4 Final and EU Stage IV emission standards 6 speed engine with Torque Lock-up ONLY FOR USE WITH: 518-0078 TH408D TELEHANDLER CFG1	0	\$7,990
L	550-0083	ENGINE, 106KW, HRC, TLU Meets U.S. EPA Tier 4 Final and EU Stage IV emission standards 6 speed engine with Torque Lock-up ONLY FOR USE WITH: 518-0078 TH408D TELEHANDLER CFG1	0	\$12,340

AIR FILTER

L	558-7153	PRECLEANER, ENGINE BREATHER.	0	\$216
L	558-7237	RAIN CAP, ENGINE BREATHER	0	NC

AXLE

L	517-9299	AXLE ARRANGEMENT, STANDARD	0	NC
---	----------	--------------------------------------	---	----

HYDRAULICS

RIDE CONTROL

L	497-9608	RIDE CONTROL, NONE	0	NC
L	550-7931	RIDE CONTROL Intelligent boom suspension, includes float position.	0	\$3,795

CATERPILLAR MACHINE PRICE LIST

TH408D

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

HYDRAULICS (CONT.)

FRONT AUXILIARY LINES

L	492-3922	LINES,FRONT HYD, SGL, MAN CPLR 0		NC
		Select this for a SINGLE auxiliary service. REQUIRES: 517-6763 COUPLER, MANUAL, IT		
L	495-7651	LINES,FRONT HYD, SGL, HYD CPLR 0		NC
		Select this for a SINGLE auxiliary service. REQUIRES: ANY HYDRAULIC COUPLER		
L	492-3925	LINES,FRONT HYD, DBL, MAN CPLR 0		\$540
		Select this for a DOUBLE auxiliary service. REQUIRES: 517-6763 COUPLER, MANUAL, IT		
L	495-7652	LINES,FRONT HYD, DBL, HYD CPLR 0		\$540
		Select this for a DOUBLE auxiliary service. REQUIRES: ANY HYDRAULIC COUPLER		

COUPLER

L	517-6763	COUPLER, MANUAL, IT 0		NC
		ONLY FOR USE WITH: FRONT HYDRAULIC LINES 492-3922 or 492-3925		
L	506-3031	COUPLER, HYDRAULIC, IT 0		\$2,715
		ONLY FOR USE WITH: FRONT HYDRAULIC LINES 495-7651 or 495-7652		

REAR HYDRAULIC LINES

L	506-3317	LINES, REAR AUX, NONE 0		NC
L	506-3318	LINES, REAR AUX, SGL, 2 WAY 0		\$1,185
L	506-3319	LINES, REAR AUX, DBL, 2 WAY 0		\$1,625

STARTERS, BATTERIES, & ALTERNATORS

BATTERY ARRANGEMENT

L	499-0257	BATTERY, SINGLE 0		NC
L	499-0259	BATTERY, DUAL 0		\$675

ELECTRICAL

ROADING LIGHTS

MUST SELECT IF TRAILER ELECTRICS ARE REQUIRED

L	508-7894	LIGHTS, ROADING, NONE 0		NC
		CANNOT BE USED WITH: TRAILER ELECTRICS OPTIONS AVAILABLE FOR: USA and Canada dealers		
L	515-0963	LIGHTS, ROADING, AG, RH DIP 0		\$1,375
		REQUIRED BY: ANY TRAILER SERVICES OPTION WHICH INCLUDES ELECTRICS		

CATERPILLAR MACHINE PRICE LIST

TH408D

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

OPERATOR ENVIRONMENT

CABS

All cabs include: adjustable steering column, opening side(left) and rear windows, multi function joystick, interactive LCD monitor, interior mirror, left hand side mirror, floor mat and key pad (for entering anti theft code, operator preferences and changing steering modes).

L	517-9179	CAB, ENCLOSED, AG, HRC	0	\$5,380
		ONLY FOR USE WITH: 518-0078 TH408D AG HANDLER CFG1		

AIR CONDITIONING AND HEATING

Please note: The options are dependent on the selected engine

L	520-8643	HEATER + AIR CONDITIONER, HRC1	0	\$5,120
		ONLY FOR USE WITH: 520-9600 ENGINE 83KW, HRC		
L	508-7851	HEATER ONLY, HRC 1	0	NC
		ONLY FOR USE WITH: 520-9600 ENGINE 83KW, HRC		
L	508-7849	HEATER + AIR CONDITIONER, HRC2	0	\$5,120
		ONLY FOR USE WITH: ANY 92.6KW OR 106KW HRC ENGINE		
L	508-7852	HEATER ONLY, HRC 2	0	NC
		ONLY FOR USE WITH: ANY 92.6KW OR 106KW HRC ENGINE		

CATERPILLAR MACHINE PRICE LIST

TH408D

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

PRODUCT LINK READY

This selection provides all the connections required to add Product Link to the machine.
 Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitoring performance of your assets, it helps keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet.
 Availability of the Product Link equipment varies by country, please contact your Cat marketing representative with any questions.

Please note this is dependent on the engine selected and whether Air Conditioning + Heating or Heating only has been added.

L	523-8303	PRODUCT LINK READY, AC 1	0	\$359
		ONLY FOR USE WITH: 520-9600 ENGINE 83KW, HRC and 520-8643 HEATER + AIR CONDITIONER 1		
L	523-8305	PRODUCT LINK READY 1	0	\$359
		ONLY FOR USE WITH: 520-9600 ENGINE 83KW, HRC and 508-7851 HEATER ONLY 1		
L	523-8304	PRODUCT LINK READY, AC 2	0	\$359
		ONLY FOR USE WITH: ANY 92.6KW OR 106KW HRC ENGINE 508-7849 HEATER + AIR CONDITIONER 2		
L	523-8306	PRODUCT LINK READY 2	0	\$359
		ONLY FOR USE WITH: ANY 92.6KW OR 106KW HRC ENGINE 508-7852 HEATER ONLY 2		

CATERPILLAR MACHINE PRICE LIST

TH408D

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

WORKLIGHTS

L	495-3015	WORKLIGHTS, CAB MOUNTED, AC 0		\$620
		ONLY FOR USE WITH: WITH MACHINES WITH HEATING AND AIR CONDITIONING		
L	515-1886	WORKLIGHTS, LED, AC 0		\$830
		ONLY FOR USE WITH: WITH MACHINES WITH HEATING AND AIR CONDITIONING		
L	495-3014	WORKLIGHTS, CAB MOUNTED 0		\$620
		ONLY FOR USE WITH: MACHINES WITH HEATING ONLY		
L	515-1885	WORKLIGHTS, LED 0		\$830
		ONLY FOR USE WITH: MACHINES WITH HEATING ONLY		

SEATING

L	503-1691	SEAT, FABRIC 0		NC
		Mechanical suspension seat. CURRENTLY NOT AVAILABLE TO EU DEALERS		
L	476-8930	SEAT, FABRIC, PREMIUM 0		\$620
		Air suspension seat		
L	503-1690	SEAT, FABRIC, PREMIUM PLUS 0		\$1,460
		Air suspension, heated seat with deluxe fabric and seven way adjustment.		

SEAT BELT

L	229-0582	BELT, SEAT, 2" RETRACTABLE 0		NC
L	470-0859	BELT, SEAT, 3" 0		\$146
		REQUIRED BY: dealers from California, Oregon, British Columbia and ANZ.		

ADDITIONAL MANUAL FORWARD/NEUTRAL/REVERSE/HORN CONTROL

This selection allows for an additional 'FNR' control lever.

L	492-3940	FNR, JOYSTICK ONLY 0		NC
L	492-4839	FNR,JOYSTICK + STEERING COLUMN. 0		\$260

ADDITIONAL IN CAB DISPLAY

L	476-5226	MONITOR, NONE 0		NC
L	546-5767	MONITOR, ADVANCED DISPLAY 0		\$2,410
		This display includes integrated loadcharts, machine diagnostics, easy access to the anti-theft system and operator preference adjustments. It will also display the input from the Reversing Camera and LMIS sensors if fitted. REQUIRED BY: 528-2072 REVERSING CAMERA 1 or 499-5902 REVERSING CAMERA 2		

CAB HEADLINER

L	513-4180	HEADLINER, STANDARD 0		NC
---	----------	---------------------------------	--	----

CATERPILLAR MACHINE PRICE LIST

TH408D

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	-------------------------	--------------------	-------------------------

OPERATOR ENVIRONMENT (CONT.)

CAB HEADLINER (Cont.)

L	513-4181	HEADLINER, RADIO READY 0 This option provides wiring, speakers and speaker covers. The radio units should be sourced from alternative suppliers.	\$475
---	----------	--	-------

CATERPILLAR MACHINE PRICE LIST

TH408D

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice, but we reserve the right to propose alternate tires. Any proposed change will be reviewed with the dealer prior to machine shipment. The machine will ship only with the dealer acceptance of the proposed alternative tire.

TIRES AVAILABLE FROM MICHELIN

P	512-4767	TIRES, 500/70 R24, MX, XMCL 0 Michelin, 500/70 R24 XMCL radial tire for excellent traction on all surfaces, recommended for agriculture.		\$6,250
P	512-4763	TIRES, 15.5 R25, MX, XHA 0 Michelin, 15.5 R25, XHA radial tire with wide tread and robust shoulders providing good resistance to damage. CURRENTLY NOT AVAILABLE TO EU DEALERS		\$8,190
P	512-4765	TIRES, 460/70 R24, MX, XMCL 0 Michelin, 460/70 R24 XMCL radial tire for excellent traction on all surfaces, recommended for agriculture.		\$2,820
P	512-4768	TIRES, 440/80-24, MX, POWER CL 0 Michelin Power CL 440/80 24. Directional tires providing wide lugs protection. for long life and hard surface grip. Overlapping lug noses give smooth rolling on hard surfaces and casing.		\$2,715
P	512-4769	TIRES, 400/80-24, MX, POWER CL 0 Michelin Power CL 400/80 24. Directional tires providing wide lugs protection, for long life and hard surface grip. Overlapping lug noses give smooth rolling on hard surfaces and casing		\$1,795
P	512-4766	TIRES, 460/70 R24, MX, BIBLOAD 0		\$3,170

TIRES AVAILABLE FROM MITAS

P	512-4764	TIRES, 15.5/80-24, MT 0 Mitas 15.5/80-24 16ply. Directional tires for good grip in soft ground and good wear resistance in hard ground.		NC
---	----------	---	--	----

CATERPILLAR MACHINE PRICE LIST

TH408D

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

OTHER ATTACHMENTS

LICENSE PLATES

Please note: This is selection optional outside the EU.

L	518-2674	LICENSE PLATE, FRONT, NO GUARD 0		NC
		Select this if NEITHER roof NOR screen guard is to be selected from the optional section.		
L	518-2673	LICENSE PLATE, FRONT, GUARD 0		NC
		Select this if a roof or screen guard IS to be selected from the optional section.		

TRAILER SERVICES

Within the EU all roading hitches require trailer services

L	506-7647	TRAILER SERVICES, NONE 0		NC
		NOT AVAILABLE WITHIN THE EUROPEAN UNION		
L	521-6813	TRAILER, ELECTRICS, 7 PIN 0		\$288
		REQUIRES: ROADING LIGHTS		
L	553-5769	TRAILER, BRAKE VALVE 0		\$2,020
L	553-5770	TRAILER, ELECTRICS & BRAKE 0		\$2,310
		REQUIRES: ROADING LIGHTS		

HITCH

Within the EU all hitches require trailer services

L	506-7531	HITCH, RETRIEVAL, NON-ROAD 0		\$363
		NOT AVAILABLE WITHIN THE EUROPEAN UNION		
		ONLY FOR USE WITH: 506-7630 TRAILER SERVICES, NONE or 521-6813 TRAILER ELECTRICS, 7 PIN		
L	506-7536	HITCH, PITON FRAME, AUTOMATIC 0		\$2,020
L	506-7538	HITCH, HYDRAULIC, ROADING 0		\$3,075
L	506-7532	HITCH, TOWING, AUTOMATIC 0		\$1,795
L	506-7533	HITCH, MANUAL, ROADING 0		\$1,380
L	506-7537	HITCH, FIXED, 12T 0		\$487

FENDERS

L	508-7895	FENDERS, NONE 0		NC
		AVAILABLE FOR: USA and CANADA		
L	514-4638	FENDERS, SET OF FOUR, STD 0		\$2,820
		ONLY FOR USE WITH: TIRES UNDER 440MM (17") WIDE		
L	514-4640	FENDERS, SET OF FOUR, WIDE 0		\$2,820
		ONLY FOR USE WITH: TIRES 440MM (17") WIDE AND WIDER		

DOCUMENTATION

REGIONAL REFERENCE

OG-0651	TH408 NORTH AMERICAN ORDER 0	NC
---------	--	----

CATERPILLAR MACHINE PRICE LIST

TH408D

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	-------------------------	--------------------	-------------------------

INSTRUCTIONS

OPERATION AND MAINTENANCE MANUAL

500-6394	MANUAL, OPER. MAINT. ENGLISH	0	NC
500-6424	MANUAL, OPER. MAINT. SPANISH	0	NC

CATERPILLAR MACHINE PRICE LIST

TH408D

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

NOTE

MISCELLANEOUS ORDERS

Please note: For this model, all miscellaneous orders (those which which do not include the telehandler itself) must be placed directly through ANTARES.

ELECTRICAL

ROTATING BEACON

P	495-7659	BEACON, ROTATING	0	\$284
		REQUIRED BY: UK/IRELAND PREPARATION PACK.		

BLOCK HEATERS FOR USE WITH 110V POWER SUPPLY

L	453-7296	HEATER,ENGINE BLOCK, 110V,75KW	0	\$242
		ONLY FOR USE WITH: 520-9600 ENGINE 83KW, HRC		
L	389-3543	HEATER,ENGINE BLOCK,110V,92KW+	0	\$242
		ONLY FOR USE WITH: 520-9601 ENGINE 92.6KW, HRC or 523-1976 ENGINE 106KW, HRC		

OPERATOR ENVIRONMENT

ADDITIONAL MIRRORS

P	497-9575	MIRROR, TOW HITCH	0	\$186
P	497-9576	MIRROR, CONVEX, TOW HITCH	0	\$471

REVERSING AIDS

L	497-9632	REVERSING SENSOR.	0	\$2,000
		CANNOT BE USED WITH: HITCH, HYDRAULIC, ROADING		
L	492-5086	REVERSING, SENSOR.	0	\$2,020
		ONLY FOR USE WITH: HITCH, HYDRAULIC, ROADING		
L	528-2072	REVERSING CAMERA 1.	0	\$416
		ONLY FOR USE WITH: 546-5767 MONITOR, ADVANCED DISPLAY CANNOT BE USED WITH: TRAILER SERVICES WHICH INCLUDE THE BRAKE OPTION		
L	499-5902	REVERSING CAMERA 2.	0	\$416
		ONLY FOR USE WITH: 546-5767 MONITOR, ADVANCED DISPLAY and TRAILER SERVICES WHICH INCLUDE THE BRAKE OPTION		

REAR WINDOW

L	496-6529	WINDOW, REAR, EXT RELEASE	0	\$113
---	----------	-------------------------------------	---	-------

CATERPILLAR MACHINE PRICE LIST

TH408D

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS

SPARE TIRES

Please order as 'Not-Installed'

P	526-5728	SPARE TIRE, 460/70 R24,MX,XMCL	0	\$2,705 NI
P	526-6913	SPARE TIRE, 500/70 R24,MX,XMCL	0	\$7,310 NI
P	526-9591	SPARE TIRE,400/80 24,MX,PWR CL	0	\$3,535 NI
P	526-7162	SPARE TIRE,440/80 24,MX,PWRCL	0	\$4,305 NI
P	526-9593	SPARE TIRE, 15.5/80-24,MT,16PL	0	\$1,295 NI
P	526-5726	SPARE TIRE, 460/70 R24, MX, BL	0	\$2,840 NI
P	526-0580	SPARE TIRE, 15.5 R25, MX, XHA CANNOT BE USED WITH: EU DEALERS	0	\$4,635 NI

GUARDS

P	471-9523	BRICK GUARD, FRONT SCREEN	0	\$1,420
P	472-0940	BRICK GUARD, ROOF	0	\$1,485

OTHER ATTACHMENTS

LOCKS

P	503-6003	LOCKS, SET OF FOUR Set of four, Caterpillar padlocks and keys ONLY FOR USE WITH: 518-0078 TH408D AG HANDLER CFG1	0	\$134
---	----------	--	---	-------

TOOL BOX

P	541-9094	TOOL BOX CANNOT BE USED WITH: 497-9589 WHEEL CHOCK	0	\$245
---	----------	---	---	-------

BOOM PROP

P	575-8210	BOOM PROP AVAILABLE FOR: USA, CANADA & ANZ	0	\$213
---	----------	---	---	-------

WORK TOOLS

CARRIAGES

FOR USE WITH CATERPILLAR IT COUPLERS ONLY
 Please order as 'installed'.

W	301-9757	CARRIAGE, STANDARD 50" 50" (1270mm) wide with load backrest and 2.25" (57mm) floating shaft	0	\$2,072
---	----------	--	---	---------

CATERPILLAR MACHINE PRICE LIST

TH408D

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

WORK TOOLS (CONT.)

CARRIAGES (Cont.)

W	500-4475	CARRIAGE, STANDARD, 60" 0 60" (1524mm) wide with load backrest and 2.25" (57mm) floating shaft		\$2,208
W	301-9758	CARRIAGE, STANDARD 72" 0 72" (1829mm) wide with load backrest and 2.25" (57mm) floating shaft		\$2,372

PALLET FORKS

Should there be any supply issues, while every effort will be made to provide the requested forks, we reserve the right to propose alternative attachments. Any proposed change will only be made once dealer acceptance has been obtained.
 Please order as 'installed'.
 Attaches to a carriage which must also be selected.
 Except for 364-5356 the order must specify '2' forks.
 Order '1' of reference 364-5356 for a pair of forks.

W	301-9755	FORK, PALLET 2.36" X 4" X 48" 0 One fork only, specify qty of 2 for a pair. For use with 2.25" (57mm) bar.		\$731
W	301-9753	FORK, PALLET 2.36" X 5" X 48" 0 One fork only, specify qty of 2 for a pair. For use with 2.25" (57mm) bar.		\$825
W	311-2854	FORK, DUAL TAPER 2" X 6" X 72" 0 One fork only, specify qty of 2 for a pair. For use with 57mm (2.25") bar.		\$1,068
W	301-9754	FORK, PALLET 2.36" X 6" X 60" 0 One fork only, specify qty of 2 for a pair. For use with 2.25" (57mm) bar		\$1,053

FORK MOUNTED PLATFORM

Please order as 'installed'

W	560-2574	PLATFORM, FORK MTD, 8FT, ANSI 0 Requires a selection of 48" Pallet Forks Includes English Decals		\$3,518
---	----------	--	--	---------

CATERPILLAR MACHINE PRICE LIST

TH408D

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	-----------------	--------------------	-------------------------

FIELD INSTALLED ATTACHMENTS**WORKTOOLS AVAILABLE THROUGH PARTS ORDERING**

PLEASE NOTE: THESE CANNOT BE ADDED TO A MACHINE ORDER.

CARRIAGES AND FORKS

W	397-6838	CARRIAGE, HYD FORK POSN 50" 50" (1270mm) wide with load backrest and 2.25" (57mm) floating shaft ONLY FOR USE WITH: 301-9753 FORK, PALLET 60x125x1220MM(2.36"x5"x48") AVAILABLE FOR: USA & CANADA ONLY
W	474-0135	CARRIAGE, STANDARD 60" NOT AVAILABLE IN USA & CANADA
W	474-0136	CARRIAGE, STANDARD 72" NOT AVAILABLE IN USA & CANADA
W	517-6817	CARRIAGE, BALE, DUAL TINE, 50"
W	456-0454	CARRIAGE, ROTATING + FORKS Allows 360 degree rotation and includes 1200MM (48") forks
W	323-5737	FORK, LUMBER 1.5" X 6" X 60" One fork only, order 2 for a pair For use with 2.25" (57mm) bar AVAILABLE IN USA & CANADA ONLY
W	497-6985	FORK, LUMBER 1.5" X 6" X 60" NOT AVAILABLE IN USA & CANADA
W	301-9756	FORK, LUMBER 1.75 X 7 X 60" One fork only, specify qty of 2 for a pair. For use with 2.25" (57mm) bar. AVAILABLE IN USA & CANADA ONLY
W	485-7238	FORK, EXTENSION, 75" (2") One fork only, specify qty of 2 for a pair. NOT AVAILABLE IN USA, CANADA & ANZ
W	397-6114	FORK, EXTENSION, 90" One fork only, specify qty of 2 for a pair. AVAILABLE IN USA & CANADA ONLY
W	509-4663	FORK, MANURE & GRAB, 90" NOT AVAILABLE TO ANZ DEALERS

BUCKETS

W	163-4261	BUCKET-GP, 1.3 YD3, IT, BOCE Rated Capacity 1.31 cyd, Width 95" Includes bolt-on cutting edge & spillguard
W	186-5838	BUCKET-MH, 1.96 YD3, IT, BOCE Material Handling Bucket Rated Capacity 1.95 cyd, Width 94" Includes bolt-on edge
W	220-4759	BUCKET-LM, 2.6 YD3, IT, BOCE Rated Capacity 2.6 cyd, Width 98" Includes bolt-on cutting edge
W	220-4760	BUCKET-LM, 3.25 YD3, IT, BOCE Rated Capacity 3.25 cyd, Width 98" Includes bolt-on cutting edge

CATERPILLAR MACHINE PRICE LIST

TH408D

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	-----------------	--------------------	-------------------------

FIELD INSTALLED ATTACHMENTS (CONT.)**WORKTOOLS AVAILABLE THROUGH PARTS ORDERING (Cont.)**

W	220-4761	BUCKET-LM, 3.9 YD3, IT, BOCE Rated Capacity 3.9 cyd, Width 106" Includes bolt-on cutting edge		
W	474-2537	BUCKET-LP(DIRT), 1.3 YD3, IT		
W	163-4265	BUCKET-MP, 1.3 YD3, IT, BOCE Rated Capacity 1.3 cyd, Width 94" Includes bolt-on cutting edge		
W	509-4662	FORK, MANURE & GRAB, 96"		
W	509-4664	BUCKET-GRAPPLE, 2.0 YD3, IT NOT AVAILABLE IN USA AND CANADA		

OTHER WORKTOOLS

W	229-9714	ARM, MATERIAL HANDLING, IT For handling of bulky objects. Manually adjustable to 3 positions NOT AVAILABLE FOR ANZ DEALERS		
W	491-9892	AUGER, X1975		
W	479-0239	TRUSS BOOM, 6' 10", 8800LB		
W	474-0144	TRUSS BOOM, 12', 2000LB		
W	456-0473	TRUSS BOOM, 13' 1", 1100LB		
W	491-9893	TRUSS BOOM, 3' WITH WINCH NOT AVAILABLE TO ANZ DEALERS		
W	456-0465	LIFTING HOOK, COUPLER MOUNTED		
W	321-0556	LIFTING HOOK, FORK MOUNTED Length 31.5" (800mm) Includes swivel hook and slips onto forks. AVAILABLE FOR USA AND CANADA ONLY.		
W	486-0529	TRASH HOPPER, FORK MOUNTED		
W	474-2534	MIXER, CONCRETE, 0.65 YD3		
W	343-9736	PLATFORM,FRK MTD4'X8'ANSI ENGL Requires a selection of 48" Pallet Forks Includes English decals and manual AVAILABLE FOR: USA AND CANADA ONLY		
W	343-9737	PLATFORM,FORK MOUNTED 4'X8'ISO Requires a selection of 48" Pallet Forks Includes Spanish and Portuguese decals and manuals AVAILABLE FOR: USA AND CANADA ONLY		
W	343-9738	PLATFORM,FRK MTD 4'X8' ANSI FR Requires a selection of 48" Pallet Forks Includes French decals and manual AVAILABLE FOR: USA AND CANADA ONLY		
W	486-0528	BROOM, PICK UP, WIDTH 102"		

CATERPILLAR MACHINE PRICE LIST

TH408D

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

PACKING

MACHINE PACKING

Must select

OG-0356	PACKING TH, COMPLETE MACHINE	0	\$400
---------	------------------------------------	---	-------