

CATERPILLAR MACHINE PRICE LIST

TH514DTH514D TELEHANDLER
MEDIAS, ROMANIAShip Weight
lbsLIST PRICE
AT DEALER

Standard Equipment:

BOOMS, STICKS, AND LINKAGES

Three section boom
with non-metallic wear pads
Coupler tilt angle maintained
automatically throughout boom
range by a compensation cylinder

POWERTRAIN

Four section cooling pack
Air to air charge cooler
Engine coolant
Hydraulic oil
Transmission oil
Fuel cooler
Water separator
Dual element air filter
with condition indicator
CAT powershift transmission
Four forward, three reverse gears
F-N-R and gear change on joystick
Spin on engine oil filter
Spin on hydraulic filter
Spin on transmission filter
Planetary drive axles with full-time,
mechanical four-wheel drive
Power-assisted, hydraulic braking system
Enclosed oil disc brakes on front axle
and rear axles
SAHR brakes
Limited slip differential on front axle
Steer cylinders protected above axles
Three steering modes: circle, crab and
two-wheel front steer with automatic
alignment

HYDRAULICS

Load sensing, torque regulated variable
flow piston pump
Max flow 138L/min
Max pressure 260 bar
Electronic joystick, simultaneous and
proportional control to all four boom
functions
One auxiliary hydraulic service with
continuous flow facility
Lock valves on all load carrying
cylinders

ELECTRICAL

12 volt electrical system
120 ampere alternator
1000 CCA maintenance-free battery
Anti-restart key switch
Horn
Electronic control module
12 volt internal power sockets
USB charging socket
Electronic Technician diagnostic
connector

OPERATOR ENVIRONMENT

ROPS and FOPS certified operator station
isolated on rubber mounts
Multi function joystick
Interactive LCD monitor
Left and right side rear view mirrors
Windscreen wiper washer
Floor mat
Steering wheel with spinner knob
Load charts
Fuse panel

FLUIDS

Extended life Antifreeze -34F / -37C

OTHER STANDARD EQUIPMENT

Stabilizer legs.
Frame levelling.
Integral lift and tie-down points
Manual IT interface quick coupler
Rear counterweight with retrieval pin

INSTRUCTIONS

Operation and maintenance manual

CATERPILLAR MACHINE PRICE LIST

TH514D

TH514D TELEHANDLER MEDIAS, ROMANIA	Ship Weight lbs	LIST PRICE AT DEALER
---------------------------------------	--------------------	-------------------------

511-4749	TH514D TELEHANDLER CFG1 0 LANE 3 - AVAILABLE FROM MEDIAS, ROMANIA, FACTORY AVAILABLE FOR: AM-North, Puerto Rico and EU Dealers	\$202,500
-----------------	---	------------------

CATERPILLAR MACHINE PRICE LIST

TH514D

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

LANE SELECTION

Currently this model is not included in the Base Order Management Program, please select Lane 3 for all orders.

0P-9003	LANE 3 ORDER	0	NC
	Lane 3 is reserved for non-Base Orders Program		

REGIONAL PACKAGES

REGIONAL PREPARATION PACKAGES

L	515-1739 PREPARATION PACK, USA	0	NC
---	--	---	----

BOOMS, STICKS, AND LINKAGES

BOOM ARRANGEMENT

Only available in some regions. Please select 'PLATFORM PACKAGE,NONE' if only option visible.

L	513-0826 PLATFORM PACKAGE, NONE	0	NC
---	---	---	----

POWERTRAIN

ENGINES(Engine, Cooler, Filters, Lines & Mtg)

L	511-4816 ENGINE, TH514D, HRC	0	NC
	Meets U.S. EPA Tier 4 Final emission standards		

SECONDARY STEERING

Only available in some regions. Please select 'STEERING, STANDARD' if only option visible.

L	560-1376 STEERING, SECONDARY	0	\$342
	Hydraulic steering assistance in case of engine power loss		
L	560-1378 STEERING, STANDARD	0	NC

HYDRAULICS

RIDE CONTROL

L	485-7252 RIDE CONTROL, NONE	0	NC
L	515-3621 RIDE CONTROL	0	\$3,315

CATERPILLAR MACHINE PRICE LIST

TH514D

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

HYDRAULICS (CONT.)

HYDRAULIC LINES

L	476-9925	LINES,FRONT HYD, SGL, MAN CPLR 0 Select this for a SINGLE auxiliary service. An Electrical Harness can be ordered from the Lane 3 Optional section to facilitate an upgrade to a hydraulic coupler at a later date. REQUIRED BY: 515-1750 COUPLER, MANUAL, IT		NC
L	528-0163	LINES,FRONT HYD, SGL, HYD CPLR 0 Select this for a SINGLE auxiliary service. Please note this now includes the electrical harness REQUIRED BY: 515-1751 COUPLER, HYDRAULIC, IT		\$670
L	528-0165	LINES,FRONT HYD,DBLE, HYD CPLR 0 Select this for a DOUBLE auxiliary service. Please note this now includes the electrical harness REQUIRED BY: 515-1751 COUPLER, HYDRAULIC, IT		\$670

COUPLERS

L	515-1750	COUPLER, MANUAL, IT 0 ONLY FOR USE WITH: 476-9925 LINES,FRONT HYD, SGL, MAN CPLR or 528-0164 LINES,FRONT HYD,DBLE, MAN CPLR		NC
L	515-1751	COUPLER, HYDRAULIC, IT 0 ONLY FOR USE WITH: 528-0163 LINES,FRONT HYD, SGL, HYD CPLR or 528-0165 LINES,FRONT HYD,DBLE, HYD CPLR REQUIRED BY: PLATFORM READY PACKAGES		\$4,570

STARTERS, BATTERIES, & ALTERNATORS

BATTERY ARRANGEMENT

L	477-2597	BATTERY, SINGLE, HRC 0		NC
L	488-9823	BATTERY, DUAL 0		\$670
L	487-3246	COLD WEATHER PACK PLUS, 110V 0 Includes engine block heater and dual batteries		\$7,280

ELECTRICAL

ROADING LIGHTS

L	498-7646	LIGHTS, ROADING, RH DIP 0 AVAILABLE FOR: USA & CANADA		\$1,015
L	508-7894	LIGHTS, ROADING, NONE 0 AVAILABLE FOR: USA & CANADA		NC

AUDIBLE BACKUP ALARM

L	485-3311	ALARM, BACK-UP, STANDARD 0		NC
L	485-3318	ALARM, BACK-UP, WHITE NOISE 0		\$131

CATERPILLAR MACHINE PRICE LIST

TH514D

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

OPERATOR ENVIRONMENT

CABS/ CANOPIES

L	511-4971	CANOPY, OPEN 0 All canopies include: adjustable steering column, multi function joystick, interactive LCD monitor, left hand side mirror, and floor mat.		NC
L	511-4969	CAB, ENCLOSED 0 All cabs include: adjustable steering column, opening side(left) and rear windows, radio ready package, multi function joystick, interactive LCD monitor, left hand side mirror and floor mat. ONLY FOR USE WITH: 511-4749 TELEHANDLER CFG 1		\$4,930

HEATING/ AIR CONDITIONING

Required selection for enclosed cabs only

L	523-8207	HEATER + AIR CONDITIONER 0 ONLY FOR USE WITH: 511-4749 TELEHANDLER CFG 1		\$5,400
L	523-8209	HEATER ONLY 0 ONLY FOR USE WITH: 511-4749 TELEHANDLER CFG 1		NC

SEATING

L	515-1984	SEAT,FABRIC, PREMIUM 0 Air suspension fabric seat. ONLY FOR USE WITH: ENCLOSED CABS		\$700
L	576-7982	SEAT, VINYL 0 ONLY FOR USE WITH: OPEN CANOPY MACHINES		NC
L	476-7798	SEAT, FABRIC 0 Mechanical suspension, fabric seat. ONLY FOR USE WITH: ENCLOSED CABS		\$154

SEAT BELTS

L	470-0859	BELT, SEAT, 3" 0 REQUIRED BY: dealers from California, Oregon & British Columbia		\$146
---	----------	--	--	-------

ADDITIONAL IN CAB DISPLAY

THE 515-1856 MONITOR MUST BE SELECTED ON MACHINES FITTED WITH LMIS OR IF A PARKING CAMERA IS REQUIRED

L	515-1856	MONITOR, ADVANCED DISPLAY 0 REQUIRED BY MACHINES FITTED WITH LMIS AS SELECTED FROM RIDE CONTROL/ LMIS SECTION OR IF A PARKING CAMERA IS TO BE SELECTED.		\$2,455
L	476-5226	MONITOR, NONE 0		NC

STEERING COLUMN CONTROLS

This selection allows for additional FORWARD/NEUTRAL/REVERSE (FNR) controls on the steering column and/or a wiper/indicator stalk

L	516-6947	FNR NONE, WITH WIPERS/IND 0		NC
L	487-3911	FNR, STICK + COLUMN + WIPERS/IND 0		\$256

CATERPILLAR MACHINE PRICE LIST

TH514D

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

OPERATOR ENVIRONMENT (CONT.)

STEERING COLUMN CONTROLS (Cont.)

L	487-3910	FNR,STICK + COLUMN NO WIPERS/IND. 0		\$256
		ONLY FOR USE WITH: OPEN CANOPY WITHOUT ROADING LIGHTS		
L	515-3508	FNR NONE, WITHOUT WIPERS/IND 0		NC
		ONLY FOR USE WITH: OPEN CANOPY WITHOUT ROADING LIGHTS		

ROOF SUN SCREEN

The Roof Sun Screen is only available on machines with an enclosed cab

L	477-1403	SUN SCREEN, ROOF 0		\$135
		CANNOT BE USED WITH: OPEN CANOPY MACHINES		
L	515-9736	SUN SCREEN, ROOF, NONE 0		NC
		REQUIRED BY: OPEN CANOPY MACHINES		

CAB HEADLINER

Radio Ready is only available on machines with an enclosed cab

L	487-3924	HEADLINER, RADIO READY 0		\$194
		CANNOT BE USED WITH: OPEN CANOPY MACHINES		
L	473-6844	HEADLINER, STANDARD 0		NC
		REQUIRED BY: OPEN CANOPY MACHINES		

TECHNOLOGY PRODUCTS

PRODUCT LINK PREPARATION

This selection provides all the connections required to add Product Link to the machine.

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitoring performance of your assets, it helps keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country. contact your Cat marketing representative with any questions.

L	501-3002	PRODUCT LINK READY, A/C 0		\$275
		ONLY FOR USE WITH: 511-4749 TH514D TELEHANDLER CFG1 and CAB WITH HEATING AND AIR CONDITIONING		
L	501-3003	PRODUCT LINK READY 0		\$275
		ONLY FOR USE WITH: 511-4749 TH514D TELEHANDLER CFG1 and OPEN CANOPY OR CAB WITH HEATING ONLY		

CATERPILLAR MACHINE PRICE LIST

TH514D

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS

Please select one

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice, but we reserve the right to propose alternate tires. Any proposed change will be reviewed with the dealer prior to machine shipment. The machine will ship only with the dealer acceptance of the proposed alternative tire.

TIRES AVAILABLE FROM GOODYEAR

P	523-8905	TIRES, 14.00-24, GY, SGG-2A,FF	0	\$5,570
		Goodyear Sure Grip Grader (SGG) 14.00x24, 16 ply rating. A biased tire with directional tread, having precision angled bars for longer wear and maximum traction in soft soils. With foam fill for puncture protection		
P	453-5950	TIRES, 14.00X25, 16PLY, GY, SGG	0	\$2,790
		Goodyear Sure Grip Grader (SGG) 14.00x25, 16 ply rating. A biased tire with directional tread, having precision angled bars for longer wear and maximum traction in soft soils.		

TIRES AVAILABLE FROM MITAS

P	514-4879	TIRES, 14.00-24, MT, TG02	0	NC
		Mitas 14.00-24 16ply. Directional tires for good grip in soft ground and good wear resistance in hard ground.		

OTHER ATTACHMENTS

FENDERS

Must select for all regions outside USA.
 This is an Optional Selection within the USA.

L	515-1904	FENDERS, CANOPY, SET OF FOUR	0	\$2,155
L	515-1905	FENDERS, CAB, SET OF FOUR	0	\$2,155
L	486-3475	FENDER, CANOPY, SINGLE	0	NC
L	486-3476	FENDER, CAB, SINGLE	0	NC

CAB WORKLIGHTS

Must select for all regions outside the USA & Canada
 This is an Optional Selection within the USA and Canada
PLEASE NOTE: IF REQUIRED, A ROTATING/STROBE BEACON MUST BE SELECTED FROM THE 'LANE 3 OPTIONAL' SECTION

L	516-7806	WORKLIGHTS, NO A/C	0	\$1,020
		ONLY FOR USE WITH: OPEN CANOPY MACHINES OR CABS WITH HEATING ONLY		
L	566-6870	WORKLIGHTS, LED, NO A/C	0	\$1,240
		ONLY FOR USE WITH: OPEN CANOPY MACHINES OR CABS WITH HEATING ONLY		

CATERPILLAR MACHINE PRICE LIST

TH514D

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	------------------	-----------------	----------------------

OTHER ATTACHMENTS (CONT.)

CAB WORKLIGHTS (Cont.)

L	516-7805	WORKLIGHTS, A/C COMPATIBLE	0	\$1,020
		ONLY FOR USE WITH: CABS WITH AIR CONDITIONING		
L	566-6864	WORKLIGHTS,LED, A/C COMPATIBLE	0	\$1,240
		ONLY FOR USE WITH: CABS WITH AIR CONDITIONING		

DOCUMENTATION

REGIONAL REFERENCE

0G-0632	TH514D NORTH AMERICAN ORDER	0	NC
---------	---------------------------------------	---	----

INSTRUCTIONS

OPERATION AND MAINTENANCE MANUAL

500-6394	MANUAL, OPER. MAINT. ENGLISH	0	NC
500-6424	MANUAL, OPER. MAINT. SPANISH	0	NC

CATERPILLAR MACHINE PRICE LIST

TH514D

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

NOTE

MISCELLANEOUS ORDERS

Please note: For this model, all miscellaneous orders (those which which do not include the telehandler itself) must be placed directly through ANTARES.

ELECTRICAL

ROTATING BEACON

P	495-7659	BEACON, ROTATING	0	\$284
		REQUIRED BY: ITALIAN DEALERS. UK/IRELAND DEALERS		

P	566-6781	BEACON, LED STROBE	0	\$368
---	----------	------------------------------	---	-------

SEPARATE FOGLIGHT SWITCH

When roading lights have been selected, this permits independant control of the fog lights

L	519-3824	FOGLIGHTS, SEPARATE SWITCH	0	\$19
---	----------	--------------------------------------	---	------

BLOCK HEATERS

Please note, these are included in all Climate Packs

L	476-9802	HEATER,ENGINE BLOCK, 110V	0	\$228
		Engine block heater for additional cold weather startability. ONLY FOR USE WITH: 511-4749 TH514D TELEHANDLER CFG1		

OPERATOR ENVIRONMENT

ADDITIONAL CAB OPTIONS

L	477-3290	WINDOW, REAR, EXT RELEASE	0	\$113
---	----------	-------------------------------------	---	-------

L	551-5223	SUN VISOR, FRONT SCREEN	0	\$135
---	----------	-----------------------------------	---	-------

REVERSING AIDS

L	477-0639	REVERSING, SENSOR	0	\$1,990
---	----------	-----------------------------	---	---------

L	477-0671	REVERSING, CAMERA	0	\$414
		REQUIRES: HIGH END DISPLAY MONITOR		

SAFETY AND SECURITY

LOCKS

P	503-6003	LOCKS, SET OF FOUR	0	\$134
		Set of three, Caterpillar padlocks and keys		

CATERPILLAR MACHINE PRICE LIST

TH514D

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

TIRES, RIMS, AND WHEELS

SPARE TIRES

Please order as 'Not-Installed'

P	311-8250	TIRE, SPARE, 14.0X24 TG02,MTS 0		\$1,730 NI
		ONLY FOR USE WITH: 514-4879 TIRES, 14.00-24, MT, TG02		
P	311-8253	TIRE, SPARE, 14.0X24 SGG, GY 0		\$2,465 NI
		ONLY FOR USE WITH: 453-5950 TIRES,14.00X25, 16PLY, GY, SGG		
P	388-7686	TIRE, SPARE, 14.0X24 SGG, FOAM 0		\$5,570 NI
		ONLY FOR USE WITH: 523-8905 TIRES, 14.00-24, GY, SGG-2A,FF		

GUARDS

P	471-9523	BRICK GUARD, FRONT SCREEN 0		\$1,420
P	472-0940	BRICK GUARD, ROOF 0		\$1,485

OTHER ATTACHMENTS

TOOL BOX

P	477-0025	TOOLBOX 0		\$244
---	----------	---------------------	--	-------

ELECTRICAL HARNESS

Can be ordered with a manual coupler and single aux lines to facilitate an upgrade to a hydraulic coupler at a later date

L	487-4978	ELECTRICAL HARNESS, COUPLER. 0		\$670
---	----------	--	--	-------

REMOTE GREASING

Required within the EU, optional outside the EU

L	524-6107	REMOTE GREASE SYSTEM 0		\$51
---	----------	----------------------------------	--	------

BOOM PROP

P	575-8212	BOOM PROP 0		\$200
		AVAILABLE FOR: USA, CANADA & ANZ		

ROOF WIPER

P	575-8215	WASHER/ WIPER, ROOF 0		\$610
		CANNOT BE USED WITH: 511-4971 CANOPY, OPEN		
		AVAILABLE FOR: USA, CANADA & ANZ		

CATERPILLAR MACHINE PRICE LIST

TH514D

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

WORK TOOLS

CARRIAGES AND PLATFORMS

FOR USE WITH CATERPILLAR IT COUPLERS ONLY
 Carriages must be ordered as 'installed' unless a platform is also required.

W	301-9757	CARRIAGE, STANDARD 50"	0	\$2,072
		50" (1270mm) wide with load backrest and 2.25" (57mm) floating shaft	0	\$2,072 NI
W	500-4475	CARRIAGE, STANDARD, 60"	0	\$2,208
		60" (1524mm) wide with load backrest and 2.25" (57mm) floating shaft	0	\$2,208 NI
W	301-9758	CARRIAGE, STANDARD 72"	0	\$2,372
		72" (1829mm) wide with load backrest and 2.25" (57mm) floating shaft	0	\$2,372 NI

PALLET FORKS

Should there be any supply issues, while every effort will be made to provide the requested forks, we reserve the right to propose alternative attachments. Any proposed change will only be made once dealer acceptance has been obtained.
 Order as 'installed'
 Attaches to a carriage which must also be selected.

W	311-2854	FORK, DUAL TAPER 2" X 6" X 72"	0	\$1,068
		One fork only, specify qty of 2 for a pair. For use with 2.25" (57mm) bar.		
W	301-9755	FORK, PALLET 2.36" X 4" X 48"	0	\$731
		One fork only, specify qty of 2 for a pair. For use with 2.25" (57mm) bar. ONLY FOR USE WITH: 301-9757 CARRIAGE, STANDARD 50" or 500-4475 CARRIAGE, STANDARD 60" or 301-9758 CARRIAGE, STANDARD 72" or 474-0141 CARRIAGE, SIDE SHIFT 48"		
W	301-9753	FORK, PALLET 2.36" X 5" X 48"	0	\$825
		One fork only, specify qty of 2 for a pair. For use with 2.25" (57mm) bar.		
W	301-9754	FORK, PALLET 2.36" X 6" X 60"	0	\$1,053
		One fork only, specify qty of 2 for a pair. For use with 2.25" (57mm) bar		

FIELD INSTALLED ATTACHMENTS

WORKTOOLS AND KITS AVAILABLE THROUGH PARTS ORDERING

PLEASE NOTE: THESE CANNOT BE ADDED TO A MACHINE ORDER.

CARRIAGES AND FORKS

W	397-6838	CARRIAGE, HYD FORK POSN 50" 50" (1270mm) wide with load backrest and 2.25" (57mm) floating shaft ONLY FOR USE WITH: 301-9753 FORK, PALLET 60x125x1220MM(2.36"x5"x48")		
W	456-0454	CARRIAGE, ROTATING + FORKS		
W	318-9222	CARRIAGE, SWING 100 DEGREES 73" (1854mm) wide with load backrest and 2.25" (57mm) floating shaft		

CATERPILLAR MACHINE PRICE LIST

TH514D

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	------------	-----------------	--------------------	-------------------------

FIELD INSTALLED ATTACHMENTS (CONT.)**WORKTOOLS AND KITS AVAILABLE THROUGH PARTS ORDERING (Cont.)**

W	560-2577	CARRIAGE, SWING, 180 DEGREES Rated Capacity 5443 kg (12,000 lb), Width 1830 mm (72") Swing Range +/- 90 degrees NOT FOR USE WITH: TH357D, TH408D, TH3510D		
W	323-5737	FORK, LUMBER 1.5" X 6" X 60" One fork only, order 2 for a pair For use with 2.25" (57mm) bar AVAILABLE FOR: USA and Canada only		
W	301-9756	FORK, LUMBER 1.75 X 7 X 60" One fork only, specify qty of 2 for a pair. For use with 2.25" (57mm) bar. AVAILABLE FOR: USA and Canada only		
W	301-9752	FORK, CUBING 2" X 2" X 48"		
W	397-6114	FORK, EXTENSION, 90" One fork only, specify qty of 2 for a pair. ONLY FOR USE WITH: FORK, LUMBER 1.75" X 7" X 60" or FORK, PALLET 2.36" X 6" X 60" or FORK, DUAL TAPER 2" X 6" X 72" AVAILABLE FOR: USA and Canada only		

BUCKETS

W	503-0261	BUCKET-GP, 1.3 YD3, IT		
W	474-0148	BUCKET-GP, 2.0 YD3, IT		
W	220-4759	BUCKET-LM, 2.6 YD3, IT, BOCE Rated Capacity 2.6 cyd, Width 98" Includes bolt-on cutting edge		
W	474-2537	BUCKET-LP(DIRT), 1.3 YD3, IT Low profile, dirt bucket		
W	474-0142	BUCKET-GRAPPLE, 1.7 YD3, IT AVAILABLE FOR: USA and Canada only		

OTHER WORKTOOLS

W	343-9736	PLATFORM,FRK MTD4'X8'ANSI ENGL Requires a selection of 48" Pallet Forks Includes English Decals AVAILABLE FOR: USA ONLY		
W	343-9737	PLATFORM,FORK MOUNTED 4'X8'ISO Requires a selection of 48" Pallet Forks AVAILABLE FOR: DEALERS OUTSIDE USA AND CANADA		
W	343-9738	PLATFORM,FRK MTD 4'X8' ANSI FR Requires a selection of 48" Pallet Forks Includes English/ Fench Decals AVAILABLE FOR: CANADA ONLY		

CATERPILLAR MACHINE PRICE LIST

TH514D

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
-----	---------	-----------------	-----------------	----------------------

FIELD INSTALLED ATTACHMENTS (CONT.)

WORKTOOLS AND KITS AVAILABLE THROUGH PARTS ORDERING (Cont.)

W	229-9714	ARM, MATERIAL HANDLING, IT For handling of bulky objects. Manually adjustable to 3 positions NOT AVAILABLE TO ANZ DEALERS		
W	474-0144	TRUSS BOOM, 12', 2000LB		
W	456-0473	TRUSS BOOM, 13'1", 1100LB		
W	474-0145	TRUSS BOOM, 15', 2000LB		
W	474-2534	MIXER, CONCRETE, 0.65 YD3		
W	486-0528	BROOM, PICK UP, WIDTH 102"		
W	486-0529	TRASH HOPPER, FORK MOUNTED		
W	456-0465	LIFTING HOOK, COUPLER MOUNTED		
W	491-9893	TRUSS BOOM, 3' WITH WINCH NOT AVAILABLE TO ANZ DEALERS		
W	474-0147	TRUSS BOOM, 12', 2000LB, WINCH NOT AVAILABLE TO ANZ DEALERS		
W	491-9892	AUGER, X1975		
W	513-5013	BIT, AUGER, 6"		
W	513-5014	BIT, AUGER, 9"		
W	513-5015	BIT, AUGER, 12"		
W	513-5016	BIT, AUGER, 15"		
W	513-5017	BIT, AUGER, 18"		
W	513-5018	BIT, AUGER, 24"		
W	513-5019	BIT, AUGER, 36"		

PACKING

MACHINE PACKING

Please select

OG-0356	PACKING TH, COMPLETE MACHINE	0	\$400
---------	------------------------------------	---	-------