

## CATERPILLAR MACHINE PRICE LIST

**TL1255**TL1255 TELEHANDLER  
MCCONNELLSBURG, PA, USAShip Weight  
lbsLIST PRICE  
AT DEALER

Standard Equipment:

**BOOMS, STICKS, AND LINKAGES**Four section boom  
with non-metallic wear pads  
Automatic parallel lift**POWERTRAIN**4 Speed Powershift Transmission  
Belt driven fan  
Radiator Cores  
Side by side engine air  
Engine oil  
Hydraulic oil and coolant  
Water separator  
Dual element air filter  
Spin on engine oil filter  
Spin on Hydraulic oil filter  
Planetary drive axles with full time  
four wheel drive  
Limited slip differential  
Wet disc service brakes  
Spring Applied Hydraulic Release (SAHR)  
park brake w/indicator light  
Thermal starting aid**HYDRAULICS**Variable Displacement Piston Pump  
Max auxiliary flow 95 L/min (25 gpm)  
Max pressure 260 bar  
Load hold check valves on all load  
carrying cylinders  
Auxiliary hydraulic service on the  
boom head - single function  
CAT XT3 hoses, couplings**ELECTRICAL**12 volt electrical socket  
75 ampere alternator  
1000 CCA maintenance-free battery  
Horn**OPERATOR ENVIRONMENT**ROPS and FOPS certified operator station  
isolated on rubber mounts  
Boom joystick  
Stabilizer levers  
Frame level switch  
Fully adjustable vinyl suspension seat  
Seat belt & document pouch  
Left & right-side rear-view mirror  
Power steering with steering wheel  
Load charts  
Heavy duty floor mat  
Fuse panel**OTHER STANDARD EQUIPMENT**Stabilizer legs  
Integral lift and tie-down points**INSTRUCTIONS**

Operation and maintenance manual

CATERPILLAR MACHINE PRICE LIST

# TL1255

TL1255 TELEHANDLER  
MCCONNELLSBURG, PA, USA

Ship Weight  
lbs

LIST PRICE  
AT DEALER

|                 |  |                  |
|-----------------|--|------------------|
| <b>604-6117</b> | <b>TL1255 05A TELEHANDLER CFG1 . . . . . 0</b><br>LANE 3 AVAILABLE FROM MCCONNELLSBURG FACTORY | <b>\$237,840</b> |
|-----------------|--|------------------|

Available for ADSD-N and ADSD-S (Puerto Rico only)

Includes: CAT C3.6,100kW (134.1 hp) engine  
Meets U.S. EPA Tier 4 Final emission standards

CATERPILLAR MACHINE PRICE LIST

**TL1255**

| USE | REF NO. | LANE 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------|-----------------|----------------------|
|-----|---------|------------------|-----------------|----------------------|

**LANE SELECTION**

|  |         |                        |   |    |
|--|---------|------------------------|---|----|
|  | OP-9003 | LANE 3 ORDER . . . . . | 0 | NC |
|--|---------|------------------------|---|----|

**REGIONAL PACKAGES**

**REGIONAL PREPARATION PACKAGES**

|   |          |                                  |   |    |
|---|----------|----------------------------------|---|----|
| L | 605-5114 | PREPARATION PACK, AM-N . . . . . | 0 | NC |
|---|----------|----------------------------------|---|----|

**SPECIAL ARRANGEMENTS**

**STEERING**

|   |          |                               |   |       |
|---|----------|-------------------------------|---|-------|
| L | 487-9822 | STEERING, STANDARD . . . . .  | 0 | NC    |
| L | 487-9823 | STEERING, SECONDARY . . . . . | 0 | \$458 |

**HYDRAULICS**

**RIDE CONTROL**

|   |          |  |   |         |
|---|----------|--|---|---------|
| L | 561-9295 | RIDE CONTROL . . . . .<br>Rough terrain boom suspension. | 0 | \$3,010 |
| L | 561-9090 | RIDE CONTROL, NONE . . . . .                             | 0 | NC      |

**STARTERS, BATTERIES, & ALTERNATORS**

**CLIMATE PACK - Includes battery selection**

|   |          |  |   |         |
|---|----------|--|---|---------|
| L | 474-9111 | CLIMATE PK, STD, SGL BATTERY . . . . .   | 0 | NC      |
| L | 605-4121 | CLIMATE PACK, COLD WEATHER . . . . .<br>Includes: Artic hydraulic and engine oils, dual heavy duty<br>battery case insulation and heating components for the oil pan,<br>batteries, OCV and hydraulic tank.<br>REQUIRES: Heater, Engine Block<br>ONLY FOR USE WITH: 604-6117 TL1255 05A TELEHANDLER CFG1 | 0 | \$7,410 |
| L | 606-3018 | CLIMATE PK, STD, DUAL BATTERY . . . . .<br>ONLY FOR USE WITH: 604-6117 TL1255 05A TELEHANDLER CFG1<br>604-6120 TL1255 05A TELEHANDLER CFG2   | 0 | NC      |

**ENGINE BLOCK HEATER**

Required only if Cold Weather Climate Pack selected above,  
 optional on all other machines.

|   |          |  |   |       |
|---|----------|--|---|-------|
| L | 595-5293 | HEATER, ENGINE BLOCK, HRC . . . . .<br>ONLY FOR USE WITH: 604-6117 TL1255 05A TELEHANDLER CFG1 | 0 | \$232 |
|---|----------|--|---|-------|

CATERPILLAR MACHINE PRICE LIST

**TL1255**

| USE | REF NO. | LANE 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------|-----------------|----------------------|
|-----|---------|------------------|-----------------|----------------------|

**OPERATOR ENVIRONMENT**

**CANOPY/CAB**

|   |          |   |  |         |
|---|----------|---|--|---------|
| L | 605-3056 | CANOPY, OPEN, HRC . . . . . 0                           |  | NC      |
|   |          | ONLY FOR USE WITH: 604-6117 TL1255 05A TELEHANDLER CFG1 |  |         |
| L | 605-3053 | CAB, ENCLOSED, HRC . . . . . 0                          |  | \$4,735 |
|   |          | ONLY FOR USE WITH: 604-6117 TL1255 05A TELEHANDLER CFG1 |  |         |

**WINDOWS**

Please select one with an enclosed cab  
 NOTE: The open canopy option includes a standard rear window

|   |          |  |  |       |
|---|----------|--|--|-------|
| L | 473-8558 | WINDOW, REAR, STANDARD . . . . . 0         |  | NC    |
| L | 553-9349 | WINDOW,REAR, EXT RELEASE, ANSI . . . . . 0 |  | \$118 |

**HEATER AND AIR CONDITIONER**

|   |          |  |  |         |
|---|----------|--|--|---------|
| L | 605-4218 | HVAC, NONE . . . . . 0   |  | NC      |
|   |          | ONLY FOR USE WITH: 604-6117 TL1255 05A TELEHANDLER CFG1 with an OPEN CANOPY  |  |         |
| L | 605-4217 | HEATER + AIR CONDITIONER, HRC. . . . . 0                                     |  | \$5,670 |
|   |          | Provides heating and air conditioning for an enclosed cab                    |  |         |
|   |          | ONLY FOR USE WITH: 604-6117 TL1255 05A TELEHANDLER CFG1 with an ENCLOSED CAB |  |         |
| L | 605-4216 | HEATER ONLY, HRC . . . . . 0   |  | NC      |
|   |          | Provides heating only for an enclosed cab                                    |  |         |
|   |          | ONLY FOR USE WITH: 604-6117 TL1255 05A TELEHANDLER CFG1 with an ENCLOSED CAB |  |         |

**SEAT BELT**

Select if required

|   |          |   |  |       |
|---|----------|---|--|-------|
| L | 470-0859 | BELT, SEAT, 3" . . . . . 0                                      |  | \$146 |
|   |          | Select to upgrade to a 3" seat belt.                            |  |       |
|   |          | REQUIRED BY: dealers from California, Oregon & British Columbia |  |       |

**ADDITIONAL IN CAB DISPLAY**

|   |          |   |  |         |
|---|----------|---|--|---------|
| L | 476-5226 | MONITOR, NONE . . . . . 0   |  | NC      |
| L | 479-4531 | MONITOR, ADVANCED DISPLAY . . . . . 0   |  | \$2,455 |
|   |          | This display includes inegrated loadcharts, machine diagnostics, easy access to the anti-theft system and operator preference adjustments. It will also display the input from the Reversing Camera and LMIS sensors if fitted. |  |         |
|   |          | REQUIRED BY: 474-9845 REVERSING, CAMERA   |  |         |

CATERPILLAR MACHINE PRICE LIST

**TL1255**

| USE | REF NO. | LANE 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------|-----------------|----------------------|
|-----|---------|------------------|-----------------|----------------------|

**OPERATOR ENVIRONMENT (CONT.)**

***ROADING LIGHTS - Select if required***

Must select for all regions outside USA & Canada.  
 This is an Optional Selection within the USA & Canada.  
 Package includes front headlights (right hand dip), rear taillights, turn and hazard signals.

|   |          |                               |   |         |
|---|----------|-------------------------------|---|---------|
| L | 474-9146 | LIGHTS, ROADING, RH . . . . . | 0 | \$1,815 |
|---|----------|-------------------------------|---|---------|

***MANUAL FORWARD/NEUTRAL/REVERSE CONTROLS***

|   |          |   |   |    |
|---|----------|---|---|----|
| L | 472-7834 | LEVER, MANUAL, FNR . . . . .<br>For use with OPEN CANOPY without ROADING LIGHTS<br>ONLY FOR USE WITH: 604-6117 TL1255 05A TELEHANDLER CFG1                          | 0 | NC |
| L | 472-7832 | LEVER, MANUAL, FNR/WIPERS/IND . . . . .<br>ONLY FOR USE WITH: 604-6117 TL1255 05A TELEHANDLER CFG1 with<br>AN ENCLOSED CAB or<br>AN OPEN CANOPY plus ROADING LIGHTS | 0 | NC |

***BACK-UP ALARM***

|   |          |  |   |       |
|---|----------|--|---|-------|
| L | 485-3311 | ALARM, BACK-UP, STANDARD . . . . .                               | 0 | NC    |
| L | 485-3318 | ALARM, BACK-UP, WHITE NOISE . . . . .<br>White noise alarm, 97dB | 0 | \$131 |

***ROOF SUN BLIND***

|   |          |                                  |   |       |
|---|----------|----------------------------------|---|-------|
| L | 477-1403 | SUN SCREEN, ROOF . . . . .       | 0 | \$135 |
| L | 515-9736 | SUN SCREEN, ROOF, NONE . . . . . | 0 | NC    |

CATERPILLAR MACHINE PRICE LIST

**TL1255**

| USE | REF NO. | LANE 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------|-----------------|----------------------|
|-----|---------|------------------|-----------------|----------------------|

**TIRES, RIMS, AND WHEELS**

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice, but we reserve the right to propose alternate tires. Any proposed change will be reviewed with the dealer prior to machine shipment. The machine will ship only with the dealer acceptance of the proposed alternative tire.

**TIRES AVAILABLE FROM CONTINENTAL**

|   |          |  |   |          |
|---|----------|--|---|----------|
| P | 559-6978 | TIRES, 360/85-28, CT, SOLID . . . . .                        | 0 | \$13,060 |
|   |          | Solid tires for flat free operation, rigidity and durability |   |          |

**TIRES AVAILABLE FROM FIRESTONE**

|   |          |   |   |         |
|---|----------|---|---|---------|
| P | 464-7036 | TIRES, 17.50-25, FS, G2, FOAM . . . . .   | 0 | \$7,900 |
|   |          | Tires are 12-ply with self cleaning tread pattern giving excellent traction and slip resistance. Enhanced sidewall compounds provide long life and resist scuffing.<br>With foam fill for puncture protection |   |         |

|   |          |  |   |         |
|---|----------|--|---|---------|
| P | 464-8002 | TIRES, 400/75-28, FS, MH, FOAM . . . . .   | 0 | \$6,160 |
|   |          | Tires are 16-ply with non-directional tread pattern, giving increased tire life (up to 3 times of Firestone SGG) with reduced fill costs, cooler running and even wear. Protective shoulder ribs and low profile vertical sidewalls reduce sidewall damage and the design and improved footprint shape reduces ground compaction and surface pressure on hard surfaces.<br>With foam fill for puncture protection. |   |         |

|   |          |  |   |    |
|---|----------|--|---|----|
| P | 464-7016 | TIRES, 400/75-28, FS, MH . . . . .   | 0 | NC |
|   |          | Tires are 16-ply with non-directional tread pattern, giving increased tire life (up to 3 times of Firestone SGG) with reduced fill costs, cooler running and even wear. Protective shoulder ribs and low profile vertical sidewalls reduce sidewall damage and the design and improved footprint shape reduces ground compaction and surface pressure on hard surfaces |   |    |

|   |          |   |   |          |
|---|----------|---|---|----------|
| P | 464-6360 | TIRES, 17.50-25, FS, G2 . . . . .   | 0 | \$-1,580 |
|   |          | Tires are 16-ply with self cleaning tread pattern giving excellent traction and slip resistance. Enhanced sidewall compounds provide long life and resist scuffing. |   |          |

**NON-MARKING TIRES**

These non-directional tread tires provide improved protection against scuffing and marking on most surfaces. For extended life they include a center bar, reinforced carcasses and sidewalls for overall protection from cracking, impact or puncture damage

|   |          |   |   |         |
|---|----------|---|---|---------|
| P | 573-8262 | TIRES, 400/75-28, NON-MARK . . . . .              | 0 | \$2,740 |
|   |          | Pneumatic non-marking tires                       |   |         |
| P | 573-8270 | TIRES,400/75-28,NON-MARK, FOAM . . . . .          | 0 | \$8,900 |
|   |          | With foam fill for additional puncture protection |   |         |

CATERPILLAR MACHINE PRICE LIST

**TL1255**

| USE | REF NO. | LANE 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|------------------|-----------------|----------------------|
|-----|---------|------------------|-----------------|----------------------|

**OTHER ATTACHMENTS**

**FENDERS**

|   |          |  |   |         |
|---|----------|--|---|---------|
| L | 506-6192 | FENDERS, SET OF FOUR . . . . .             | 0 | \$2,285 |
|   |          | AVAILABLE FOR: Both CAB and CANOPY machine |   |         |
| L | 485-2360 | FENDERS, SINGLE . . . . .                  | 0 | NC      |
|   |          | AVAILABLE FOR: Both CAB and CANOPY machine |   |         |

**QUICK COUPLERS**

|   |          |                                  |   |         |
|---|----------|----------------------------------|---|---------|
| L | 474-7326 | COUPLER, MANUAL, IT . . . . .    | 0 | NC      |
| L | 474-7327 | COUPLER, HYDRAULIC, IT . . . . . | 0 | \$4,795 |

**ELECTRICAL HARNESS**

This is required with a hydraulic coupler but optional with a manual coupler.

|   |          |                                      |   |       |
|---|----------|--------------------------------------|---|-------|
| L | 474-4122 | ELECTRICAL HARNESS, COUPLER. . . . . | 0 | \$700 |
|   |          | REQUIRED BY: ANY HYDRAULIC COUPLER   |   |       |

**DOCUMENTATION**

**LOADCHARTS**

Please select one unless ordering a Display Monitor

|   |          |   |   |    |
|---|----------|---|---|----|
| L | 603-4773 | LOAD CHART, ANSI, TL1255 . . . . .                    | 0 | NC |
|   |          | This information is included with the Display Monitor |   |    |

**REGIONAL REFERENCE**

|  |         |  |   |    |
|--|---------|--|---|----|
|  | 0G-0510 | TL1255D NORTH AMERICAN ORDER . . . . . | 0 | NC |
|--|---------|--|---|----|

**INSTRUCTIONS**

**INSTRUCTION DECAL SETS**

|   |          |                              |   |    |
|---|----------|------------------------------|---|----|
| L | 472-7789 | INSTRUCTIONS, ANSI . . . . . | 0 | NC |
|---|----------|------------------------------|---|----|

**OPERATION AND MAINTENANCE MANUAL**

|  |          |                                |   |    |
|--|----------|--------------------------------|---|----|
|  | 602-4694 | MANUAL, O&M, ENGLISH . . . . . | 0 | NC |
|  | 602-4697 | MANUAL, O&M, SPANISH . . . . . | 0 | NC |

CATERPILLAR MACHINE PRICE LIST

**TL1255**

| USE | REF NO. | LANE 3 OPTIONAL | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|-----------------|-----------------|----------------------|
|-----|---------|-----------------|-----------------|----------------------|

**NOTE**

**LANE 3 OPTIONAL SELECTIONS**

**MISCELLANEOUS ORDERS**

Please note: For this model, all miscellaneous orders (those which which do not include the telehandler itself) must be placed directly through ANTARES.

**ELECTRICAL**

**WORK LIGHTS**

|   |          |   |  |         |
|---|----------|---|--|---------|
| L | 566-6817 | <b>WORKLIGHTS, LED, NO A/C</b> . . . . . 0<br>Package includes LED cab lights (2 Front, 2 Rear), 2 LED boom work lights and LED strobe beacon.<br>REQUIRES: 474-6078 ROOF CAP<br>CANNOT BE USED WITH: MACHINES FITTED WITH AIR CONDITIONING |  | \$1,640 |
| L | 566-6803 | <b>WORKLIGHTS,LED, A/C COMPATIBLE</b> . . . . . 0<br>Package includes LED cab lights (2 Front, 2 Rear), 2 LED boom work lights and LED strobe beacon.<br>ONLY FOR USE WITH: ENCLOSED CABS WITH AIR CONDITIONING                             |  | \$1,640 |
| L | 566-6781 | <b>BEACON, LED STROBE</b> . . . . . 0<br>CANNOT BE USED WITH: ANY WORKLIGHT SELECTION   |  | \$368   |

**OPERATOR ENVIRONMENT**

**USB CHARGING POINT**

|   |          |                                       |  |      |
|---|----------|---------------------------------------|--|------|
| L | 500-4484 | <b>USB CHARGING POINT</b> . . . . . 0 |  | \$64 |
|---|----------|---------------------------------------|--|------|

**TECHNOLOGY PRODUCTS**

**PRODUCT LINK READY ARRANGEMENT**

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitoring performance of your assets, it helps keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country. contact your Cat marketing representative with any questions. These packages contain everything necessary to connect Product Link equipment to this machine. The equipment itself is available from Parts Ordering.

|   |          |   |  |       |
|---|----------|---|--|-------|
| L | 501-3004 | <b>PRODUCT LINK READY, A/C</b> . . . . . 0<br>ONLY FOR USE WITH: 604-6117 TL1255 05A TELEHANDLER CFG1 and 605-4217 HEATER + AIR CONDITIONER, HRC  |  | \$281 |
| L | 501-3005 | <b>PRODUCT LINK READY</b> . . . . . 0<br>REQUIRES: 474-6078 ROOF CAP<br>ONLY FOR USE WITH: 604-6117 TL1255 05A TELEHANDLER CFG1 and 605-3056 CANOPY, OPEN, HRC or 605-4216 HEATER ONLY, HRC |  | \$281 |
| L | 505-8391 | <b>PRODUCT LINK, NONE</b> . . . . . 0   |  | NC    |



CATERPILLAR MACHINE PRICE LIST

**TL1255**

| USE | REF NO. | LANE 3 OPTIONAL | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|-----------------|-----------------|----------------------|
|-----|---------|-----------------|-----------------|----------------------|

**GUARDS**

**ROOF CAP**

|   |          |  |   |       |
|---|----------|--|---|-------|
| L | 474-6078 | ROOF CAP . . . . .   | 0 | \$188 |
|   |          | CANNOT BE USED WITH: MACHINES WITH AIR CONDITIONING<br>REQUIRED BY: 566-6803 WORKLIGHTS, NO A/C<br>566-6817 WORKLIGHTS, LED, NO A/C<br>501-3005 PRODUCT LINK READY<br>501-3007 PRODUCT LINK READY, LRC |   |       |

**BRICK GUARDS**

|   |          |                                     |   |         |
|---|----------|-------------------------------------|---|---------|
| P | 471-9523 | BRICK GUARD, FRONT SCREEN . . . . . | 0 | \$1,420 |
| P | 472-0940 | BRICK GUARD, ROOF . . . . .         | 0 | \$1,485 |

**OTHER ATTACHMENTS**

**WASHER/WIPER SYSTEM**

Only available on enclosed cabs.  
 Please note, while the rear washer/wiper may be ordered alone,  
 the roof washer wiper can only be ordered together with the  
 rear washer/wiper.

|   |          |                                       |   |       |
|---|----------|---------------------------------------|---|-------|
| L | 471-6158 | WASHER/WIPER, REAR . . . . .          | 0 | \$438 |
| L | 497-5480 | WASHER/WIPER, ROOF . . . . .          | 0 | \$760 |
|   |          | REQUIRES: 471-6158 WASHER/WIPER, REAR |   |       |

**BOOM BRUSH**

|   |          |                      |   |         |
|---|----------|----------------------|---|---------|
| L | 474-6070 | BOOM BRUSH . . . . . | 0 | \$1,140 |
|---|----------|----------------------|---|---------|

**REVERSING AIDS**

|   |          |  |   |         |
|---|----------|--|---|---------|
| L | 510-4756 | REVERSING, SENSOR, USA . . . . .             | 0 | \$2,020 |
| L | 474-9845 | REVERSING, CAMERA . . . . .                  | 0 | \$434   |
|   |          | REQUIRES: 479-4531 MONITOR, ADVANCED DISPLAY |   |         |

**LOCKS**

|   |          |                              |   |       |
|---|----------|------------------------------|---|-------|
| P | 479-6044 | LOCKS, SET OF FOUR . . . . . | 0 | \$145 |
|---|----------|------------------------------|---|-------|

**WHEEL CHOCK**

|   |          |  |   |       |
|---|----------|--|---|-------|
| P | 550-9000 | WHEEL CHOCK . . . . .                  | 0 | \$230 |
|   |          | CANNOT BE USED WITH: 550-9102 TOOL BOX |   |       |

**TOOL BOX**

|   |          |   |   |       |
|---|----------|---|---|-------|
| P | 550-9102 | TOOL BOX . . . . .                        | 0 | \$408 |
|   |          | CANNOT BE USED WITH: 550-9000 WHEEL CHOCK |   |       |

CATERPILLAR MACHINE PRICE LIST

# TL1255

| USE | REF NO. | LANE 3 OPTIONAL | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|---------|-----------------|-----------------|----------------------|
|-----|---------|-----------------|-----------------|----------------------|

**OTHER ATTACHMENTS (CONT.)**

**PAINT**

|   |          |   |  |         |
|---|----------|---|--|---------|
| L | 570-0279 | CUSTOM COLOR - BLACK . . . . . 0                        |  | \$2,130 |
|   |          | ONLY FOR USE WITH: 604-6117 TL1255 05A TELEHANDLER CFG1 |  |         |

**WORK TOOLS**

**CARRIAGES**

Please order as installed

|   |          |  |  |         |
|---|----------|--|--|---------|
| W | 301-9757 | CARRIAGE, STANDARD 50" . . . . . 0   |  | \$2,072 |
|   |          | 50" (1270mm) wide with load backrest and 2.25" (57mm) floating shaft   |  |         |
| W | 500-4475 | CARRIAGE, STANDARD, 60" . . . . . 0  |  | \$2,208 |
|   |          | 60" (1524mm) wide with load backrest and 2.25" (57mm) floating shaft   |  |         |
| W | 301-9758 | CARRIAGE, STANDARD 72" . . . . . 0   |  | \$2,372 |
|   |          | 72" (1829mm) wide with load backrest and 2.25" (57mm) floating shaft   |  |         |
| W | 549-8955 | CARRIAGE, SIDE TILT, 50" . . . . . 0   |  | \$4,806 |
|   |          | 50" (1270mm) wide with load backrest and 2.25" (57mm) floating shaft   |  |         |
| W | 549-8956 | CARRIAGE, SIDE TILT, 72" . . . . . 0   |  | \$5,353 |
|   |          | 72" (1830mm) wide with load backrest and 2.25" (57mm) floating shaft   |  |         |
| W | 555-1350 | CARRIAGE, HYD FRK POSN, 50" . . . . . 0  |  | \$7,421 |
|   |          | Carriage only. Please select forks:<br>ONLY FOR USE WITH: 301-9753 FORK, PALLET 60x125x1220MM(2.36"x5"x48")or<br>550-9930 FORK, PALLET,60X125X1524MM (36"X5"X60") or<br>567-1247 FORK, PALLET 2.36" X 5" X 72" |  |         |
| W | 555-1351 | CARRIAGE, HYD FRK POSN, 72" . . . . . 0  |  | \$8,467 |
|   |          | Carriage only. Please select forks:<br>ONLY FOR USE WITH: 301-9753 FORK, PALLET 60x125x1220MM(2.36"x5"x48")or<br>550-9930 FORK, PALLET,60X125X1524MM (36"X5"X60") or<br>567-1247 FORK, PALLET 2.36" X 5" X 72" |  |         |

**FORKS**

Please order as "installed".

Attaches to a carriage which must also be selected.

Unless stated, order must specify a quantity of 2 forks

|   |          |   |  |         |
|---|----------|---|--|---------|
| W | 301-9752 | FORK, CUBING 2" X 2" X 48" . . . . . 76   |  | \$414   |
|   |          | One fork only, specify qty of 2 for a pair.<br>This fork is also available in a quantity of six.  |  |         |
| W | 301-9753 | FORK, PALLET 2.36" X 5" X 48" . . . . . 0   |  | \$825   |
|   |          | One fork only, specify qty of 2 for a pair.<br>For use with 2.25" (57mm) bar.   |  |         |
| W | 301-9754 | FORK, PALLET 2.36" X 6" X 60" . . . . . 0   |  | \$1,053 |
|   |          | One fork only, specify qty of 2 for a pair.<br>For use with 2.25" (57mm) bar  |  |         |
| W | 608-8072 | FORK, DUAL TAPER 2" X 6" X 72" . . . . . 0  |  | \$1,333 |
|   |          | One fork only, specify qty of 2 for a pair.<br>For use with 2.25" (57mm) bar.   |  |         |
| W | 550-9930 | FORK, PALLET, 2.36 X 5 X 60 . . . . . 0   |  | \$942   |
|   |          | One fork only, specify qty of 2 for a pair.<br>ONLY FOR USE WITH: 555-1350 CARRIAGE, HYD FORK POSN, 50" or<br>555-1351 CARRIAGE, HYD FORK POSN, 72" |  |         |
| W | 567-1247 | FORK, PALLET 2.36" X 5" X 72" . . . . . 0   |  | \$1,058 |
|   |          | One fork only, specify qty of 2 for a pair.   |  |         |

CATERPILLAR MACHINE PRICE LIST

**TL1255**

|     |         |                        |                    |                         |
|-----|---------|------------------------|--------------------|-------------------------|
| USE | REF NO. | <b>LANE 3 OPTIONAL</b> | Ship Weight<br>lbs | LIST PRICE<br>AT DEALER |
|-----|---------|------------------------|--------------------|-------------------------|

**WORK TOOLS (CONT.)**

***FORKS (Cont.)***

|   |          |  |     |         |
|---|----------|--|-----|---------|
| W | 323-5737 | FORK, LUMBER 1.5" X 6" X 60" . . . . . | 245 | \$1,268 |
|   |          | One fork only, order 2 for a pair      |     |         |
|   |          | For use with 2.25" (57mm) bar          |     |         |

***FORK MOUNTED PLATFORM***

Please order as 'installed'

|   |          |  |   |         |
|---|----------|--|---|---------|
| W | 560-2574 | PLATFORM, FORK MTD, 8FT, ANSI . . . . .  | 0 | \$3,518 |
|   |          | Requires a selection of 48" Pallet Forks |   |         |
|   |          | Includes English Decals                  |   |         |

## CATERPILLAR MACHINE PRICE LIST

**TL1255**

| USE | REF<br>NO. | LANE 3 OPTIONAL | Ship Weight<br>lbs | LIST PRICE<br>AT DEALER |
|-----|------------|-----------------|--------------------|-------------------------|
|-----|------------|-----------------|--------------------|-------------------------|

**FIELD INSTALLED ATTACHMENTS****ATTACHMENTS AND WORKTOOLS AVAILABLE THROUGH PARTS ORDERING**

PLEASE NOTE: THESE CANNOT BE ADDED TO A MACHINE ORDER

|   |          |  |  |  |
|---|----------|--|--|--|
| W | 169-3945 | <b>TRUSS BOOM</b><br>Length 13'2" (4 meters)<br>Rated Capacity 1100lb (500kg)<br>Includes swivel hook  |  |  |
| W | 474-0144 | <b>TRUSS BOOM, 12', 2000LB</b>   |  |  |
| W | 474-0145 | <b>TRUSS BOOM, 15', 2000LB</b>   |  |  |
| W | 491-9893 | <b>TRUSS BOOM, 3' WITH WINCH</b>   |  |  |
| W | 474-0147 | <b>TRUSS BOOM, 12', 2000LB, WINCH</b>  |  |  |
| W | 549-5456 | <b>TRUSS BOOM, FORK MOUNTED, ADJ</b>   |  |  |
| W | 229-9714 | <b>ARM, MATERIAL HANDLING, IT</b><br>For handling of bulky objects. Manually adjustable to 3 positions<br>NOT AVAILABLE FOR ANZ DEALERS          |  |  |
| W | 321-0556 | <b>LIFTING HOOK, FORK MOUNTED</b><br>Length 31.5" (800mm)<br>Includes swivel hook and slips onto forks.<br>AVAILABLE FOR: USA and Canada only    |  |  |
| W | 486-0529 | <b>TRASH HOPPER, FORK MOUNTED</b>  |  |  |
| W | 486-0528 | <b>BROOM, PICK UP, WIDTH 102"</b>  |  |  |
| W | 560-2577 | <b>CARRIAGE, SWING, 180 DEGREES</b><br>72" (1830mm) wide with load backrest and 2.25" (57mm) floating shaft<br>180 degree of travel side to side |  |  |
| W | 486-0526 | <b>GRAPPLE FORK, PIPE &amp; POLE</b>   |  |  |
| W | 474-0139 | <b>CARRIAGE, STANDARD, 60"</b>   |  |  |
| W | 474-0148 | <b>BUCKET-GP, 2.0 YD3, IT</b>  |  |  |
| W | 474-0142 | <b>BUCKET-GRAPPLE, 1.7 YD3, IT</b>   |  |  |
| W | 163-4261 | <b>BUCKET-GP, 1.3 YD3, IT, BOCE</b><br>Rated Capacity 1.31 cyd, Width 95"<br>Includes bolt-on cutting edge & spillguard                          |  |  |
| W | 186-5838 | <b>BUCKET-MH, 1.96 YD3, IT, BOCE</b><br>Material Handling Bucket<br>Rated Capacity 1.95 cyd, Width 94"<br>Includes bolt-on edge                  |  |  |
| W | 163-4265 | <b>BUCKET-MP, 1.3 YD3, IT, BOCE</b><br>Rated Capacity 1.3 cyd, Width 94"<br>Includes bolt-on cutting edge  |  |  |

CATERPILLAR MACHINE PRICE LIST

**TL1255**

| USE | REF<br>NO. | <b>LANE 3 OPTIONAL</b> | Ship Weight<br>lbs | LIST PRICE<br>AT DEALER |
|-----|------------|------------------------|--------------------|-------------------------|
|-----|------------|------------------------|--------------------|-------------------------|

**PACKING**

***MACHINE PACKING***

Must Select

|         |                                  |   |           |
|---------|----------------------------------|---|-----------|
| 0P-3714 | PACK, ROLL ON/ROLL OFF, TL ..... | 0 | <b>NC</b> |
|---------|----------------------------------|---|-----------|