

TERRAINKING™

Engineering Practical Solutions™

A Member of Alamo Group

2019 DEALER EDITION

Wholegoods Pricing



Full Line

EFFECTIVE 04/08/2019-02/29/2020
REV:A-N

Terrain King Full Line Price Book

Table of Contents

Booms	Boom Mount Kits
KB1800 & KB2200	KB1800 & KB2200 Mount Kits
KB21	KB21 Mount Kits

Mowers	Mower Mount Kits
Terrain Master RH	Terrain Master RH Mount Kits
Terrain Master DW	Terrain Master DW Mount Kits
Flail King	
KSM60	KSM60 Mount Kits
KSB6	KSB6 Mount Kits

Tractors
Tractor Menu

TSM Contact Information

Territory	TSM	Cell
TX/OK/NM/Mexico/Puerto Rico/Carribbean	Blake Johnson	830-481-9734
AL/KY/LA/MD/IN/MS/OH/TN/VA/WV	Brian Dunleavy	830-305-2295
FL/GA/MI/NC/SC/Canada Except BC	Michael Pereny	830-305-2673
Open Territory - AK/HI/	Doug Baker	830-305-7001
AR/IA/CO/ID/IL/KS/MO/MN/MT/ND/NE/SD/UT/WI/WY	Steven Guhr	830-832-1776
AZ/CA/NV/OR/WA & BC	Curtis Craig	830-491-7772
CT/DE/MA/ME/NH/NJ/NY/PA/RI/VT	Frank Hernandez	830-832-6353

Base Unit Standard Specifications:

- ◆ Bolt-On Undermount with Front and Rear Attached Rails
- ◆ Exclusive Slewing Ring Bearing is Featured for Boom Maneuverability
- ◆ Standard Boom Structure Made from Alloy Steel
- ◆ Main Pivot Features 2' Chrome Pins with Greaseable, Hardened Steel Bushings
- ◆ Self Contained Front Mounted Hydraulic System
- ◆ Oil-to-Air Cooler with Electric Fan
- ◆ Ability to Mow Horizontally within 6" of Rear Tire with Swivel Heads
- ◆ Boom Features Dipper and Lift
- ◆ Boom Reach Specs: **18' Models**= Up 17'-1", Out-18', Down 9'-8"
22' Models= Up-19' 7", Out-22', Down-12' 1"
- ◆ 180° Horizontal Boom Swing
- ◆ Axle-Mounted Boom Rest
- ◆ Mount Kit, all Wheel Weights, and Polycarbonate Window Included in Base Price
- ◆ Tractor Req: Min of 8,500 lbs and 90 HP. Min 90" Wheelbase and 18" Ground Clearance

Head Specifications:

- ◆ 58" Cutting Diameter
- ◆ Alloy Deck Material with Double Wall Side Skirt
- ◆ 4-1/2"x9" Heat-Treated Alloy Spindle
- ◆ 152 HP Motor Direct-Coupled
- ◆ 2-1/2" x 5" Stacked Three-Leaf Blade Bar, Alloy Steel
- ◆ 5/8" x 5" High-Carbon Alloy Steel Blade, 360° Swing
- ◆ Standard (1) year limited parts and labor warranty.

Item #	Description	Aprx. Wt.	List Price
Base Unit (One Choice Required)			
30004841820	KB1800 Boom with Electronic Joystick Control (Lrg UM) M6 Series	5000	\$56,278
30004841821	KB1800 Boom with Axis Lever, Cable Control (Lrg UM) M6 Series	4800	\$47,191
30004842220	KB2200 Boom with Electronic Joystick Control (Lrg UM) M6 Series	5200	\$57,878
30004842221	KB2200 Boom with Axis Lever, Cable Control (Lrg UM) M6 Series	5000	\$49,551
30004831820	KB1800 Boom with Electronic Joystick Control (Std UM) M6S Series	5000	\$56,278
30004831821	KB1800 Boom with Cable/Lever Control (Std UM) M6S Series	4800	\$47,191
30004832220	KB2200 Boom with Electronic Joystick Control (Std UM) M6S Series	5200	\$57,878
30004832221	KB2200 Boom with Cable/Lever Control (Std UM) M6S Series	5000	\$49,551
Mower Heads (One Choice Required)			
34802986190	60" Rotary w/ Center Hyd Door, Blade Bar & Head Swivel	1115	\$17,880
34802986203	60" Rotary w/ Center Hyd Door, Blade Bar (No Head Swivel)	1061	\$15,875
34802986213	50" Rotary w/ Center Hyd Door, Blade Bar & Head Swivel		\$17,030
34802986211	50" Rotary w/ Center Hyd Door, Blade Bar (No Head Swivel)		\$15,001
34802986212	50" Rotary w/ Center Hyd Door, 3 Blade Pan & Head Swivel		\$17,258
34802986210	50" Rotary w/ Center Hyd Door, 3 Blade Pan (No Head Swivel)		\$15,228
34802986251	48" Heavy Duty Flail w/ Center Hyd Door & Head Swivel	968	\$17,698
34802986253	48" Heavy Duty Flail w/ Center Hyd Door (No Head Swivel)	777	\$15,689
34802986252	48" Heavy Duty Flail w/ Head Swivel Equipped w/ Flail King Style Cuttershaft & Head Swivel- 3 oz Knives	787	\$18,770
34802988233	60" HD Grass Flail- Equipped w/ 7 oz knives (No Head Swivel)		\$15,846
34802988881	60" HD Grass Flail w/ Head Swivel- Equipped w/ 7 oz knives		\$18,045
34802995848	52" ED Grass & Brush Flail	1150	\$20,058
34802986235	90" Saw Head- 4 Blade (No Head Swivel)	1098	\$19,554
34802986229	69" Saw Head- 3 Blade (No Head Swivel)	705	\$17,356
34802988854	M22 Maintainer Head (Hitch Post Mounted) (No Head Swivel)		\$16,133

Item #	Description	Aprx. Wt.	List Price
Options			
37002988075A	Additional Operators & Parts Manuals		\$64
33002989326	Quick Hitch Kit- Converts Boom & One Cutting Head		\$4,806
33002989327	Quick Hitch Aux.Kit- One Required for each Additional Head		\$637
30002975647	Jack Stand Kit- Heavy Duty Flail ***		\$404
30802990399	Jack Stand Kit- M22- Maintainer ***		\$796
30802984400	Jack Stand Kit- 60" HD Grass Flail ***		\$415
30002988458	High Wear Kit- Rotary Head	NET	\$1,147
30002988459	High Wear Kit- Heavy Duty Flail Head	NET	\$1,787
30002990017	High Wear Kit- Grass Flail Head Equipped w/ Flail King Style Cuttershaft- 3 oz Knives	NET	\$1,341
30002988460	High Wear Kit- Saw Head (Includes 4 Blades)	NET	\$2,426
30002985029	Mounting Labor, Calcium Chloride, and Oil	NET	\$7,024
TBD	Additional 12 Month Warranty	NET	TBD

*** Required to level the head for Quick Hitch applications

Item #	Tractor Description	Front Tire Size	Rear Tire Size
30002996674	KB1800-2200 Series- M6-101-111S Series Cab 4wd w/ Cast Rear Wheels- Joystick Controlled		
30002997632	KB1800-2200 Series- M6-101-111S Series Cab 4wd w/ Cast Rear Wheels- Axis Lever, Cable Controlled		
30002996400	KB1800-2200 Series- M6-131-141S Series Cab 4wd w/ Cast Rear Wheels- Joystick Controlled		
30002997655	KB1800-2200 Series- M6S-111S Series Cab 4wd w/ Cast Rear Wheels- Joystick Controlled		
30002988674	KB 1800- M108S Series Cab 2 & 4wd w/ Cast Rear Wheels- Cable Controlled		
30002988675	KB1800- M108S Series Cab 2 & 4wd w/ Pressed Steel Rear Wheels- Cable Controlled		
30002988676	KB1800- M108S Series Cab 2 & 4wd w/ Cast Rear Wheels- Joystick Controlled		
30002988677	KB1800- M108S Series Cab 2 & 4wd w/ Pressed Steel Rear Wheels- Joystick Controlled		
30002987087	KB 2200- M108S Series Cab 2 & 4wd w/ Cast Rear Wheels- Cable Controlled		
30002987085	KB2200- M108S Series Cab 2 & 4wd w/ Pressed Steel Rear Wheels- Cable Controlled		
30002987084	KB2200- M108S Series Cab 2 & 4wd w/ Cast Rear Wheels- Joystick Controlled		
30002987080	KB2200- M108S Series Cab 2 & 4wd w/ Pressed Steel Rear Wheels- Joystick Controlled		
30002992224	KB2200- M100-110GX Series Cab 2 & 4wd w/ Cast Rear Wheels- Joystick Controlled		
30002994117	KB2200- M108S- M100-110GX Series Cab 2 & 4wd w/ Pressed Steel Rear Wheels- Joystick Controlled		
Not Listed	Call for Availability		

Base Unit Standard Specifications:

- ◆ Boom Reach: Out- 21'-7.5", Up-18'-1.5", Down 13'-6"
- ◆ 120° Horizontal Boom Swing
- ◆ Available as Cable-operated or Electronic Joystick Control Versions
- ◆ Self contained Hydraulic System (No need to use the tractor remotes)
- ◆ Front Mounted Hydraulic Pump with bottom guard
- ◆ 45 Gallon Under Fender Oil Reservoir
- ◆ Axle-Mounted Boom Rest
- ◆ Mount Kit, all Wheel Weight, and Polycarbonate Window Included in Base Price
- ◆ Tractor Req: Min of 6,800 lbs and 80 HP. Min 85" Wheelbase and 17" Ground Clearance
- ◆ Minimum Operating weight: 6700 lbs.
- ◆ Standard (1) year limited parts and labor warranty.

Head Specifications:

- ◆ 60" Cutting Diameter
- ◆ Capable of Cutting 5" Grass and Brush Material
- ◆ 14 Gauge Deck Material with Vertical Ribbing for Reinforcement
- ◆ Direct-Coupled Motor
- ◆ 1.25" x 6" Single Leaf Blade Bar,
- ◆ 1/2" x 4" Alloy Steel Updraft Blades, 360° Swing
- ◆ Mechanically Operated Front Access Door
- ◆ Full Length Replaceable Skid Shoes

Item #	Description	Aprx. Wt.	List Price
Base Unit (One Choice Required)			
30004302100	KB21 Boom with Electronic Joystick Control	5000	\$39,852
30004302101	KB21 Boom with Cable/Lever Control	5000	\$31,135
Mower Heads (One Choice Required)			
30002990662	60" Rotary w/ Hydraulic Center Door, Three Leaf Blade Bar, Head Swivel	1061	\$17,252
34802989419	60" Rotary w/ Manual Center Door, Three Leaf Blade Bar (No Head Swivel)	1061	\$19,200
34802986211	50" Rotary w/ Hydraulic Center Door, Triple-Leaf Blade Bar (No Head Swivel)		\$15,001
34802986210	50" Rotary w/ Hydraulic Center Door, 3-Blade Pan (No Head Swivel)		\$15,228
34802986253	48" Heavy Duty Flail w/ Hydraulic Center Door (No Head Swivel)	777	\$15,689
34802986229	69" Saw Head- 3 Blade (No Head Swivel)	705	\$17,356
Options			
30002997488	KB21 Hydraulic Quick Disconnect Fitting Kit- Base Unit		\$1,105
30002997490	KB21 Hydraulic Quick Disconnect Fitting Kit- Additional Head		\$585
37002994247A	Additional Operators & Parts Manuals		\$64
TBD	High Wear Kit- Rotary Head	NET	TBD
30002988459	High Wear Kit- Heavy Duty Flail Head	NET	\$1,787
30002990017	High Wear Kit- Grass Flail Head Equipped w/ Flail King Style Cuttershaft- 3 oz Knives	NET	\$1,341
30002988460	High Wear Kit- Saw Head (Includes 4 Blades)	NET	\$2,426
30002963038	Mounting Labor, Calcium Chloride, and Oil	NET	\$6,402
30002999495	Additional 12 Month Warranty	NET	\$3,359

Item #	Tractor Description	Front Tire Size	Rear Tire Size
30002996964	KB M5-091/5-111 Series Cab 4wd w/ Cast Rear Wheels- Joystick Controlled		
30002998568	KB M5-091/5-111 Series Cab 4wd w/ Cast Rear Wheels- Cable Controlled		
30002994495	KB M8560-9960 Series Cab 4wd w/ Cast Rear Wheels- Cable Controlled		
30002993930	KB M8560-9960 Series Cab 4wd w/ Cast Rear Wheels- Joystick Controlled		
Not Listed	Call for Availability		

Standard Specifications:

- ◆ Full-Length Welded Tubular Frame with Transport Lock
- ◆ 10-Gauge Unitized Cutter Housing
- ◆ 1/2" Inboard & 5/16" Outboard Side Plates
- ◆ Replaceable Skid Shoes
- ◆ 4-1/2" x 5/16" Wall Cuttershaft
- ◆ 1-5/16" Bore Greaseable, Self-aligning Cuttershaft Bearings
- ◆ Belt Drive from Gearbox to Cuttershaft with Automatic Spring Tension
- ◆ 6" Adjustable Rear Roller
- ◆ 1" - 6" Cutting Height Adjustment
- ◆ 62", 74", or 88" Cutting Widths
- ◆ Piston Pump Rated @ 24 GPM @ 3800 PSI
- ◆ 2-Spool Valve with Float Detent Position
- ◆ Automatic Cut-Off Switch
- ◆ 60 HP Piston Motor
- ◆ 25-Gallon Reservoir with 10 Micron Filtration
- ◆ Front & Rear Deflectors
- ◆ Cutting Capacity: 1" diameter material
- ◆ Standard (1) year limited parts and labor warranty

Item #	Description	Aprx. Wt.	List Price
Base Unit (One Choice Required)			
TBD- Call For Availability	62" RH Terrain Master, 3 oz Knives (In-line Lift Pump Design)		TBD
TBD- Call For Availability	62" RH Terrain Master, 4 oz Knives (In-line Lift Pump Design)		TBD
TBD- Call For Availability	74" RH Terrain Master, 3 oz Knives (In-line Lift Pump Design)		TBD
34802997004	74" RH Terrain Master, 4 oz Knives (In-line Lift Pump Design)		\$36,186
TBD- Call For Availability	88" RH Terrain Master, 3 oz Knives (In-line Lift Pump Design)		TBD
TBD- Call For Availability	88" RH Terrain Master, 4 oz Knives (In-line Lift Pump Design)		TBD
Options			
348988058	96" Flail King, Centered, 3 oz. knives	1170	\$9,620
348988067	96" Flail King, Centered, 4 oz. knives	1170	\$9,945
37002990357A	Additional Operators and Parts Manuals		\$64
30002987303	High Wear Kit- Right Wing Mowers	NET	\$646
300801022	Mounting Charges- Labor & Oil	NET	\$4,613
30000889899	Additional 12 Month Warranty	NET	\$4,106

Item #	Tractor Description
30002997450	M5.091/111 Series Cab 2 & 4wd Models
-----	-----
30002985128	M108S Series Cab 2 & 4wd
30002985084	
-----	-----
30802990553	M8560-9960 Series Cab 2 & 4wd
30002990554	

Not Listed	Call for Availability

Base Unit Standard Specifications:

- ◆ 19'4" and 21'7" Overall Cutting Widths
- ◆ Full-Length Welded Tubular Frame with Transport Lock
- ◆ 25-Gallon Reservoir with 10 Micron Filtration
- ◆ Tandem Piston Pumps Rated @ 24 GPM @ 3800 PSI
- ◆ 4-Spool Valve with Float Detent Position
- ◆ 1-15/16" Bore Greaseable, Self Aligning Cuttershaft Bearings

Wing Mower Standard Specifications:

- ◆ 74", or 88" Cutting Widths
- ◆ 1/2" Inboard & 5/16" Outboard Side Plates
- ◆ Replaceable Skid Shoes
- ◆ 4-1/2" x 5/16" Wall Cuttershaft
- ◆ 1-5/16" Bore Greaseable, Self-aligning Cuttershaft Bearings
- ◆ 53 HP Piston Motor
- ◆ Belt Drive from Gearbox to Cuttershaft with Automatic Spring Tension
- ◆ 6" Adjustable Rear Roller
- ◆ 1" - 6" Cutting Height Adjustment
- ◆ Front & Rear Deflectors
- ◆ Clipped Foot Guards Standard
- ◆ Automatic Cut-Off Switch
- ◆ 10-Gauge Unitized Cutter Housing

Rear Mower Standard Specifications:

- ◆ 96" Cutting Width
- ◆ 10-Gauge Unitized Cutter Housing
- ◆ 5/16" Side Plates
- ◆ CAT I or CAT II Three-Point Hitch
- ◆ 4-1/2" x 5/16" Wall Cuttershaft
- ◆ 1-15/16" Bore Greaseable, Self Aligning Cuttershaft Bearings
- ◆ 60 HP Gearbox
- ◆ 6" Adjustable Rear Roller
- ◆ 1" - 6" Cutting Height Adjustment
- ◆ Front & Rear Deflectors
- ◆ CAT 4 Driveline
- ◆ Belt Drive from Gearbox to Cuttershaft with Automatic Spring Tension

General Specifications:

- ◆ Cutting Capacity: 1" diameter material
- ◆ Standard 1 year limited parts and labor warranty

Item #	Description	Aprx. Wt.	List Price
Base Unit (One Choice Required)			
34802997146	19'4" Terrain Master, 3 oz Knives (In-line Lift Pump Design) Includes: 2- 74" Wing Mowers & 1- 96" Rear Mower	4570	\$70,051
TBD	19'4" Terrain Master, 4 oz Knives (In-line Lift Pump Design) Includes: 2- 74" Wing Mowers & 1- 96" Rear Mower		TBD
30002997810	21'7" Terrain Master, 3 oz Knives (In-line Lift Pump Design) Includes: 2- 88" Wing Mowers & 1- 96" Rear Mower	4624	\$70,888
30002997811	21'7" Terrain Master, 4 oz Knives (In-line Lift Pump Design) Includes: 2- 88" Wing Mowers & 1- 96" Rear Mower	4624	\$71,276
Options			
37002990357A	Additional Operators and Parts Manuals		\$64
33002972480	Left-Wing Remote Positioning System		\$3,379
30002987303	High Wear Kit- Right & Left Wing Mowers (2 required)	NET	\$646
30002991274	High Wear Kit- Rear Flail Mower	NET	\$631
300803399	Mounting Charges- Labor & Oil	NET	\$7,795
30000889899	Additional 12 Month Warranty	NET	\$4,106

Item #	Tractor Description
30002997149	M5.091/5.111 Series Cab 2wd Models Only
30002997700	M5.091/5.111 Series Cab 4wd Models
30002994030	M8560-9960 Series Cab 2 & 4wd (4wd models require clipped foot guards below)
30002990742	M108S- Series Cab 2 & 4wd
Not Listed	Call for Availability

Standard Specifications:

- ◆ 74", 88", 96" Cutting Widths
- ◆ 10-Gauge Unitized Cutter Housing
- ◆ 5/16" Side Plates
- ◆ CAT I or CAT II Three-Point Hitch
- ◆ 4-1/2" x 5/16" Wall Cuttershaft
- ◆ 1-15/16" Bore Greaseable, Self Aligning Cuttershaft Bearings
- ◆ 60 HP Gearbox
- ◆ CAT 4 Driveline
- ◆ Belt Drive from Gearbox to Cuttershaft with Automatic Spring Tension
- ◆ 6" Adjustable Rear Roller
- ◆ 1" - 6" Cutting Height Adjustment
- ◆ Front & Rear Deflectors
- ◆ Factory Set-Up
- ◆ Cutting Capacity: 1" diameter material
- ◆ Standard (1) year limited parts and labor warranty
- ◆ Min. tractor hp requirements:
 74" Req: Min 35 HP
 88" Req: Min 40 HP
 96" Req: Min 50 HP

Item #	Description	Aprx. Wt.	List Price
Base Unit (One Choice Required)			
34802990739	74" Flail King , Center, 3 oz Knives	930	\$8,518
34802990740	74" Flail King, Center, 4 oz Knives	930	\$8,767
30002997818	74" Flail King, OR 14", 4 oz Knives	930	\$8,767
348988037	88" Flail King , Center, 3 oz Knives	1035	\$8,638
348988040	88" Flail King, Center, 4 oz Knives	1035	\$8,935
348988058	96" Flail King, Center, 3 oz Knives	1170	\$9,620
348988067	96" Flail King, Center, 4 oz Knives	1170	\$9,945
300FK96305ES	96" Flail King, OR 30.5", 4 oz Knives	1170	\$9,945
Options			
37002990357A	Additional Operators and Parts Manuals		\$64
30002991274	High Wear Kit- Rear Flail Mower	NET	\$631
30000889899	Additional 12 Month Warranty	NET	\$4,106

Standard Specifications:

- ◆ Welded Steel Plate Frame Braced to the Front Bolster & Rear Axle
- ◆ 53-Gallon Hydraulic Reservoir with 12-Micron Filtration
- ◆ Lift Frame Capable of Tilting the Head 180°
- ◆ Lift Frame is Capable of Lifting the Head 17" Above & 6" Below Grade Level
- ◆ Stacked Hydraulic Pump Rated @ 51 GPM @ 2500 PSI
- ◆ 2-Spool, Open Center, Tapered Positive Metering Valve
- ◆ Min Tractor Req: 60 PTO HP
- ◆ Cutting Capacity: 2" material
- ◆ Standard (1) year limited parts and labor warranty

Head Specifications:

- ◆ 60" Rotary Head
- ◆ 1/4" Gauge Deck with 3/8" Side Skirts
- ◆ Channel Reinforcements on the Top Deck
- ◆ Spindle Mounting Plate is 1" at the Spindle
- ◆ 90 HP Gear Motor Directly Splined to the Spindle
- ◆ 4-1/2"x9" Hardened Spindle
- ◆ 1-1/4"x6" Blades, 360° Swing
- ◆ 360° Swinging Updraft Blades
- ◆ Full-Length Replaceable Skid Shoes
- ◆ Front & Rear Chain Guards

Item #	Description	Aprx. Wt.	List Price
Base Unit (One Choice Required)			
31804950026JS	Rotary- Extreme Service Extension Arm- w/ J-Stk (M5-091/M5-111)		\$18,033
30004950032JS	Rotary- Extreme Service Extension Arm- w/ JStk (M5-091/M5-111)		\$18,033
31804950026	Rotary- Extreme Service Extension Arm- Cab (M5-TIEF4)	2300	\$18,033
31804950027	Rotary- Breakaway Extension Arm- Cab (M5-TIEF4)	2370	\$19,864
Mower Head (One Choice Required)			
34802964876	60" Rotary with Bar, Front & Rear Chain Guards	1050	\$10,990
34802964878	60" Rotary with Pan, Front & Rear Chain Guards	1100	\$12,015
34802964884	60" Breakaway Rotary with Bar, Front & Rear Chain Guards	1050	\$11,835
34802964886	60" Breakaway Rotary with Pan, Front & Rear Chain Guards	1100	\$12,965
Options			
348FK96185CC	96" Flail King- 18.5" Offset Rear Flail Unit- CC Knives		\$9,620
348FK96185ES	96" Flail King- 18.5" Offset Rear Flail Unit- ES Knives		\$9,945
30002972609	Wheel Weight Kit-500 lbs.		\$1,540
Call for Avail.	Lexan Window kit- Replaces RH Door and Side Window		TBD
37002993750A	Additional Operators and Parts Manuals		\$64
30002963045	Mounting Labor & Oil	NET	\$6,202
30000889899KSM	Additional 12 Month Warranty (00889899)	NET	\$4,106

Item #	Tractor Description
30002999805	M5-091/M5-111 Series Cab 2 & 4wd - Joystick Controlled
30002997415	M5-091/M5-111 Series Cab 2 & 4wd - Lever Controlled
30002997442	M5-091/M5-111 Series Rops 2 & 4wd - Lever Controlled
30002999909	M6S-111SHC Series Cab 2 wd - Joystick Controlled
Not Listed	Call for Availability

Standard Specifications:

- ◆ Full Hydraulic Drive of Cutter Knife
- ◆ Hydraulically Actuated Breakaway
- ◆ Hydraulic Lift and Tilt
- ◆ Knife Speed Governor
- ◆ 3" Heavy Duty Industrial Rock Guards
- ◆ Reversible Hydraulic Motor
- ◆ Safety Transport Locks
- ◆ Self-Contained Hydraulics
- ◆ Cutting Capacity: 1/2" diameter material
- ◆ Tractor Req: Min. 3,000 lbs. and a 25 HP rating

Item #	Description	Aprx. Wt.	List Price
Base Unit (One Choice Required)			
31804117207	KSB6 Single RH w/ Serrated Knives	723	\$21,118
Options			
37002993751A	Additional Operators and Parts Manuals		\$64
3080487100	Knife Holder Brackets (Order Quantity 2 per Unit)	9	\$152
30802988134	Kubota M5040/M6040/M7040 Pump Guard Kit		\$367
3000800000	Factory Mounting & Oil	NET	\$1,916
30002991505	Additional 12 Month Warranty	NET	\$1,914

Item #	Tractor Description	Front Tire Size	Rear Tire Size
30002998045	M5.091/5.111 Series Cab 2 & 4 wd TIV-F Models	12.4-24	18.4-30
30802997019	Kubota M6060/7060 Cab or Rops 2 & 4wd	12.4-24	18.4-30
30802992900	Kubota M5040/M6040/M7040 ROPS 2 & 4wd	12.5-18	16.9-28
30802992901	Kubota M5040/M6040/M7040 Cab 2 & 4wd	11.2-24	16.9-30
Not Listed	Call for Availability		

TERRAIN KING TRACTOR PRICE LIST

PART #	Model	Cab	Drive	TRANSMISSION	COMPATIBILITY	Front Tire	Rear Tire	ENGINE	DEALER NET PRICE
30002996204-PCRW	Kubota M5-091HDC12	Cab	4wd	12x12	KB21, TM, KSM, & KSB	12.4R24	18.4R30	92.5 hp 76 PTO hp	\$45,853
30002996208-PCRW	Kubota M5-111HDC12	Cab	4wd	12x12	KB21, TM, KSM, & KSB	12.4R24	18.4R30	105.6 hp 89 PTO hp	\$47,697
30002997349-PC	Kubota M6S-111SHDC	Cab	4wd	16x16 Electro-Hyd Shuttle	KB1800/KB2200	13.6R24	18.4R34	114 hp 95 PTO hp	\$52,859
30002999498P	Kubota M6S-111SHDC	Cab	4wd	16x16 Electro-Hyd Shuttle	KB1800/KB2200	340/70R28	460/75R38	114 hp 95 PTO hp	\$54,461
30002997346-PC	Kubota M6S-111SDSC	Cab	4wd	32x32 Electro-Hyd Shuttle	KB1800/KB2200	13.6R24	18.4R34	114 hp 95 PTO hp	\$54,602
30002999497P	Kubota M6S-111SDSC	Cab	4wd	32x32 Electro-Hyd Shuttle	KB1800/KB2200	340/70R28	460/75R38	114 hp 95 PTO hp	\$56,204
30002996210-PCRW	Kubota M6-101DTC-F	Cab	4wd	24Fx24R Intelli-Shift	KB1800/KB2200	13.6R24	18.4R34	104.5 hp 82 PTO hp	\$59,770
30002999496P	Kubota M6-101DTC-F	Cab	4wd	24Fx24R Intelli-Shift	KB1800/KB2200	340/70R28	460/75R38	104.5 hp 82 PTO hp	\$61,372
30002996211-PCRW	Kubota M6-111DTC-F	Cab	4wd	24Fx24R Intelli-Shift	KB1800/KB2200	13.6R24	18.4R34	114.1 hp 92 PTO hp	\$62,339
30002999499P	Kubota M6-111DTC-F	Cab	4wd	24Fx24R Intelli-Shift	KB1800/KB2200	340/70R28	460/75R38	114.1 hp 92 PTO hp	\$63,941